



JENE MED SYSTEM
No.8/175, VOC Street, Kennadi Veli Extension, Tirusulam, Chennai - 600 043
DL:TN/Z04/20B/00468, TN/Z04/21B/00468, GST:33BREPS4863D1ZR
PH:88388 29636 | 80562 53730, mail: jenemedsystem@gmail.com



ALPHA TECHNOLOGIES Since 2014
MEDICAL EQUIPMENTS SALES & SERVICES



YMS

CENTRIFUGE NEEDLE DESTROYER
BLOOD MIXER MICROSCOPE



ALPHA TECHNOLOGIES

MICRO PIPETTES BIO CHEMISTRY REAGENTS
EDTA TUBES CBC REAGENTS



10th YEAR
ALPHA TECHNOLOGIES

♦ All types of rapid cards
 • Urine strips
 • All types of quality controls
 • Serology kits
 • All types of disposable lab consumables

♦ Our other service - 24X7 Guaranteed
 • Probes & Cables - SpO₂, NIBP, ECG, TEMP, RESP, etc...
 • Thermal Paper - ECG, CTG, TMT, etc
 • All spares parts, battery, SMPS, mother board, control board etc...
 • AMC, CMC for all company medical equipments
 • Calibrations for all medical equipments

Authorised channel partners :











Since 2014
ALPHA TECHNOLOGIES
MEDICAL EQUIPMENTS SALES & SERVICES

No.24B, VOC Street, Kennadi Veli Extension, Tirusulam, Chennai - 600 043
DL:TN/KPM/20B/00544 | PH:80562 53730 | 95000 02989
mail: alphatechnologies2014@gmail.com | www.alphatechnologies.org.in



PRODUCT CATALOGUE
Quality Healthcare Equipment



STAR8000
Multipara Monitor

- 12.1 LED color display
- SPO2+NIBP+ECG+TEMP+RESP+PR
- 4 Hour battery
- Optional : Touch screen, dual I BP EtcO2, Nellcor / Masimo-SpO2, thermal printer, CMS



C50/C80/C86
High end
Multipara Monitor
US FDA

- 10.4"/12.1"/15" Touch/water proof display
- SPO2+NIBP+ECG+TEMP+RESP
- Optional: Dual IBP, EtcO2, CO, AGM, Nellcor / Masimo-SpO2, thermal printer, CMS
- 4 Hours battery



V3
ICU VENTILATOR

- 12.1 inch Capacitive Touch screen
- TV 20 ml to 2200 ml
- Both Invasive and Non invasive modes
- With HFNC function
- Advance Monitoring parameters Invasive and Non invasive mode
- Adult to ped patient



CM1200B
12 Channel ECG Machine

- 5.7" Color Display
- Auto reports
- 300 ECG Storage
- Lead Status Map
- 4 Hours battery



CM1200A
12 Channel ECG Machine

- 8.4" Touch screen
- Auto report
- Alpha numeric key board
- 300 ECG wave form storage
- Print preview / 4 Hours battery



EXAMINATION LIGHT

- 1,60,000 LUX (76 LED)
- 3 Years warranty
- 45000 LUX



LED OT LIGHT

- Intensity
- Size of Light Field
- Colour Temperature
- Colour Rendering Index
- LED Life
- Number of LED
- 1,80,000 + 1,80,000 Lux
- 12-30 cm
- 4000 - 5000 K
- 93 RA
- >50000 Hrs
- 126+126



OT TABLE

- Fully stainless steel design with C arm compatible
- Manual / Electrical operated
- Multipurpose operating table
- 3 Years warranty



BOYLES APPARATUS

VAPORIZER

- SS/MS Design with circle absorber
- A' type / B' type cylinder provisions
- All safety cut off systems
- Optional : Vaporizer, Anesthesia Ventilator



SURGICAL DIATHERMY

- Suitable for all surgeries
- Monopolar - cut blend / coagulation
- Bipolar coagulation
- Upto 99 procedures programmable



COLPOSCOPY

- Auto / Manual focus
- Maintenance free light source



AUTO CLAVE

- Fully SS design
- Auto cutoff system

<p>CARDIAC TREADMILL</p>  <ul style="list-style-type: none"> • Fully Computerized Treadmill with software • Automatic Speed & Elevation • 12 Channel ECG Analyzer for TMT & Resting ECG 	<p>3/12 ECG HOLTER</p>  <ul style="list-style-type: none"> • 2 GB SD Memory Card & USB • 5 or 7 Lead ECG Patient Cable • Recording Time : 24/48/72 hr • Battery type : AA Battery 	<p>STAR 5000E (C11) Fetal Monitor/CTG Monitor</p>  <ul style="list-style-type: none"> • 5.7" Color Display • FHR,TOCO,FM,AFM monitor • 112 mm Thermal Printer • 300 CTG Report Storage / 4 Hours Battery • Optional : Twin FHR, Fetal stimulator 	<p>C21/22 High End Fetal/Maternal Monitor</p>  <ul style="list-style-type: none"> • 12.1" Touch color folding display • FHR,TOCO,FM,AFM monitor • 152 mm Thermal printer • 300 CTG Report storage/4 Hours battery • Optional : Twin FHR, SPO2, NIBP, ECG, TEMP, RESP 	
<p>SPIRO METER (PFT)</p>  <ul style="list-style-type: none"> • Modes - 32, 40, 60 channels • Brain mapping with multiple options • Flash rate - 1 to 60 	<p>BIPHASIC DEFIBRILLATOR</p>  <ul style="list-style-type: none"> • Jules 2 to 200 • 7" Screen Color Display • Charging Time 6 Seconds • Optional : SpO2, NIBP, AED, PACER, EtCO2 	<p>S3 Defibrillator Monitor</p>  <ul style="list-style-type: none"> • Jules up to 360 • Full charge with in 6 sec. • 7" Colour display • Battery backup 6 hrs. 	<p>A7 Anaesthesia Work Station</p>  <ul style="list-style-type: none"> • 8.4"Touch Screen • Single Drawer and Vaporizer position • Modes of ventilation - PCV, VCV, PSV/CPAP,SIMV-VCV, • IMV-PCV, Manual and spontaneous. • Tidal Volume - 20ml to 1500 ml • Low Flow Anesthesia, ACGO, CO2 bypass function, Electronic PEEP 	
<p>CPAP/BPAP</p>  <ul style="list-style-type: none"> • High-Efficiency Humidification • Higher Motor Performance • Maximum Ramp : 0 to 60 min. • Weight : 1.5 kg 	<p>O2 CONCENTRATOR</p>  <ul style="list-style-type: none"> • 5 Litre Capacity • 3 Years warranty 	<p>PATIENT MONITOR</p>  <ul style="list-style-type: none"> • 12.1 TFT Color Display • SPO2+NIBP+ECG+TEMP+RESP 	<p>3 Channel ECG Machine</p>  <ul style="list-style-type: none"> • 6.2" Touch Screen • 12 Channel ECG Display • Advance arrhythmia detection • Advance Noise Filter • 10000 ECG Waveform Storage 	<p>AX400/500 Anaesthesia Work Station</p>  <ul style="list-style-type: none"> • 8.4"/10.4 Touch screen display • 2 Gas (N2O, O2) System / Centerline, Cylinder Supply • Tidal volume - 15 ml to 1500 ml/minute • ACGO, Auxiliary O2, FiO2 Monitoring Single / Dual Vaporizer Position • Modes - VCV, PCV, PSV, SIMV-VCV, SIMV-PCV
<p>INFUSION PUMP</p>  <ul style="list-style-type: none"> • LCD Display • 4 Hour Battery 				

BA 88A
Semi Auto Biochemistry Analyzer



- 7" TFT touch screen display
- Wavelengths range 340 to 670 nm
- Up to 200 test can programmed
- Testing mode, flowcell or cuvette

BS-240
Auto Clinical Chemistry Analyzer



- Throughput upto 200 Test / hr
- Flexible loading upto 40 sample and 80 reagents positions
- Refrigerated compartment for both samples and reagents
- Minimal reagent volume 100 µl
- On board laundry

MR 96A
ELISA READER



- Touch-screen, 7.8" large color LCD display
- Can perform 12 different tests in one plate
- Variable time and speed shaking modes
- Microplate types : 96/48-well plate

Getein 1100
Immunofluorescence Quantitative Analyzer



- 7" Touch Screen
- RFID Card calibration
- 10000 - Storage capacity
- Sample type - Whole Blood, Serum, Plasma, Urine, etc.
- Weight 2 kg and life 8 years

BC-20/20S
3 Part Auto Hematology Analyzer



- 10.4/8.4" TFT touch screen display
- 21 Parameters +3 histograms
- Throughput 40 test / hour
- Detailed flag message for pre-diagnostics
- 200,000 result storage with histograms

BC-5130
5 Part Auto Hematology Analyzer



- 5-part differentiation, 25 reportable parameters + 10 research parameters, 4 scattergrams and 3 histograms
- Laser scatter + chemical dye + flow cytometry technology
- Capability to flag 25 abnormal blood cell morphology
- 60 samples per / hr

MAGLUMI 800
Chemiluminescence Immunoassay (CLIA) System



- Throughput: 180 Tests / hour
- Upto 16 sample positions
- 9 Reagents on board
- 130 test parameters
- Random, batch and STAT function

ST-200 CC
BLOOD GAS ANALIZER



- 10" LCD Touch Screen
- 1 Sample and acquire 27 different results
- One touch calibration for new reagent pack
- 1,00,000 samples storage.

ST-200 AQUA
Electrolyte Analyzer



- LCD Screen Display
- Sample volume : 65µl - 150µl
- Automatic one point, two points and manual calibration
- Rapid test speed : <25 Seconds
- Parameters: Na⁺, K⁺, Cl⁻, Ca⁺⁺, pH

OPTICAL COAGULATION ANALYZER



- Results in 3 minutes
- Accurate CV - 5%
- Dried reagents test strip
- Parameters-PT/INR, APTT, FIB, TT etc.
- Sample volume - 20µl

ESR - LBY 20
Erythrocyte Sedimentation Rate



- Dynamic scan, easy operation
- Testing Chanel 20 positions
- Testing time 30 minutes
- Automatically calibration to the test results at 25°C

URIT - 50
URINE ANALYZER



- LCD Screen display
- Throughput 60 samples per/hr
- Sample supply - manual dipping
- Storage - 5000 results