

UID EXPERIMENT NO : 3

NAME : AMIRTHA S R

ROLL NO : 240701036


COMMAND LINE INTERFACE:

```
import os
import sys

def rename_file(old_name, new_name):
    try:
        os.rename(old_name, new_name)
        print(f"File renamed from {old_name} to {new_name}")
    except FileNotFoundError:
        print(f"Error: {old_name} not found.")
    except Exception as e:
        print(f"An error occurred: {e}")

if __name__ == "__main__":
    if len(sys.argv) != 3:
        print("Usage: python rename_file_cli.py <old_filename> <new_filename>")
    else:
        rename_file(sys.argv[1], sys.argv[2])
```

OUTPUT:

A terminal window with a black background and white text. The first line shows the command 'C:\Users\ramma\Desktop\uidexp3>python cly.py new.txt old.txt'. The second line shows the output 'File renamed from new.txt to old.txt'.

```
C:\Users\ramma\Desktop\uidexp3>python cly.py new.txt old.txt
File renamed from new.txt to old.txt
```

GRAPHICAL USER INETRFACE:

CODE:

```
import tkinter as tk
from tkinter import messagebox
import os
```

```

def rename_file():
    old_name = old_filename_entry.get().strip()
    new_name = new_filename_entry.get().strip()

    if not old_name or not new_name:
        messagebox.showwarning("Warning", "Please enter both filenames!")
        return

    if not os.path.exists(old_name):
        messagebox.showerror("Error", f"File '{old_name}' not found.")
        return

    if os.path.exists(new_name):
        overwrite = messagebox.askyesno("Warning", f"'{new_name}' already exists. Overwrite?")
        if not overwrite:
            return

    try:
        os.rename(old_name, new_name)
        messagebox.showinfo("Success", f"File renamed from '{old_name}' to '{new_name}'")
    except Exception as e:
        messagebox.showerror("Error", f"An error occurred: {e}")

root = tk.Tk()
root.title("File Renamer")
root.geometry("400x150")
root.resizable(False, False)

tk.Label(root, text="📁 Old Filename:", font=("Arial", 10)).grid(row=0, column=0, padx=10,
pady=5, sticky="w")
tk.Label(root, text="📄 New Filename:", font=("Arial", 10)).grid(row=1, column=0, padx=10,
pady=5, sticky="w")

old_filename_entry = tk.Entry(root, width=40)
old_filename_entry.grid(row=0, column=1, padx=10, pady=5)

new_filename_entry = tk.Entry(root, width=40)
new_filename_entry.grid(row=1, column=1, padx=10, pady=5)


rename_button = tk.Button(
    root,
    text="✅ Rename File",
    bg="green",
    fg="white",
    font=("Arial", 10, "bold"),
    command=rename_file

```

```
)
rename_button.grid(row=2, column=0, columnspan=2, pady=10)

root.mainloop()
```

OUTPUT:



```
C:\Users\ramma\Desktop\uidexp3>python gui.py new.txt old.txt
```

1) VOICE USER INTERFACE.

CODE:

```
import speech_recognition as sr
import os

def rename_file_from_voice_command(command):
    try:
        words = command.lower().split(" ")

        if "rename" in words and "to" in words:
            rename_index = words.index("rename")
            to_index = words.index("to")

            old_name = words[rename_index + 1]
            new_name = words[to_index + 1]

            if not os.path.exists(old_name):
                print(f"Error: File '{old_name}' not found.")
            return
```

```

        os.rename(old_name, new_name)

        print(f"File renamed from '{old_name}' to '{new_name}'")
    else:
        print("Invalid command format. Say: Rename oldfile.txt to newfile.txt")

except Exception as e:
    print(f"Error: {e}")

def listen_for_command():
    recognizer = sr.Recognizer()
    mic = sr.Microphone()

    print("Listening for command...")

    with mic as source:
        recognizer.adjust_for_ambient_noise(source)
        audio = recognizer.listen(source)

    try:
        command = recognizer.recognize_google(audio)
        print(f"Command received: {command}")
        rename_file_from_voice_command(command)

    except sr.UnknownValueError:
        print("Could not understand the command.")
    except sr.RequestError as e:
        print(f"Speech service error: {e}")

if __name__ == "__main__":
    listen_for_command()

```

```
C:\Users\ramma\Desktop\uidexp3>python voice.py
?? Listening for command to rename a file...
??? Command received: rename a.txt to new.txt
? File renamed from 'a.txt' to 'new.txt'
```

4.USER SATISFACTION.

CODE:

```
def survey():
```

```
    print("Rate your satisfaction with the following interfaces (1-5):")
```

```
    try:
```

```
        cli_satisfaction = int(input("CLI (1-5): "))
```

```
        gui_satisfaction = int(input("GUI (1-5): "))
```

```
        vui_satisfaction = int(input("VUI (1-5): "))
```

```
    if not (1 <= cli_satisfaction <= 5 and 1 <= gui_satisfaction <= 5 and 1 <= vui_satisfaction <= 5):
```

```
        print("Please enter ratings between 1 and 5 only.")
```

```
        return
```

```
    print("\nYour satisfaction ratings:")
```

```
    print(f"CLI: {cli_satisfaction}")
```

```
    print(f"GUI: {gui_satisfaction}")
```

```
    print(f"VUI: {vui_satisfaction}")
```

```
    avg_satisfaction = (cli_satisfaction + gui_satisfaction + vui_satisfaction) / 3
```

```
    print(f"\nAverage Satisfaction Score: {avg_satisfaction:.2f}")
```

```
except ValueError:
```

```
    print("Invalid input! Please enter numbers between 1 and 5.")
```

```
if __name__ == "__main__":
```

```
    survey()
```

OUTPUT:

```
C:\Users\ramma\Desktop\uidexp3>python satis.py new.txt old.txt
Rate your satisfaction with the following interfaces (1-5):
CLI (1-5): 3
GUI (1-5): 4
VUI (1-5): 5

Your satisfaction ratings:
CLI: 3
GUI: 4
VUI: 5

Average Satisfaction Score: 4.00
```