

Government women's Polytechnic, patna-14

Project Title:~Online Library

Management system

Branch:~ Computer science and Engg.

Name of Project Guide:~

Name of prof.:~Vishakha Email-id:~Vishakhavats17@gmail.com Contact no:~8709609301

Name of prof.:~Smriti singh Email-id:~ smritibhatt7@gmail.com

NAME OF TEAM MEMBERS:~

Name:~Alisha Anand

Rollno:-61123187017

Email-id:~alishaanand23@gmail.com

Contact no:~7979964293

Name:~Simmi kumari

Rollno:-61123187050

Email-id:~simmibasant02@gmail.com

Contact no:~9430248333

Name:~Aarti kumari

Rollno:-61123187054

Email-id:~aartikumariis801503@gmail.com

Contact no:~9608416470


Name:~ Dolly kumari

Rollno:-61123187004

Email-id:~dollyyrani1234@gmail.

Contact no:~8002152270

Online Library Management:~



OBJECTIVE OF THE PROJECT:~

- Attractive user interface to navigate through the System
 For the users.
- We want to gives about online library to students.
- To provide online reading In service in near future as Well.
- Giving easy access to The users/members.

Analysis requirements:~

- Login /authenticusers.
- Add new user/members.
- Insert book details.
- Remove members/users.
- Search book.
- Quick data insert/retrieve.
- Request book.

PROPOSAL:~

The system is to perform all task Systematically. The Objective of the system is to provide data storage in efficient manner by giving of security of data This Project "online library management system " is Targated towards The modern Library.

Proper management to auditto of books possibly Through easily is user interface for the customer.

BENEFITS:~

- Availability:~ The availability of the software is easy for everyone. The result of the Function are pure and accurate.
- Flexibility:~The operation may be and report can we many ways.
 Maintaibility:~After the development of the projectlf any error occur rhan It can be easily maintain. By the software developer.
- portability:~The software can develop at any machine.
- Reability:~ The performance of the software is better To which will increase the reability of the software.
- •Timeliness:~The time limit is very important. It Wil save much the time and provide fast accessing.
- Cost effective:~The software is low cost and bearable By any organization.


SCOPE:~

 The scope of the project to provide improved & optimize service. All Manual work converted Into Computerized So, workload Of worker is decrease.

PLANNING:~

- Management & Organization section
 - Project
 - Manger
 - Manpo
 - Training
- Phases
 - System requirements
 - Desiging
 - Coding
 - Implementation.
 - Testing
 - Maintenance

Analysis: Architecture





Test case/scripts:~

Test Case	Title	Description	Especiad Result	Actual Result
1	Admin Login	To Access into the system Admin must Login First.	If Usemame and Password is correct then Admin will be Login.	Successfully Login.
2	Edit Users and Books details	After inserting data into the system then admin can remove and modify the uses and books.	Can change the inserted information.	Editing the Data from the system.
•	Search Users and Books details	Admin will find books and uses by the given id.	Searching the information.	Find out Books and Users.
•	View Users and Books Details	Admin can view and modify the information	Getting all the information of users and books.	View the information of users and books.
5	Delete Users and Books Details	Admin can delete the users if they are out of contact and books which is old.	Remove all the unwarted users and books.	Successfully Removed the information which is stored in the database.


Analysis:Use case


Use case





Grant Chart:





HOME:-



Contact us through social media












Registration form:-





List of books:-

BOOKS

ONLINE LIBRARY MANAGEMENT SYSTEM

HOME

FEEDBACK

•D LOGIN

search books..





List of Books

ID	Book-Name	Authors Name	Editions	Status	Quantity	Department
3	Data Structure	Seymour Lipschutz	4th	Available	5	CSC
1	Engineering Mechanics	R.S Khurmi3rd	3rd	Available	5	EEE
2	The complete refference c++	Hertbert Schills	2nd	Available	2	CSC

•THANK YOU!!!

coding:-

```
<!DOCTYPE html>
<html>
<head>
         <title>
                  Online
Library Management System
        </title>
         < 1 ink
rel="stylesheet"
type="text/css"
href="style.css">
         <meta charset="utf-
8 " >
         \leqmeta
name = "viewport"
content="width=device-
width, initial-scale=1">
<style type="text/css">
         nav
         - 5
                  float:
right:
                  word-
spacing: 30px;
                  padding:
20px:
        - 1
         nav li
         -5
                  display:
inline-block:
```

```
line-
height: 80px;
</style>
</head>
<body>
         \leq div
class="wrapper">
                  <header>
                  \leq div
class = "logo" >
                           <im
g src="images/9.png">
                           \leq h 1
style="color:
white: ">ONLINE LIBRARY
MANAGEMENT SYSTEM</h1>
                  </div>
                           \leq na
V>
<u1>
<1 i >< a
href="index.html">HOME</a>
<1 i >< a
href= "books.html ">BOOKS</a>
```

<!DOCTYPE html> <html><head> <title>Student Login</title> rel="stylesheet" type="text/css" href="style.css"> <meta charset="utf-8"> <meta name="viewport" content = "width = device width, initial-scale=1"> </head> <body> <header style="height:</pre> 90px: "> <div class="logo"> <h1 style="color: white: font-size: 25px; word-spacing: 10px; line-height: 80px; margintop: 20px; ">ONLINE LIBRARY MANAGEMENT SYSTEM</h1> </div>

<nav>

```
<hl style="text-align:
center: font-size:
25px; ">Opens at: 09:00
</h1><br>
<h1 style="text-align:
center: font-size:
25px; ">Closes at: 15:00
</h1><br>
                          </d
i \vee >
                 </div>
                 </section>
                 <footer>
                          < D
style="color:white; text-
align: center: ">
<br >< br >
Email:
Online.library@gmail.com
<br >
Mobile: +88018****
                          </p
</footer>
         </div>
</body>
</html>
```

```
<h1 style="text-align:
center: font-size:
35px: ">Welcom to
<h1 style="text-align:
center: font-size:
25px; ">Opens at: 09:00
</h1><br>>
<h1 style="text-align:
center: font-size:
25px: ">Closes at: 15:00
</h1><br>
                        </a
i \vee >
                </div>
                </section>
                <footer>
                        < p
style="color:white; text-
align: center: ">
<br><br>>
Email:
Online.library@gmail.com
\leqbr\geq
Mobile: +88018*****
                        </p
</footer>
```

```
<1i><a
  href="index.html">HOME</a>
<1 i >< a
  href= " " >BOOKS < /a > 
                                                 < 7 i > < a
  href="student_login.html">S
  TUDENT-LOGIN</a>
                                                 <1i><a
  href="">ADMIN_LOGIN</a>
<1 i >< a
  href="">FEEDBACK</a>
                                       </nav>
</header>
<section>
           <div class="log_img">
                     <br >

                     <div class="box1">
                                       <h1 style="text-
   align: center; font-size:
   35px; font-family: Lucida
  Console: ">Library
Management System</h1><br>
                                        <h1 style="text-
   align: center: font-size:
   25px; ">User Login Form</h1>
<br >
                               <form name="login"
   action=" " method= " " >
                                         <br >> < br >
                                        <div class="login">
```

```
<div class="login">
          < input
type= "text" name= "username"
placeholder = "Username"
required= " " > <br><br>
          < input
type= "password"
name = "password"
placeholder = "Password"
required= " " > <br><br>
<button>Login</button>
</div>
      </form>
      white: padding-left:
15px; ">
        <br><br>
        \leq =
style="color:white;"
href="">Forgot password?
</a> &nbsp &nbsp &nbsp
&nbsp &nbsp &nbsp
        New to this
website?<a style="color:
white: "
href = "registration.html" > Si
gn Up</a>
      </div>
  </div>
</section>
</body>
```

```
Up</button></div>
      </form>
   </div>
  </div>
</section>
</body>
```

```
<!DOCTYPE html>
<html>
<head>
  <title>Student
Registration</title>
  rel="stylesheet"
type="text/css"
href="style.css">
  <meta charset="utf-8">
 <meta name = "viewport"
content="width=device-
width, initial-scale=1">
    rel="stylesheet"
href="https://maxcdn.bootst
rapcdn.com/bootstrap/3.3.7/
css/bootstrap.min.css">
    <script
src="https://ajax.googleapi
s.com/ajax/libs/jquery/3.3.
1/jquery.min.js"></script>
    <script
src= "https://maxcdn.bootstr
apcdn.com/bootstrap/3.3.7/j
s/bootstrap.min.js">
</script>
</head>
<body>
<header style="height:</pre>
```

```
<header style="height:</pre>
90px: ">
<div class="logo">
      <h1 style="color:
white; font-size:
25px; word-spacing: 10px;
line-height: 80px; margin-
top: 20px; ">ONLINE LIBRARY
MANAGEMENT SYSTEM</h1>
    </div>
      <nav>
        \leq 117 >
          <7 i><a
href="index.html">HOME</a>
<1i><a
href= " " >BOOKS < /a > 
          <1 i >< a
href="student_login.html">S
TUDENT-LOGIN</a>
          <1i><a
href = "registration.html" > RE
GISTRATION</a>
          <1i><a
href="">FEEDBACK</a>
        </nav>
</header>
<section>
  <div class="reg_img">
```

```
class = "form-control"
type="text" name="username"
placeholder = "Username"
required= " " > <br>
           < input
class = "form-control"
type = "password"
name = "password"
placeholder = "Password"
required= " " > <br>
           <input</pre>
class = "form-control"
type="text" name="roll"
placeholder= "Roll No"
required= " " ><br>
           < input
class = "form -control"
type="text" name="email"
placeholder = "Email"
required= " " ><br>
           <input class="btn</pre>
btn-default" type="submit"
name="submit" value="Sign
Up" style="color: black;
width: 70px; height: 30px">
</div>
      </form>
    </div>
  </div>
</section>
</body>
```

```
<div class="reg_img">
    <div class="box2">
         <h1 style="text-
align: center; font-size:
35px; font-family: Lucida
Console: "> &nbsp &nbsp
&nbsp Library Management
System</h1>
        <h1 style="text-
align: center; font-size:
25px; ">User Registration
Form</h1>
      < form
name = "Registration"
action=" " method= " " >
        <div class="login">
           < input
class = "form-control"
type="text" name="first"
placeholder= "First Name"
required= " " > <br>
           < input
class = "form-control"
type="text" name="last"
placeholder="Last Name"
required= " " > <br>
           < input
class = "form-control"
type="text" name="username"
placeholder = "Username"
required= " " > <br>
          < input
```

```
<!DOCTYPE html>
<html>
<head>
  <title>Student
Login</title>
  rel="stylesheet"
type="text/css"
href="style.css">
  <meta charset="utf-8">
  <meta name="viewport"
content="width=device-
width, initial-scale=1">
    rel="stylesheet"
href="https://maxcdn.bootst
rapedn.com/bootstrap/3.3.7/
css/bootstrap.min.css">
    <script
src="https://ajax.googleapi
s.com/ajax/libs/jquery/3.3.
1/jquery.min.js"></script>
    <script
src="https://maxcdn.bootstr
apcdn.com/bootstrap/3.3.7/j
s/bootstrap.min.js">
</script>
</head>
<body>
<header style="height:</pre>
```

90px; ">

```
<div class="logo">
      <h1 style="color:
white: font-size:
25px; word-spacing: 10px;
line-height: 80px; margin-
top: 20px; ">ONLINE LIBRARY
MANAGEMENT SYSTEM</h1>
   </div>
      <nav>
        \leq 11 \perp >
          < 7 i > < a
href="index.html">HOME</a>
<1i><a
href= " " >BOOKS</a>
          <1 i >< a
href="student_login.html">S
TUDENT-LOGIN</a>
          <1i><a
href= " " > ADMIN_LOGIN < /a>
<1i><a
href="">FEEDBACK</a>
        </nav>
</header>
<section>
 <div class="log_img">
   <br>
   <div class="box1">
        <h1 style="text-
```

```
align: center: font-size:
35px; font-family: Lucida
Console: " > Library
Management System</h1>
        <h1 style="text-
align: center; font-size:
25px; ">User Login Form</h1>
<br>
      <form name="login"
action=" " method= " " >
         <div class="login">
          < input
class = "form-control"
type="text" name="username"
placeholder="Username"
required= " " > <br>
          < input
class = "form-control"
type = "password"
name = "password"
placeholder= "Password"
required= " " > <br>
           <input class="btn</pre>
btn-default" type="submit"
name = "submit" value = "Login"
style="color: black; width:
70px; height: 30px">
        </div>
```

white: padding-left:

```
< a
style= "color: white; "
href= " ">Forgot password?
</a> &nbsp &nbsp &nbsp
&nbsp &nbsp &nbsp
        New to this
website?<a style="color:
white: "
href="registration.html">Si
gn Up</a>
      </form>
    </div>
 </div>
</section>
</body>
</html>
```

< DT >< DT >

```
<htm1>
<head>
 <title>Student
Login</title>
 rel="stylesheet"
type="text/css"
href = "style.css">
 <meta charset="utf-8">
 <meta name="viewport"
content="width=device-
width, initial-scale=1">
    rel="stylesheet"
href="https://maxcdn.bootst
rapedn.com/bootstrap/3.3.7/
css/bootstrap.min.css">
    <script
src="https://ajax.googleapi
s.com/ajax/libs/jquery/3.3.
1/jquery.min.js"></script>
    <script
src="https://maxcdn.bootstr
apcdn.com/bootstrap/3.3.7/j
s/bootstrap.min.js">
</script>
  <style type="text/css">
    section
```

```
</style>
</head>
<body>
   <nav class="navbar
navbar-inverse">
     \leq div
class="container-fluid">
         \leq div
class = "navbar-header">
           \leq
class="navbar-brand
active">ONLINE LIBRARY
MANAGEMENT SYSTEM</a>
         </div>
         navbar-nav">
           <1 i >< a
href="index.html">HOME</a>
< 7 i > < a
href= " " > BOOKS < /a > 
           <7 i><a
href="">FEEDBACK</a>
         navbar-nav navbar-right">
           <7i><a
```

+

margin-top: -20px;

```
Span Class - glyphicon
glyphicon-log-in">
LOGIN</span></a>
            <1 i >< a
href="student_login.html">
<span class="glyphicon"</pre>
glyphicon-log-out">
LOGOUT</span></a>
            <1i><a
href="registration.html">
<span class="glyphicon"</pre>
glyphicon-user"> SIGN
UP</span></a>
          </div>
    </nav>
<section>
 <div class="log_img">
   <br>
    <div class="box1">
        <h1 style="text-
align: center; font-size:
35px; font-family: Lucida
Console: " > Library
Management System</h1>
        <h1 style="text-
align: center; font-size:
```

```
action=" " method= " " >
        <div class="login">
          < input
class = "form-control"
type="text" name="username"
placeholder="Username"
required= " " > <br>
          < input
class = "form-control"
type= "password"
name = "password"
placeholder= "Password"
required= " " > <br>
          <input class="btn</pre>
btn-default" type="submit"
name = "submit" value = "Login"
style="color: black; width:
70px; height: 30px">
        </div>
      white: padding-left:
15px: ">
        <br><br>
        \leq a
style="color:white:"
href="">Forgot password?
</a> &nbsp &nbsp &nbsp
&nbsp &nbsp &nbsp
        New to this
website?<a style="color:
```

< ! DOCTYPE html> <html><head> <title>Student Registration</title> rel="stylesheet" type="text/css" href="style.css"> <meta charset="utf-8"> <meta name="viewport" content="width=devicewidth, initial-scale=1"> rel="stylesheet" href="https://maxcdn.bootst rapedn.com/bootstrap/3.3.7/ css/bootstrap.min.css"> <script src="https://ajax.googleapi s.com/ajax/libs/jquery/3.3. 1/jquery.min.js"></script> <script src="https://maxcdn.bootstr apcdn.com/bootstrap/3.3.7/j s/bootstrap.min.js"> </script> <style type="text/css"> section

•THANK YOU!!!