MATH MAGIC

Smart Tricks for Faster Calculations

TABLE OF CONTENTS

SECTION	WHAT YOU'LL FIND
01	Square & Square Root Tricks
02	Cube & Cube Root Tricks
03	Rebuild Any Table You Forget
04	Quick Calculation Shortcuts
05	Percentage & Fraction Tricks
06	Profit, Loss & Interest Tricks
07	Divisibility Tricks
08	Fast Calculation Tricks
09	Math Magic Tricks

THE IDEA

This guide is about learning to look at numbers differently.

Each trick shows you **what the trick is, how to apply it, and how it works in a real calculation**. The steps are kept simple, with clear examples so you can follow the method and use it yourself.

Where useful, you'll also find extra examples, patterns, tips, or practice questions to help you get comfortable with the trick**.**

01 - SQUARE & SQUARE ROOT TRICKS

Squaring becomes much easier when you stop multiplying the same number directly.

The tricks in this section use patterns around **5, 10, 50, 100, and nearby numbers**.

Trick 1: Numbers Near 100

How to Do It

Step 1: Find how far the number is from 100.

Step 2: Double that difference and multiply by 100.

Step 3: Add or subtract this amount from 10,000.

Step 4: Add the square of the difference.

Example: 98^2

Step 1: 98 is 2 below 100.

Difference = **2**

Step 2: Calculate:

2 × 2 × 100 = **400**

Step 3: Subtract from 10,000.

10,000 - 400 = **9,600**

Step 4: Square the difference.

2^2 = **4**

Answer: 98^2 = 9,604

Trick 2: Numbers Near 50

How to Do It

Step 1: Find the difference from 50.

Step 2: Multiply the difference by 100.

Step 3: Add or subtract that amount from 2,500.

Step 4: Add the square of the difference.

Example: 47²

Step 1: 47 is 3 below 50.

Difference = **3**

Step 2: Multiply by 100.

3 × 100 = **300**

Step 3: Subtract from 2,500.

2,500 - 300 = **2,200**

Step 4: Square the difference.

3^2 = **9**

Answer: 47^2 = 2,209

Trick 3: Numbers Ending in 5

The Trick

Any number ending in 5 can be squared quickly.

How to Do It

Step 1: Remove the final 5.

Step 2: Multiply the remaining number by the next whole number.

Step 3: Put **25** at the end.

Example: 35^2

Step 1: Remove 5.

35 → **3**

Step 2: Multiply 3 by the next number.

3 × 4 = **12**

Step 3: Put 25 at the end.

Answer: 35^2 = 1,225

Trick 4: Square Any Two-Digit Number Near a Multiple of 10

Use:

(Base + Difference)² = Base² + 2 × Base × Difference + Difference²

Example: 43²

Use 40 as the base.

Step 1: Difference = 3.

43 = 40 + 3

Step 2: Square the base.

40² = **1,600**

Step 3: Calculate:

2 × 40 × 3 = **240**

Step 4: Square the difference.

3² = **9**

Step 5: Add everything.

1,600 + 240 + 9 = **1,849**

Answer: 43² = 1,849

Trick 5: Two Numbers Equally Spaced Around a Middle Number

The Trick

(Middle - Distance)(Middle + Distance) = Middle² - Distance²

Example: 49 × 51

Step 1: Middle number = **50**

Step 2: Distance = **1**

Step 3: Square the middle.

50^2 = **2,500**

Step 4: Square the distance.

1^2 = **1**

Step 5: Subtract.

2,500 - 1 = **2,499**

Answer: 49 × 51 = 2,499

Trick 6: Find the Next Square From a Known Square

Use:

$(n + 1)^2 = n^2 + 2n + 1$

Example: 41^2

Suppose you know:

40^2 = **1,600**

Step 1: Calculate 2 × 40.

= **80**

Step 2: Add 1.

80 + 1 = **81**

Step 3: Add to the known square.

1,600 + 81 = **1,681**

Answer: 41^2 = 1,681

Trick 7: Square Numbers From 11 to 19

How to Do It

Step 1: Take the number.

Step 2: Add its units digit.

Step 3: Multiply the result by 10.

Step 4: Add the square of the units digit.

Example: 14^2

Step 1: Units digit = **4**

Step 2: 14 + 4 = **18**

Step 3: 18 × 10 = **180**

Step 4: 4^2 = **16**

Step 5: Add.

180 + 16 = **196**

Answer: 14^2 = 196

Trick 8: Check the Last Digit of a Perfect Square

The Trick

A perfect square can never end in:

2, 3, 7, or 8

Example: 1,237

Step 1: Look at the last digit.

Last digit = **7**

Step 2: 7 cannot be the last digit of a perfect square.

Answer: 1,237 is **not** a perfect square.

Trick 9: Estimate a Square Root

How to Do It

Step 1: Find the perfect squares just below and above the number.

Step 2: Find where the number sits between them.

Step 3: Use that position to estimate the square root.

Example: √150

Step 1: Find nearby squares.

12^2 = **144**

13^2 = **169**

So √150 is between 12 and 13.

Step 2: Find the difference from 144.

150 - 144 = **6**

Step 3: Find the gap.

169 - 144 = **25**

Step 4: Estimate:

6 ÷ 25 = **0.24**

Step 5: Add to 12.

12 + 0.24 = **12.24**

Answer: √150 ≈ 12.24

Trick 10: Digit-by-Digit Squaring

For a two-digit number:

$(10a + b)^2 = 100a^2 + 20ab + b^2$

Example: 43^2

Here:

a = 4
b = 3

Step 1: Square the units digit.

3^2 = **9**

Step 2: Calculate 2ab.

2 × 4 × 3 = **24**

Step 3: Square the tens digit.

4^2 = **16**

Step 4: Combine the parts with carrying.

Answer: 43^2 = 1,849

02 - CUBE & CUBE ROOT TRICKS

Cubing looks harder than squaring because the numbers grow quickly.

But numbers close to a familiar base can be handled using patterns.

Trick 1: Cubing Numbers Near 10

Use:

$(10 + d)^3 = 10^3 + 3 \times 10^2 \times d + 3 \times 10 \times d^2 + d^3$

For numbers below 10, use a negative difference.

Example: 11^3

Step 1: Difference from 10 = **1**

Step 2: Calculate 10^3.

= **1,000**

Step 3: Calculate 3 × 100 × 1.

= **300**

Step 4: Calculate 3 × 10 × 1^2.

= **30**

Step 5: Calculate 1^3.

= **1**

Step 6: Add.

1,000 + 300 + 30 + 1 = **1,331**

Answer: 11^3 = 1,331

Trick 2: Cubing Numbers Near 100

Use:

$(100 + d)^3 = 100^3 + 3 \times 100^2 \times d + 3 \times 100 \times d^2 + d^3$

Example: 101^3

Step 1: Difference = **1**

Step 2: 100^3 = **1,000,000**

Step 3: $3 \times 100^2 \times 1$ = **30,000**

Step 4: $3 \times 100 \times 1^2$ = **300**

Step 5: 1^3 = **1**

Step 6: Add.

1,000,000 + 30,000 + 300 + 1

= **1,030,301**

Answer: 101^3 = 1,030,301

Trick 3: Cubing Numbers Near 20

Example: 21^3

21 = 20 + 1

Step 1: 20^3 = **8,000**

Step 2: $3 \times 20^2 \times 1$ = **1,200**

Step 3: $3 \times 20 \times 1^2$ = **60**

Step 4: 1^3 = **1**

Step 5: Add.

8,000 + 1,200 + 60 + 1 = **9,261**

Answer: 21^3 = 9,261

Trick 4: Find a Cube Root Quickly

Last-Digit Table

Cube Ends In	Cube Root Ends In
0	0
1	1
2	8
3	7
4	4
5	5
6	6
7	3
8	2
9	9

How to Do It

Step 1: Look at the last digit.

Step 2: Use the table to find the final digit.

Step 3: Ignore the last three digits.

Step 4: Find the largest cube that fits into the remaining number.

Step 5: Combine the digits.

Example: $\sqrt[3]{2197}$

Step 1: Last digit = **7**

The cube root ends in **3**.

Step 2: Ignore the last three digits.

2197 → **2**

Step 3: Largest cube below 2:

1^3 = **1**

So the first digit is **1**.

Step 4: Combine.

Answer: $\sqrt[3]{2197}$ = 13

03 - REBUILD ANY TABLE YOU FORGET

You don't need to memorize every multiplication table perfectly.

If you know a few easy tables, you can rebuild many others.

Move 1: Rebuild a Table You Forget

Forgot a table? You don't always need to memorize it again from scratch.

Take the number, split it into **tens and units**, multiply both parts, and add the results.

The Trick

For a two-digit number like **93**:

93 = 90 + 3

Instead of trying to remember every answer, you can rebuild the table using the same simple method.

How to Apply

Step 1: Split the number into tens and units.

Step 2: Multiply both parts by the same number.

Step 3: Add the two results.

Example: Rebuilding the 93 Table

×	Split 93	Calculation	Answer
1	90 + 3	90 × 1 + 3 × 1	**93**
2	90 + 3	90 × 2 + 3 × 2	**186**
3	90 + 3	90 × 3 + 3 × 3	**279**
4	90 + 3	90 × 4 + 3 × 4	**372**
5	90 + 3	90 × 5 + 3 × 5	**465**
6	90 + 3	90 × 6 + 3 × 6	**558**
7	90 + 3	90 × 7 + 3 × 7	**651**
8	90 + 3	90 × 8 + 3 × 8	**744**
9	90 + 3	90 × 9 + 3 × 9	**837**
10	90 + 3	90 × 10 + 3 × 10	**930**

You can see the pattern clearly. The same method works from **×1 to ×10**.

You don't need to remember every result. You just need to know **how to rebuild the table**.

Move 2: The 9-Times Finger Trick

Example: 9 × 4

Step 1: Number your fingers from 1 to 10.

Step 2: Fold down your 4th finger.

Step 3: Count the fingers on the left.

= **3**

Step 4: Count the fingers on the right.

= **6**

Answer: 9 × 4 = 36

Move 3: Double an Easy Table

Example: 8 × 7

Step 1: Start with the 4-times table.

4 × 7 = **28**

Step 2: Double the answer.

28 × 2 = **56**

Answer: 8 × 7 = 56

Move 4: Build the 11 to 19 Tables

Example: 13 × 7

Step 1: Start with 10 × 7.= **70**

Step 2: Calculate 3 × 7.= **21**

Step 3: Add.

70 + 21 = **91**

Answer: 13 × 7 = 91

04 - QUICK CALCULATION SHORTCUTS

Quick Reference

Calculation	Quick Move
×5	×10 then ÷2
×9	×10 then subtract the number
×11	×10 then add the number
×25	÷4 then ×100
×50	÷2 then ×100
×125	÷8 then ×1000
×101	×100 then add the number
÷5	×2 then ÷10
÷25	×4 then ÷100

Move 1: Multiply by 5

Example: 48 × 5

Step 1: Multiply by 10.

48 × 10 = **480**

Step 2: Divide by 2.

480 ÷ 2 = **240**

Answer: 48 × 5 = 240

Move 2: Multiply by 9

Example: 73 × 9

Step 1: Multiply by 10.

73 × 10 = **730**

Step 2: Subtract the original number.

730 - 73 = **657**

Answer: 73 × 9 = 657

Move 3: Multiply by 11

Example: 43 × 11

Step 1: Multiply by 10.

43 × 10 = **430**

Step 2: Add the original number.

430 + 43 = **473**

Answer: 43 × 11 = 473

Move 4: Multiply by 25

Example: 48 × 25

Step 1: Divide by 4.

48 ÷ 4 = **12**

Step 2: Multiply by 100.

12 × 100 = **1,200**

Answer: 48 × 25 = 1,200

Move 5: Multiply by 50

Example: 36 × 50

Step 1: Divide by 2.

36 ÷ 2 = **18**

Step 2: Multiply by 100.

18 × 100 = **1,800**

Answer: 36 × 50 = 1,800

Move 6: Multiply by 125

Example: 32 × 125

Step 1: Divide by 8.

32 ÷ 8 = **4**

Step 2: Multiply by 1,000.

4 × 1,000 = **4,000**

Answer: 32 × 125 = 4,000

Move 7: Multiply by 101

Example: 57 × 101

Step 1: Multiply by 100.

57 × 100 = **5,700**

Step 2: Add the original number.

5,700 + 57 = **5,757**

Answer: 57 × 101 = 5,757

Move 8: Divide by 5

Example: 85 ÷ 5

Step 1: Multiply by 2.

85 × 2 = **170**

Step 2: Divide by 10.

170 ÷ 10 = **17**

Answer: 85 ÷ 5 = 17

Move 9: Divide by 25

Example: 600 ÷ 25

Step 1: Multiply by 4.

600 × 4 = **2,400**

Step 2: Divide by 100.

2,400 ÷ 100 = **24**

Answer: 600 ÷ 25 = 24

The One Worth Slowing Down For: Two Numbers Both Near 100

Example: 98 × 97

Step 1: Find the shortfalls.

98 is 2 below 100.

97 is 3 below 100.

Step 2: Cross-subtract.

98 - 3 = **95**

Step 3: Multiply the shortfalls.

2 × 3 = **6**

Step 4: Write the second part using two digits.

6 → **06**

Step 5: Combine.

95 | 06

Answer: 98 × 97 = 9,506

Important: The second part must always contain **two digits**.

---

05 - PERCENTAGE & FRACTION TRICKS

Percentages become easier when you build them from values you already know.

Trick 1: Build Any Percentage From 10%

Example: 30% of 240

Step 1: Find 10%.

240 ÷ 10 = **24**

Step 2: Multiply by 3.

24 × 3 = **72**

Answer: 30% of 240 = 72

Trick 2: Use Simple Fraction Equivalents

Percentage	Fraction
50%	1/2
25%	1/4
20%	1/5
12.5%	1/8
10%	1/10
5%	1/20
2.5%	1/40

Example: 25% of 800

Step 1: Replace 25% with 1/4.

Step 2: Divide by 4.

800 ÷ 4 = **200**

Answer: 25% of 800 = 200

Trick 3: Find 1% First

Example: 7% of 850

Step 1: Find 1%.

850 ÷ 100 = **8.5**

Step 2: Multiply by 7.

8.5 × 7 = **59.5**

Answer: 7% of 850 = 59.5

Trick 4: Percentage of a Percentage

Example: 20% of 30% of 500

Step 1: Find 30% of 500 = **150**

Step 2: Find 20% of 150 = **30**

Answer: 20% of 30% of 500 = 30

Trick 5: Work Backward From the Final Value

Example: A price becomes 600 after a 20% increase.

Step 1: A 20% increase means the final value is 120% of the original.

120% = **1.2**

Step 2: Divide the final value.

600 ÷ 1.2 = **500**

Answer: Original price = 500

Trick 6: Successive Percentage Changes

Formula

Net change = a + b + (a × b / 100)

Use a negative sign for a decrease.

Example: +20% followed by -20%

Step 1: First change = **+20%**

Step 2: Second change = **-20%**

Step 3: Apply the formula.

20 + (-20) + (20 × -20 / 100)

Step 4: Calculate.

20 - 20 - 4 = **-4%**

Answer: Overall change = 4% decrease

---

06 - PROFIT, LOSS & INTEREST TRICKS

The most important thing is knowing **which value the percentage is based on**.

Trick 1: Profit Percentage

Formula

Profit % = Profit ÷ Cost Price × 100

Example

Cost Price = 500
Selling Price = 600

Step 1: Find profit.

600 - 500 = **100**

Step 2: Divide by Cost Price.

100 ÷ 500 = **0.2**

Step 3: Convert to percentage.

0.2 × 100 = **20%**

Answer: Profit = 20%

Trick 2: Find Selling Price From Profit %

Formula

Selling Price = Cost Price × (1 + Profit%/100)

Example: Cost Price = 800, Profit = 25%

Step 1: Convert the percentage to a multiplier.

1 + 25/100 = **1.25**

Step 2: Multiply.

800 × 1.25 = **1,000**

Answer: Selling Price = 1,000

Trick 3: Find Cost Price Backward

Example

Selling Price = 1,200
Profit = 20%

Step 1: Selling Price is 120% of Cost Price.

120% = **1.2**

Step 2: Divide.

1,200 ÷ 1.2 = **1,000**

Answer: Cost Price = 1,000

Trick 4: Calculate Discount Quickly

Example: 15% discount on 2,000

Step 1: Find 10%.

= 200

Step 2: Find 5%.

= 100

Step 3: Add.

200 + 100 = **300**

Step 4: Subtract from the marked price.

2,000 - 300 = **1,700**

Answer: Selling Price = 1,700

Trick 5: Successive Discounts

Formula

Total discount = a + b - (a × b / 100)

Example: 20% and 10%

Step 1: Add the discounts.

20 + 10 = **30**

Step 2: Calculate the overlap.

20 × 10 / 100 = **2**

Step 3: Subtract.

30 - 2 = **28%**

Answer: Equivalent discount = 28%

Trick 6: Simple Interest

Formula

SI = P × R × T / 100

Example

P = 5,000
R = 8%
T = 2 years

Step 1: 5,000 × 8 = **40,000**

Step 2: 40,000 × 2 = **80,000**

Step 3: 80,000 ÷ 100 = **800**

Answer: Simple Interest = 800

Trick 7: Compound Growth

Example: 1,000 grows by 10% for 2 years.

Step 1: First year.

1,000 × 1.10 = **1,100**

Step 2: Second year.

1,100 × 1.10 = **1,210**

Answer: Final amount = 1,210

Trick 8: Two-Year Compound Interest Minus Simple Interest

Formula

CI - SI = P × (R/100)²

Example

P = 10,000
R = 10%

Step 1: Convert the rate.

10/100 = **0.10**

Step 2: Square it.

0.10^2 = **0.01**

Step 3: Multiply by P.

10,000 × 0.01 = **100**

Answer: CI - SI = 100

The One Question to Always Ask

Whenever you see a percentage, ask:

"Percentage of what?"

Profit percentage is based on Cost Price.

Discount percentage is based on Marked Price.

Interest rate is based on Principal.

This one question prevents many calculation mistakes.

---

07 - DIVISIBILITY TRICKS

Trick 1: Divisibility by 3

Example: 4,572

Step 1: Add the digits.

4 + 5 + 7 + 2 = **18**

Step 2: Check the digit sum.

18 is divisible by 3.

Answer: 4,572 is divisible by 3.

Trick 2: Divisibility by 9

Example: 7,281

Step 1: Add the digits.

7 + 2 + 8 + 1 = **18**

Step 2: Check the digit sum.

18 is divisible by 9.

Answer: 7,281 is divisible by 9.

Trick 3: Divisibility by 4

Example: 5,316

Step 1: Look at the last two digits.

16

Step 2: Check 16 ÷ 4.

= **4**

Answer: 5,316 is divisible by 4.

Trick 4: Divisibility by 8

Example: 12,824

Step 1: Look at the last three digits.

824

Step 2: Divide by 8.

824 ÷ 8 = **103**

Answer: 12,824 is divisible by 8.

Trick 5: Divisibility by 6

Example: 1,236

Step 1: Check divisibility by 2.

Last digit = 6, so yes.

Step 2: Check divisibility by 3.

1 + 2 + 3 + 6 = **12**

12 is divisible by 3.

Answer: 1,236 is divisible by 6.

Trick 6: Divisibility by 11

Example: 48,273

Step 1: Add alternating digits.

4 + 2 + 3 = **9**

Step 2: Add the other digits.

8 + 7 = **15**

Step 3: Find the difference.

15 - 9 = **6**

Step 4: Check whether 6 is a multiple of 11.

It is not.

Answer: 48,273 is not divisible by 11.

Trick 7: Divisibility by 12 and 15

Example: 1,236

Step 1: Check divisibility by 3.

1 + 2 + 3 + 6 = **12**

So it is divisible by 3.

Step 2: Check divisibility by 4.

Last two digits = 36.

36 is divisible by 4.

Answer: 1,236 is divisible by 12.

For 15, remember:

Divisible by 3 + Divisible by 5 = Divisible by 15

Quick Summary

Divisor	Rule
2	Last digit is even
3	Digit sum is divisible by 3
4	Last 2 digits are divisible by 4
5	Last digit is 0 or 5
6	Divisible by both 2 and 3
8	Last 3 digits are divisible by 8
9	Digit sum is divisible by 9
10	Last digit is 0
11	Difference between alternating digit sums is a multiple of 11
12	Divisible by both 3 and 4
15	Divisible by both 3 and 5
25	Last 2 digits are 00, 25, 50, or 75

Bonus: Last Digit of Powers

Example: Find the last digit of 2^5

The pattern for powers of 2 is:

2, 4, 8, 6

Then it repeats.

Step 1: List the cycle.
$2^1 \rightarrow 2$
$2^2 \rightarrow 4$
$2^3 \rightarrow 8$
$2^4 \rightarrow 6$

Step 2: The fifth power starts the cycle again.

$2^5 \rightarrow$ **2**

Answer: Last digit = 2

Useful Cycles

Number	Repeating Last Digits
2	2, 4, 8, 6
3	3, 9, 7, 1
4	4, 6
7	7, 9, 3, 1
8	8, 4, 2, 6
9	9, 1

---

08 - FAST CALCULATION TRICKS

Trick 1: Round and Correct

Example: 49 × 6

Step 1: Round 49 to 50.

50 × 6 = **300**

Step 2: We added 1 too much.

Subtract 6.

300 - 6 = **294**

Answer: 49 × 6 = 294

Trick 2: Group Numbers to Round the Total

Example

48 + 52 + 27 + 73

Step 1: Group 48 and 52.

48 + 52 = **100**

Step 2: Group 27 and 73.

27 + 73 = **100**

Step 3: Add the groups.

100 + 100 = **200**

Answer: 200

Trick 3: Subtract by Compensation

Example: 800 - 397

Step 1: Round 397 to 400.

800 - 400 = **400**

Step 2: We subtracted 3 too much.

400 + 3 = **403**

Answer: 800 - 397 = 403

Trick 4: Subtract From 1000 Using Digits

Example: 1000 - 347

Step 1: Subtract 3 from 9.

9 - 3 = **6**

Step 2: Subtract 4 from 9.

9 - 4 = **5**

Step 3: Subtract 7 from 10.

10 - 7 = **3**

Answer: 1000 - 347 = 653

Trick 5: Double and Halve

Example: 25 × 48

Step 1: Double 25.

25 × 2 = **50**

Step 2: Halve 48.

48 ÷ 2 = **24**

Step 3: Multiply.

50 × 24 = **1,200**

Answer: 25 × 48 = 1,200

Trick 6: Estimate First

Example: 398 × 21

Step 1: Round 398 to 400.

400 × 21 = **8,400**

So the exact answer should be close to 8,400.

Step 2: Calculate exactly.

398 × 21

= 398 × 20 + 398

= 7,960 + 398

= **8,358**

Answer: 8,358

09 - MATH MAGIC TRICKS

These tricks use simple patterns in numbers to create surprising results.

The goal is not just to calculate quickly. It is to **make the result look like magic** while knowing exactly why it works.

Magic Trick 1: Predict the Total

How to Apply

Step 1: Ask for the first number

Ask the person to write any **5-digit number** at the top of the page.

For example:

12,345

Leave space for **four more numbers** below it.

Step 2: Write your prediction

The moment you see the first number, write your prediction of the final total.

For **12,345**, your prediction is:

212,343

How to get the prediction

Take the first number and **add 200,000, then subtract 2**.

12,345 + 200,000 = 212,345

212,345 - 2 = 212,343

Write this prediction **before any of the other four numbers are written**.

Step 3: Ask for the second number

Now ask the person to write another **5-digit number**.

Suppose they write:

12,345
23,456

Step 4: Write the third number

Now create a number that makes the second number add up to **99,999**.

For every digit, choose the digit that makes **9**:

2 → 7
3 → 6
4 → 5
5 → 4
6 → 3

So you write:

12,345
23,456
76,543

Check:

23,456 + 76,543 = 99,999

Step 5: Ask for the fourth number

Ask the person to write one more **5-digit number**.

For example:

12,345
23,456
76,543
54,321

Step 6: Write the fifth number

Use the same **make-9** method for the fourth number.

5 → 4
4 → 5
3 → 6
2 → 7
1 → 8

So you write:

12,345
23,456
76,543
54,321
45,678

Check: **54,321 + 45,678 = 99,999**

Step 7: Reveal the result

Now ask the person to add all five numbers.

12,345
23,456
76,543
54,321
45,678

212,343

Your prediction was:

212,343

The final answer matches exactly.

The Make-9 Rule

To create the number underneath any 5-digit number, make every pair of digits add up to **9**.

0 → 9
1 → 8
2 → 7
3 → 6
4 → 5
5 → 4
6 → 3
7 → 2
8 → 1
9 → 0

For example:

34,821

becomes:

65,178

because:

3 + 6 = 9
4 + 5 = 9
8 + 1 = 9
2 + 7 = 9
1 + 8 = 9

So:

34,821 + 65,178 = 99,999

Use this same method for the third and fifth numbers.

Magic Trick 2: The 1089 Trick

What You Do

Choose any **3-digit number** where the first and last digits are different.

Then reverse it, subtract, reverse again, and add.

You will get **1,089**.

Example

Start with:

532

Step 1: Reverse the number.

532 → **235**

Step 2: Subtract the smaller number from the larger one.

532 - 235 = **297**

Step 3: Reverse the result.

297 → **792**

Step 4: Add the two numbers.

297 + 792 = **1,089**

Final Answer: 1,089

The Secret

The steps create a special number pattern that always leads to **1,089** when the starting number follows the rule.

Magic Trick 3: The 1,001 Repetition Trick

What You Do

Take any number and multiply it by **1,001**.

The number appears twice.

Example

527 × 1,001

Step 1: Split 1,001.

1,001 = **1,000 + 1**

Step 2: Multiply.

527 × 1,000 = **527,000**

527 × 1 = **527**

Step 3: Add.

527,000 + 527 = **527,527**

Final Answer: 527,527

The Secret

Multiplying by 1,001 is the same as:

×1,000 + ×1

That is why the number repeats.