. No	Image	Model Danua HDCVI	Camera - Price List Description	
) Seri		HDW1020RP	1/4* 1Megapixel CMOS, 25/30fps@ 220P. High speed, long distance real-time transmission DayNighth(CDI, AWB, AGC, BLC, 2D-DNR 3.6mm Reed lens Max. IR LED be length 20m, Smart IR,	8
2	6.9	HFW1020RP	1/4" 1Megapixel CMOS, 25/30fps@720P High speed, long distance real-time transmission,Day/Night(ICR), AWB, AGC, BLC, 2D-DNR, 3,5mm fixed lens Max IR LEDs length 20m, Smart IR, IP66, DC12V	10
lodel	(1100 Series	s)	1/2.9" 1Megapixel CMOS, 25/30fps@720P, High speed, long distance real-time	
1	•	DH-HAC-HDW1100RP-S2	transmission , Day/Night(ICR), AWB, AGC, BLC, 2DNR, 3.6mm fixed lens (6mm optional), Max. IR LEDs length 20m, Smart IR, DCL2V 1/2.9° TMRegapixel CMOS , 25/30/fps@720P, High speed, long distance real-time transmission, Day/Night(ICR), AMB, AGC, BLC, 2D-DNR, 6mm fixed lens (3.6mm	10
2	9.0	DH-HAC-HFW1100RP-S2	optional), Max. IR LEDs length 20m, Smart IR, IP66, DC12V 1/2.9" Megapixel CMOS, 25/30FP5@720P, 3.6mm fixed lens, IR Leds length	11
4	6	DH-HAC-HDW1100SP	20m, High speed, long distance realtime transmission, Plastic Body 1/2.9" Megapixel CMOS, 25/30FPS@720P, 3.6mm fixed lens, IR Leds length	11
5	-	DH-HAC-HFW1100BP-B	20m., IP66, High speed, long distance realtime transmission 25/30fps @720P, 1/2.9" 1Megapixel CMOS, 30m IR, ICR, 2.8/3.6/6/8mm lens optional, IR Bullet IP66	22
6	100	(Default with bracket) DH-HAC-HFW1100DP-B (Default with bracket)	25/30fps @720P, 1/2.9" 1Megapixel CMOS, 50m IR, ICR, 3.6/6/8/12/16mm lens	24
7	•	DH-HAC-HDBW1100R-VF	optional, IR Bullet IP66 1/2-9" IMegapixel CMOS, 25/30fps@720P, 2.7~12mm vari-focal lens High speed, Max. IR LEDs length 30m, IK10, Smart IR, long distance real-time transmission	29
8		DH-HAC-HFW1100R-VF-IRE6	1/2.9" IMegapixel CMOS, 25/30fps@720P, High speed, long distance real-time transmission, Day/Night(ICR), AWB, AGC, BLC, 20-DNR, 2.7~12mm vari-focal lens, Max. IR LEDs length 60m, Smart IR, IP67, DC12V	31
9	•	DH-HAC-HDW1100EMP-A	1/3" 1Megapixel CMOSMax 30fps@720P , HD and SD output switchable , 3.6mm fixed lens (2.8mm, 6mm optional) , Max. IR length 50m, 5mart IR , IP67, DC12V	20
e Can	nera (1200 S	eries)	1/2.9" 2 MP CMOS, 3.6mm lens, 20mtr	
1		DH-HAC-HDW1200RP		14
2	•	DH-HAC-HFW1200RP	1/2.9" 2 MP CMOS, 3.6mm lens, 20mtr, IP67, plastic Body	16
3		DH-HAC-HDW1200SP	1/2.7" 2MP CMOS,3.6mm fixed lens (6mm optional), 30mtr, IP67	17
4	6 00	DH-HAC-HFW1200SP	1/2 s ² ZMegapixelCMOS, 25/30fpx@1080P, 25/30/50(60fpx@720P, High speed, long distance real-time transmission, HD and SD switchable, OSD Menu, control over coaxial cable, DWDR, Day/Night(ICR),AWB, AGC, BLC, ZDMR, 3.6mm fixed lens (2.8mm, 6mm optional), Max. IR LEDs length 30m, Smart IR	19
5		DH-HAC-HFW12008P	1/2.7" 2Megapixel CMOS, 25/30fps@1080P, High speed, long distance real-time transmission, Day/Nighti(ICR), AWB, AGC, BLC, 2D-DNR, 6mm fixed lens (3.6mm, 8mm optional), Max. IR LEDs length 50m, Smart IR, IP67, DC12V	26
6		DH-HAC-HFW1200DP	1/2.7" ZMegapixel CMOS, 25/30fps@1080P, High speed, long distance real-time transmission, Day/Nightl(CR), AWB, AGC, BLC, 20-DNR, 6mm fixed lens (3.6mm, 8mm, 12mm, 16mm optional), Max. IR LEbs length 80m, Smart IR, IP67, DC12V	28
7	•	DH-HAC-HDBW1200R-VF	1/2.7" ZMegapixel CMOS, 25/30fps@1080P .bwy/Night(ICR), AWB, AGC, BLC, 22-DNR, 2.7"12mm vari-focal lens, Max. IR LEDs length 36m, IP67, IX10, DC12V 1/2.7" ZMegapixel CMOS, 25/30fps@1080P	35
8		DH-HAC-HFW1200R-VF-IRE6	1/L: // Z: // Megapoxel CM/Dx, 25/30/ps/gs/1080/P .bay/Might/Dx), AWB, ACC, BLC, 20-DNR, 2.7~12mm vari-focal lens, Max. IR LEDs length 60m, IP67, DC12V	37
9 ne Ca	mera (1220	DH-HAC-HDW1200EMP-A series)	1/2.7" ZMegapixel CMOS , 25/30fps@1080P , High speed, long distance real- time transmission , Built-in MIC , Day/Night(ICR), AWB, AGC, BLC, 2DNR , 3.6mm fixed lens (6mm optional) , Max. IR LEDs length 50m, Smart IR , IP67, DC12V	24
1		DH-HAC-HDW1220RP	1/2.9" 2 MP CMOS, 3.6mm lens, 20mtr	15
2	•	DH-HAC-HFW1220RP	1/2.9" 2 MP CMOS, 3.6mm lens, 20mtr, IP67, plastic Body	16
3		DH-HAC-HDW1220SP	1/2.7" 2MP CMOS,3.6mm fixed lens (6mm optional), 30mtr, IP67	18
4	€00	DH-HAC-HFW1220SP	1/2.9" 2MegapixelCMOS, 25/30fps@1080P, 25/30/50/60fps@720P, High speed, long distance real-time transmission, HD and SD switchable, OSD Menu, control over coassid cable, DVDR, Day/Rejst(IER),AVR9, AGC, BC, ZDNR, 3 Gmm fixed lens L2 Enmi, norm optional, Max. R LEDs length 30m, Smart IR	19
5	M	DH-HAC-HFW12208P	1/2-9" 2MegapixerKMOS, 25/30fps@1080P, 25/30/50/60fps@720P, High speed, fung distance real-time transmission, HJ and SD switchable, OSD Menu, control over coaked albeb, WORD, Blytflegtl(R),AWA, ACC, BLC, 20MR, 3 dism fixed lent (£-Birm, 6mm, 8mm optional), Max. Ri LEDs length 50m, 5mart Ri, P67, DC12V	27
6	E 4	DH-HAC-HFW1220DP	Max 30fps@1080P, HD and SD output switchable, 3.6mm fixed lens (6mm, 8mm optional), Max. IR length 80m, Smart IR, IP67, DC12V	29
7	•	DH-HAC-HDW1220EMP-A	2MP, 3.6mm lens, 50Mtr. IR	26
8	•	DH-HAC-HDBW1220RP-VF	Max 30fps@1080P, HD and SD output switchable, 2.7-12mm vari-focal lens, Max. IR length 30m, Smart IR, IP67, IK10, DC12V	36
9		DH-HAC-HFW1220RP-VF-IR6	Max 30fps@1080P, HD and SD output switchable, 2.7-12mm vari-focal lens, Max. IR length 60m, Smart IR, IP67, DC12V	39
	1 Series)			-
(223:		DH-HAC-HDW2231SP	2MP, 3.6mm lens, 30Mtr. IR	35
1				_
	60	DH-HAC-HFW2231SP	2MP, 3.6mm lens, 30Mtr. IR, WDR	37
1		DH-HAC-HFW2231SP DH-HAC-HFW2231BP	2MP, 3.6mm lens, 30Mtr. IR, WDR 2MP, 3.6mm lens, 50Mtr. IR, WDR	
1 2 3		DH-HAC-HFW2231BP DH-HAC-HFW2231DP	2MP, 3.6mm lens, 50Mtr. IR, WDR 2MP, 3.6mm lens, 80Mtr. IR, WDR	42
1 2 3 4		DH-HAC-HFW2231BP DH-HAC-HFW2231DP DH-HAC-HDBW2231RP-Z	2MP, 3.6mm lens, 50Mtr. IR, WDR 2MP, 3.6mm lens, 80Mtr. IR, WDR 2MP, 2.7-13.5mm lens, 90Mtr. IR, WDR, IP67,Ik10	42 45 63
1 2 3		DH-HAC-HFW2231BP DH-HAC-HFW2231DP	2MP, 3.6mm lens, 50Mtr. IR, WDR 2MP, 3.6mm lens, 80Mtr. IR, WDR	42

	Dahu	a 4 MP HDCVI Cam	era - Price List	
S No	Image	Model	Description	SP
	4MP Range Lite			
1		DH-HAC-HDW1400RP	4MP, 3.6mm lens, 20Mtr. IR, DWDR	2340
2	0-0	DH-HAC-HFW1400RP	4MP, 3.6mm lens, 20Mtr. IR, DWDR, IP67	2470
3		DH-HAC-HDW1400SP	Max 30fps@4MP, High speed, long distance real-time transmission, HD and SD output switchable. OSD Menu. control over coaxial	2600
4		DH-HAC-HFW1400SP	4MP, 3.6mm lens, 20Mtr. IR, DWDR, IP67	2860
5	6.	DH-HAC-HDW1400EMP-A	4MP, 3.6mm lens, 50Mtr. IR, DWDR, IP67	3055
6		DH-HAC-HFW1400BP	4MP, 3.6mm lens, 50Mtr. IR, DWDR, IP67	3380
7		DH-HAC-HFW1400DP	4MP, 3.6mm lens, 80Mtr. IR, DWDR, IP67	3770
8		DH-HAC-HDBW1400RP-VF	4MP, 2.7-13,5mm lens, 30Mtr. IR, DWDR, IP67	4810
9		DH-HAC-HFW1400RP-VF-IRE6	4MP, 2.7-13,5mm lens, 60Mtr. IR, DWDR, IP67	5070
	4MP Range WDR			0
1		DH-HAC-HDW2401MP	4MP, 3.6mm lens, 30Mtr. IR, IP67, WDR	4160
2		DH-HAC-HFW2401SP	4MP, 3.6mm lens, 30Mtr. IR, IP67, WDR	4550
3		DH-HAC-HFW2401DP	4MP, 3.6mm lens, 80Mtr. IR, IP67, WDR	5200
4		DH-HAC-HDBW2401RP-Z	4MP, 2.7-12mm lens, 30Mtr. IR, IP67,IK10, WDR	7150
5		DH-HAC-HFW2401RP-Z-IRE6	4MP, 2.7-12mm lens, 60Mtr. IR, IP67, WDR	7150
6		DH-HAC-EB2401P	4MP, 1.18mm lens, IK10, WDR	7800

Dahua HDCVI PTZ Camera								
Series	Image	Model	Description	SP				
1		DH-SD59225I-HC	2MP, 25x Optical zoom, 150Mtr. IR, IP66, WDR	27300				
2		DH-SD6C225I-HC-S2	2MP, 25x Optical zoom, 150Mtr. IR, IP66, WDR	29250				

^{**}All Govt levies & Taxes Extra.

^{**}Conditions apply

Dahua HCVR									
SN	Picture	Model	Resolution	Video	Audio	HDD	RS485	SP	
XVR Se	ries Recorde	f (without Harddisk	()						
4xxx Seri									
1		DH-XVR4104HS / XVR 4104 HS BOM (without Harddisk)	720P@25fps 1080N@25fps	4 Ch.	1 Ch.	1 SATA	Yes	2860	
2		DH-XVR 4104HE (without Harddisk)	1080P	4 Ch.	1 Ch.	1 SATA		3900	
3		DH-XVR4108HS / XVR 4108HS CKD Machien (without Harddisk)	720P@15fps 1080N@12fps	8 Ch.	1 Ch.	1 SATA	Yes	4420	
4		DH-XVR 4108HE (without Harddisk)	720P@15fps 1080N@12fps	8 Ch.	8 Ch.	1 SATA	Yes	6045	
5		DH-XVR4116HS / XVR 4116HS CKD Machien (without Harddisk)	720P@15fps 1080N@12fps	16 Ch.	1 Ch.	1 SATA	Yes	6565	
6		DH-XVR4116HE (without Harddisk)	720P@15fps 1080N@12fps	16 Ch.	16 Ch.	1 SATA	Yes	9360	
7		DH-XVR-4208AN (without Harddisk)	720P	8 Channel	1 Channel	2 SATA	1 Port	8320	
8		DH-XVR4216AN (without Harddisk)	720P@15fps 1080N@12fps	16 Ch.	1 Ch.	2 SATA	Yes	11375	
9		DH-XVR4216A (without Harddisk)	1080N(12fps)/720P(15fps)96 0H/D1/HD1/BCIF/CIF/QCIF (1~25/30fps)	16 Ch.	4 Ch.	2 SATA	Yes	13000	
10		DH-XVR4232AN (without Harddisk)	720P@15fps	32Ch.	1 Ch.	2 SATA	Yes	20800	
5xxx Seri	es			-				0	
11		DH-XVR5108HS (without Harddisk)	720P@25fps 1080N@25fps 1080P@15fps	8 Ch.	1 Ch.	1 SATA	Yes	5720	
12	· ·	DH-XVR5108HE (without Harddisk)	720P@25fps 1080N@25fps 1080P@15fps	8 Ch.	8CH.	1 SATA	Yes	8060	
13		DH-XVR5116HS (without Harddisk)	720P@25fps 1080N@25fps 1080P@15fps	16 Ch.	1 Ch.	1 SATA	Yes	9750	
14		DH-XVR5116HE (without Harddisk)	720P@25fps 1080N@25fps 1080P@15fps	16 Ch.	CH.	1 SATA	Yes	12090	
15		DH-XVR5216A (without Harddisk)	720P@25fps 1080N@25fps 1080P@15fps	16 Ch.	4 Ch.	2 SATA	Yes	15080	
16		DH-XVR5232AN (without Harddisk)	1080P	32 Channel	1 Channel	2 SATA	1 Port	25480	
7xxx Seri	es							0	
1		DH-XVR7216A (without Harddisk)	1080P	16 Channel	4 Channel	2 SATA	1 Port	20800	

^{**}All Govt levies & Taxes Extra.

^{**}Above prices are without HDD / Storage.

^{**}Conditions apply

Dahua HCVR 4MP Supported												
SN	Picture	Model	Resolution	Video	Audio	HDD	RS485	SP				
1		DHI-HCVR7208AN-4M (without Harddisk)	4MP	8 Channel	1 Channel	2 SATA	1 Port	12350				
2		DHI-HCVR7216AN-4M (without Harddisk)	4MP	16 Channel	1 Channel	2 SATA	1 port	17875				
								0				
1		DH-XVR5104H-4M (without Harddisk)	4MP	4 Channel	1 Channel	1 SATA	1 Port	6500				
2	B.	DH-XVR-5108H-4KL (without Harddisk)	4K@7fps, 5MP@12fps 4MP@15fps, 2MP@25fps	8 Ch.	1 Ch.	1 SATA	Yes	9100				
3	. 81	DH-XVR-5116H-4KL (without Harddisk)	4K@7fps, 5MP@12fps 4MP@15fps, 2MP@25fps	16 Ch.	1 Ch.	1 SATA	Yes	14300				
4		DH-XVR5208AN-4KL (without Harddisk)	4K@7fps, 5MP@12fps 4MP@15fps, 2MP@25fps	8 Ch.	1 Ch.	2 SATA	Yes	11700				
5		DH-XVR5216AN-4KL (without Harddisk)	4K@7fps, 5MP@12fps 4MP@15fps, 2MP@25fps	16 Ch.	1 Ch.	2 SATA	Yes	17550				

Disti Pricelist - Regular Series											
SN	Picture	Model	Туре	Res.	Lens	IR	Audio	WDR	IP Rating	SD Card	SP
	1/1.3 Mega	a Pixel / 720p									
1		HDW1020SP-S2	IR Dome	25fps@720p	3.6mm opt: 2.8mm	30m	N/A	D-WDR	IP67	N/A	2470
2	24	HFW1020SP-S2	Bullet IR	25fps@720p	3.6mm opt: 2.8mm	30m	N/A	D-WDR	IP67	N/A	2600
3	6	HDW1120SP	IR Dome	25/30fps@1.3M	3.6mm opt: 6mm	30m	N/A	D-WDR	IP67	N/A	3120
4	b	HFW1120SP	IR Bullet	25/30fps@1.3M	3.6mm (6mm optional)	30M	N/A	N/A	IP66	N/A	3250
5	•	HDBW1120E-S	IR Dome	25/30fps@1.3M	3.6mm opt: 6mm	30m	N/A	D-WDR	IP67	Yes	3614
1.3 Meg	a Pixel										0
1	IPC	C-K15 WIRELESS&W	Cube	25/30fps@1.3M	2.8mm	10m	2 way	D-WDR	N/A	Yes	4030
	2.0 Mega P	Pixel									0
1	•	HDW1220SP-S2	Dome IR	25fps@2MP	3.6mm	30m	N/A	D-WDR	IP67	N/A	3705
2	0	HFW1220SP-S2	Bullet IR	25fps@2MP	3.6mm	30m	N/A	D-WDR	IP67	N/A	3835
4	•	HDW1230S H.265	Dome IR	25/30fps@2MP	3.6mm	30M	N/A	N/A	IP66	N/A	4030
3		HFW1230S H.265	Bullet IR	25/30fps@2MP	3.6mm	30M	N/A	N/A	IP66	N/A	4160
	3.0 Mega P	Pixel									0
1		HDW1320S-S2	Dome IR	20fps@3MP	3.6mm	30m	N/A	D-WDR	IP67	N/A	4160
? 2	1 ~4.	HFW1320S-S2	Bullet IR	20fps@3MP	3.6mm	30m	N/A	D-WDR	IP67	N/A	4290
3		HDW1320S	Dome IR	3MP@20fps 2MP@25fps	3.6mm opt: 6mm	30m	N/A	D-WDR	IP67	N/A	4550
4	6	HFW1320S	Bullet IR	3MP@20fps 2MP@25fps	3.6mm opt:6mm	30m	N/A	D-WDR	IP67	N/A	4680
5		HDBW1320E-S	Dome IR	3MP@20fps 2MP@25fps	3.6mm opt: 6mm	30m	N/A	D-WDR	IP67	Yes	5200
6		HDBW2320R-ZAS	VF Vandal Dome IR Motorized	20fps@3MP 25fps@2MP	2.7mm~12mm	30m	Yes	D-WDR	IP67 & IK10	Yes	8710
7	1	HFW2320R-ZS- IRE6-S2	VF IR Bullet Motorized	20fps@3MP 25fps@2MP	2.7mm~12mm	60m	N/A	D-WDR	IP67	Yes	8710
	4.0 Mega P	Pixel									
3		HDW1431S H.265	Dome IR	4MP	3.6mm opt: 6mm	30m	N/A	WDR	IP67	N/A	5915
4	0-0	HFW1431S H.265	Dome IR	4MP	3.6mm opt: 6mm	30m	N/A	WDR	IP67	N/A	6045

				WiFi Came	era						
SN	Picture	Model	Туре	Res.	Lens	IR	Audio	WDR	IP Rating	SD Card	SP
	1/1.3 Me	ga Pixel / 720p									
1	•	C15	Cube	25/30fps@1.3M	2.0mm	10m	2 Way	D-WDR	N/A	YES	3900
2	0	A15	WiFi Pan/Tilt	25/30fps@1.3M	3.6mm	10m	2 Way	D-WDR	N/A	YES	6955
3	6	IPC-HFW1120SP-W	Wifi Mini Bullet	25/30fps@1.3M	3.6mm opt: 2.8mm	30m	No	D-WDR	IP67	No	4550
4	0	IPC-HDBW1120EP-W	Wifi Mini Dome	25/30fps@1.3M	3.6mm opt: 2.8mm	30m	No	D-WDR	IP67/K10	No	4680
	3.0 Mega	Pixel									0
1	•	C35	Cube	3MP@20fps 2MP@25fps	2.0mm	10m	2 Way	D-WDR	N/A	YES	4940
2	9	A35	WiFi Pan/Tilt	3MP@20fps 2MP@25fps	3.6mm	10m	2 Way	D-WDR	N/A	YES	8580
3	6	IPC-HFW1320SP-W	Wifi Mini Bullet	3MP@20fps 2MP@25fps	3.6mm opt: 2.8mm	30m	No	D-WDR	IP67	No	5785
4	•	IPC-HDBW1320EP-W	Wifi Mini Dome	3MP@20fps 2MP@25fps	3.6mm opt: 2.8mm	30m	No	D-WDR	IP67/K10	No	5915

NVR Pricelist											
SN	Picture	Model	Channels	Recording/Transfer Rate	Prev/Playback	HDD	SP				
	Max 80Mbps Incoming I	Bandwidth, Up to 6Mp Resol	ution Prev	view & Playback							
1		NVR2104HS-S2(Without HDD)	4 Ch.	80Mbps/80Mbps	Up to 4ch@1080P real-time live-view & playback	1 SATA	3965				
2		NVR2108HS-S2(Without HDD)	8 Ch.	80Mbps/80Mbps	Up to 4ch@1080P real-time live-view & playback	1 SATA	4745				
3	£ 71 9.11	NVR2116HS-S2(Without HDD)	16 Ch.	80Mbps/80Mbps	5MP@2Ch, 3MP@4Ch, 1080p@8Ch, 720@16Ch	1 Sata	5720				
	Max 80Mbps Incoming I	Bandwidth, Up to 6Mp Resol	ution Prev	view & Playback			0				
1		NVR2204-S2(Without HDD)	4 Ch.	80Mbps/80Mbps	Up to 4ch@1080P real-time live-view & playback	2 SATA	6370				
2	- 1 g m	NVR2208-S2(Without HDD)	8 Ch.	80Mbps/80Mbps	Up to 4ch@1080P real-time live-view & playback	2 SATA	7020				
3		NVR2216-S2(Without HDD)	16 Ch.	80Mbps/80Mbps	5MP@2Ch, 3MP@4Ch, 1080p@8Ch, 720@16Ch	2 Sata	7865				
4		NVR2204-P-F2(Without HDD)	4 Channel	80Mbps	6Mp resolution preview&playback	2 SATA	8775				
	Ma	ax 200 Mbps Recording, Up t	o 8Mp Re	solution Preview & Play	/back, 2 SATA(Support H.265)		0				
1		NVR4216-4KS2(Without HDD)	16 Ch.	200 Mbps/200 Mbps	4ch@4K / 16ch@1080P	2 Sata	10010				
2	6	NVR4232-4KS2(Without HDD)	32ch.	200 Mbps/200 Mbps	4ch@4K / 16ch@1080P	2 Sata	14040				
	Ma	ax 200 Mbps Recording, Up t	o 8Mp Re	solution Preview & Play	/back, 4 SATA(Support H.265)		0				
1	Hitt. (B.	NVR4416-4KS2(Without HDD)	16 Ch.	200 Mbps/200 Mbps	4ch@4K / 16ch@1080P	4 Sata	22100				
2	Het 49.	NVR4432-4KS2(Without HDD)	32 Ch.	200 Mbps/200 Mbps	4ch@4K / 16ch@1080P	4 Sata	27300				

			S	Speed Dome							
SN	Picture	Model No	Res.	Image Sensor	IR	Zoom	Audio	WDR	ICR	IP Rating	SP
2		SD6C230U-HNI (H.265)	25fps@2MP	2MP CMOS, 30X	150 Mtrs.	30X	Yes	WDR	Yes	IP66	50700
3		SD59131U-HNI	720P@ 60fps POE+	1.3MP CMOS, 31X	150 Mts	31X	Yes	WDR	Yes	IP66	32500
4		SD59225U-HNI	50/60fps@108 0P,	2MP CMOS, 25X	150 Mtrs.	25X	Yes	WDR	Yes	IP66	34450

	POE Switch												
SN	Model No	Switching Capacity	Packet Forwarding Rate	Ethernet Port	PoE Protocol	SP							
1	DH-PFS3005-4P-58	1Gbps	744 Kbps	1*10/100 Base-T 4*10/100 Base-T (PoE power supply)	IEEE802.3af, IEEE802.3at	2730							
2	DH-PFS3110-8P-96	1Gbps	744 Kbps	1*1000 Base-X 1*10/100/1000 Base-T 8*10/100 Base-T(PoE power supply)	IEEE802.3af, IEEE802.3at	5590							
3	DH-PFS3009-8ET-96	1.8 Gbps	1.34 Mbps	1*10/100 Base-T 8*10/100 Base-T (PoE power supply)	IEEE802.3af (PoE), IEEE802.3at (PoE+), Hi-PoE	4550							
4	DH-PFS4218-16ET-190	8.8Gbps	5.36 Mbps	2*10/100/1000 Base-T (Combo port) 2*1000 Base-X (Combo port) 16*10/100 Base-T (PoE power supply)	IEEE802.3af, IEEE802.3at, Hi-PoE	14950							
5	DH-PFS4226-24ET-240	8.8 Gbps	6.5 Mbps	2*10/100/1000 Base-T (Combo port) 2*1000 Base-X (Combo port) 24*10/100 Base-T (PoE power supply)	IEEE802.3af, IEEE802.3at, Hi-PoE	17290							
6	PFS3006-4ET-60	1.8Gbps	890kpps	2*10/100Mbps Uplink ports 4*10/100 Mbps PoE ports	IEEE802.3af (PoE), IEEE802.3at (PoE+), Hi-PoE	2860							
7	PFS3008-8GT-60	20Gbps	11.9Mpps	4*10/100/1000Mbps PoE ports 4*10/100/1000Mbps ports	IEEE802.3af (PoE), IEEE802.3at (PoE+), Hi-PoE	4550							
8	PFS3008-8ET-60	1.8Gbps	1.19Mpps	4*10/100 Mbps PoE ports 4*10/100Mbps ports	IEEE802.3af (PoE), IEEE802.3at (PoE+), Hi-PoE	3120							
10	PFS3010-8ET-96	5.6Gbps	// 1 / Mnns	8 x 10/100Mbps PoE ports 2 x 10/100/1000Mbps ports	IEEE802.3af (PoE), IEEE802.3at (PoE+), Hi-PoE	5330							