

Oxibook

Buy and sell book online

Members Details

Name	Reg. No
Amit Kumar Aich	12011934
Riva Makhani	12012947
Somnath Giri	12011930
Deekshitha Maganti	12006877
Shivam	12005166
Aishwarya Jha	12006376

**UNIVERSITY NAME -
LOVELY PROFESSIONAL UNIVERSITY**



TABLE OF CONTENT

SR.NO	Headings
1	<u>Acknowledgement</u>
2	<u>Introduction</u>
3	<u>Project objective</u>
4	<u>Modularization Details</u>
5	<u>Software Engineering Paradigm Applied</u>
6	<u>Hardware /software Requirements</u>
7	<u>Application work Flow</u>
8	<u>Screenshots</u>
9	<u>Testing and Validation Check</u>
10	<u>Future Scope of Improvement</u>
11	<u>Code</u>

ACKNOWLEDGEMENT

I would like to express my profound gratitude and deepest regards to my project team members for their valuable information, guidance, and support throughout the course of this project. Their assistance has been invaluable in helping me complete this assignment.

I am also obliged to Victor Banerjee sir for his exemplary guidance, monitoring, and constant encouragement throughout the course of this project. I would also like to thank the Fifth force for the amazing opportunity and great learning experience. The blessings, help, and guidance they have given me time after time shall carry me a long way in the journey of life on which I am about to embark.

I am grateful to all of them for their cooperation during the period of my assignment.

INTRODUCTION

Books are a big part of our world. They're small, and portable, and they always have a story to tell.

But what if you could find new ways to use them? What if you could sell them on the website?

That's exactly what we have done with Oxibook. We have created a platform that allows anyone to sell their books online and make money doing so. You can start selling your old books today!

The Oxibook lets you sell your old books for cash. You can list your books here, and once they're sold, we'll pay you via PayPal or Amazon Gift Card. That's it! Nothing else is required from you—you don't have to do anything except make sure your book is in good working condition and ready to sell.

We've got hundreds of thousands of books on our site at any time, so chances are good that someone will be interested in buying yours—and if they aren't? Well... I guess you could always keep them for yourself! ;)

PROJECT OBJECTIVE

In the global race of competitions, where every country and every business, wishes to compete for the best and bright, we people have come up with, an upstanding project. This project involves the design and development of a new eCommerce website, which aims at buying and selling books.


The main objective behind the making of this project is to bring an eCommerce website, which is within, easy reach of people.

Unlike other shopping sites, which contain a wide variety of products such as clothing, electronics, accessories, books, and many more, fails to pay a greater impact, on the” extensive diversity of books. So, to resolve these problems, with a great move, we have brought a site and the one and only one which aims to be the place with a huge variety of books and “only books”’, which focusses on the demand of each and every customer and “with a claim of viewers need demand and satisfaction”.

Although most of the online sites offer pdfs and e-books, if we see them from a magnified aspect, studying through e-books may lead to various distractions other than this it also has a capacity to hamper one’s mental and physical health. Therefore, to heal this hazard, we are here with paperback as well as hardcover books, which in every way beneficial to all of us.

Last but not the least, this website aspired to be a global point with the maximum reach of customers, with their utmost satisfaction.

MODULARIZATION DETAILS



The Waterfall model works well when doing web development because it takes time to do all of these steps in order: Requirements --> Design --> Development --> Deployment --> Maintenance

Design

The main goals of this phase are:

- Design the website's frame work, including the user interface for the front-end and back-end.
- Create a web work flow design that will allow users to navigate through the site using an intuitive path through the components of the website.

MODULARIZATION DETAILS

Coding

This phase of a project is coding the website. The goal of this stage is to create the foundation for the rest of the site. This includes creating all of the HTML, CSS, and JavaScript that make up the website. The second phase is debugging the code. This involves finding mistakes in code and fixing them before it goes live. The third phase is adding additional features to your site through line-by-line design changes or adding new pages altogether.

Testing

The goal of this phase is to make sure that everything works correctly before moving on to the building site. This includes things like:

- Make sure your code is formatted correctly (so there are no errors in your code)
- Testing your site by looking for broken links or other errors
- Fixing any issues that arise during testing

MODULARIZATION DETAILS

Integration and system Testing

The system phase of web development is the part where the code and all of its dependencies are integrated into a single process.

The workflow involves checking each piece of code and making sure they are in order and functioning properly.

Then we will integrate the code into the system, making the workflow automatic. We will check if all the code is working properly and if there are any errors.

We will then go back and fix any errors or problems that we find. Once all errors have been fixed, we will check our final product again to make sure it meets our standards before moving forward with our project.

Maintenance

When your website is new, it will look fresh and exciting. But as time goes on, things change and evolve. You will want to make sure that your content is still relevant and engaging for your audience. This can be done by adding new posts, updating the design of your site (including the colors), putting up new photos on social media, creating an engaging video series, etc.

You should also periodically check in with yourself about whether or not you still want to maintain this website. If you don't feel like doing anything with it anymore then it might be time for a change!

SOFTWARE ENGINEERING PARADIGM APPLIED

Software development is organised using the waterfall methodology. It is predicated on the notion that you complete a full job in a single step, building on the steps that came before. "Requirements" is the name of the first step. You list everything that has to be done on your website at this phase.

The waterfall model is the most commonly used software engineering paradigm in website development. The waterfall model describes the stages of a software project as they progress from conception to completion, and it is based on a series of sequential steps. The first step is requirement gathering. The second step is design and coding. The third step is testing the product or feature. And finally, deployment occurs when all of these steps have been completed successfully.

HARDWARE/SOFTWARE REQUIREMENT

Hardware Requirement

- 1.Laptop or Computer
- 2.CPU: Intel(R) Core(TM) i7-4870HQ CPU @ 2.50GHz.
- 3.Memory: 8 GB 1600 MHz DDR3.
- 4.Graphics: NVIDIA GeForce GT 750M 2 GB Intel Iris Pro 1536 MB.
- 5.Stable internet connection

Software Requirement

- 1.Vs-code
- 2.React js
- 3.Node js
- 4.Express
- 5.Postman
- 6.MongoDB
- 7.Bootstrap
- 8.Tailwind

APPLICATION WORK FLOW

Management, automation, and workflow optimization of business operations have never been simpler. With the help of our OXIBOOKS automation technology, you can quickly interface with the book world and quicken the digital transition. The Power of Process is at your fingertips thanks to OXIBOOKS' straightforward drag-and-drop interface.

The ideal synthesis of usability and strength: With OXIBOOKS, you can easily access and implement highly integrated, robust workflow with a simple-to-set-up, user-friendly website that makes books available at your doorstep, eliminating the need to battle to obtain your preferred book.

How OXI Works?

Market Place

List Vendors who sell the desired products

Get shoppers browsing through the merchandise

Create engaging deals & discounts

Customer purchases the desired products

Vendor/OXIBOOKS ships the merchandise to the customer

The product will be verified by the customer

A vendor gets the agreement value for the product minus the commission

Here, we'll give you a detailed breakdown of how OXIBOOKS operates. The creators of OXIBOOKS are responsible for this design. Who are today's aspiring young businesspeople who consider how OXIBOOKS functions?

APPLICATION WORK FLOW

Management, automation, and workflow optimization of business operations have never been simpler. With the help of our OXIBOOKS automation technology, you can quickly interface with the book world and quicken the digital transition. The Power of Process is at your fingertips thanks to OXIBOOKS' straightforward drag-and-drop interface.

The ideal synthesis of usability and strength: With OXIBOOKS, you can easily access and implement highly integrated, robust workflow with a simple-to-set-up, user-friendly website that makes books available at your doorstep, eliminating the need to battle to obtain your preferred book.

How OXI Works?

Market Place

List Vendors who sell the desired products

Get shoppers browsing through the merchandise

Create engaging deals & discounts

Customer purchases the desired products

Vendor/OXIBOOKS ships the merchandise to the customer

The product will be verified by the customer

A vendor gets the agreement value for the product minus the commission

Here, we'll give you a detailed breakdown of how OXIBOOKS operates. The creators of OXIBOOKS are responsible for this design. Who are today's aspiring young businesspeople who consider how OXIBOOKS functions?

APPLICATION WORK FLOW

Customer Experience:

Customer enablement sounds like a complicated marketing term, but it boils down to educating and empowering customers with the tools, resources, and information they need to make the most of our products or services. Ultimately, customer enablement is built on a simple principle. When customers succeed, everyone wins. So that we provide you immense discounts, coupons, and refunds on particular way of payment methods. We do provide you not only the modern product date and also we provide the antiquated products that you can get only from OXI. We do feel customers as partners and provide luck draws based on the discounts of the customer loyalty of utilizing the OXI platform.

01. OXI sales channels: OXI thus employs the paradigm of "X percent commission on the full sales worth paid to the vendor" in order to profit financially. Its sales are made through the various methods listed below. For every sale that OXI makes, OXI is entitled to a percentage (percent) cut of the gross sales amount, excluding taxes.

- Directly through an online marketplace
- Direct via a web-based application.
- Direct access via a mobile app for an online retailer (Android, iOS, etc.)
- Direct through Telesales (Customer phones and places order - this no longer occurs often)
- Through means of Affiliate Networks (Coupon Websites, Review Websites, and Bloggers)
- Social Media Purchasing and Selling (selling on social media)

APPLICATION WORK FLOW

02. How does OXI make money?

Here, we'll give you a detailed breakdown of how OXIBOOKS operates. The OXI founders are responsible for this model. They are striving young businesspeople who think about the way how OXIBOOKS functions.

•The virtual portal:

By amassing commission for the services from the vendors who utilize OXI as their selling and commercial e-commerce marketplace, the primary source of financial gain is accomplished. OXI permits a variety of sellers to sell through their website in exchange for a commission on sales to pay the costs of running the site while the vendors concentrate on creating a community.


•listing and reconnection fee:

The corporation can also make money by charging inclusion and convenience fees. The convenience charge is taken from the buyers in order to facilitate speedier delivery because the listing fee is paid by the suppliers. Billing covers the whole financial gain of the corporate OXI e-commerce marketplace; the convenience fee adds wrapping fees for the goods.


•Logistics:

A fee is collected from the sellers in exchange for delivering their goods. It offers its vendors services like those of alternative delivery companies. Paying for delivery services to fill the gap varies from location to location. Currently, the products are distributed by e-commerce fulfillment facilities. The many facets of warehousing, inventory control, billing, packaging, labelling, shipping, cash on delivery, payment, product return & exchange, and much more are all included in logistics services.

SCREENSHOTS



SCREENSHOTS



This screenshot shows the registration page of the OxiBook website. The page has a light blue header with the OxiBook logo on the left, navigation links (Home, About Us, Contact Us, Admin) in the center, and 'Sign Up' and 'Log In' buttons on the right. The main content area is split into two sections. On the left, a blue vertical rectangle contains the text 'Welcome to explore the widest variety of books' and the OxiBook logo at the bottom. On the right, a white registration form is displayed. The form includes input fields for 'Full Name', 'email', 'password', 'confirm password', 'mobile number', and 'Address'. Below these fields is a large orange 'Register' button.

OxiBook

Home About Us Contact Us Admin

Sign Up Log In

Welcome to explore the widest variety of books

OxiBook

Full Name

email


password

confirm password

mobile number

Address

Register



This screenshot shows the login page of the OxiBook website. The page has a light blue header with the OxiBook logo on the left, navigation links (Home, About Us, Contact Us, Admin) in the center, and 'Sign Up' and 'Log In' buttons on the right. The main content area has a dark blue background. In the center, there is a white login form with input fields for 'Username' and 'Password', and a pink 'Log In' button. To the right of the login form, there is a light blue box with the text 'Don't have an Account?' and a 'Sign Up' button.

OxiBook

Home About Us Contact Us Admin

Sign Up Log In

Username



Password

Log In



Don't have an Account?

Sign Up



SCREENSHOTS



SCREENSHOTS



SCREENSHOTS



TESTING AND VALIDATION CHECK

Flow of Purchase

Let's assume the user lands on the webpage through a search engine. You can also say the user landed through a bookmark or any other means. After landing on the shopping website. User checks on the website if there is his specified book available on the front page. If not, then he'll naturally search for the book by typing its name. Then the user needs to hit the search button. And this way he goes to the search results page. Here user can find the specified book. And then that book can be clicked for more information. And in this step, the user lands on the dedicated page for the book. Here users can choose the "buy now" option by clicking on it. Some websites may have a "Buy" button. There is also going to be an option for quantity. And in some cases, you may find "Add to wishlist" and "Add to favorites". Let's discard those non-buyer options. And now that book is added to the "shopping cart". Let's proceed with the flow of the payment.

Flow of Payment

When your product is added to the cart. In this case, the product is a book. That book will show its price and also the quantity. You can see the total price of the product on this cart page too. Here you can click on the pay now button. On the next page, you get the option to choose the payment method. In the case of the payment gateway, you may find different payout methods.

TESTING AND VALIDATION CHECK

Test Scenarios for Cart

1. Confirm if the item is added to the cart.
2. Confirm if the quantity is as expected for the order.
3. Confirm if the delivery charges are added to the cart page.
4. Check the amount payable is correct.
5. Check if the cart has the place order and continue shopping buttons.
6. Check if the shopping cart shows the total savings amount.
7. Check the delivery date of the item.

After you continue the process on this page your order goes for the delivery page. And here you have to either use the existing address of yours or add new address. This way you can allow the website to deliver your product.

Test Scenarios for Delivery Address

1. Check if the delivery address page shows your address proper.
2. Check if the delivery address page has option to add or remove your address.
3. Check if the delivery options include the different prices for different dates.

After confirmation from this delivery address page, you'd be prompted for the payment options. In my case the payment page has the following options:

- | | | |
|--------------------|------------|---------|
| 1.UPI. | | |
| 2.Credit/Debit/ATM | Card.3.Net | Banking |
| 4.Cash on Delivery | | |

TESTING AND VALIDATION CHECK

Test Scenarios for Payment options

1. Check if the payment option phonepe, credit card, debit card, and net banking . is given
2. Check if the phonepe option allows UPI or the balance option.
3. Check if the cash-on-delivery option is available or not.
4. Check if the bank offers are accepted in this process.

Conclusion

After this step, you can find the process moves to the final stage where you're supposed to pay. And here, the testing options are different. But you get the idea of the flow of the payment and other options.

FUTURE SCOPE OF IMPROVEMENT

There's a lot we can do to improve our website.

We think the best way to do this is by adding a feature that allows us to offer other products for sale on the site along with the books. We already have a variety of products, so it would be nice if more people could buy things from us. And we think it would be great for our customers if they could browse through all of our products and find something that would fit their needs.

We know that this might take some time to implement, but we're committed to making it happen!

-Product Catalog

We are going to create a new feature for our eCommerce website, which is a product catalog. This will allow us to sell a wide variety of products from different brands so that we can offer our customers the best selection possible.

-New Designs and Colors

We will be updating our website with new designs and colors to make it more appealing to consumers. We want them to feel like they're browsing through an online store rather than looking at an old website that doesn't reflect current trends in design.

CODE

App.js

```
import React from 'react'

import RegisterScreen from
"./components/RegisterScreen"
import Nav from "./components/Nav"
import Footer from "./components/Footer"
import About2 from "./components/About2"
import './App.css';
import Admin from './components/Admin';
import Viewbook from './components/Viewbook';
import Home from './components/Home';
import BookState from
'./context/content/BookState';
import Homemain from './components/Homemain'
import AddBookScreen from
'./components/AddBookScreen'
import Contact from './components/Contact'
import {
  BrowserRouter as Router,
  Routes,
  Route,

} from "react-router-dom";
import Adminlogin from
'./components/Adminlogin'
import Shoppingcart from
'./components/Shoppingcart'
import Profile from './components/Profile'
import Login from './components/Login'
function App() {
```

CODE

```
// const {shows}=context;
// const [show, setshow] = useState(true);
// useEffect(() =>
{setshow(localStorage.getItem('authtoken'))};console.log
('fff')},{setshow])
return (
  <div className="App">
    <BookState>
      <Router>
        <Nav/>
        <Routes>
          <Route path="/" element={<Home/>} />
          <Route path="/landing" element={<Homemain/>} />
          <Route path="/admin" element={<Adminlogin/>} />
          <Route path="/Contact" element={<Contact/>} />
          <Route path="/adminal" element={<Admin/>} />
          <Route path="/signup" element={<RegisterScreen/>}
/>
          <Route path="/login" element={<Login/>} />
          <Route path="/about" element={<About2/>} />
          <Route path="/view" element={<Viewbook/>} />
          <Route path="/addbook" element={<AddBookScreen/>}
/>
          <Route path="/cart" element={<Shoppingcart/>} />
          <Route path="/profile" element={<Profile/>} />

        </Routes>

        <Footer/>
      </Router>
    </BookState>

  </div>
);
}

export default App;
```

CSS

```
.App {
  text-align: center;
}

.App-logo {
  height: 40vmin;
  pointer-events: none;
}

@media (prefers-reduced-motion: no-preference) {
  .App-logo {
    animation: App-logo-spin infinite 20s linear;
  }
}

.App-header {
  background-color: #282c34;
  min-height: 100vh;
  display: flex;
  flex-direction: column;
  align-items: center;
  justify-content: center;
  font-size: calc(10px + 2vmin);
  color: white;
}

.App-link {
  color: #61dafb;
}

@keyframes App-logo-spin {
  from {
    transform: rotate(0deg);
  }
  to {
    transform: rotate(360deg);
  }
}

.registerContainer {
  display: flex;
  margin: 6rem auto;
  justify-content: space-between;
  width: fit-content;
  box-shadow: 0 8px 16px rgb(0,0,0, 0.3);
}
```

CSS

```
.registerDescContainer {
  display: flex;
  flex-wrap: wrap;
  flex-direction: column;
  align-items: center;
  flex-basis: 40%;
  justify-content: space-around;
  background-color: #1583c3;
  color: white;
}

.registerDescContainer h1 {
  margin: 1rem;
  text-align: center;
  font-size: 2rem;
}

.registerDescContainer img {
  width: 15rem;
}

.registerFormContainer {
  display: flex;
  flex-direction: column;
  flex-basis: 60%;
  align-items: center;
  margin: 1rem;
}

.registerForm {
  display: flex;
  width: 100%;
  height: 100%;
  flex-direction: column;
}

.registerForm input {
  border: none;
  border-bottom: 1px solid #1583c3;
}

.registerForm input,
.registerForm textarea {
  margin: 0.7rem;
  font-size: 1.2rem;
  margin-left: 1rem;
  border-color: #1583c3;
}

.registerForm input:focus,
.registerForm textarea:focus {
  outline: none;
  border-color: blue;
}
```

CSS

```
.submitButton {
  border: none;
  padding: 0.5rem;
  background-color: orange;
  color: white;
  border-radius: 5px;
  transition: all 0.3s;
  border-color: transparent;
}

.submitButton:hover {
  background-color: orangered;
}

.messageBox {
  font-size: 1.3rem;
  margin-bottom: 1rem;
  width: 100%;
  color: white;
  text-align: center;
  padding: 0.5rem;
  border-radius: 5px;
}

.red {
  background-color: #df4759;
}

.green {
  background-color: #42ba96;
}

@media only screen and (max-width: 1060px) {
  .registerContainer {
    flex-direction: column;
    margin: 2rem auto;
  }

  .registerDescContainer h1 {
    font-size: 1.5rem;
  }

  .registerDescContainer img {
    width: 6rem;
  }
}
```

CSS

```
ul {
  margin: 0px;
  padding: 0px;
}
.footer-section {
background: #96c9eb9d;
position: relative;
}
.footer-cta {
border-bottom: 1px solid #373636;
}
.single-cta i {
color: #ff5e14;
font-size: 30px;
float: left;
margin-top: 8px;
}
.cta-text {
padding-left: 15px;
display: inline-block;
}
.cta-text h4 {
color: rgb(99, 123, 189);
font-size: 20px;
font-weight: 600;
margin-bottom: 2px;
}
.cta-text span {
color: #4b2e2e;
font-size: 15px;
}
.footer-content {
position: relative;
z-index: 2;
}
.footer-pattern img {
position: absolute;
top: 0;
left: 0;
height: 330px;
background-size: cover;
background-position: 100% 100%;
}
.footer-logo {
margin-bottom: 30px;
}
.footer-logo img {
max-width: 200px;
}
```

CSS

```
.footer-text p {
margin-bottom: 14px;
font-size: 14px;
  color: #4b2e2e;
line-height: 28px;
}
.footer-social-icon span {
color: #fff;
display: block;
font-size: 20px;
font-weight: 700;
font-family: 'Poppins', sans-serif;
margin-bottom: 20px;
}
.footer-social-icon a {
color: #fff;
font-size: 16px;
margin-right: 15px;
}
.footer-social-icon i {
height: 40px;
width: 40px;
text-align: center;
line-height: 38px;
border-radius: 50%;
}
.facebook-bg{
background: #3B5998;
}
.twitter-bg{
background: #55ACEE;
}
.google-bg{
background: #DD4B39;
}
.footer-widget-heading h3 {
color: rgb(99, 123, 189);
font-size: 20px;
font-weight: 600;
margin-bottom: 40px;
position: relative;
}
.footer-widget-heading h3::before {
content: "";
position: absolute;
left: 0;
bottom: -15px;
height: 2px;
width: 50px;
background: #ff5e14;
}
```

CSS

```
.footer-widget ul li {
/* display: inline-block; */
float: left;
width: 50%;
margin-bottom: 12px;
}
.footer-widget ul li a:hover{
color: #ff5e14;
}
.footer-widget ul li a {
color: #3f3b3b;
text-transform: capitalize;
}
.subscribe-form {
position: relative;
overflow: hidden;
}
.subscribe-form input {
width: 100%;
padding: 14px 28px;
background: #9fa9d4be;
border: 1px solid #2E2E2E;
color: rgb(255, 255, 255);
font-weight: bold;
}
.subscribe-form button {
position: absolute;
right: 0;
background: #62a5f1;
padding: 13px 20px;
border: 1px solid #444342;
top: 0;
}
.subscribe-form button i {
color: rgb(255, 255, 255);
font-size: 22px;
transform: rotate(-6deg);
}
.copyright-area{
background: #202020;
padding: 25px 0;
}
.copyright-text p {
margin: 0;
font-size: 14px;
color: #878787;
}
.copyright-text p a{
color: #ff5e14;
}
```


CODE

```
.footer-menu li {
display: inline-block;
margin-left: 20px;
}
.footer-menu li:hover a{
color: #ff5e14;
}
.footer-menu li a {
font-size: 14px;
color: #878787;
}

.App {
text-align: center;
}

.App-logo {
height: 40vmin;
pointer-events: none;
}

@media (prefers-reduced-motion: no-preference) {
.App-logo {
animation: App-logo-spin infinite 20s linear;
}
}

.App-header {
background-color: #282c34;
min-height: 100vh;
display: flex;
flex-direction: column;
align-items: center;
justify-content: center;
font-size: calc(10px + 2vmin);
color: white;
}

.App-link {
color: #61dafb;
}

@keyframes App-logo-spin {
from {
transform: rotate(0deg);
}
to {
transform: rotate(360deg);
}
}
```

CODE

```
.carousel {
  display: inline-flex;
  overflow-x: hidden;
  /* scroll snap is a great feature which will center the image
  on snap on touch screen devices */
  scroll-snap-type: x mandatory;
  /* all below will hide the scrollbar on all browsers. */
  -webkit-overflow-scrolling: touch;
  scrollbar-width: none; /* For Firefox */
  -ms-overflow-style: none; /* For Internet Explorer and Edge
  */
}

.fade-in-image { animation: fadeIn 2s; }
@keyframes fadeIn {
  0% { opacity: 0; }
  100% { opacity: 1; }
}
.fade-out { animation: fadeOut 2s; }
@keyframes fadeOut {
  0% { opacity: 1; }
  100% { opacity: 0.2; }
}
*,*::after,*::before{
  box-sizing: inherit;
  margin: 0;
  padding: 0;
}

html {
  box-sizing: border-box;
}

body {
  background-color: #ffffff;
}

.ribbon {
  width: 150px;
  height: 150px;
  overflow: hidden;
  position: absolute;
  top: -10px;
  right: -10px;
}
```

CODE

```
.ribbon__content {
  left: -25px;
  top: 30px;
  -webkit-transform: rotate(45deg);
  -ms-transform: rotate(45deg);
  transform: rotate(45deg);
  position: absolute;
  display: block;
  width: 225px;
  padding: 10px 0;
  background-color: #f5cd79;
  box-shadow: 0 5px 10px rgba(0, 0, 0, 0.192);
  color: #fff;
  text-shadow: 0 1px 1px rgba(0,0,0,.2);
  text-transform: uppercase;
  text-align: center;
  border: 2px dotted #fff;
  outline : 5px solid #f5cd79;
}

.ribbon::before {
  top: 0;
  left: 0;
  border-top-color: transparent;
  border-right-color: transparent;
  position: absolute;
  z-index: -1;
  content: '';
  display: block;
  border: 5px solid #f19066;
  box-sizing: content-box;
}

.ribbon::after {
  bottom: 0;
  right: 0;
  border-top-color: transparent;
  border-right-color: transparent;
  position: absolute;
  z-index: -1;
  content: '';
  display: block;
  border: 5px solid #f19066;
}

.ribbonb {
  height: 188px;
  position: relative;
  margin-bottom: 30px;
  background: url(https://html5book.ru/wp-content/uploads/2015/10/snow-road.jpg);
  background-size: cover;
  text-transform: uppercase;
  color: white;
}
```

CODE

```
.ribbon3 {
  width: 150px;
  height: 50px;
  line-height: 50px;
  padding-left: 15px;
  position: absolute;
  left: -8px;
  top: 20px;
  background: #59324C;
}
.ribbon3:before, .ribbon3:after {
  content: "";
  position: absolute;
}
.ribbon3:before {
  height: 0;
  width: 0;
  top: -8.5px;
  left: 0.1px;
  border-bottom: 9px solid black;
  border-left: 9px solid transparent;
}
.ribbon3:after {
  height: 0;
  width: 0;
  right: -14.5px;
  border-top: 25px solid transparent;
  border-bottom: 25px solid transparent;
  border-left: 15px solid #59324C;
}
.ribbon4 {
  position: absolute;
  top: 15px;
  padding: 8px 10px;
  background: #00B3ED;
  box-shadow: -1px 2px 3px rgba(0,0,0,.3);
}
.ribbon4:before, .ribbon4:after {
  content: "";
  position: absolute;
}
.ribbon4:before {
  width: 7px;
  height: 100%;
  top: 0;
  left: -6.5px;
  padding: 0 0 7px;
  background: inherit;
  border-radius: 5px 0 0 5px;
}
```

CODE

```
.ribbon4:after {
  width: 5px;
  height: 5px;
  bottom: -5px;
  left: -4.5px;
  background: lightblue;
  border-radius: 5px 0 0 5px;
}
.ribbon5 {
  display: block;
  width: calc(100% + 20px);
  height: 50px;
  line-height: 50px;
  text-align: center;
  margin-left: -10px;
  margin-right: -10px;
  background: #EDBA19;
  position: relative;
  top: 20px;
}

@media (min-width: 500px) {
  .ribbons-wrapper {
    display: flex;
    flex-wrap: wrap;
    justify-content: space-between;
  }
  .ribbonb {
    width: 48%;
  }
}

/* img {
  max-width: 100%;
  filter: drop-shadow(1px 1px 3px #a6a6a6);
} */

/* ----- Product Section ----- */
.product {
  display: grid;
  grid-template-columns: 0.9fr 1fr;
  margin: auto;
  padding: 2.5em 0;
  min-width: 600px;
  background-color: white;
  border-radius: 5px;
}

/* ----- Photo Section ----- */
.product__photo {
  position: relative;
}
```

CODE

```
.photo-container {
  position: absolute;
  left: -2.5em;
  display: grid;
  grid-template-rows: 1fr;
  width: 100%;
  height: 100%;
  border-radius: 6px;
  box-shadow: 4px 4px 25px -2px rgba(0, 0, 0, 0.3);
}

.photo-main {
  border-radius: 6px 6px 0 0;
  background-color: #9be010;
  background: radial-gradient(#e5f89e, #96e001);
}
.photo-main .controls {
  display: flex;
  justify-content: space-between;
  padding: 0.8em;
  color: #fff;
}
.photo-main .controls i {
  cursor: pointer;
}
.photo-main img {
  position: absolute;
  left: -3.5em;
  top: 2em;
  max-width: 110%;
  filter: saturate(150%) contrast(120%) hue-
rotate(10deg) drop-shadow(1px 20px 10px rgba(0, 0,
0, 0.3));
}

.photo-album {
  padding: 0.7em 1em;
  border-radius: 0 0 6px 6px;
  background-color: #fff;
}
.photo-album ul {
  display: flex;
  justify-content: space-around;
}
```

CODE

```
.photo-album li {  
  float: left;  
  width: 55px;  
  height: 55px;  
  padding: 7px;  
  border: 1px solid #a6a6a6;  
  border-radius: 3px;  
}  
  
/* ----- Informations Section ----- */  
.product__info {  
  padding: 0.8em 0;  
}  
  
.title h1 {  
  margin-bottom: 0.1em;  
  color: #4c4c4c;  
  font-size: 1.5em;  
  font-weight: 900;  
}  
.title span {  
  font-size: 0.7em;  
  color: #a6a6a6;  
}  
  
.price {  
  margin: 1.5em 0;  
  color: #ff3f40;  
  font-size: 1.2em;  
}  
.price span {  
  padding-left: 0.15em;  
  font-size: 2.9em;  
}  
  
.variant {  
  overflow: auto;  
}  
.variant h3 {  
  margin-bottom: 1.1em;  
}  
.variant li {  
  float: left;  
  width: 35px;  
  height: 35px;  
  padding: 3px;  
  border: 1px solid transparent;  
  border-radius: 3px;  
  cursor: pointer;  
}  
.variant li:first-child, .variant li:hover {  
  border: 1px solid #a6a6a6;  
}
```

CODE

```
.variant li:not(:first-child) {
  margin-left: 0.1em;
}

.description {
  clear: left;
  margin: 2em 0;
}
.description h3 {
  margin-bottom: 1em;
}
.description ul {
  font-size: 0.8em;
  list-style: disc;
  margin-left: 1em;
}
.description li {
  text-indent: -0.6em;
  margin-bottom: 0.5em;
}

.buy--btn {
  padding: 1.5em 3.1em;
  border: none;
  border-radius: 7px;
  font-size: 0.8em;
  font-weight: 700;
  letter-spacing: 1.3px;
  color: #fff;
  background-color: #ff3f40;
  box-shadow: 2px 2px 25px -7px #4c4c4c;
  cursor: pointer;
}
.buy--btn:active {
  transform: scale(0.97);
}

/* ----- Footer Section ----- */
footer {
  padding: 1em;
  text-align: center;
  color: #fff;
}
footer a {
  color: #4c4c4c;
}
footer a:hover {
  color: #ff3f40;
}
```


CODE

```
.wsk-cp-product{
  background:#fff;
  padding:15px;
  border-radius:6px;
  box-shadow: 0 1px 3px rgba(0,0,0,0.12), 0 1px 2px
  rgba(0,0,0,0.24);
  position:relative;
  margin:20px auto;
}
.wsk-cp-img{
  position:absolute;
  top:5px;
  left:50%;
  transform:translate(-50%);
  -webkit-transform:translate(-50%);
  -ms-transform:translate(-50%);
  -moz-transform:translate(-50%);
  -o-transform:translate(-50%);
  -khtml-transform:translate(-50%);
  width: 100%;
  height: 85%;
  padding: 15px;
  transition: all 0.2s ease-in-out;
}
.wsk-cp-img img{
  width:100%;
  transition: all 0.2s ease-in-out;
  border-radius:6px;
  min-height: 58%;
}
.wsk-cp-product:hover .wsk-cp-img{
  top:-40px;
}
.wsk-cp-product:hover .wsk-cp-img img{
  box-shadow: 0 19px 38px rgba(0,0,0,0.30), 0 15px
  12px rgba(0,0,0,0.22);
}
.wsk-cp-text{
  padding-top:93%;
}
.wsk-cp-text .category{
  text-align:center;
  font-size:12px;
  font-weight:bold;
  padding:5px;
  margin-bottom:45px;
  position:relative;
  transition: all 0.2s ease-in-out;
}
```

CODE

```
.wsk-cp-text .category > *{
  position:absolute;
  top:50%;
  left:50%;
  transform: translate(-50%,-50%);
  -webkit-transform: translate(-50%,-50%);
  -moz-transform: translate(-50%,-50%);
  -ms-transform: translate(-50%,-50%);
  -o-transform: translate(-50%,-50%);
  -khtml-transform: translate(-50%,-50%);
}
.wsk-cp-text .category > span{
  padding: 12px 30px;
  border: 1px solid #313131;
  background:#212121;
  color:#fff;
  box-shadow: 0 19px 38px rgba(0,0,0,0.30), 0 15px 12px
  rgba(0,0,0,0.22);
  border-radius:27px;
  transition: all 0.05s ease-in-out;
}
.wsk-cp-product:hover .wsk-cp-text .category > span{
  border-color:#ddd;
  box-shadow: none;
  padding: 11px 28px;
}
.wsk-cp-product:hover .wsk-cp-text .category{
  margin-top: 0px;
}
.wsk-cp-text .title-product{
  text-align:center;
}
.wsk-cp-text .title-product h3{
  font-size:20px;
  font-weight:bold;
  margin:15px auto;
  overflow: hidden;
  white-space: nowrap;
  text-overflow: ellipsis;
  width:100%;
}
.wsk-cp-text .description-prod p{
  margin:0;
}
/* Truncate */
.wsk-cp-text .description-prod {
  text-align:center;
  width: 100%;
  height:62px;
  display: -webkit-box;
  -webkit-line-clamp: 3;
  -webkit-box-orient: vertical;
  margin-bottom:15px;
}
```

CODE

```
.card-footer{
margin-top: 53px;
padding: 12px 0 5px;
border-top: 1px solid #ddd;
}
.card-footer:after, .card-footer:before{
content:'';
display:table;
}
.card-footer:after{
clear:both;
}

.card-footer .wcf-left{
float:left;
}

.card-footer .wcf-right{
float:right;
}

.price{
font-size:18px;
font-weight:bold;
}

a.buy-btn{
display:block;
color:#212121;
text-align:center;
font-size: 18px;
width:35px;
height:35px;
line-height:35px;
border-radius:50%;
border:1px solid #212121;
transition: all 0.2s ease-in-out;
}
a.buy-btn:hover, a.buy-btn:active, a.buy-
btn:focus{
border-color: #FF9800;
background: #FF9800;
color: #fff;
text-decoration:none;
}
```

CODE

```
.wsk-btn{
  display:inline-block;
  color:#212121;
  text-align:center;
  font-size: 18px;
  transition: all 0.2s ease-in-out;
  border-color: #FF9800;
  background: #FF9800;
  padding:12px 30px;
  border-radius:27px;
  margin: 0 5px;
}
.wsk-btn:hover, .wsk-btn:focus, .wsk-btn:active{
  text-decoration:none;
  color:#fff;
}
.red{
  color:#F44336;
  font-size:22px;
  display:inline-block;
  margin: 0 5px;
}
@media screen and (max-width: 991px) {
  .wsk-cp-product{
    margin:40px auto;
  }
  .wsk-cp-product .wsk-cp-img{
    top:-40px;
  }
  .wsk-cp-product .wsk-cp-img img{
    box-shadow: 0 19px 38px rgba(0,0,0,0.30), 0 15px 12px
    rgba(0,0,0,0.22);
  }
  .wsk-cp-product .wsk-cp-text .category > span{
    border-color:#ddd;
    box-shadow: none;
    padding: 11px 28px;
  }
  .wsk-cp-product .wsk-cp-text .category{
    margin-top: 0px;
  }
  a.buy-btn{
    border-color: #FF9800;
    background: #FF9800;
    color: #fff;
  }
}
h3 {
  font-size: 0.7em;
  letter-spacing: 1.2px;
  color: #a6a6a6;
}

/* img {
  max-width: 100%;
  filter: drop-shadow(1px 1px 3px #a6a6a6);
} */
```

CODE

```
.product {
  display: grid;
  grid-template-columns: 1.9fr 1fr;
  margin: auto;
  padding: 2.5em 0;
  padding-right: 7em;
  min-width: 600px;
  background-color: white;
  border-radius: 5px;
}

/* ----- Photo Section ----- */
.product__photo {
  position: relative;
}

.photo-container {
  position: absolute;
  left: -2.5em;
  display: grid;
  grid-template-rows: 1fr;
  width: 100%;
  height: 100%;
  border-radius: 6px;
  box-shadow: 4px 4px 25px -2px rgba(0, 0, 0, 0.3);
}

.photo-main {
  border-radius: 6px 6px 0 0;
  background-color: #9be010;
  background: radial-gradient(#e5f89e, #94ffedf1);
}

.photo-main .controls {
  display: flex;
  justify-content: space-between;
  padding: 0.8em;
  color: #fff;
}

.photo-main .controls i {
  cursor: pointer;
}

.photo-main img {
  position: absolute;
  left: -2.5em;
  top: 6em;
  min-width: 79%;
  min-height: 54%;
  filter: saturate(150%) contrast(120%) hue-rotate(10deg)
  drop-shadow(1px 20px 10px rgba(0, 0, 0, 0.3));
}
```

CODE

```
@media (max-width: 640px) {
  .photo-main img {
    position: absolute;
    left: 2.5em;
    top: 6em;
    min-width: 76%;
    max-width: 87%;
    min-height: 54%;
    filter: saturate(150%) contrast(120%) hue-
rotate(10deg) drop-shadow(1px 20px 10px rgba(0, 0, 0,
0.3));
  }
}

.photo-album {
  padding: 0.7em 1em;
  border-radius: 0 0 6px 6px;
  background-color: #fff;
}
.photo-album ul {
  display: flex;
  justify-content: space-around;
}
.photo-album li {
  float: left;
  width: 55px;
  height: 55px;
  padding: 7px;
  border: 1px solid #a6a6a6;
  border-radius: 3px;
}

/* ----- Informations Section ----- */
.product__info {
  padding: 0.8em 0;
}

.title h1 {
  margin-bottom: 0.1em;
  color: #4c4c4c;
  font-size: 1.5em;
  font-weight: 900;
}
.title span {
  font-size: 0.7em;
  color: #a6a6a6;
}
```

CODE

```
.price {
  margin: 1.5em 0;
  color: #ff3f40;
  font-size: 1.2em;
}
.price span {
  padding-left: 0.15em;
  font-size: 2.9em;
}

.variant {
  overflow: auto;
}
.variant h3 {
  margin-bottom: 1.1em;
}
.variant li {
  float: left;
  width: 35px;
  height: 35px;
  padding: 3px;
  border: 1px solid transparent;
  border-radius: 3px;
  cursor: pointer;
}
.variant li:first-child, .variant li:hover {
  border: 1px solid #a6a6a6;
}
.variant li:not(:first-child) {
  margin-left: 0.1em;
}

.description {
  clear: left;
  margin: 2em 0;
}
.description h3 {
  margin-bottom: 1em;
}
.description ul {
  font-size: 0.8em;
  list-style: disc;
  margin-left: 1em;
}
.description li {
  text-indent: -0.6em;
  margin-bottom: 0.5em;
}
```

CODE

```
.buy--btn {
padding: 1.5em 3.1em;
border: none;
border-radius: 7px;
font-size: 0.8em;
font-weight: 700;
letter-spacing: 1.3px;
color: #fff;
background-color: #ff3f40;
box-shadow: 2px 2px 25px -7px #4c4c4c;
cursor: pointer;
}
.buy--btn:active {
transform: scale(0.97);
}
```

```
.ani{
opacity: 0;
animation: fadeIn 1.5s; }
@keyframes fadeIn {
0% { opacity: 1; }
100% { opacity: 0; }
}
.ani2 { animation: fadeOut 1.5s; }
@keyframes fadeOut {
0% { opacity: 0; }
100% { opacity: 1; }
}
```

```
.addBookTable {

width: 100%;
font-size: 1.1rem;
border-radius: 5px;
box-shadow: 0 4px 8px rgba(0, 0, 0, 0.3);
background-color: #1583c3;
color: white;
border-spacing: 1.5rem;
text-transform: uppercase;
}

.addBookTable td {
text-align: center;
}
```


CODE

```
.addBookTable thead {
  color: white;
  font-size: 1.2rem;
  background-color: #1583c3;
}

.addBookTable select {
  width: 80%;
  font-size: 1.1rem;
  text-align: center;
  background-color: #1583c3;
  color: white;
  border: 0.5px solid white;
  transition: 0.2s;
}

.addBookTable input,
.addBookTable textarea {
  width: 80%;
  font-size: 1.1rem;
  border: none;
  border-bottom: 1px solid white;
  color: white;
  background-color: #1583c3;
  text-align: center;
  transition: 0.2s;
}

.addBookTable textarea {
  border: 1px solid white;
}

.addBookTable input:focus,
.addBookTable textarea:focus {
  outline: none;
  border-color: blue;
}

.addBookTable .addBookButton {
  border: none;
  background-color: orange;
  margin: 1rem auto;
  color: white;
  font-size: 1.2rem;
  padding: 0.5rem;
  transition: 0.2s;
}

.addBookButton:hover {
  background-color: orangered;
  color: whitesmoke;
}
```

CODE

```
.addBookTable .imageInput {
  border: none;
}

@media only screen and (max-width: 1060px) {
  .addBookTable {
    font-size: 0.9rem;
  }

  .addBookTable input,
  .addBookTable textarea,
  .addBookTable select {
    width: 100%;
    font-size: 0.9rem;
  }
}

@media only screen and (max-width: 530px) {
  .addBookTable {
    font-size: 0.7rem;
  }

  .addBookTable input,
  .addBookTable textarea,
  .addBookTable select {
    font-size: 0.7rem;
  }

  .addBookTable {
    width: 100%;
    margin: 0;
  }

  .addBookTable .addBookButton {
    font-size: 0.7rem;
  }
}

@import url('https://fonts.googleapis.com/css?
family=Raleway:400,700');

* {
  box-sizing: border-box;
  margin: 0;
  padding: 0;
  font-family: Raleway, sans-serif;
}

.containers {
  display: flex;
  align-items: center;
  justify-content: center;
  height: 90vh;
}
```

CODE

```
.screen {
  background: linear-gradient(90deg, #5D54A4, #7C78B8);
  position: relative;
  height: 600px;
  width: 360px;
  box-shadow: 0px 0px 24px #5C5696;
}

.screen__content {
  z-index: 1;
  position: relative;
  height: 100%;
}

.screen__background {
  position: absolute;
  top: 0;
  left: 0;
  right: 0;
  bottom: 0;
  z-index: 0;
  -webkit-clip-path: inset(0 0 0 0);
  clip-path: inset(0 0 0 0);
}

.screen__background__shape {
  transform: rotate(45deg);
  position: absolute;
}

.screen__background__shape1 {
  height: 520px;
  width: 520px;
  background: #FFF;
  top: -50px;
  right: 120px;
  border-radius: 0 72px 0 0;
}

.screen__background__shape2 {
  height: 220px;
  width: 220px;
  background: #6C63AC;
  top: -172px;
  right: 0;
  border-radius: 32px;
}
```

CODE

```
.screen__background__shape3 {
  height: 540px;
  width: 190px;
  background: linear-gradient(270deg, #5D54A4, #6A679E);
  top: -24px;
  right: 0;
  border-radius: 32px;
}

.screen__background__shape4 {
  height: 400px;
  width: 200px;
  background: #7E7BB9;
  top: 420px;
  right: 50px;
  border-radius: 60px;
}

.login {
  width: 320px;
  padding: 30px;
  padding-top: 156px;
}

.login__field {
  padding: 20px 0px;
  position: relative;
}

.login__icon {
  position: absolute;
  top: 30px;
  color: #7875B5;
}

.login__input {
  border: none;
  border-bottom: 2px solid #D1D1D4;
  background: none;
  padding: 10px;
  padding-left: 24px;
  font-weight: 700;
  width: 100%;
  transition: .2s;
}

.login__input:active,
.login__input:focus,
.login__input:hover {
  outline: none;
  border-bottom-color: #6A679E;
}
```

CODE

```
.login__submit {
  background: #fff;
  font-size: 14px;
  margin-top: 30px;
  padding: 16px 20px;
  border-radius: 26px;
  border: 1px solid #D4D3E8;
  text-transform: uppercase;
  font-weight: 700;
  display: flex;
  align-items: center;
  width: 100%;
  color: #4C489D;
  box-shadow: 0px 2px 2px #5C5696;
  cursor: pointer;
  transition: .2s;
}

.login__submit:active,
.login__submit:focus,
.login__submit:hover {
  border-color: #6A679E;
  outline: none;
}

.button__icon {
  font-size: 24px;
  margin-left: auto;
  color: #7875B5;
}

.social-login {
  position: absolute;
  height: 140px;
  width: 160px;
  text-align: center;
  bottom: 0px;
  right: 0px;
  color: #fff;
}

.social-icons {
  display: flex;
  align-items: center;
  justify-content: center;
}

.social-login__icon {
  padding: 20px 10px;
  color: #fff;
  text-decoration: none;
  text-shadow: 0px 0px 8px #7875B5;
}
```

CODE

```
.social-login__icon:hover {  
  transform: scale(1.5);  
}  
  
ul {  
  margin: 0px;  
  padding: 0px;  
}  
  
.footer-section {  
  background: #96c9eb9d;  
  position: relative;  
}  
  
.footer-cta {  
  border-bottom: 1px solid #373636;  
}  
  
.single-cta i {  
  color: #ff5e14;  
  font-size: 30px;  
  float: left;  
  margin-top: 8px;  
}  
  
.cta-text {  
  padding-left: 15px;  
  display: inline-block;  
}  
  
.cta-text h4 {  
  color: rgb(99, 123, 189);  
  font-size: 20px;  
  font-weight: 600;  
  margin-bottom: 2px;  
}  
  
.cta-text span {  
  color: #4b2e2e;  
  font-size: 15px;  
}  
  
.footer-content {  
  position: relative;  
  z-index: 2;  
}  
  
.footer-pattern img {  
  position: absolute;  
  top: 0;  
  left: 0;  
  height: 330px;  
  background-size: cover;  
  background-position: 100% 100%;  
}  
  
.footer-logo {  
  margin-bottom: 30px;  
}  
  
.footer-logo img {  
  max-width: 200px;  
}
```

CODE

```
.footer-text p {
margin-bottom: 14px;
font-size: 14px;
  color: #4b2e2e;
line-height: 28px;
}
.footer-social-icon span {
color: #fff;
display: block;
font-size: 20px;
font-weight: 700;
font-family: 'Poppins', sans-serif;
margin-bottom: 20px;
}
.footer-social-icon a {
color: #fff;
font-size: 16px;
margin-right: 15px;
}
.footer-social-icon i {
height: 40px;
width: 40px;
text-align: center;
line-height: 38px;
border-radius: 50%;
}
.facebook-bg{
background: #3B5998;
}
.twitter-bg{
background: #55ACEE;
}
.google-bg{
background: #DD4B39;
}
.footer-widget-heading h3 {
color: rgb(99, 123, 189);
font-size: 20px;
font-weight: 600;
margin-bottom: 40px;
position: relative;
}
.footer-widget-heading h3::before {
content: "";
position: absolute;
left: 0;
bottom: -15px;
height: 2px;
width: 50px;
background: #ff5e14;
}
.footer-widget ul li {
display: inline-block;
float: left;
width: 50%;
margin-bottom: 12px;
}
```

CODE

```
.footer-widget ul li a:hover{
color: #ff5e14;
}
.footer-widget ul li a {
color: #3f3b3b;
text-transform: capitalize;
}
.subscribe-form {
position: relative;
overflow: hidden;
}
.subscribe-form input {
width: 100%;
padding: 14px 28px;
background: #6d7bb9be;
border: 1px solid #2E2E2E;
color: rgb(206, 217, 228);
}
.subscribe-form button {
position: absolute;
right: 0;
background: #62a5f1;
padding: 13px 20px;
border: 1px solid #444342;
top: 0;
}
.subscribe-form button i {
color: #fff;
font-size: 22px;
transform: rotate(-6deg);
}

.copyright-area{
background: #202020;
padding: 25px 0;
}
.copyright-text p {
margin: 0;
font-size: 14px;
color: #878787;
}
.copyright-text p a{
color: #ff5e14;
}
.footer-menu li {
display: inline-block;
margin-left: 20px;
}
.footer-menu li:hover a{
color: #ff5e14;
}
.footer-menu li a {
font-size: 14px;
color: #878787;
}

.gradient-custom {
/* fallback for old browsers */
background: #f6d365;

/* Chrome 10-25, Safari 5.1-6 */
background: -webkit-linear-gradient(to right bottom, rgba(246, 211, 101, 1), rgba(253, 160, 133, 1));

/* W3C, IE 10+/ Edge, Firefox 16+, Chrome 26+, Opera 12+, Safari 7+ */
background: linear-gradient(to right bottom, rgba(246, 211, 101, 1), rgba(253, 160, 133, 1))
}
```


CODE

```
.hero{
  height: 100%;
  width: 100%;
  /* background-image: url(bg1.jpg); */
  background-position : center;
  background-size: cover;
  /* position:absolute; */
}
.form-box{
  width: 380px;
  height: 480px;
  position:relative;
  margin: 6% auto;
  background: #fff;
  padding: 5px;
  overflow: hidden;
}
.button-box{
  width : 150px ;
  height: 20px;
  margin : 35px auto ;
  position : relative ;
  box-shadow : 0 0 20px 9px #ff61241f ;
  border-radius:30px;
}

.toggle-btn{
  padding :1px 30px 0px 35px;
  cursor : pointer ;
  background: linear-gradient( to right,#ff105f,#ffad06);
  border-radius:30px;
  width:150px;
  height:200%;
  border : 0;
  outline : none ;
  position : relative ;
  text-align: center;
  font-size: 20px;
}
.social-icons{
  margin: 50px auto;
  text-align: center;
}
.social-icons img{
  width: 30px;
  margin: 0 20px;
  box-shadow: 0 0 20px 0 #7f7f7f3d;
  cursor: pointer;
  border-radius: 50%;
}
.input-group{
  top : 180px ;
  position : absolute ;
  width : 300px ;
}
.input-field{
  width: 75%;
  padding: 10px 30px;
  margin: 5px 0 0 50px;
  border-left: 0;
  border-top: 0;
  border-right: 0;
  border-bottom: 1px solid #999;
  outline: none;
  background: transparent;
  background-repeat: no-repeat;
}
```

CODE

```
.checkbox{
  margin: 30px 10px 30px 55px;
}
/* span{
  color: #777;
  font-size: 12px;
  bottom: 130px;
  position: absolute;
} */
.submit-btn{
  width: 60%;
  height: 50px;
  padding: 10px 30px ;
  cursor: pointer;
  display: block;
  margin-left: 110px;
  background: linear-gradient( to right, #ff105f, #ffad06);
  border: 0;
  outline: none;
  border-radius: 30px;
  font-size: 30px;
  margin-top: 50px;
}
.forgotlink{
  text-decoration: none;
  color: #2e4a52;
  font-size: 14px;
}
}
```

```
        @import url("https://fonts.googleapis.com/css2?
family=Signika+Negative:wght@300;600;700&display=swap");
```

```
* {
  margin: 0;
  padding: 0;
  box-sizing: border-box;
}
```

```
body,
.section-login .form-container .form input,
.section-login .form-container .form button {
  font-family: "Signika Negative", sans-serif;
}
```

```
.section-login {
  background-color: #5356ad;
  min-height: 100vh;
}
```

CODE

```
.section-login .container {
  padding-left: 15px;
  padding-right: 15px;
  max-width: 800px;
  margin: 0 auto;
  min-height: 100vh;

  display: flex;
  align-items: center;
  justify-content: center;
}

.section-login .form-container {
  background-color: #999ede;
  padding: 2.5rem 1.5rem;
  flex: 1;
  position: relative;
  min-height: 300px;

  display: flex;
  justify-content: flex-end;
}

.section-login .form-container .form {
  background-color: #fff;
  width: 55%;
  padding: 2rem 1.5rem;
  position: absolute;
  top: 50%;
  left: 1.5rem;
  transform: translateY(-50%);
  min-height: 400px;
  height: 60vh;
  max-height: 700px;

  display: flex;
  flex-direction: column;
  justify-content: center;
  box-shadow: 0 0 25px -5px rgba(0, 0, 0, 0.4);
}

.section-login .form-container .form .form-control {
  margin-bottom: 10px;
}

.section-login .form-container .form .input {
  width: 100%;
  padding: 10px 12px;
  font-weight: 600;
  font-size: 16px;
  border: 1px solid #999;
  outline: none;
  transition: box-shadow 0.2s linear;
}
```

CODE

```
.section-login .form-container .form .input:focus {
  box-shadow: 0 0 10px -2px rgba(0, 0, 0, 0.1);
}
.section-login .form-container .btn {
  font-size: 18px;
  padding: 12px;
  border-radius: 0px;
  font-weight: bold;
  color: white;
  cursor: pointer;
}
.section-login .form-container .form .btn-login {
  margin-top: 25px;
  border: 1px solid #ff73b3;
  background-color: #ff73b3;
  box-shadow: 0 5px 15px -5px rgba(0, 0, 0, 0.4);
  transition: box-shadow 0.2s linear;
}
.section-login .form-container .form .btn-login:hover {
  box-shadow: none;
}

.section-login .form-container .sign-up {
  width: 35%;
  text-align: center;
  position: absolute;
  top: 50%;
  transform: translateY(-50%);
}
.section-login .form-container .sign-up .text {
  color: #fff;
  font-size: 28px;
}
.section-login .form-container .sign-up .btn-sign-up {
  padding-left: 20px;
  padding-right: 20px;
  background-color: transparent;
  border: 2px solid white;
  margin-top: 15px;
  font-size: 16px;
  transition: box-shadow 0.2s linear;
}
.section-login .form-container .sign-up .btn-sign-up:hover {
  background-color: rgba(255, 255, 255, 0.5);
  box-shadow: 0 0 15px rgba(0, 0, 0, 0.3);
}

@media screen and (max-width: 600px) {
  .section-login {
    padding: 100px 0;
  }
  .section-login .form-container {
    display: block;
    width: 90%;
    max-width: 400px;
  }
  .section-login .form-container .form,
  .section-login .form-container .sign-up {
    position: static;
    transform: initial;
    width: initial;
  }
}
```

CODE

```
.section-login .form-container .form {
  width: 130%;
  position: relative;
  left: 50%;
  transform: translateX(-50%);
}
.section-login .form-container .sign-up {
  margin-top: 50px;
}
}

.navi {
  font-weight: bolder;
  padding: 2px;
}

.card{
  color: rgb(28, 15, 15);
  padding: 1rem;
  margin-top: 5%;
}

.cards {
  max-width: 1200px;
  margin: 0 auto;
  display: grid;
  gap: 1.8rem;
  width: 100%;
}
@media (min-width: 600px) {
  .cards { grid-template-columns: repeat(2, 1fr);}
  .cards{grid-template-rows: repeat(1, .5fr);}
}
@media (min-width: 900px) {
  .cards { grid-template-columns: repeat(3, 1fr); }
}

.product{
  background-color: rgb(18, 27, 27);
  color: aliceblue;
  text-align: center;
  font-weight: bold;
  margin-top: 5%;
  font-size: 30px;
}

.best{
background-color: rgb(18, 27, 27);
  color: aliceblue;
  text-align: center;
  font-weight: bold;
  margin-top: 2%;
  font-size: 30px;
}

ul {
  margin: 0px;
  padding: 0px;
}
.footer-section {
  background: #96c9eb9d;
}
.footer-cta {
  border-bottom: 1px solid #373636;
}
```

CODE

```
.single-cta i {
color: #ff5e14;
font-size: 30px;
float: left;
margin-top: 8px;
}
.cta-text {
padding-left: 15px;
display: inline-block;
}
.cta-text h4 {
color: rgb(99, 123, 189);
font-size: 20px;
font-weight: 600;
margin-bottom: 2px;
}
.cta-text span {
color: #4b2e2e;
font-size: 15px;
}
.footer-content {
position: relative;
z-index: 2;
}
.footer-pattern img {
position: absolute;
top: 0;
left: 0;
height: 330px;
background-size: cover;
background-position: 100% 100%;
}
.footer-logo {
margin-bottom: 30px;
}
.footer-logo img {
max-width: 200px;
}
.footer-text p {
margin-bottom: 14px;
font-size: 14px;
color: #4b2e2e;
line-height: 28px;
}
.footer-social-icon span {
color: #fff;
display: block;
font-size: 20px;
font-weight: 700;
font-family: 'Poppins', sans-serif;
margin-bottom: 20px;
}

.footer-social-icon a {
color: #fff;
font-size: 16px;
margin-right: 15px;
}
.footer-social-icon i {
height: 40px;
width: 40px;
text-align: center;
line-height: 38px;
border-radius: 50%;
}
.facebook-bg{
background: #3B5998;
}
```

CODE

```
.twitter-bg{
background: #55ACEE;
}
.google-bg{
background: #DD4B39;
}
.footer-widget-heading h3 {
color: rgb(99, 123, 189);
font-size: 20px;
font-weight: 600;
margin-bottom: 40px;
position: relative;
}
.footer-widget-heading h3::before {
content: "";
position: absolute;
left: 0;
bottom: -15px;
height: 2px;
width: 50px;
background: #ff5e14;
}
.footer-widget ul li {
display: inline-block;
float: left;
width: 50%;
margin-bottom: 12px;
}
.footer-widget ul li a:hover{
color: #ff5e14;
}
.footer-widget ul li a {
color: #3f3b3b;
text-transform: capitalize;
}
.subscribe-form {
position: relative;
overflow: hidden;
}
.subscribe-form input {
width: 100%;
padding: 14px 28px;
background: #9fa9d4be;
border: 1px solid #2E2E2E;
color: rgb(255, 255, 255);
font-weight: bold;
}
.subscribe-form button {
position: absolute;
right: 0;
background: #62a5f1;
padding: 13px 20px;
border: 1px solid #444342;
top: 0;
}
.subscribe-form button i {
color: rgb(255, 255, 255);
font-size: 22px;
transform: rotate(-6deg);
}
.copyright-area{
background: #202020;
padding: 25px 0;
}
```

CODE

```
.copyright-text p {
margin: 0;
font-size: 14px;
color: #878787;
}
.copyright-text p a{
color: #ff5e14;
}
.footer-menu li {
display: inline-block;
margin-left: 20px;
}
.footer-menu li:hover a{
color: #ff5e14;
}
.footer-menu li a {
font-size: 14px;
color: #878787;
}
.x{
height: 629px;
position:sticky;
display: block;
}
.centered {
position: absolute;
top: 50%;
left: 50%;
transform: translate(-50%, -50%);
color: white;
font-size: 100px;
}
#text{
text-align: right;
}
#f1{
text-align: right;
font-weight: bold;
margin-right: 200px;
margin-top: 10px;
}

.bestcards {
max-width: 1200px;
margin: auto;
display: grid;
gap: 2rem;
}
.card-a {
background-color: rgb(219, 224, 229);
color: white;
height: 15rem;
margin-top: 10%;
}
@media (min-width: 600px) {
.bestcards { grid-template-columns: repeat(3, 1fr); }
}
@media (min-width: 900px) {
.bestcards { grid-template-columns: repeat(6, 1fr); }
}
.drop{
text-align:center;
font-weight: bold;
font-size: 30px;
color: #202020;
}
```


CODE

```
.map{
  text-align: center;
  background-color: rgb(120, 142, 193);
  color: rgb(17, 12, 12);
  font-weight: bold;
  font-size: 30px;
}
```

```
.form{
  text-align: left;
  font-weight: bold;
  font-size: 20px;
}
```

```
.xxx{
  background-color: bisque;
}
```

```
.xyz {
  display: flex;
  align-content: flex-end;
  align-self: flex-end;
  margin-left: 0%;
}
```

CODE

Home

```
import React,{useContext} from 'react'
import BookContext from
'../context/content/BookContext'
import Books from './Books'
// import Usermenu from './Usermenu'
import Sliderm from './Sliderm'
import Homemain from './Homemain'
function Home() {
  const context=useContext(BookContext);
  const {shows}=context;

  return (
    <div>
      { /* <Usermenu/> */ }
      { shows ?<Homemain/>:
        <div>

          <div >
            <Sliderm/>
          </div>
          <Books/>
        </div>

      }
    </div>
  )
}

export default Home
```

CODE

Index.html

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="utf-8" />
    <link rel="icon" href="./favicon.png" />
    <meta name="viewport" content="width=device-width, initial-scale=1" />
    <meta name="theme-color" content="#000000" />
    <meta
      name="description"
      content="Web site created using create-react-app"
    />
    <link rel="stylesheet" href="carousel.css" />
    <link rel="apple-touch-icon" href="%PUBLIC_URL%/mylogo.png" />
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.0-
beta1/dist/css/bootstrap.min.css" rel="stylesheet"
      integrity="sha384-
0evHe/X+R7YkIZDRvuzKMRqM+OrBnVFBL6DOitfPri4tjfHxaWutUpFmBp4vmVor"
      crossorigin="anonymous">
    <meta name="description" content="Web site created using create-react-app"
    />
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
    <link
      rel="stylesheet"
      href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css"
    />

    <link rel="manifest" href="%PUBLIC_URL%/manifest.json" />

    <title>0xiBook</title>
  </head>
  <body>
    <noscript>You need to enable JavaScript to run this app.</noscript>
    <div id="root"></div>

    <script
      src="https://kit.fontawesome.com/a076d05399.js"
      crossorigin="anonymous"
    ></script>

    <script
      src="https://cdn.jsdelivr.net/npm/@popperjs/core@2.11.5/dist/umd/popper.min
      .js"
      integrity="sha384-
Xe+8cL9oJa6tN/veChSP7q+mnSPaj5Bcu9mPX5F5xIGE0DVittaqT5lorf0EI7Vk"
      crossorigin="anonymous"></script>
    <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.0-
beta1/dist/js/bootstrap.min.js"
      integrity="sha384-
kjU+l4N0Yf4Z0JErLSIcV0U2qSb74wXp0hqTvwVx30ElZRweTnQ6d31fXEoRD1Jy"
      crossorigin="anonymous"></script>
  </body>
</html>
```

CODE

Login

```
<import React, { useState, useContext } from 'react'
import BookContext from '../context/content/BookContext'
import { useNavigate } from "react-router-dom"
import { ToastContainer, toast } from 'react-toastify';
import 'react-toastify/dist/ReactToastify.css';
function Login() {
  const [email, setEmail] = useState("");
  const [pass, setPass] = useState("");
  const navigate = useNavigate();
  const context = useContext(BookContext);
  const { setshows, getall, getuser, bookforsell } = context;
  const submitHandler = async (e) => {
    e.preventDefault();
    const response = await
fetch(`http://localhost:8000/api/user/login`, {
  method: 'POST',
  headers: {
    'Content-Type': 'application/json',
  },
  body: JSON.stringify({ email: email, password: pass })
});
const json = await response.json();
if (json.success) {
  localStorage.setItem('authtoken', json.authtoken);
  setshows(false);
  await getall();
  await getuser();
  let j = await bookforsell();
  navigate('/');
}
else {
  toast.error(json.error, {
    position: "top-right",
    autoClose: 5000,
    hideProgressBar: false,
    closeOnClick: true,
    pauseOnHover: true,
    draggable: true,
    progress: undefined,
  });
}
}
```

CODE

Login

```
return (  
  <section class="section-login">  
    <div class="container">  
      <div class="form-container">  
  
        <form class="form" onSubmit={handleSubmit} >  
          <div class="form-control">  
            <input type="text" class="input username" value={email}  
onChange={(e) => setEmail(e.target.value)}  
placeholder="Username" />  
          </div>  
          <div class="form-control">  
            <input type="password" class="input password" value=  
{pass} onChange={(e) => setPass(e.target.value)}  
placeholder="Password" />  
          </div>  
          <button class="btn btn-login">Log In</button>  
        </form>  
  
        <div class="sign-up">  
          <h2 class="text">Don't have an Account?</h2>  
          <button class="btn btn-sign-up" onClick={() => {  
navigate('/signup'); }}>Sign Up</button>  
        </div>  
  
      </div>  
    </div>  
    <ToastContainer  
      position="top-right"  
      autoClose={5000}  
      hideProgressBar={false}  
      newestOnTop={false}  
      closeOnClick  
      rtl={false}  
      pauseOnFocusLoss  
      draggable  
      pauseOnHover  
    />  
  </section>  
)  
}
```

export default Login

CODE

SignUp

```
import React, { useState, useContext } from 'react'
import BookContext from '../context/content/BookContext'
import logo from './elements/logo.png'
import { useNavigate } from 'react-router-dom'
import { ToastContainer, toast } from 'react-toastify';
import 'react-toastify/dist/ReactToastify.css';
const RegisterScreen = () => {
  const [name, setName] = useState("");
  const [email, setEmail] = useState("");
  const [pass, setPass] = useState("");
  const [cpass, setCpass] = useState("");
  const [number, setNumber] = useState("");
  const [address, setAddress] = useState("");
  const [msg, setMsg] = useState("");
  const [type, setType] = useState("")
  const navigate = useNavigate();
  const context = useContext(BookContext);
  const { setshows, getall, getuser } = context;
  const submitHandler = async (e) => {
    e.preventDefault();

    if (number.length !== 10) {
      setMsg("Invalid mobile number!");
      setType("red")
    }
    else if (cpass !== pass) {
      setMsg("Password did not match!");
      setType("red")
    }

    else {
      setMsg("Registered Successfully!");
      setType("green")

      const response = await
fetch(`http://localhost:8000/api/user/createuser`, {
  method: 'POST',
  headers: {
    'Content-Type': 'application/json',
  },
  body: JSON.stringify({ name: name, email: email, password:
pass, number: number, address: address })
});
```

CODE

SignUp

```
const json = await response.json();
if (json.success) {
  localStorage.setItem('authtoken', json.authtoken);
  setshows(false);
  toast.success('Registration success', {
    position: "top-right",
    autoClose: 5000,
    hideProgressBar: false,
    closeOnClick: true,
    pauseOnHover: true,
    draggable: true,
    progress: undefined,
  });

  await getall();
  await getuser();
  navigate('/');
}
else {
  alert(json.message);
}
};

return (
  <>
    <div className="registerContainer">
      <section className="registerDescContainer">
        <h1>Welcome to explore the widest variety of books</h1>
        <img src={logo} alt="logo" />
      </section>

      <section className="registerFormContainer">
        <div className={`messageBox ${type}`}>{msg}</div>
        <form className="registerForm" onSubmit={submitHandler}>
          <input
            type="text"
            value={name}
            onChange={(e) => setName(e.target.value)}
            placeholder="Full Name"
            required
          />
        </form>
      </section>
    </div>
  </>
)
```

CODE

SignUp

```
<input
  type="email"
  value={email}
  onChange={(e) => setEmail(e.target.value)}
  placeholder="email"
  required
/>
<input
  type="password"
  value={pass}
  onChange={(e) => setPass(e.target.value)}
  placeholder="password"
  required
/>
<input
  type="password"
  value={cpass}
  onChange={(e) => setCpass(e.target.value)}
  placeholder="confirm password"
  required
/>
<input
  type="number"
  value={number}
  onChange={(e) => setNumber(e.target.value)}
  placeholder="mobile number"
  required
/>
<textarea
  cols="30"
  rows="10"
  value={address}
  onChange={(e) => setAddress(e.target.value)}
  placeholder="Address"
  required
/>
  <input className="submitButton" type="submit"
value="Register" />
</form>
</section>
</div>
```


CODE

SignUp

```
<ToastContainer
  position="top-right"
  autoClose={5000}
  hideProgressBar={false}
  newestOnTop={false}
  closeOnClick
  rtl={false}
  pauseOnFocusLoss
  draggable
  pauseOnHover
/>
</>

);
};

export default RegisterScreen;
```

CODE

Navigation Bar

```
import React,{useContext} from 'react'
import BookContext from '../context/content/BookContext'
import logo from "../elements/logo.png"
import Usermenu from './Usermenu'
import {Link,useNavigate} from "react-router-dom";
function Nav() {
  const context=useContext(BookContext);
  const {shows}=context;

  return (
    <><nav className="navbar navbar-expand-lg fixed-top bg-[#e3f2fd] ">
      <div className="container navi" width="100%">
        <button className="navbar-toggler " type="button" data-bs-toggle="collapse"
data-bs-target="#navbarTogglerDemo01"
        aria-controls="navbarTogglerDemo01" aria-expanded="false" aria-label="Toggle
navigation">
          <span className="ti-align-justify navbar-toggler-icon"></span>
        </button>
        <div className="collapse navbar-collapse" id="navbarTogglerDemo01">
          <Link to="/"><img src={logo} alt="logo"className="img-responsive"
height="auto" width="30%"/></Link>
          <ul className="navbar-nav me-auto mb-2 mb-lg-0 ms-2">
            <li className="nav-item">
              <Link to="/" className="nav-link " aria-current="page" ><b>Home</b></Link>
            </li>
            <li className="nav-item">
              <Link to="/about" className="nav-link " aria-current="page"><b>About Us</b>
</Link>
            </li>
            <li className="nav-item">
              <Link to="/Contact" className="nav-link " aria-current="page"><b>Contact
Us</b></Link>
            </li>
            <li className="nav-item">
              {shows && <Link to="admin" className="nav-link" ><b>Admin</b></Link>}
            </li>
            <li className="nav-item">
              {!shows && <Link to="/addbook" className="nav-link" ><b>Sell</b></Link>}
            </li>

          </ul>

          <div className="d-grid gap-2 d-md-flex justify-content-md-end">
            {shows ? <><Link to="/signup" className="btn btn-primary me-md-2"
href="/signup.html" role="button"><b>Sign Up</b></Link>
            <Link to="/login" className="btn btn-primary me-md-2" role="button"><b>Log
In</b></Link>
            </>:
            <Usermenu />}
          </div>
        </div>
      </div>
    </nav></>
  )
}

export default Nav
```

CODE

Slider

```
import React from "react";
import s1 from "../elements/slider1.png"
import s2 from "../elements/slider2.png"
import s3 from "../elements/slider3.png"
function Sliderm() {

  return (
    <div id="demo" className="carousel slide" data-bs-ride="carousel">

      <div className="carousel-indicators">
        <button type="button" data-bs-target="#demo" data-bs-slide-to="0"
className="active"></button>
        <button type="button" data-bs-target="#demo" data-bs-slide-to="1"></button>
        <button type="button" data-bs-target="#demo" data-bs-slide-to="2"></button>
      </div>

      <div className=" carousel-inner mt-[75px] p-[3px] border rounded-sm " >
        <div className="carousel-item active">
          <img src={s1} alt="Los Angeles" height="auto" width="100%"/>
          <div className="carousel-caption">
            { /* <h3></h3> */ }
            <p></p>
          </div>
        </div>
        <div className="carousel-item">
          <img src={s2} alt="Chicago" height="auto" width="100%"/>
          <div className="carousel-caption">
            { /* <h3></h3> */ }
            <p></p>
          </div>
        </div>
        <div className="carousel-item">
          <img src={s3} alt="new york" height="auto" width="100%" />
          <div className="carousel-caption">
            { /* <h3></h3> */ }
            <p></p>
          </div>
        </div>
      </div>

      <button className="carousel-control-prev" type="button" data-bs-target="#demo"
data-bs-slide="prev">
        <span className="carousel-control-prev-icon"></span>
      </button>
      <button className="carousel-control-next" type="button" data-bs-target="#demo"
data-bs-slide="next">
        <span className="carousel-control-next-icon"></span>
      </button>
    </div>
  </div>
);
}
```

export default **Slider**m;

CODE

About Us

```
import React from 'react'

function About2() {
  return (
    <section className="text-gray-600 body-font">
      <div className="container px-5 py-24 mx-auto">
        <div className="flex flex-col text-center w-full mb-20">
          <h1 className="text-2xl font-medium title-font mb-4 text-gray-900 tracking-widest">
            <b>OUR TEAM</b></h1>
          <p className="lg:w-2/3 mx-auto leading-relaxed text-base">We listen, we advise and
            develop . We care about quality, craft and disciplined experimentation. We love to learn
            and use the latest technology.</p>

        </div>
        <div className="flex flex-wrap -m-4">
          <div className="p-4 lg:w-1/2">
            <div className="h-full flex sm:flex-row flex-col items-center sm:justify-start
              justify-center text-center sm:text-left">
              
              <div className="flex-grow sm:pl-8">
                <h2 className="title-font font-medium text-lg text-gray-900">Amit Kumar Aich</h2>
                <h3 className="text-gray-500 mb-3">Full-stack Developer</h3>
                <p className="mb-4">Currently pursuing B.Tech computer science & Engineering from
                  Lovely Professional University</p>
                <div className="flex items-center mt-6 -mx-2">

                  <a className="mx-2" href="https://www.linkedin.com/in/amit-kumar-aich-a4a6051b7/"
                    aria-label="Linkden">
                    <svg className="w-5 h-5 text-gray-700 fill-current dark:text-gray-200
                      hover:text-gray-600 dark: hover:text-gray-400" xmlns="http://www.w3.org/2000/svg"
                      viewBox="0 0 512 512">
                        <path d="M417.2 64H96.8C79.3 64 64 76.6 64 93.9V415c0 17.4 15.3 32.9 32.8
                          32.9h320.3c17.6 0 30.8-15.6 30.8-32.9V93.9C448 76.6 434.7 64 417.2 64zM183 384h-
                          55V213h55v171zm-25.6-197h-.4c-17.6 0-29-13.1-29-29.5 0-16.7 11.7-29.5 29.7-29.5s29 12.7
                          29.4 29.5c0 16.4-11.4 29.5-29.7 29.5zM384 384h-55v-93.5c0-22.4-8-37.7-27.9-37.7-15.2 0-
                          24.2 10.3-28.2 20.3-1.5 3.6-1.9 8.5-1.9 13.5V384h-55V213h55v23.8c8-11.4 20.5-27.8 49.6-
                          27.8 36.1 0 63.4 23.8 63.4 75.1V384z" />
                      </svg>
                    </a>

                  <a className="mx-2" href="https://github.com/Amit-aich" aria-label="Github">
                    <svg className="w-5 h-5 text-gray-700 fill-current dark:text-gray-200
                      hover:text-gray-600 dark: hover:text-gray-400" xmlns="http://www.w3.org/2000/svg"
                      viewBox="0 0 512 512">
                        <path d="M256 320c132.3 32 32 134.9 32 261.7c0 101.5 64.2 187.5 153.2 217.9
                          1.4 3 2.6 4 3.8 4 8.3 0 11.5-6.1 11.5-11.4 0-5.5-.2-19.9-.3-39.1-8.4 1.9-15.9 2.7-22.6
                          2.7-43.1 0-52.9-33.5-52.9-33.5-10.2-26.5-24.9-33.6-24.9-33.6-19.5-13.7-.1-14.1 1.4-
                          14.1h.1c22.5 2 34.3 23.8 34.3 23.8 11.2 19.6 26.2 25.1 39.6 25.1 10.5 0 20-3.4 25.6-6 2-
                          14.8 7.8-24.9 14.2-30.7-49.7-5.8-102-25.5-102-113.5 0-25.1 8.7-45.6 23-61.6-2.3-5.8-10-
                          29.2 2.2-60.8 0 0 1.6-.5 5-.5 8.1 0 26.4 3.1 56.6 24.1 17.9-5.1 37-7.6 56.1-7.7 19 .1 38.2
                          2.6 56.1 7.7 30.2-21 48.5-24.1 56.6-24.1 3.4 0 5 .5 5 .5 12.2 31.6 4.5 55 2.2 60.8 14.3
                          16.1 23 36.6 23 61.6 0 88.2-52.4 107.6-102.3 113.3 8 7.1 15.2 21.1 15.2 42.5 0 30.7-.3
                          55.5-.3 63 0 5.4 3.1 11.5 11.4 11.5 1.2 0 2.6-.1 4-.4C415.9 449.2 480 363.1 480 261.7 480
                          134.9 379.7 32 256 32z" />
                      </svg>
                    </a>

                </div>
              </div>
            </div>
          </div>
        </div>
      </section>
    )
  }
```

```

<a className="mx-2" href="https://www.instagram.com/amit_17_02/" aria-
label="Instagram">
    <svg xmlns="http://www.w3.org/2000/svg" width="16" height="16"
fill="currentColor" className="bi bi-instagram" viewBox="0 0 16 16">
        <path d="M8 0C5.829 0 5.556.01 4.703.048 3.85.088 3.269.222
2.76.42a3.917 3.917 0 0 0-1.417.923A3.927 3.927 0 0 0 .42 2.76C.222 3.268.087
3.85.048 4.7.01 5.555 0 5.827 0 8.001c0 2.172.01 2.444.048 3.297.04.852.174
1.433.372 1.942.205.526.478.923 1.417.444.445.89.719 1.416.923.51.198 1.09.333
1.942.372C5.555 15.99 5.827 16 8 16s2.444-.01 3.298-.048c.851-.04 1.434-.174
1.943-.372a3.916 3.916 0 0 0 1.416-.923c.445-.445.718-.891.923-1.417.197-.509.332-
1.09.372-1.942C15.99 10.445 16 10.173 16 8s-.01-2.445-.048-3.299c-.04-.851-.175-
1.433-.372-1.941a3.926 3.926 0 0 0-.923-1.417A3.911 3.911 0 0 0 0
13.24.42c-.51-.198-1.092-.333-1.943-.372C10.443.01 10.172 0 7.998 0h.003zm-.717
1.442h.718c2.136 0 2.389.007 3.232.046.78.035 1.204.166
1.486.275.373.145.64.319.92.599.28.28.453.546.598.92.11.281.24.705.275
1.485.039.843.047 1.096.047 3.231s-.008 2.389-.047 3.232c-.035.78-.166 1.203-.275
1.485a2.47 2.47 0 0 1-.599.919c-.28.28-.546.453-.92.598-.28.11-.704.24-
1.485.276-.843.038-1.096.047-3.232.047s-2.39-.009-3.233-.047c-.78-.036-1.203-.166-
1.485-.276a2.478 2.478 0 0 1-.92-.598 2.48 2.48 0 0 0
1-.6-.92c-.109-.281-.24-.705-.275-1.485-.038-.843-.046-1.096-.046-3.233
0-2.136.008-2.388.046-3.231.036-.78.166-1.204.276-
1.486.145-.373.319-.64.599-.92.28-.28.453.92-.598.282-.11.705-.24
1.485-.276.738-.034 1.024-.044 2.515-.045v.002zm4.988 1.328a.96.96 0 1 0 0
1.92.96.96 0 0 0 0-1.92zm-4.27 1.122a4.109 4.109 0 1 0 0 8.217 4.109 4.109 0 0 0
0-8.217zm0 1.441a2.667 2.667 0 1 1 0 5.334 2.667 2.667 0 0 1 0-5.334z" />
    </svg>
</a>

</div>
</div>
</div>
</div>
<div className="p-4 lg:w-1/2">
    <div className="h-full flex sm:flex-row flex-col items-center sm:justify-
start justify-center text-center sm:text-left">
        
        <div className="flex-grow sm:pl-8">
            <h2 className="title-font font-medium text-lg text-gray-900">Riva
Makhani</h2>
            <h3 className="text-gray-500 mb-3">Front-end Developer & UI Designer</h3>
            <p className="mb-4">Currently pursuing B.Tech computer science &
Engineering from Lovely Professional University</p>
            <div className="flex items-center mt-6 -mx-2">

                <a className="mx-2" href="https://www.linkedin.com/in/riva-makhani-
b729231b2/" aria-label="Linkden">
                    <svg className="w-5 h-5 text-gray-700 fill-current dark:text-gray-200
hover:text-gray-600 dark:hover:text-gray-400" xmlns="http://www.w3.org/2000/svg"
viewBox="0 0 512 512">
                        <path d="M417.2 64H96.8C79.3 64 64 76.6 64 93.9V415c0 17.4 15.3 32.9
32.8 32.9h320.3c17.6 0 30.8-15.6 30.8-32.9V93.9C448 76.6 434.7 64 417.2 64zM183
384h-55V213h55v171zm-25.6-197h-.4c-17.6 0-29-13.1-29-29.5 0-16.7 11.7-29.5 29.7-
29.5s29 12.7 29.4 29.5c0 16.4-11.4 29.5-29.7 29.5zM384 384h-55v-93.5c0-22.4-8-
37.7-27.9-37.7-15.2 0-24.2 10.3-28.2 20.3-1.5 3.6-1.9 8.5-1.9 13.5V384h-
55V213h55v23.8c8-11.4 20.5-27.8 49.6-27.8 36.1 0 63.4 23.8 63.4 75.1V384z" />
                    </svg>
                </a>
            </div>
        </div>
    </div>
</div>

```

CODE

About Us

```
<a className="mx-2" href="https://github.com/riva211" aria-label="Github">
  <svg className="w-5 h-5 text-gray-700 fill-current dark:text-gray-200 hover:text-gray-600
dark: hover:text-gray-400" xmlns="http://www.w3.org/2000/svg" viewBox="0 0 512 512">
    <path d="M256 320c132.3 32 32 134.9 32 261.7c0 101.5 64.2 187.5 153.2 217.9 1.4.3 2.6.4
3.8.4 8.3 0 11.5-6.1 11.5-11.4 0-5.5-.2-19.9-.3-39.1-8.4 1.9-15.9 2.7-22.6 2.7-43.1 0-52.9-33.5-52.9-
33.5-10.2-26.5-24.9-33.6-24.9-33.6-19.5-13.7-.1-14.1 1.4-14.1h.1c22.5 2 34.3 23.8 34.3 23.8 11.2 19.6
26.2 25.1 39.6 25.1 10.5 0 20-3.4 25.6-6 2-14.8 7.8-24.9 14.2-30.7-49.7-5.8-102-25.5-102-113.5 0-25.1
8.7-45.6 23-61.6-2.3-5.8-10-29.2 2.2-60.8 0 0 1.6-.5 5-.5 8.1 0 26.4 3.1 56.6 24.1 17.9-5.1 37-7.6
56.1-7.7 19 .1 38.2 2.6 56.1 7.7 30.2-21 48.5-24.1 56.6-24.1 3.4 0 5 .5 5 .5 12.2 31.6 4.5 55 2.2 60.8
14.3 16.1 23 36.6 23 61.6 0 88.2-52.4 107.6-102.3 113.3 8 7.1 15.2 21.1 15.2 42.5 0 30.7-.3 55.5-.3 63
0 5.4 3.1 11.5 11.4 11.5 1.2 0 2.6-.1 4-.4C415.9 449.2 480 363.1 480 261.7 480 134.9 379.7 32 256 32z"
/>
  </svg>
</a>

<a className="mx-2" href="https://www.instagram.com/half_blood_princess211/" aria-
label="Instagram">
  <svg xmlns="http://www.w3.org/2000/svg" width="16" height="16" fill="currentColor"
className="bi bi-instagram" viewBox="0 0 16 16">
    <path d="M8 0C5.829 0 5.556.01 4.703.048 3.85.088 3.269.222 2.76.42a3.917 3.917 0 0 0-
1.417.923A3.927 3.927 0 0 0 .42 2.76C.222 3.268.087 3.85.048 4.701 5.555 0 5.827 0 8.001c0 2.172.01
2.444.048 3.297.048.852.174 1.433.372 1.942.205.526.478.923 1.417.444.445.89.719 1.416.923.51.198
1.09.333 1.942.372C5.555 15.99 5.827 16 8 16s2.444-.01 3.298-.048c.851-.04 1.434-.174 1.943-.372a3.916
3.916 0 0 0 1.416-.923c.445-.445.718-.891.923-1.417.197-.509.332-1.09.372-1.942C15.99 10.445 16 10.173
16 8s-.01-2.445-.048-3.299c-.04-.851-.175-1.433-.372-1.941a3.926 3.926 0 0 0-.923-1.417A3.911 3.911 0
0 0 13.24.42c-.51-.198-1.092-.333-1.943-.372C10.443.01 10.172 0 7.998 0h.003zm-.717 1.442h.718c2.136 0
2.389.007 3.232.046.78.035 1.204.166 1.486.275.373.145.64.319.92.599.28.28.453.546.598.92.11.281.24.705.275
1.485.039.843.047 1.096.047 3.231s-.008 2.389-.047 3.232c-.035.78-.166 1.203-.275 1.485a2.47 2.47 0 0
1-.599.919c-.28.28-.546.453-.92.598-.28.11-.704.24-1.485.275-.843.038-1.096.047-3.232.047s-2.39-.009-
3.233-.047c-.78-.036-1.203-.166-1.485-.276a2.478 2.478 0 0 1-.92-.598 2.48 2.48 0 0 0
1-.6-.92c-.109-.281-.24-.705-.275-1.485-.038-.843-.046-1.096-.046-3.233 0-2.136.008-2.388.046-
3.231.036-.78.166-1.204.276-1.486.145-.373.319-.64.599-.92.28-.28.546-.453.92-.598.282-.11.705-.24
1.485-.276.738-.034 1.024-.044 2.515-.045v.002zm4.988 1.328a.96.96 0 1 0 0 1.92.96.96 0 0 0 0 1.92zm-
4.27 1.122a4.109 4.109 0 1 0 0 8.217 4.109 4.109 0 0 0 0 8.217zm0 1.441a2.667 2.667 0 1 1 0 5.334
2.667 2.667 0 0 1 0-5.334z" />
  </svg>
</a>

</div>
</div>
</div>
</div>

<div className="p-4 lg:w-1/2">
  <div className="h-full flex sm:flex-row flex-col items-center sm:justify-start justify-center
text-center sm:text-left">
    
    <div className="flex-grow sm:pl-8">
      <h2 className="title-font font-medium text-lg text-gray-900">Somnath Giri</h2>
      <h3 className="text-gray-500 mb-3">Full-stack Developer</h3>
      <p className="mb-4">Currently pursuing B.Tech computer science & Engineering from Lovely
Professional University</p>
      <div className="flex items-center mt-6 -mx-2">

        <a className="mx-2" href="https://www.linkedin.com/in/somnath-giri-321b601b7/" aria-
label="Linkden">
          <svg className="w-5 h-5 text-gray-700 fill-current dark:text-gray-200 hover:text-gray-600
dark: hover:text-gray-400" xmlns="http://www.w3.org/2000/svg" viewBox="0 0 512 512">
            <path d="M417.2 64H96.8C79.3 64 64 76.6 64 93.9V415c0 17.4 15.3 32.9 32.9 32.9h320.3c17.6 0
30.8-15.6 30.8-32.9V93.9C448 76.6 434.7 64 417.2 64zM183 384h-55V213h55v171zm-25.6-197h-.4c-17.6 0-29-
13.1-29-29.5 0-16.7 11.7-29.5 29.7-29.5s29 12.7 29.4 29.5c0 16.4-11.4 29.5-29.7 29.5zM384 384h-55v-
93.5c0-22.4-8-37.7-27.9-37.7-15.2 0-24.2 10.3-28.2 20.3-1.5 3.6-1.9 8.5-1.9 13.5V384h-
55V213h55v23.8c8-11.4 20.5-27.8 49.6-27.8 36.1 0 63.4 23.8 63.4 75.1V384z" />
          </svg>
        </a>
```

About Us

```

<a className="mx-2" href="https://github.com/riva211" aria-label="Github">
  <svg className="w-5 h-5 text-gray-700 fill-current dark:text-gray-200 hover:text-
gray-600 dark: hover: text-gray-400" xmlns="http://www.w3.org/2000/svg" viewBox="0 0 512 512">
    <path d="M256 32C132.3 32 32 134.9 32 261.7c0 101.5 64.2 187.5 153.2 217.9 1.4.3
2.6.4 3.8.4 8.3 0 11.5-6.1 11.5-11.4 0-5.5-.2-19.9-.3-39.1-8.4 1.9-15.9 2.7-22.6 2.7-43.1 0-
52.9-33.5-52.9-33.5-10.2-26.5-24.9-33.6-24.9-33.6-19.5-13.7-.1-14.1 1.4-14.1h.1c22.5 2 34.3
23.8 34.3 23.8 11.2 19.6 26.2 25.1 39.6 25.1 10.5 0 20-3.4 25.6-6 2-14.8 7.8-24.9 14.2-30.7-
49.7-5.8-102-25.5-102-113.5 0-25.1 8.7-45.6 23-61.6-2.3-5.8-10-29.2 2.2-60.8 0 0 1.6-.5 5-.5
8.1 0 26.4 3.1 56.6 24.1 17.9-5.1 37-7.6 56.1-7.7 19 .1 38.2 2.6 56.1 7.7 30.2-21 48.5-24.1
56.6-24.1 3.4 0 5 .5 5 .5 12.2 31.6 4.5 55 2.2 60.8 14.3 16.1 23 36.6 23 61.6 0 88.2-52.4
107.6-102.3 113.3 8 7.1 15.2 21.1 15.2 42.5 0 30.7-.3 55.5-.3 63 0 5.4 3.1 11.5 11.4 11.5
1.2 0 2.6-.1 4-.4C415.9 449.2 480 363.1 480 261.7 480 134.9 379.7 32 256 32z" />
  </svg>
</a>

<a className="mx-2" href="https://www.instagram.com/half_blood_princess211/" aria-
label="Instagram">
  <svg xmlns="http://www.w3.org/2000/svg" width="16" height="16" fill="currentColor"
className="bi bi-instagram" viewBox="0 0 16 16">
    <path d="M8 0C5.82 0 5.556.01 4.703.048 3.85.088 3.269.222 2.76.42a3.917 3.917 0
0 0-1.417.923A3.927 3.927 0 0 0 0 0 .42 2.76C.222 3.268.087 3.85.048 4.7.01 5.555 0 5.827 0
8.001c0 2.172.01 2.444.048 3.297.048.852.174 1.433.372 1.942.205.526.478.923
1.417.444.445.89 1.416.923.51.198 1.09.333 1.942.372C5.555 15.99 5.827 16 8 16s2.444-.01
3.298-.048c.851-.04 1.434-.174 1.943-.372a3.916 3.916 0 0 0 0 0
1.416-.923c.445-.445.718-.891.923-1.417.197-.509.332-1.09.372-1.942C15.99 10.445 16 10.173
16 8s-.01-2.445-.048-3.299c-.04-.851-.175-1.433-.372-1.941a3.926 3.926 0 0 0-.923-
1.417A3.911 3.911 0 0 0 0 0 13.24.42c-.51-.198-1.092-.333-1.943-.372C10.443.01 10.172 0 7.998
0h.003zm-.717 1.442h.718c2.136 0 2.389.007 3.232.046.78.035 1.204.166
1.486.275.373.145.64.319.92.599.28.28.453.546.546.598.92.11.281.24.705.275 1.485.039.843.047
1.096.047 3.231s-.008 2.389-.047 3.232c-.035.78-.166 1.203-.275 1.485a2.47 2.47 0 0
1-.599.919c-.28.28-.546.453-.92.598-.28.11-.704.24-1.485.276-.843.038-1.096.047-3.232.047s-
2.39-.009-3.233-.047c-.78-.036-1.203-.166-1.485-.276a2.478 2.478 0 0 1-.92-.598 2.48 2.48 0
0 1-.6-.92c-.109-.281-.24-.705-.275-1.485-.038-.843-.046-1.096-.046-3.233 0-2.136.008-
2.388.046-3.231.036-.78.166-1.204.276-
1.486.145-.373.319-.64.599-.92.28-.28.546-.453.92-.598.282-.11.705-.24 1.485-.276.738-.034
1.024-.044 2.515-.045v.002zm4.988 1.328a.96.96 0 1 0 0 1.92.96.96 0 0 0 0-1.92zm-4.27
1.122a4.109 4.109 0 1 0 0 8.217 4.109 4.109 0 0 0 0-8.217zm0 1.441a2.667 2.667 0 1 1 0 5.334
2.667 2.667 0 0 1 0-5.334z" />
  </svg>
</a>

</div>
</div>
</div>
</div>

<div className="p-4 lg:w-1/2">
  <div className="h-full flex sm:flex-row flex-col items-center sm:justify-start
justify-center text-center sm:text-left">
    
    <div className="flex-grow sm:pl-8">
      <h2 className="title-font font-medium text-lg text-gray-900">Somnath Giri</h2>
      <h3 className="text-gray-500 mb-3">Full-stack Developer</h3>
      <p className="mb-4">Currently pursuing B.Tech computer science & Engineering from
Lovely Professional University</p>
      <div className="flex items-center mt-6 -mx-2">

```



```
<a className="mx-2" href="https://www.linkedin.com/in/somnath-giri-321b601b7/" aria-  
label="Linkden">  
    <svg className="w-5 h-5 text-gray-700 fill-current dark:text-gray-200 hover:text-gray-600  
dark:hover:text-gray-400" xmlns="http://www.w3.org/2000/svg" viewBox="0 0 512 512">  
        <path d="M417.2 64H96.8C79.3 64 64 76.6 64 93.9V415c0 17.4 15.3 32.9 32.8 32.9h320.3c17.6 0  
30.8-15.6 30.8-32.9V93.9C448 76.6 434.7 64 417.2 64z M183 384h-55V213h55v171zm-25.6-197h-.4c-17.6 0-29-  
13.1-29-29.5 0-16.7 11.7-29.5 29.7-29.5s29 12.7 29.4 29.5c0 16.4-11.4 29.5-29.7 29.5zM384 384h-55v-  
93.5c0-22.4-8-37.7-27.9-37.7-15.2 0-24.2 10.3-28.2 20.3-1.5 3.6-1.9 8.5-1.9 13.5V384h-  
55V213h55v23.8c8-11.4 20.5-27.8 49.6-27.8 36.1 0 63.4 23.8 63.4 75.1V384z" />  
    </svg>  
</a>  
  
<a className="mx-2" href="https://www.linkedin.com/in/shivam-aryan-5643291b7/" aria-  
label="Linkden">  
    <svg className="w-5 h-5 text-gray-700 fill-current dark:text-gray-200 hover:text-gray-600  
dark:hover:text-gray-400" xmlns="http://www.w3.org/2000/svg" viewBox="0 0 512 512">  
        <path d="M417.2 64H96.8C79.3 64 64 76.6 64 93.9V415c0 17.4 15.3 32.9 32.8 32.9h320.3c17.6 0  
30.8-15.6 30.8-32.9V93.9C448 76.6 434.7 64 417.2 64z M183 384h-55V213h55v171zm-25.6-197h-.4c-17.6 0-29-  
13.1-29-29.5 0-16.7 11.7-29.5 29.7-29.5s29 12.7 29.4 29.5c0 16.4-11.4 29.5-29.7 29.5zM384 384h-55v-  
93.5c0-22.4-8-37.7-27.9-37.7-15.2 0-24.2 10.3-28.2 20.3-1.5 3.6-1.9 8.5-1.9 13.5V384h-  
55V213h55v23.8c8-11.4 20.5-27.8 49.6-27.8 36.1 0 63.4 23.8 63.4 75.1V384z" />  
    </svg>  
</a>  
  
<a className="mx-2" href="https://github.com/shivamxaryan" aria-label="Github">  
    <svg className="w-5 h-5 text-gray-700 fill-current dark:text-gray-200 hover:text-gray-600  
dark:hover:text-gray-400" xmlns="http://www.w3.org/2000/svg" viewBox="0 0 512 512">  
        <path d="M256 320c132.3 32 32 134.9 32 261.7c0 101.5 64.2 187.5 153.2 217.9 1.4 3 2.6 4  
3.8 4 8.3 0 11.5-6.1 11.5-11.4 0-5.5-.2-19.9-.3-39.1-8.4 1.9-15.9 2.7-22.6 2.7-43.1 0-52.9-33.5-52.9-  
33.5-10.2-26.5-24.9-33.6-24.9-33.6-19.5-13.7-.1-14.1 1.4-14.1h.1c22.5 2 34.3 23.8 34.3 23.8 11.2 19.6  
26.2 25.1 39.6 25.1 10.5 0 20-3.4 25.6-6 2-14.8 7.8-24.9 14.2-30.7-49.7-5.8-102-25.5-102-113.5 0-25.1  
8.7-45.6 23-61.6-2.3-5.8-10-29.2 2.2-60.8 0 0 1.6-.5 5-.5 8.1 0 26.4 3.1 56.6 24.1 17.9-5.1 37-7.6  
56.1-7.7 19 .1 38.2 2.6 56.1 7.7 30.2-21 48.5-24.1 56.6-24.1 3.4 0 5 .5 5 .5 12.2 31.6 4.5 55 2.2 60.8  
14.3 16.1 23 36.6 23 61.6 0 88.2-52.4 107.6-102.3 113.3 8 7.1 15.2 21.1 15.2 42.5 0 30.7-.3 55.5-.3 63  
0 5.4 3.1 11.5 11.4 11.5 1.2 0 2.6-.1 4-.4C415.9 449.2 480 363.1 480 261.7 480 134.9 379.7 32 256 32z"  
/>  
    </svg>  
</a>  
  
<a className="mx-2" href="https://www.instagram.com/shivamxaryan_/" aria-label="Instagram">  
    <svg xmlns="http://www.w3.org/2000/svg" width="16" height="16" fill="currentColor"  
className="bi bi-instagram" viewBox="0 0 16 16">  
        <path d="M8 0C5.829 0 5.556.01 4.703.048 3.85 0.088 3.269.222 2.76.42a3.917 3.917 0 0 0 0-  
1.417.923A3.927 3.927 0 0 0 .42 2.76C.222 3.268.088 3.85.048 4.701 5.555 8 5.827 8 8.001c0 2.172.01  
2.444.048 3.297.04 8.52 1.74 1.433.372 1.942.205 5.26 4.78.972.923 1.417.444.445.89 7.19 1.416.923.51.198  
1.09.333 1.942.372C5.555 15.99 5.827 16 8 16s2.444-.01 3.298-.048c.851-.04 1.434-.174 1.943-.372a3.916  
3.916 0 0 0 1.416-.923c.445-.445.718-.891.923-1.417.197-.509.332-1.09.372-1.942C15.99 10.445 16 10.173  
16 8s-.01-2.445-.048-3.299c-.04-.851-.175-1.433-.372-1.941a3.926 3.926 0 0 0-.923-1.417A3.911 3.911 0  
0 0 13.24.42c-.51-.198-1.092-.333-1.943-.372C10.443.01 10.172 0 7.998 0h.003zm-.717 1.442h.718c2.136 0  
2.389.007 3.232.046 7.8.035 1.204.166 1.486.275.373.145.64.319.92.599.28.28.453.546.598.92.11.281.24.705.275  
1.485.039.843.047 1.096.047 3.231s-.008 2.389-.047 3.232c-.035.78-.166 1.203-.275 1.485a2.47 2.47 0 0  
1-.599.919c-.28.28-.546.453-.92.598-.28.11-.704.24-1.485.276-.843.038-1.096.047-3.232.047s-2.39-.009-  
3.233-.047c-.78-.036-1.203-.166-1.485-.276a2.478 2.478 0 0 1-.92-.598 2.48 2.48 0 0 1-.6-.92c-.109-.  
281-.24-.705-.275-1.485-.038-.843-.046-1.096-.046-3.233 0-2.136.008-2.388.046-3.231.036-.78.166-1.204.  
276-1.486.145-.373.319-.64.599-.92.28-.28.546-.453.92-.598.282-.11.705-.24 1.485-.276.738-.034 1.024-.  
044 2.515-.045v.002zm4.988 1.328a.96.96 0 1 0 1 1.92.96.96 0 0 0 0-1.92zm-4.27 1.122a4.109 4.109 0 1 0 8.217  
4.109 0 0 0 0-8.217zm0 1.441a2.667 2.667 0 1 1 1 1 5.334 2.667 2.667 0 0 1 0-5.334z" />  
    </svg>  
</a>  
</div>  
</div>  
</div>  
</div>  
<div className="p-4 lg:w-1/2">  
    <div className="h-full flex sm:flex-row flex-col items-center sm:justify-start justify-center  
text-center sm:text-left">  
          
        <div className="flex-grow sm:pl-8">
```



```

<h2 class="title-font font-medium text-lg text-gray-900">Deekshitha Maganti</h2>
<h3 class="text-gray-500 mb-3">Front-end Developer</h3>
<p class="mb-4">Currently pursuing B.Tech computer science & Engineering from Lovely Professional University</p>
<div class="flex items-center mt-6 -mx-2">
  <a class="mx-2" href="https://www.linkedin.com/in/deekshitha-chowdary-0bb1421b6/" aria-label="Linkden">
    <svg class="w-5 h-5 text-gray-700 fill-current dark:text-gray-200 hover:text-gray-600 dark:hover:text-gray-400"
      xmlns="http://www.w3.org/2000/svg" viewBox="0 0 512 512">
      <path d="M417.2 64H96.8C79.3 64 64 76.6 64 93.9V415c0 17.4 15.3 32.9 32.8 32.9h320.3c17.6 0 30.8-15.6 30.8-32.9V93.9C448 76.6
434.7 64 417.2 64zM183 384h-55v-93.5c0-22.4-8-37.7-27.9-37.7-15.2 0-24.2 10.3-28.2 20.3-1.5 3.6-1.9 8.5-1.9 13.5V384h-55V213h55v23.8c8-11.4
20.5-27.8 49.6-27.8 36.1 0 63.4 23.8 63.4 75.1V384z" />
    </svg>
  </a>
  <a class="mx-2" href="https://github.com/MDC03" aria-label="Github">
    <svg class="w-5 h-5 text-gray-700 fill-current dark:text-gray-200 hover:text-gray-600 dark:hover:text-gray-400"
      xmlns="http://www.w3.org/2000/svg" viewBox="0 0 512 512">
      <path d="M256 320c132.3 32 134.9 32 261.7c0 101.5 64.2 187.5 153.2 217.9 1.4 3 2.6 4 3.8 4 8.3 0 11.5-6.1 11.5-11.4 0-5.5-.2-
19.9-.3-39.1-8.4 1.9-15.9 2.7-22.6 2.7-43.1 0-52.9-33.5-52.9-33.5-10.2-26.5-24.9-33.6-24.9-33.6-19.5-13.7-.1-14.1 1.4-14.1h.1c22.5 2 34.3
23.8 34.3 23.8 11.2 19.6 26.2 25.1 39.6 25.1 10.5 0 20-3.4 25.6-6 2-14.8 7.8-24.9 14.2-30.7-49.7-5.8-102-25.5-102-113.5 0-25.1 8.7-45.6 23-
61.6-2.3-5.8-10-29.2 2.2-60.8 0 0 1.6-.5 5-5 8.1 0 26.4 3.1 56.6 24.1 17.9-5.1 37-7.6 56.1-7.7 19 .1 38.2 2.6 56.1 7.7 30.2-21 48.5-24.1
56.6-24.1 3.4 0 5 .5 5 .5 12.2 31.6 4.5 55 2.2 60.8 14.3 16.1 23 36.6 23 61.6 0 88.2-52.4 107.6-102.3 113.3 8 7.1 15.2 21.1 15.2 42.5 0
30.7-.3 55.5-.3 63 0 5.4 3.1 11.5 11.4 11.5 1.2 0 2.6-.1 4-.4C415.9 449.2 480 363.1 480 261.7 480 134.9 379.7 32 256 32z" />
    </svg>
  </a>
  <a class="mx-2" href="https://www.instagram.com/shivamxaryan/" aria-label="Instagram">
    <svg xmlns="http://www.w3.org/2000/svg" width="16" height="16" fill="currentColor" class="bi bi-instagram" viewBox="0 0 16
16">
      <path d="M8 0C5.829 0 5.556.01 4.703.048 3.85.088 3.269.222 2.76.42a3.917 3.917 0 0 1-1.417.923A3.927 3.927 0 0 0 .42 2.76C.222
3.268.087 3.85.048 4.7.01 5.555 0 5.827 0 8.001c0 2.172.01 2.444.048 3.297.048.852.174 1.433.372 1.942.205.526.478.972.923
1.417.444.445.89.719 1.416.923.51.198 1.09.333 1.942.372C5.555 15.99 5.827 16 8 16s2.444-.01 3.298-.048c.851-.04 1.434-.174 1.943-.
372a3.916 3.916 0 0 0 1.416-.923c.445-.445.718-.891.923-1.417.197-.509.332-1.09.372-1.942C15.99 10.445 16 10.173 16 8s-.01-2.445-.048-
3.298c-.04-.851-.175-1.433-.372-1.941a3.926 3.926 0 0 0-.923-1.417A3.911 3.911 0 0 0 13.24.42c-.51-.198-1.092-.333-1.943-.372C10.443.01
10.172 0 7.998 0h.003zm-7.17 1.442h.718c2.136 0 2.389.007 3.232.046.78.035 1.204.166
1.486.275.373.145.64.319.92.599.28.28.453.546.598.92.11.281.24.705.275 1.485.039.843.047 1.096.047 3.231s-.008 2.389-.047
3.232c-.035.78-.166 1.203-.275 1.485a2.47 2.47 0 0 1-.599.919c-.28.28-.546.453-.92.598-.28.11-.704.24-1.485.276-.843.038-1.096.047-
3.232.047s-2.39-.009-3.233-.047c-.78-.036-1.203-.166-1.485-.276a2.478 2.478 0 0 1-.92-.598.248 2.48 0 0 1-.6-.92c-.109-.281-.24-.705-.275-
1.485-.038-.843-.046-1.096-.046-3.233
1.486.145-.373.319-.64.599-.92.28-.28.546-.453.92-.598.282-.11.705-.24 1.485-.276.738-.034 1.024-.044 2.515-.045v.002zm4.988 1.328a.96.96 0
1 0 1.92.96.96 0 0 0-1.92zm-4.27 1.122a4.109 4.109 0 1 0 8.217 4.109 4.109 0 0 0-8.217zm0 1.441a2.667 2.667 0 1 1 0 5.334 2.667
2.667 0 0 1 0-5.334z" />
    </svg>
  </a>
</div>
</div>
</div>
</div>
<div class="p-4 lg:w-1/2">
  <div class="h-full flex sm:flex-row flex-col items-center sm:justify-start justify-center text-center sm:text-left">
    
    <div class="flex-grow sm:pl-8">
      <h2 class="title-font font-medium text-lg text-gray-900">Aishwarya Jha</h2>
      <h3 class="text-gray-500 mb-3">Front-end Developer</h3>
      <p class="mb-4">Currently pursuing B.Tech computer science & Engineering from Lovely Professional University</p>
      <div class="flex items-center mt-6 -mx-2">
        <a class="mx-2" href="https://www.linkedin.com/in/aishwarya-jha-a8b09420a/" aria-label="Linkden">
          <svg class="w-5 h-5 text-gray-700 fill-current dark:text-gray-200 hover:text-gray-600 dark:hover:text-gray-400"
            xmlns="http://www.w3.org/2000/svg" viewBox="0 0 512 512">
            <path d="M417.2 64H96.8C79.3 64 64 76.6 64 93.9V415c0 17.4 15.3 32.9 32.8 32.9h320.3c17.6 0 30.8-15.6 30.8-32.9V93.9C448 76.6
434.7 64 417.2 64zM183 384h-55v-93.5c0-22.4-8-37.7-27.9-37.7-15.2 0-24.2 10.3-28.2 20.3-1.5 3.6-1.9 8.5-1.9 13.5V384h-55V213h55v23.8c8-11.4
20.5-27.8 49.6-27.8 36.1 0 63.4 23.8 63.4 75.1V384z" />
              </svg>
            </a>
            <a class="mx-2" href="https://github.com/shivamxaryan" aria-label="Github">
              <svg class="w-5 h-5 text-gray-700 fill-current dark:text-gray-200 hover:text-gray-600 dark:hover:text-gray-400"
                xmlns="http://www.w3.org/2000/svg" viewBox="0 0 512 512">
                <path d="M256 320c132.3 32 134.9 32 261.7c0 101.5 64.2 187.5 153.2 217.9 1.4 3 2.6 4 3.8 4 8.3 0 11.5-6.1 11.5-11.4 0-5.5-.2-
19.9-.3-39.1-8.4 1.9-15.9 2.7-22.6 2.7-43.1 0-52
```

CODE

Contact us

```
import React from "react";
import contactus from "../elements/contactus.png";
import {Link,useNavigate} from "react-router-dom";
function Contact(){
  return(
    <div>
      <img src={contactus} alt="topimage" class="img-fluid x"/>
      <div class="centered">Contact Us.</div>
    </div>
    <h2></h2>
  </div>

  <h3 class="drop">Drop us a line</h3>
  <form>
    <div class="form-group form" >
      <label for="exampleInputEmail1" style={{left:"auto"}}>Your Full name</label>
      <input type="email" class="form-control" id="exampleInputEmail1" aria-describedby="emailHelp"
        placeholder="full name" size="50px"/>
      <label for="exampleInputEmail1">Email address</label>
      <input type="email" class="form-control" id="exampleInputEmail1" aria-describedby="emailHelp"
        placeholder="Enter email"/>
      <small id="emailHelp" class="form-text text-muted"><i>We'll never share your email with
anyone
      else.</i></small>
      <br></br>
      <label for="exampleFormControlTextarea1">Your message for us </label>
      <textarea class="form-control" id="exampleFormControlTextarea1" rows="3"
        placeholder="write your message..."></textarea>
      <div class="form-group form-check">
        <input type="checkbox" class="form-check-input" id="exampleCheck1"/>
        <label class="form-check-label" for="exampleCheck1">Remember me</label>
      </div>
      <div class="text-center but">
        <button type="button" class="btn btn-primary"
          ><b>send</b></button>
      </div>

    </div>
  </form>

  <h4 class="map">Get us through map</h4>
  <div className="google-map-code">
    <iframe
      src="https://www.google.com/maps/embed?
pb=!1m18!1m12!1m3!1d3410.726564801243!2d75.70295481495981!3d31.25599198145792!2m3!1f0!2f0!3f0!3m2!1
i1024!2i768!4f13.1!3m3!1m2!1s0x391a5f5e9c489cf3%3A0x4049a5409d53c300!2sLovely%20Professional%20Univ
ersity!5e0!3m2!1sen!2sin!4v1656911569511!5m2!1sen!2sin"
width="1520" height="300" frameborder="0" style={{border:0}} allowfullscreen="" aria-
hidden="false" tabindex="0">

    </iframe>
  </div>
</div>
}
export default Contact
```

CODE

Home main.js

```
import React from 'react'

import o1 from './elements/offer1.png'
import o2 from './elements/offer2.png'
import o3 from './elements/offer3.png'
import b1 from './elements/1.png'
import b2 from './elements/2.png'
import b3 from './elements/3.png'
import b4 from './elements/4.png'
import b5 from './elements/5.png'
import b6 from './elements/6.png'
import b7 from './elements/7.png'
import b8 from './elements/8.png'
import b9 from './elements/9.png'
import b10 from './elements/10.png'
import b11 from './elements/11.png'
import b12 from './elements/12.png'
import Slider from './Slider'
function HomeMain() {
  return (
    <div>

      <Slider />
      <div className="best">EXCLUSIVE OFFERS!</div>

      <div className="cards">
        <a href="/"><div><img className="card" src={o1} alt="d"/></div></a>
        <a href="/"><div><img className="card" src={o2} alt="d"/></div></a>
        <a href="/"><div><img className="card" src={o3} alt="d"/></div></a>
      </div>

      <div className="best">OUR BESTSELLING PRODUCT</div>

      <div className="bestcards" >
        <a href="/"><div><img src={b1} alt="ff" className="card-a w-full" /></div></a>
        <a href="/"><div><img src={b2} alt="ff" className="card-a" /></div></a>
        <a href="/"><div><img src={b3} alt="ff" className="card-a" /></div></a>
        <a href="/"><div><img src={b4} alt="ff" className="card-a" /></div></a>
        <a href="/"><div><img src={b5} alt="ff" className="card-a" /></div></a>
        <a href="/"><div><img src={b6} alt="ff" className="card-a" /></div></a>
        <a href="/"><div><img src={b7} alt="ff" className="card-a" /></div></a>
        <a href="/"><div><img src={b8} alt="ff" className="card-a" /></div></a>
        <a href="/"><div><img src={b9} alt="ff" className="card-a" /></div></a>
        <a href="/"><div><img src={b10} alt="ff" className="card-a" /></div></a>
        <a href="/"><div><img src={b11} alt="ff" className="card-a" /></div></a>
        <a href="/"><div><img src={b12} alt="ff" className="card-a" /></div></a>
      <br />
    </div>
  )
}

export default HomeMain
```

Footer

```
import React from 'react'
import logo from "../elements/logo.png"
function Footer() {
  return (
    <footer className="footer-section">
      <div className="container">
        <div className="footer-cta pt-5 pb-5">
          <div className="row">
            <div className="col-xl-4 col-md-4 mb-30">
              <div className="single-cta">
                <i className="fas fa-map-marker-alt"></i>

                <div className="cta-text">
                  <h4>Find us</h4>
                  <span>
                    >lovely professional university <br />
                    Jalandhar - Delhi, Grand Trunk Rd, Phagwara, <br />Punjab
                    144001
                  </span>
                </div>
              </div>
            </div>
            <div className="col-xl-4 col-md-4 mb-30">
              <div className="single-cta">
                <i className="fas fa-phone"></i>
                <div className="cta-text">
                  <h4>Call us</h4>
                  <span>+91 1800-0000-4526</span>
                </div>
              </div>
            </div>
            <div className="col-xl-4 col-md-4 mb-30">
              <div className="single-cta">
                <i className="far fa-envelope-open"></i>
                <div className="cta-text">
                  <h4>Mail us</h4>
                  <span>oxibook@gmail.com</span>
                </div>
              </div>
            </div>
          </div>
        </div>
        <div className="footer-content pt-5 pb-5">
          <div className="row">
            <div className="col-xl-4 col-lg-4 mb-50">
              <div className="footer-widget">
                <div className="footer-logo">
                  <a href="/">
                    ><img
                      src={logo}
                      className="img-fluid"
                      alt="logo"
                    /></a>
                </div>
              </div>
            </div>
          </div>
        </div>
      </div>
    </footer>
  )
}
```

```
export default Footer
```

CODE

```
</div>
<div className="footer-text">
  <p>
    We are indias largest old and new book collecting and
    selling company. we are world wide old and new book
    distributor. <br />
    we belive that only book can build your life and we help
    peoplr to build their life.
  </p>
</div>
<div className="footer-social-icon">
  <span>Follow us</span>
  <a href="./index.html"
    ><i className="fab fa-facebook-f facebook-bg"></i>
  </a>
  <a href="./index.html"
    ><i className="fab fa-twitter twitter-bg"></i>
  </a>
  <a href="./index.html"
    ><i className="fab fa-google-plus-g google-bg"></i>
  </a>
</div>
</div>
</div>
<div className="col-xl-4 col-lg-4 col-md-6 mb-30">
  <div className="footer-widget">
    <div className="footer-widget-heading">
      <h3>Useful Links</h3>
    </div>
    <ul>
      <li><a href="/">Home</a></li>
      <li><a href="/">about us</a></li>
      <li><a href="/">services</a></li>

      <li><a href="/">Contact</a></li>

      <li><a href="/">Expert Team</a></li>
    </ul>
  </div>
</div>
<div className="col-xl-4 col-lg-4 col-md-6 mb-50">
  <div className="footer-widget">
    <div className="footer-widget-heading">
      <h3>Subscribe</h3>
    </div>
    <div className="footer-text mb-25">
      <p>
        Don't miss to subscribe to our new feeds, kindly fill the
        form below.
      </p>
    </div>
  </div>
</div>
```

CODE

Admin-Login

```
import React,{useState} from 'react'
import {useNavigate} from "react-router-dom"
function Adminlogin() {
  const [email, setEmail] = useState("");
  const [pass, setPass] = useState("");
  const navigate = useNavigate();
  const submitHandler=async (e)=>{
    e.preventDefault();
    const response=await fetch ('http://localhost:8000/api/admin/login',{
      method: 'POST',
      headers:{
        'Content-Type': 'application/json',
      },
      body: JSON.stringify({email:email,password:pass})
    });
    const json=await response.json();
    // console.log(json.success);
    if(json.success)
    {
      localStorage.setItem('adminauth',json.authtoken);
      localStorage.setItem('name',email);
      navigate('/adminal');
    }
    else{
      alert(json.error);
    }
  }
  return (
    <div class="containers mt-20">
    <div class="screen">
      <div class="screen__content">
        <form class="login" onSubmit={submitHandler}>
          <h1 className="font-bold text-purple-500 text-2xl ">Admin Login</h1>
          <div class="login__field">
            <i class="login__icon fas fa-user"></i>
            <input type="text" class="login__input w-full" value={email} onChange={(e) =>
setEmail(e.target.value)} placeholder="User name / Email"/>
          </div>
          <div class="login__field">
            <i class="login__icon fas fa-lock"></i>
            <input type="password" class="login__input" value={pass} onChange={(e) =>
setPass(e.target.value)} placeholder="Password"/>
          </div>
          <button class="button login__submit" >
            <span class="button__text">Log In Now</span>
            <i class="button__icon fas fa-chevron-right"></i>
          </button>
        </form>
      </div>
      <div class="screen__background">
        <span class="screen__background__shape screen__background__shape4"></span>
        <span class="screen__background__shape screen__background__shape3"></span>
        <span class="screen__background__shape screen__background__shape2"></span>
        <span class="screen__background__shape screen__background__shape1"></span>
      </div>
    </div>
    </div>
  )
}
export default Adminlogin
```

Badge

```
import React from 'react'

function Badge(props) {
  return (
    <div>
      { /*    <div    className="dis-ribbon">
<span>Science</span></div> */ }
      <div className="ribbons-wrapper">

        <span className="ribbon4 text-white">
{props.tag}</span>

      </div>

    </div>
  )
}

export default Badge
```


CODE

User Book

```
import React,{useState,useContext,useEffect} from 'react'
import BookContext from '../context/content/BookContext';
function Userbook() {
  const context = useContext(BookContext);
  const {bookforsell,sbook,deletebook}=context;
  const [ubook, setubook] = useState(sbook);
  const update = async ()=>{
    setubook(await bookforsell());
  }
  useEffect(() => {
    update();
  })

  return (
    <section className="text-gray-600 body-font">
      <div className="container px-5 pb-24 mx-auto mt-0">
        <div className="flex flex-wrap -m-4">
          {ubook.length>0?ubook.map((book,index) => {return <div
className="lg:w-1/4 md:w-1/2 p-4 w-full" key={index}>
          <div className="block relative h-48 rounded overflow-hidden">
            <img alt="ecommerce" className="object-cover object-center w-
full h-full block" src={book.image}/>
          </div>
          <div className="mt-4">
            <h3 className="text-gray-500 text-xs tracking-widest title-font
mb-1">{book.author}</h3>
            <h2 className="text-gray-900 title-font text-lg font-medium">
{book.title}</h2>
            <p className="mt-1">{book.price}</p>
            <button class="bg-red-500 hover:bg-red-700 text-white font-bold
py-2 px-4 rounded" onClick={() =>{deletebook(book._id);update()}}>
Delete
</button>
          </div>
        </div> }):<h1 className='font-bold text-2xl'>No Books !!</h1>}

        </div>
      </div>
    </section>
  )
}
```

export default Userbook

CODE

View Books

```
import React,{useContext} from 'react'
import BookContext from '../context/content/BookContext'
import {useNavigate} from "react-router-dom"
function Viewbook(props) {
  const navigate = useNavigate();
  const context=useContext(BookContext);
  const {viewbooks}=context;
  const{image,title,author,price,description,tag,coverttype,pages}=viewbooks;
  return (
    <div className=" my-3 flex justify-center ">
      <section className="text-gray-600 body-font overflow-hidden top-0 bg-white w-auto border-2 ">
        <div className="container px-5 py-24 mx-auto">
          <div className="lg:w-4/5 mx-auto flex flex-wrap">
            <img alt="ecommerce" className="lg:w-1/2 w-full lg:h-auto h-64 object-cover object-center rounded" src={image}/>
            <div className="lg:w-1/2 w-full lg:pl-10 lg:py-6 mt-6 lg:mt-0">
              <h2 className="text-sm title-font text-gray-500 tracking-widest">Author: {author}</h2>
              <h1 className="text-gray-900 text-3xl title-font font-medium mb-1">Title: {title}</h1>
              <h1 className="text-gray-900 text-3xl title-font font-medium mb-1">Cover Type: {coverttype}</h1>
              <h1 className="text-gray-900 text-3xl title-font font-medium mb-1">Pages: {pages}</h1>
              <div className="flex mb-4">
                </div>
              <p className="leading-relaxed">Description: {description}</p>
              <p className="leading-relaxed">Gener: {tag}</p>
              <div className="flex mt-6 items-center pb-5 border-b-2 border-gray-500 mb-5">
                <div className="flex">
                  <span className="mr-3"></span>
                </div>
                </div>
                <div className="flex">
                  <span className="title-font font-medium text-2xl text-gray-900">${price}</span>
                </div>
              <button className="flex ml-auto text-white bg-indigo-500 border-0 py-2 px-6 focus:outline-none hover:bg-indigo-600 rounded" onClick={()=>{navigate('/cart')}}>Buy Now</button>
              <button className="rounded-full w-10 h-10 bg-gray-200 p-0 border-0 inline-flex items-center justify-center text-gray-500 ml-4" >
                <svg fill="currentColor" strokeLinecap="round" strokeLinejoin="round" strokeWidth="2" className="w-5 h-5" viewBox="0 0 24 24">
                  <path d="M20.84 4.61a5.5 5.5 0 00-7.78 0L12 5.671-1.06-1.06a5.5 5.5 0 00-7.78 7.78L1.06 12 21.2317.78-7.78 1.06a5.5 5.5 0 000-7.78z"></path>
                </svg>
              </button>
            </div>
          </div>
        </div>
      </section>
    </div>
  )
}
```

export default Viewbook

CODE

User List

```
import React from 'react'
import { ToastContainer, toast } from 'react-toastify';
import 'react-toastify/dist/ReactToastify.css';

function Userlist(props) {
  const { user } = props;
  const { name, email, number, _id } = user;
  const deleuser = async () => {

    if (window.confirm("Do you Want to delete this user")) {

      await fetch(`http://localhost:8000/api/admin/deleteuser`, {
        method: 'DELETE',
        headers: {
          'Content-Type': 'application/json',
          "auth-token": localStorage.getItem('adminauth')
        },
        body: JSON.stringify({ id: _id }),
      });
      toast.success('User Deleted', {
        position: "top-right",
        autoClose: 5000,
        hideProgressBar: false,
        closeOnClick: true,
        pauseOnHover: true,
        draggable: true,
        progress: undefined,
      });
      props.userget();
    }
  }

  return (
    <>
      <tr>
        <td className="px-5 py-5 border-b border-gray-200 bg-white text-sm">
          <div className="flex">
            <div className="flex-shrink-0 w-10 h-10">
              
            </div>
          </div>
        </td>
      </tr>
    </>
  )
}
```

CODE

```
i<div className="ml-3">
  <p className="text-gray-900 whitespace-no-wrap">
    {name}
  </p>
  {/* <p className="text-gray-600 whitespace-no-wrap">000004</p> */}
</div>
</div>
</td>
<td className="px-5 py-5 border-b border-gray-200 bg-white text-sm">
  <p className="text-gray-900 whitespace-no-wrap">{email}</p>
  {/* <p className="text-gray-600 whitespace-no-wrap">USD</p> */}
</td>
<td className="px-5 py-5 border-b border-gray-200 bg-white text-sm">
  <p className="text-gray-900 whitespace-no-wrap">{number}</p>
  {/* <p className="text-gray-600 whitespace-no-wrap">Due in 3 days</p>
*/}
</td>
<td className="px-5 py-5 border-b border-gray-200 bg-white text-sm">
  <span
    className="relative inline-block px-3 py-1 font-semibold text-green-
900 leading-tight"
    >
    <span
      aria-hidden
      className="absolute inset-0 bg-green-200 opacity-50 rounded-full"
    ></span>
    <span className="relative">Paid</span>
  </span>
</td>
<td className="px-5 py-5 bg-white text-sm ">
  <button className="py-3 px-6 text-white rounded-lg bg-red-500 shadow-lg
block md:inline-block" onClick={() => { deleuser() }}>DELETE</button>
</td>

</tr>
<ToastContainer
  position="top-right"
  autoClose={5000}
  hideProgressBar={false}
  newestOnTop={false}
  closeOnClick
  rtl={false}
  pauseOnFocusLoss
  draggable
  pauseOnHover
  />
</>
)
}

export default Userlist
```

CODE

Shopping Cart

```
import React,{useContext} from 'react'
import BookContext from '../context/content/BookContext'
import {useNavigate} from "react-router-dom"

function Shoppingcart() {
  const navigate = useNavigate();
  const context=useContext(BookContext);
  const {viewbooks,data}=context;

  const{image,title,author,price}=viewbooks;
  return (
    <div className="App">
      <section >
        <div class="container h-100">
          <div class="row d-flex justify-content-center align-items-center h-100">
            <div class="col">
              <p><span class="h2 !text-black" style={{color:"black"}}>Shopping Cart </span>
<span class="h4">(1 item in your cart)</span></p>

              <div class="card mb-4">
                <div class="card-body p-4">

                  <div class="row align-items-center">
                    <div class="col-md-2">
                      <img src={image}
                        class="img-fluid" alt="Genericplaceholderimage"/>
                    </div>
                    <div class="col-md-2 d-flex justify-content-center">
                      <div>
                        <p class="small text-muted mb-4 pb-2">Name</p>
                        <p class="lead fw-normal mb-0">{title}</p>
                      </div>
                    </div>
                    <div class="col-md-2 d-flex justify-content-center">
                      <div>
                        <p class="small text-muted mb-4 pb-2">Author</p>
                        <p class="lead fw-normal mb-0">
                          {author}</p>
                      </div>
                    </div>
                    <div class="col-md-2 d-flex justify-content-center">
                      <div>
                        <p class="small text-muted mb-4 pb-2">Quantity</p>
                        <p class="lead fw-normal mb-0">1</p>
                      </div>
                    </div>
                    <div class="col-md-2 d-flex justify-content-center">
                      <div>
                        <p class="small text-muted mb-4 pb-2">Price</p>
                        <p class="lead fw-normal mb-0">${price}</p>
                      </div>
                    </div>
                  </div>
                </div>
              </div>
            </div>
          </div>
        </div>
      </section>
    </div>
  )
}
```

CODE

i

```
</div>
  <div class="col-md-2 d-flex justify-content-center">
    <div>
      <p class="small text-muted mb-4 pb-2">Total</p>
      <p class="lead fw-normal mb-0">${parseInt(price)+2.5}</p>
    </div>
  </div>
</div>

<div class="card mb-5">
  <div class="card-body p-4 xxx">

    <div class="">
      <div class="mb-0 me-5 flex justify-between">
        <span class="small text-muted me-2">address:</span> <span
          class="lead fw-normal">{data.address}</span>
        <span class="small text-muted me-2">Order total:</span>
      <span
        class="lead fw-normal">${parseInt(price)+2.5}</span>
      </div>
    </div>

  </div>
</div>

<div class="d-flex justify-content-end">
  <button type="button" class="btn btn-light btn-lg me-2">Continue shopping</button>
  <button type="button" class="bg-blue-500 hover:bg-blue-700 text-white font-bold py-2 px-4 rounded" onClick={()=>{alert("Your book will be saved"); navigate('/')}}>Buy Now</button>
</div>

</div>
</div>
</div>
</section>
</div>
)
}

export default ShoppingCart
```

CODE

Book List

```
import React,{useContext} from 'react'
import BookContext from '../context/content/BookContext'
import {useNavigate} from "react-router-dom"
import Badge from './Badge'
function Booklist(props) {
  let navigate = useNavigate();
  const context=useContext(BookContext);
  const {setviewbooks,viewbooks}=context;

  const {book}=props;
  const{image,title,author,price,tag,description}=book;

  const book1= ()=>{
    setviewbooks(book);
    console.log(book);
    console.log(viewbooks);
    navigate('/view');
  }
  return (
    <>
    <div className="lg:w-1/4 md:w-1/2 p-4 w-full">
      <div className="wsk-cp-product">
        <div className="wsk-cp-img">
          <Badge tag={tag}/>
          <img src={image} alt="Product" className="img-responsive" />
        </div>
        <div className="wsk-cp-text">
          <div className="category" onClick={()=>{book1()}} >
            <span>View</span>
          </div>
          <div className="title-product">
            <h3>{title}</h3>
          </div>
          <div className="description-prod">
            <p>{author}</p>
            <p>Lorem ipsum dolor sit amet consectetur adipisicing elit.
Voluptas, necessitatibus.
            </p>
          </div>
          <div className="card-footer">
            <div className="wcf-left"><span className="price">Rp{price}
</span></div>

            </div>
          </div>
        </div>
      </div>
      </div>
      </div>
      </div>
      { /* {show && <Viewbook book={book} toggle={book1} />} */}
    </>
  )
}
```

```
export default Booklist
```

CODE

Book Lists

```
import React from 'react'
// import Badge from './Badge';
function Booklists() {
  return (
    <>
      <div className="p-4 md:w-1/3 sm:mb-0 mb-6">
        <div className="rounded-lg h-64 block relative ">
          <div className="ribbon"><span
            className="ribbon__content">exclusive</span></div>
          
          </div>
          <h2 className="text-xl font-medium title-font text-gray-900 mt-
            5">Shooting Stars</h2>
          <p className="text-base leading-relaxed mt-2">Swag shoivdigoitch
            literally meditation subway tile tumblr cold-pressed. Gastropub street
            art beard dreamcatcher neutra, ethical XOXO lumbersexual.</p>
          <div className="text-indigo-500 inline-flex items-center mt-
            3">Learn More
            <svg fill="none" stroke="currentColor" strokeLinecap="round"
            strokeLinejoin="round" strokeWidth="2" className="w-4 h-4 ml-2"
            viewBox="0 0 24 24">
              <path d="M5 12h14M12 5l7 7 7-7"></path>
            </svg>
          </div>
        </div>
      <div className="p-4 md:w-1/3 sm:mb-0 mb-6">
        <div className="rounded-lg h-64 block relative ">
          <div className="ribbon"><span
            className="ribbon__content">exclusive</span></div>
          
          </div>
          <h2 className="text-xl font-medium title-font text-gray-900 mt-
            5">Shooting Stars</h2>
          <p className="text-base leading-relaxed mt-2">Swag shoivdigoitch
            literally meditation subway tile tumblr cold-pressed. Gastropub street
            art beard dreamcatcher neutra, ethical XOXO lumbersexual.</p>
          <div className="text-indigo-500 inline-flex items-center mt-
            3">Learn More
            <svg fill="none" stroke="currentColor" strokeLinecap="round"
            strokeLinejoin="round" strokeWidth="2" className="w-4 h-4 ml-2"
            viewBox="0 0 24 24">
              <path d="M5 12h14M12 5l7 7 7-7"></path>
            </svg>
          </div>
        </div>
      </div>
    </>
  )
}
```


CODE

```
</div>
<div className="p-4 md:w-1/3 sm:mb-0 mb-6">
  <div className="rounded-lg h-64 block relative ">
    <div      className="ribbon"><span
  className="ribbon__content">exclusive</span></div>
    
  </div>
  <h2 className="text-xl font-medium title-font text-
gray-900 mt-5">Shooting Stars</h2>
  <p className="text-base leading-relaxed mt-2">Swag
shoivdigoitch literally meditation subway tile tumblr
cold-pressed. Gastropub street art beard dreamcatcher
neutra, ethical XOXO lumbersexual.</p>
  <div className="text-indigo-500 inline-flex items-
center mt-3">Learn More
    <svg fill="none" stroke="currentColor"
strokeLinecap="round" strokeLinejoin="round"
strokeWidth="2" className="w-4 h-4 ml-2" viewBox="0 0
24 24">
      <path d="M5 12h14M12 5l7 7 7-7 7"></path>
    </svg>
  </div>
</div>
</>
)
}

export default Booklists
```

CODE

User Profile

```
import React,{useContext} from 'react'
import BookContext from '../context/content/BookContext'
import Userbook from './Userbook';
function Profile() {
  const context=useContext(BookContext);
  const {data}=context;
  return (
    <><section class="vh-100">
      <div class="container py-5 h-100">
        <div class="row d-flex justify-content-center align-items-center h-100">
          <div class="col col-lg-6 mb-4 mb-lg-0">
            <div class="card mb-2" style={{width:"50rem"}}>
              <div class="row g-0">
                <div class="col-md-3 gradient-custom text-center text-white" style=
{{height:"23rem"}}>
                  
                  <h5>{data.name}</h5>
                  <p>Web Designer</p>
                  <i class="far fa-edit mb-5"></i>
                </div>
                <div class="col-md-8">
                  <div class="card-body p-4">
                    <h6 style={{color:"black"}}>Information</h6>
                    <hr class="mt-0 mb-4" style={{color:"black"}}></hr>
                    <div class="row pt-1">
                      <div class="col-6 mb-3">
                        <h6 style={{color:"black"}}>Email</h6>
                        <p class="text-muted" style={{color:"black"}}>{data.email}</p>
                      </div>
                      <div class="col-6 mb-3">
                        <h6 style={{color:"black"}}>Phone</h6>
                        <p class="text-muted" style={{color:"black"}}>{data.number}</p>
                      </div>
                    </div>
                    <h6>Projects</h6>
                    <hr class="mt-0 mb-4" style={{color:"black"}}></hr>
                    <div class="row pt-1">
                      <div class="col-6 mb-3">
                        <h6 style={{color:"black"}}>Your orders</h6>
                        <p class="text-muted">Fiction Book</p>
                        <p class="text-muted">Harry Potter</p>
                      </div>
                      <div class="col-6 mb-3">
                        <h6 style={{color:"black"}}>coupons</h6>
                        <p class="text-muted">NEW300</p>
                        <p class="text-muted">WEL800</p>
                      </div>
                    </div>
                  </div>
                </div>
              </div>
            </div>
          </div>
          <div class="col col-md-6 border-t-4 py-4 border-black mx-12">
            <h1 className="text-left font-bold text-blue-700 ml-8 text-2xl">Your books</h1>
          </div>
        </div>
      </div>
    </section>
    <Userbook/></>
  )
}
```

export default Profile

Module

```

const mongoose = require('mongoose');
const { Schema } = mongoose;
const AdminSchema= new Schema({
  name:{
    type: 'string',
    required: true,
  },
  email:{
    type: 'string',
    required: true,
    unique: true
  },
  password:{
    type: 'string',
    required: true,
  },
  date:{
    type: Date,
    default: Date.now
  },
})
const Admin = mongoose.model('admin',AdminSchema);
module.exports =Admin;

const mongoose = require('mongoose');
const { Schema } = mongoose;
const BooksSchema= new Schema({
  user: {
    type:mongoose.Schema.Types.ObjectId,
    ref:"user"
  },
  title:{
    type: 'string',
    required: true,
  },
  author:{
    type: 'string',
    required: true,
  },
  price:{
    type: 'string',
    required: true,
  },
  image:{
    type: 'string',
    required: true,
  },
  description: {
    type: 'string',
    required: true,
  },
  tag:{
    type: 'string',
    required: true,
  },
  covertype:{
    type: 'string',
  },
  pages:{
    type: 'string',
  },
  date:{
    type: Date,
    default: Date.now
  }
})
module.exports =mongoose.model('books',BooksSchema);

```

CODE

```
const mongoose = require('mongoose');
const { Schema } = mongoose;
const UserSchema= new Schema({
  name:{
    type: 'string',
    required: true,
  },
  email:{
    type: 'string',
    required: true,
    unique: true
  },
  address:{
    type: 'string',
    required: true,
  },
  number:{
    type: 'string',
    required: true,
  },
  password:{
    type: 'string',
    required: true,
  },
  date:{
    type: Date,
    default: Date.now
  },
})
const User = mongoose.model('user',UserSchema);
module.exports =User;
```

CODE

Routes

```
const express = require('express');
const bcrypt = require('bcryptjs');
const jwt = require('jsonwebtoken');
const Admin = require('../models/Admin');
const User = require('../models/User');
const fetchuser = require('../middleware/getuser');
const { body, validationResult } = require('express-validator');
const router = express.Router();
const JWt_SECRET = 'myjwtsomau';

router.post('/createadmin', [
  body('name', 'enter a valid name').isLength({ min: 3 }),
  body('email', 'enter a valid email').isEmail(),
  body('password', 'enter a valid password atleast of 5 character').isLength({
min: 5 })
], async (req, res) => {
  let success = false;
  const errors = validationResult(req);

  if (!errors.isEmpty()) {
    return res.status(400).json({ success, errors });
  }
  try {
    let admin = await Admin.findOne({ email: req.body.email });
    if (admin) {
      return res.status(400).json({ success, message: "a user with this email
already exists" });
    }
    const salt = await bcrypt.genSalt(10);
    const secpass = await bcrypt.hash(req.body.password, salt);
    admin = await Admin.create({
      name: req.body.name,
      password: secpass,
      email: req.body.email,
    })
    const data = {
      user: {
        id: admin.id
      }
    }
    const authToken = jwt.sign(data, JWt_SECRET);
    // console.log("user created successfully");
    success = true;
    res.json({ success, authToken });
  }
  catch (err) {
    console.error(err);
    success = false;
    res.status(400).json({ success, message: err })
  }
})
//todo: login
router.post('/login', [
  body('email', 'Enter a valid email').isEmail(),
  body('password', 'Password cannot be blank').exists(),
], async (req, res) => {
  let success = false;
  // If there are errors, return Bad request and the errors
  const errors = validationResult(req);
  if (!errors.isEmpty()) {
    return res.status(400).json({ errors: errors.array() });
  }
}
```

CODE

```
const { email, password } = req.body;
try {
  let admin = await Admin.findOne({ email });
  if (!admin) {
    success = false;
    return res.status(400).json({ success, error: "Please try to login with correct credentials" });
  }
  const passwordCompare = await bcrypt.compare(password, admin.password);
  if (!passwordCompare) {
    success = false;
    return res.status(400).json({ success, error: "Please try to login with correct credentials" });
  }
  const data = {
    user: {
      id: admin.id
    }
  }
  const authtoken = jwt.sign(data, JWT_SECRET);
  success = true;
  res.json({ success, authtoken });
} catch (error) {
  console.error(error.message);
  res.status(500).send("Internal Server Error");
}
});
router.get('/getuserdata', fetchuser, async (req, res) => {
  try {
    let users = await User.find({}).select("-password");
    res.json(users);
  } catch (error) {
    console.error(error.message);
    res.status(500).send("Internal Server Error");
  }
})
router.delete('/deleteuser', fetchuser, async (req, res) => {
  try {
    let user = await User.findById(req.body.id);
    if (!user) {
      res.status(404).send("Not Found");
    } else {
      user = await User.findByIdAndDelete(req.body.id);
      res.json(user);
    }
  } catch (error) {
    console.error(error.message);
    res.status(500).send("Internal Server Error");
  }
})

module.exports = router;
```

CODE

```
const express = require('express');
const router = express.Router();
const fetchuser = require('../middleware/getuser');
const Books = require('../models/Books');
const { body, validationResult } = require('express-validator');

router.post('/addbooks', fetchuser, [
  body('title', 'title must be of 3 character').isLength({
min: 3 }),
  body('description', 'description must be of 5
character').isLength({ min: 5 })
], async (req, res)=>{
  try {

    const errors = validationResult(req);
    if (!errors.isEmpty()) {
      return res.status(400).json({ errors: errors.array()
});
    }

    const {title,author,price,image, description
,covertime,pages,tag} = req.body;

                                const books = new
Books({title,author,price,image,description,tag,covertime,pages
,user:req.user.id});
    const savedBooks= await books.save();
    res.json(savedBooks);

  }
  catch (err) {
    console.error(err);
    res.status(400).json({ error: err})
  }
})

router.get('/getallbooks',fetchuser, async (req, res)=>{
  try {
    let books = await Books.find({});
    res.json(books);
  } catch (err) {
    console.error(err);
    res.status(400).json({ error: err})
  }
})
})
```

CODE

```
router.get('/getbooksbyuser',fetchuser, async (req, res)=>{
  try {
    let books = await Books.find({ user: req.user.id});
    if(books.length > 0) {
      res.json(books);
    }
    else{
      {res.json({message:"no books"})};}
    }
  } catch (err) {
    console.error(err);
    res.status(400).json({ error: err})
  }
})
router.post('/getbytag',fetchuser, async (req, res)=>{
  try {
    let books = await Books.find({ tag: req.body.tag});
    if(books.length > 0) {
      res.json(books);
    }
    else{
      {res.json({message:"no books"})};}
    }
  } catch (err) {
    console.error(err);
    res.status(400).json({ error: err})
  }
})
router.delete('/delete',fetchuser, async (req, res)=>{
  try {
    let book=await Books.findById(req.body.id);
    if(!book)
    {
      res.status(404).send("Not Found");
    }
    else
    {
      book=await Books.findByIdAndDelete(req.body.id);
      res.json(book);
    }
  } catch (error) {
    console.error(error);
    res.status(400).json({ error: error})
  }
})

module.exports = router;
```


CODE

```
const express = require('express');
const bcrypt = require('bcryptjs');
const jwt = require('jsonwebtoken');
const User = require('../models/User');
const fetchuser = require('../middleware/getuser');
const { body, validationResult } = require('express-validator');
const router = express.Router();
const JWt_SECRET = 'myjwtsonāu';
//Todo: user creation
router.post('/createuser',[
  body('name','enter a valid name').isLength({ min: 3 }),
  body('email','enter a valid email').isEmail(),
  body('password','enter a valid password at least of 5
character').isLength({ min: 5 })
],async(req,res) => {
  let success = false;
  const errors = validationResult(req);

  if (!errors.isEmpty()) {
    return res.status(400).json({success,errors});
  }
  try {
    let user = await User.findOne({ email: req.body.email});
    if(user)
    {
      return res.status(400).json({ success,message: "a user with this
email already exists"})
    }
    const salt= await bcrypt.genSalt(10);
    const secpasspassword = await bcrypt.hash(req.body.password,salt);
    user= await User.create({
      name: req.body.name,
      password: secpasspassword,
      email: req.body.email,
      address: req.body.address,
      number: req.body.number,
    })
    const data={
      user: {
        id:user.id
      }
    }
    const authtoken=jwt.sign(data,JWt_SECRET);
    // console.log("user created successfully");
    success=true;
    res.json({success,authtoken});
  }
  catch (err) {
    console.error(err);
    success=false;
    res.status(400).json({success, message: err})
  }
})
```

CODE

```
//todo: login
router.post('/login', [
  body('email', 'Enter a valid email').isEmail(),
  body('password', 'Password cannot be blank').exists(),
], async (req, res) => {
  let success = false;
  // If there are errors, return Bad request and the errors
  const errors = validationResult(req);
  if (!errors.isEmpty()) {
    return res.status(400).json({ errors: errors.array() });
  }

  const { email, password } = req.body;
  try {
    let user = await User.findOne({ email });
    if (!user) {
      success = false;
      return res.status(400).json({ success, error: "Please try to login with correct credentials" });
    }

    const passwordCompare = await bcrypt.compare(password, user.password);
    if (!passwordCompare) {
      success = false;
      return res.status(400).json({ success, error: "Please try to login with correct credentials" });
    }

    const data = {
      user: {
        id: user.id
      }
    }
    const authToken = jwt.sign(data, JWT_SECRET);
    success = true;
    res.json({ success, authToken });
  } catch (error) {
    console.error(error.message);
    res.status(500).send("Internal Server Error");
  }
});

//todo: getuser

router.post('/getuser', fetchuser, async (req, res) => {
  try {
    let userId=req.user.id;
    const user = await User.findById(userId).select("-password");
    res.send(user);
  } catch (error) {
    console.error(error.message);
    res.status(500).send("Internal Server Error");
  }
});

module.exports = router;
```

Index.js

```
const mongoose = require('mongoose');
//          const          mongooseURI          =
"mongodb://localhost:27017/oxy_book?
directConnection=true&tls=false&readPreference=p
rimary";
const
mongooseURI="mongodb+srv://somu:sg334s22@cluster0.m
vf57zm.mongodb.net/oxy_books?
retryWrites=true&w=majority"
const connectToMongoose=()=>{
    mongoose.connect(mongooseURI,()=>{
        console.log("Connected to Mongoose");
    })
}

module.exports = connectToMongoose;
const connectToMongoose =require('./db');
const express = require('express');
const app = express();
const cors = require('cors');
app.use(cors())
const port = 8000;
connectToMongoose();
app.use(express.json());
app.use('/api/user',require('./routes/user'));
app.use('/api/admin',require('./routes/admin'));
app.use('/api/books',require('./routes/book'));
app.listen(port, () => {
    console.log(`Example app listening on port
${port} and http://localhost:${port}`)
})
```

**THANK
YOU**