

See discussions, stats, and author profiles for this publication at: <https://www.researchgate.net/publication/268508391>

# Spider Monkey Optimization algorithm for numerical optimization

Article in *Memetic Computing* · March 2014

DOI: 10.1007/s12293-013-0128-0

CITATIONS

119

READS

2,259

4 authors, including:



**Jagdish Chand Bansal**

South Asian University

111 PUBLICATIONS 1,405 CITATIONS

[SEE PROFILE](#)



**Harish Sharma**

Rajasthan Technical University

109 PUBLICATIONS 838 CITATIONS

[SEE PROFILE](#)



**Shimpi Singh Jadon**

ABV-Indian Institute of Information Technology and Management Gwalior

16 PUBLICATIONS 597 CITATIONS

[SEE PROFILE](#)

Some of the authors of this publication are also working on these related projects:



Gravitational Search Algorithm [View project](#)



SocProS 2012 [View project](#)

Noname manuscript No. (will be inserted by the editor)
---

# Spider Monkey Optimization Algorithm for Numerical Optimization

Jagdish Chand Bansal · Harish Sharma · Shimpi Singh  
Jadon · Maurice Clerc

the date of receipt and acceptance should be inserted later

**Abstract** Swarm intelligence is one of the most promising area for the researchers in the field of numerical optimization. Researchers have developed many algorithms by simulating the swarming behavior of various creatures like ants, honey bees, fish, birds and the findings are very motivating. In this paper, a new approach for numerical optimization is proposed by modeling the foraging behavior of spider monkeys. Spider monkeys have been categorized as fission-fusion social structure based animals. The animals which follow fission-fusion social systems, split themselves from large to smaller groups and vice-versa based on the scarcity or availability of food. The proposed swarm intelligence approach is named as Spider Monkey Optimization (SMO) algorithm and can broadly be classified as an algorithm inspired by intelligent foraging behavior of fission-fusion social structure based animals.

## 1 Introduction

The name swarm is used for an accumulation of creatures such as ants, fish, birds, termites and honey bees which behave collectively. The definition given by Bonabeau for the swarm intelligence is “any attempt to design algorithms or distributed problem-solving devices inspired by the collective behaviour of social insect colonies and other animal societies” [3].

Swarm Intelligence is a meta-heuristic approach in the field of nature inspired techniques that is used to solve optimization problems. It is based on the collective behavior of social creatures. Social creatures utilize their ability of social learning and adaptation to solve complex tasks. Researchers have analyzed such behaviors and designed algorithms that can be used to solve nonlinear, non-convex or combinatorial optimization problems in many science and engineering domains. Previous research [7, 17, 28, 39] have shown that algorithms based on Swarm Intelligence have great potential to find a near optimal solution of real world optimization problem. The algorithms that have been emerged in recent years are Ant Colony Optimization (ACO) [7], Particle Swarm Optimization (PSO) [17], Bacterial Foraging Optimization (BFO) [26], Artificial Bee Colony Optimization (ABC) [14] etc.

---

Jagdish Chand Bansal  
ABV-Indian Institute of Information Technology and Management, Gwalior  
E-mail: jcbansal@gmail.com

Harish Sharma  
ABV-Indian Institute of Information Technology and Management, Gwalior  
E-mail: harish.sharma0107@gmail.com

Shimpi Singh Jadon  
ABV-Indian Institute of Information Technology and Management, Gwalior  
E-mail: shimpisingh2k6@gmail.com

Maurice Clerc  
E-mail: Maurice.Clerc@WriteMe.com

In order to design a new swarm intelligence based algorithm, it is necessary to understand whether a behavior is swarm intelligent behavior or not. Karaboga et al. mentioned that *Division of Labor* and *Self-Organization* are the necessary and sufficient conditions for obtaining intelligent swarming behaviors.

1. Self-organization: is an important feature of a swarm structure which results in global level response by means of interactions among its low-level components without a central authority or external element enforcing it through planning. Therefore, the globally coherent pattern appears from the local interaction of the components that build up the structure, thus the organization is achieved in parallel as all the elements act at the same time and distributed as no element is a central coordinator. Bonabeau et al. have defined the following four important characteristics on which self-organization is based [3]:
  - (i) Positive feedback: is an information extracted from the output of a system and reapplied to the input to promotes the creations of convenient structures. In the field of swarm intelligence positive feedback provides diversity and accelerate the system to new stable state.
  - (ii) Negative feedback: compensates the effect of positive feedback and helps to stabilize the collective pattern.
  - (iii) Fluctuations: are the rate or magnitude of random changes in the system. Randomness is often crucial for efflorescent structures since it allows the findings of new solutions. In foraging process, it helps to get-ride of stagnation.
  - (iv) Multiple interactions: provide the way of learning from the individuals within a society and thus enhance the combined intelligence of the swarm.
2. Division of labour: is a cooperative labour in specific, circumscribed tasks and like roles. In a group, there are various tasks, which are performed simultaneously by specialized individuals. Simultaneous task performance by cooperating specialized individuals is believed to be more efficient than the sequential task performance by unspecialized individuals [5, 13, 24].

This paper proposes a new swarm intelligence algorithm based on the foraging behavior of spider monkeys. The foraging behavior of spider monkeys shows that these monkeys fall in the category of fission-fusion social structure (FFSS) based animals. Thus the proposed optimization algorithm which is based on foraging behavior of spider monkeys is explained better in terms of FFSS. Further, the proposed strategy is tested on various benchmark and engineering optimization test problems.

The rest of the paper is organized as follows: Section 2 describes the foraging behavior and social structure of spider monkeys. In Section 3, first, the foraging behavior is critically evaluated to be a swarm intelligent behavior over the necessary and sufficient conditions of swarm intelligence and then Spider Monkey Optimization algorithm is proposed. A detail discussion about the proposed strategy is presented in section 4. In section 5, performance of the proposed strategy is analyzed and compared with four state-of-the-art algorithms, namely DE, PSO, ABC and CMA-ES. Finally, in section 6, paper is concluded.

## 2 Foraging and Social Behavior of Spider Monkeys

Fission-fusion swarm is a social grouping pattern in which individuals form temporary small parties (also called sub-groups) whose members belong to a larger community (or unit-group) of stable membership, there can be fluid movement between subgroups and unit-groups such that group composition and size changes frequently [37].

The fission-fusion social system of swarm can minimize direct foraging competition among group members, so they divide themselves into sub-groups in order to search food. The members of these subgroups then communicate (through barking and other physical activities) within and outside the subgroup depending upon the availability of food. In this society, social group sleep in one habitat together but forage in small sub-groups going off in different directions during the day. This form of social formation occurs in several species of primates like hamadryas, bonobo, chimpanzees, gelada baboons and spider monkeys. These societies change frequently in their size and composition, making up a strong social group called the ‘parent group’. All the individual members of a faunal community comprise of permanent social networks and their capability to track changes in the environment varies according to their individual animal dynamics. In a fission-fusion society, the main parent group can fission into smaller subgroups or individuals to adapt to the environmental or social circumstances. For example, members of a group are separated from the main group in order to hunt or forage for food during the day, but at night they return to join (fusion) the primary group to share food and to take part in other activities [37].

The society of spider monkeys is one of the example of fission-fusion social structure. In subsequent subsections, a brief overview on swarming of spider monkeys is presented.

## 2.1 Social Organization and Behavior

The social organization of spider monkeys is related to fission-fusion social system. Figure 1 provide some pictures of spider monkeys. [31]. They are social animals and live in group of up to 50 individuals [34]. Spider monkeys break up into



Fig. 1: Social Organization and Behavior (a) Spider-Monkey (b) Spider Monkey Group (c) Spider Monkey sub-group (d) Foods Foraging [31]

small foraging groups that travel together and forage throughout the day within a core area of the larger group's home range [34]. Spider monkeys find their foods in a very different way: a female leads the group and is responsible for finding food sources. In case if she doesn't find sufficient food for the group, she divides the group into smaller subgroups that forage separately [23]. The subgroups within the band are temporary and may vary in formation frequently throughout the day, but on average 3 members can be found in any group at any time ([38, 23]). When two different bands of spider monkeys come closer, the males in each band display aggressiveness and territorial behavior such as calling and barking. These communications occur with much distance between the two subgroups and do not involve any physical contacts, showing that groups respect distinct territory boundaries [38]. Members of a society might not ever be noticed closer at one place, but their mutual tolerance of each other when they come into contact reflects that they are component of the larger group [38]. The main reason behind emerging of fission-fusion social system is the competition for food among the group members when there is a shortage in food availability due to seasonal reasons [23]. When a big group gets food at particular location, there is likely to be less food per group member compared to a small group. After some time, when food scarcity is at its peak, average subgroup size is the smallest and during period of highest food availability, subgroup size is the largest, indicating that competition for scarce resources necessitates breaking into smaller foraging groups [38, 22]. One reason spider monkeys break into smaller foraging groups but still remain part of a larger social unit is the advantage to individual group members in terms of increased mating chances and security from predators.

## 2.2 Communication

Spider monkeys share their intentions and observations using postures and positions, such as postures of sexual receptivity and of attack. During traveling, they interact with each other over long distances using a particular call which sounds like a horse's whinny. Each individual has its own discernible sound so that other members of the group can easily identify who is calling. This long-distance communication permits spider monkeys to get-together, stay away from enemies, share food and gossip. In order to interact to other group members, they generally use visual and vocal communication[30].

## 3 Spider Monkey Optimization Algorithm

Social behavior of spider monkeys inspires authors to develop an stochastic optimization technique that mimics fission-fusion social structure (FFSS) based foraging behavior of spider monkeys. Following are the key features of the FFSS.

1. The fission-fusion social structure based animals are social and live in groups of 40-50 individuals. The FFSS of swarm may reduce the foraging competition among group members by dividing them into sub-groups in order to search food.
2. A female (global Leader) generally leads the group and is responsible for searching food sources. If she is not able to get enough food for the group, she divides the group into smaller subgroups (size varies from 3 to 8 members) that forage independently.
3. Sub-groups are also supposed to be lead by a female (local leader) who becomes decision-maker for planning an efficient foraging route each day.
4. The members of these subgroups then communicate within and outside the subgroup depending upon the availability of food and to maintain territorial boundaries.

In the developed strategy, the foraging behavior of FFSS based animals (e.g. spider monkeys) is divided into four steps. First, the group starts food foraging and evaluates their distance from the food. In the second step, based on the distance from the foods, group members update their positions and again evaluate distance from the food sources. Furthermore, in the third step, the local leader updates its best position within the group and if the position is not updated for a specified number of times then all members of that group start searching of the food in different directions. Next, in the fourth step, the global leader, updates its ever best position and in case of stagnation, it splits the group into smaller size subgroups. All the four steps mentioned before, are continuously executed until the desired output is achieved. There are two important control parameters necessary to introduce in the proposed strategy, one is ‘*GlobalLeaderLimit*’ and another is ‘*LocalLeaderLimit*’ which helps local and global leaders to take appropriate decisions.

The control parameter *LocalLeaderLimit* is used to avoid stagnation i.e., if a local group leader does not update herself in a specified number of times then that group is re-directed to a different direction for foraging. Here, the term ‘specified number of times’ is referred as *LocalLeaderLimit*. Another control parameter, *GlobalLeaderLimit* is used for the same purpose for global leader. The global leader breaks the group into smaller sub-groups if she does not update in a specified number of times.

The proposed strategy follows self-organization and division of labour properties for obtaining intelligent swarming behaviors of animals. As animals updating their positions by learning from local leader, global leader and self experience in the first and second steps of algorithm, it shows positive feedback mechanisms of self-organization. The third step, in which the stagnated group members are re-directed to different directions for food searching, is responsible for fluctuations in the food foraging process. In the fourth step, when the global leader is get stuck, it divides the groups into smaller subgroups for foraging of foods. This phenomena presents division of labour property. ‘Local leader limit’ and ‘Global leader limit’ provides negative feedback to help local and global leader’s for their decisions.

However, the proposed strategy is inspired from the foraging behavior of spider monkeys, it is different from the natural foraging behavior of spider monkeys. In In the proposed strategy, the post of leader (local or global) is not permanent but depends upon the ability of leader to search of food. Further, the spider monkeys use different type of communication tactics which are not simulated by the proposed strategy. In this way, the proposed strategy is different from the real foraging behavior of spider monkeys.

### 3.1 Main steps of Spider Monkey Optimization Algorithm (SMO)

Similar to the other population-based algorithms, SMO is a trial and error based collaborative iterative process. The SMO process consists of six phases: Local Leader phase, Global Leader phase, Local Leader Learning phase, Global Leader Learning phase, Local Leader Decision phase and Global Leader Decision phase. The position update process in Global Leader phase is inspired from the Gbest-guided ABC [42] and modified version of ABC [16]. The details of each step of SMO implementation are explained below:

#### 3.1.1 Initialization of the Population

Initially, SMO generates a uniformly distributed initial population of  $N$  spider monkeys where each monkey  $SM_i (i = 1, 2, \dots, N)$  is a  $D$ -dimensional vector. Here  $D$  is the number of variables in the optimization problem and  $SM_i$  represent the  $i^{th}$  Spider Monkey (SM) in the population. Each spider monkey SM corresponds to the potential solution of the problem under consideration. Each  $SM_i$  is initialized as follows:

$$SM_{ij} = SM_{minj} + U(0, 1) \times (SM_{maxj} - SM_{minj}) \quad (1)$$

where  $SM_{minj}$  and  $SM_{maxj}$  are bounds of  $SM_i$  in  $j^{th}$  direction and  $U(0, 1)$  is a uniformly distributed random number in the range  $[0, 1]$ .

### 3.1.2 Local Leader Phase (LLP)

In the Local Leader phase, each Spider Monkey SM modifies its current position based on the information of the local leader experience as well as local group members experience. The fitness value of so obtained new position is calculated. If the fitness value of the new position is higher than that of the old position, then the SM updates his position with the new one. The position update equation for  $i^{th}$  SM ( which is a member of  $k^{th}$  local group) in this phase is

$$SM_{newij} = SM_{ij} + U(0, 1) \times (LL_{kj} - SM_{ij}) + U(-1, 1) \times (SM_{rj} - SM_{ij}) \quad (2)$$

where  $SM_{ij}$  is the  $j^{th}$  dimension of the  $i^{th}$  SM,  $LL_{kj}$  represents the  $j^{th}$  dimension of the  $k^{th}$  local group leader position.  $SM_{rj}$  is the  $j^{th}$  dimension of the  $r^{th}$  SM which is chosen randomly within  $k^{th}$  group such that  $r \neq i$ ,  $U(0, 1)$  is a uniformly distributed random number between 0 and 1. Algorithm 1 shows position update process in the Local Leader phase. In Algorithm 1,  $MG$  is the maximum number of groups in the swarm and  $pr$  is the perturbation rate which

---

**Algorithm 1** Position update process in Local Leader Phase:

---

```

for each  $k \in \{1, \dots, MG\}$  do
  for each member  $SM_i \in k^{th}$  group do
    for each  $j \in \{1, \dots, D\}$  do
      if  $U(0, 1) \geq pr$  then
         $SM_{newij} = SM_{ij} + U(0, 1) \times (LL_{kj} - SM_{ij}) + U(-1, 1) \times (SM_{rj} - SM_{ij})$ 
      else
         $SM_{newij} = SM_{ij}$ 
      end if
    end for
  end for
end for

```

---

controls the amount of perturbation in the current position. The range of  $pr$  is  $[0.1, 0.9]$  (explained in section 5.1).

### 3.1.3 Global Leader Phase (GLP)

After completion of the Local Leader phase, the Global Leader phase (GLP) starts. In GLP phase, all the SM's update their position using experience of Global Leader and local group member's experience. The position update equation for this phase is as follows:

$$SM_{newij} = SM_{ij} + U(0, 1) \times (GL_j - SM_{ij}) + U(-1, 1) \times (SM_{rj} - SM_{ij}) \quad (3)$$

where  $GL_j$  represents the  $j^{th}$  dimension of the global leader position and  $j \in \{1, 2, \dots, D\}$  is the randomly chosen index.

In this phase, the positions of spider monkeys ( $SM_i$ ) are updated based on a probabilities  $prob_i$  which are calculated using their fitness. In this way a better candidate will have a higher chance to make itself better. The probability  $prob_i$  may be calculated using following expression (there may be some other but it must be a function of fitness):

$$prob_i = 0.9 \times \frac{fitness_i}{max\_fitness} + 0.1, \quad (4)$$

here  $fitness_i$  is the fitness value of the  $i^{th}$  SM and  $max\_fitness$  is the maximum fitness in the group. Further, the fitness of the newly generated position of the SM's is calculated and compared with the old one and adopted the better position.

**Algorithm 2** Position update process in Global Leader Phase (GLP) :

---

```

1  for  $k = 1$  to  $MG$  do
2     $count = 1$ ;
3     $GS = k^{th}$  group size;
4    while  $count < GS$  do
5      for  $i = 1$  to  $GS$  do
6        if  $U(0,1) < prob_i$  then
7           $count = count + 1$ .
8          Randomly select  $j \in \{1 \dots D\}$ .
9          Randomly select  $SM_r$  from  $k^{th}$  group s.t.  $r \neq i$ .
10          $SM_{newij} = SM_{ij} + U(0,1) \times (GL_j - SM_{ij}) + U(-1,1) \times (SM_{rj} - SM_{ij})$ .
11       end if
12     end for
13     if  $i$  is equal to  $GS$  then
14        $i = 1$ ;
15     end if
16   end while
17 end for

```

---

*3.1.4 Global Leader Learning (GLL) phase*

In this phase, the position of the global leader is updated by applying the greedy selection in the population i.e., the position of the SM having best fitness in the population is selected as the updated position of the global leader. Further, it is checked that the position of global leader is updating or not and if not then the *GlobalLimitCount* is incremented by 1.

*3.1.5 Local Leader Learning (LLL) phase*

In this phase, the position of the local leader is updated by applying the greedy selection in that group i.e., the position of the SM having best fitness in that group is selected as the updated position of the local leader. Next, the updated position of the local leader is compared with the old one and if the local leader is not updated then the *LocalLimitCount* is incremented by 1.

*3.1.6 Local Leader Decision (LLD) phase*

If any Local Leader position is not updated up to a predetermined threshold called *LocalLeaderLimit*, then all the members of that group update their positions either by random initialization or by using combined information from Global Leader and Local Leader through equation (5), based on the *pr*.

$$SM_{newij} = SM_{ij} + U(0,1) \times (GL_j - SM_{ij}) + U(0,1) \times (SM_{ij} - LL_{kj}); \quad (5)$$

It is clear from the equation (5) that the updated dimension of this SM is attracted towards global leader and repel from the local leader. The pseudo code of LLD phase for  $k^{th}$  group is shown in Algorithm 3. In this algorithm *LocalLimitCount<sub>k</sub>* is the trial counter for the local best solution of  $k^{th}$  group.

*3.1.7 Global Leader Decision (GLD) phase*

In this phase, the position of global leader is monitored and if it is not updated up to a predetermined number of iterations called *GlobalLeaderLimit*, then the global leader divides the population into smaller groups. Firstly, the population is divided into two groups and then three groups and so on till the maximum number of groups (*MG*) are formed as shown in the Figures 2-5. Each time in GLD phase, LLL process is initiated to elect the local leader in the newly formed groups. The case in which maximum number of groups are formed and even then the position of global leader is not updated then the global leader combines all the groups to form a single group. Thus the proposed algorithm is inspired from fusion-fission structure of SMs. The working of this phase is shown in Algorithm 4. The complete pseudo-code of the proposed strategy is given in Algorithm 5:

**Algorithm 3** Local Leader Decision Phase:

---

```

1  for  $k = \{1 \dots MG\}$  do
2    if  $LocalLimitCount_k > LocalLeaderLimit$  then
3       $LocalLimitCount_k = 0$ .
4       $GS = k^{th}$  group size;
5      for  $i \in \{1 \dots GS\}$  do
6        for each  $j \in \{1 \dots D\}$  do
7          if  $U(0, 1) \geq pr$  then
8             $SM_{new_{ij}} = SM_{min_j} + U(0, 1) \times (SM_{max_j} - SM_{min_j})$ 
9          else
10              $SM_{new_{ij}} = SM_{ij} + U(0, 1) \times (GL_j - SM_{ij}) + U(0, 1) \times (SM_{ij} - LL_{kj})$ 
11          end if
12        end for
13      end for
14    end if
15  end for

```

---




Fig. 2: SMO topology: single group

**Algorithm 4** Global Leader Decision Phase:

---

```

1  if  $GlobalLimitCount > GlobalLeaderLimit$  then
2     $GlobalLimitCount = 0$ 
3    if Number of groups  $< MG$  then
4      Divide the population into groups.
5    else
6      Combine all the groups to make a single group.
7    end if
8    Update Local Leaders position.
9  end if

```

---

## 3.2 Control Parameters in SMO

It is clear from the above discussion that there are four control parameters in SMO algorithm: the value of *LocalLeaderLimit*, *GlobalLeaderLimit*, the maximum group *MG* and perturbation rate *pr*. Some settings of control parameters are suggested as follows:

- $MG = N/10$ , i.e., it is chosen such that minimum number of SM's in a group should be 10






Fig. 3: SMO topology: swarm is divided into two group




Fig. 4: SMO topology: swarm is divided into three group

- $GlobalLeaderLimit \in [N/2, 2 \times N]$ ,
- $LocalLeaderLimit$  should be  $D \times N$ ,




Fig. 5: SMO topology: minimum size group

**Algorithm 5** Spider Monkey Optimization (SMO) Algorithm:

1. Initialize Population, *LocalLeaderLimit*, *GlobalLeaderLimit*, *pr*.
2. Calculate fitness (i.e., the distance of individuals from food sources).
3. Select global leader and local leaders by applying greedy selection (see section 3.1.4, 3.1.5).
- while** (Termination criteria is not satisfied) **do**
  - (i) For finding the objective (Food Source), generate the new positions for all the group members by using self experience, local leader experience and group members experience.[Refer Algorithm 1].
  - (ii) Apply the greedy selection process between existing position and newly generated position, based on fitness and select the better one;
  - (iii) Calculate the probability  $prob_i$  for all the group members using equation (4).
  - (iv) Produce new positions for the all the group members, selected by  $prob_i$ , by using self experience, global leader experience and group members experiences. [Refer Algorithm 2].
  - (v) Update the position of local and global leaders, by applying the greedy selection process on all the groups (see section 3.1.4, 3.1.5).
  - (vi) If any Local group leader is not updating her position after a specified number of times (*LocalLeaderLimit*) then re-direct all members of that particular group for foraging by algorithm (3)
  - (vii) If Global Leader is not updating her position for a specified number of times (*GlobalLeaderLimit*) then she divides the group into smaller groups by algorithm (4).
- end while**

–  $pr \in [0.1, 0.9]$ ,

here,  $N$  is the swarm size.

**4 Discussion**

Exploration and exploitation are the two important characteristics of the population (or swarm) based optimization algorithms [9, 17, 35, 25]. In optimization algorithms, the exploration represents the ability to discover the global optimum by investigating the various unknown regions in the solution search space. While, the exploitation represents the ability to find better solutions by implementing the knowledge of the previous good solutions. In behavior, the exploration and exploitation contradict with each other, however both abilities should be well balanced to achieve better optimization performance [40]. It is expected from a good search process that it should explore the new solutions, while maintaining satisfactory performance by exploiting existing solutions [12].

The inherent drawback with most of the population based stochastic algorithms is premature convergence. ABC, DE and PSO are not exceptions [15, 20, 2]. Dervis Karaboga and Bahriye Akay [15] compared the different variants of ABC and found that ABC shows poor performance and remains inefficient in exploring the search space. The solution search equation of ABC is significantly influenced by a random quantity which helps in exploration at the cost of exploitation of the search space [42]. Further, Mezura-Montes et al. [20] analyzed DE and its variants for global optimization and found that DE has deficiency of premature convergence and stagnation. Also some studies proved that DE sometimes stops proceeding toward the global optima even though the population has not converged to local optima or any other point [18]. Price et al. [28] also drawn the same conclusions regarding DE. However the standard PSO has the capability to get a good solution at a significantly faster rate but, when it is compared to other optimization techniques, it is weak to refine the optimum solution, mainly due to less diversity in later search [2]. On the different side, problem-based tuning of parameters is required in PSO, to get an optimum solution accurately and efficiently [33]. Therefore, it is clear that if a population based algorithm is capable of balancing between exploration and exploitation of the search space, then the algorithm is regarded as an efficient algorithm. From this point of view ABC, PSO and DE are not efficient algorithms. The problems of premature convergence and stagnation is a matter of serious consideration for designing a comparatively efficient nature inspired algorithms (NIAs). By keeping in mind the existing drawbacks of NIAs, SMO is designed in this paper.

In the proposed algorithm, the first phase named '*Local Leader phase*' is used to explore the search region as in this phase all the members of the groups update their positions with high perturbation in the dimensions. The perturbation is high for initial iterations and gradually reducing in later iterations. The second phase '*Global Leader phase*' promotes the exploitation as in this phase, better candidates get more chance to update and in position update process, only single randomly selected dimension is updated. The third and fourth phase namely '*Local Leader Learning phase*' and '*Global Leader Learning phase*', are used to check that the search process is not stagnated. In these two phases, it is checked that the local best and global best solutions are updating or not in a predefined number of trials. If not then the solution is considered stagnated. The fifth phase '*Local Leader Decision phase*' is used to avoid the stagnation or premature convergence of local solutions. In this phase, if the local best solution is not updated in a predefined number of trials (*LocalLeaderLimit*) then all the members of that group are re-initialized. In this phase, all the dimensions of the individuals are initialized either randomly or by using global best solution and local best solution. Further, the *Global Leader Decision phase* is used to avoid stagnation of the global best solution. In this phase if the global best solution is not updated within a predefined number of trials (*GlobalLeaderLimit*) then the group is divided into smaller subgroups. The benefit of this structured group strategy is that initially there is a single group so every newly generated food source is attracted towards the best food source (in this case the global best will be the local best also), thereby converging faster to the solution. But as a results of such exploitative tendency, in many cases, the population may skip the global minima and can get stuck into local minima. Therefore, to avoid this situation, if global minima is not updating itself for a predefined number of times then the group is divided into subgroups. Now every new solution will be attracted towards the respective subgroup's local best food source, hence contributes in the exploration of the search space. When the maximum number of subgroups have been formed and even though the global optima is not updating its position then all the subgroups are combined to form a single group and process repeats itself. Therefore, this phase helps to balance the exploration and exploitation capability of the algorithm while maintaining the convergence speed. From above discussion, it is clear that SMO tries to balance the diversity in the population/swarm and hence can be considered as a new candidate in the field of population based algorithms like ABC [15], PSO [17], DE [35] etc. In ABC, DE and PSO, the position update equation is based on the difference vector and so is the case with SMO. Therefore, it may be considered in the category of ABC, PSO and DE algorithms.

## 5 Experimental Results

In order to analyze the performance of SMO algorithm, 26 different global optimization problems ( $f_1$  to  $f_{26}$ ) are selected (listed in Table 1). These are continuous, un-biased optimization problems and have different degrees of complexity and multimodality. Test problems  $f_1 - f_{19}$  and  $f_{24} - f_{26}$  are taken from [1] and test problems  $f_{20} - f_{23}$  are taken from [36] with the associated offset values. This set is large enough to include different kinds of problems such as unimodal, multimodal, separable and non-separable. A unimodal function  $f(x)$  has a single extremum (minimum or maximum) in the range specified for  $x$ . On the other hand if a function has more than one peaks in the search space i.e., local extremum, this function is called multimodal. Multimodal functions are used to test the ability of algorithms getting

rid of local minima. If the exploration process of an algorithm is poor then it will not be able to search the whole search space efficiently and will stuck to some local optima. Functions having flat surfaces are also difficult for algorithms since, the flatness of the function does not give any information to the algorithm to direct the search process towards the minima.

### 5.1 Experimental setting

Swarm size, perturbation rate ( $pr$ ),  $LLL$ ,  $GLL$  and maximum number of groups ( $MG$ ) are the parameters that affect the performance of the  $SMO$ , significantly. To fine tune (finding most suitable values) these parameters, sensitivity analyses with different values of these parameters have been carried out. Swarm size is varied from 40 to 160 with step size 20,  $pr$  is varied from 0.1 to 0.9 with step size 0.1,  $MG$  is varied from 1 to 6 with step size 1,  $LLL$  is varied from 100 to 2500 with step size 200 and  $GLL$  is varied from 10 to 220 with step size 30. At a time only one parameter is varied while all other parameters are kept fixed. This fine tuning is done with the following assumptions:

- $pr$  is varied from 0.1 to 0.9 while  $MG$ ,  $LLL$ ,  $GLL$  and Swarm size are fixed to be 5, 1500, 50, and 50, respectively.
- $MG$  is varied from 1 to 6 while  $LLL$ ,  $GLL$  and Swarm size are fixed to be 1500, 50, and 50, respectively.  $pr$  is linearly increasing from 0.1 to 0.4 through iterations.
- $GLL$  is varied from 10 to 220 while  $LLL$ ,  $MG$  and Swarm size are fixed to be 1500, 5, and 50, respectively.  $pr$  is linearly increasing from 0.1 to 0.4 through iterations.
- $LLL$  is varied from 100 to 2500 while  $MG$ ,  $GLL$  and Swarm size are fixed to be 5, 50, and 50, respectively.  $pr$  is linearly increasing from 0.1 to 0.4 through iterations.
- Swarm size is varied from 40 to 160 while  $LLL$ ,  $GLL$  and  $MG$  are fixed to be 1500, 50, and 5, respectively.  $pr$  is linearly increasing from 0.1 to 0.4 through iterations.

For the purpose of sensitivity analysis, 6 test problems are considered and each problem is simulated 30 times. Effects of these parameters are shown in Figures 6(a)- 6(f) respectively. It is clear from Figure 6(a) that  $SMO$  is very sensitive towards  $pr$ .  $SMO$  performs better on some problems with small values of  $pr$  while on some, it performs better with large values of  $pr$ . Therefore, the value of  $pr$  is adopted linearly increasing over iterations to consider the dynamic nature of parameter  $pr$ . It should be noted that this setting of  $pr$  is not general. For a particular problem a different setting of  $pr$  may provide better results. Further, by analyzing Figure 6(b), it can be stated that the value of  $MG = 5$  gives comparatively better results for the given set of test problems. Sensitivity of  $GlobalLeaderLimit(GLL)$  and  $LocalLeaderLimit(LLL)$  can be analyzed by Figure 6(c) and Figure 6(d). It is observed that the value of  $GLL = 50$  and  $LLL = 1500$  gives better results on the considered benchmark optimization problems. Further, swarm size is analyzed in Figure 6(e) and Figure 6(f). It is clear from Figure 6(e) that  $SMO$  is quite sensitive with respect to the swarm size. The optimum value of swarm size around 40 can be observed from the Figure 6(e) and 6(f).

To prove the efficiency of  $SMO$  algorithm, it is compared with four state-of-art algorithms, namely PSO [4] (based on Standard PSO 2006 but with linearly decreasing inertia weight, modified velocity update equation and a different parameters setting), ABC [14], DE ( $DE/rand/bin/1$ ) [35] and Covariance Matrix Adaptation Evolution Strategies (CMA-ES) [11]. For the comparison, same stopping criteria, number of simulations and maximum number of function evaluations are used for all the considered algorithms. The values of parameters for the considered algorithms are as follows:

#### **SMO parameters setting:**

- The Swarm size  $N = 50$ ,
- $MG = 5$ ,
- $GlobalLeaderLimit=50$ ,
- $LocalLeaderLimit=1500$ ,
- $pr \in [0.1, 0.4]$ , linearly increasing over iterations,

$$pr_{G+1} = pr_G + (0.4 - 0.1)/MIR; pr_1 = 0.1. \quad (6)$$

where,  $G$  is the iteration counter,  $MIR$  is the maximum number of iterations.

- The stopping criteria is either maximum number of function evaluations (which is set to be  $2.0 \times 10^5$ ) is reached or the corresponding acceptable error (mentioned in Table 1) have been achieved,

- The number of simulations (or run) =100.

#### ABC parameters setting:

- Colony size  $SN=100$ ,
- Number of food sources  $SN/2$ ,
- $limit = 1500$  [14],

#### DE parameters setting:

- The crossover probability  $CR=0.9$  [8],
- The scale factor which controls the implication of the differential variation  $F=0.5$  [27],
- Population size  $NP=50$ .

#### PSO parameters setting:

- Inertia Weight ( $w$ ), decreases linearly from 1 to 0.1,
- Acceleration coefficients ( $c_1 = 2, c_2 = 2$ ),
- Swarm size  $S=50$ .

#### CMA-ES parameters setting [10]:

All parameter settings for CMA-ES is kept same as in [10]. The results of CMA-ES are obtained by the source code provided at its developer's webpage, <http://www.bionik.tu-berlin.de/user/niko/index.html>.

## 5.2 Results Analysis of Experiments

Numerical results for benchmark problems of Table 1 with the experimental settings given in subsection 5.1 are given in Table 2. In Table 2, standard deviation (SD), mean error (ME), average number of function evaluations (AFE), and success rate (SR) are reported for test problems  $f_1$  to  $f_{26}$ . The  $AFE$  is the average of the function evaluations that are required to reach at the termination criteria in 100 runs. In other words,

$$AFE = \frac{\sum_{i=1}^{100} \# \text{ of function evaluations to meet the termination criteria for run } i}{100}$$

Table 2 shows that most of the time SMO outperforms in terms of reliability, efficiency and accuracy. Some more intensive statistical analyses based on boxplots, the Mann-Whitney rank sum test, performance indices [6], and acceleration rate (AR) [29] have been carried out for the results of DE, PSO, ABC, CMA-ES and SMO.




Fig. 6: Effect of parameters on success rate for functions  $f_9, f_{12}, f_{14}, f_{18}, f_{25}$  and  $f_{26}$  (a) when  $pr$  is varied (b) when  $MG$  is varied (c) when Global Leader Limit is varied (d) when Local Leader Limit is varied (e) Swarm Size v/s Successful Runs (f) Swarm Size v/s Average number of function evaluations.

Table 1: Benchmark functions used in experiments. D: Dimensions, C: Characteristic, U: Unimodal, M: Multimodal, S: Separable, N: Non-Separable, AE: Acceptable Error

Test Problem	Objective function	Search Range	Optimum Value	D	C	AE
Schwefel function 1.2	$f_1(x) = \sum_{i=1}^D (\sum_{j=1}^i x_j)^2$	$[-100, 100]$	0	30	UN	$1.0E-03$
Step function	$f_2(x) = \sum_{i=1}^D \lfloor (x_i + 0.5) \rfloor^2$	$[-100, 100]$	0	30	US	$1.0E-03$
Schwefel function	$f_3(x) = -\sum_{i=1}^D (x_i \sin \sqrt{ x_i })$	$[-500, 500]$	$-418.9829 \times D$	30	MS	$1.0E-03$
Rastrigin	$f_4(x) = 10D + \sum_{i=1}^D [x_i^2 - 10 \cos(2\pi x_i)]$	$[-5.12, 5.12]$	0	30	MS	$1.0E-03$
Levy function 1	$f_5(x) = \frac{\pi}{D} [10 \sin^2(\pi y_D) + \sum_{i=1}^D u(x_i, 10, 100, 4)]$ , where $y_i = 1 + \frac{1}{4}(x_i + (y_D - 1)^2) + \sum_{i=1}^D u(x_i, 10, 100, 4)$ , $u(x_i, 10, 100, 4) = \begin{cases} k(x_i - a)^m, & x_i > a; \\ 0, & -a \leq x_i \leq a; \\ k(-x_i - a)^m, & x_i < a. \end{cases}$	$[-50, 50]$	0	30	MN	$1.0E-03$
Levy function 2	$f_6(x) = 0.1(\sin^2(3\pi x_1) + \sum_{i=1}^{D-1} [(x_i - 1)^2(1 + \sin^2(3\pi x_{i+1}))] + (x_D - 1)^2(1 + \sin^2(2\pi x_D))) + \sum_{i=1}^D u(x_i, 5, 100, 4)$	$[-65.536, 65.536]$	0.998	2	MN	$1.0E-03$
Shekel Foxholes Function	$f_7(x) = \frac{1}{500} + \sum_{j=1}^{25} \frac{1}{j + \sum_{i=1}^D (x_i - A_{ij})^6} - 1$	$[-5, 5]$	0.0003075	4	MN	$1.0E-03$
Kowalik function	$f_8(x) = \sum_{i=1}^{11} \left[ a_i - \frac{x_i(0.45 + b_i x_2)}{b_i^2 + b_i x_3 + x_4} \right]^2$	$[-5, 5]$	-1.0316	2	MN	$1.0E-03$
Six-hump camel back	$f_9(x) = (4 - 2.1x_1^2 + x_1^4/3)x_1^2 + x_1x_2 + (-4 + 4x_2^2)x_2^2$	$[-5, 5]$	0.397887	2	MN	$1.0E-03$
Brainin RCOS function	$f_{10}(x) = (x_2 - \frac{5.1}{4\pi^2}x_1^2 + \frac{5}{\pi}x_1 - 6)^2 + 10(1 - \frac{1}{5\pi}) \cos x_1 + 10$	$x_1 \in [-5, 10], x_2 \in [0, 15]$	3	2	MN	$1.0E-03$
Goldstien & Price function	$f_{11}(x) = [1 + (x_1 + x_2 + 1)^2(19 - 14x_1 + 13x_1^2 - 14x_2 + 6x_1x_2 + 3x_2^2)] * [30 + (2x_1 - 3x_2)^2(18 - 32x_1 + 12x_1^2 - 48x_2 - 36x_1x_2 + 27x_2^2)]$	$[0, 1]$	-3.86278	3	MN	$1.0E-03$
Hartmann function 3	$f_{12}(x) = -\sum_{i=1}^4 \alpha_i \exp[-\sum_{j=1}^3 A_{ij}(x_j - P_{ij})^2]$	$[0, 1]$	-3.32237	6	MN	$1.0E-03$
Hartmann function 6	$f_{13}(x) = -\sum_{i=1}^4 \alpha_i \exp[-\sum_{j=1}^6 B_{ij}(x_j - Q_{ij})^2]$	$[0, 10]$	-10.1532	4	MN	$1.0E-03$
Shekel function 5	$f_{14}(x) = -\sum_{j=1}^5 [\sum_{i=1}^4 (x_i - C_{ij})^2 + \beta_j]^{-1}$	$[0, 10]$	-10.4029	4	MN	$1.0E-03$
Shekel function 7	$f_{15}(x) = -\sum_{j=1}^7 [\sum_{i=1}^4 (x_i - C_{ij})^2 + \beta_j]^{-1}$	$[0, 10]$	-10.5364	4	MN	$1.0E-03$
Shekel function 10	$f_{16}(x) = -\sum_{j=1}^{10} [\sum_{i=1}^4 (x_i - C_{ij})^2 + \beta_j]^{-1}$	$[-10, 10]$	0	30	US	$1.0E-05$
Cigar	$f_{17}(x) = x_0^2 + 10000 \sum_{i=1}^D x_i^2$	$[-5.12, 5.12]$	0	30	US	$1.0E-05$
Axis parallel hyper-ellipsoid	$f_{18}(x) = \sum_{i=1}^D i x_i^2$	$[-100, 100]$	0	30	UN	$1.0E-05$
Beale	$f_{19}(x) = [1.5 - x_1(1 - x_2)]^2 + [2.25 - x_1(1 - x_2^2)]^2 + [2.625 - x_1(1 - x_2^3)]^2$	$[-4.5, 4.5]$	0	2	UN	$1.0E-05$
Shifted Sphere	$f_{20}(x) = \sum_{i=1}^D z_i^2 + f_{bias}$ , $z = x - o$ , $x = [x_1, x_2, \dots, x_D]$ , $o = [o_1, o_2, \dots, o_D]$	$[-100, 100]$	-450	10	US	$1.0E-05$
Shifted Schwefel	$f_{21}(x) = \sum_{i=1}^D (\sum_{j=1}^i z_j)^2 + f_{bias}$ , $z = x - o$ , $x = [x_1, x_2, \dots, x_D]$ , $o = [o_1, o_2, \dots, o_D]$	$[-100, 100]$	-450	10	UN	$1.0E-05$
Shifted Griewank	$f_{22}(x) = \sum_{i=1}^D \frac{x_i^2}{4000} - \prod_{i=1}^D \cos(\frac{x_i}{\sqrt{i}}) + 1 + f_{bias}$ , $z = (x - o)$ , $x = [x_1, x_2, \dots, x_D]$ , $o = [o_1, o_2, \dots, o_D]$	$[-600, 600]$	-180	10	MN	$1.0E-05$
Shifted Ackley	$f_{23}(x) = -20 \exp(-0.2 \sqrt{\frac{1}{D} \sum_{i=1}^D z_i^2}) - \exp(\frac{1}{D} \sum_{i=1}^D \cos(2\pi z_i)) + 20 + e + f_{bias}$ , $z = (x - o)$ , $x = [x_1, x_2, \dots, x_D]$ , $o = [o_1, o_2, \dots, o_D]$	$[-32, 32]$	-140	10	MS	$1.0E-05$
Easom's function	$f_{24}(x) = -\cos x_1 \cos x_2 \exp((-x_1 - \pi)^2 - (x_2 - \pi)^2)$	$[-10, 10]$	-1	2	UN	$1.0E-13$
Dekkers and Aarts	$f_{25}(x) = 10^5 x_1^2 + x_2^2 - (x_1^2 + x_2^2)^2 + 10^{-5}(x_1^2 + x_2^2)^4$	$[-20, 20]$	-24777	2	MN	$5.0E-01$
Shubert	$f_{26}(x) = -\sum_{i=1}^5 i \cos((i+1)x_1 + 1) \sum_{j=1}^5 i \cos((i+1)x_2 + 1)$	$[-10, 10]$	-186.7309	2	MN	$1.0E-05$

Table 2: Experimental Results

Test Function	Algorithm	SD	ME	AFE	SR
$f_1$	DE	1.42E-04	8.68E-04	27378	100
	PSO	6.72E-05	9.34E-04	45914.5	100
	ABC	2.02E-04	7.57E-04	35901	100
	CMA-ES	2.90E-04	7.10E-04	21248	100
	SMO	8.38E-05	8.88E-04	15128.19	100
$f_2$	DE	3.54E-01	1.00E-01	25858	95
	PSO	2.36E-04	2.53E-04	38273.5	100
	ABC	5.92E-04	6.35E-04	20244	100
	CMA-ES	1.77E+00	1.44E+00	72184	36
	SMO	1.20E-05	2.34E-04	12018.41	100
$f_3$	DE	6.12E+02	2.24E+03	200000	0
	PSO	6.70E+02	2.80E+03	200000	0
	ABC	1.18E+01	1.19E+00	170335	76
	CMA-ES	8.96E+02	7.64E+03	200000	0
	SMO	1.11E+02	7.67E+01	180525.04	65
$f_4$	DE	4.93E+00	1.54E+01	200000	0
	PSO	1.35E+01	3.80E+01	200000	0
	ABC	3.14E-04	4.72E-04	87039	100
	CMA-ES	1.36E+01	5.18E+01	200000	0
	SMO	2.33E-04	3.39E-04	83158.66	100
$f_5$	DE	1.45E-02	2.90E-03	24490.5	98
	PSO	1.44E-02	2.98E-03	52777.5	98
	ABC	2.19E-04	7.48E-04	29301	100
	CMA-ES	3.40E-02	7.20E-04	23254	88
	SMO	1.61E-04	6.52E-04	16176	100
$f_6$	DE	1.78E-03	1.15E-03	26753	97
	PSO	2.58E-03	1.62E-03	51446	93
	ABC	1.96E-04	7.89E-04	32604	100
	CMA-ES	4.50E-03	1.70E-03	13756	86
	SMO	1.43E-04	1.07E-04	23728.83	100
$f_7$	DE	7.15E-05	2.39E-04	2632.5	100
	PSO	3.09E-04	3.06E-04	3778	100
	ABC	2.79E-04	1.93E-04	1306	100
	CMA-ES	6.87E+00	1.04E+01	200000	0
	SMO	2.68E-04	2.02E-04	919.71	100
$f_8$	DE	2.14E-04	8.32E-04	8170	97
	PSO	1.33E-04	8.39E-04	1957	100
	ABC	1.34E-04	8.43E-04	7525.37	100
	CMA-ES	4.20E-03	1.50E-03	13434	88
	SMO	1.38E-04	8.51E-04	2214.37	100
$f_9$	DE	1.01E-04	4.44E-04	1686.5	100
	PSO	3.05E-04	4.80E-04	1318	100
	ABC	3.11E-04	5.08E-04	899	100
	CMA-ES	5.20E-11	6.03E-04	619	100
	SMO	2.99E-04	4.02E-04	529.65	100
$f_{10}$	DE	1.32E-04	4.89E-04	2081	100
	PSO	2.82E-04	4.81E-04	1445.5	100
	ABC	2.79E-04	4.77E-04	1480	100
	CMA-ES	1.40E-07	3.98E-04	594	100
	SMO	2.91E-04	4.25E-04	673.2	100
$f_{11}$	DE	1.20E-04	4.78E-04	1608	100
	PSO	2.70E-04	4.83E-04	1900.5	100
	ABC	3.08E-04	4.88E-04	2925.11	100
	CMA-ES	2.51E-01	1.43E-02	2052	78
	SMO	2.96E-04	4.85E-04	866.25	100

to be cont'd on next page



Table 2: Experimental Results (Cont.)

Test Function	Algorithm	SD	ME	AFE	SR
$f_{12}$	DE	1.04E-04	5.01E-04	1334	100
	PSO	2.46E-04	5.77E-04	1080.5	100
	ABC	2.64E-04	5.48E-04	1415	100
	CMA-ES	4.80E-08	9.25E-04	996	100
	SMO	2.66E-04	5.15E-04	598.95	100
$f_{13}$	DE	5.22E-02	8.84E-02	149112	26
	PSO	5.63E-02	4.29E-02	76074	64
	ABC	2.33E-04	6.81E-04	4652	100
	CMA-ES	5.80E-02	3.80E-03	22330	48
	SMO	1.18E-02	1.86E-03	27278.86	99
$f_{14}$	DE	1.05E+00	1.50E-01	7962	98
	PSO	1.36E+00	2.75E-01	16708.5	96
	ABC	2.56E-04	5.74E-04	6656	100
	CMA-ES	2.58E-02	3.18E-02	42561	40
	SMO	2.58E-04	6.40E-04	17592.18	100
$f_{15}$	DE	1.65E-04	5.63E-04	3659.5	100
	PSO	2.35E-04	6.89E-04	5435	100
	ABC	2.93E-04	5.90E-04	8222.32	100
	CMA-ES	1.74E-01	1.25E-02	35632	48
	SMO	2.57E-04	6.62E-04	9519.46	100
$f_{16}$	DE	6.67E-01	6.76E-02	5620	99
	PSO	2.56E-04	6.57E-04	5463.5	100
	ABC	2.82E-04	5.75E-04	9584.35	100
	CMA-ES	2.54E-02	2.15E-03	11234	52
	SMO	2.48E-04	6.53E-04	7605.82	100
$f_{17}$	DE	1.34E-06	8.63E-06	40678	100
	PSO	5.46E-07	9.38E-06	69416.5	100
	ABC	1.82E-06	8.25E-06	63993	100
	CMA-ES	6.61E-06	2.51E-05	10318	100
	SMO	9.45E-07	8.94E-06	22477.95	100
$f_{18}$	DE	1.31E-06	8.60E-06	26463.5	100
	PSO	6.13E-07	9.37E-06	44129.5	100
	ABC	2.00E-06	8.18E-06	41861	100
	CMA-ES	1.06E-06	7.03E-06	16463	100
	SMO	7.62E-07	8.96E-06	14679.72	100
$f_{19}$	DE	1.13E-06	4.72E-06	1849	100
	PSO	2.67E-06	4.22E-06	2762	100
	ABC	2.42E-06	7.81E-06	31948.76	100
	CMA-ES	1.01E-06	1.17E-06	1247.16	100
	SMO	2.58E-06	4.81E-06	1569.15	100
$f_{20}$	DE	2.03E-06	7.46E-06	10805.5	100
	PSO	1.47E-06	8.07E-06	15854.5	100
	ABC	2.16E-06	7.35E-06	17112	100
	CMA-ES	8.12E-06	6.38E-06	13805.5	100
	SMO	1.86E-06	7.65E-06	5898.42	100
$f_{21}$	DE	3.39E+03	1.21E+05	200000	0
	PSO	1.01E+03	7.84E+02	200000	0
	ABC	3.96E+03	1.31E+04	200000	0
	CMA-ES	1.00E+03	1.84E+02	200000	0
	SMO	1.18E+03	1.84E+04	200000	0
$f_{22}$	DE	1.20E-02	1.34E-02	165684	22
	PSO	2.77E-02	4.28E-02	198768.5	2
	ABC	2.86E-03	1.09E-03	101707.2	86
	CMA-ES	5.63E-04	1.03E-04	95707.2	96
	SMO	6.03E-03	2.68E-03	130922.94	77

to be cont'd on next page

Table 2: Experimental Results (Cont.)

Test Function	Algorithm	SD	ME	AFE	SR
$f_{23}$	DE	1.21E-06	8.85E-06	15959	100
	PSO	8.69E-07	9.10E-06	24687.5	100
	ABC	1.71E-06	8.09E-06	32415	100
	CMA-ES	2.35E-06	5.37E-06	17365	100
	SMO	1.13E-06	8.66E-06	9069.39	100
$f_{24}$	DE	7.36E-15	4.50E-14	5210	100
	PSO	2.87E-14	5.13E-14	9778	100
	ABC	5.64E-07	5.71E-08	128925.18	52
	CMA-ES	8.17E-14	7.83E-14	9612	100
	SMO	2.69E-14	4.71E-14	11789.91	100
$f_{25}$	DE	1.12E-03	4.90E-01	2725.5	100
	PSO	5.64E-03	4.91E-01	4979	100
	ABC	5.25E-03	4.90E-01	2567	100
	CMA-ES	6.07E-03	7.91E-01	1725.5	100
	SMO	4.98E-03	4.89E-01	1258.29	100
$f_{26}$	DE	2.16E-06	4.78E-06	9663	100
	PSO	4.01E-04	1.01E-04	72252.5	83
	ABC	5.95E-06	5.32E-06	8248.56	100
	CMA-ES	6.27E-06	7.32E-06	14262	100
	SMO	5.58E-06	4.97E-06	4379.76	100

### 5.3 Statistical Analysis

DE, PSO, ABC, CMA-ES and SMO are compared based on SR, AFE, and ME. First SR of all these algorithms is compared and if it is not possible to distinguish the performance of algorithms based on SR then comparison is made on the basis of AFE. ME is used for comparison if the comparison is not possible on the basis of SR and AFE both. From the results shown in Table 2, it is clear that SMO costs less on 14 function ( $f_1, f_2, f_4, f_5, f_6, f_7, f_9, f_{11}, f_{12}, f_{18}, f_{20}, f_{23}, f_{25}, f_{26}$ ) among all the considered algorithms. As these functions include unimodel, multimodel, separable, non-separable, lower and higher dimension functions, it can be stated that SMO balances the exploration and exploitation capabilities efficiently. ABC outperform SMO over five test functions ( $f_3, f_{13}, f_{14}, f_{15}, f_{21}, f_{22}$ ) and four are multimodel functions. It shows that ABC perform better on multimodel functions as the solution search equation of ABC is significantly influenced by a random quantity which helps in exploration at the cost of exploitation of the search space [32]. CMA-ES outperforms over SMO on six test functions ( $f_{10}, f_{17}, f_{19}, f_{21}, f_{22}, f_{24}$ ) among these four test functions are unimodel functions. Generally speaking, the cost of CMA-ES is lower than those of SMO, ABC, DE and PSO for the unimodal functions. This is because CMA-ES is a local method devised for optimal exploitation of local information [21]. DE outperform over only two test functions ( $f_{15}, f_{24}$ ) in which  $f_{15}$  is unimodel and  $f_{24}$  is multimodel. Further, PSO performs better than SMO over five test function ( $f_8, f_{15}, f_{16}, f_{21}, f_{24}$ ) which all are non-separable functions as well as four are multimodel functions. Overall, SMO is better than DE over 24 test functions, PSO over 21 test functions, ABC over 20 test functions, and CMA-ES over 20 test functions of mixed characteristics, when compared separately. It means that when the results of all functions are evaluated together, the SMO algorithm is the cost effective algorithm for most of the functions.

For the purpose of comparison in terms of consolidated performance, boxplot analyses have been carried out for all the considered algorithms. The empirical distribution of data is efficiently represented graphically by the boxplot analysis tool [41]. The boxplots of average number of function evaluations for DE, PSO, ABC, CMA-ES and SMO are shown in Figure 7. It is clear from Figure 7(a) that SMO is cost effective in terms of function evaluations as interquartile range and median of average number of function evaluations are low for SMO. When the considered algorithms are compared on the basis of standard deviation and success rate, it can be observed from Figure 7(b) and 7(c) that ABC and SMO have equal performance, while they perform better than DE, PSO and CMA-ES.

Though, it is clear from box plots that SMO is cost effective than DE, PSO, ABC, and CMA-ES i.e., SMO's result differs from the other, now to check, whether there exists any significant difference between algorithm's output or this




Fig. 7: Boxplots graph for (a) Average number of function evaluation, (b) Standard Deviation, and (c) Success Rate.

difference is due to some randomness, we require another statistical test. It can be observed from boxplots Figure 7(a) that average number of function evaluations used by the considered algorithms to solve the different problems are not normally distributed, so a non-parametric statistical test is required to compare the performance of the algorithms. The Mann-Whitney rank sum [19], a non-parametric test, is well established test for comparison among non-Gaussian data. In this paper, this test is performed at 5% level of significance ( $\alpha = 0.05$ ) between SMO - DE, SMO - PSO, SMO - ABC, and SMO - CMA-ES.

Table 3 shows the results of the Mann-Whitney rank sum test for the average function evaluations of 100 simulations. First we observe the significant difference by Mann-Whitney rank sum test i.e., whether the two data sets are significantly different or not. If significant difference is not seen (i.e., the null hypothesis is accepted) then sign '=' appears and when significant difference is observed i.e., the null hypothesis is rejected then compare the average number of function evaluations. And we use signs '+' and '-' for the case where SMO takes less or more average number of function evaluations than the other algorithms, respectively. Therefore in Table 3, '+' shows that SMO is significantly better and '-' shows that SMO is worse. As Table 3 includes 79 '+' signs out of 104 comparisons. Therefore, it can be concluded that the results of SMO is significantly cost effective than DE, PSO, ABC and CMA-ES over considered test problems.

Further, to compare the considered algorithms, by giving weighted importance to SR, AFE and SD, performance indices (*PIs*) are calculated [6]. The values of *PI* for the DE, PSO, ABC and CMA-ES are calculated by using following

Table 3: Comparison based on mean function evaluations and the Mann-Whitney rank sum test at a  $\alpha = 0.05$  significance level ('+' indicates SMO is significantly better, '-' indicates SMO is significantly worst and '=' indicates that there is no significant difference),

TP: Test Problem.

TP	Mann-Whitney rank sum test with <i>SMO</i>				TP	Mann-Whitney rank sum test with <i>SMO</i>			
	DE	PSO	ABC	CMA-ES		DE	PSO	ABC	CMA-ES
$f_1$	+	+	+	+	$f_{14}$	-	-	-	+
$f_2$	+	+	+	+	$f_{15}$	-	-	-	+
$f_3$	+	+	-	+	$f_{16}$	-	-	+	+
$f_4$	+	+	+	+	$f_{17}$	+	+	+	-
$f_5$	+	+	+	+	$f_{18}$	+	+	+	+
$f_6$	+	+	+	-	$f_{19}$	+	+	+	-
$f_7$	+	+	+	+	$f_{20}$	+	+	+	+
$f_8$	+	-	+	+	$f_{21}$	=	=	=	=
$f_9$	+	+	+	+	$f_{22}$	+	+	-	-
$f_{10}$	+	+	+	-	$f_{23}$	+	+	+	+
$f_{11}$	+	+	+	+	$f_{24}$	-	-	+	-
$f_{12}$	+	+	+	+	$f_{25}$	+	+	+	+
$f_{13}$	+	+	-	-	$f_{26}$	+	+	+	+

equations:

$$PI = \frac{1}{N_p} \sum_{i=1}^{N_p} (k_1 \alpha_1^i + k_2 \alpha_2^i + k_3 \alpha_3^i)$$

Where  $\alpha_1^i = \frac{Sr^i}{Tr^i}$ ;  $\alpha_2^i = \begin{cases} \frac{Mf^i}{Af^i}, & \text{if } Sr^i > 0. \\ 0, & \text{if } Sr^i = 0. \end{cases}$ ; and  $\alpha_3^i = \frac{Mo^i}{Ao^i}$   
 $i = 1, 2, \dots, N_p$

- $Sr^i$  = Successful simulations/runs of  $i^{th}$  problem.
- $Tr^i$  = Total simulations of  $i^{th}$  problem.
- $Mf^i$  = Minimum of average number of function evaluations used for obtaining the required solution of  $i^{th}$  problem.
- $Af^i$  = Average number of function evaluations used for obtaining the required solution of  $i^{th}$  problem.
- $Mo^i$  = Minimum of standard deviation obtained for the  $i^{th}$  problem.
- $Ao^i$  = Standard deviation obtained by an algorithm for the  $i^{th}$  problem.
- $N_p$  = Total number of optimization problems evaluated.

The weights assigned to SR, AFE and SD are represented by  $k_1, k_2$  and  $k_3$  respectively, where  $k_1 + k_2 + k_3 = 1$  and  $0 \leq k_1, k_2, k_3 \leq 1$ . To calculate the  $PI$ s, equal weights are assigned to two variables while weight of the remaining variable vary from 0 to 1 as given in [6]. Following are the resultant cases:

1.  $k_1 = W, k_2 = k_3 = \frac{1-W}{2}, 0 \leq W \leq 1$ ;
2.  $k_2 = W, k_1 = k_3 = \frac{1-W}{2}, 0 \leq W \leq 1$ ;
3.  $k_3 = W, k_1 = k_2 = \frac{1-W}{2}, 0 \leq W \leq 1$

The graphs corresponding to each of the cases (1), (2) and (3) for the considered algorithms are shown in Figures 8(a), 8(b), and 8(c) respectively. In these figures the weights  $k_1, k_2$  and  $k_3$  are represented by horizontal axis while the  $PI$  is represented by the vertical axis.

In case (1), AFE and SD are given equal weights.  $PI$ s of the considered algorithms are superimposed in Figure 8(a) for comparison of the performance. It is observed that  $PI$  of SMO is higher than the considered algorithms. In case (2), equal weights are assigned to SR and AFE and in case (3), equal weights are assigned to SR and AFE. It is clear from Figure 8(b) and Figure 8(c) that the algorithms perform same as in case (1).

Further, we compare the convergence speed of the considered algorithms by measuring the AFEs. A smaller AFEs means higher convergence speed. In order to minimize the effect of the stochastic nature of the algorithms, the reported function evaluations for each test problem is averaged over 100 runs. In order to compare convergence speeds, we use the acceleration rate (AR) which is defined as follows, based on the AFEs for the two algorithms ALGO and SMO:




Fig. 8: Performance index for test problems; (a) for case (1), (b) for case (2) and (c) for case (3).

$$AR = \frac{AFE_{ALGO}}{AFE_{SMO}}, \quad (7)$$

where,  $ALGO \in \{DE, PSO, ABC, CMA-ES\}$  and  $AR > 1$  means SMO is faster. In order to investigate the  $AR$  of the proposed algorithm as compared to the considered algorithms, results of Table 2 are analyzed and the value of  $AR$  is calculated using equation (7). Table 4 shows a comparison between SMO and DE, SMO and PSO, SMO and ABC, and SMO and CMA-ES in terms of  $AR$ . It is clear from the Table 4 that convergence speed of SMO is better than considered algorithms for most of the functions.

## 6 Conclusion

In this paper, a new swarm intelligence algorithm for optimization is proposed. The inspiration is from the social behavior of spider monkeys. The proposed algorithm is proved to be very flexible in the category of swarm intelligence based algorithms. With the help of numerical experiments over test problems, it has been shown that, for most of the problems the reliability (due to success rate), efficiency (due to average number of function evaluations) and accuracy (due to mean objective function value) of SMO is competitive or similar to those of DE, PSO, ABC and CMA-ES. Hence, it may be concluded that SMO is going to be a competing candidate in the field of swarm intelligence based optimization algorithms.

Table 4: Acceleration Rate (AR) of SMO as compared to the DE, PSO, ABC and CMA-ES, TP: Test Problems

TP	DE	PSO	ABC	CMA-ES
$f_1$	1.809734013	3.035029306	2.373119322	1.404530218
$f_2$	2.151532524	3.184572668	1.684415825	6.006118946
$f_3$	1.10787955	1.10787955	0.943553315	1.10787955
$f_4$	2.405041159	2.405041159	1.046661887	2.405041159
$f_5$	1.514002226	3.262704006	1.81138724	1.43756182
$f_6$	1.127447076	2.168079926	1.374024762	0.579716741
$f_7$	2.862315295	4.107816594	1.42001283	217.4598515
$f_8$	3.689536979	0.883772811	3.398424834	6.066736815
$f_9$	3.184178231	2.488435759	1.697347305	1.168696309
$f_{10}$	3.091206179	2.147207368	2.19845514	0.882352941
$f_{11}$	1.856277056	2.193939394	3.376750361	2.368831169
$f_{12}$	2.227230988	1.803990316	2.362467652	1.662910093
$f_{13}$	5.466210831	2.788752902	0.170534986	0.818582595
$f_{14}$	0.452587456	0.94976859	0.378349926	2.419313581
$f_{15}$	0.384423066	0.570935746	0.863738069	3.74306946
$f_{16}$	0.738907836	0.718331488	1.260133687	1.477026803
$f_{17}$	1.809684602	3.088204218	2.846923318	0.459027625
$f_{18}$	1.80272512	3.006154068	2.851621148	1.121479156
$f_{19}$	1.178344964	1.760188637	20.36055189	0.794799732
$f_{20}$	1.831931263	2.687923207	2.901115892	2.340542043
$f_{21}$	1	1	1	1
$f_{22}$	1.265507786	1.518209872	0.776847816	0.731019331
$f_{23}$	1.75965528	2.722068408	3.574110276	1.914682244
$f_{24}$	0.441903288	0.829353235	10.93521325	0.815273399
$f_{25}$	2.166034857	3.956957458	2.040070254	1.371305502
$f_{26}$	2.206285276	16.49690851	1.883336073	3.256342813

## Acknowledgement

The authors acknowledge the anonymous reviewers for their valuable comments and suggestions.

## References

1. M.M. Ali, C. Khompatraporn, and Z.B. Zabinsky. A numerical evaluation of several stochastic algorithms on selected continuous global optimization test problems. *Journal of Global Optimization*, 31(4):635–672, 2005.
2. P. Angeline. Evolutionary optimization versus particle swarm optimization: Philosophy and performance differences. In *Evolutionary Programming VII*, pages 601–610. Springer, 1998.
3. E. Bonabeau, M. Dorigo, and G. Theraulaz. *Swarm intelligence: from natural to artificial systems*. Oxford University Press, New York, USA, 1999.
4. Maurice Clerc. A method to improve standard PSO, [http://clerc.maurice.free.fr/psa/Design\\_efficient\\_PSO.pdf](http://clerc.maurice.free.fr/psa/Design_efficient_PSO.pdf), Reterived on Jan. 2012.
5. L.N. De Castro and F.J. Von Zuben. Artificial immune systems: Part I–basic theory and applications. *Universidade Estadual de Campinas, Dezembro de, Tech. Rep*, 1999.
6. Thakur M. Deep, K. A new crossover operator for real coded genetic algorithms. *Applied Mathematics and Computation*, 188(1):895911, 2007.
7. M. Dorigo and T. Stützle. *Ant colony optimization*. the MIT Press, 2004.
8. R. Gamperle, S.D. Muller, and A. Koumoutsakos. A parameter study for differential evolution. *Advances in Intelligent Systems, Fuzzy Systems, Evolutionary Computation*, 10:293–298, 2002.
9. D.E. Goldberg. *Genetic algorithms in search, optimization, and machine learning*. Addison-Wesley Professional, 1989.
10. Nikolaus Hansen. The cma evolution strategy: a comparing review. In *Towards a new evolutionary computation*, pages 75–102. Springer, 2006.

11. Nikolaus Hansen and Andreas Ostermeier. Adapting arbitrary normal mutation distributions in evolution strategies: The covariance matrix adaptation. In *Evolutionary Computation, 1996., Proceedings of IEEE International Conference on*, pages 312–317. IEEE, 1996.
12. K. Hofmann, S. Whiteson, and M. de Rijke. Balancing exploration and exploitation in learning to rank online. *Advances in Information Retrieval*, 5:251–263, 2011.
13. RL Jeanne. The evolution of the organization of work in social insects. *Monitore zoologico italiano*, 20(2):119–133, 1986.
14. D. Karaboga. An idea based on honey bee swarm for numerical optimization. *Techn. Rep. TR06, Erciyes Univ. Press, Erciyes*, 2005.
15. D. Karaboga and B. Akay. A comparative study of artificial bee colony algorithm. *Applied Mathematics and Computation*, 214(1):108–132, 2009.
16. D. Karaboga and B. Akay. A modified artificial bee colony (ABC) algorithm for constrained optimization problems. *Applied Soft Computing*, 11(3):3021–3031, 2011.
17. J. Kennedy and R. Eberhart. Particle swarm optimization. In *Proceedings., IEEE International Conference on Neural Networks, 1995.*, volume 4, pages 1942–1948. IEEE, 1995.
18. J. Lampinen and I. Zelinka. On stagnation of the differential evolution algorithm. In *Proceedings of MENDEL*, pages 76–83. Citeseer, 2000.
19. H.B. Mann and D.R. Whitney. On a test of whether one of two random variables is stochastically larger than the other. *The annals of mathematical statistics*, 18(1):50–60, 1947.
20. E. Mezura-Montes, J. Velázquez-Reyes, and C.A. Coello Coello. A comparative study of differential evolution variants for global optimization. In *Proceedings of the 8th annual conference on Genetic and evolutionary computation*, pages 485–492. ACM, 2006.
21. Michele Milano, Petros Koumoutsakos, and Jürgen Schmidhuber. Self-organizing nets for optimization. *IEEE Transactions on Neural Networks*, 15(3):758–765, 2004.
22. K. Milton. Diet and social organization of a free-ranging spider monkey population: The development of species-typical behavior in the absence of adults. *Juvenile primates: life history, development, and behavior*, pages 173–181, 1993.
23. M.A. Norconk and W.G. Kinzey. Challenge of neotropical frugivory: travel patterns of spider monkeys and bearded sakis. *American Journal of Primatology*, 34(2):171–183, 1994.
24. G.F. Oster and E.O. Wilson. *Caste and ecology in the social insects*. Princeton Univ Pr, 1979.
25. K.M. Passino. Biomimicry of bacterial foraging for distributed optimization and control. *Control Systems Magazine, IEEE*, 22(3):52–67, 2002.
26. K.M. Passino. Bacterial foraging optimization. *International Journal of Swarm Intelligence Research (IJSIR)*, 1(1):1–16, 2010.
27. K.V. Price. Differential evolution: a fast and simple numerical optimizer. In *Fuzzy Information Processing Society, 1996. NAFIPS. 1996 Biennial Conference of the North American*, pages 524–527. IEEE, 1996.
28. K.V. Price, R.M. Storn, and J.A. Lampinen. *Differential evolution: a practical approach to global optimization*. Springer Verlag, 2005.
29. S. Rahnamayan, H.R. Tizhoosh, and M.M.A. Salama. Opposition-based differential evolution. *IEEE Transactions on Evolutionary Computation*, 12(1):64–79, 2008.
30. G. Ramos-Fernandez. *Patterns of association, feeding competition and vocal communication in spider monkeys, Ateles geoffroyi*. Dissertations, University of Pennsylvania, <http://repository.upenn.edu/dissertations/AAI3003685>, 1 January 2001.
31. J. Sartore. Spider monkey images, <http://animals.nationalgeographic.com/animals/mammals/spider-monkey>, Retrieved on 21 Decmber 2011.
32. Harish Sharma, Jagdish Chand Bansal, and KV Arya. Opposition based lévy flight artificial bee colony. *Memetic Computing*, pages 1–15, 2012.
33. Y. Shi and R. Eberhart. Parameter selection in particle swarm optimization. In *Evolutionary Programming VII*, pages 591–600. Springer, 1998.
34. B. Simmen and D. Sabatier. Diets of some french guianan primates: food composition and food choices. *International Journal of Primatology*, 17(5):661–693, 1996.
35. R. Storn and K. Price. Differential evolution—a simple and efficient adaptive scheme for global optimization over continuous spaces. *Journal of Global Optimization*, 11:341–359, 1997.

36. P.N. Suganthan, N. Hansen, J.J. Liang, K. Deb, YP Chen, A. Auger, and S. Tiwari. Problem definitions and evaluation criteria for the CEC 2005 special session on real-parameter optimization. *KanGAL Report*, 2005.
37. M.M.F. Symington. Fission-fusion social organization in *ateles* and *pan*. *International Journal of Primatology*, 11(1):47–61, 1990.
38. M.G.M. van Roosmalen and Instituto Nacional de Pesquisas da Amazônia. Habitat preferences, diet, feeding strategy and social organization of the black spider monkey (*ateles paniscus paniscus* linnaeus 1758) in surinam. Wageningen : Roosmalen, November 1985.
39. J. Vesterstrom and R. Thomsen. A comparative study of differential evolution, particle swarm optimization, and evolutionary algorithms on numerical benchmark problems. In *Congress on Evolutionary Computation, 2004. CEC2004.*, volume 2, pages 1980–1987. IEEE, 2004.
40. Thomas Weise, Raymond Chiong, and Ke Tang. Evolutionary optimization: Pitfalls and booby traps. *Journal of Computer Science and Technology*, 27(5):907–936, 2012.
41. D.F. Williamson, R.A. Parker, and J.S. Kendrick. The box plot: a simple visual method to interpret data. *Annals of internal medicine*, 110(11):916, 1989.
42. G. Zhu and S. Kwong. Gbest-guided artificial bee colony algorithm for numerical function optimization. *Applied Mathematics and Computation*, 217(7):3166–3173, 2010.



# Spider Monkey Optimization Algorithm for Numerical Optimization

Jagdish Chand Bansal · Harish Sharma · Shimpi Singh  
Jadon · Maurice Clerc

the date of receipt and acceptance should be inserted later

**Abstract** Swarm intelligence is one of the most promising area for the researchers in the field of numerical optimization. Researchers have developed many algorithms by simulating the swarming behavior of various creatures like ants, honey bees, fish, birds and the findings are very motivating. In this paper, a new approach for numerical optimization is proposed by modeling the foraging behavior of spider monkeys. Spider monkeys have been categorized as fission-fusion social structure based animals. The animals which follow fission-fusion social systems, split themselves from large to smaller groups and vice-versa based on the scarcity or availability of food. The proposed swarm intelligence approach is named as Spider Monkey Optimization (SMO) algorithm and can broadly be classified as an algorithm inspired by intelligent foraging behavior of fission-fusion social structure based animals.

## 1 Introduction

The name swarm is used for an accumulation of creatures such as ants, fish, birds, termites and honey bees which behave collectively. The definition given by Bonabeau for the swarm intelligence is “any attempt to design algorithms or distributed problem-solving devices inspired by the collective behaviour of social insect colonies and other animal societies” [3].

Swarm Intelligence is a meta-heuristic approach in the field of nature inspired techniques that is used to solve optimization problems. It is based on the collective behavior of social creatures. Social creatures utilize their ability of social learning and adaptation to solve complex tasks. Researchers have analyzed such behaviors and designed algorithms that can be used to solve nonlinear, non-convex or combinatorial optimization problems in many science and engineering domains. Previous research [7, 17, 28, 39] have shown that algorithms based on Swarm Intelligence have great potential to find a near optimal solution of real world optimization problem. The algorithms that have been emerged in recent years are Ant Colony Optimization (ACO) [7], Particle Swarm Optimization (PSO) [17], Bacterial Foraging Optimization (BFO) [26], Artificial Bee Colony Optimization (ABC) [14] etc.

---

Jagdish Chand Bansal  
ABV-Indian Institute of Information Technology and Management, Gwalior  
E-mail: jcbansal@gmail.com

Harish Sharma  
ABV-Indian Institute of Information Technology and Management, Gwalior  
E-mail: harish.sharma0107@gmail.com

Shimpi Singh Jadon  
ABV-Indian Institute of Information Technology and Management, Gwalior  
E-mail: shimpisingh2k6@gmail.com

Maurice Clerc  
E-mail: Maurice.Clerc@WriteMe.com

In order to design a new swarm intelligence based algorithm, it is necessary to understand whether a behavior is swarm intelligent behavior or not. Karaboga et al. mentioned that *Division of Labor* and *Self-Organization* are the necessary and sufficient conditions for obtaining intelligent swarming behaviors.

1. Self-organization: is an important feature of a swarm structure which results in global level response by means of interactions among its low-level components without a central authority or external element enforcing it through planning. Therefore, the globally coherent pattern appears from the local interaction of the components that build up the structure, thus the organization is achieved in parallel as all the elements act at the same time and distributed as no element is a central coordinator. Bonabeau et al. have defined the following four important characteristics on which self-organization is based [3]:
  - (i) Positive feedback: is an information extracted from the output of a system and reapplied to the input to promotes the creations of convenient structures. In the field of swarm intelligence positive feedback provides diversity and accelerate the system to new stable state.
  - (ii) Negative feedback: compensates the effect of positive feedback and helps to stabilize the collective pattern.
  - (iii) Fluctuations: are the rate or magnitude of random changes in the system. Randomness is often crucial for efflorescent structures since it allows the findings of new solutions. In foraging process, it helps to get-ride of stagnation.
  - (iv) Multiple interactions: provide the way of learning from the individuals within a society and thus enhance the combined intelligence of the swarm.
2. Division of labour: is a cooperative labour in specific, circumscribed tasks and like roles. In a group, there are various tasks, which are performed simultaneously by specialized individuals. Simultaneous task performance by cooperating specialized individuals is believed to be more efficient than the sequential task performance by unspecialized individuals [5, 13, 24].

This paper proposes a new swarm intelligence algorithm based on the foraging behavior of spider monkeys. The foraging behavior of spider monkeys shows that these monkeys fall in the category of fission-fusion social structure (FFSS) based animals. Thus the proposed optimization algorithm which is based on foraging behavior of spider monkeys is explained better in terms of FFSS. Further, the proposed strategy is tested on various benchmark and engineering optimization test problems.

The rest of the paper is organized as follows: Section 2 describes the foraging behavior and social structure of spider monkeys. In Section 3, first, the foraging behavior is critically evaluated to be a swarm intelligent behavior over the necessary and sufficient conditions of swarm intelligence and then Spider Monkey Optimization algorithm is proposed. A detail discussion about the proposed strategy is presented in section 4. In section 5, performance of the proposed strategy is analyzed and compared with four state-of-the-art algorithms, namely DE, PSO, ABC and CMA-ES. Finally, in section 6, paper is concluded.

## 2 Foraging and Social Behavior of Spider Monkeys

Fission-fusion swarm is a social grouping pattern in which individuals form temporary small parties (also called sub-groups) whose members belong to a larger community (or unit-group) of stable membership, there can be fluid movement between subgroups and unit-groups such that group composition and size changes frequently [37].

The fission-fusion social system of swarm can minimize direct foraging competition among group members, so they divide themselves into sub-groups in order to search food. The members of these subgroups then communicate (through barking and other physical activities) within and outside the subgroup depending upon the availability of food. In this society, social group sleep in one habitat together but forage in small sub-groups going off in different directions during the day. This form of social formation occurs in several species of primates like hamadryas, bonobo, chimpanzees, gelada baboons and spider monkeys. These societies change frequently in their size and composition, making up a strong social group called the ‘parent group’. All the individual members of a faunal community comprise of permanent social networks and their capability to track changes in the environment varies according to their individual animal dynamics. In a fission-fusion society, the main parent group can fission into smaller subgroups or individuals to adapt to the environmental or social circumstances. For example, members of a group are separated from the main group in order to hunt or forage for food during the day, but at night they return to join (fusion) the primary group to share food and to take part in other activities [37].

The society of spider monkeys is one of the example of fission-fusion social structure. In subsequent subsections, a brief overview on swarming of spider monkeys is presented.

## 2.1 Social Organization and Behavior

The social organization of spider monkeys is related to fission-fusion social system. Figure 1 provide some pictures of spider monkeys. [31]. They are social animals and live in group of up to 50 individuals [34]. Spider monkeys break up into




Fig. 1: Social Organization and Behavior (a) Spider-Monkey (b) Spider Monkey Group (c) Spider Monkey sub-group (d) Foods Foraging [31]

small foraging groups that travel together and forage throughout the day within a core area of the larger group's home range [34]. Spider monkeys find their foods in a very different way: a female leads the group and is responsible for finding food sources. In case if she doesn't find sufficient food for the group, she divides the group into smaller subgroups that forage separately [23]. The subgroups within the band are temporary and may vary in formation frequently throughout the day, but on average 3 members can be found in any group at any time ([38, 23]). When two different bands of spider monkeys come closer, the males in each band display aggressiveness and territorial behavior such as calling and barking. These communications occur with much distance between the two subgroups and do not involve any physical contacts, showing that groups respect distinct territory boundaries [38]. Members of a society might not ever be noticed closer at one place, but their mutual tolerance of each other when they come into contact reflects that they are component of the larger group [38]. The main reason behind emerging of fission-fusion social system is the competition for food among the group members when there is a shortage in food availability due to seasonal reasons [23]. When a big group gets food at particular location, there is likely to be less food per group member compared to a small group. After some time, when food scarcity is at its peak, average subgroup size is the smallest and during period of highest food availability, subgroup size is the largest, indicating that competition for scarce resources necessitates breaking into smaller foraging groups [38, 22]. One reason spider monkeys break into smaller foraging groups but still remain part of a larger social unit is the advantage to individual group members in terms of increased mating chances and security from predators.

## 2.2 Communication

Spider monkeys share their intentions and observations using postures and positions, such as postures of sexual receptivity and of attack. During traveling, they interact with each other over long distances using a particular call which sounds like a horse's whinny. Each individual has its own discernible sound so that other members of the group can easily identify who is calling. This long-distance communication permits spider monkeys to get-together, stay away from enemies, share food and gossip. In order to interact to other group members, they generally use visual and vocal communication[30].

## 3 Spider Monkey Optimization Algorithm

Social behavior of spider monkeys inspires authors to develop an stochastic optimization technique that mimics fission-fusion social structure (FFSS) based foraging behavior of spider monkeys. Following are the key features of the FFSS.

1. The fission-fusion social structure based animals are social and live in groups of 40-50 individuals. The FFSS of swarm may reduce the foraging competition among group members by dividing them into sub-groups in order to search food.
2. A female (global Leader) generally leads the group and is responsible for searching food sources. If she is not able to get enough food for the group, she divides the group into smaller subgroups (size varies from 3 to 8 members) that forage independently.
3. Sub-groups are also supposed to be lead by a female (local leader) who becomes decision-maker for planning an efficient foraging route each day.
4. The members of these subgroups then communicate within and outside the subgroup depending upon the availability of food and to maintain territorial boundaries.

In the developed strategy, the foraging behavior of FFSS based animals (e.g. spider monkeys) is divided into four steps. First, the group starts food foraging and evaluates their distance from the food. In the second step, based on the distance from the foods, group members update their positions and again evaluate distance from the food sources. Furthermore, in the third step, the local leader updates its best position within the group and if the position is not updated for a specified number of times then all members of that group start searching of the food in different directions. Next, in the fourth step, the global leader, updates its ever best position and in case of stagnation, it splits the group into smaller size subgroups. All the four steps mentioned before, are continuously executed until the desired output is achieved. There are two important control parameters necessary to introduce in the proposed strategy, one is '*GlobalLeaderLimit*' and another is '*LocalLeaderLimit*' which helps local and global leaders to take appropriate decisions.

The control parameter *LocalLeaderLimit* is used to avoid stagnation i.e., if a local group leader does not update herself in a specified number of times then that group is re-directed to a different direction for foraging. Here, the term 'specified number of times' is referred as *LocalLeaderLimit*. Another control parameter, *GlobalLeaderLimit* is used for the same purpose for global leader. The global leader breaks the group into smaller sub-groups if she does not update in a specified number of times.

The proposed strategy follows self-organization and division of labour properties for obtaining intelligent swarming behaviors of animals. As animals updating their positions by learning from local leader, global leader and self experience in the first and second steps of algorithm, it shows positive feedback mechanisms of self-organization. The third step, in which the stagnated group members are re-directed to different directions for food searching, is responsible for fluctuations in the food foraging process. In the fourth step, when the global leader is get stuck, it divides the groups into smaller subgroups for foraging of foods. This phenomena presents division of labour property. 'Local leader limit' and 'Global leader limit' provides negative feedback to help local and global leader's for their decisions.

However, the proposed strategy is inspired from the foraging behavior of spider monkeys, it is different from the natural foraging behavior of spider monkeys. In the proposed strategy, the post of leader (local or global) is not permanent but depends upon the ability of leader to search of food. Further, the spider monkeys use different type of communication tactics which are not simulated by the proposed strategy. In this way, the proposed strategy is different from the real foraging behavior of spider monkeys.

### 3.1 Main steps of Spider Monkey Optimization Algorithm (SMO)

Similar to the other population-based algorithms, SMO is a trial and error based collaborative iterative process. The SMO process consists of six phases: Local Leader phase, Global Leader phase, Local Leader Learning phase, Global Leader Learning phase, Local Leader Decision phase and Global Leader Decision phase. The position update process in Global Leader phase is inspired from the Gbest-guided ABC [42] and modified version of ABC [16]. The details of each step of *SMO* implementation are explained below:

#### 3.1.1 Initialization of the Population

Initially, *SMO* generates a uniformly distributed initial population of  $N$  spider monkeys where each monkey  $SM_i (i = 1, 2, \dots, N)$  is a  $D$ -dimensional vector. Here  $D$  is the number of variables in the optimization problem and  $SM_i$  represent the  $i^{th}$  Spider Monkey (*SM*) in the population. Each spider monkey *SM* corresponds to the potential solution of the problem under consideration. Each  $SM_i$  is initialized as follows:

$$SM_{ij} = SM_{minj} + U(0, 1) \times (SM_{maxj} - SM_{minj}) \quad (1)$$

where  $SM_{minj}$  and  $SM_{maxj}$  are bounds of  $SM_i$  in  $j^{th}$  direction and  $U(0, 1)$  is a uniformly distributed random number in the range  $[0, 1]$ .

### 3.1.2 Local Leader Phase (LLP)

In the Local Leader phase, each Spider Monkey SM modifies its current position based on the information of the local leader experience as well as local group members experience. The fitness value of so obtained new position is calculated. If the fitness value of the new position is higher than that of the old position, then the SM updates his position with the new one. The position update equation for  $i^{th}$  SM ( which is a member of  $k^{th}$  local group) in this phase is

$$SM_{newij} = SM_{ij} + U(0, 1) \times (LL_{kj} - SM_{ij}) + U(-1, 1) \times (SM_{rj} - SM_{ij}) \quad (2)$$

where  $SM_{ij}$  is the  $j^{th}$  dimension of the  $i^{th}$  SM,  $LL_{kj}$  represents the  $j^{th}$  dimension of the  $k^{th}$  local group leader position.  $SM_{rj}$  is the  $j^{th}$  dimension of the  $r^{th}$  SM which is chosen randomly within  $k^{th}$  group such that  $r \neq i$ ,  $U(0, 1)$  is a uniformly distributed random number between 0 and 1. Algorithm 1 shows position update process in the Local Leader phase. In Algorithm 1,  $MG$  is the maximum number of groups in the swarm and  $pr$  is the perturbation rate which

---

#### Algorithm 1 Position update process in Local Leader Phase:

---

```

for each  $k \in \{1, \dots, MG\}$  do
  for each member  $SM_i \in k^{th}$  group do
    for each  $j \in \{1, \dots, D\}$  do
      if  $U(0, 1) \geq pr$  then
         $SM_{newij} = SM_{ij} + U(0, 1) \times (LL_{kj} - SM_{ij}) + U(-1, 1) \times (SM_{rj} - SM_{ij})$ 
      else
         $SM_{newij} = SM_{ij}$ 
      end if
    end for
  end for
end for

```

---

controls the amount of perturbation in the current position. The range of  $pr$  is  $[0.1, 0.9]$  (explained in section 5.1).

### 3.1.3 Global Leader Phase (GLP)

After completion of the Local Leader phase, the Global Leader phase (GLP) starts. In GLP phase, all the SM's update their position using experience of Global Leader and local group member's experience. The position update equation for this phase is as follows:

$$SM_{newij} = SM_{ij} + U(0, 1) \times (GL_j - SM_{ij}) + U(-1, 1) \times (SM_{rj} - SM_{ij}) \quad (3)$$

where  $GL_j$  represents the  $j^{th}$  dimension of the global leader position and  $j \in \{1, 2, \dots, D\}$  is the randomly chosen index.

In this phase, the positions of spider monkeys ( $SM_i$ ) are updated based on a probabilities  $prob_i$  which are calculated using their fitness. In this way a better candidate will have a higher chance to make itself better. The probability  $prob_i$  may be calculated using following expression (there may be some other but it must be a function of fitness):

$$prob_i = 0.9 \times \frac{fitness_i}{max\_fitness} + 0.1, \quad (4)$$

here  $fitness_i$  is the fitness value of the  $i^{th}$  SM and  $max\_fitness$  is the maximum fitness in the group. Further, the fitness of the newly generated position of the SM's is calculated and compared with the old one and adopted the better position.

**Algorithm 2** Position update process in Global Leader Phase (GLP) :

---

```

for  $k = 1$  to  $MG$  do
     $count = 1$ ;
     $GS = k^{th}$  group size;
    while  $count < GS$  do
        for  $i = 1$  to  $GS$  do
            if  $U(0, 1) < prob_i$  then
                 $count = count + 1$ .
                Randomly select  $j \in \{1 \dots D\}$ .
                Randomly select  $SM_r$  from  $k^{th}$  group s.t.  $r \neq i$ .
                 $SM_{newij} = SM_{ij} + U(0, 1) \times (GL_j - SM_{ij}) + U(-1, 1) \times (SM_{rj} - SM_{ij})$ .
            end if
        end for
        if  $i$  is equal to  $GS$  then
             $i = 1$ ;
        end if
    end while
end for

```

---

*3.1.4 Global Leader Learning (GLL) phase*

In this phase, the position of the global leader is updated by applying the greedy selection in the population i.e., the position of the SM having best fitness in the population is selected as the updated position of the global leader. Further, it is checked that the position of global leader is updating or not and if not then the *GlobalLimitCount* is incremented by 1.

*3.1.5 Local Leader Learning (LLL) phase*

In this phase, the position of the local leader is updated by applying the greedy selection in that group i.e., the position of the SM having best fitness in that group is selected as the updated position of the local leader. Next, the updated position of the local leader is compared with the old one and if the local leader is not updated then the *LocalLimitCount* is incremented by 1.

*3.1.6 Local Leader Decision (LLD) phase*

If any Local Leader position is not updated up to a predetermined threshold called *LocalLeaderLimit*, then all the members of that group update their positions either by random initialization or by using combined information from Global Leader and Local Leader through equation (5), based on the *pr*.

$$SM_{newij} = SM_{ij} + U(0, 1) \times (GL_j - SM_{ij}) + U(0, 1) \times (SM_{ij} - LL_{kj}); \quad (5)$$

It is clear from the equation (5) that the updated dimension of this SM is attracted towards global leader and repel from the local leader. The pseudo code of LLD phase for  $k^{th}$  group is shown in Algorithm 3. In this algorithm *LocalLimitCount<sub>k</sub>* is the trial counter for the local best solution of  $k^{th}$  group.

*3.1.7 Global Leader Decision (GLD) phase*

In this phase, the position of global leader is monitored and if it is not updated up to a predetermined number of iterations called *GlobalLeaderLimit*, then the global leader divides the population into smaller groups. Firstly, the population is divided into two groups and then three groups and so on till the maximum number of groups ( $MG$ ) are formed as shown in the Figures 2-5. Each time in GLD phase, LLL process is initiated to elect the local leader in the newly formed groups. The case in which maximum number of groups are formed and even then the position of global leader is not updated then the global leader combines all the groups to form a single group. Thus the proposed algorithm is inspired from fusion-fission structure of SMs. The working of this phase is shown in Algorithm 4. The complete pseudo-code of the proposed strategy is given in Algorithm 5:

**Algorithm 3** Local Leader Decision Phase:

---

```

for  $k = \{1 \dots MG\}$  do
  if  $LocalLimitCount_k > LocalLeaderLimit$  then
     $LocalLimitCount_k = 0$ .
     $GS = k^{th}$  group size;
    for  $i \in \{1 \dots GS\}$  do
      for each  $j \in \{1 \dots D\}$  do
        if  $U(0, 1) \geq pr$  then
           $SM_{new_{ij}} = SM_{min_{ij}} + U(0, 1) \times (SM_{max_{ij}} - SM_{min_{ij}})$ 
        else
           $SM_{new_{ij}} = SM_{ij} + U(0, 1) \times (GL_j - SM_{ij}) + U(0, 1) \times (SM_{ij} - LL_{kj})$ 
        end if
      end for
    end for
  end if
end for

```

---




Fig. 2: SMO topology: single group

**Algorithm 4** Global Leader Decision Phase:

---

```

if  $GlobalLimitCount > GlobalLeaderLimit$  then
   $GlobalLimitCount = 0$ 
  if Number of groups  $< MG$  then
    Divide the population into groups.
  else
    Combine all the groups to make a single group.
  end if
  Update Local Leaders position.
end if

```

---

## 3.2 Control Parameters in SMO

It is clear from the above discussion that there are four control parameters in SMO algorithm: the value of  $LocalLeaderLimit$ ,  $GlobalLeaderLimit$ , the maximum group  $MG$  and perturbation rate  $pr$ . Some settings of control parameters are suggested as follows:

- $MG = N/10$ , i.e., it is chose such that minimum number of SM's in a group should be 10




Fig. 3: SMO topology: swarm is divided into two group




Fig. 4: SMO topology: swarm is divided into three group

- *GlobalLeaderLimit* should be  $\in [N/2, 2 \times N]$ ,
- *LocalLeaderLimit* should be  $D \times N$ ,






Fig. 5: SMO topology: minimum size group

**Algorithm 5** Spider Monkey Optimization (SMO) Algorithm:

1. Initialize Population, *LocalLeaderLimit*, *GlobalLeaderLimit*, *pr*.
2. Calculate fitness (i.e., the distance of individuals from food sources).
3. Select global leader and local leaders by applying greedy selection (see section 3.1.4, 3.1.5).
- while** (Termination criteria is not satisfied) **do**
  - (i) For finding the objective (Food Source), generate the new positions for all the group members by using self experience, local leader experience and group members experience.[Refer Algorithm 1].
  - (ii) Apply the greedy selection process between existing position and newly generated position, based on fitness and select the better one;
  - (iii) Calculate the probability  $prob_i$  for all the group members using equation (4).
  - (iv) Produce new positions for the all the group members, selected by  $prob_i$ , by using self experience, global leader experience and group members experiences. [Refer Algorithm 2].
  - (v) Update the position of local and global leaders, by applying the greedy selection process on all the groups (see section 3.1.4, 3.1.5).
  - (vi) If any Local group leader is not updating her position after a specified number of times (*LocalLeaderLimit*) then re-direct all members of that particular group for foraging by algorithm (3)
  - (vii) If Global Leader is not updating her position for a specified number of times (*GlobalLeaderLimit*) then she divides the group into smaller groups by algorithm (4).
- end while**

–  $pr \in [0.1, 0.9]$ ,

here,  $N$  is the swarm size.

**4 Discussion**

Exploration and exploitation are the two important characteristics of the population/swarm-based optimization algorithms [9, 17, 35, 25]. In optimization algorithms, the exploration represents the ability to discover the global optimum by investigating the various unknown regions in the solution search space. While, the exploitation represents the ability to find better solutions by implementing the knowledge of the previous good solutions. In behavior, the exploration and exploitation contradict with each other, however both abilities should be well balanced to achieve better optimization performance [40]. It is expected from a good search process that it should explore the new solutions, while maintaining satisfactory performance by exploiting existing solutions [12].

The inherent drawback with most of the population based stochastic algorithms is premature convergence. ABC, DE and PSO are not exceptions [15, 20, 2]. Dervis Karaboga and Bahriye Akay [15] compared the different variants of ABC and found that ABC shows poor performance and remains inefficient in exploring the search space. The solution search equation of ABC is significantly influenced by a random quantity which helps in exploration at the cost of exploitation of the search space [42]. Further, Mezura-Montes et al. [20] analyzed DE and its variants for global optimization and found that DE has deficiency of premature convergence and stagnation. Also some studies proved that DE sometimes stops proceeding toward the global optima even though the population has not converged to local optima or any other point [18]. Price et al. [28] also drawn the same conclusions regarding DE. However the standard PSO has the capability to get a good solution at a significantly faster rate but, when it is compared to other optimization techniques, it is weak to refine the optimum solution, mainly due to less diversity in later search [2]. On the different side, problem-based tuning of parameters is required in PSO, to get an optimum solution accurately and efficiently [33]. Therefore, it is clear that if a population based algorithm is capable of balancing between exploration and exploitation of the search space, then the algorithm is regarded as an efficient algorithm. From this point of view ABC, PSO and DE are not efficient algorithms. The problems of premature convergence and stagnation is a matter of serious consideration for designing a comparatively efficient nature inspired algorithms (NIAs). By keeping in mind the existing drawbacks of NIAs, SMO is designed in this paper.

In the proposed algorithm, the first phase named '*Local Leader phase*' is used to explore the search region as in this phase all the members of the groups update their positions with high perturbation in the dimensions. The perturbation is high for initial iterations and gradually reducing in later iterations. The second phase '*Global Leader phase*' promotes the exploitation as in this phase, better candidates get more chance to update and in position update process, only single randomly selected dimension is updated. The third and fourth phase namely '*Local Leader Learning phase*' and '*Global Leader Learning phase*', are used to check that the search process is not stagnated. In these two phases, it is checked that the local best and global best solutions are updating or not in a predefined number of trials. If not then the solution is considered stagnated. The fifth phase '*Local Leader Decision phase*' is used to avoid the stagnation or premature convergence of local solutions. In this phase, if the local best solution is not updated in a predefined number of trials (*LocalLeaderLimit*) then all the members of that group are re-initialized. In this phase, all the dimensions of the individuals are initialized either randomly or by using global best solution and local best solution. Further, the *Global Leader Decision phase* is used to avoid stagnation of the global best solution. In this phase if the global best solution is not updated within a predefined number of trials (*GlobalLeaderLimit*) then the group is divided into smaller subgroups. The benefit of this structured group strategy is that initially there is a single group so every newly generated food source is attracted towards the best food source (in this case the global best will be the local best also), thereby converging faster to the solution. But as a results of such exploitative tendency, in many cases, the population may skip the global minima and can get stuck into local minima. Therefore, to avoid this situation, if global minima is not updating itself for a predefined number of times then the group is divided into subgroups. Now every new solution will be attracted towards the respective subgroup's local best food source, hence contributes in the exploration of the search space. When the maximum number of subgroups have been formed and even though the global optima is not updating its position then all the subgroups are combined to form a single group and process repeats itself. Therefore, this phase helps to balance the exploration and exploitation capability of the algorithm while maintaining the convergence speed. From above discussion, it is clear that SMO tries to balance the diversity in the population/swarm and hence can be considered as a new candidate in the field of population based algorithms like ABC [15], PSO [17], DE [35] etc. In ABC, DE and PSO, the position update equation is based on the difference vector and so is the case with SMO. Therefore, it may be considered in the category of ABC, PSO and DE algorithms.

## 5 Experimental Results

In order to analyze the performance of SMO algorithm, 26 different global optimization problems ( $f_1$  to  $f_{26}$ ) are selected (listed in Table 1). These are continuous, un-biased optimization problems and have different degrees of complexity and multimodality. Test problems  $f_1 - f_{19}$  and  $f_{24} - f_{26}$  are taken from [1] and test problems  $f_{20} - f_{23}$  are taken from [36] with the associated offset values. This set is large enough to include different kinds of problems such as unimodal, multimodal, separable and non-separable. A unimodal function  $f(x)$  has a single extremum (minimum or maximum in the range specified for  $x$ ). On the other hand if a function has more than one peaks in the search space i.e., local extremum, this function is called multimodal. Multimodal functions are used to test the ability of algorithms getting

rid of local minima. If the exploration process of an algorithm is poor then it will not be able to search the whole search space efficiently and will stuck to some local optima. Functions having flat surfaces are also difficult for algorithms since, the flatness of the function does not give any information to the algorithm to direct the search process towards the minima.

### 5.1 Experimental setting

Swarm size, perturbation rate ( $pr$ ),  $LLL$ ,  $GLL$  and maximum number of groups ( $MG$ ) are the parameters that affect the performance of the *SMO*, significantly. To fine tune (finding most suitable values) these parameters, sensitivity analyses with different values of these parameters have been carried out. Swarm size is varied from 40 to 160 with step size 20,  $pr$  is varied from 0.1 to 0.9 with step size 0.1,  $MG$  is varied from 1 to 6 with step size 1,  $LLL$  is varied from 100 to 2500 with step size 200 and  $GLL$  is varied from 10 to 220 with step size 30. At a time only one parameter is varied while all other parameters are kept fixed. This fine tuning is done with the following assumptions:

- $pr$  is varied from 0.1 to 0.9 while  $MG$ ,  $LLL$ ,  $GLL$  and Swarm size are fixed to be 5, 1500, 50, and 50, respectively.
- $MG$  is varied from 1 to 6 while  $LLL$ ,  $GLL$  and Swarm size are fixed to be 1500, 50, and 50, respectively.  $pr$  is linearly increasing from 0.1 to 0.4 through iterations.
- $GLL$  is varied from 10 to 220 while  $LLL$ ,  $MG$  and Swarm size are fixed to be 1500, 5, and 50, respectively.  $pr$  is linearly increasing from 0.1 to 0.4 through iterations.
- $LLL$  is varied from 100 to 2500 while  $MG$ ,  $GLL$  and Swarm size are fixed to be 5, 50, and 50, respectively.  $pr$  is linearly increasing from 0.1 to 0.4 through iterations.
- Swarm size is varied from 40 to 160 while  $LLL$ ,  $GLL$  and  $MG$  are fixed to be 1500, 50, and 5, respectively.  $pr$  is linearly increasing from 0.1 to 0.4 through iterations.

For the purpose of sensitivity analysis, 6 test problems are considered and each problem is simulated 30 times. Effects of these parameters are shown in Figures 6(a)- 6(f) respectively. It is clear from Figure 6(a) that *SMO* is very sensitive towards  $pr$ . *SMO* performs better on some problems with small values of  $pr$  while on some, it performs better with large values of  $pr$ . Therefore, the value of  $pr$  is adopted linearly increasing over iterations to consider the dynamic nature of parameter  $pr$ . It should be noted that this setting of  $pr$  is not general. For a particular problem a different setting of  $pr$  may provide better results. Further, by analyzing Figure 6(b), it can be stated that the value of  $MG = 5$  gives comparatively better results for the given set of test problems. Sensitivity of *GlobalLeaderLimit*( $GLL$ ) and *LocalLeaderLimit*( $LLL$ ) can be analyzed by Figure 6(c) and Figure 6(d). It is observed that the value of  $GLL = 50$  and  $LLL = 1500$  gives better results on the considered benchmark optimization problems. Further, swarm size is analyzed in Figure 6(e) and Figure 6(f). It is clear from Figure 6(e) that *SMO* is quite sensitive with respect to the swarm size. The optimum value of swarm size around 40 can be observed from the Figure 6(e) and 6(f).

To prove the efficiency of *SMO* algorithm, it is compared with four state-of-art algorithms, namely PSO [4] (based on Standard PSO 2006 but with linearly decreasing inertia weight, modified velocity update equation and a different parameters setting), ABC [14], DE (*DE/rand/bin/1*) [35] and Covariance Matrix Adaptation Evolution Strategies (CMA-ES) [11]. For the comparison, same stopping criteria, number of simulations and maximum number of function evaluations are used for all the considered algorithms. The values of parameters for the considered algorithms are as follows:

#### SMO parameters setting:

- The Swarm size  $N = 50$ ,
- $MG = 5$ ,
- *GlobalLeaderLimit*=50,
- *LocalLeaderLimit*=1500,
- $pr \in [0.1, 0.4]$ , linearly increasing over iterations,

$$pr_{G+1} = pr_G + (0.4 - 0.1)/MIR; pr_1 = 0.1. \quad (6)$$

where,  $G$  is the iteration counter,  $MIR$  is the maximum number of iterations.

- The stopping criteria is either maximum number of function evaluations (which is set to be  $2.0 \times 10^5$ ) is reached or the corresponding acceptable error (mentioned in Table 1) have been achieved,

- The number of simulations (or run) =100.

#### ABC parameters setting:

- Colony size  $SN=100$ ,
- Number of food sources  $SN/2$ ,
- $limit = 1500$  [14],

#### DE parameters setting:

- The crossover probability  $CR=0.9$  [8],
- The scale factor which controls the implication of the differential variation  $F=0.5$  [27],
- Population size  $NP=50$ .

#### PSO parameters setting:

- Inertia Weight ( $w$ ), decreases linearly from 1 to 0.1,
- Acceleration coefficients ( $c_1 = 2, c_2 = 2$ ),
- Swarm size  $S=50$ .

#### CMA-ES parameters setting [10]:

All parameter settings for CMA-ES is kept same as in [10]. The results of CMA-ES are obtained by the source code provided at its developer's webpage, <http://www.bionik.tu-berlin.de/user/niko/index.html>.

## 5.2 Results Analysis of Experiments

Numerical results for benchmark problems of Table 1 with the experimental settings given in subsection 5.1 are given in Table 2. In Table 2, standard deviation (SD), mean error (ME), average number of function evaluations (AFE), and success rate (SR) are reported for test problems  $f_1$  to  $f_{26}$ . The  $AFE$  is the average of the function evaluations that are required to reach at the termination criteria in 100 runs. In other words,

$$AFE = \frac{\sum_{i=1}^{100} \# \text{ of function evaluations to meet the termination criteria for run } i}{100}$$

Table 2 shows that most of the time SMO outperforms in terms of reliability, efficiency and accuracy. Some more intensive statistical analyses based on boxplots, the Mann-Whitney rank sum test, performance indices [6], and acceleration rate (AR) [29] have been carried out for the results of DE, PSO, ABC, CMA-ES and SMO.




Fig. 6: Effect of parameters on success rate for functions  $f_9$ ,  $f_{12}$ ,  $f_{14}$ ,  $f_{18}$ ,  $f_{25}$  and  $f_{26}$  (a) when  $pr$  is varied (b) when  $MG$  is varied (c) when Global Leader Limit is varied (d) when Local Leader Limit is varied (e) Swarm Size v/s Successful Runs (f) Swarm Size v/s Average number of function evaluations.

Table 1: Benchmark functions used in experiments 1. D: Dimensions, C: Characteristic, U: Unimodal, M: Multimodal, S: Separable, N: Non-Separable, AE: Acceptable Error

Test Problem	Objective function	Search Range	Optimum Value	D	C	AE
Schweffel function 1.2	$f_1(x) = \sum_{i=1}^D (\sum_{j=1}^i x_j)^2$	$[-100, 100]$	0	30	UN	$1.0E-03$
Step function	$f_2(x) = \sum_{i=1}^D ( x_i + 0.5 )^2$	$[-100, 100]$	0	30	US	$1.0E-03$
Schweffel function	$f_3(x) = -\sum_{i=1}^D (x_i \sin \sqrt{ x_i })$	$[-500, 500]$	$-418.9829 \times D$	30	MS	$1.0E-03$
Rastrigin	$f_4(x) = 10D + \sum_{i=1}^D [x_i^2 - 10 \cos(2\pi x_i)]$	$[-5.12, 5.12]$	0	30	MS	$1.0E-03$
Levy function 1	$f_5(x) = \frac{\pi}{D} [10 \sin^2(\pi y_1) + \sum_{i=1}^{D-1} (y_i - 1)^2 (1 + 10 \sin^2(\pi y_{i+1})) + (y_D - 1)^2] + \sum_{i=1}^D u(x_i, 10, 100, 4)$ , where $y_i = 1 + \frac{1}{4}(x_i + k(x_i - a)^m, x_i > a;$ 1) and $u(x_i, a, k, m) = \begin{cases} 0, & -a \leq x_i \leq a; \\ k(-x_i - a)^m, & x_i < a. \end{cases}$	$[-50, 50]$	0	30	MN	$1.0E-03$
Levy function 2	$f_6(x) = 0.1(\sin^2(3\pi x_1) + \sum_{i=1}^{D-1} [(x_i - 1)^2 (1 + \sin^2(3\pi x_{i+1}))] + (x_D - 1)^2 (1 + \sin^2(2\pi x_D))) + \sum_{i=1}^D u(x_i, 5, 100, 4)$	$[-65.536, 65.536]$	0.998	2	MN	$1.0E-03$
Shekel Foxholes Function	$f_7(x) = [\frac{1}{500} + \sum_{j=1}^{25} \frac{1}{j + \sum_{i=1}^2 (x_i - A_{ij})^6}]^{-1}$	$[-5, 5]$	0.0003075	4	MN	$1.0E-03$
Kowalik function	$f_8(x) = \sum_{i=1}^{11} \left[ \frac{a_i - \frac{x_1(b_i^2 + b_i x_2)}{b_i^2 + b_i x_3 + x_4}}{b_i^2 + b_i x_3 + x_4} \right]^2$	$[-5, 5]$	-1.0316	2	MN	$1.0E-03$
Six-hump camel back	$f_9(x) = (4 - 2.1x_1^2 + \frac{x_1^4}{3})x_1^2 + x_1x_2 + (-4 + 4x_2^2)x_2^2$	$x_1 \in [-5, 10], x_2 \in [0, 15]$	0.397887	2	MN	$1.0E-03$
Branin RCOS function	$f_{10}(x) = (x_2 - \frac{5}{4\pi}x_1^2 + \frac{x_1}{\pi}x_1 - 6)^2 + 10(1 - \frac{1}{8\pi}) \cos x_1 + 10$	$[0, 1]$	-3.86278	3	MN	$1.0E-03$
Goldstien & Price function	$f_{11}(x) = [1 + (x_1 + x_2 + 1)^2 (19 - 14x_1 + 13x_1^2 - 14x_2 + 6x_1x_2 + 3x_2^2)] * [30 + (2x_1 - 3x_2)^2 (18 - 32x_1 + 12x_1^2 - 48x_2 - 36x_1x_2 + 27x_2^2)]$	$[0, 1]$	-3.32237	6	MN	$1.0E-03$
Hartmann function 3	$f_{12}(x) = -\sum_{i=1}^4 \alpha_i \exp[-\sum_{j=1}^3 A_{ij}(x_j - P_{ij})^2]$	$[0, 10]$	-10.1532	4	MN	$1.0E-03$
Hartmann function 6	$f_{13}(x) = -\sum_{i=1}^4 \alpha_i \exp[-\sum_{j=1}^6 B_{ij}(x_j - Q_{ij})^2]$	$[0, 10]$	-10.4029	4	MN	$1.0E-03$
Shkel function 5	$f_{14}(x) = -\sum_{j=1}^5 [\sum_{i=1}^4 (x_i - C_{ij})^2 + \beta_j]^{-1}$	$[0, 10]$	-10.5364	4	MN	$1.0E-03$
Shkel function 7	$f_{15}(x) = -\sum_{j=1}^7 [\sum_{i=1}^4 (x_i - C_{ij})^2 + \beta_j]^{-1}$	$[-10, 10]$	0	30	US	$1.0E-05$
Shkel function 10	$f_{16}(x) = -\sum_{j=1}^{10} [\sum_{i=1}^4 (x_i - C_{ij})^2 + \beta_j]^{-1}$	$[-5.12, 5.12]$	0	30	US	$1.0E-05$
Cigar	$f_{17}(x) = x_0^2 + 100000 \sum_{i=1}^D x_i^2$	$[-4.5, 4.5]$	0	2	UN	$1.0E-05$
Axis parallel hyper-ellipsoid	$f_{18}(x) = \sum_{i=1}^D i x_i^2$	$[-100, 100]$	-450	10	US	$1.0E-05$
Beale	$f_{19}(x) = [1.5 - x_1(1 - x_2)]^2 + [2.25 - x_1(1 - x_2^2)]^2 + [2.625 - x_1(1 - x_2^3)]^2$	$[-100, 100]$	-450	10	UN	$1.0E-05$
Shifted Sphere	$f_{20}(x) = \sum_{i=1}^D z_i^2 + f_{bias}, z = x - o, x = [x_1, x_2, \dots, x_D], o = [o_1, o_2, \dots, o_D]$	$[-100, 100]$	-180	10	MN	$1.0E-05$
Shifted Schwefel	$f_{21}(x) = \sum_{i=1}^D (\sum_{j=1}^i z_j)^2 + f_{bias}, z = x - o, x = [x_1, x_2, \dots, x_D], o = [o_1, o_2, \dots, o_D]$	$[-600, 600]$	-140	10	MS	$1.0E-05$
Shifted Griewank	$f_{22}(x) = \sum_{i=1}^D \frac{z_i^2}{4000} - \prod_{i=1}^D \cos(\sqrt{\frac{z_i}{4000}}) + 1 + f_{bias}, z = (x - o), x = [x_1, x_2, \dots, x_D], o = [o_1, o_2, \dots, o_D]$	$[-32, 32]$	-1	2	UN	$1.0E-13$
Shifted Ackley	$f_{23}(x) = -20 \exp(-0.2 \sqrt{\frac{1}{D} \sum_{i=1}^D z_i^2}) - \exp(\frac{1}{D} \sum_{i=1}^D \cos(2\pi z_i)) + 20 + e + f_{bias}, z = (x - o), x = (x_1, x_2, \dots, x_D), o = [o_1, o_2, \dots, o_D]$	$[-20, 20]$	-24777	2	MN	$5.0E-01$
Easom's function	$f_{24}(x) = -\cos x_1 \cos x_2 e^{(-(x_1 - \pi)^2 - (x_2 - \pi)^2)}$	$[-10, 10]$	-186.7309	2	MN	$1.0E-05$
Dekkers and Aarts Shubert	$f_{25}(x) = 10^5 x_1^2 + x_2^2 - (x_1^2 + x_2^2)^2 + 10^{-5}(x_1^2 + x_2^2)^4$	$[-20, 20]$				
	$f_{26}(x) = -\sum_{i=1}^5 i \cos((i+1)x_1 + 1) \sum_{j=1}^5 i \cos((i+1)x_2 + 1)$	$[-10, 10]$				

Table 2: Experimental Results

Test Function	Algorithm	SD	ME	AFE	SR
$f_1$	DE	1.42E-04	8.68E-04	27378	100
	PSO	6.72E-05	9.34E-04	45914.5	100
	ABC	2.02E-04	7.57E-04	35901	100
	CMA-ES	2.90E-04	7.10E-04	21248	100
	SMO	8.38E-05	8.88E-04	15128.19	100
$f_2$	DE	3.54E-01	1.00E-01	25858	95
	PSO	2.36E-04	2.53E-04	38273.5	100
	ABC	5.92E-04	6.35E-04	20244	100
	CMA-ES	1.77E+00	1.44E+00	72184	36
	SMO	1.20E-05	2.34E-04	12018.41	100
$f_3$	DE	6.12E+02	2.24E+03	200000	0
	PSO	6.70E+02	2.80E+03	200000	0
	ABC	1.18E+01	1.19E+00	170335	76
	CMA-ES	8.96E+02	7.64E+03	200000	0
	SMO	1.11E+02	7.67E+01	180525.04	65
$f_4$	DE	4.93E+00	1.54E+01	200000	0
	PSO	1.35E+01	3.80E+01	200000	0
	ABC	3.14E-04	4.72E-04	87039	100
	CMA-ES	1.36E+01	5.18E+01	200000	0
	SMO	2.33E-04	3.39E-04	83158.66	100
$f_5$	DE	1.45E-02	2.90E-03	24490.5	98
	PSO	1.44E-02	2.98E-03	52777.5	98
	ABC	2.19E-04	7.48E-04	29301	100
	CMA-ES	3.40E-02	7.20E-04	23254	88
	SMO	1.61E-04	6.52E-04	16176	100
$f_6$	DE	1.78E-03	1.15E-03	26753	97
	PSO	2.58E-03	1.62E-03	51446	93
	ABC	1.96E-04	7.89E-04	32604	100
	CMA-ES	4.50E-03	1.70E-03	13756	86
	SMO	1.43E-04	1.07E-04	23728.83	100
$f_7$	DE	7.15E-05	2.39E-04	2632.5	100
	PSO	3.09E-04	3.06E-04	3778	100
	ABC	2.79E-04	1.93E-04	1306	100
	CMA-ES	6.87E+00	1.04E+01	200000	0
	SMO	2.68E-04	2.02E-04	919.71	100
$f_8$	DE	2.14E-04	8.32E-04	8170	97
	PSO	1.33E-04	8.39E-04	1957	100
	ABC	1.34E-04	8.43E-04	7525.37	100
	CMA-ES	4.20E-03	1.50E-03	13434	88
	SMO	1.38E-04	8.51E-04	2214.37	100
$f_9$	DE	1.01E-04	4.44E-04	1686.5	100
	PSO	3.05E-04	4.80E-04	1318	100
	ABC	3.11E-04	5.08E-04	899	100
	CMA-ES	5.20E-11	6.03E-04	619	100
	SMO	2.99E-04	4.02E-04	529.65	100
$f_{10}$	DE	1.32E-04	4.89E-04	2081	100
	PSO	2.82E-04	4.81E-04	1445.5	100
	ABC	2.79E-04	4.77E-04	1480	100
	CMA-ES	1.40E-07	3.98E-04	594	100
	SMO	2.91E-04	4.25E-04	673.2	100
$f_{11}$	DE	1.20E-04	4.78E-04	1608	100
	PSO	2.70E-04	4.83E-04	1900.5	100
	ABC	3.08E-04	4.88E-04	2925.11	100
	CMA-ES	2.51E-01	1.43E-02	2052	78
	SMO	2.96E-04	4.85E-04	866.25	100

to be cont'd on next page

Table 2: Experimental Results (Cont.)

Test Function	Algorithm	SD	ME	AFE	SR
$f_{12}$	DE	1.04E-04	5.01E-04	1334	100
	PSO	2.46E-04	5.77E-04	1080.5	100
	ABC	2.64E-04	5.48E-04	1415	100
	CMA-ES	4.80E-08	9.25E-04	996	100
	SMO	2.66E-04	5.15E-04	598.95	100
$f_{13}$	DE	5.22E-02	8.84E-02	149112	26
	PSO	5.63E-02	4.29E-02	76074	64
	ABC	2.33E-04	6.81E-04	4652	100
	CMA-ES	5.80E-02	3.80E-03	22330	48
	SMO	1.18E-02	1.86E-03	27278.86	99
$f_{14}$	DE	1.05E+00	1.50E-01	7962	98
	PSO	1.36E+00	2.75E-01	16708.5	96
	ABC	2.56E-04	5.74E-04	6656	100
	CMA-ES	2.58E-02	3.18E-02	42561	40
	SMO	2.58E-04	6.40E-04	17592.18	100
$f_{15}$	DE	1.65E-04	5.63E-04	3659.5	100
	PSO	2.35E-04	6.89E-04	5435	100
	ABC	2.93E-04	5.90E-04	8222.32	100
	CMA-ES	1.74E-01	1.25E-02	35632	48
	SMO	2.57E-04	6.62E-04	9519.46	100
$f_{16}$	DE	6.67E-01	6.76E-02	5620	99
	PSO	2.56E-04	6.57E-04	5463.5	100
	ABC	2.82E-04	5.75E-04	9584.35	100
	CMA-ES	2.54E-02	2.15E-03	11234	52
	SMO	2.48E-04	6.53E-04	7605.82	100
$f_{17}$	DE	1.34E-06	8.63E-06	40678	100
	PSO	5.46E-07	9.38E-06	69416.5	100
	ABC	1.82E-06	8.25E-06	63993	100
	CMA-ES	6.61E-06	2.51E-05	10318	100
	SMO	9.45E-07	8.94E-06	22477.95	100
$f_{18}$	DE	1.31E-06	8.60E-06	26463.5	100
	PSO	6.13E-07	9.37E-06	44129.5	100
	ABC	2.00E-06	8.18E-06	41861	100
	CMA-ES	1.06E-06	7.03E-06	16463	100
	SMO	7.62E-07	8.96E-06	14679.72	100
$f_{19}$	DE	1.13E-06	4.72E-06	1849	100
	PSO	2.67E-06	4.22E-06	2762	100
	ABC	2.42E-06	7.81E-06	31948.76	100
	CMA-ES	1.01E-06	1.17E-06	1247.16	100
	SMO	2.58E-06	4.81E-06	1569.15	100
$f_{20}$	DE	2.03E-06	7.46E-06	10805.5	100
	PSO	1.47E-06	8.07E-06	15854.5	100
	ABC	2.16E-06	7.35E-06	17112	100
	CMA-ES	8.12E-06	6.38E-06	13805.5	100
	SMO	1.86E-06	7.65E-06	5898.42	100
$f_{21}$	DE	3.39E+03	1.21E+05	200000	0
	PSO	1.01E+03	7.84E+02	200000	0
	ABC	3.96E+03	1.31E+04	200000	0
	CMA-ES	1.00E+03	1.84E+02	200000	0
	SMO	1.18E+03	1.84E+04	200000	0
$f_{22}$	DE	1.20E-02	1.34E-02	165684	22
	PSO	2.77E-02	4.28E-02	198768.5	2
	ABC	2.86E-03	1.09E-03	101707.2	86
	CMA-ES	5.63E-04	1.03E-04	95707.2	96
	SMO	6.03E-03	2.68E-03	130922.94	77

to be cont'd on next page



Table 2: Experimental Results (Cont.)

Test Function	Algorithm	SD	ME	AFE	SR
$f_{23}$	DE	1.21E-06	8.85E-06	15959	100
	PSO	8.69E-07	9.10E-06	24687.5	100
	ABC	1.71E-06	8.09E-06	32415	100
	CMA-ES	2.35E-06	5.37E-06	17365	100
	SMO	1.13E-06	8.66E-06	9069.39	100
$f_{24}$	DE	7.36E-15	4.50E-14	5210	100
	PSO	2.87E-14	5.13E-14	9778	100
	ABC	5.64E-07	5.71E-08	128925.18	52
	CMA-ES	8.17E-14	7.83E-14	9612	100
	SMO	2.69E-14	4.71E-14	11789.91	100
$f_{25}$	DE	1.12E-03	4.90E-01	2725.5	100
	PSO	5.64E-03	4.91E-01	4979	100
	ABC	5.25E-03	4.90E-01	2567	100
	CMA-ES	6.07E-03	7.91E-01	1725.5	100
	SMO	4.98E-03	4.89E-01	1258.29	100
$f_{26}$	DE	2.16E-06	4.78E-06	9663	100
	PSO	4.01E-04	1.01E-04	72252.5	83
	ABC	5.95E-06	5.32E-06	8248.56	100
	CMA-ES	6.27E-06	7.32E-06	14262	100
	SMO	5.58E-06	4.97E-06	4379.76	100

### 5.3 Statistical Analysis

DE, PSO, ABC, CMA-ES and SMO are compared through SR, AFE, and ME. First SR of all these algorithms is compared and if it is not possible to distinguish the algorithms based on SR then comparison is made on the basis of AFE. ME is used for comparison if the comparison is not possible on the basis of SR and AFE both. From the results shown in Table 2, it is clear that SMO costs less on 14 function ( $f_1, f_2, f_4, f_5, f_6, f_7, f_9, f_{11}, f_{12}, f_{18}, f_{20}, f_{23}, f_{25}, f_{26}$ ) among all the considered algorithms. As these functions includes unimodel, multimodel, separable, non-separable, lower and higher dimension functions, it can be stated that SMO balances the exploration and exploitation capabilities efficiently. ABC outperform SMO over five test functions ( $f_3, f_{13}, f_{14}, f_{15}, f_{21}, f_{22}$ ) and four are multimodel functions. It shows that ABC perform better on multimodel functions as the solution search equation of ABC is significantly influenced by a random quantity which helps in exploration at the cost of exploitation of the search space [32]. CMA-ES outperforms over SMO on six test functions ( $f_{10}, f_{17}, f_{19}, f_{21}, f_{22}, f_{24}$ ) among these four test functions are unimodel functions. Generally speaking, the cost of CMA-ES is lower than those of SMO, ABC, DE and PSO for the unimodal functions. This is because CMA-ES is a local method devised for optimal exploitation of local information [21]. DE outperform over only two test functions ( $f_{15}, f_{24}$ ) in which  $f_{15}$  is unimodel and  $f_{24}$  is multimodel. Further, PSO performs better than SMO over five test function ( $f_8, f_{15}, f_{16}, f_{21}, f_{24}$ ) which all are non-separable functions as well as four are multimodel functions. Overall, SMO is better than DE over 24 test functions, PSO over 21 test functions, ABC over 20 test functions, and CMA-ES over 20 test functions of mixed characteristics, when compared separately. It means that when the results of all functions are evaluated together, the SMO algorithm is the cost effective algorithm for most of the functions.

For the purpose of comparison in terms of consolidated performance, boxplot analyses have been carried out for all the considered algorithms. The empirical distribution of data is efficiently represented graphically by the boxplot analysis tool [41]. The boxplots of average number of function evaluations for DE, PSO, ABC, CMA-ES and SMO are shown in Figure 7. It is clear from Figure 7(a) that SMO is cost effective in terms function evaluations as interquartile range and median of average number of function evaluations are low for SMO. When the considered algorithms are compared on the basis of standard deviation and success rate, it can be observed from Figure 7(b) and 7(c) that ABC and SMO have equal performance, while they perform better than DE, PSO and CMA-ES.

Though, it is clear from box plots that SMO is cost effective than DE, PSO, ABC, and CMA-ES i.e., SMO's result differs from the other, now to check, whether there exists any significant difference between algorithm's output or this




Fig. 7: Boxplots graph for (a) Average number of function evaluation, (b) Standard Deviation, and (c) Success Rate.

difference is due to some randomness, we require another statistical test. It can be observed from boxplots Figure 7(a) that average number of function evaluations used by the considered algorithms to solve the different problems are not normally distributed, so a non-parametric statistical test is required to compare the performance of the algorithms. The Mann-Whitney rank sum [19], a non-parametric test, is well established test for comparison among non-Gaussian data. In this paper, this test is performed at 5% level of significance ( $\alpha = 0.05$ ) between SMO - DE, SMO - PSO, SMO - ABC, and SMO - CMA-ES.

Table 3 shows the results of the Mann-Whitney rank sum test for the average function evaluations of 100 simulations. First we observed the significant difference by Mann-Whitney rank sum test i.e., whether the two data sets are significantly different or not. If significant difference is not seen (i.e., the null hypothesis is accepted) then sign '=' appears and when significant difference is observed i.e., the null hypothesis is rejected then compare the average number of function evaluations. And we use signs '+' and '-' for the case where SMO takes less or more average number of function evaluations than the other's, respectively. Therefore in Table 3, '+' shows that SMO is significantly better and '-' shows that SMO is worse. As Table 3 includes 79 '+' signs out of 104 comparisons. Therefore, it can be concluded that the results of SMO is significantly cost effective than DE, PSO, ABC and CMA-ES over considered test problems.

Further, to compare the considered algorithms, by giving weighted importance to SR, AFE and SD, performance indices (*PIs*) are calculated [6]. The values of *PI* for the DE, PSO, ABC and CMA-ES are calculated by using following

Table 3: Results based on mean function evaluations and the Mann-Whitney rank sum test at a  $\alpha = 0.05$  significance level ('+' indicates SMO is significantly better, '-' indicates SMO is significantly worse and '=' indicates that there is no significant difference),

TP: Test Problem.

TP	Mann-Whitney rank sum test with SMO				TP	Mann-Whitney rank sum test with SMO			
	DE	PSO	ABC	CMA-ES		DE	PSO	ABC	CMA-ES
$f_1$	+	+	+	+	$f_{14}$	-	-	-	+
$f_2$	+	+	+	+	$f_{15}$	-	-	-	+
$f_3$	+	+	-	+	$f_{16}$	-	-	+	+
$f_4$	+	+	+	+	$f_{17}$	+	+	+	-
$f_5$	+	+	+	+	$f_{18}$	+	+	+	+
$f_6$	+	+	+	-	$f_{19}$	+	+	+	-
$f_7$	+	+	+	+	$f_{20}$	+	+	+	+
$f_8$	+	-	+	+	$f_{21}$	=	=	=	=
$f_9$	+	+	+	+	$f_{22}$	+	+	-	-
$f_{10}$	+	+	+	-	$f_{23}$	+	+	+	+
$f_{11}$	+	+	+	+	$f_{24}$	-	-	+	-
$f_{12}$	+	+	+	+	$f_{25}$	+	+	+	+
$f_{13}$	+	+	-	-	$f_{26}$	+	+	+	+

equations:

$$PI = \frac{1}{N_p} \sum_{i=1}^{N_p} (k_1 \alpha_1^i + k_2 \alpha_2^i + k_3 \alpha_3^i)$$

Where  $\alpha_1^i = \frac{Sr^i}{Tr^i}$ ;  $\alpha_2^i = \begin{cases} \frac{Mf^i}{Af^i}, & \text{if } Sr^i > 0. \\ 0, & \text{if } Sr^i = 0. \end{cases}$ ; and  $\alpha_3^i = \frac{Mo^i}{Ao^i}$

$i = 1, 2, \dots, N_p$

- $Sr^i$  = Successful simulations/runs of  $i^{th}$  problem.
- $Tr^i$  = Total simulations of  $i^{th}$  problem.
- $Mf^i$  = Minimum of average number of function evaluations used for obtaining the required solution of  $i^{th}$  problem.
- $Af^i$  = Average number of function evaluations used for obtaining the required solution of  $i^{th}$  problem.
- $Mo^i$  = Minimum of standard deviation obtained for the  $i^{th}$  problem.
- $Ao^i$  = Standard deviation obtained by an algorithm for the  $i^{th}$  problem.
- $N_p$  = Total number of optimization problems evaluated.

The weights assigned to SR, AFE and SD are represented by  $k_1, k_2$  and  $k_3$  respectively, where  $k_1 + k_2 + k_3 = 1$  and  $0 \leq k_1, k_2, k_3 \leq 1$ . To calculate the  $PI$ s, equal weights are assigned to two variables while weight of the remaining variable vary from 0 to 1 as given in [6]. Following are the resultant cases:

1.  $k_1 = W, k_2 = k_3 = \frac{1-W}{2}, 0 \leq W \leq 1$ ;
2.  $k_2 = W, k_1 = k_3 = \frac{1-W}{2}, 0 \leq W \leq 1$ ;
3.  $k_3 = W, k_1 = k_2 = \frac{1-W}{2}, 0 \leq W \leq 1$

The graphs corresponding to each of the cases (1), (2) and (3) for the considered algorithms are shown in Figures 8(a), 8(b), and 8(c) respectively. In these figures the weights  $k_1, k_2$  and  $k_3$  are represented by horizontal axis while the  $PI$  is represented by the vertical axis.

In case (1), AFE and SD are given equal weights.  $PI$ s of the considered algorithms are superimposed in Figure 8(a) for comparison of the performance. It is observed that  $PI$  of SMO is higher than the considered algorithms. In case (2), equal weights are assigned to SR and AFE and in case (3), equal weights are assigned to SR and AFE. It is clear from Figure 8(b) and Figure 8(c) that the algorithms perform same as in case (1).

Further, we compare the convergence speed of the considered algorithms by measuring the AFEs. A smaller AFEs means higher convergence speed. In order to minimize the effect of the stochastic nature of the algorithms, the reported function evaluations for each test problem is the average over 100 runs. In order to compare convergence speeds, we use the acceleration rate (AR) which is defined as follows, based on the AFEs for the two algorithms ALGO and SMO:




Fig. 8: Performance index for test problems; (a) for case (1), (b) for case (2) and (c) for case (3).

$$AR = \frac{AFE_{ALGO}}{AFE_{SMO}}, \quad (7)$$

where,  $ALGO \in \{DE, PSO, ABC, CMA-ES\}$  and  $AR > 1$  means SMO is faster. In order to investigate the  $AR$  of the proposed algorithm compare to the considered algorithms, results of Table 2 are analyzed and the value of  $AR$  is calculated using equation (7). Table 4 shows a clear comparison between SMO and DE, SMO and PSO, SMO and ABC, and SMO and CMA-ES in terms of  $AR$ . It is clear from the Table 4 that convergence speed of SMO is better than considered algorithms for most of the functions.

## 6 Conclusion

In this paper, a new swarm intelligence algorithm for optimization is proposed. The inspiration is from the social behavior of spider monkeys. The proposed algorithm is proved to be very flexible in the category of swarm intelligence based algorithms. With the help of numerical experiments over test and real world optimization problems, it has been shown that, for most of the problems the reliability (due to success rate), efficiency (due to average number of function evaluations) and accuracy (due to mean objective function value) of SMO is competitive or similar to those of DE, PSO, ABC and CMA-ES. Hence, it may be concluded that SMO is going to be a competing candidate in the field of swarm intelligence based optimization algorithms.

Table 4: Acceleration Rate (AR) of SMO compare to the DE, PSO, ABC and CMA-ES, TP: Test Problems

TP	DE	PSO	ABC	SMO
$f_1$	1.809734013	3.035029306	2.373119322	1.404530218
$f_2$	2.151532524	3.184572668	1.684415825	6.006118946
$f_3$	1.10787955	1.10787955	0.943553315	1.10787955
$f_4$	2.405041159	2.405041159	1.046661887	2.405041159
$f_5$	1.514002226	3.262704006	1.81138724	1.43756182
$f_6$	1.127447076	2.168079926	1.374024762	0.579716741
$f_7$	2.862315295	4.107816594	1.42001283	217.4598515
$f_8$	3.689536979	0.883772811	3.398424834	6.066736815
$f_9$	3.184178231	2.488435759	1.697347305	1.168696309
$f_{10}$	3.091206179	2.147207368	2.19845514	0.882352941
$f_{11}$	1.856277056	2.193939394	3.376750361	2.368831169
$f_{12}$	2.227230988	1.803990316	2.362467652	1.662910093
$f_{13}$	5.466210831	2.788752902	0.170534986	0.818582595
$f_{14}$	0.452587456	0.94976859	0.378349926	2.419313581
$f_{15}$	0.384423066	0.570935746	0.863738069	3.74306946
$f_{16}$	0.738907836	0.718331488	1.260133687	1.477026803
$f_{17}$	1.809684602	3.088204218	2.846923318	0.459027625
$f_{18}$	1.80272512	3.006154068	2.851621148	1.121479156
$f_{19}$	1.178344964	1.760188637	20.36055189	0.794799732
$f_{20}$	1.831931263	2.687923207	2.901115892	2.340542043
$f_{21}$	1	1	1	1
$f_{22}$	1.265507786	1.518209872	0.776847816	0.731019331
$f_{23}$	1.75965528	2.722068408	3.574110276	1.914682244
$f_{24}$	0.441903288	0.829353235	10.93521325	0.815273399
$f_{25}$	2.166034857	3.956957458	2.040070254	1.371305502
$f_{26}$	2.206285276	16.49690851	1.883336073	3.256342813

## Acknowledgement

The authors acknowledge the anonymous reviewers for their valuable comments and suggestions.

## References

1. M.M. Ali, C. Khompatraporn, and Z.B. Zabinsky. A numerical evaluation of several stochastic algorithms on selected continuous global optimization test problems. *Journal of Global Optimization*, 31(4):635–672, 2005.
2. P. Angeline. Evolutionary optimization versus particle swarm optimization: Philosophy and performance differences. In *Evolutionary Programming VII*, pages 601–610. Springer, 1998.
3. E. Bonabeau, M. Dorigo, and G. Theraulaz. *Swarm intelligence: from natural to artificial systems*. Oxford University Press, New York, USA, 1999.
4. Maurice Clerc. A method to improve standard PSO, [http://clerc.maurice.free.fr/psa/Design\\_efficient\\_PSO.pdf](http://clerc.maurice.free.fr/psa/Design_efficient_PSO.pdf), Reterived on Jan. 2012.
5. L.N. De Castro and F.J. Von Zuben. Artificial immune systems: Part I–basic theory and applications. *Universidade Estadual de Campinas, Dezembro de, Tech. Rep*, 1999.
6. Thakur M. Deep, K. A new crossover operator for real coded genetic algorithms. *Applied Mathematics and Computation*, 188(1):895911, 2007.
7. M. Dorigo and T. Stützle. *Ant colony optimization*. the MIT Press, 2004.
8. R. Gamperle, S.D. Muller, and A. Koumoutsakos. A parameter study for differential evolution. *Advances in Intelligent Systems, Fuzzy Systems, Evolutionary Computation*, 10:293–298, 2002.
9. D.E. Goldberg. *Genetic algorithms in search, optimization, and machine learning*. Addison-Wesley Professional, 1989.
10. Nikolaus Hansen. The cma evolution strategy: a comparing review. In *Towards a new evolutionary computation*, pages 75–102. Springer, 2006.

11. Nikolaus Hansen and Andreas Ostermeier. Adapting arbitrary normal mutation distributions in evolution strategies: The covariance matrix adaptation. In *Evolutionary Computation, 1996., Proceedings of IEEE International Conference on*, pages 312–317. IEEE, 1996.
12. K. Hofmann, S. Whiteson, and M. de Rijke. Balancing exploration and exploitation in learning to rank online. *Advances in Information Retrieval*, 5:251–263, 2011.
13. RL Jeanne. The evolution of the organization of work in social insects. *Monitore zoologico italiano*, 20(2):119–133, 1986.
14. D. Karaboga. An idea based on honey bee swarm for numerical optimization. *Techn. Rep. TR06, Erciyes Univ. Press, Erciyes*, 2005.
15. D. Karaboga and B. Akay. A comparative study of artificial bee colony algorithm. *Applied Mathematics and Computation*, 214(1):108–132, 2009.
16. D. Karaboga and B. Akay. A modified artificial bee colony (ABC) algorithm for constrained optimization problems. *Applied Soft Computing*, 11(3):3021–3031, 2011.
17. J. Kennedy and R. Eberhart. Particle swarm optimization. In *Proceedings., IEEE International Conference on Neural Networks, 1995.*, volume 4, pages 1942–1948. IEEE, 1995.
18. J. Lampinen and I. Zelinka. On stagnation of the differential evolution algorithm. In *Proceedings of MENDEL*, pages 76–83. Citeseer, 2000.
19. H.B. Mann and D.R. Whitney. On a test of whether one of two random variables is stochastically larger than the other. *The annals of mathematical statistics*, 18(1):50–60, 1947.
20. E. Mezura-Montes, J. Velázquez-Reyes, and C.A. Coello Coello. A comparative study of differential evolution variants for global optimization. In *Proceedings of the 8th annual conference on Genetic and evolutionary computation*, pages 485–492. ACM, 2006.
21. Michele Milano, Petros Koumoutsakos, and Jürgen Schmidhuber. Self-organizing nets for optimization. *IEEE Transactions on Neural Networks*, 15(3):758–765, 2004.
22. K. Milton. Diet and social organization of a free-ranging spider monkey population: The development of species-typical behavior in the absence of adults. *Juvenile primates: life history, development, and behavior*, pages 173–181, 1993.
23. M.A. Norconk and W.G. Kinzey. Challenge of neotropical frugivory: travel patterns of spider monkeys and bearded sakis. *American Journal of Primatology*, 34(2):171–183, 1994.
24. G.F. Oster and E.O. Wilson. *Caste and ecology in the social insects*. Princeton Univ Pr, 1979.
25. K.M. Passino. Biomimicry of bacterial foraging for distributed optimization and control. *Control Systems Magazine, IEEE*, 22(3):52–67, 2002.
26. K.M. Passino. Bacterial foraging optimization. *International Journal of Swarm Intelligence Research (IJSIR)*, 1(1):1–16, 2010.
27. K.V. Price. Differential evolution: a fast and simple numerical optimizer. In *Fuzzy Information Processing Society, 1996. NAFIPS. 1996 Biennial Conference of the North American*, pages 524–527. IEEE, 1996.
28. K.V. Price, R.M. Storn, and J.A. Lampinen. *Differential evolution: a practical approach to global optimization*. Springer Verlag, 2005.
29. S. Rahnamayan, H.R. Tizhoosh, and M.M.A. Salama. Opposition-based differential evolution. *IEEE Transactions on Evolutionary Computation*, 12(1):64–79, 2008.
30. G. Ramos-Fernandez. *Patterns of association, feeding competition and vocal communication in spider monkeys, Ateles geoffroyi*. Dissertations, University of Pennsylvania, <http://repository.upenn.edu/dissertations/AAI3003685>, 1 January 2001.
31. J. Sartore. Spider monkey images, <http://animals.nationalgeographic.com/animals/mammals/spider-monkey>, Retrieved on 21 Decmber 2011.
32. Harish Sharma, Jagdish Chand Bansal, and KV Arya. Opposition based lévy flight artificial bee colony. *Memetic Computing*, pages 1–15, 2012.
33. Y. Shi and R. Eberhart. Parameter selection in particle swarm optimization. In *Evolutionary Programming VII*, pages 591–600. Springer, 1998.
34. B. Simmen and D. Sabatier. Diets of some french guianan primates: food composition and food choices. *International Journal of Primatology*, 17(5):661–693, 1996.
35. R. Storn and K. Price. Differential evolution-a simple and efficient adaptive scheme for global optimization over continuous spaces. *Journal of Global Optimization*, 11:341–359, 1997.

- 
36. P.N. Suganthan, N. Hansen, J.J. Liang, K. Deb, YP Chen, A. Auger, and S. Tiwari. Problem definitions and evaluation criteria for the CEC 2005 special session on real-parameter optimization. *KanGAL Report*, 2005.
  37. M.M.F. Symington. Fission-fusion social organization in *ateles* and *pan*. *International Journal of Primatology*, 11(1):47–61, 1990.
  38. M.G.M. van Roosmalen and Instituto Nacional de Pesquisas da Amazônia. Habitat preferences, diet, feeding strategy and social organization of the black spider monkey (*ateles paniscus paniscus* linnaeus 1758) in surinam. Wageningen : Roosmalen, November 1985.
  39. J. Vesterstrom and R. Thomsen. A comparative study of differential evolution, particle swarm optimization, and evolutionary algorithms on numerical benchmark problems. In *Congress on Evolutionary Computation, 2004. CEC2004.*, volume 2, pages 1980–1987. IEEE, 2004.
  40. Thomas Weise, Raymond Chiong, and Ke Tang. Evolutionary optimization: Pitfalls and booby traps. *Journal of Computer Science and Technology*, 27(5):907–936, 2012.
  41. D.F. Williamson, R.A. Parker, and J.S. Kendrick. The box plot: a simple visual method to interpret data. *Annals of internal medicine*, 110(11):916, 1989.
  42. G. Zhu and S. Kwong. Gbest-guided artificial bee colony algorithm for numerical function optimization. *Applied Mathematics and Computation*, 217(7):3166–3173, 2010.

# Spider Monkey Optimization Algorithm for Numerical Optimization

Jagdish Chand Bansal · Harish Sharma · Shimpi Singh  
Jadon · Maurice Clerc

the date of receipt and acceptance should be inserted later

**Abstract** Swarm intelligence is one of the most promising area for the researchers in the field of numerical optimization. Researchers have developed many algorithms by simulating the swarming behavior of various creatures like ants, honey bees, fish, birds and the findings are very motivating. In this paper, a new approach for numerical optimization is proposed by modeling the foraging behavior of spider monkeys. Spider monkeys have been categorized as fission-fusion social structure based animals. The animals which follow fission-fusion social systems, split themselves from large to smaller groups and vice-versa based on the scarcity or availability of food. The proposed swarm intelligence approach is named as Spider Monkey Optimization (SMO) algorithm and can broadly be classified as an algorithm inspired by intelligent foraging behavior of fission-fusion social structure based animals.

## 1 Introduction

The name swarm is used for an accumulation of creatures such as ants, fish, birds, termites and honey bees which behave collectively. The definition given by Bonabeau for the swarm intelligence is “any attempt to design algorithms or distributed problem-solving devices inspired by the collective behaviour of social insect colonies and other animal societies” ?.

Swarm Intelligence is a meta-heuristic approach in the field of nature inspired techniques that is used to solve optimization problems. It is based on the collective behavior of social creatures. Social creatures utilize their ability of social learning and adaptation to solve complex tasks. Researchers have analyzed such behaviors and designed algorithms that can be used to solve nonlinear, non-convex or combinatorial optimization problems in many science and engineering domains. Previous research ???? have shown that algorithms based on Swarm Intelligence have great potential to find a near optimal solution of real world optimization problem. The algorithms that have been emerged in recent years are Ant Colony Optimization (ACO) ?, Particle Swarm Optimization (PSO) ?, Bacterial Foraging Optimization (BFO) ?, Artificial Bee Colony Optimization (ABC) ? etc.

Jagdish Chand Bansal  
ABV-Indian Institute of Information Technology and Management, Gwalior  
E-mail: jcbansal@gmail.com

Harish Sharma  
ABV-Indian Institute of Information Technology and Management, Gwalior  
E-mail: harish.sharma0107@gmail.com

Shimpi Singh Jadon  
ABV-Indian Institute of Information Technology and Management, Gwalior  
E-mail: shimpisingh2k6@gmail.com

Maurice Clerc  
E-mail: Maurice.Clerc@WriteMe.com



In order to design a new swarm intelligence based algorithm, it is necessary to understand whether a behavior is swarm intelligent behavior or not. Karaboga et al. mentioned that *Division of Labor* and *Self-Organization* are the necessary and sufficient conditions for obtaining intelligent swarming behaviors.

1. Self-organization: is an important feature of a swarm structure which results in global level response by means of interactions among its low-level components without a central authority or external element enforcing it through planning. Therefore, the globally coherent pattern appears from the local interaction of the components that build up the structure, thus the organization is achieved in parallel as all the elements act at the same time and distributed as no element is a central coordinator. Bonabeau et al. have defined the following four important characteristics on which self-organization is based ? :
  - (i) Positive feedback: is an information extracted from the output of a system and reapplied to the input to promotes the creations of convenient structures. In the field of swarm intelligence positive feedback provides diversity and accelerate the system to new stable state.
  - (ii) Negative feedback: compensates the effect of positive feedback and helps to stabilize the collective pattern.
  - (iii) Fluctuations: are the rate or magnitude of random changes in the system. Randomness is often crucial for efflorescent structures since it allows the findings of new solutions. In foraging process, it helps to get-ride of stagnation.
  - (iv) Multiple interactions: provide the way of learning from the individuals within a society and thus enhance the combined intelligence of the swarm.
2. Division of labour: is a cooperative labour in specific, circumscribed tasks and like roles. In a group, there are various tasks, which are performed simultaneously by specialized individuals. Simultaneous task performance by cooperating specialized individuals is believed to be more efficient than the sequential task performance by unspecialized individuals ???.

This paper proposes a new swarm intelligence algorithm based on the foraging behavior of spider monkeys. The foraging behavior of spider monkeys shows that these monkeys fall in the category of fission-fusion social structure (FFSS) based animals. Thus the proposed optimization algorithm which is based on foraging behavior of spider monkeys is explained better in terms of FFSS. Further, the proposed strategy is tested on various benchmark and engineering optimization test problems.

The rest of the paper is organized as follows: Section ?? describes the foraging behavior and social structure of spider monkeys. In Section ??, first, the foraging behavior is critically evaluated to be a swarm intelligent behavior over the necessary and sufficient conditions of swarm intelligence and then Spider Monkey Optimization algorithm is proposed. A detail discussion about the proposed strategy is presented in section ?? . In section ??, performance of the proposed strategy is analyzed and compared with four state-of-the-art algorithms, namely DE, PSO, ABC and CMA-ES. Finally, in section ??, paper is concluded.

## 2 Foraging and Social Behavior of Spider Monkeys

Fission-fusion swarm is a social grouping pattern in which individuals form temporary small parties (also called sub-groups) whose members belong to a larger community (or unit-group) of stable membership, there can be fluid movement between subgroups and unit-groups such that group composition and size changes frequently ?.

The fission-fusion social system of swarm can minimize direct foraging competition among group members, so they divide themselves into sub-groups in order to search food. The members of these subgroups then communicate (through barking and other physical activities) within and outside the subgroup depending upon the availability of food. In this society, social group sleep in one habitat together but forage in small sub-groups going off in different directions during the day. This form of social formation occurs in several species of primates like hamadryas, bonobo, chimpanzees, gelada baboons and spider monkeys. These societies change frequently in their size and composition, making up a strong social group called the ‘parent group’. All the individual members of a faunal community comprise of permanent social networks and their capability to track changes in the environment varies according to their individual animal dynamics. In a fission-fusion society, the main parent group can fission into smaller subgroups or individuals to adapt to the environmental or social circumstances. For example, members of a group are separated from the main group in order to hunt or forage for food during the day, but at night they return to join (fusion) the primary group to share food and to take part in other activities ?.

The society of spider monkeys is one of the example of fission-fusion social structure. In subsequent subsections, a brief overview on swarming of spider monkeys is presented.

## 2.1 Social Organization and Behavior

The social organization of spider monkeys is related to fission-fusion social system. Figure ?? provide some pictures of spider monkeys. ?. They are social animals and live in group of up to 50 individuals ?. Spider monkeys break up into




Fig. 1: Social Organization and Behavior (a) Spider-Monkey (b) Spider Monkey Group (c) Spider Monkey sub-group (d) Foods Foraging ?

small foraging groups that travel together and forage throughout the day within a core area of the larger group's home range ?. Spider monkeys find their foods in a very different way: a female leads the group and is responsible for finding food sources. In case if she doesn't find sufficient food for the group, she divides the group into smaller subgroups that forage separately ?. The subgroups within the band are temporary and may vary in formation frequently throughout the day, but on average 3 members can be found in any group at any time (??). When two different bands of spider monkeys come closer, the males in each band display aggressiveness and territorial behavior such as calling and barking. These communications occur with much distance between the two subgroups and do not involve any physical contacts, showing that groups respect distinct territory boundaries ?. Members of a society might not ever be noticed closer at one place, but their mutual tolerance of each other when they come into contact reflects that they are component of the larger group ?. The main reason behind emerging of fission-fusion social system is the competition for food among the group members when there is a shortage in food availability due to seasonal reasons ?. When a big group gets food at particular location, there is likely to be less food per group member compared to a small group. After some time, when food scarcity is at its peak, average subgroup size is the smallest and during period of highest food availability, subgroup size is the largest, indicating that competition for scarce resources necessitates breaking into smaller foraging groups ??. One reason spider monkeys break into smaller foraging groups but still remain part of a larger social unit is the advantage to individual group members in terms of increased mating chances and security from predators.

## 2.2 Communication

Spider monkeys share their intentions and observations using postures and positions, such as postures of sexual receptivity and of attack. During traveling, they interact with each other over long distances using a particular call which sounds like a horse's whinny. Each individual has its own discernible sound so that other members of the group can easily identify who is calling. This long-distance communication permits spider monkeys to get-together, stay away from enemies, share food and gossip. In order to interact to other group members, they generally use visual and vocal communication?.

## 3 Spider Monkey Optimization Algorithm

Social behavior of spider monkeys inspires authors to develop an stochastic optimization technique that mimics fission-fusion social structure (FFSS) based foraging behavior of spider monkeys. Following are the key features of the FFSS.

1. The fission-fusion social structure based animals are social and live in groups of 40-50 individuals. The FFSS of swarm may reduce the foraging competition among group members by dividing them into sub-groups in order to search food.
2. A female (global Leader) generally leads the group and is responsible for searching food sources. If she is not able to get enough food for the group, she divides the group into smaller subgroups (size varies from 3 to 8 members) that forage independently.
3. Sub-groups are also supposed to be lead by a female (local leader) who becomes decision-maker for planning an efficient foraging route each day.
4. The members of these subgroups then communicate within and outside the subgroup depending upon the availability of food and to maintain territorial boundaries.

In the developed strategy, the foraging behavior of FFSS based animals (e.g. spider monkeys) is divided into four steps. First, the group starts food foraging and evaluates their distance from the food. In the second step, based on the distance from the foods, group members update their positions and again evaluate distance from the food sources. Furthermore, in the third step, the local leader updates its best position within the group and if the position is not updated for a specified number of times then all members of that group start searching of the food in different directions. Next, in the fourth step, the global leader, updates its ever best position and in case of stagnation, it splits the group into smaller size subgroups. All the four steps mentioned before, are continuously executed until the desired output is achieved. There are two important control parameters necessary to introduce in the proposed strategy, one is '*GlobalLeaderLimit*' and another is '*LocalLeaderLimit*' which helps local and global leaders to take appropriate decisions.

The control parameter *LocalLeaderLimit* is used to avoid stagnation i.e., if a local group leader does not update herself in a specified number of times then that group is re-directed to a different direction for foraging. Here, the term 'specified number of times' is referred as *LocalLeaderLimit*. Another control parameter, *GlobalLeaderLimit* is used for the same purpose for global leader. The global leader breaks the group into smaller sub-groups if she does not update in a specified number of times.

The proposed strategy follows self-organization and division of labour properties for obtaining intelligent swarming behaviors of animals. As animals updating their positions by learning from local leader, global leader and self experience in the first and second steps of algorithm, it shows positive feedback mechanisms of self-organization. The third step, in which the stagnated group members are re-directed to different directions for food searching, is responsible for fluctuations in the food foraging process. In the fourth step, when the global leader is get stuck, it divides the groups into smaller subgroups for foraging of foods. This phenomena presents division of labour property. 'Local leader limit' and 'Global leader limit' provides negative feedback to help local and global leader's for their decisions.

However, the proposed strategy is inspired from the foraging behavior of spider monkeys, it is different from the natural foraging behavior of spider monkeys. In the proposed strategy, the post of leader (local or global) is not permanent but depends upon the ability of leader to search of food. Further, the spider monkeys use different type of communication tactics which are not simulated by the proposed strategy. In this way, the proposed strategy is different from the real foraging behavior of spider monkeys.

### 3.1 Main steps of Spider Monkey Optimization Algorithm (SMO)

Similar to the other population-based algorithms, SMO is a trial and error based collaborative iterative process. The SMO process consists of six phases: Local Leader phase, Global Leader phase, Local Leader Learning phase, Global Leader Learning phase, Local Leader Decision phase and Global Leader Decision phase. The position update process in Global Leader phase is inspired from the Gbest-guided ABC ? and modified version of ABC ?. The details of each step of SMO implementation are explained below:

#### 3.1.1 Initialization of the Population

Initially, SMO generates a uniformly distributed initial population of  $N$  spider monkeys where each monkey  $SM_i (i = 1, 2, \dots, N)$  is a  $D$ -dimensional vector. Here  $D$  is the number of variables in the optimization problem and  $SM_i$  represent the  $i^{th}$  Spider Monkey (SM) in the population. Each spider monkey SM corresponds to the potential solution of the problem under consideration. Each  $SM_i$  is initialized as follows:

$$SM_{ij} = SM_{minj} + U(0, 1) \times (SM_{maxj} - SM_{minj}) \quad (1)$$

where  $SM_{minj}$  and  $SM_{maxj}$  are bounds of  $SM_i$  in  $j^{th}$  direction and  $U(0, 1)$  is a uniformly distributed random number in the range  $[0, 1]$ .

### 3.1.2 Local Leader Phase (LLP)

In the Local Leader phase, each Spider Monkey SM modifies its current position based on the information of the local leader experience as well as local group members experience. The fitness value of so obtained new position is calculated. If the fitness value of the new position is higher than that of the old position, then the SM updates his position with the new one. The position update equation for  $i^{th}$  SM ( which is a member of  $k^{th}$  local group) in this phase is

$$SM_{newij} = SM_{ij} + U(0, 1) \times (LL_{kj} - SM_{ij}) + U(-1, 1) \times (SM_{rj} - SM_{ij}) \quad (2)$$

where  $SM_{ij}$  is the  $j^{th}$  dimension of the  $i^{th}$  SM,  $LL_{kj}$  represents the  $j^{th}$  dimension of the  $k^{th}$  local group leader position.  $SM_{rj}$  is the  $j^{th}$  dimension of the  $r^{th}$  SM which is chosen randomly within  $k^{th}$  group such that  $r \neq i$ ,  $U(0, 1)$  is a uniformly distributed random number between 0 and 1. Algorithm ?? shows position update process in the Local Leader phase. In Algorithm ??,  $MG$  is the maximum number of groups in the swarm and  $pr$  is the perturbation rate

---

#### Algorithm 1 Position update process in Local Leader Phase:

---

```

for each  $k \in \{1, \dots, MG\}$  do
  for each member  $SM_i \in k^{th}$  group do
    for each  $j \in \{1, \dots, D\}$  do
      if  $U(0, 1) \geq pr$  then
         $SM_{newij} = SM_{ij} + U(0, 1) \times (LL_{kj} - SM_{ij}) + U(-1, 1) \times (SM_{rj} - SM_{ij})$ 
      else
         $SM_{newij} = SM_{ij}$ 
      end if
    end for
  end for
end for

```

---

which controls the amount of perturbation in the current position. The range of  $pr$  is  $[0.1, 0.9]$  (explained in section ??).

### 3.1.3 Global Leader Phase (GLP)

After completion of the Local Leader phase, the Global Leader phase (GLP) starts. In GLP phase, all the SM's update their position using experience of Global Leader and local group member's experience. The position update equation for this phase is as follows:

$$SM_{newij} = SM_{ij} + U(0, 1) \times (GL_j - SM_{ij}) + U(-1, 1) \times (SM_{rj} - SM_{ij}) \quad (3)$$

where  $GL_j$  represents the  $j^{th}$  dimension of the global leader position and  $j \in \{1, 2, \dots, D\}$  is the randomly chosen index.

In this phase, the positions of spider monkeys ( $SM_i$ ) are updated based on a probabilities  $prob_i$  which are calculated using their fitness. In this way a better candidate will have a higher chance to make itself better. The probability  $prob_i$  may be calculated using following expression (there may be some other but it must be a function of fitness):

$$prob_i = 0.9 \times \frac{fitness_i}{max\_fitness} + 0.1, \quad (4)$$

here  $fitness_i$  is the fitness value of the  $i^{th}$  SM and  $max\_fitness$  is the maximum fitness in the group. Further, the fitness of the newly generated position of the SM's is calculated and compared with the old one and adopted the better position.

**Algorithm 2** Position update process in Global Leader Phase (GLP) :

---

```

for  $k = 1$  to  $MG$  do
     $count = 1$ ;
     $GS = k^{th}$  group size;
    while  $count < GS$  do
        for  $i = 1$  to  $GS$  do
            if  $U(0, 1) < prob_i$  then
                 $count = count + 1$ .
                Randomly select  $j \in \{1 \dots D\}$ .
                Randomly select  $SM_r$  from  $k^{th}$  group s.t.  $r \neq i$ .
                 $SM_{newij} = SM_{ij} + U(0, 1) \times (GL_j - SM_{ij}) + U(-1, 1) \times (SM_{rj} - SM_{ij})$ .
            end if
        end for
        if  $i$  is equal to  $GS$  then
             $i = 1$ ;
        end if
    end while
end for

```

---

*3.1.4 Global Leader Learning (GLL) phase*

In this phase, the position of the global leader is updated by applying the greedy selection in the population i.e., the position of the SM having best fitness in the population is selected as the updated position of the global leader. Further, it is checked that the position of global leader is updating or not and if not then the *GlobalLimitCount* is incremented by 1.

*3.1.5 Local Leader Learning (LLL) phase*

In this phase, the position of the local leader is updated by applying the greedy selection in that group i.e., the position of the SM having best fitness in that group is selected as the updated position of the local leader. Next, the updated position of the local leader is compared with the old one and if the local leader is not updated then the *LocalLimitCount* is incremented by 1.

*3.1.6 Local Leader Decision (LLD) phase*

If any Local Leader position is not updated up to a predetermined threshold called *LocalLeaderLimit*, then all the members of that group update their positions either by random initialization or by using combined information from Global Leader and Local Leader through equation (??), based on the *pr*.

$$SM_{newij} = SM_{ij} + U(0, 1) \times (GL_j - SM_{ij}) + U(0, 1) \times (SM_{ij} - LL_{kj}); \quad (5)$$

It is clear from the equation (??) that the updated dimension of this SM is attracted towards global leader and repel from the local leader. The pseudo code of LLD phase for  $k^{th}$  group is shown in Algorithm ??. In this algorithm *LocalLimitCount<sub>k</sub>* is the trial counter for the local best solution of  $k^{th}$  group.

*3.1.7 Global Leader Decision (GLD) phase*

In this phase, the position of global leader is monitored and if it is not updated up to a predetermined number of iterations called *GlobalLeaderLimit*, then the global leader divides the population into smaller groups. Firstly, the population is divided into two groups and then three groups and so on till the maximum number of groups (*MG*) are formed as shown in the Figures ??-??. Each time in GLD phase, LLL process is initiated to elect the local leader in the newly formed groups. The case in which maximum number of groups are formed and even then the position of global leader is not updated then the global leader combines all the groups to form a single group. Thus the proposed algorithm is inspired from fusion-fission structure of SMs. The working of this phase is shown in Algorithm ??. The complete pseudo-code of the proposed strategy is given in Algorithm ??:

**Algorithm 3** Local Leader Decision Phase:

---

```

for  $k = \{1 \dots MG\}$  do
  if  $LocalLimitCount_k > LocalLeaderLimit$  then
     $LocalLimitCount_k = 0$ .
     $GS = k^{th}$  group size;
    for  $i \in \{1 \dots GS\}$  do
      for each  $j \in \{1 \dots D\}$  do
        if  $U(0, 1) \geq pr$  then
           $SM_{new_{ij}} = SM_{min_{ij}} + U(0, 1) \times (SM_{max_{ij}} - SM_{min_{ij}})$ 
        else
           $SM_{new_{ij}} = SM_{ij} + U(0, 1) \times (GL_j - SM_{ij}) + U(0, 1) \times (SM_{ij} - LL_{kj})$ 
        end if
      end for
    end for
  end if
end for

```

---




Fig. 2: SMO topology: single group

**Algorithm 4** Global Leader Decision Phase:

---

```

if  $GlobalLimitCount > GlobalLeaderLimit$  then
   $GlobalLimitCount = 0$ 
  if Number of groups  $< MG$  then
    Divide the population into groups.
  else
    Combine all the groups to make a single group.
  end if
  Update Local Leaders position.
end if

```

---

## 3.2 Control Parameters in SMO

It is clear from the above discussion that there are four control parameters in SMO algorithm: the value of  $LocalLeaderLimit$ ,  $GlobalLeaderLimit$ , the maximum group  $MG$  and perturbation rate  $pr$ . Some settings of control parameters are suggested as follows:

- $MG = N/10$ , i.e., it is chosen such that minimum number of SM's in a group should be 10




Fig. 3: SMO topology: swarm is divided into two group




Fig. 4: SMO topology: swarm is divided into three group

- $GlobalLeaderLimit \in [N/2, 2 \times N]$ ,
- $LocalLeaderLimit$  should be  $D \times N$ ,




Fig. 5: SMO topology: minimum size group

**Algorithm 5** Spider Monkey Optimization (SMO) Algorithm:

1. Initialize Population, *LocalLeaderLimit*, *GlobalLeaderLimit*, *pr*.
  2. Calculate fitness (i.e., the distance of individuals from food sources).
  3. Select global leader and local leaders by applying greedy selection (see section ??, ??).
- while** (Termination criteria is not satisfied) **do**
- (i) For finding the objective (Food Source), generate the new positions for all the group members by using self experience, local leader experience and group members experience.[Refer Algorithm ??].
  - (ii) Apply the greedy selection process between existing position and newly generated position, based on fitness and select the better one;
  - (iii) Calculate the probability  $prob_i$  for all the group members using equation (??).
  - (iv) Produce new positions for the all the group members, selected by  $prob_i$ , by using self experience, global leader experience and group members experiences. [Refer Algorithm ??].
  - (v) Update the position of local and global leaders, by applying the greedy selection process on all the groups (see section ??, ??).
  - (vi) If any Local group leader is not updating her position after a specified number of times (*LocalLeaderLimit*) then re-direct all members of that particular group for foraging by algorithm (??)
  - (vii) If Global Leader is not updating her position for a specified number of times (*GlobalLeaderLimit*) then she divides the group into smaller groups by algorithm (??).
- end while**

–  $pr \in [0.1, 0.9]$ ,

here,  $N$  is the swarm size.

**4 Discussion**

Exploration and exploitation are the two important characteristics of the population (or swarm) based optimization algorithms [1]. In optimization algorithms, the exploration represents the ability to discover the global optimum by investigating the various unknown regions in the solution search space. While, the exploitation represents the ability to find better solutions by implementing the knowledge of the previous good solutions. In behavior, the exploration and exploitation contradict with each other, however both abilities should be well balanced to achieve better optimization performance [2]. It is expected from a good search process that it should explore the new solutions, while maintaining satisfactory performance by exploiting existing solutions [3].



The inherent drawback with most of the population based stochastic algorithms is premature convergence. ABC, DE and PSO are not exceptions ????. Dervis Karaboga and Bahriye Akay ? compared the different variants of ABC and found that ABC shows poor performance and remains inefficient in exploring the search space. The solution search equation of ABC is significantly influenced by a random quantity which helps in exploration at the cost of exploitation of the search space ?. Further, Mezura-Montes et al. ? analyzed DE and its variants for global optimization and found that DE has deficiency of premature convergence and stagnation. Also some studies proved that DE sometimes stops proceeding toward the global optima even though the population has not converged to local optima or any other point ?. Price et al. ? also drawn the same conclusions regarding DE. However the standard PSO has the capability to get a good solution at a significantly faster rate but, when it is compared to other optimization techniques, it is weak to refine the optimum solution, mainly due to less diversity in later search ?. On the different side, problem-based tuning of parameters is required in PSO, to get an optimum solution accurately and efficiently ?. Therefore, it is clear that if a population based algorithm is capable of balancing between exploration and exploitation of the search space, then the algorithm is regarded as an efficient algorithm. From this point of view ABC, PSO and DE are not efficient algorithms. The problems of premature convergence and stagnation is a matter of serious consideration for designing a comparatively efficient nature inspired algorithms (NIAs). By keeping in mind the existing drawbacks of NIAs, SMO is designed in this paper.

In the proposed algorithm, the first phase named '*Local Leader phase*' is used to explore the search region as in this phase all the members of the groups update their positions with high perturbation in the dimensions. The perturbation is high for initial iterations and gradually reducing in later iterations. The second phase '*Global Leader phase*' promotes the exploitation as in this phase, better candidates get more chance to update and in position update process, only single randomly selected dimension is updated. The third and fourth phase namely '*Local Leader Learning phase*' and '*Global Leader Learning phase*', are used to check that the search process is not stagnated. In these two phases, it is checked that the local best and global best solutions are updating or not in a predefined number of trials. If not then the solution is considered stagnated. The fifth phase '*Local Leader Decision phase*' is used to avoid the stagnation or premature convergence of local solutions. In this phase, if the local best solution is not updated in a predefined number of trials (*LocalLeaderLimit*) then all the members of that group are re-initialized. In this phase, all the dimensions of the individuals are initialized either randomly or by using global best solution and local best solution. Further, the *Global Leader Decision phase* is used to avoid stagnation of the global best solution. In this phase if the global best solution is not updated within a predefined number of trials (*GlobalLeaderLimit*) then the group is divided into smaller subgroups. The benefit of this structured group strategy is that initially there is a single group so every newly generated food source is attracted towards the best food source (in this case the global best will be the local best also), thereby converging faster to the solution. But as a results of such exploitative tendency, in many cases, the population may skip the global minima and can get stuck into local minima. Therefore, to avoid this situation, if global minima is not updating itself for a predefined number of times then the group is divided into subgroups. Now every new solution will be attracted towards the respective subgroup's local best food source, hence contributes in the exploration of the search space. When the maximum number of subgroups have been formed and even though the global optima is not updating its position then all the subgroups are combined to form a single group and process repeats itself. Therefore, this phase helps to balance the exploration and exploitation capability of the algorithm while maintaining the convergence speed. From above discussion, it is clear that SMO tries to balance the diversity in the population/swarm and hence can be considered as a new candidate in the field of population based algorithms like ABC ?, PSO ?, DE ? etc. In ABC, DE and PSO, the position update equation is based on the difference vector and so is the case with SMO. Therefore, it may be considered in the category of ABC, PSO and DE algorithms.

## 5 Experimental Results

In order to analyze the performance of SMO algorithm, 26 different global optimization problems ( $f_1$  to  $f_{26}$ ) are selected (listed in Table ??). These are continuous, un-biased optimization problems and have different degrees of complexity and multimodality. Test problems  $f_1 - f_{19}$  and  $f_{24} - f_{26}$  are taken from ? and test problems  $f_{20} - f_{23}$  are taken from ? with the associated offset values. This set is large enough to include different kinds of problems such as unimodal, multimodal, separable and non separable. A unimodal function  $f(x)$  has a single extremum (minimum or maximum in the range specified for  $x$ ). On the other hand if a function has more than one peaks in the search space i.e., local extremum, this function is called multimodal. Multimodal functions are used to test the ability of algorithms getting

rid of local minima. If the exploration process of an algorithm is poor then it will not be able to search the whole search space efficiently and will stuck to some local optima. Functions having flat surfaces are also difficult for algorithms since, the flatness of the function does not give any information to the algorithm to direct the search process towards the minima.

### 5.1 Experimental setting

Swarm size, perturbation rate ( $pr$ ),  $LLL$ ,  $GLL$  and maximum number of groups ( $MG$ ) are the parameters that affect the performance of the *SMO*, significantly. To fine tune (finding most suitable values) these parameters, sensitivity analyses with different values of these parameters have been carried out. Swarm size is varied from 40 to 160 with step size 20,  $pr$  is varied from 0.1 to 0.9 with step size 0.1,  $MG$  is varied from 1 to 6 with step size 1,  $LLL$  is varied from 100 to 2500 with step size 200 and  $GLL$  is varied from 10 to 220 with step size 30. At a time only one parameter is varied while all other parameters are kept fixed. This fine tuning is done with the following assumptions:

- $pr$  is varied from 0.1 to 0.9 while  $MG$ ,  $LLL$ ,  $GLL$  and Swarm size are fixed to be 5, 1500, 50, and 50, respectively.
- $MG$  is varied from 1 to 6 while  $LLL$ ,  $GLL$  and Swarm size are fixed to be 1500, 50, and 50, respectively.  $pr$  is linearly increasing from 0.1 to 0.4 through iterations.
- $GLL$  is varied from 10 to 220 while  $LLL$ ,  $MG$  and Swarm size are fixed to be 1500, 5, and 50, respectively.  $pr$  is linearly increasing from 0.1 to 0.4 through iterations.
- $LLL$  is varied from 100 to 2500 while  $MG$ ,  $GLL$  and Swarm size are fixed to be 5, 50, and 50, respectively.  $pr$  is linearly increasing from 0.1 to 0.4 through iterations.
- Swarm size is varied from 40 to 160 while  $LLL$ ,  $GLL$  and  $MG$  are fixed to be 1500, 50, and 5, respectively.  $pr$  is linearly increasing from 0.1 to 0.4 through iterations.

For the purpose of sensitivity analysis, 6 test problems are considered and each problem is simulated 30 times. Effects of these parameters are shown in Figures ??(a)- ??(f) respectively. It is clear from Figure ??(a) that *SMO* is very sensitive towards  $pr$ . *SMO* performs better on some problems with small values of  $pr$  while on some, it performs better with large values of  $pr$ . Therefore, the value of  $pr$  is adopted linearly increasing over iterations to consider the dynamic nature of parameter  $pr$ . It should be noted that this setting of  $pr$  is not general. For a particular problem a different setting of  $pr$  may provide better results. Further, by analyzing Figure ??(b), it can be stated that the value of  $MG = 5$  gives comparatively better results for the given set of test problems. Sensitivity of *GlobalLeaderLimit*( $GLL$ ) and *LocalLeaderLimit*( $LLL$ ) can be analyzed by Figure ??(c) and Figure ??(d). It is observed that the value of  $GLL = 50$  and  $LLL = 1500$  gives better results on the considered benchmark optimization problems. Further, swarm size is analyzed in Figure ??(e) and Figure ??(f). It is clear from Figure ??(e) that *SMO* is quite sensitive with respect to the swarm size. The optimum value of swarm size around 40 can be observed from the Figure ??(e) and ??(f).

To prove the efficiency of *SMO* algorithm, it is compared with four state-of-art algorithms, namely PSO ? (based on Standard PSO 2006 but with linearly decreasing inertia weight, modified velocity update equation and a different parameters setting), ABC ?, DE ( $DE/rand/bin/1$ ) ? and Covariance Matrix Adaptation Evolution Strategies (CMA-ES) ?. For the comparison, same stopping criteria, number of simulations and maximum number of function evaluations are used for all the considered algorithms. The values of parameters for the considered algorithms are as follows:

#### **SMO parameters setting:**

- The Swarm size  $N = 50$ ,
- $MG = 5$ ,
- *GlobalLeaderLimit*=50,
- *LocalLeaderLimit*=1500,
- $pr \in [0.1, 0.4]$ , linearly increasing over iterations,

$$pr_{G+1} = pr_G + (0.4 - 0.1)/MIR; pr_1 = 0.1. \quad (6)$$

where,  $G$  is the iteration counter,  $MIR$  is the maximum number of iterations.

- The stopping criteria is either maximum number of function evaluations (which is set to be  $2.0 \times 10^5$ ) is reached or the corresponding acceptable error (mentioned in Table ??) have been achieved,
- The number of simulations (or run) =100.

**ABC parameters setting:**

- Colony size  $SN=100$ ,
- Number of food sources  $SN/2$ ,
- $limit = 1500$  ?,

**DE parameters setting:**

- The crossover probability  $CR=0.9$  ?,
- The scale factor which controls the implication of the differential variation  $F=0.5$  ?,
- Population size  $NP=50$ .

**PSO parameters setting:**

- Inertia Weight ( $w$ ), decreases linearly from 1 to 0.1,
- Acceleration coefficients ( $c_1 = 2, c_2 = 2$ ),
- Swarm size  $S=50$ .

**CMA-ES parameters setting ?:**

All parameter settings for CMA-ES is kept same as in ?. The results of CMA-ES are obtained by the source code provided at its developer's webpage, <http://www.bionik.tu-berlin.de/user/niko/index.html>.

**5.2 Results Analysis of Experiments**

Numerical results for benchmark problems of Table ?? with the experimental settings given in subsection ?? are given in Table ?. In Table ??, standard deviation (SD), mean error (ME), average number of function evaluations (AFE), and success rate (SR) are reported for test problems  $f_1$  to  $f_{26}$ . The  $AFE$  is the average of the function evaluations that are required to reach at the termination criteria in 100 runs. In other words,

$$AFE = \frac{\sum_{i=1}^{100} \# \text{ of function evaluations to meet the termination criteria for run } i}{100}$$

Table ?? shows that most of the time SMO outperforms in terms of reliability, efficiency and accuracy. Some more intensive statistical analyses based on boxplots, the Mann-Whitney U rank sum test, performance indices ?, and acceleration rate (AR) ? have been carried out for the results of DE, PSO, ABC, CMA-ES and SMO.




Fig. 6: Effect of parameters on success rate for functions  $f_9$ ,  $f_{12}$ ,  $f_{14}$ ,  $f_{18}$ ,  $f_{25}$  and  $f_{26}$  (a) when  $pr$  is varied (b) when  $MG$  is varied (c) when Global Leader Limit is varied (d) when Local Leader Limit is varied (e) Swarm Size v/s Successful Runs (f) Swarm Size v/s Average number of function evaluations.

Table 1: Benchmark functions used in experiments. D: Dimensions, C: Characteristic, U: Unimodal, M: Multimodal, S: Separable, N: Non-Separable, AE: Acceptable Error

Test Problem	Objective function	Search Range	Optimum Value	D	C	AE
Schwefel function 1.2	$f_1(x) = \sum_{i=1}^D (\sum_{j=1}^i x_j)^2$	$[-100, 100]$	0	30	UN	$1.0E-03$
Step function	$f_2(x) = \sum_{i=1}^D ( x_i + 0.5 )^2$	$[-100, 100]$	0	30	US	$1.0E-03$
Schwefel function	$f_3(x) = -\sum_{i=1}^D (x_i \sin \sqrt{ x_i })$	$[-500, 500]$	$-418.9829 \times D$	30	MS	$1.0E-03$
Rastrigin	$f_4(x) = 10D + \sum_{i=1}^D [x_i^2 - 10 \cos(2\pi x_i)]$	$[-5.12, 5.12]$	0	30	MS	$1.0E-03$
Levy function 1	$f_5(x) = \frac{\pi}{D} [10 \sin^2(\pi y_1) + \sum_{i=1}^{D-1} (y_i - 1)^2 (1 + 10 \sin^2(\pi y_{i+1})) + (y_D - 1)^2] + \sum_{i=1}^D u(x_i, 10, 100, 4)$ , where $y_i = 1 + \frac{1}{4}(x_i + k(x_i - a)^m, \quad x_i > a;$ 1) and $u(x_i, a, k, m) = \begin{cases} 0, & -a \leq x_i \leq a; \\ k(-x_i - a)^m, & x_i < a. \end{cases}$	$[-50, 50]$	0	30	MN	$1.0E-03$
Levy function 2	$f_6(x) = 0.1(\sin^2(3\pi x_1) + \sum_{i=1}^{D-1} [(x_i - 1)^2 (1 + \sin^2(3\pi x_{i+1}))] + (x_D - 1)^2 (1 + \sin^2(2\pi x_D))) + \sum_{i=1}^D u(x_i, 5, 100, 4)$	$[-65.536, 65.536]$	0.998	2	MN	$1.0E-03$
Shekel Foxholes Function	$f_7(x) = [\frac{1}{500} + \sum_{j=1}^{25} \frac{1}{j + \sum_{i=1}^2 (x_i - A_{ij})^6}]^{-1}$	$[-5, 5]$	0.0003075	4	MN	$1.0E-03$
Kowalik function	$f_8(x) = \sum_{i=1}^{11} \left[ a_i - \frac{x_1(b_i^2 + b_i x_2)}{b_i^2 + b_i x_3 + x_4} \right]^2$	$[-5, 5]$	-1.0316	2	MN	$1.0E-03$
Six-hump camel back	$f_9(x) = (4 - 2.1x_1^2 + \frac{x_1^4}{3})x_1^2 + x_1x_2 + (-4 + 4x_2^2)x_2^2$	$[-5, 5]$	0.397887	2	MN	$1.0E-03$
Branin RCOS function	$f_{10}(x) = (x_2 - \frac{5}{4\pi^2}x_1^2 + \frac{x_1}{\pi}x_1 - 6)^2 + 10(1 - \frac{1}{8\pi}) \cos x_1 + 10$	$x_1 \in [-5, 10],$ $x_2 \in [0, 15]$	3	2	MN	$1.0E-03$
Goldstien & Price function	$f_{11}(x) = [1 + (x_1 + x_2 + 1)^2 (19 - 14x_1 + 13x_1^2 - 14x_2 + 6x_1x_2 + 3x_2^2)] * [30 + (2x_1 - 3x_2)^2 (18 - 32x_1 + 12x_1^2 - 48x_2 - 36x_1x_2 + 27x_2^2)]$	$[0, 1]$	-3.86278	3	MN	$1.0E-03$
Hartmann function 3	$f_{12}(x) = -\sum_{i=1}^4 \alpha_i \exp[-\sum_{j=1}^3 A_{ij}(x_j - P_{ij})^2]$	$[0, 1]$	-3.32237	6	MN	$1.0E-03$
Hartmann function 6	$f_{13}(x) = -\sum_{i=1}^4 \alpha_i \exp[-\sum_{j=1}^6 B_{ij}(x_j - Q_{ij})^2]$	$[0, 10]$	-10.1532	4	MN	$1.0E-03$
Shkel function 5	$f_{14}(x) = -\sum_{j=1}^5 [\sum_{i=1}^4 (x_i - C_{ij})^2 + \beta_j]^{-1}$	$[0, 10]$	-10.4029	4	MN	$1.0E-03$
Shkel function 7	$f_{15}(x) = -\sum_{j=1}^7 [\sum_{i=1}^4 (x_i - C_{ij})^2 + \beta_j]^{-1}$	$[0, 10]$	-10.5364	4	MN	$1.0E-03$
Shkel function 10	$f_{16}(x) = -\sum_{j=1}^{10} [\sum_{i=1}^4 (x_i - C_{ij})^2 + \beta_j]^{-1}$	$[0, 10]$	0	30	US	$1.0E-05$
Cigar	$f_{17}(x) = x_0^2 + 100000 \sum_{i=1}^D x_i^2$	$[-10, 10]$	0	30	US	$1.0E-05$
Axis parallel hyper-ellipsoid	$f_{18}(x) = \sum_{i=1}^D i x_i^2$	$[-5.12, 5.12]$	0	30	US	$1.0E-05$
Beale	$f_{19}(x) = [1.5 - x_1(1 - x_2)]^2 + [2.25 - x_1(1 - x_2^2)]^2 + [2.625 - x_1(1 - x_2^3)]^2$	$[-4.5, 4.5]$	0	2	UN	$1.0E-05$
Shifted Sphere	$f_{20}(x) = \sum_{i=1}^D z_i^2 + f_{bias}, z = x - o, x = [x_1, x_2, \dots, x_D], o = [o_1, o_2, \dots, o_D]$	$[-100, 100]$	-450	10	US	$1.0E-05$
Shifted Schwefel	$f_{21}(x) = \sum_{i=1}^D (\sum_{j=1}^i z_j)^2 + f_{bias}, z = x - o, x = [x_1, x_2, \dots, x_D], o = [o_1, o_2, \dots, o_D]$	$[-100, 100]$	-450	10	UN	$1.0E-05$
Shifted Griewank	$f_{22}(x) = \sum_{i=1}^D \frac{z_i^2}{4000} - \prod_{i=1}^D \cos(\sqrt{\frac{z_i}{4000}}) + 1 + f_{bias}, z = (x - o), x = [x_1, x_2, \dots, x_D], o = [o_1, o_2, \dots, o_D]$	$[-600, 600]$	-180	10	MN	$1.0E-05$
Shifted Ackley	$f_{23}(x) = -20 \exp(-0.2 \sqrt{\frac{1}{D} \sum_{i=1}^D z_i^2}) - \exp(\frac{1}{D} \sum_{i=1}^D \cos(2\pi z_i)) + 20 + e + f_{bias}, z = (x - o), x = [x_1, x_2, \dots, x_D], o = [o_1, o_2, \dots, o_D]$	$[-32, 32]$	-140	10	MS	$1.0E-05$
Easom's function	$f_{24}(x) = -\cos x_1 \cos x_2 e^{(-(x_1 - \pi)^2 - (x_2 - \pi)^2)}$	$[-10, 10]$	-1	2	UN	$1.0E-13$
Dekkers and Aarts	$f_{25}(x) = 10^5 x_1^2 + x_2^2 - (x_1^2 + x_2^2)^2 + 10^{-5}(x_1^2 + x_2^2)^4$	$[-20, 20]$	-24777	2	MN	$5.0E-01$
Shubert	$f_{26}(x) = -\sum_{i=1}^5 i \cos((i+1)x_1 + 1) \sum_{j=1}^5 i \cos((i+1)x_2 + 1)$	$[-10, 10]$	-186.7309	2	MN	$1.0E-05$

Table 2: Experimental Results

Test Function	Algorithm	SD	ME	AFE	SR
$f_1$	DE	1.42E-04	8.68E-04	27378	100
	PSO	6.72E-05	9.34E-04	45914.5	100
	ABC	2.02E-04	7.57E-04	35901	100
	CMA-ES	2.90E-04	7.10E-04	21248	100
	SMO	8.38E-05	8.88E-04	15128.19	100
$f_2$	DE	3.54E-01	1.00E-01	25858	95
	PSO	2.36E-04	2.53E-04	38273.5	100
	ABC	5.92E-04	6.35E-04	20244	100
	CMA-ES	1.77E+00	1.44E+00	72184	36
	SMO	1.20E-05	2.34E-04	12018.41	100
$f_3$	DE	6.12E+02	2.24E+03	200000	0
	PSO	6.70E+02	2.80E+03	200000	0
	ABC	1.18E+01	1.19E+00	170335	76
	CMA-ES	8.96E+02	7.64E+03	200000	0
	SMO	1.11E+02	7.67E+01	180525.04	65
$f_4$	DE	4.93E+00	1.54E+01	200000	0
	PSO	1.35E+01	3.80E+01	200000	0
	ABC	3.14E-04	4.72E-04	87039	100
	CMA-ES	1.36E+01	5.18E+01	200000	0
	SMO	2.33E-04	3.39E-04	83158.66	100
$f_5$	DE	1.45E-02	2.90E-03	24490.5	98
	PSO	1.44E-02	2.98E-03	52777.5	98
	ABC	2.19E-04	7.48E-04	29301	100
	CMA-ES	3.40E-02	7.20E-04	23254	88
	SMO	1.61E-04	6.52E-04	16176	100
$f_6$	DE	1.78E-03	1.15E-03	26753	97
	PSO	2.58E-03	1.62E-03	51446	93
	ABC	1.96E-04	7.89E-04	32604	100
	CMA-ES	4.50E-03	1.70E-03	13756	86
	SMO	1.43E-04	1.07E-04	23728.83	100
$f_7$	DE	7.15E-05	2.39E-04	2632.5	100
	PSO	3.09E-04	3.06E-04	3778	100
	ABC	2.79E-04	1.93E-04	1306	100
	CMA-ES	6.87E+00	1.04E+01	200000	0
	SMO	2.68E-04	2.02E-04	919.71	100
$f_8$	DE	2.14E-04	8.32E-04	8170	97
	PSO	1.33E-04	8.39E-04	1957	100
	ABC	1.34E-04	8.43E-04	7525.37	100
	CMA-ES	4.20E-03	1.50E-03	13434	88
	SMO	1.38E-04	8.51E-04	2214.37	100
$f_9$	DE	1.01E-04	4.44E-04	1686.5	100
	PSO	3.05E-04	4.80E-04	1318	100
	ABC	3.11E-04	5.08E-04	899	100
	CMA-ES	5.20E-11	6.03E-04	619	100
	SMO	2.99E-04	4.02E-04	529.65	100
$f_{10}$	DE	1.32E-04	4.89E-04	2081	100
	PSO	2.82E-04	4.81E-04	1445.5	100
	ABC	2.79E-04	4.77E-04	1480	100
	CMA-ES	1.40E-07	3.98E-04	594	100
	SMO	2.91E-04	4.25E-04	673.2	100
$f_{11}$	DE	1.20E-04	4.78E-04	1608	100
	PSO	2.70E-04	4.83E-04	1900.5	100
	ABC	3.08E-04	4.88E-04	2925.11	100
	CMA-ES	2.51E-01	1.43E-02	2052	78
	SMO	2.96E-04	4.85E-04	866.25	100

to be cont'd on next page

Table 2: Experimental Results (Cont.)

Test Function	Algorithm	SD	ME	AFE	SR
$f_{12}$	DE	1.04E-04	5.01E-04	1334	100
	PSO	2.46E-04	5.77E-04	1080.5	100
	ABC	2.64E-04	5.48E-04	1415	100
	CMA-ES	4.80E-08	9.25E-04	996	100
	SMO	2.66E-04	5.15E-04	598.95	100
$f_{13}$	DE	5.22E-02	8.84E-02	149112	26
	PSO	5.63E-02	4.29E-02	76074	64
	ABC	2.33E-04	6.81E-04	4652	100
	CMA-ES	5.80E-02	3.80E-03	22330	48
	SMO	1.18E-02	1.86E-03	27278.86	99
$f_{14}$	DE	1.05E+00	1.50E-01	7962	98
	PSO	1.36E+00	2.75E-01	16708.5	96
	ABC	2.56E-04	5.74E-04	6656	100
	CMA-ES	2.58E-02	3.18E-02	42561	40
	SMO	2.58E-04	6.40E-04	17592.18	100
$f_{15}$	DE	1.65E-04	5.63E-04	3659.5	100
	PSO	2.35E-04	6.89E-04	5435	100
	ABC	2.93E-04	5.90E-04	8222.32	100
	CMA-ES	1.74E-01	1.25E-02	35632	48
	SMO	2.57E-04	6.62E-04	9519.46	100
$f_{16}$	DE	6.67E-01	6.76E-02	5620	99
	PSO	2.56E-04	6.57E-04	5463.5	100
	ABC	2.82E-04	5.75E-04	9584.35	100
	CMA-ES	2.54E-02	2.15E-03	11234	52
	SMO	2.48E-04	6.53E-04	7605.82	100
$f_{17}$	DE	1.34E-06	8.63E-06	40678	100
	PSO	5.46E-07	9.38E-06	69416.5	100
	ABC	1.82E-06	8.25E-06	63993	100
	CMA-ES	6.61E-06	2.51E-05	10318	100
	SMO	9.45E-07	8.94E-06	22477.95	100
$f_{18}$	DE	1.31E-06	8.60E-06	26463.5	100
	PSO	6.13E-07	9.37E-06	44129.5	100
	ABC	2.00E-06	8.18E-06	41861	100
	CMA-ES	1.06E-06	7.03E-06	16463	100
	SMO	7.62E-07	8.96E-06	14679.72	100
$f_{19}$	DE	1.13E-06	4.72E-06	1849	100
	PSO	2.67E-06	4.22E-06	2762	100
	ABC	2.42E-06	7.81E-06	31948.76	100
	CMA-ES	1.01E-06	1.17E-06	1247.16	100
	SMO	2.58E-06	4.81E-06	1569.15	100
$f_{20}$	DE	2.03E-06	7.46E-06	10805.5	100
	PSO	1.47E-06	8.07E-06	15854.5	100
	ABC	2.16E-06	7.35E-06	17112	100
	CMA-ES	8.12E-06	6.38E-06	13805.5	100
	SMO	1.86E-06	7.65E-06	5898.42	100
$f_{21}$	DE	3.39E+03	1.21E+05	200000	0
	PSO	1.01E+03	7.84E+02	200000	0
	ABC	3.96E+03	1.31E+04	200000	0
	CMA-ES	1.00E+03	1.84E+02	200000	0
	SMO	1.18E+03	1.84E+04	200000	0
$f_{22}$	DE	1.20E-02	1.34E-02	165684	22
	PSO	2.77E-02	4.28E-02	198768.5	2
	ABC	2.86E-03	1.09E-03	101707.2	86
	CMA-ES	5.63E-04	1.03E-04	95707.2	96
	SMO	6.03E-03	2.68E-03	130922.94	77

to be cont'd on next page

Table 2: Experimental Results (Cont.)

Test Function	Algorithm	SD	ME	AFE	SR
$f_{23}$	DE	1.21E-06	8.85E-06	15959	100
	PSO	8.69E-07	9.10E-06	24687.5	100
	ABC	1.71E-06	8.09E-06	32415	100
	CMA-ES	2.35E-06	5.37E-06	17365	100
	SMO	1.13E-06	8.66E-06	9069.39	100
$f_{24}$	DE	7.36E-15	4.50E-14	5210	100
	PSO	2.87E-14	5.13E-14	9778	100
	ABC	5.64E-07	5.71E-08	128925.18	52
	CMA-ES	8.17E-14	7.83E-14	9612	100
	SMO	2.69E-14	4.71E-14	11789.91	100
$f_{25}$	DE	1.12E-03	4.90E-01	2725.5	100
	PSO	5.64E-03	4.91E-01	4979	100
	ABC	5.25E-03	4.90E-01	2567	100
	CMA-ES	6.07E-03	7.91E-01	1725.5	100
	SMO	4.98E-03	4.89E-01	1258.29	100
$f_{26}$	DE	2.16E-06	4.78E-06	9663	100
	PSO	4.01E-04	1.01E-04	72252.5	83
	ABC	5.95E-06	5.32E-06	8248.56	100
	CMA-ES	6.27E-06	7.32E-06	14262	100
	SMO	5.58E-06	4.97E-06	4379.76	100

### 5.3 Statistical Analysis

DE, PSO, ABC, CMA-ES and SMO are compared based on SR, AFE, and ME. First SR of all these algorithms is compared and if it is not possible to distinguish the performance of algorithms based on SR then comparison is made on the basis of AFE. ME is used for comparison if the comparison is not possible on the basis of SR and AFE both. From the results shown in Table ??, it is clear that SMO costs less on 14 function ( $f_1, f_2, f_4, f_5, f_6, f_7, f_9, f_{11}, f_{12}, f_{18}, f_{20}, f_{23}, f_{25}, f_{26}$ ) among all the considered algorithms. As these functions include unimodel, multimodel, separable, non separable, lower and higher dimension functions, it can be stated that SMO balances the exploration and exploitation capabilities efficiently. ABC outperforms SMO over five test functions ( $f_3, f_{13}, f_{14}, f_{15}, f_{21}, f_{22}$ ) and four are multimodel functions. It shows that ABC perform better on multimodel functions as the solution search equation of ABC is significantly influenced by a random quantity which helps in exploration at the cost of exploitation of the search space ?. CMA-ES outperforms over SMO on six test functions ( $f_{10}, f_{17}, f_{19}, f_{21}, f_{22}, f_{24}$ ) among these four test functions are unimodel functions. Generally speaking, the cost of CMA-ES is lower than those of SMO, ABC, DE and PSO for the unimodal functions. This is because CMA-ES is a local method devised for optimal exploitation of local information ?. DE outperform over only two test functions ( $f_{15}, f_{24}$ ) in which  $f_{15}$  is unimodel and  $f_{24}$  is multimodel. Further, PSO performs better than SMO over five test function ( $f_8, f_{15}, f_{16}, f_{21}, f_{24}$ ) which all are non separable functions as well as four are multimodel functions. Overall, SMO is better than DE over 24 test functions, PSO over 21 test functions, ABC over 20 test functions, and CMA-ES over 20 test functions of mixed characteristics, when compared separately. It means that when the results of all functions are evaluated together, the SMO algorithm is the cost effective algorithm for most of the functions.

For the purpose of comparison in terms of consolidated performance, boxplot analyses have been carried out for all the considered algorithms. The empirical distribution of data is efficiently represented graphically by the boxplot analysis tool ?. The boxplots of average number of function evaluations for DE, PSO, ABC, CMA-ES and SMO are shown in Figure ?. It is clear from Figure ??(a) that SMO is cost effective in terms of function evaluations as interquartile range and median of average number of function evaluations are low for SMO. When the considered algorithms are compared on the basis of standard deviation and success rate, it can be observed from Figure ??(b) and ??(c) that ABC and SMO have equal performance, while they perform better than DE, PSO and CMA-ES.

Though, it is clear from box plots that SMO is cost effective than DE, PSO, ABC, and CMA-ES i.e., SMO's result differs from the other, now to check, whether there exists any significant difference between algorithm's output or this






Fig. 7: Boxplots graph for (a) Average number of function evaluation, (b) Standard Deviation, and (c) Success Rate.

difference is due to some randomness, we require another statistical test. It can be observed from boxplots Figure ??(a) that average number of function evaluations used by the considered algorithms to solve the different problems are not normally distributed, so a non-parametric statistical test is required to compare the performance of the algorithms. The Mann-Whitney U rank sum test, a non-parametric test, is well established test for comparison among non-Gaussian data. In this paper, this test is performed at 5% level of significance ( $\alpha = 0.05$ ) between SMO - DE, SMO - PSO, SMO - ABC, and SMO - CMA-ES.

Table ?? shows the results of the Mann-Whitney U rank sum test for the average function evaluations of 100 simulations. First we observe the significant difference by Mann-Whitney U rank sum test i.e., whether the two data sets are significantly different or not. If significant difference is not seen (i.e., the null hypothesis is accepted) then sign '=' appears and when significant difference is observed i.e., the null hypothesis is rejected then compare the average number of function evaluations. And we use signs '+' and '-' for the case where SMO takes less or more average number of function evaluations than the other algorithms, respectively. Therefore in Table ??, '+' shows that SMO is significantly better and '-' shows that SMO is worse. As Table ?? includes 79 '+' signs out of 104 comparisons. Therefore, it can be concluded that the results of SMO is significantly cost effective than DE, PSO, ABC and CMA-ES over considered test problems.

Further, to compare the considered algorithms, by giving weighted importance to SR, AFE and SD, performance indices (*PIs*) are calculated. The values of *PI* for the DE, PSO, ABC and CMA-ES are calculated by using following

Table 3: Comparison based on mean function evaluations and the Mann-Whitney U rank sum test at a  $\alpha = 0.05$  significance level ('+' indicates SMO is significantly better, '-' indicates SMO is significantly worst and '=' indicates that there is no significant difference),

TP: Test Problem.									
TP	Mann-Whitney U rank sum test with SMO				TP	Mann-Whitney U rank sum test with SMO			
	DE	PSO	ABC	CMA-ES		DE	PSO	ABC	CMA-ES
$f_1$	+	+	+	+	$f_{14}$	-	-	-	+
$f_2$	+	+	+	+	$f_{15}$	-	-	-	+
$f_3$	+	+	-	+	$f_{16}$	-	-	+	+
$f_4$	+	+	+	+	$f_{17}$	+	+	+	-
$f_5$	+	+	+	+	$f_{18}$	+	+	+	+
$f_6$	+	+	+	-	$f_{19}$	+	+	+	-
$f_7$	+	+	+	+	$f_{20}$	+	+	+	+
$f_8$	+	-	+	+	$f_{21}$	=	=	=	=
$f_9$	+	+	+	+	$f_{22}$	+	+	-	-
$f_{10}$	+	+	+	-	$f_{23}$	+	+	+	+
$f_{11}$	+	+	+	+	$f_{24}$	-	-	+	-
$f_{12}$	+	+	+	+	$f_{25}$	+	+	+	+
$f_{13}$	+	+	-	-	$f_{26}$	+	+	+	+

equations:

$$PI = \frac{1}{N_p} \sum_{i=1}^{N_p} (k_1 \alpha_1^i + k_2 \alpha_2^i + k_3 \alpha_3^i)$$

Where  $\alpha_1^i = \frac{Sr^i}{Tr^i}$ ;  $\alpha_2^i = \begin{cases} \frac{Mf^i}{Af^i}, & \text{if } Sr^i > 0. \\ 0, & \text{if } Sr^i = 0. \end{cases}$ ; and  $\alpha_3^i = \frac{Mo^i}{Ao^i}$

$i = 1, 2, \dots, N_p$

- $Sr^i$  = Successful simulations/runs of  $i^{th}$  problem.
- $Tr^i$  = Total simulations of  $i^{th}$  problem.
- $Mf^i$  = Minimum of average number of function evaluations used for obtaining the required solution of  $i^{th}$  problem.
- $Af^i$  = Average number of function evaluations used for obtaining the required solution of  $i^{th}$  problem.
- $Mo^i$  = Minimum of standard deviation obtained for the  $i^{th}$  problem.
- $Ao^i$  = Standard deviation obtained by an algorithm for the  $i^{th}$  problem.
- $N_p$  = Total number of optimization problems evaluated.

The weights assigned to SR, AFE and SD are represented by  $k_1, k_2$  and  $k_3$  respectively, where  $k_1 + k_2 + k_3 = 1$  and  $0 \leq k_1, k_2, k_3 \leq 1$ . To calculate the  $PI$ s, equal weights are assigned to two variables while weight of the remaining variable vary from 0 to 1 as given in ?. Following are the resultant cases:

1.  $k_1 = W, k_2 = k_3 = \frac{1-W}{2}, 0 \leq W \leq 1$ ;
2.  $k_2 = W, k_1 = k_3 = \frac{1-W}{2}, 0 \leq W \leq 1$ ;
3.  $k_3 = W, k_1 = k_2 = \frac{1-W}{2}, 0 \leq W \leq 1$

The graphs corresponding to each of the cases (1), (2) and (3) for the considered algorithms are shown in Figures ??(a), ??(b), and ??(c) respectively. In these figures the weights  $k_1, k_2$  and  $k_3$  are represented by horizontal axis while the  $PI$  is represented by the vertical axis.

In case (1), AFE and SD are given equal weights.  $PI$ s of the considered algorithms are superimposed in Figure ??(a) for comparison of the performance. It is observed that  $PI$  of SMO is higher than the considered algorithms. In case (2), equal weights are assigned to SR and AFE and in case (3), equal weights are assigned to SR and AFE. It is clear from Figure ??(b) and Figure ??(c) that the algorithms perform same as in case (1).

Further, we compare the convergence speed of the considered algorithms by measuring the AFEs. A smaller AFEs means higher convergence speed. In order to minimize the effect of the stochastic nature of the algorithms, the reported function evaluations for each test problem is averaged over 100 runs. In order to compare convergence speeds, we use the acceleration rate (AR) which is defined as follows, based on the AFEs for the two algorithms ALGO and SMO:




Fig. 8: Performance index for test problems; (a) for case (1), (b) for case (2) and (c) for case (3).

$$AR = \frac{AFE_{ALGO}}{AFE_{SMO}}, \quad (7)$$

where,  $ALGO \in \{DE, PSO, ABC, CMA-ES\}$  and  $AR > 1$  means SMO is faster. In order to investigate the  $AR$  of the proposed algorithm as compared to the considered algorithms, results of Table ?? are analyzed and the value of  $AR$  is calculated using equation (??). Table ?? shows a comparison between SMO and DE, SMO and PSO, SMO and ABC, and SMO and CMA-ES in terms of  $AR$ . It is clear from the Table ?? that convergence speed of SMO is better than considered algorithms for most of the functions.

## 6 Conclusion

In this paper, a new swarm intelligence algorithm for optimization is proposed. The inspiration is from the social behavior of spider monkeys. The proposed algorithm is proved to be very flexible in the category of swarm intelligence based algorithms. With the help of numerical experiments over test problems, it has been shown that, for most of the problems the reliability (due to success rate), efficiency (due to average number of function evaluations) and accuracy (due to mean objective function value) of SMO is competitive or similar to those of DE, PSO, ABC and CMA-ES. Hence, it may be concluded that SMO is going to be a competing candidate in the field of swarm intelligence based optimization algorithms.

Table 4: Acceleration Rate (AR) of SMO as compared to the DE, PSO, ABC and CMA-ES, TP: Test Problems

TP	DE	PSO	ABC	CMA-ES
$f_1$	1.809734013	3.035029306	2.373119322	1.404530218
$f_2$	2.151532524	3.184572668	1.684415825	6.006118946
$f_3$	1.10787955	1.10787955	0.943553315	1.10787955
$f_4$	2.405041159	2.405041159	1.046661887	2.405041159
$f_5$	1.514002226	3.262704006	1.81138724	1.43756182
$f_6$	1.127447076	2.168079926	1.374024762	0.579716741
$f_7$	2.862315295	4.107816594	1.42001283	217.4598515
$f_8$	3.689536979	0.883772811	3.398424834	6.066736815
$f_9$	3.184178231	2.488435759	1.697347305	1.168696309
$f_{10}$	3.091206179	2.147207368	2.19845514	0.882352941
$f_{11}$	1.856277056	2.193939394	3.376750361	2.368831169
$f_{12}$	2.227230988	1.803990316	2.362467652	1.662910093
$f_{13}$	5.466210831	2.788752902	0.170534986	0.818582595
$f_{14}$	0.452587456	0.94976859	0.378349926	2.419313581
$f_{15}$	0.384423066	0.570935746	0.863738069	3.74306946
$f_{16}$	0.738907836	0.718331488	1.260133687	1.477026803
$f_{17}$	1.809684602	3.088204218	2.846923318	0.459027625
$f_{18}$	1.80272512	3.006154068	2.851621148	1.121479156
$f_{19}$	1.178344964	1.760188637	20.36055189	0.794799732
$f_{20}$	1.831931263	2.687923207	2.901115892	2.340542043
$f_{21}$	1	1	1	1
$f_{22}$	1.265507786	1.518209872	0.776847816	0.731019331
$f_{23}$	1.75965528	2.722068408	3.574110276	1.914682244
$f_{24}$	0.441903288	0.829353235	10.93521325	0.815273399
$f_{25}$	2.166034857	3.956957458	2.040070254	1.371305502
$f_{26}$	2.206285276	16.49690851	1.883336073	3.256342813

## Acknowledgement

The authors acknowledge the anonymous reviewers for their valuable comments and suggestions.

## References

- M.M. Ali, C. Khompatraporn, and Z.B. Zabinsky. A numerical evaluation of several stochastic algorithms on selected continuous global optimization test problems. *Journal of Global Optimization*, 31(4):635–672, 2005.
- P. Angeline. Evolutionary optimization versus particle swarm optimization: Philosophy and performance differences. In *Evolutionary Programming VII*, pages 601–610. Springer, 1998.
- E. Bonabeau, M. Dorigo, and G. Theraulaz. *Swarm intelligence: from natural to artificial systems*. Oxford University Press, New York, USA, 1999.
- Maurice Clerc. A method to improve standard PSO, [http://clerc.maurice.free.fr/psa/Design\\_efficient\\_PSO.pdf](http://clerc.maurice.free.fr/psa/Design_efficient_PSO.pdf), Reterived on Jan. 2012.
- L.N. De Castro and F.J. Von Zuben. Artificial immune systems: Part I–basic theory and applications. *Universidade Estadual de Campinas, Dezembro de, Tech. Rep*, 1999.
- Thakur M. Deep, K. A new crossover operator for real coded genetic algorithms. *Applied Mathematics and Computation*, 188(1):895911, 2007.
- M. Dorigo and T. Stützle. *Ant colony optimization*. the MIT Press, 2004.
- R. Gamperle, S.D. Muller, and A. Koumoutsakos. A parameter study for differential evolution. *Advances in Intelligent Systems, Fuzzy Systems, Evolutionary Computation*, 10:293–298, 2002.
- D.E. Goldberg. *Genetic algorithms in search, optimization, and machine learning*. Addison-Wesley Professional, 1989.
- Nikolaus Hansen. The cma evolution strategy: a comparing review. In *Towards a new evolutionary computation*, pages 75–102. Springer, 2006.

- Nikolaus Hansen and Andreas Ostermeier. Adapting arbitrary normal mutation distributions in evolution strategies: The covariance matrix adaptation. In *Evolutionary Computation, 1996., Proceedings of IEEE International Conference on*, pages 312–317. IEEE, 1996.
- K. Hofmann, S. Whiteson, and M. de Rijke. Balancing exploration and exploitation in learning to rank online. *Advances in Information Retrieval*, 5:251–263, 2011.
- RL Jeanne. The evolution of the organization of work in social insects. *Monitore zoologico italiano*, 20(2):119–133, 1986.
- D. Karaboga. An idea based on honey bee swarm for numerical optimization. *Techn. Rep. TR06, Erciyes Univ. Press, Erciyes*, 2005.
- D. Karaboga and B. Akay. A comparative study of artificial bee colony algorithm. *Applied Mathematics and Computation*, 214(1):108–132, 2009.
- D. Karaboga and B. Akay. A modified artificial bee colony (ABC) algorithm for constrained optimization problems. *Applied Soft Computing*, 11(3):3021–3031, 2011.
- J. Kennedy and R. Eberhart. Particle swarm optimization. In *Proceedings., IEEE International Conference on Neural Networks, 1995.*, volume 4, pages 1942–1948. IEEE, 1995.
- J. Lampinen and I. Zelinka. On stagnation of the differential evolution algorithm. In *Proceedings of MENDEL*, pages 76–83. Citeseer, 2000.
- H.B. Mann and D.R. Whitney. On a test of whether one of two random variables is stochastically larger than the other. *The annals of mathematical statistics*, 18(1):50–60, 1947.
- E. Mezura-Montes, J. Velázquez-Reyes, and C.A. Coello Coello. A comparative study of differential evolution variants for global optimization. In *Proceedings of the 8th annual conference on Genetic and evolutionary computation*, pages 485–492. ACM, 2006.
- Michele Milano, Petros Koumoutsakos, and Jürgen Schmidhuber. Self-organizing nets for optimization. *IEEE Transactions on Neural Networks*, 15(3):758–765, 2004.
- K. Milton. Diet and social organization of a free-ranging spider monkey population: The development of species-typical behavior in the absence of adults. *Juvenile primates: life history, development, and behavior*, pages 173–181, 1993.
- M.A. Norconk and W.G. Kinzey. Challenge of neotropical frugivory: travel patterns of spider monkeys and bearded sakis. *American Journal of Primatology*, 34(2):171–183, 1994.
- G.F. Oster and E.O. Wilson. *Caste and ecology in the social insects*. Princeton Univ Pr, 1979.
- K.M. Passino. Biomimicry of bacterial foraging for distributed optimization and control. *Control Systems Magazine, IEEE*, 22(3):52–67, 2002.
- K.M. Passino. Bacterial foraging optimization. *International Journal of Swarm Intelligence Research (IJSIR)*, 1(1):1–16, 2010.
- K.V. Price. Differential evolution: a fast and simple numerical optimizer. In *Fuzzy Information Processing Society, 1996. NAFIPS. 1996 Biennial Conference of the North American*, pages 524–527. IEEE, 1996.
- K.V. Price, R.M. Storn, and J.A. Lampinen. *Differential evolution: a practical approach to global optimization*. Springer Verlag, 2005.
- S. Rahnamayan, H.R. Tizhoosh, and M.M.A. Salama. Opposition-based differential evolution. *IEEE Transactions on Evolutionary Computation*, 12(1):64–79, 2008.
- G. Ramos-Fernandez. *Patterns of association, feeding competition and vocal communication in spider monkeys, Ateles geoffroyi*. Dissertations, University of Pennsylvania, <http://repository.upenn.edu/dissertations/AAI3003685>, 1 January 2001.
- J. Sartore. Spider monkey images, <http://animals.nationalgeographic.com/animals/mammals/spider-monkey>, Retrived on 21 Decmber 2011.
- Harish Sharma, Jagdish Chand Bansal, and KV Arya. Opposition based lévy flight artificial bee colony. *Memetic Computing*, pages 1–15, 2012.
- Y. Shi and R. Eberhart. Parameter selection in particle swarm optimization. In *Evolutionary Programming VII*, pages 591–600. Springer, 1998.
- B. Simmen and D. Sabatier. Diets of some french guianan primates: food composition and food choices. *International Journal of Primatology*, 17(5):661–693, 1996.
- R. Storn and K. Price. Differential evolution—a simple and efficient adaptive scheme for global optimization over continuous spaces. *Journal of Global Optimization*, 11:341–359, 1997.
- P.N. Suganthan, N. Hansen, J.J. Liang, K. Deb, YP Chen, A. Auger, and S. Tiwari. Problem definitions and evaluation criteria for the CEC 2005 special session on real-parameter optimization. *KanGAL Report*, 2005.

- M.M.F. Symington. Fission-fusion social organization in *ateles* and *pan*. *International Journal of Primatology*, 11(1):47–61, 1990.
- M.G.M. van Roosmalen and Instituto Nacional de Pesquisas da Amazônia. Habitat preferences, diet, feeding strategy and social organization of the black spider monkey (*ateles paniscus paniscus* linnaeus 1758) in surinam. Wageningen : Roosmalen, November 1985.
- J. Vesterstrom and R. Thomsen. A comparative study of differential evolution, particle swarm optimization, and evolutionary algorithms on numerical benchmark problems. In *Congress on Evolutionary Computation, 2004. CEC2004.*, volume 2, pages 1980–1987. IEEE, 2004.
- Thomas Weise, Raymond Chiong, and Ke Tang. Evolutionary optimization: Pitfalls and booby traps. *Journal of Computer Science and Technology*, 27(5):907–936, 2012.
- D.F. Williamson, R.A. Parker, and J.S. Kendrick. The box plot: a simple visual method to interpret data. *Annals of internal medicine*, 110(11):916, 1989.
- G. Zhu and S. Kwong. Gbest-guided artificial bee colony algorithm for numerical function optimization. *Applied Mathematics and Computation*, 217(7):3166–3173, 2010.

# Spider Monkey Optimization Algorithm for Numerical Optimization

Jagdish Chand Bansal · Harish Sharma · Shimpi Singh  
Jadon · Maurice Clerc

the date of receipt and acceptance should be inserted later

**Abstract** Swarm intelligence is one of the most promising area for the researchers in the field of numerical optimization. Researchers have developed many algorithms by simulating the swarming behavior of various creatures like ants, honey bees, fish, birds and the findings are very motivating. In this paper, a new approach for numerical optimization is proposed by modeling the foraging behavior of spider monkeys. Spider monkeys have been categorized as fission-fusion social structure based animals. The animals which follow fission-fusion social systems, split themselves from large to smaller groups and vice-versa based on the scarcity or availability of food. The proposed swarm intelligence approach is named as Spider Monkey Optimization (SMO) algorithm and can broadly be classified as an algorithm inspired by intelligent foraging behavior of fission-fusion social structure based animals.

## 1 Introduction

The name swarm is used for an accumulation of creatures such as ants, fish, birds, termites and honey bees which behave collectively. The definition given by Bonabeau for the swarm intelligence is “any attempt to design algorithms or distributed problem-solving devices inspired by the collective behaviour of social insect colonies and other animal societies” [3].

Swarm Intelligence is a meta-heuristic approach in the field of nature inspired techniques that is used to solve optimization problems. It is based on the collective behavior of social creatures. Social creatures utilize their ability of social learning and adaptation to solve complex tasks. Researchers have analyzed such behaviors and designed algorithms that can be used to solve nonlinear, non-convex or combinatorial optimization problems in many science and engineering domains. Previous research [7, 17, 28, 39] have shown that algorithms based on Swarm Intelligence have great potential to find a near optimal solution of real world optimization problem. The algorithms that have been emerged in recent years are Ant Colony Optimization (ACO) [7], Particle Swarm Optimization (PSO) [17], Bacterial Foraging Optimization (BFO) [26], Artificial Bee Colony Optimization (ABC) [14] etc.

---

Jagdish Chand Bansal  
ABV-Indian Institute of Information Technology and Management, Gwalior  
E-mail: jcbansal@gmail.com

Harish Sharma  
ABV-Indian Institute of Information Technology and Management, Gwalior  
E-mail: harish.sharma0107@gmail.com

Shimpi Singh Jadon  
ABV-Indian Institute of Information Technology and Management, Gwalior  
E-mail: shimpisingh2k6@gmail.com

Maurice Clerc  
E-mail: Maurice.Clerc@WriteMe.com

In order to design a new swarm intelligence based algorithm, it is necessary to understand whether a behavior is swarm intelligent behavior or not. Karaboga et al. mentioned that *Division of Labor* and *Self-Organization* are the necessary and sufficient conditions for obtaining intelligent swarming behaviors.

1. Self-organization: is an important feature of a swarm structure which results in global level response by means of interactions among its low-level components without a central authority or external element enforcing it through planning. Therefore, the globally coherent pattern appears from the local interaction of the components that build up the structure, thus the organization is achieved in parallel as all the elements act at the same time and distributed as no element is a central coordinator. Bonabeau et al. have defined the following four important characteristics on which self-organization is based [3]:
  - (i) Positive feedback: is an information extracted from the output of a system and reapplied to the input to promotes the creations of convenient structures. In the field of swarm intelligence positive feedback provides diversity and accelerate the system to new stable state.
  - (ii) Negative feedback: compensates the effect of positive feedback and helps to stabilize the collective pattern.
  - (iii) Fluctuations: are the rate or magnitude of random changes in the system. Randomness is often crucial for efflorescent structures since it allows the findings of new solutions. In foraging process, it helps to get-ride of stagnation.
  - (iv) Multiple interactions: provide the way of learning from the individuals within a society and thus enhance the combined intelligence of the swarm.
2. Division of labour: is a cooperative labour in specific, circumscribed tasks and like roles. In a group, there are various tasks, which are performed simultaneously by specialized individuals. Simultaneous task performance by cooperating specialized individuals is believed to be more efficient than the sequential task performance by unspecialized individuals [5, 13, 24].

This paper proposes a new swarm intelligence algorithm based on the foraging behavior of spider monkeys. The foraging behavior of spider monkeys shows that these monkeys fall in the category of fission-fusion social structure (FFSS) based animals. Thus the proposed optimization algorithm which is based on foraging behavior of spider monkeys is explained better in terms of FFSS. Further, the proposed strategy is tested on various benchmark and engineering optimization test problems.

The rest of the paper is organized as follows: Section 2 describes the foraging behavior and social structure of spider monkeys. In Section 3, first, the foraging behavior is critically evaluated to be a swarm intelligent behavior over the necessary and sufficient conditions of swarm intelligence and then Spider Monkey Optimization algorithm is proposed. A detail discussion about the proposed strategy is presented in section 4. In section 5, performance of the proposed strategy is analyzed and compared with four state-of-the-art algorithms, namely DE, PSO, ABC and CMA-ES. Finally, in section 6, paper is concluded.

## 2 Foraging and Social Behavior of Spider Monkeys

Fission-fusion swarm is a social grouping pattern in which individuals form temporary small parties (also called sub-groups) whose members belong to a larger community (or unit-group) of stable membership, there can be fluid movement between subgroups and unit-groups such that group composition and size changes frequently [37].

The fission-fusion social system of swarm can minimize direct foraging competition among group members, so they divide themselves into sub-groups in order to search food. The members of these subgroups then communicate (through barking and other physical activities) within and outside the subgroup depending upon the availability of food. In this society, social group sleep in one habitat together but forage in small sub-groups going off in different directions during the day. This form of social formation occurs in several species of primates like hamadryas, bonobo, chimpanzees, gelada baboons and spider monkeys. These societies change frequently in their size and composition, making up a strong social group called the ‘parent group’. All the individual members of a faunal community comprise of permanent social networks and their capability to track changes in the environment varies according to their individual animal dynamics. In a fission-fusion society, the main parent group can fission into smaller subgroups or individuals to adapt to the environmental or social circumstances. For example, members of a group are separated from the main group in order to hunt or forage for food during the day, but at night they return to join (fusion) the primary group to share food and to take part in other activities [37].



The society of spider monkeys is one of the example of fission-fusion social structure. In subsequent subsections, a brief overview on swarming of spider monkeys is presented.

## 2.1 Social Organization and Behavior

The social organization of spider monkeys is related to fission-fusion social system. Figure 1 provide some pictures of spider monkeys. [31]. They are social animals and live in group of up to 50 individuals [34]. Spider monkeys break up into



Fig. 1: Social Organization and Behavior (a) Spider-Monkey (b) Spider Monkey Group (c) Spider Monkey sub-group (d) Foods Foraging [31]

small foraging groups that travel together and forage throughout the day within a core area of the larger group's home range [34]. Spider monkeys find their foods in a very different way: a female leads the group and is responsible for finding food sources. In case if she doesn't find sufficient food for the group, she divides the group into smaller subgroups that forage separately [23]. The subgroups within the band are temporary and may vary in formation frequently throughout the day, but on average 3 members can be found in any group at any time ([38, 23]). When two different bands of spider monkeys come closer, the males in each band display aggressiveness and territorial behavior such as calling and barking. These communications occur with much distance between the two subgroups and do not involve any physical contacts, showing that groups respect distinct territory boundaries [38]. Members of a society might not ever be noticed closer at one place, but their mutual tolerance of each other when they come into contact reflects that they are component of the larger group [38]. The main reason behind emerging of fission-fusion social system is the competition for food among the group members when there is a shortage in food availability due to seasonal reasons [23]. When a big group gets food at particular location, there is likely to be less food per group member compared to a small group. After some time, when food scarcity is at its peak, average subgroup size is the smallest and during period of highest food availability, subgroup size is the largest, indicating that competition for scarce resources necessitates breaking into smaller foraging groups [38, 22]. One reason spider monkeys break into smaller foraging groups but still remain part of a larger social unit is the advantage to individual group members in terms of increased mating chances and security from predators.

## 2.2 Communication

Spider monkeys share their intentions and observations using postures and positions, such as postures of sexual receptivity and of attack. During traveling, they interact with each other over long distances using a particular call which sounds like a horse's whinny. Each individual has its own discernible sound so that other members of the group can easily identify who is calling. This long-distance communication permits spider monkeys to get-together, stay away from enemies, share food and gossip. In order to interact to other group members, they generally use visual and vocal communication[30].

## 3 Spider Monkey Optimization Algorithm

Social behavior of spider monkeys inspires authors to develop an stochastic optimization technique that mimics fission-fusion social structure (FFSS) based foraging behavior of spider monkeys. Following are the key features of the FFSS.

1. The fission-fusion social structure based animals are social and live in groups of 40-50 individuals. The FFSS of swarm may reduce the foraging competition among group members by dividing them into sub-groups in order to search food.
2. A female (global Leader) generally leads the group and is responsible for searching food sources. If she is not able to get enough food for the group, she divides the group into smaller subgroups (size varies from 3 to 8 members) that forage independently.
3. Sub-groups are also supposed to be lead by a female (local leader) who becomes decision-maker for planning an efficient foraging route each day.
4. The members of these subgroups then communicate within and outside the subgroup depending upon the availability of food and to maintain territorial boundaries.

In the developed strategy, the foraging behavior of FFSS based animals (e.g. spider monkeys) is divided into four steps. First, the group starts food foraging and evaluates their distance from the food. In the second step, based on the distance from the foods, group members update their positions and again evaluate distance from the food sources. Furthermore, in the third step, the local leader updates its best position within the group and if the position is not updated for a specified number of times then all members of that group start searching of the food in different directions. Next, in the fourth step, the global leader, updates its ever best position and in case of stagnation, it splits the group into smaller size subgroups. All the four steps mentioned before, are continuously executed until the desired output is achieved. There are two important control parameters necessary to introduce in the proposed strategy, one is '*GlobalLeaderLimit*' and another is '*LocalLeaderLimit*' which helps local and global leaders to take appropriate decisions.

The control parameter *LocalLeaderLimit* is used to avoid stagnation i.e., if a local group leader does not update herself in a specified number of times then that group is re-directed to a different direction for foraging. Here, the term 'specified number of times' is referred as *LocalLeaderLimit*. Another control parameter, *GlobalLeaderLimit* is used for the same purpose for global leader. The global leader breaks the group into smaller sub-groups if she does not update in a specified number of times.

The proposed strategy follows self-organization and division of labour properties for obtaining intelligent swarming behaviors of animals. As animals updating their positions by learning from local leader, global leader and self experience in the first and second steps of algorithm, it shows positive feedback mechanisms of self-organization. The third step, in which the stagnated group members are re-directed to different directions for food searching, is responsible for fluctuations in the food foraging process. In the fourth step, when the global leader is get stuck, it divides the groups into smaller subgroups for foraging of foods. This phenomena presents division of labour property. 'Local leader limit' and 'Global leader limit' provides negative feedback to help local and global leader's for their decisions.

However, the proposed strategy is inspired from the foraging behavior of spider monkeys, it is different from the natural foraging behavior of spider monkeys. In In the proposed strategy, the post of leader (local or global) is not permanent but depends upon the ability of leader to search of food. Further, the spider monkeys use different type of communication tactics which are not simulated by the proposed strategy. In this way, the proposed strategy is different from the real foraging behavior of spider monkeys.

### 3.1 Main steps of Spider Monkey Optimization Algorithm (SMO)

Similar to the other population-based algorithms, SMO is a trial and error based collaborative iterative process. The SMO process consists of six phases: Local Leader phase, Global Leader phase, Local Leader Learning phase, Global Leader Learning phase, Local Leader Decision phase and Global Leader Decision phase. The position update process in Global Leader phase is inspired from the Gbest-guided ABC [42] and modified version of ABC [16]. The details of each step of SMO implementation are explained below:

#### 3.1.1 Initialization of the Population

Initially, SMO generates a uniformly distributed initial population of  $N$  spider monkeys where each monkey  $SM_i (i = 1, 2, \dots, N)$  is a  $D$ -dimensional vector. Here  $D$  is the number of variables in the optimization problem and  $SM_i$  represent the  $i^{th}$  Spider Monkey (SM) in the population. Each spider monkey SM corresponds to the potential solution of the problem under consideration. Each  $SM_i$  is initialized as follows:

$$SM_{ij} = SM_{minj} + U(0, 1) \times (SM_{maxj} - SM_{minj}) \quad (1)$$

where  $SM_{minj}$  and  $SM_{maxj}$  are bounds of  $SM_i$  in  $j^{th}$  direction and  $U(0, 1)$  is a uniformly distributed random number in the range  $[0, 1]$ .

### 3.1.2 Local Leader Phase (LLP)

In the Local Leader phase, each Spider Monkey SM modifies its current position based on the information of the local leader experience as well as local group members experience. The fitness value of so obtained new position is calculated. If the fitness value of the new position is higher than that of the old position, then the SM updates his position with the new one. The position update equation for  $i^{th}$  SM ( which is a member of  $k^{th}$  local group) in this phase is

$$SM_{newij} = SM_{ij} + U(0, 1) \times (LL_{kj} - SM_{ij}) + U(-1, 1) \times (SM_{rj} - SM_{ij}) \quad (2)$$

where  $SM_{ij}$  is the  $j^{th}$  dimension of the  $i^{th}$  SM,  $LL_{kj}$  represents the  $j^{th}$  dimension of the  $k^{th}$  local group leader position.  $SM_{rj}$  is the  $j^{th}$  dimension of the  $r^{th}$  SM which is chosen randomly within  $k^{th}$  group such that  $r \neq i$ ,  $U(0, 1)$  is a uniformly distributed random number between 0 and 1. Algorithm 1 shows position update process in the Local Leader phase. In Algorithm 1,  $MG$  is the maximum number of groups in the swarm and  $pr$  is the perturbation rate which

---

**Algorithm 1** Position update process in Local Leader Phase:

---

```

for each  $k \in \{1, \dots, MG\}$  do
  for each member  $SM_i \in k^{th}$  group do
    for each  $j \in \{1, \dots, D\}$  do
      if  $U(0, 1) \geq pr$  then
         $SM_{newij} = SM_{ij} + U(0, 1) \times (LL_{kj} - SM_{ij}) + U(-1, 1) \times (SM_{rj} - SM_{ij})$ 
      else
         $SM_{newij} = SM_{ij}$ 
      end if
    end for
  end for
end for

```

---

controls the amount of perturbation in the current position. The range of  $pr$  is  $[0.1, 0.9]$  (explained in section 5.1).

### 3.1.3 Global Leader Phase (GLP)

After completion of the Local Leader phase, the Global Leader phase (GLP) starts. In GLP phase, all the SM's update their position using experience of Global Leader and local group member's experience. The position update equation for this phase is as follows:

$$SM_{newij} = SM_{ij} + U(0, 1) \times (GL_j - SM_{ij}) + U(-1, 1) \times (SM_{rj} - SM_{ij}) \quad (3)$$

where  $GL_j$  represents the  $j^{th}$  dimension of the global leader position and  $j \in \{1, 2, \dots, D\}$  is the randomly chosen index.

In this phase, the positions of spider monkeys ( $SM_i$ ) are updated based on a probabilities  $prob_i$  which are calculated using their fitness. In this way a better candidate will have a higher chance to make itself better. The probability  $prob_i$  may be calculated using following expression (there may be some other but it must be a function of fitness):

$$prob_i = 0.9 \times \frac{fitness_i}{max\_fitness} + 0.1, \quad (4)$$

here  $fitness_i$  is the fitness value of the  $i^{th}$  SM and  $max\_fitness$  is the maximum fitness in the group. Further, the fitness of the newly generated position of the SM's is calculated and compared with the old one and adopted the better position.

**Algorithm 2** Position update process in Global Leader Phase (GLP) :

---

```

1  for  $k = 1$  to  $MG$  do
2     $count = 1$ ;
3     $GS = k^{th}$  group size;
4    while  $count < GS$  do
5      for  $i = 1$  to  $GS$  do
6        if  $U(0,1) < prob_i$  then
7           $count = count + 1$ .
8          Randomly select  $j \in \{1 \dots D\}$ .
9          Randomly select  $SM_r$  from  $k^{th}$  group s.t.  $r \neq i$ .
10          $SM_{newij} = SM_{ij} + U(0,1) \times (GL_j - SM_{ij}) + U(-1,1) \times (SM_{rj} - SM_{ij})$ .
11       end if
12     end for
13     if  $i$  is equal to  $GS$  then
14        $i = 1$ ;
15     end if
16   end while
17 end for

```

---

*3.1.4 Global Leader Learning (GLL) phase*

In this phase, the position of the global leader is updated by applying the greedy selection in the population i.e., the position of the SM having best fitness in the population is selected as the updated position of the global leader. Further, it is checked that the position of global leader is updating or not and if not then the *GlobalLimitCount* is incremented by 1.

*3.1.5 Local Leader Learning (LLL) phase*

In this phase, the position of the local leader is updated by applying the greedy selection in that group i.e., the position of the SM having best fitness in that group is selected as the updated position of the local leader. Next, the updated position of the local leader is compared with the old one and if the local leader is not updated then the *LocalLimitCount* is incremented by 1.

*3.1.6 Local Leader Decision (LLD) phase*

If any Local Leader position is not updated up to a predetermined threshold called *LocalLeaderLimit*, then all the members of that group update their positions either by random initialization or by using combined information from Global Leader and Local Leader through equation (5), based on the *pr*.

$$SM_{newij} = SM_{ij} + U(0,1) \times (GL_j - SM_{ij}) + U(0,1) \times (SM_{ij} - LL_{kj}); \quad (5)$$

It is clear from the equation (5) that the updated dimension of this SM is attracted towards global leader and repel from the local leader. The pseudo code of LLD phase for  $k^{th}$  group is shown in Algorithm 3. In this algorithm *LocalLimitCount<sub>k</sub>* is the trial counter for the local best solution of  $k^{th}$  group.

*3.1.7 Global Leader Decision (GLD) phase*

In this phase, the position of global leader is monitored and if it is not updated up to a predetermined number of iterations called *GlobalLeaderLimit*, then the global leader divides the population into smaller groups. Firstly, the population is divided into two groups and then three groups and so on till the maximum number of groups (*MG*) are formed as shown in the Figures 2-5. Each time in GLD phase, LLL process is initiated to elect the local leader in the newly formed groups. The case in which maximum number of groups are formed and even then the position of global leader is not updated then the global leader combines all the groups to form a single group. Thus the proposed algorithm is inspired from fusion-fission structure of SMs. The working of this phase is shown in Algorithm 4. The complete pseudo-code of the proposed strategy is given in Algorithm 5:

**Algorithm 3** Local Leader Decision Phase:

---

```

1  for  $k = \{1 \dots MG\}$  do
2    if  $LocalLimitCount_k > LocalLeaderLimit$  then
3       $LocalLimitCount_k = 0$ .
4       $GS = k^{th}$  group size;
5      for  $i \in \{1 \dots GS\}$  do
6        for each  $j \in \{1 \dots D\}$  do
7          if  $U(0, 1) \geq pr$  then
8             $SM_{new_{ij}} = SM_{min_j} + U(0, 1) \times (SM_{max_j} - SM_{min_j})$ 
9          else
10              $SM_{new_{ij}} = SM_{ij} + U(0, 1) \times (GL_j - SM_{ij}) + U(0, 1) \times (SM_{ij} - LL_{kj})$ 
11          end if
12        end for
13      end for
14    end if
15  end for

```

---




Fig. 2: SMO topology: single group

**Algorithm 4** Global Leader Decision Phase:

---

```

1  if  $GlobalLimitCount > GlobalLeaderLimit$  then
2     $GlobalLimitCount = 0$ 
3    if Number of groups  $< MG$  then
4      Divide the population into groups.
5    else
6      Combine all the groups to make a single group.
7    end if
8    Update Local Leaders position.
9  end if

```

---

## 3.2 Control Parameters in SMO

It is clear from the above discussion that there are four control parameters in SMO algorithm: the value of *LocalLeaderLimit*, *GlobalLeaderLimit*, the maximum group *MG* and perturbation rate *pr*. Some settings of control parameters are suggested as follows:

- $MG = N/10$ , i.e., it is chosen such that minimum number of SM's in a group should be 10




Fig. 3: SMO topology: swarm is divided into two group




Fig. 4: SMO topology: swarm is divided into three group

- $GlobalLeaderLimit \in [N/2, 2 \times N]$ ,
- $LocalLeaderLimit$  should be  $D \times N$ ,




Fig. 5: SMO topology: minimum size group

**Algorithm 5** Spider Monkey Optimization (SMO) Algorithm:

1. Initialize Population, *LocalLeaderLimit*, *GlobalLeaderLimit*, *pr*.
2. Calculate fitness (i.e., the distance of individuals from food sources).
3. Select global leader and local leaders by applying greedy selection (see section 3.1.4, 3.1.5).
- while** (Termination criteria is not satisfied) **do**
  - (i) For finding the objective (Food Source), generate the new positions for all the group members by using self experience, local leader experience and group members experience.[Refer Algorithm 1].
  - (ii) Apply the greedy selection process between existing position and newly generated position, based on fitness and select the better one;
  - (iii) Calculate the probability  $prob_i$  for all the group members using equation (4).
  - (iv) Produce new positions for the all the group members, selected by  $prob_i$ , by using self experience, global leader experience and group members experiences. [Refer Algorithm 2].
  - (v) Update the position of local and global leaders, by applying the greedy selection process on all the groups (see section 3.1.4, 3.1.5).
  - (vi) If any Local group leader is not updating her position after a specified number of times (*LocalLeaderLimit*) then re-direct all members of that particular group for foraging by algorithm (3)
  - (vii) If Global Leader is not updating her position for a specified number of times (*GlobalLeaderLimit*) then she divides the group into smaller groups by algorithm (4).
- end while**

–  $pr \in [0.1, 0.9]$ ,

here,  $N$  is the swarm size.

**4 Discussion**

Exploration and exploitation are the two important characteristics of the population (or swarm) based optimization algorithms [9, 17, 35, 25]. In optimization algorithms, the exploration represents the ability to discover the global optimum by investigating the various unknown regions in the solution search space. While, the exploitation represents the ability to find better solutions by implementing the knowledge of the previous good solutions. In behavior, the exploration and exploitation contradict with each other, however both abilities should be well balanced to achieve better optimization performance [40]. It is expected from a good search process that it should explore the new solutions, while maintaining satisfactory performance by exploiting existing solutions [12].

The inherent drawback with most of the population based stochastic algorithms is premature convergence. ABC, DE and PSO are not exceptions [15, 20, 2]. Dervis Karaboga and Bahriye Akay [15] compared the different variants of ABC and found that ABC shows poor performance and remains inefficient in exploring the search space. The solution search equation of ABC is significantly influenced by a random quantity which helps in exploration at the cost of exploitation of the search space [42]. Further, Mezura-Montes et al. [20] analyzed DE and its variants for global optimization and found that DE has deficiency of premature convergence and stagnation. Also some studies proved that DE sometimes stops proceeding toward the global optima even though the population has not converged to local optima or any other point [18]. Price et al. [28] also drawn the same conclusions regarding DE. However the standard PSO has the capability to get a good solution at a significantly faster rate but, when it is compared to other optimization techniques, it is weak to refine the optimum solution, mainly due to less diversity in later search [2]. On the different side, problem-based tuning of parameters is required in PSO, to get an optimum solution accurately and efficiently [33]. Therefore, it is clear that if a population based algorithm is capable of balancing between exploration and exploitation of the search space, then the algorithm is regarded as an efficient algorithm. From this point of view ABC, PSO and DE are not efficient algorithms. The problems of premature convergence and stagnation is a matter of serious consideration for designing a comparatively efficient nature inspired algorithms (NIAs). By keeping in mind the existing drawbacks of NIAs, SMO is designed in this paper.

In the proposed algorithm, the first phase named '*Local Leader phase*' is used to explore the search region as in this phase all the members of the groups update their positions with high perturbation in the dimensions. The perturbation is high for initial iterations and gradually reducing in later iterations. The second phase '*Global Leader phase*' promotes the exploitation as in this phase, better candidates get more chance to update and in position update process, only single randomly selected dimension is updated. The third and fourth phase namely '*Local Leader Learning phase*' and '*Global Leader Learning phase*', are used to check that the search process is not stagnated. In these two phases, it is checked that the local best and global best solutions are updating or not in a predefined number of trials. If not then the solution is considered stagnated. The fifth phase '*Local Leader Decision phase*' is used to avoid the stagnation or premature convergence of local solutions. In this phase, if the local best solution is not updated in a predefined number of trials (*LocalLeaderLimit*) then all the members of that group are re-initialized. In this phase, all the dimensions of the individuals are initialized either randomly or by using global best solution and local best solution. Further, the *Global Leader Decision phase* is used to avoid stagnation of the global best solution. In this phase if the global best solution is not updated within a predefined number of trials (*GlobalLeaderLimit*) then the group is divided into smaller subgroups. The benefit of this structured group strategy is that initially there is a single group so every newly generated food source is attracted towards the best food source (in this case the global best will be the local best also), thereby converging faster to the solution. But as a results of such exploitative tendency, in many cases, the population may skip the global minima and can get stuck into local minima. Therefore, to avoid this situation, if global minima is not updating itself for a predefined number of times then the group is divided into subgroups. Now every new solution will be attracted towards the respective subgroup's local best food source, hence contributes in the exploration of the search space. When the maximum number of subgroups have been formed and even though the global optima is not updating its position then all the subgroups are combined to form a single group and process repeats itself. Therefore, this phase helps to balance the exploration and exploitation capability of the algorithm while maintaining the convergence speed. From above discussion, it is clear that SMO tries to balance the diversity in the population/swarm and hence can be considered as a new candidate in the field of population based algorithms like ABC [15], PSO [17], DE [35] etc. In ABC, DE and PSO, the position update equation is based on the difference vector and so is the case with SMO. Therefore, it may be considered in the category of ABC, PSO and DE algorithms.

## 5 Experimental Results

In order to analyze the performance of SMO algorithm, 26 different global optimization problems ( $f_1$  to  $f_{26}$ ) are selected (listed in Table 1). These are continuous, un-biased optimization problems and have different degrees of complexity and multimodality. Test problems  $f_1 - f_{19}$  and  $f_{24} - f_{26}$  are taken from [1] and test problems  $f_{20} - f_{23}$  are taken from [36] with the associated offset values. This set is large enough to include different kinds of problems such as unimodal, multimodal, separable and non separable. A unimodal function  $f(x)$  has a single extremum (minimum or maximum) in the range specified for  $x$ . On the other hand if a function has more than one peaks in the search space i.e., local extremum, this function is called multimodal. Multimodal functions are used to test the ability of algorithms getting



rid of local minima. If the exploration process of an algorithm is poor then it will not be able to search the whole search space efficiently and will stuck to some local optima. Functions having flat surfaces are also difficult for algorithms since, the flatness of the function does not give any information to the algorithm to direct the search process towards the minima.

### 5.1 Experimental setting

Swarm size, perturbation rate ( $pr$ ),  $LLL$ ,  $GLL$  and maximum number of groups ( $MG$ ) are the parameters that affect the performance of the  $SMO$ , significantly. To fine tune (finding most suitable values) these parameters, sensitivity analyses with different values of these parameters have been carried out. Swarm size is varied from 40 to 160 with step size 20,  $pr$  is varied from 0.1 to 0.9 with step size 0.1,  $MG$  is varied from 1 to 6 with step size 1,  $LLL$  is varied from 100 to 2500 with step size 200 and  $GLL$  is varied from 10 to 220 with step size 30. At a time only one parameter is varied while all other parameters are kept fixed. This fine tuning is done with the following assumptions:

- $pr$  is varied from 0.1 to 0.9 while  $MG$ ,  $LLL$ ,  $GLL$  and Swarm size are fixed to be 5, 1500, 50, and 50, respectively.
- $MG$  is varied from 1 to 6 while  $LLL$ ,  $GLL$  and Swarm size are fixed to be 1500, 50, and 50, respectively.  $pr$  is linearly increasing from 0.1 to 0.4 through iterations.
- $GLL$  is varied from 10 to 220 while  $LLL$ ,  $MG$  and Swarm size are fixed to be 1500, 5, and 50, respectively.  $pr$  is linearly increasing from 0.1 to 0.4 through iterations.
- $LLL$  is varied from 100 to 2500 while  $MG$ ,  $GLL$  and Swarm size are fixed to be 5, 50, and 50, respectively.  $pr$  is linearly increasing from 0.1 to 0.4 through iterations.
- Swarm size is varied from 40 to 160 while  $LLL$ ,  $GLL$  and  $MG$  are fixed to be 1500, 50, and 5, respectively.  $pr$  is linearly increasing from 0.1 to 0.4 through iterations.

For the purpose of sensitivity analysis, 6 test problems are considered and each problem is simulated 30 times. Effects of these parameters are shown in Figures 6(a)- 6(f) respectively. It is clear from Figure 6(a) that  $SMO$  is very sensitive towards  $pr$ .  $SMO$  performs better on some problems with small values of  $pr$  while on some, it performs better with large values of  $pr$ . Therefore, the value of  $pr$  is adopted linearly increasing over iterations to consider the dynamic nature of parameter  $pr$ . It should be noted that this setting of  $pr$  is not general. For a particular problem a different setting of  $pr$  may provide better results. Further, by analyzing Figure 6(b), it can be stated that the value of  $MG = 5$  gives comparatively better results for the given set of test problems. Sensitivity of  $GlobalLeaderLimit(GLL)$  and  $LocalLeaderLimit(LLL)$  can be analyzed by Figure 6(c) and Figure 6(d). It is observed that the value of  $GLL = 50$  and  $LLL = 1500$  gives better results on the considered benchmark optimization problems. Further, swarm size is analyzed in Figure 6(e) and Figure 6(f). It is clear from Figure 6(e) that  $SMO$  is quite sensitive with respect to the swarm size. The optimum value of swarm size around 40 can be observed from the Figure 6(e) and 6(f).

To prove the efficiency of  $SMO$  algorithm, it is compared with four state-of-art algorithms, namely PSO [4] (based on Standard PSO 2006 but with linearly decreasing inertia weight, modified velocity update equation and a different parameters setting), ABC [14], DE ( $DE/rand/bin/1$ ) [35] and Covariance Matrix Adaptation Evolution Strategies (CMA-ES) [11]. For the comparison, same stopping criteria, number of simulations and maximum number of function evaluations are used for all the considered algorithms. The values of parameters for the considered algorithms are as follows:

#### **SMO parameters setting:**

- The Swarm size  $N = 50$ ,
- $MG = 5$ ,
- $GlobalLeaderLimit=50$ ,
- $LocalLeaderLimit=1500$ ,
- $pr \in [0.1, 0.4]$ , linearly increasing over iterations,

$$pr_{G+1} = pr_G + (0.4 - 0.1)/MIR; pr_1 = 0.1. \quad (6)$$

where,  $G$  is the iteration counter,  $MIR$  is the maximum number of iterations.

- The stopping criteria is either maximum number of function evaluations (which is set to be  $2.0 \times 10^5$ ) is reached or the corresponding acceptable error (mentioned in Table 1) have been achieved,

- The number of simulations (or run) =100.

#### ABC parameters setting:

- Colony size  $SN=100$ ,
- Number of food sources  $SN/2$ ,
- $limit = 1500$  [14],

#### DE parameters setting:

- The crossover probability  $CR=0.9$  [8],
- The scale factor which controls the implication of the differential variation  $F=0.5$  [27],
- Population size  $NP=50$ .

#### PSO parameters setting:

- Inertia Weight ( $w$ ), decreases linearly from 1 to 0.1,
- Acceleration coefficients ( $c_1 = 2, c_2 = 2$ ),
- Swarm size  $S=50$ .

#### CMA-ES parameters setting [10]:

All parameter settings for CMA-ES is kept same as in [10]. The results of CMA-ES are obtained by the source code provided at its developer's webpage, <http://www.bionik.tu-berlin.de/user/niko/index.html>.

## 5.2 Results Analysis of Experiments

Numerical results for benchmark problems of Table 1 with the experimental settings given in subsection 5.1 are given in Table 2. In Table 2, standard deviation (SD), mean error (ME), average number of function evaluations (AFE), and success rate (SR) are reported for test problems  $f_1$  to  $f_{26}$ . The  $AFE$  is the average of the function evaluations that are required to reach at the termination criteria in 100 runs. In other words,

$$AFE = \frac{\sum_{i=1}^{100} \# \text{ of function evaluations to meet the termination criteria for run } i}{100}$$

Table 2 shows that most of the time SMO outperforms in terms of reliability, efficiency and accuracy. Some more intensive statistical analyses based on boxplots, the Mann-Whitney U rank sum test, performance indices [6], and acceleration rate (AR) [29] have been carried out for the results of DE, PSO, ABC, CMA-ES and SMO.




Fig. 6: Effect of parameters on success rate for functions  $f_9, f_{12}, f_{14}, f_{18}, f_{25}$  and  $f_{26}$  (a) when  $pr$  is varied (b) when  $MG$  is varied (c) when Global Leader Limit is varied (d) when Local Leader Limit is varied (e) Swarm Size v/s Successful Runs (f) Swarm Size v/s Average number of function evaluations.

Table 1: Benchmark functions used in experiments. D: Dimensions, C: Characteristic, U: Unimodal, M: Multimodal, S: Separable, N: Non-Separable, AE: Acceptable Error

Test Problem	Objective function	Search Range	Optimum Value	D	C	AE
Schwefel function 1.2	$f_1(x) = \sum_{i=1}^D (\sum_{j=1}^i x_j)^2$	$[-100, 100]$	0	30	UN	$1.0E-03$
Step function	$f_2(x) = \sum_{i=1}^D \lfloor (x_i + 0.5) \rfloor^2$	$[-100, 100]$	0	30	US	$1.0E-03$
Schwefel function	$f_3(x) = -\sum_{i=1}^D (x_i \sin \sqrt{ x_i })$	$[-500, 500]$	$-418.9829 \times D$	30	MS	$1.0E-03$
Rastrigin	$f_4(x) = 10D + \sum_{i=1}^D [x_i^2 - 10 \cos(2\pi x_i)]$	$[-5.12, 5.12]$	0	30	MS	$1.0E-03$
Levy function 1	$f_5(x) = \frac{\pi}{D} [10 \sin^2(\pi y_D) + \sum_{i=1}^D u(x_i, 10, 100, 4)]$ , where $y_i = 1 + \frac{1}{4}(x_i + (y_D - 1)^2) + \sum_{i=1}^D u(x_i, 10, 100, 4)$ , $u(x_i, 10, 100, 4) = \begin{cases} k(x_i - a)^m, & x_i > a; \\ 0, & -a \leq x_i \leq a; \\ k(-x_i - a)^m, & x_i < a. \end{cases}$	$[-50, 50]$	0	30	MN	$1.0E-03$
Levy function 2	$f_6(x) = 0.1(\sin^2(3\pi x_1) + \sum_{i=1}^{D-1} [(x_i - 1)^2(1 + \sin^2(3\pi x_{i+1}))]) + (x_D - 1)^2(1 + \sin^2(2\pi x_D)) + \sum_{i=1}^D u(x_i, 5, 100, 4)$	$[-65.536, 65.536]$	0.998	2	MN	$1.0E-03$
Shekel Foxholes Function	$f_7(x) = \frac{1}{500} + \sum_{j=1}^{25} \frac{1}{j + \sum_{i=1}^D (x_i - A_{ij})^6} - 1$	$[-5, 5]$	0.0003075	4	MN	$1.0E-03$
Kowalik function	$f_8(x) = \sum_{i=1}^{11} \left[ a_i - \frac{x_i(0.5 + b_i x_2)}{b_i^2 + b_i x_3 + x_4} \right]^2$	$[-5, 5]$	-1.0316	2	MN	$1.0E-03$
Six-hump camel back	$f_9(x) = (4 - 2.1x_1^2 + x_1^4/3)x_1^2 + x_1x_2 + (-4 + 4x_2^2)x_2^2$	$[-5, 5]$	0.397887	2	MN	$1.0E-03$
Brainin RCOS function	$f_{10}(x) = (x_2 - \frac{5.1}{4\pi^2}x_1^2 + \frac{5}{\pi}x_1 - 6)^2 + 10(1 - \frac{1}{8\pi})\cos x_1 + 10$	$x_1 \in [-5, 10], x_2 \in [0, 15]$	3	2	MN	$1.0E-03$
Goldstien & Price function	$f_{11}(x) = [1 + (x_1 + x_2 + 1)^2(19 - 14x_1 + 13x_1^2 - 14x_2 + 6x_1x_2 + 3x_2^2)] * [30 + (2x_1 - 3x_2)^2(18 - 32x_1 + 12x_1^2 - 48x_2 - 36x_1x_2 + 27x_2^2)]$	$[0, 1]$	-3.86278	3	MN	$1.0E-03$
Hartmann function 3	$f_{12}(x) = -\sum_{i=1}^4 \alpha_i \exp[-\sum_{j=1}^3 A_{ij}(x_j - P_{ij})^2]$	$[0, 1]$	-3.32237	6	MN	$1.0E-03$
Hartmann function 6	$f_{13}(x) = -\sum_{i=1}^4 \alpha_i \exp[-\sum_{j=1}^6 B_{ij}(x_j - Q_{ij})^2]$	$[0, 10]$	-10.1532	4	MN	$1.0E-03$
Shekel function 5	$f_{14}(x) = -\sum_{j=1}^5 [\sum_{i=1}^4 (x_i - C_{ij})^2 + \beta_j]^{-1}$	$[0, 10]$	-10.4029	4	MN	$1.0E-03$
Shekel function 7	$f_{15}(x) = -\sum_{j=1}^7 [\sum_{i=1}^4 (x_i - C_{ij})^2 + \beta_j]^{-1}$	$[0, 10]$	-10.5364	4	MN	$1.0E-03$
Shekel function 10	$f_{16}(x) = -\sum_{j=1}^{10} [\sum_{i=1}^4 (x_i - C_{ij})^2 + \beta_j]^{-1}$	$[-10, 10]$	0	30	US	$1.0E-05$
Cigar	$f_{17}(x) = x_0^2 + 10000 \sum_{i=1}^D x_i^2$	$[-5.12, 5.12]$	0	30	US	$1.0E-05$
Axis parallel hyper-ellipsoid	$f_{18}(x) = \sum_{i=1}^D i x_i^2$	$[-100, 100]$	0	30	UN	$1.0E-05$
Beale	$f_{19}(x) = [1.5 - x_1(1 - x_2)]^2 + [2.25 - x_1(1 - x_2^2)]^2 + [2.625 - x_1(1 - x_2^3)]^2$	$[-4.5, 4.5]$	0	2	UN	$1.0E-05$
Shifted Sphere	$f_{20}(x) = \sum_{i=1}^D z_i^2 + f_{bias}$ , $z = x - o$ , $x = [x_1, x_2, \dots, x_D]$ , $o = [o_1, o_2, \dots, o_D]$	$[-100, 100]$	-450	10	US	$1.0E-05$
Shifted Schwefel	$f_{21}(x) = \sum_{i=1}^D (\sum_{j=1}^i z_j)^2 + f_{bias}$ , $z = x - o$ , $x = [x_1, x_2, \dots, x_D]$ , $o = [o_1, o_2, \dots, o_D]$	$[-100, 100]$	-450	10	UN	$1.0E-05$
Shifted Griewank	$f_{22}(x) = \sum_{i=1}^D \frac{x_i^2}{4000} - \prod_{i=1}^D \cos(\frac{x_i}{\sqrt{i}}) + 1 + f_{bias}$ , $z = (x - o)$ , $x = [x_1, x_2, \dots, x_D]$ , $o = [o_1, o_2, \dots, o_D]$	$[-600, 600]$	-180	10	MN	$1.0E-05$
Shifted Ackley	$f_{23}(x) = -20 \exp(-0.2 \sqrt{\frac{1}{D} \sum_{i=1}^D z_i^2}) - \exp(\frac{1}{D} \sum_{i=1}^D \cos(2\pi z_i)) + 20 + e + f_{bias}$ , $z = (x - o)$ , $x = [x_1, x_2, \dots, x_D]$ , $o = [o_1, o_2, \dots, o_D]$	$[-32, 32]$	-140	10	MS	$1.0E-05$
Easom's function	$f_{24}(x) = -\cos x_1 \cos x_2 \exp((-x_1 - \pi)^2 - (x_2 - \pi)^2)$	$[-10, 10]$	-1	2	UN	$1.0E-13$
Dekkers and Aarts	$f_{25}(x) = 10^5 x_1^2 + x_2^2 - (x_1^2 + x_2^2)^2 + 10^{-5}(x_1^2 + x_2^2)^4$	$[-20, 20]$	-24777	2	MN	$5.0E-01$
Shubert	$f_{26}(x) = -\sum_{i=1}^5 i \cos((i+1)x_1 + 1) \sum_{j=1}^5 i \cos((i+1)x_2 + 1)$	$[-10, 10]$	-186.7309	2	MN	$1.0E-05$

Table 2: Experimental Results

Test Function	Algorithm	SD	ME	AFE	SR
$f_1$	DE	1.42E-04	8.68E-04	27378	100
	PSO	6.72E-05	9.34E-04	45914.5	100
	ABC	2.02E-04	7.57E-04	35901	100
	CMA-ES	2.90E-04	7.10E-04	21248	100
	SMO	8.38E-05	8.88E-04	15128.19	100
$f_2$	DE	3.54E-01	1.00E-01	25858	95
	PSO	2.36E-04	2.53E-04	38273.5	100
	ABC	5.92E-04	6.35E-04	20244	100
	CMA-ES	1.77E+00	1.44E+00	72184	36
	SMO	1.20E-05	2.34E-04	12018.41	100
$f_3$	DE	6.12E+02	2.24E+03	200000	0
	PSO	6.70E+02	2.80E+03	200000	0
	ABC	1.18E+01	1.19E+00	170335	76
	CMA-ES	8.96E+02	7.64E+03	200000	0
	SMO	1.11E+02	7.67E+01	180525.04	65
$f_4$	DE	4.93E+00	1.54E+01	200000	0
	PSO	1.35E+01	3.80E+01	200000	0
	ABC	3.14E-04	4.72E-04	87039	100
	CMA-ES	1.36E+01	5.18E+01	200000	0
	SMO	2.33E-04	3.39E-04	83158.66	100
$f_5$	DE	1.45E-02	2.90E-03	24490.5	98
	PSO	1.44E-02	2.98E-03	52777.5	98
	ABC	2.19E-04	7.48E-04	29301	100
	CMA-ES	3.40E-02	7.20E-04	23254	88
	SMO	1.61E-04	6.52E-04	16176	100
$f_6$	DE	1.78E-03	1.15E-03	26753	97
	PSO	2.58E-03	1.62E-03	51446	93
	ABC	1.96E-04	7.89E-04	32604	100
	CMA-ES	4.50E-03	1.70E-03	13756	86
	SMO	1.43E-04	1.07E-04	23728.83	100
$f_7$	DE	7.15E-05	2.39E-04	2632.5	100
	PSO	3.09E-04	3.06E-04	3778	100
	ABC	2.79E-04	1.93E-04	1306	100
	CMA-ES	6.87E+00	1.04E+01	200000	0
	SMO	2.68E-04	2.02E-04	919.71	100
$f_8$	DE	2.14E-04	8.32E-04	8170	97
	PSO	1.33E-04	8.39E-04	1957	100
	ABC	1.34E-04	8.43E-04	7525.37	100
	CMA-ES	4.20E-03	1.50E-03	13434	88
	SMO	1.38E-04	8.51E-04	2214.37	100
$f_9$	DE	1.01E-04	4.44E-04	1686.5	100
	PSO	3.05E-04	4.80E-04	1318	100
	ABC	3.11E-04	5.08E-04	899	100
	CMA-ES	5.20E-11	6.03E-04	619	100
	SMO	2.99E-04	4.02E-04	529.65	100
$f_{10}$	DE	1.32E-04	4.89E-04	2081	100
	PSO	2.82E-04	4.81E-04	1445.5	100
	ABC	2.79E-04	4.77E-04	1480	100
	CMA-ES	1.40E-07	3.98E-04	594	100
	SMO	2.91E-04	4.25E-04	673.2	100
$f_{11}$	DE	1.20E-04	4.78E-04	1608	100
	PSO	2.70E-04	4.83E-04	1900.5	100
	ABC	3.08E-04	4.88E-04	2925.11	100
	CMA-ES	2.51E-01	1.43E-02	2052	78
	SMO	2.96E-04	4.85E-04	866.25	100

to be cont'd on next page

Table 2: Experimental Results (Cont.)

Test Function	Algorithm	SD	ME	AFE	SR
$f_{12}$	DE	1.04E-04	5.01E-04	1334	100
	PSO	2.46E-04	5.77E-04	1080.5	100
	ABC	2.64E-04	5.48E-04	1415	100
	CMA-ES	4.80E-08	9.25E-04	996	100
	SMO	2.66E-04	5.15E-04	598.95	100
$f_{13}$	DE	5.22E-02	8.84E-02	149112	26
	PSO	5.63E-02	4.29E-02	76074	64
	ABC	2.33E-04	6.81E-04	4652	100
	CMA-ES	5.80E-02	3.80E-03	22330	48
	SMO	1.18E-02	1.86E-03	27278.86	99
$f_{14}$	DE	1.05E+00	1.50E-01	7962	98
	PSO	1.36E+00	2.75E-01	16708.5	96
	ABC	2.56E-04	5.74E-04	6656	100
	CMA-ES	2.58E-02	3.18E-02	42561	40
	SMO	2.58E-04	6.40E-04	17592.18	100
$f_{15}$	DE	1.65E-04	5.63E-04	3659.5	100
	PSO	2.35E-04	6.89E-04	5435	100
	ABC	2.93E-04	5.90E-04	8222.32	100
	CMA-ES	1.74E-01	1.25E-02	35632	48
	SMO	2.57E-04	6.62E-04	9519.46	100
$f_{16}$	DE	6.67E-01	6.76E-02	5620	99
	PSO	2.56E-04	6.57E-04	5463.5	100
	ABC	2.82E-04	5.75E-04	9584.35	100
	CMA-ES	2.54E-02	2.15E-03	11234	52
	SMO	2.48E-04	6.53E-04	7605.82	100
$f_{17}$	DE	1.34E-06	8.63E-06	40678	100
	PSO	5.46E-07	9.38E-06	69416.5	100
	ABC	1.82E-06	8.25E-06	63993	100
	CMA-ES	6.61E-06	2.51E-05	10318	100
	SMO	9.45E-07	8.94E-06	22477.95	100
$f_{18}$	DE	1.31E-06	8.60E-06	26463.5	100
	PSO	6.13E-07	9.37E-06	44129.5	100
	ABC	2.00E-06	8.18E-06	41861	100
	CMA-ES	1.06E-06	7.03E-06	16463	100
	SMO	7.62E-07	8.96E-06	14679.72	100
$f_{19}$	DE	1.13E-06	4.72E-06	1849	100
	PSO	2.67E-06	4.22E-06	2762	100
	ABC	2.42E-06	7.81E-06	31948.76	100
	CMA-ES	1.01E-06	1.17E-06	1247.16	100
	SMO	2.58E-06	4.81E-06	1569.15	100
$f_{20}$	DE	2.03E-06	7.46E-06	10805.5	100
	PSO	1.47E-06	8.07E-06	15854.5	100
	ABC	2.16E-06	7.35E-06	17112	100
	CMA-ES	8.12E-06	6.38E-06	13805.5	100
	SMO	1.86E-06	7.65E-06	5898.42	100
$f_{21}$	DE	3.39E+03	1.21E+05	200000	0
	PSO	1.01E+03	7.84E+02	200000	0
	ABC	3.96E+03	1.31E+04	200000	0
	CMA-ES	1.00E+03	1.84E+02	200000	0
	SMO	1.18E+03	1.84E+04	200000	0
$f_{22}$	DE	1.20E-02	1.34E-02	165684	22
	PSO	2.77E-02	4.28E-02	198768.5	2
	ABC	2.86E-03	1.09E-03	101707.2	86
	CMA-ES	5.63E-04	1.03E-04	95707.2	96
	SMO	6.03E-03	2.68E-03	130922.94	77

to be cont'd on next page

Table 2: Experimental Results (Cont.)

Test Function	Algorithm	SD	ME	AFE	SR
$f_{23}$	DE	1.21E-06	8.85E-06	15959	100
	PSO	8.69E-07	9.10E-06	24687.5	100
	ABC	1.71E-06	8.09E-06	32415	100
	CMA-ES	2.35E-06	5.37E-06	17365	100
	SMO	1.13E-06	8.66E-06	9069.39	100
$f_{24}$	DE	7.36E-15	4.50E-14	5210	100
	PSO	2.87E-14	5.13E-14	9778	100
	ABC	5.64E-07	5.71E-08	128925.18	52
	CMA-ES	8.17E-14	7.83E-14	9612	100
	SMO	2.69E-14	4.71E-14	11789.91	100
$f_{25}$	DE	1.12E-03	4.90E-01	2725.5	100
	PSO	5.64E-03	4.91E-01	4979	100
	ABC	5.25E-03	4.90E-01	2567	100
	CMA-ES	6.07E-03	7.91E-01	1725.5	100
	SMO	4.98E-03	4.89E-01	1258.29	100
$f_{26}$	DE	2.16E-06	4.78E-06	9663	100
	PSO	4.01E-04	1.01E-04	72252.5	83
	ABC	5.95E-06	5.32E-06	8248.56	100
	CMA-ES	6.27E-06	7.32E-06	14262	100
	SMO	5.58E-06	4.97E-06	4379.76	100

### 5.3 Statistical Analysis

DE, PSO, ABC, CMA-ES and SMO are compared based on SR, AFE, and ME. First SR of all these algorithms is compared and if it is not possible to distinguish the performance of algorithms based on SR then comparison is made on the basis of AFE. ME is used for comparison if the comparison is not possible on the basis of SR and AFE both. From the results shown in Table 2, it is clear that SMO costs less on 14 function ( $f_1, f_2, f_4, f_5, f_6, f_7, f_9, f_{11}, f_{12}, f_{18}, f_{20}, f_{23}, f_{25}, f_{26}$ ) among all the considered algorithms. As these functions include unimodel, multimodel, separable, non separable, lower and higher dimension functions, it can be stated that SMO balances the exploration and exploitation capabilities efficiently. ABC outperforms SMO over five test functions ( $f_3, f_{13}, f_{14}, f_{15}, f_{21}, f_{22}$ ) and four are multimodel functions. It shows that ABC perform better on multimodel functions as the solution search equation of ABC is significantly influenced by a random quantity which helps in exploration at the cost of exploitation of the search space [32]. CMA-ES outperforms over SMO on six test functions ( $f_{10}, f_{17}, f_{19}, f_{21}, f_{22}, f_{24}$ ) among these four test functions are unimodel functions. Generally speaking, the cost of CMA-ES is lower than those of SMO, ABC, DE and PSO for the unimodal functions. This is because CMA-ES is a local method devised for optimal exploitation of local information [21]. DE outperform over only two test functions ( $f_{15}, f_{24}$ ) in which  $f_{15}$  is unimodel and  $f_{24}$  is multimodel. Further, PSO performs better than SMO over five test function ( $f_8, f_{15}, f_{16}, f_{21}, f_{24}$ ) which all are non separable functions as well as four are multimodel functions. Overall, SMO is better than DE over 24 test functions, PSO over 21 test functions, ABC over 20 test functions, and CMA-ES over 20 test functions of mixed characteristics, when compared separately. It means that when the results of all functions are evaluated together, the SMO algorithm is the cost effective algorithm for most of the functions.

For the purpose of comparison in terms of consolidated performance, boxplot analyses have been carried out for all the considered algorithms. The empirical distribution of data is efficiently represented graphically by the boxplot analysis tool [41]. The boxplots of average number of function evaluations for DE, PSO, ABC, CMA-ES and SMO are shown in Figure 7. It is clear from Figure 7(a) that SMO is cost effective in terms of function evaluations as interquartile range and median of average number of function evaluations are low for SMO. When the considered algorithms are compared on the basis of standard deviation and success rate, it can be observed from Figure 7(b) and 7(c) that ABC and SMO have equal performance, while they perform better than DE, PSO and CMA-ES.

Though, it is clear from box plots that SMO is cost effective than DE, PSO, ABC, and CMA-ES i.e., SMO's result differs from the other, now to check, whether there exists any significant difference between algorithm's output or this




Fig. 7: Boxplots graph for (a) Average number of function evaluation, (b) Standard Deviation, and (c) Success Rate.

difference is due to some randomness, we require another statistical test. It can be observed from boxplots Figure 7(a) that average number of function evaluations used by the considered algorithms to solve the different problems are not normally distributed, so a non-parametric statistical test is required to compare the performance of the algorithms. The Mann-Whitney U rank sum [19], a non-parametric test, is well established test for comparison among non-Gaussian data. In this paper, this test is performed at 5% level of significance ( $\alpha = 0.05$ ) between SMO - DE, SMO - PSO, SMO - ABC, and SMO - CMA-ES.

Table 3 shows the results of the Mann-Whitney U rank sum test for the average function evaluations of 100 simulations. First we observe the significant difference by Mann-Whitney U rank sum test i.e., whether the two data sets are significantly different or not. If significant difference is not seen (i.e., the null hypothesis is accepted) then sign '=' appears and when significant difference is observed i.e., the null hypothesis is rejected then compare the average number of function evaluations. And we use signs '+' and '-' for the case where SMO takes less or more average number of function evaluations than the other algorithms, respectively. Therefore in Table 3, '+' shows that SMO is significantly better and '-' shows that SMO is worse. As Table 3 includes 79 '+' signs out of 104 comparisons. Therefore, it can be concluded that the results of SMO is significantly cost effective than DE, PSO, ABC and CMA-ES over considered test problems.

Further, to compare the considered algorithms, by giving weighted importance to SR, AFE and SD, performance indices (*PIs*) are calculated [6]. The values of *PI* for the DE, PSO, ABC and CMA-ES are calculated by using following



Table 3: Comparison based on mean function evaluations and the Mann-Whitney U rank sum test at a  $\alpha = 0.05$  significance level ('+' indicates SMO is significantly better, '-' indicates SMO is significantly worst and '=' indicates that there is no significant difference),

TP: Test Problem.

TP	Mann-Whitney U rank sum test with SMO				TP	Mann-Whitney U rank sum test with SMO			
	DE	PSO	ABC	CMA-ES		DE	PSO	ABC	CMA-ES
$f_1$	+	+	+	+	$f_{14}$	-	-	-	+
$f_2$	+	+	+	+	$f_{15}$	-	-	-	+
$f_3$	+	+	-	+	$f_{16}$	-	-	+	+
$f_4$	+	+	+	+	$f_{17}$	+	+	+	-
$f_5$	+	+	+	+	$f_{18}$	+	+	+	+
$f_6$	+	+	+	-	$f_{19}$	+	+	+	-
$f_7$	+	+	+	+	$f_{20}$	+	+	+	+
$f_8$	+	-	+	+	$f_{21}$	=	=	=	=
$f_9$	+	+	+	+	$f_{22}$	+	+	-	-
$f_{10}$	+	+	+	-	$f_{23}$	+	+	+	+
$f_{11}$	+	+	+	+	$f_{24}$	-	-	+	-
$f_{12}$	+	+	+	+	$f_{25}$	+	+	+	+
$f_{13}$	+	+	-	-	$f_{26}$	+	+	+	+

equations:

$$PI = \frac{1}{N_p} \sum_{i=1}^{N_p} (k_1 \alpha_1^i + k_2 \alpha_2^i + k_3 \alpha_3^i)$$

Where  $\alpha_1^i = \frac{Sr^i}{Tr^i}$ ;  $\alpha_2^i = \begin{cases} \frac{Mf^i}{Af^i}, & \text{if } Sr^i > 0. \\ 0, & \text{if } Sr^i = 0. \end{cases}$ ; and  $\alpha_3^i = \frac{Mo^i}{Ao^i}$   
 $i = 1, 2, \dots, N_p$

- $Sr^i$  = Successful simulations/runs of  $i^{th}$  problem.
- $Tr^i$  = Total simulations of  $i^{th}$  problem.
- $Mf^i$  = Minimum of average number of function evaluations used for obtaining the required solution of  $i^{th}$  problem.
- $Af^i$  = Average number of function evaluations used for obtaining the required solution of  $i^{th}$  problem.
- $Mo^i$  = Minimum of standard deviation obtained for the  $i^{th}$  problem.
- $Ao^i$  = Standard deviation obtained by an algorithm for the  $i^{th}$  problem.
- $N_p$  = Total number of optimization problems evaluated.

The weights assigned to SR, AFE and SD are represented by  $k_1, k_2$  and  $k_3$  respectively, where  $k_1 + k_2 + k_3 = 1$  and  $0 \leq k_1, k_2, k_3 \leq 1$ . To calculate the  $PI$ s, equal weights are assigned to two variables while weight of the remaining variable vary from 0 to 1 as given in [6]. Following are the resultant cases:

1.  $k_1 = W, k_2 = k_3 = \frac{1-W}{2}, 0 \leq W \leq 1$ ;
2.  $k_2 = W, k_1 = k_3 = \frac{1-W}{2}, 0 \leq W \leq 1$ ;
3.  $k_3 = W, k_1 = k_2 = \frac{1-W}{2}, 0 \leq W \leq 1$

The graphs corresponding to each of the cases (1), (2) and (3) for the considered algorithms are shown in Figures 8(a), 8(b), and 8(c) respectively. In these figures the weights  $k_1, k_2$  and  $k_3$  are represented by horizontal axis while the  $PI$  is represented by the vertical axis.

In case (1), AFE and SD are given equal weights.  $PI$ s of the considered algorithms are superimposed in Figure 8(a) for comparison of the performance. It is observed that  $PI$  of SMO is higher than the considered algorithms. In case (2), equal weights are assigned to SR and AFE and in case (3), equal weights are assigned to SR and AFE. It is clear from Figure 8(b) and Figure 8(c) that the algorithms perform same as in case (1).

Further, we compare the convergence speed of the considered algorithms by measuring the AFEs. A smaller AFEs means higher convergence speed. In order to minimize the effect of the stochastic nature of the algorithms, the reported function evaluations for each test problem is averaged over 100 runs. In order to compare convergence speeds, we use the acceleration rate (AR) which is defined as follows, based on the AFEs for the two algorithms ALGO and SMO:




Fig. 8: Performance index for test problems; (a) for case (1), (b) for case (2) and (c) for case (3).

$$AR = \frac{AFE_{ALGO}}{AFE_{SMO}}, \quad (7)$$

where,  $ALGO \in \{DE, PSO, ABC, CMA-ES\}$  and  $AR > 1$  means SMO is faster. In order to investigate the  $AR$  of the proposed algorithm as compared to the considered algorithms, results of Table 2 are analyzed and the value of  $AR$  is calculated using equation (7). Table 4 shows a comparison between SMO and DE, SMO and PSO, SMO and ABC, and SMO and CMA-ES in terms of  $AR$ . It is clear from the Table 4 that convergence speed of SMO is better than considered algorithms for most of the functions.

## 6 Conclusion

In this paper, a new swarm intelligence algorithm for optimization is proposed. The inspiration is from the social behavior of spider monkeys. The proposed algorithm is proved to be very flexible in the category of swarm intelligence based algorithms. With the help of numerical experiments over test problems, it has been shown that, for most of the problems the reliability (due to success rate), efficiency (due to average number of function evaluations) and accuracy (due to mean objective function value) of SMO is competitive or similar to those of DE, PSO, ABC and CMA-ES. Hence, it may be concluded that SMO is going to be a competing candidate in the field of swarm intelligence based optimization algorithms.

Table 4: Acceleration Rate (AR) of SMO as compared to the DE, PSO, ABC and CMA-ES, TP: Test Problems

TP	DE	PSO	ABC	CMA-ES
$f_1$	1.809734013	3.035029306	2.373119322	1.404530218
$f_2$	2.151532524	3.184572668	1.684415825	6.006118946
$f_3$	1.10787955	1.10787955	0.943553315	1.10787955
$f_4$	2.405041159	2.405041159	1.046661887	2.405041159
$f_5$	1.514002226	3.262704006	1.81138724	1.43756182
$f_6$	1.127447076	2.168079926	1.374024762	0.579716741
$f_7$	2.862315295	4.107816594	1.42001283	217.4598515
$f_8$	3.689536979	0.883772811	3.398424834	6.066736815
$f_9$	3.184178231	2.488435759	1.697347305	1.168696309
$f_{10}$	3.091206179	2.147207368	2.19845514	0.882352941
$f_{11}$	1.856277056	2.193939394	3.376750361	2.368831169
$f_{12}$	2.227230988	1.803990316	2.362467652	1.662910093
$f_{13}$	5.466210831	2.788752902	0.170534986	0.818582595
$f_{14}$	0.452587456	0.94976859	0.378349926	2.419313581
$f_{15}$	0.384423066	0.570935746	0.863738069	3.74306946
$f_{16}$	0.738907836	0.718331488	1.260133687	1.477026803
$f_{17}$	1.809684602	3.088204218	2.846923318	0.459027625
$f_{18}$	1.80272512	3.006154068	2.851621148	1.121479156
$f_{19}$	1.178344964	1.760188637	20.36055189	0.794799732
$f_{20}$	1.831931263	2.687923207	2.901115892	2.340542043
$f_{21}$	1	1	1	1
$f_{22}$	1.265507786	1.518209872	0.776847816	0.731019331
$f_{23}$	1.75965528	2.722068408	3.574110276	1.914682244
$f_{24}$	0.441903288	0.829353235	10.93521325	0.815273399
$f_{25}$	2.166034857	3.956957458	2.040070254	1.371305502
$f_{26}$	2.206285276	16.49690851	1.883336073	3.256342813

## Acknowledgement

The authors acknowledge the anonymous reviewers for their valuable comments and suggestions.

## References

1. M.M. Ali, C. Khompatraporn, and Z.B. Zabinsky. A numerical evaluation of several stochastic algorithms on selected continuous global optimization test problems. *Journal of Global Optimization*, 31(4):635–672, 2005.
2. P. Angeline. Evolutionary optimization versus particle swarm optimization: Philosophy and performance differences. In *Evolutionary Programming VII*, pages 601–610. Springer, 1998.
3. E. Bonabeau, M. Dorigo, and G. Theraulaz. *Swarm intelligence: from natural to artificial systems*. Oxford University Press, New York, USA, 1999.
4. Maurice Clerc. A method to improve standard PSO, [http://clerc.maurice.free.fr/psa/Design\\_efficient\\_PSO.pdf](http://clerc.maurice.free.fr/psa/Design_efficient_PSO.pdf), Reterived on Jan. 2012.
5. L.N. De Castro and F.J. Von Zuben. Artificial immune systems: Part I–basic theory and applications. *Universidade Estadual de Campinas, Dezembro de, Tech. Rep*, 1999.
6. Thakur M. Deep, K. A new crossover operator for real coded genetic algorithms. *Applied Mathematics and Computation*, 188(1):895911, 2007.
7. M. Dorigo and T. Stützle. *Ant colony optimization*. the MIT Press, 2004.
8. R. Gamperle, S.D. Muller, and A. Koumoutsakos. A parameter study for differential evolution. *Advances in Intelligent Systems, Fuzzy Systems, Evolutionary Computation*, 10:293–298, 2002.
9. D.E. Goldberg. *Genetic algorithms in search, optimization, and machine learning*. Addison-Wesley Professional, 1989.
10. Nikolaus Hansen. The cma evolution strategy: a comparing review. In *Towards a new evolutionary computation*, pages 75–102. Springer, 2006.

11. Nikolaus Hansen and Andreas Ostermeier. Adapting arbitrary normal mutation distributions in evolution strategies: The covariance matrix adaptation. In *Evolutionary Computation, 1996., Proceedings of IEEE International Conference on*, pages 312–317. IEEE, 1996.
12. K. Hofmann, S. Whiteson, and M. de Rijke. Balancing exploration and exploitation in learning to rank online. *Advances in Information Retrieval*, 5:251–263, 2011.
13. RL Jeanne. The evolution of the organization of work in social insects. *Monitore zoologico italiano*, 20(2):119–133, 1986.
14. D. Karaboga. An idea based on honey bee swarm for numerical optimization. *Techn. Rep. TR06, Erciyes Univ. Press, Erciyes*, 2005.
15. D. Karaboga and B. Akay. A comparative study of artificial bee colony algorithm. *Applied Mathematics and Computation*, 214(1):108–132, 2009.
16. D. Karaboga and B. Akay. A modified artificial bee colony (ABC) algorithm for constrained optimization problems. *Applied Soft Computing*, 11(3):3021–3031, 2011.
17. J. Kennedy and R. Eberhart. Particle swarm optimization. In *Proceedings., IEEE International Conference on Neural Networks, 1995.*, volume 4, pages 1942–1948. IEEE, 1995.
18. J. Lampinen and I. Zelinka. On stagnation of the differential evolution algorithm. In *Proceedings of MENDEL*, pages 76–83. Citeseer, 2000.
19. H.B. Mann and D.R. Whitney. On a test of whether one of two random variables is stochastically larger than the other. *The annals of mathematical statistics*, 18(1):50–60, 1947.
20. E. Mezura-Montes, J. Velázquez-Reyes, and C.A. Coello Coello. A comparative study of differential evolution variants for global optimization. In *Proceedings of the 8th annual conference on Genetic and evolutionary computation*, pages 485–492. ACM, 2006.
21. Michele Milano, Petros Koumoutsakos, and Jürgen Schmidhuber. Self-organizing nets for optimization. *IEEE Transactions on Neural Networks*, 15(3):758–765, 2004.
22. K. Milton. Diet and social organization of a free-ranging spider monkey population: The development of species-typical behavior in the absence of adults. *Juvenile primates: life history, development, and behavior*, pages 173–181, 1993.
23. M.A. Norconk and W.G. Kinzey. Challenge of neotropical frugivory: travel patterns of spider monkeys and bearded sakis. *American Journal of Primatology*, 34(2):171–183, 1994.
24. G.F. Oster and E.O. Wilson. *Caste and ecology in the social insects*. Princeton Univ Pr, 1979.
25. K.M. Passino. Biomimicry of bacterial foraging for distributed optimization and control. *Control Systems Magazine, IEEE*, 22(3):52–67, 2002.
26. K.M. Passino. Bacterial foraging optimization. *International Journal of Swarm Intelligence Research (IJSIR)*, 1(1):1–16, 2010.
27. K.V. Price. Differential evolution: a fast and simple numerical optimizer. In *Fuzzy Information Processing Society, 1996. NAFIPS. 1996 Biennial Conference of the North American*, pages 524–527. IEEE, 1996.
28. K.V. Price, R.M. Storn, and J.A. Lampinen. *Differential evolution: a practical approach to global optimization*. Springer Verlag, 2005.
29. S. Rahnamayan, H.R. Tizhoosh, and M.M.A. Salama. Opposition-based differential evolution. *IEEE Transactions on Evolutionary Computation*, 12(1):64–79, 2008.
30. G. Ramos-Fernandez. *Patterns of association, feeding competition and vocal communication in spider monkeys, Ateles geoffroyi*. Dissertations, University of Pennsylvania, <http://repository.upenn.edu/dissertations/AAI3003685>, 1 January 2001.
31. J. Sartore. Spider monkey images, <http://animals.nationalgeographic.com/animals/mammals/spider-monkey>, Retrieved on 21 Decmber 2011.
32. Harish Sharma, Jagdish Chand Bansal, and KV Arya. Opposition based lévy flight artificial bee colony. *Memetic Computing*, pages 1–15, 2012.
33. Y. Shi and R. Eberhart. Parameter selection in particle swarm optimization. In *Evolutionary Programming VII*, pages 591–600. Springer, 1998.
34. B. Simmen and D. Sabatier. Diets of some french guianan primates: food composition and food choices. *International Journal of Primatology*, 17(5):661–693, 1996.
35. R. Storn and K. Price. Differential evolution—a simple and efficient adaptive scheme for global optimization over continuous spaces. *Journal of Global Optimization*, 11:341–359, 1997.

36. P.N. Suganthan, N. Hansen, J.J. Liang, K. Deb, YP Chen, A. Auger, and S. Tiwari. Problem definitions and evaluation criteria for the CEC 2005 special session on real-parameter optimization. *KanGAL Report*, 2005.
37. M.M.F. Symington. Fission-fusion social organization in *ateles* and *pan*. *International Journal of Primatology*, 11(1):47–61, 1990.
38. M.G.M. van Roosmalen and Instituto Nacional de Pesquisas da Amazônia. Habitat preferences, diet, feeding strategy and social organization of the black spider monkey (*ateles paniscus paniscus* linnaeus 1758) in surinam. Wageningen : Roosmalen, November 1985.
39. J. Vesterstrom and R. Thomsen. A comparative study of differential evolution, particle swarm optimization, and evolutionary algorithms on numerical benchmark problems. In *Congress on Evolutionary Computation, 2004. CEC2004.*, volume 2, pages 1980–1987. IEEE, 2004.
40. Thomas Weise, Raymond Chiong, and Ke Tang. Evolutionary optimization: Pitfalls and booby traps. *Journal of Computer Science and Technology*, 27(5):907–936, 2012.
41. D.F. Williamson, R.A. Parker, and J.S. Kendrick. The box plot: a simple visual method to interpret data. *Annals of internal medicine*, 110(11):916, 1989.
42. G. Zhu and S. Kwong. Gbest-guided artificial bee colony algorithm for numerical function optimization. *Applied Mathematics and Computation*, 217(7):3166–3173, 2010.

# Spider Monkey Optimization Algorithm for Numerical Optimization

Jagdish Chand Bansal · Harish Sharma · Shimpi Singh  
Jadon · Maurice Clerc

the date of receipt and acceptance should be inserted later

**Abstract** Swarm intelligence is one of the most promising area for the researchers in the field of numerical optimization. Researchers have developed many algorithms by simulating the swarming behavior of various creatures like ants, honey bees, fish, birds and the findings are very motivating. In this paper, a new approach for numerical optimization is proposed by modeling the foraging behavior of spider monkeys. Spider monkeys have been categorized as fission-fusion social structure based animals. The animals which follow fission-fusion social systems, split themselves from large to smaller groups and vice-versa based on the scarcity or availability of food. The proposed swarm intelligence approach is named as Spider Monkey Optimization (SMO) algorithm and can broadly be classified as an algorithm inspired by intelligent foraging behavior of fission-fusion social structure based animals.

## 1 Introduction

The name swarm is used for an accumulation of creatures such as ants, fish, birds, termites and honey bees which behave collectively. The definition given by Bonabeau for the swarm intelligence is “any attempt to design algorithms or distributed problem-solving devices inspired by the collective behaviour of social insect colonies and other animal societies” [3].

Swarm Intelligence is a meta-heuristic approach in the field of nature inspired techniques that is used to solve optimization problems. It is based on the collective behavior of social creatures. Social creatures utilize their ability of social learning and adaptation to solve complex tasks. Researchers have analyzed such behaviors and designed algorithms that can be used to solve nonlinear, non-convex or combinatorial optimization problems in many science and engineering domains. Previous research [7, 17, 28, 39] have shown that algorithms based on Swarm Intelligence have great potential to find a near optimal solution of real world optimization problem. The algorithms that have been emerged in recent years are Ant Colony Optimization (ACO) [7], Particle Swarm Optimization (PSO) [17], Bacterial Foraging Optimization (BFO) [26], Artificial Bee Colony Optimization (ABC) [14] etc.

---

Jagdish Chand Bansal  
ABV-Indian Institute of Information Technology and Management, Gwalior  
E-mail: jcbansal@gmail.com

Harish Sharma  
ABV-Indian Institute of Information Technology and Management, Gwalior  
E-mail: harish.sharma0107@gmail.com

Shimpi Singh Jadon  
ABV-Indian Institute of Information Technology and Management, Gwalior  
E-mail: shimpisingh2k6@gmail.com

Maurice Clerc  
E-mail: Maurice.Clerc@WriteMe.com

In order to design a new swarm intelligence based algorithm, it is necessary to understand whether a behavior is swarm intelligent behavior or not. Karaboga et al. mentioned that *Division of Labor* and *Self-Organization* are the necessary and sufficient conditions for obtaining intelligent swarming behaviors.

1. Self-organization: is an important feature of a swarm structure which results in global level response by means of interactions among its low-level components without a central authority or external element enforcing it through planning. Therefore, the globally coherent pattern appears from the local interaction of the components that build up the structure, thus the organization is achieved in parallel as all the elements act at the same time and distributed as no element is a central coordinator. Bonabeau et al. have defined the following four important characteristics on which self-organization is based [3]:
  - (i) Positive feedback: is an information extracted from the output of a system and reapplied to the input to promotes the creations of convenient structures. In the field of swarm intelligence positive feedback provides diversity and accelerate the system to new stable state.
  - (ii) Negative feedback: compensates the effect of positive feedback and helps to stabilize the collective pattern.
  - (iii) Fluctuations: are the rate or magnitude of random changes in the system. Randomness is often crucial for efflorescent structures since it allows the findings of new solutions. In foraging process, it helps to get-ride of stagnation.
  - (iv) Multiple interactions: provide the way of learning from the individuals within a society and thus enhance the combined intelligence of the swarm.
2. Division of labour: is a cooperative labour in specific, circumscribed tasks and like roles. In a group, there are various tasks, which are performed simultaneously by specialized individuals. Simultaneous task performance by cooperating specialized individuals is believed to be more efficient than the sequential task performance by unspecialized individuals [5, 13, 24].

This paper proposes a new swarm intelligence algorithm based on the foraging behavior of spider monkeys. The foraging behavior of spider monkeys shows that these monkeys fall in the category of fission-fusion social structure (FFSS) based animals. Thus the proposed optimization algorithm which is based on foraging behavior of spider monkeys is explained better in terms of FFSS. Further, the proposed strategy is tested on various benchmark and engineering optimization test problems.

The rest of the paper is organized as follows: Section 2 describes the foraging behavior and social structure of spider monkeys. In Section 3, first, the foraging behavior is critically evaluated to be a swarm intelligent behavior over the necessary and sufficient conditions of swarm intelligence and then Spider Monkey Optimization algorithm is proposed. A detail discussion about the proposed strategy is presented in section 4. In section 5, performance of the proposed strategy is analyzed and compared with four state-of-the-art algorithms, namely DE, PSO, ABC and CMA-ES. Finally, in section 6, paper is concluded.

## 2 Foraging and Social Behavior of Spider Monkeys

Fission-fusion swarm is a social grouping pattern in which individuals form temporary small parties (also called sub-groups) whose members belong to a larger community (or unit-group) of stable membership, there can be fluid movement between subgroups and unit-groups such that group composition and size changes frequently [37].

The fission-fusion social system of swarm can minimize direct foraging competition among group members, so they divide themselves into sub-groups in order to search food. The members of these subgroups then communicate (through barking and other physical activities) within and outside the subgroup depending upon the availability of food. In this society, social group sleep in one habitat together but forage in small sub-groups going off in different directions during the day. This form of social formation occurs in several species of primates like hamadryas, bonobo, chimpanzees, gelada baboons and spider monkeys. These societies change frequently in their size and composition, making up a strong social group called the ‘parent group’. All the individual members of a faunal community comprise of permanent social networks and their capability to track changes in the environment varies according to their individual animal dynamics. In a fission-fusion society, the main parent group can fission into smaller subgroups or individuals to adapt to the environmental or social circumstances. For example, members of a group are separated from the main group in order to hunt or forage for food during the day, but at night they return to join (fusion) the primary group to share food and to take part in other activities [37].

The society of spider monkeys is one of the example of fission-fusion social structure. In subsequent subsections, a brief overview on swarming of spider monkeys is presented.

## 2.1 Social Organization and Behavior

The social organization of spider monkeys is related to fission-fusion social system. Figure 1 provide some pictures of spider monkeys. [31]. They are social animals and live in group of up to 50 individuals [34]. Spider monkeys break up into




Fig. 1: Social Organization and Behavior (a) Spider-Monkey (b) Spider Monkey Group (c) Spider Monkey sub-group (d) Foods Foraging [31]

small foraging groups that travel together and forage throughout the day within a core area of the larger group's home range [34]. Spider monkeys find their foods in a very different way: a female leads the group and is responsible for finding food sources. In case if she doesn't find sufficient food for the group, she divides the group into smaller subgroups that forage separately [23]. The subgroups within the band are temporary and may vary in formation frequently throughout the day, but on average 3 members can be found in any group at any time ([38, 23]). When two different bands of spider monkeys come closer, the males in each band display aggressiveness and territorial behavior such as calling and barking. These communications occur with much distance between the two subgroups and do not involve any physical contacts, showing that groups respect distinct territory boundaries [38]. Members of a society might not ever be noticed closer at one place, but their mutual tolerance of each other when they come into contact reflects that they are component of the larger group [38]. The main reason behind emerging of fission-fusion social system is the competition for food among the group members when there is a shortage in food availability due to seasonal reasons [23]. When a big group gets food at particular location, there is likely to be less food per group member compared to a small group. After some time, when food scarcity is at its peak, average subgroup size is the smallest and during period of highest food availability, subgroup size is the largest, indicating that competition for scarce resources necessitates breaking into smaller foraging groups [38, 22]. One reason spider monkeys break into smaller foraging groups but still remain part of a larger social unit is the advantage to individual group members in terms of increased mating chances and security from predators.

## 2.2 Communication

Spider monkeys share their intentions and observations using postures and positions, such as postures of sexual receptivity and of attack. During traveling, they interact with each other over long distances using a particular call which sounds like a horse's whinny. Each individual has its own discernible sound so that other members of the group can easily identify who is calling. This long-distance communication permits spider monkeys to get-together, stay away from enemies, share food and gossip. In order to interact to other group members, they generally use visual and vocal communication[30].

## 3 Spider Monkey Optimization Algorithm

Social behavior of spider monkeys inspires authors to develop an stochastic optimization technique that mimics fission-fusion social structure (FFSS) based foraging behavior of spider monkeys. Following are the key features of the FFSS.



1. The fission-fusion social structure based animals are social and live in groups of 40-50 individuals. The FFSS of swarm may reduce the foraging competition among group members by dividing them into sub-groups in order to search food.
2. A female (global Leader) generally leads the group and is responsible for searching food sources. If she is not able to get enough food for the group, she divides the group into smaller subgroups (size varies from 3 to 8 members) that forage independently.
3. Sub-groups are also supposed to be lead by a female (local leader) who becomes decision-maker for planning an efficient foraging route each day.
4. The members of these subgroups then communicate within and outside the subgroup depending upon the availability of food and to maintain territorial boundaries.

In the developed strategy, the foraging behavior of FFSS based animals (e.g. spider monkeys) is divided into four steps. First, the group starts food foraging and evaluates their distance from the food. In the second step, based on the distance from the foods, group members update their positions and again evaluate distance from the food sources. Furthermore, in the third step, the local leader updates its best position within the group and if the position is not updated for a specified number of times then all members of that group start searching of the food in different directions. Next, in the fourth step, the global leader, updates its ever best position and in case of stagnation, it splits the group into smaller size subgroups. All the four steps mentioned before, are continuously executed until the desired output is achieved. There are two important control parameters necessary to introduce in the proposed strategy, one is '*GlobalLeaderLimit*' and another is '*LocalLeaderLimit*' which helps local and global leaders to take appropriate decisions.

The control parameter *LocalLeaderLimit* is used to avoid stagnation i.e., if a local group leader does not update herself in a specified number of times then that group is re-directed to a different direction for foraging. Here, the term 'specified number of times' is referred as *LocalLeaderLimit*. Another control parameter, *GlobalLeaderLimit* is used for the same purpose for global leader. The global leader breaks the group into smaller sub-groups if she does not update in a specified number of times.

The proposed strategy follows self-organization and division of labour properties for obtaining intelligent swarming behaviors of animals. As animals updating their positions by learning from local leader, global leader and self experience in the first and second steps of algorithm, it shows positive feedback mechanisms of self-organization. The third step, in which the stagnated group members are re-directed to different directions for food searching, is responsible for fluctuations in the food foraging process. In the fourth step, when the global leader is get stuck, it divides the groups into smaller subgroups for foraging of foods. This phenomena presents division of labour property. 'Local leader limit' and 'Global leader limit' provides negative feedback to help local and global leader's for their decisions.

However, the proposed strategy is inspired from the foraging behavior of spider monkeys, it is different from the natural foraging behavior of spider monkeys. In In the proposed strategy, the post of leader (local or global) is not permanent but depends upon the ability of leader to search of food. Further, the spider monkeys use different type of communication tactics which are not simulated by the proposed strategy. In this way, the proposed strategy is different from the real foraging behavior of spider monkeys.

### 3.1 Main steps of Spider Monkey Optimization Algorithm (SMO)

Similar to the other population-based algorithms, SMO is a trial and error based collaborative iterative process. The SMO process consists of six phases: Local Leader phase, Global Leader phase, Local Leader Learning phase, Global Leader Learning phase, Local Leader Decision phase and Global Leader Decision phase. The position update process in Global Leader phase is inspired from the Gbest-guided ABC [42] and modified version of ABC [16]. The details of each step of *SMO* implementation are explained below:

#### 3.1.1 Initialization of the Population

Initially, *SMO* generates a uniformly distributed initial population of  $N$  spider monkeys where each monkey  $SM_i (i = 1, 2, \dots, N)$  is a  $D$ -dimensional vector. Here  $D$  is the number of variables in the optimization problem and  $SM_i$  represent the  $i^{th}$  Spider Monkey (*SM*) in the population. Each spider monkey *SM* corresponds to the potential solution of the problem under consideration. Each  $SM_i$  is initialized as follows:

$$SM_{ij} = SM_{minj} + U(0, 1) \times (SM_{maxj} - SM_{minj}) \quad (1)$$

where  $SM_{minj}$  and  $SM_{maxj}$  are bounds of  $SM_i$  in  $j^{th}$  direction and  $U(0, 1)$  is a uniformly distributed random number in the range  $[0, 1]$ .

### 3.1.2 Local Leader Phase (LLP)

In the Local Leader phase, each Spider Monkey SM modifies its current position based on the information of the local leader experience as well as local group members experience. The fitness value of so obtained new position is calculated. If the fitness value of the new position is higher than that of the old position, then the SM updates his position with the new one. The position update equation for  $i^{th}$  SM ( which is a member of  $k^{th}$  local group) in this phase is

$$SM_{newij} = SM_{ij} + U(0, 1) \times (LL_{kj} - SM_{ij}) + U(-1, 1) \times (SM_{rj} - SM_{ij}) \quad (2)$$

where  $SM_{ij}$  is the  $j^{th}$  dimension of the  $i^{th}$  SM,  $LL_{kj}$  represents the  $j^{th}$  dimension of the  $k^{th}$  local group leader position.  $SM_{rj}$  is the  $j^{th}$  dimension of the  $r^{th}$  SM which is chosen randomly within  $k^{th}$  group such that  $r \neq i$ ,  $U(0, 1)$  is a uniformly distributed random number between 0 and 1. Algorithm 1 shows position update process in the Local Leader phase. In Algorithm 1,  $MG$  is the maximum number of groups in the swarm and  $pr$  is the perturbation rate which

---

**Algorithm 1** Position update process in Local Leader Phase:

---

```

for each  $k \in \{1, \dots, MG\}$  do
  for each member  $SM_i \in k^{th}$  group do
    for each  $j \in \{1, \dots, D\}$  do
      if  $U(0, 1) \geq pr$  then
         $SM_{newij} = SM_{ij} + U(0, 1) \times (LL_{kj} - SM_{ij}) + U(-1, 1) \times (SM_{rj} - SM_{ij})$ 
      else
         $SM_{newij} = SM_{ij}$ 
      end if
    end for
  end for
end for

```

---

controls the amount of perturbation in the current position. The range of  $pr$  is  $[0.1, 0.9]$  (explained in section 5.1).

### 3.1.3 Global Leader Phase (GLP)

After completion of the Local Leader phase, the Global Leader phase (GLP) starts. In GLP phase, all the SM's update their position using experience of Global Leader and local group member's experience. The position update equation for this phase is as follows:

$$SM_{newij} = SM_{ij} + U(0, 1) \times (GL_j - SM_{ij}) + U(-1, 1) \times (SM_{rj} - SM_{ij}) \quad (3)$$

where  $GL_j$  represents the  $j^{th}$  dimension of the global leader position and  $j \in \{1, 2, \dots, D\}$  is the randomly chosen index.

In this phase, the positions of spider monkeys ( $SM_i$ ) are updated based on a probabilities  $prob_i$  which are calculated using their fitness. In this way a better candidate will have a higher chance to make itself better. The probability  $prob_i$  may be calculated using following expression (there may be some other but it must be a function of fitness):

$$prob_i = 0.9 \times \frac{fitness_i}{max\_fitness} + 0.1, \quad (4)$$

here  $fitness_i$  is the fitness value of the  $i^{th}$  SM and  $max\_fitness$  is the maximum fitness in the group. Further, the fitness of the newly generated position of the SM's is calculated and compared with the old one and adopted the better position.

**Algorithm 2** Position update process in Global Leader Phase (GLP) :

---

```

1  for  $k = 1$  to  $MG$  do
2     $count = 1$ ;
3     $GS = k^{th}$  group size;
4    while  $count < GS$  do
5      for  $i = 1$  to  $GS$  do
6        if  $U(0, 1) < prob_i$  then
7           $count = count + 1$ .
8          Randomly select  $j \in \{1 \dots D\}$ .
9          Randomly select  $SM_r$  from  $k^{th}$  group s.t.  $r \neq i$ .
10          $SM_{new_{ij}} = SM_{ij} + U(0, 1) \times (GL_j - SM_{ij}) + U(-1, 1) \times (SM_{rj} - SM_{ij})$ .
11       end if
12     end for
13     if  $i$  is equal to  $GS$  then
14        $i = 1$ ;
15     end if
16   end while
17 end for

```

---

*3.1.4 Global Leader Learning (GLL) phase*

In this phase, the position of the global leader is updated by applying the greedy selection in the population i.e., the position of the SM having best fitness in the population is selected as the updated position of the global leader. Further, it is checked that the position of global leader is updating or not and if not then the *GlobalLimitCount* is incremented by 1.

*3.1.5 Local Leader Learning (LLL) phase*

In this phase, the position of the local leader is updated by applying the greedy selection in that group i.e., the position of the SM having best fitness in that group is selected as the updated position of the local leader. Next, the updated position of the local leader is compared with the old one and if the local leader is not updated then the *LocalLimitCount* is incremented by 1.

*3.1.6 Local Leader Decision (LLD) phase*

If any Local Leader position is not updated up to a predetermined threshold called *LocalLeaderLimit*, then all the members of that group update their positions either by random initialization or by using combined information from Global Leader and Local Leader through equation (5), based on the *pr*.

$$SM_{new_{ij}} = SM_{ij} + U(0, 1) \times (GL_j - SM_{ij}) + U(0, 1) \times (SM_{ij} - LL_{kj}); \quad (5)$$

It is clear from the equation (5) that the updated dimension of this SM is attracted towards global leader and repel from the local leader. The pseudo code of LLD phase for  $k^{th}$  group is shown in Algorithm 3. In this algorithm *LocalLimitCount<sub>k</sub>* is the trial counter for the local best solution of  $k^{th}$  group.

*3.1.7 Global Leader Decision (GLD) phase*

In this phase, the position of global leader is monitored and if it is not updated up to a predetermined number of iterations called *GlobalLeaderLimit*, then the global leader divides the population into smaller groups. Firstly, the population is divided into two groups and then three groups and so on till the maximum number of groups ( $MG$ ) are formed as shown in the Figures 2-5. Each time in GLD phase, LLL process is initiated to elect the local leader in the newly formed groups. The case in which maximum number of groups are formed and even then the position of global leader is not updated then the global leader combines all the groups to form a single group. Thus the proposed algorithm is inspired from fusion-fission structure of SMs. The working of this phase is shown in Algorithm 4. The complete pseudo-code of the proposed strategy is given in Algorithm 5:

**Algorithm 3** Local Leader Decision Phase:

---

```

1  for  $k = \{1 \dots MG\}$  do
2    if  $LocalLimitCount_k > LocalLeaderLimit$  then
3       $LocalLimitCount_k = 0$ .
4       $GS = k^{th}$  group size;
5      for  $i \in \{1 \dots GS\}$  do
6        for each  $j \in \{1 \dots D\}$  do
7          if  $U(0, 1) \geq pr$  then
8             $SM_{new_{ij}} = SM_{min_j} + U(0, 1) \times (SM_{max_j} - SM_{min_j})$ 
9          else
10              $SM_{new_{ij}} = SM_{ij} + U(0, 1) \times (GL_j - SM_{ij}) + U(0, 1) \times (SM_{ij} - LL_{kj})$ 
11          end if
12        end for
13      end for
14    end if
15  end for

```

---




Fig. 2: SMO topology: single group

**Algorithm 4** Global Leader Decision Phase:

---

```

37 if  $GlobalLimitCount > GlobalLeaderLimit$  then
38    $GlobalLimitCount = 0$ 
39   if Number of groups  $< MG$  then
40     Divide the population into groups.
41   else
42     Combine all the groups to make a single group.
43   end if
44   Update Local Leaders position.
45 end if

```

---

## 3.2 Control Parameters in SMO

It is clear from the above discussion that there are four control parameters in SMO algorithm: the value of  $LocalLeaderLimit$ ,  $GlobalLeaderLimit$ , the maximum group  $MG$  and perturbation rate  $pr$ . Some settings of control parameters are suggested as follows:

- $MG = N/10$ , i.e., it is chosen such that minimum number of SM's in a group should be 10




Fig. 3: SMO topology: swarm is divided into two group




Fig. 4: SMO topology: swarm is divided into three group

- $GlobalLeaderLimit \in [N/2, 2 \times N]$ ,
- $LocalLeaderLimit$  should be  $D \times N$ ,




Fig. 5: SMO topology: minimum size group

**Algorithm 5** Spider Monkey Optimization (SMO) Algorithm:

1. Initialize Population, *LocalLeaderLimit*, *GlobalLeaderLimit*, *pr*.
2. Calculate fitness (i.e., the distance of individuals from food sources).
3. Select global leader and local leaders by applying greedy selection (see section 3.1.4, 3.1.5).
- while** (Termination criteria is not satisfied) **do**
  - (i) For finding the objective (Food Source), generate the new positions for all the group members by using self experience, local leader experience and group members experience. [Refer Algorithm 1].
  - (ii) Apply the greedy selection process between existing position and newly generated position, based on fitness and select the better one;
  - (iii) Calculate the probability  $prob_i$  for all the group members using equation (4).
  - (iv) Produce new positions for the all the group members, selected by  $prob_i$ , by using self experience, global leader experience and group members experiences. [Refer Algorithm 2].
  - (v) Update the position of local and global leaders, by applying the greedy selection process on all the groups (see section 3.1.4, 3.1.5).
  - (vi) If any Local group leader is not updating her position after a specified number of times (*LocalLeaderLimit*) then re-direct all members of that particular group for foraging by algorithm (3)
  - (vii) If Global Leader is not updating her position for a specified number of times (*GlobalLeaderLimit*) then she divides the group into smaller groups by algorithm (4).
- end while**

–  $pr \in [0.1, 0.9]$ ,

here,  $N$  is the swarm size.

**4 Discussion**

Exploration and exploitation are the two important characteristics of the population (or swarm) based optimization algorithms [9, 17, 35, 25]. In optimization algorithms, the exploration represents the ability to discover the global optimum by investigating the various unknown regions in the solution search space. While, the exploitation represents the ability to find better solutions by implementing the knowledge of the previous good solutions. In behavior, the exploration and exploitation contradict with each other, however both abilities should be well balanced to achieve better optimization performance [40]. It is expected from a good search process that it should explore the new solutions, while maintaining satisfactory performance by exploiting existing solutions [12].

The inherent drawback with most of the population based stochastic algorithms is premature convergence. ABC, DE and PSO are not exceptions [15, 20, 2]. Dervis Karaboga and Bahriye Akay [15] compared the different variants of ABC and found that ABC shows poor performance and remains inefficient in exploring the search space. The solution search equation of ABC is significantly influenced by a random quantity which helps in exploration at the cost of exploitation of the search space [42]. Further, Mezura-Montes et al. [20] analyzed DE and its variants for global optimization and found that DE has deficiency of premature convergence and stagnation. Also some studies proved that DE sometimes stops proceeding toward the global optima even though the population has not converged to local optima or any other point [18]. Price et al. [28] also drawn the same conclusions regarding DE. However the standard PSO has the capability to get a good solution at a significantly faster rate but, when it is compared to other optimization techniques, it is weak to refine the optimum solution, mainly due to less diversity in later search [2]. On the different side, problem-based tuning of parameters is required in PSO, to get an optimum solution accurately and efficiently [33]. Therefore, it is clear that if a population based algorithm is capable of balancing between exploration and exploitation of the search space, then the algorithm is regarded as an efficient algorithm. From this point of view ABC, PSO and DE are not efficient algorithms. The problems of premature convergence and stagnation is a matter of serious consideration for designing a comparatively efficient nature inspired algorithms (NIAs). By keeping in mind the existing drawbacks of NIAs, SMO is designed in this paper.

In the proposed algorithm, the first phase named '*Local Leader phase*' is used to explore the search region as in this phase all the members of the groups update their positions with high perturbation in the dimensions. The perturbation is high for initial iterations and gradually reducing in later iterations. The second phase '*Global Leader phase*' promotes the exploitation as in this phase, better candidates get more chance to update and in position update process, only single randomly selected dimension is updated. The third and fourth phase namely '*Local Leader Learning phase*' and '*Global Leader Learning phase*', are used to check that the search process is not stagnated. In these two phases, it is checked that the local best and global best solutions are updating or not in a predefined number of trials. If not then the solution is considered stagnated. The fifth phase '*Local Leader Decision phase*' is used to avoid the stagnation or premature convergence of local solutions. In this phase, if the local best solution is not updated in a predefined number of trials (*LocalLeaderLimit*) then all the members of that group are re-initialized. In this phase, all the dimensions of the individuals are initialized either randomly or by using global best solution and local best solution. Further, the *Global Leader Decision phase* is used to avoid stagnation of the global best solution. In this phase if the global best solution is not updated within a predefined number of trials (*GlobalLeaderLimit*) then the group is divided into smaller subgroups. The benefit of this structured group strategy is that initially there is a single group so every newly generated food source is attracted towards the best food source (in this case the global best will be the local best also), thereby converging faster to the solution. But as a results of such exploitative tendency, in many cases, the population may skip the global minima and can get stuck into local minima. Therefore, to avoid this situation, if global minima is not updating itself for a predefined number of times then the group is divided into subgroups. Now every new solution will be attracted towards the respective subgroup's local best food source, hence contributes in the exploration of the search space. When the maximum number of subgroups have been formed and even though the global optima is not updating its position then all the subgroups are combined to form a single group and process repeats itself. Therefore, this phase helps to balance the exploration and exploitation capability of the algorithm while maintaining the convergence speed. From above discussion, it is clear that SMO tries to balance the diversity in the population/swarm and hence can be considered as a new candidate in the field of population based algorithms like ABC [15], PSO [17], DE [35] etc. In ABC, DE and PSO, the position update equation is based on the difference vector and so is the case with SMO. Therefore, it may be considered in the category of ABC, PSO and DE algorithms.

## 5 Experimental Results

In order to analyze the performance of SMO algorithm, 26 different global optimization problems ( $f_1$  to  $f_{26}$ ) are selected (listed in Table 1). These are continuous, un-biased optimization problems and have different degrees of complexity and multimodality. Test problems  $f_1 - f_{19}$  and  $f_{24} - f_{26}$  are taken from [1] and test problems  $f_{20} - f_{23}$  are taken from [36] with the associated offset values. This set is large enough to include different kinds of problems such as unimodal, multimodal, separable and non separable. A unimodal function  $f(x)$  has a single extremum (minimum or maximum) in the range specified for  $x$ . On the other hand if a function has more than one peaks in the search space i.e., local extremum, this function is called multimodal. Multimodal functions are used to test the ability of algorithms getting

rid of local minima. If the exploration process of an algorithm is poor then it will not be able to search the whole search space efficiently and will stuck to some local optima. Functions having flat surfaces are also difficult for algorithms since, the flatness of the function does not give any information to the algorithm to direct the search process towards the minima.

### 5.1 Experimental setting

Swarm size, perturbation rate ( $pr$ ),  $LLL$ ,  $GLL$  and maximum number of groups ( $MG$ ) are the parameters that affect the performance of the *SMO*, significantly. To fine tune (finding most suitable values) these parameters, sensitivity analyses with different values of these parameters have been carried out. Swarm size is varied from 40 to 160 with step size 20,  $pr$  is varied from 0.1 to 0.9 with step size 0.1,  $MG$  is varied from 1 to 6 with step size 1,  $LLL$  is varied from 100 to 2500 with step size 200 and  $GLL$  is varied from 10 to 220 with step size 30. At a time only one parameter is varied while all other parameters are kept fixed. This fine tuning is done with the following assumptions:

- $pr$  is varied from 0.1 to 0.9 while  $MG$ ,  $LLL$ ,  $GLL$  and Swarm size are fixed to be 5, 1500, 50, and 50, respectively.
- $MG$  is varied from 1 to 6 while  $LLL$ ,  $GLL$  and Swarm size are fixed to be 1500, 50, and 50, respectively.  $pr$  is linearly increasing from 0.1 to 0.4 through iterations.
- $GLL$  is varied from 10 to 220 while  $LLL$ ,  $MG$  and Swarm size are fixed to be 1500, 5, and 50, respectively.  $pr$  is linearly increasing from 0.1 to 0.4 through iterations.
- $LLL$  is varied from 100 to 2500 while  $MG$ ,  $GLL$  and Swarm size are fixed to be 5, 50, and 50, respectively.  $pr$  is linearly increasing from 0.1 to 0.4 through iterations.
- Swarm size is varied from 40 to 160 while  $LLL$ ,  $GLL$  and  $MG$  are fixed to be 1500, 50, and 5, respectively.  $pr$  is linearly increasing from 0.1 to 0.4 through iterations.

For the purpose of sensitivity analysis, 6 test problems are considered and each problem is simulated 30 times. Effects of these parameters are shown in Figures 6(a)- 6(f) respectively. It is clear from Figure 6(a) that *SMO* is very sensitive towards  $pr$ . *SMO* performs better on some problems with small values of  $pr$  while on some, it performs better with large values of  $pr$ . Therefore, the value of  $pr$  is adopted linearly increasing over iterations to consider the dynamic nature of parameter  $pr$ . It should be noted that this setting of  $pr$  is not general. For a particular problem a different setting of  $pr$  may provide better results. Further, by analyzing Figure 6(b), it can be stated that the value of  $MG = 5$  gives comparatively better results for the given set of test problems. Sensitivity of *GlobalLeaderLimit*( $GLL$ ) and *LocalLeaderLimit*( $LLL$ ) can be analyzed by Figure 6(c) and Figure 6(d). It is observed that the value of  $GLL = 50$  and  $LLL = 1500$  gives better results on the considered benchmark optimization problems. Further, swarm size is analyzed in Figure 6(e) and Figure 6(f). It is clear from Figure 6(e) that *SMO* is quite sensitive with respect to the swarm size. The optimum value of swarm size around 40 can be observed from the Figure 6(e) and 6(f).

To prove the efficiency of *SMO* algorithm, it is compared with four state-of-art algorithms, namely PSO [4] (based on Standard PSO 2006 but with linearly decreasing inertia weight, modified velocity update equation and a different parameters setting), ABC [14], DE (*DE/rand/bin/1*) [35] and Covariance Matrix Adaptation Evolution Strategies (CMA-ES) [11]. For the comparison, same stopping criteria, number of simulations and maximum number of function evaluations are used for all the considered algorithms. The values of parameters for the considered algorithms are as follows:

#### **SMO parameters setting:**

- The Swarm size  $N = 50$ ,
- $MG = 5$ ,
- *GlobalLeaderLimit*=50,
- *LocalLeaderLimit*=1500,
- $pr \in [0.1, 0.4]$ , linearly increasing over iterations,

$$pr_{G+1} = pr_G + (0.4 - 0.1)/MIR; \quad pr_1 = 0.1. \quad (6)$$

where,  $G$  is the iteration counter,  $MIR$  is the maximum number of iterations.

- The stopping criteria is either maximum number of function evaluations (which is set to be  $2.0 \times 10^5$ ) is reached or the corresponding acceptable error (mentioned in Table 1) have been achieved,



- The number of simulations (or run) =100.

#### ABC parameters setting:

- Colony size  $SN=100$ ,
- Number of food sources  $SN/2$ ,
- $limit = 1500$  [14],

#### DE parameters setting:

- The crossover probability  $CR=0.9$  [8],
- The scale factor which controls the implication of the differential variation  $F=0.5$  [27],
- Population size  $NP=50$ .

#### PSO parameters setting:

- Inertia Weight ( $w$ ), decreases linearly from 1 to 0.1,
- Acceleration coefficients ( $c_1 = 2, c_2 = 2$ ),
- Swarm size  $S=50$ .

#### CMA-ES parameters setting [10]:


All parameter settings for CMA-ES is kept same as in [10]. The results of CMA-ES are obtained by the source code provided at its developer's webpage, <http://www.bionik.tu-berlin.de/user/niko/index.html>.

## 5.2 Results Analysis of Experiments


Numerical results for benchmark problems of Table 1 with the experimental settings given in subsection 5.1 are given in Table 2. In Table 2, standard deviation (SD), mean error (ME), average number of function evaluations (AFE), and success rate (SR) are reported for test problems  $f_1$  to  $f_{26}$ . The  $AFE$  is the average of the function evaluations that are required to reach at the termination criteria in 100 runs. In other words,

$$AFE = \frac{\sum_{i=1}^{100} \# \text{ of function evaluations to meet the termination criteria for run } i}{100}$$


Table 2 shows that most of the time SMO outperforms in terms of reliability, efficiency and accuracy. Some more intensive statistical analyses based on boxplots, the Mann-Whitney U rank sum test, performance indices [6], and acceleration rate (AR) [29] have been carried out for the results of DE, PSO, ABC, CMA-ES and SMO.




(a)




(b)




(c)



(d)



(e)



(f)

Fig. 6: Effect of parameters on success rate for functions  $f_9, f_{12}, f_{14}, f_{18}, f_{25}$  and  $f_{26}$  (a) when  $pr$  is varied (b) when  $MG$  is varied (c) when Global Leader Limit is varied (d) when Local Leader Limit is varied (e) Swarm Size v/s Successful Runs (f) Swarm Size v/s Average number of function evaluations.

Table 1: Benchmark functions used in experiments. D: Dimensions, C: Characteristic, U: Unimodal, M: Multimodal, S: Separable, N: Non-Separable, AE: Acceptable Error

Test Problem	Objective function	Search Range	Optimum Value	D	C	AE
Schwefel function 1.2	$f_1(x) = \sum_{i=1}^D (\sum_{j=1}^i x_j)^2$	$[-100, 100]$	0	30	UN	$1.0E-03$
Step function	$f_2(x) = \sum_{i=1}^D ((x_i + 0.5)^2)$	$[-100, 100]$	0	30	US	$1.0E-03$
Schwefel function	$f_3(x) = -\sum_{i=1}^D (x_i \sin \sqrt{ x_i })$	$[-500, 500]$	$-418.9829 \times D$	30	MS	$1.0E-03$
Rastrigin	$f_4(x) = 10D + \sum_{i=1}^D [x_i^2 - 10 \cos(2\pi x_i)]$	$[-5.12, 5.12]$	0	30	MS	$1.0E-03$
Levy function 1	$f_5(x) = \frac{\pi}{D} [10 \sin^2(\pi y_1) + \sum_{i=1}^{D-1} (y_i - 1)^2 (1 + 10 \sin^2(\pi y_{i+1})) + (y_D - 1)^2] + \sum_{i=1}^D u(x_i, 10, 100, 4)$ , where $y_i = 1 + \frac{1}{4}(x_i + k(x_i - a)^m)$ , $x_i > a$ ; 1) and $u(x_i, a, k, m) = \begin{cases} 0, & -a \leq x_i \leq a; \\ k(-x_i - a)^m, & x_i < a. \end{cases}$	$[-50, 50]$	0	30	MN	$1.0E-03$
Levy function 2	$f_6(x) = 0.1(\sin^2(3\pi x_1) + \sum_{i=1}^{D-1} [(x_i - 1)^2 (1 + \sin^2(3\pi x_{i+1}))]) + (x_D - 1)^2 (1 + \sin^2(2\pi x_D)) + \sum_{i=1}^D u(x_i, 5, 100, 4)$	$[-65.536, 65.536]$	0.998	2	MN	$1.0E-03$
Shekel Foxholes Function	$f_7(x) = \frac{1}{500} + \sum_{j=1}^{25} \frac{1}{j + \sum_{i=1}^2 \frac{1}{(x_i - A_{ij})^6}} - 1$	$[-5, 5]$	0.0003075	4	MN	$1.0E-03$
Kowalik function	$f_8(x) = \sum_{i=1}^{11} \left[ a_i - \frac{x_i (b_i^2 + b_i x_2)}{b_i^2 + b_i x_3 + x_4} \right]^2$	$[-5, 5]$	-1.0316	2	MN	$1.0E-03$
Six-hump camel back	$f_9(x) = (4 - 2.1x_1^2 + x_1^4/3)x_1^2 + x_1x_2 + (-4 + 4x_2^2)x_2^2$	$[-5, 5]$	0.397887	2	MN	$1.0E-03$
Brainin RCOS function	$f_{10}(x) = (x_2 - \frac{5.1}{4\pi^2}x_1^2 + \frac{5}{\pi}x_1 - 6)^2 + 10(1 - \frac{1}{8\pi})\cos x_1 + 10$	$x_1 \in [-5, 10], x_2 \in [0, 15]$	3	2	MN	$1.0E-03$
Goldstien & Price function	$f_{11}(x) = [1 + (x_1 + x_2 + 1)^2 (19 - 14x_1 + 13x_1^2 - 14x_2 + 6x_1x_2 + 3x_2^2)] * [30 + (2x_1 - 3x_2)^2 (18 - 32x_1 + 12x_1^2 - 48x_2 - 36x_1x_2 + 27x_2^2)]$	$[0, 1]$	-3.86278	3	MN	$1.0E-03$
Hartmann function 3	$f_{12}(x) = -\sum_{i=1}^4 \alpha_i \exp[-\sum_{j=1}^3 A_{ij}(x_j - P_{ij})^2]$	$[0, 1]$	-3.32237	6	MN	$1.0E-03$
Hartmann function 6	$f_{13}(x) = -\sum_{i=1}^4 \alpha_i \exp[-\sum_{j=1}^6 B_{ij}(x_j - Q_{ij})^2]$	$[0, 10]$	-10.1532	4	MN	$1.0E-03$
Shekel function 5	$f_{14}(x) = -\sum_{j=1}^5 [\sum_{i=1}^4 (x_i - C_{ij})^2 + \beta_j]^{-1}$	$[0, 10]$	-10.4029	4	MN	$1.0E-03$
Shekel function 7	$f_{15}(x) = -\sum_{j=1}^7 [\sum_{i=1}^4 (x_i - C_{ij})^2 + \beta_j]^{-1}$	$[0, 10]$	-10.5364	4	MN	$1.0E-03$
Shekel function 10	$f_{16}(x) = -\sum_{j=1}^{10} [\sum_{i=1}^4 (x_i - C_{ij})^2 + \beta_j]^{-1}$	$[-10, 10]$	0	30	US	$1.0E-05$
Cigar	$f_{17}(x) = x_0^2 + 100000 \sum_{i=1}^D x_i^2$	$[-5.12, 5.12]$	0	30	US	$1.0E-05$
Axis parallel hyper-ellipsoid	$f_{18}(x) = \sum_{i=1}^D \frac{1}{ix_i^2}$	$[-4.5, 4.5]$	0	2	UN	$1.0E-05$
Beale	$f_{19}(x) = [1.5 - x_1(1 - x_2)]^2 + [2.25 - x_1(1 - x_2^2)]^2 + [2.625 - x_1(1 - x_2^3)]^2$	$[-100, 100]$	-450	10	US	$1.0E-05$
Shifted Sphere	$f_{20}(x) = \sum_{i=1}^D z_i^2 + f_{bias}$ , $z = x - o$ , $x = [x_1, x_2, \dots, x_D]$ , $o = [o_1, o_2, \dots, o_D]$	$[-100, 100]$	-450	10	UN	$1.0E-05$
Shifted Schwefel	$f_{21}(x) = \sum_{i=1}^D (\sum_{j=1}^i z_j)^2 + f_{bias}$ , $z = x - o$ , $x = [x_1, x_2, \dots, x_D]$ , $o = [o_1, o_2, \dots, o_D]$	$[-600, 600]$	-180	10	MN	$1.0E-05$
Shifted Griewank	$f_{22}(x) = \sum_{i=1}^D \frac{z_i^2}{4000} - \prod_{i=1}^D \cos(\frac{z_i}{\sqrt{i}}) + 1 + f_{bias}$ , $z = (x - o)$ , $x = [x_1, x_2, \dots, x_D]$ , $o = [o_1, o_2, \dots, o_D]$	$[-32, 32]$	-140	10	MS	$1.0E-05$
Shifted Ackley	$f_{23}(x) = -20 \exp(-0.2 \sqrt{\frac{1}{D} \sum_{i=1}^D z_i^2}) - \exp(\frac{1}{D} \sum_{i=1}^D \cos(2\pi z_i)) + 20 + e + f_{bias}$ , $z = (x - o)$ , $x = (x_1, x_2, \dots, x_D)$ , $o = [o_1, o_2, \dots, o_D]$	$[-10, 10]$	-1	2	UN	$1.0E-13$
Easom's function	$f_{24}(x) = -\cos x_1 \cos x_2 \exp((-x_1 - \pi)^2 - (x_2 - \pi)^2)$	$[-20, 20]$	-24777	2	MN	$5.0E-01$
Dekkers and Aarts Shubert	$f_{25}(x) = 10^5 x_1^2 + x_2^2 - (x_1^2 + x_2^2)^2 + 10^{-5}(x_1^2 + x_2^2)^4$	$[-10, 10]$	-186.7309	2	MN	$1.0E-05$
	$f_{26}(x) = -\sum_{i=1}^5 i \cos((i+1)x_1 + 1) \sum_{j=1}^5 i \cos((i+1)x_2 + 1)$					

Table 2: Experimental Results

Test Function	Algorithm	SD	ME	AFE	SR
$f_1$	DE	1.42E-04	8.68E-04	27378	100
	PSO	6.72E-05	9.34E-04	45914.5	100
	ABC	2.02E-04	7.57E-04	35901	100
	CMA-ES	2.90E-04	7.10E-04	21248	100
	SMO	8.38E-05	8.88E-04	15128.19	100
$f_2$	DE	3.54E-01	1.00E-01	25858	95
	PSO	2.36E-04	2.53E-04	38273.5	100
	ABC	5.92E-04	6.35E-04	20244	100
	CMA-ES	1.77E+00	1.44E+00	72184	36
	SMO	1.20E-05	2.34E-04	12018.41	100
$f_3$	DE	6.12E+02	2.24E+03	200000	0
	PSO	6.70E+02	2.80E+03	200000	0
	ABC	1.18E+01	1.19E+00	170335	76
	CMA-ES	8.96E+02	7.64E+03	200000	0
	SMO	1.11E+02	7.67E+01	180525.04	65
$f_4$	DE	4.93E+00	1.54E+01	200000	0
	PSO	1.35E+01	3.80E+01	200000	0
	ABC	3.14E-04	4.72E-04	87039	100
	CMA-ES	1.36E+01	5.18E+01	200000	0
	SMO	2.33E-04	3.39E-04	83158.66	100
$f_5$	DE	1.45E-02	2.90E-03	24490.5	98
	PSO	1.44E-02	2.98E-03	52777.5	98
	ABC	2.19E-04	7.48E-04	29301	100
	CMA-ES	3.40E-02	7.20E-04	23254	88
	SMO	1.61E-04	6.52E-04	16176	100
$f_6$	DE	1.78E-03	1.15E-03	26753	97
	PSO	2.58E-03	1.62E-03	51446	93
	ABC	1.96E-04	7.89E-04	32604	100
	CMA-ES	4.50E-03	1.70E-03	13756	86
	SMO	1.43E-04	1.07E-04	23728.83	100
$f_7$	DE	7.15E-05	2.39E-04	2632.5	100
	PSO	3.09E-04	3.06E-04	3778	100
	ABC	2.79E-04	1.93E-04	1306	100
	CMA-ES	6.87E+00	1.04E+01	200000	0
	SMO	2.68E-04	2.02E-04	919.71	100
$f_8$	DE	2.14E-04	8.32E-04	8170	97
	PSO	1.33E-04	8.39E-04	1957	100
	ABC	1.34E-04	8.43E-04	7525.37	100
	CMA-ES	4.20E-03	1.50E-03	13434	88
	SMO	1.38E-04	8.51E-04	2214.37	100
$f_9$	DE	1.01E-04	4.44E-04	1686.5	100
	PSO	3.05E-04	4.80E-04	1318	100
	ABC	3.11E-04	5.08E-04	899	100
	CMA-ES	5.20E-11	6.03E-04	619	100
	SMO	2.99E-04	4.02E-04	529.65	100
$f_{10}$	DE	1.32E-04	4.89E-04	2081	100
	PSO	2.82E-04	4.81E-04	1445.5	100
	ABC	2.79E-04	4.77E-04	1480	100
	CMA-ES	1.40E-07	3.98E-04	594	100
	SMO	2.91E-04	4.25E-04	673.2	100
$f_{11}$	DE	1.20E-04	4.78E-04	1608	100
	PSO	2.70E-04	4.83E-04	1900.5	100
	ABC	3.08E-04	4.88E-04	2925.11	100
	CMA-ES	2.51E-01	1.43E-02	2052	78
	SMO	2.96E-04	4.85E-04	866.25	100

to be cont'd on next page

Table 2: Experimental Results (Cont.)

Test Function	Algorithm	SD	ME	AFE	SR
$f_{12}$	DE	1.04E-04	5.01E-04	1334	100
	PSO	2.46E-04	5.77E-04	1080.5	100
	ABC	2.64E-04	5.48E-04	1415	100
	CMA-ES	4.80E-08	9.25E-04	996	100
	SMO	2.66E-04	5.15E-04	598.95	100
$f_{13}$	DE	5.22E-02	8.84E-02	149112	26
	PSO	5.63E-02	4.29E-02	76074	64
	ABC	2.33E-04	6.81E-04	4652	100
	CMA-ES	5.80E-02	3.80E-03	22330	48
	SMO	1.18E-02	1.86E-03	27278.86	99
$f_{14}$	DE	1.05E+00	1.50E-01	7962	98
	PSO	1.36E+00	2.75E-01	16708.5	96
	ABC	2.56E-04	5.74E-04	6656	100
	CMA-ES	2.58E-02	3.18E-02	42561	40
	SMO	2.58E-04	6.40E-04	17592.18	100
$f_{15}$	DE	1.65E-04	5.63E-04	3659.5	100
	PSO	2.35E-04	6.89E-04	5435	100
	ABC	2.93E-04	5.90E-04	8222.32	100
	CMA-ES	1.74E-01	1.25E-02	35632	48
	SMO	2.57E-04	6.62E-04	9519.46	100
$f_{16}$	DE	6.67E-01	6.76E-02	5620	99
	PSO	2.56E-04	6.57E-04	5463.5	100
	ABC	2.82E-04	5.75E-04	9584.35	100
	CMA-ES	2.54E-02	2.15E-03	11234	52
	SMO	2.48E-04	6.53E-04	7605.82	100
$f_{17}$	DE	1.34E-06	8.63E-06	40678	100
	PSO	5.46E-07	9.38E-06	69416.5	100
	ABC	1.82E-06	8.25E-06	63993	100
	CMA-ES	6.61E-06	2.51E-05	10318	100
	SMO	9.45E-07	8.94E-06	22477.95	100
$f_{18}$	DE	1.31E-06	8.60E-06	26463.5	100
	PSO	6.13E-07	9.37E-06	44129.5	100
	ABC	2.00E-06	8.18E-06	41861	100
	CMA-ES	1.06E-06	7.03E-06	16463	100
	SMO	7.62E-07	8.96E-06	14679.72	100
$f_{19}$	DE	1.13E-06	4.72E-06	1849	100
	PSO	2.67E-06	4.22E-06	2762	100
	ABC	2.42E-06	7.81E-06	31948.76	100
	CMA-ES	1.01E-06	1.17E-06	1247.16	100
	SMO	2.58E-06	4.81E-06	1569.15	100
$f_{20}$	DE	2.03E-06	7.46E-06	10805.5	100
	PSO	1.47E-06	8.07E-06	15854.5	100
	ABC	2.16E-06	7.35E-06	17112	100
	CMA-ES	8.12E-06	6.38E-06	13805.5	100
	SMO	1.86E-06	7.65E-06	5898.42	100
$f_{21}$	DE	3.39E+03	1.21E+05	200000	0
	PSO	1.01E+03	7.84E+02	200000	0
	ABC	3.96E+03	1.31E+04	200000	0
	CMA-ES	1.00E+03	1.84E+02	200000	0
	SMO	1.18E+03	1.84E+04	200000	0
$f_{22}$	DE	1.20E-02	1.34E-02	165684	22
	PSO	2.77E-02	4.28E-02	198768.5	2
	ABC	2.86E-03	1.09E-03	101707.2	86
	CMA-ES	5.63E-04	1.03E-04	95707.2	96
	SMO	6.03E-03	2.68E-03	130922.94	77

to be cont'd on next page

Table 2: Experimental Results (Cont.)

Test Function	Algorithm	SD	ME	AFE	SR
$f_{23}$	DE	1.21E-06	8.85E-06	15959	100
	PSO	8.69E-07	9.10E-06	24687.5	100
	ABC	1.71E-06	8.09E-06	32415	100
	CMA-ES	2.35E-06	5.37E-06	17365	100
	SMO	1.13E-06	8.66E-06	9069.39	100
$f_{24}$	DE	7.36E-15	4.50E-14	5210	100
	PSO	2.87E-14	5.13E-14	9778	100
	ABC	5.64E-07	5.71E-08	128925.18	52
	CMA-ES	8.17E-14	7.83E-14	9612	100
	SMO	2.69E-14	4.71E-14	11789.91	100
$f_{25}$	DE	1.12E-03	4.90E-01	2725.5	100
	PSO	5.64E-03	4.91E-01	4979	100
	ABC	5.25E-03	4.90E-01	2567	100
	CMA-ES	6.07E-03	7.91E-01	1725.5	100
	SMO	4.98E-03	4.89E-01	1258.29	100
$f_{26}$	DE	2.16E-06	4.78E-06	9663	100
	PSO	4.01E-04	1.01E-04	72252.5	83
	ABC	5.95E-06	5.32E-06	8248.56	100
	CMA-ES	6.27E-06	7.32E-06	14262	100
	SMO	5.58E-06	4.97E-06	4379.76	100

### 5.3 Statistical Analysis

DE, PSO, ABC, CMA-ES and SMO are compared based on SR, AFE, and ME. First SR of all these algorithms is compared and if it is not possible to distinguish the performance of algorithms based on SR then comparison is made on the basis of AFE. ME is used for comparison if the comparison is not possible on the basis of SR and AFE both. From the results shown in Table 2, it is clear that SMO costs less on 14 function ( $f_1, f_2, f_4, f_5, f_6, f_7, f_9, f_{11}, f_{12}, f_{18}, f_{20}, f_{23}, f_{25}, f_{26}$ ) among all the considered algorithms. As these functions include unimodel, multimodel, separable, non separable, lower and higher dimension functions, it can be stated that SMO balances the exploration and exploitation capabilities efficiently. ABC outperforms SMO over five test functions ( $f_3, f_{13}, f_{14}, f_{15}, f_{21}, f_{22}$ ) and four are multimodel functions. It shows that ABC perform better on multimodel functions as the solution search equation of ABC is significantly influenced by a random quantity which helps in exploration at the cost of exploitation of the search space [32]. CMA-ES outperforms over SMO on six test functions ( $f_{10}, f_{17}, f_{19}, f_{21}, f_{22}, f_{24}$ ) among these four test functions are unimodel functions. Generally speaking, the cost of CMA-ES is lower than those of SMO, ABC, DE and PSO for the unimodal functions. This is because CMA-ES is a local method devised for optimal exploitation of local information [21]. DE outperform over only two test functions ( $f_{15}, f_{24}$ ) in which  $f_{15}$  is unimodel and  $f_{24}$  is multimodel. Further, PSO performs better than SMO over five test function ( $f_8, f_{15}, f_{16}, f_{21}, f_{24}$ ) which all are non separable functions as well as four are multimodel functions. Overall, SMO is better than DE over 24 test functions, PSO over 21 test functions, ABC over 20 test functions, and CMA-ES over 20 test functions of mixed characteristics, when compared separately. It means that when the results of all functions are evaluated together, the SMO algorithm is the cost effective algorithm for most of the functions.

For the purpose of comparison in terms of consolidated performance, boxplot analyses have been carried out for all the considered algorithms. The empirical distribution of data is efficiently represented graphically by the boxplot analysis tool [41]. The boxplots of average number of function evaluations for DE, PSO, ABC, CMA-ES and SMO are shown in Figure 7. It is clear from Figure 7(a) that SMO is cost effective in terms of function evaluations as interquartile range and median of average number of function evaluations are low for SMO. When the considered algorithms are compared on the basis of standard deviation and success rate, it can be observed from Figure 7(b) and 7(c) that ABC and SMO have equal performance, while they perform better than DE, PSO and CMA-ES.

Though, it is clear from box plots that SMO is cost effective than DE, PSO, ABC, and CMA-ES i.e., SMO's result differs from the other, now to check, whether there exists any significant difference between algorithm's output or this




Fig. 7: Boxplots graph for (a) Average number of function evaluation, (b) Standard Deviation, and (c) Success Rate.

difference is due to some randomness, we require another statistical test. It can be observed from boxplots Figure 7(a) that average number of function evaluations used by the considered algorithms to solve the different problems are not normally distributed, so a non-parametric statistical test is required to compare the performance of the algorithms. The Mann-Whitney U rank sum [19], a non-parametric test, is well established test for comparison among non-Gaussian data. In this paper, this test is performed at 5% level of significance ( $\alpha = 0.05$ ) between SMO - DE, SMO - PSO, SMO - ABC, and SMO - CMA-ES.

Table 3 shows the results of the Mann-Whitney U rank sum test for the average function evaluations of 100 simulations. First we observe the significant difference by Mann-Whitney U rank sum test i.e., whether the two data sets are significantly different or not. If significant difference is not seen (i.e., the null hypothesis is accepted) then sign '=' appears and when significant difference is observed i.e., the null hypothesis is rejected then compare the average number of function evaluations. And we use signs '+' and '-' for the case where SMO takes less or more average number of function evaluations than the other algorithms, respectively. Therefore in Table 3, '+' shows that SMO is significantly better and '-' shows that SMO is worse. As Table 3 includes 79 '+' signs out of 104 comparisons. Therefore, it can be concluded that the results of SMO is significantly cost effective than DE, PSO, ABC and CMA-ES over considered test problems.

Further, to compare the considered algorithms, by giving weighted importance to SR, AFE and SD, performance indices (*PIs*) are calculated [6]. The values of *PI* for the DE, PSO, ABC and CMA-ES are calculated by using following

Table 3: Comparison based on mean function evaluations and the Mann-Whitney U rank sum test at a  $\alpha = 0.05$  significance level ('+' indicates SMO is significantly better, '-' indicates SMO is significantly worst and '=' indicates that there is no significant difference),

TP: Test Problem.

TP	Mann-Whitney U rank sum test with SMO				TP	Mann-Whitney U rank sum test with SMO			
	DE	PSO	ABC	CMA-ES		DE	PSO	ABC	CMA-ES
$f_1$	+	+	+	+	$f_{14}$	-	-	-	+
$f_2$	+	+	+	+	$f_{15}$	-	-	-	+
$f_3$	+	+	-	+	$f_{16}$	-	-	+	+
$f_4$	+	+	+	+	$f_{17}$	+	+	+	-
$f_5$	+	+	+	+	$f_{18}$	+	+	+	+
$f_6$	+	+	+	-	$f_{19}$	+	+	+	-
$f_7$	+	+	+	+	$f_{20}$	+	+	+	+
$f_8$	+	-	+	+	$f_{21}$	=	=	=	=
$f_9$	+	+	+	+	$f_{22}$	+	+	-	-
$f_{10}$	+	+	+	-	$f_{23}$	+	+	+	+
$f_{11}$	+	+	+	+	$f_{24}$	-	-	+	-
$f_{12}$	+	+	+	+	$f_{25}$	+	+	+	+
$f_{13}$	+	+	-	-	$f_{26}$	+	+	+	+

equations:

$$PI = \frac{1}{N_p} \sum_{i=1}^{N_p} (k_1 \alpha_1^i + k_2 \alpha_2^i + k_3 \alpha_3^i)$$

Where  $\alpha_1^i = \frac{Sr^i}{Tr^i}$ ;  $\alpha_2^i = \begin{cases} \frac{Mf^i}{Af^i}, & \text{if } Sr^i > 0. \\ 0, & \text{if } Sr^i = 0. \end{cases}$ ; and  $\alpha_3^i = \frac{Mo^i}{Ao^i}$

$i = 1, 2, \dots, N_p$

- $Sr^i$  = Successful simulations/runs of  $i^{th}$  problem.
- $Tr^i$  = Total simulations of  $i^{th}$  problem.
- $Mf^i$  = Minimum of average number of function evaluations used for obtaining the required solution of  $i^{th}$  problem.
- $Af^i$  = Average number of function evaluations used for obtaining the required solution of  $i^{th}$  problem.
- $Mo^i$  = Minimum of standard deviation obtained for the  $i^{th}$  problem.
- $Ao^i$  = Standard deviation obtained by an algorithm for the  $i^{th}$  problem.
- $N_p$  = Total number of optimization problems evaluated.

The weights assigned to SR, AFE and SD are represented by  $k_1, k_2$  and  $k_3$  respectively, where  $k_1 + k_2 + k_3 = 1$  and  $0 \leq k_1, k_2, k_3 \leq 1$ . To calculate the  $PI$ s, equal weights are assigned to two variables while weight of the remaining variable vary from 0 to 1 as given in [6]. Following are the resultant cases:

1.  $k_1 = W, k_2 = k_3 = \frac{1-W}{2}, 0 \leq W \leq 1$ ;
2.  $k_2 = W, k_1 = k_3 = \frac{1-W}{2}, 0 \leq W \leq 1$ ;
3.  $k_3 = W, k_1 = k_2 = \frac{1-W}{2}, 0 \leq W \leq 1$

The graphs corresponding to each of the cases (1), (2) and (3) for the considered algorithms are shown in Figures 8(a), 8(b), and 8(c) respectively. In these figures the weights  $k_1, k_2$  and  $k_3$  are represented by horizontal axis while the  $PI$  is represented by the vertical axis.

In case (1), AFE and SD are given equal weights.  $PI$ s of the considered algorithms are superimposed in Figure 8(a) for comparison of the performance. It is observed that  $PI$  of SMO is higher than the considered algorithms. In case (2), equal weights are assigned to SR and AFE and in case (3), equal weights are assigned to SR and AFE. It is clear from Figure 8(b) and Figure 8(c) that the algorithms perform same as in case (1).

Further, we compare the convergence speed of the considered algorithms by measuring the AFEs. A smaller AFEs means higher convergence speed. In order to minimize the effect of the stochastic nature of the algorithms, the reported function evaluations for each test problem is averaged over 100 runs. In order to compare convergence speeds, we use the acceleration rate (AR) which is defined as follows, based on the AFEs for the two algorithms ALGO and SMO:






Fig. 8: Performance index for test problems; (a) for case (1), (b) for case (2) and (c) for case (3).

$$AR = \frac{AFE_{ALGO}}{AFE_{SMO}}, \quad (7)$$

where,  $ALGO \in \{DE, PSO, ABC, CMA-ES\}$  and  $AR > 1$  means SMO is faster. In order to investigate the  $AR$  of the proposed algorithm as compared to the considered algorithms, results of Table 2 are analyzed and the value of  $AR$  is calculated using equation (7). Table 4 shows a comparison between SMO and DE, SMO and PSO, SMO and ABC, and SMO and CMA-ES in terms of  $AR$ . It is clear from the Table 4 that convergence speed of SMO is better than considered algorithms for most of the functions.

## 6 Conclusion

In this paper, a new swarm intelligence algorithm for optimization is proposed. The inspiration is from the social behavior of spider monkeys. The proposed algorithm is proved to be very flexible in the category of swarm intelligence based algorithms. With the help of numerical experiments over test problems, it has been shown that, for most of the problems the reliability (due to success rate), efficiency (due to average number of function evaluations) and accuracy (due to mean objective function value) of SMO is competitive or similar to those of DE, PSO, ABC and CMA-ES. Hence, it may be concluded that SMO is going to be a competing candidate in the field of swarm intelligence based optimization algorithms.

Table 4: Acceleration Rate (AR) of SMO as compared to the DE, PSO, ABC and CMA-ES, TP: Test Problems

TP	DE	PSO	ABC	CMA-ES
$f_1$	1.809734013	3.035029306	2.373119322	1.404530218
$f_2$	2.151532524	3.184572668	1.684415825	6.006118946
$f_3$	1.10787955	1.10787955	0.943553315	1.10787955
$f_4$	2.405041159	2.405041159	1.046661887	2.405041159
$f_5$	1.514002226	3.262704006	1.81138724	1.43756182
$f_6$	1.127447076	2.168079926	1.374024762	0.579716741
$f_7$	2.862315295	4.107816594	1.42001283	217.4598515
$f_8$	3.689536979	0.883772811	3.398424834	6.066736815
$f_9$	3.184178231	2.488435759	1.697347305	1.168696309
$f_{10}$	3.091206179	2.147207368	2.19845514	0.882352941
$f_{11}$	1.856277056	2.193939394	3.376750361	2.368831169
$f_{12}$	2.227230988	1.803990316	2.362467652	1.662910093
$f_{13}$	5.466210831	2.788752902	0.170534986	0.818582595
$f_{14}$	0.452587456	0.94976859	0.378349926	2.419313581
$f_{15}$	0.384423066	0.570935746	0.863738069	3.74306946
$f_{16}$	0.738907836	0.718331488	1.260133687	1.477026803
$f_{17}$	1.809684602	3.088204218	2.846923318	0.459027625
$f_{18}$	1.80272512	3.006154068	2.851621148	1.121479156
$f_{19}$	1.178344964	1.760188637	20.36055189	0.794799732
$f_{20}$	1.831931263	2.687923207	2.901115892	2.340542043
$f_{21}$	1	1	1	1
$f_{22}$	1.265507786	1.518209872	0.776847816	0.731019331
$f_{23}$	1.75965528	2.722068408	3.574110276	1.914682244
$f_{24}$	0.441903288	0.829353235	10.93521325	0.815273399
$f_{25}$	2.166034857	3.956957458	2.040070254	1.371305502
$f_{26}$	2.206285276	16.49690851	1.883336073	3.256342813

## Acknowledgement

The authors acknowledge the anonymous reviewers for their valuable comments and suggestions.

## References

1. M.M. Ali, C. Khompatraporn, and Z.B. Zabinsky. A numerical evaluation of several stochastic algorithms on selected continuous global optimization test problems. *Journal of Global Optimization*, 31(4):635–672, 2005.
2. P. Angeline. Evolutionary optimization versus particle swarm optimization: Philosophy and performance differences. In *Evolutionary Programming VII*, pages 601–610. Springer, 1998.
3. E. Bonabeau, M. Dorigo, and G. Theraulaz. *Swarm intelligence: from natural to artificial systems*. Oxford University Press, New York, USA, 1999.
4. Maurice Clerc. A method to improve standard PSO, [http://clerc.maurice.free.fr/psa/Design\\_efficient\\_PSO.pdf](http://clerc.maurice.free.fr/psa/Design_efficient_PSO.pdf), Reterived on Jan. 2012.
5. L.N. De Castro and F.J. Von Zuben. Artificial immune systems: Part I–basic theory and applications. *Universidade Estadual de Campinas, Dezembro de, Tech. Rep*, 1999.
6. Thakur M. Deep, K. A new crossover operator for real coded genetic algorithms. *Applied Mathematics and Computation*, 188(1):895911, 2007.
7. M. Dorigo and T. Stützle. *Ant colony optimization*. the MIT Press, 2004.
8. R. Gamperle, S.D. Muller, and A. Koumoutsakos. A parameter study for differential evolution. *Advances in Intelligent Systems, Fuzzy Systems, Evolutionary Computation*, 10:293–298, 2002.
9. D.E. Goldberg. *Genetic algorithms in search, optimization, and machine learning*. Addison-Wesley Professional, 1989.
10. Nikolaus Hansen. The cma evolution strategy: a comparing review. In *Towards a new evolutionary computation*, pages 75–102. Springer, 2006.

11. Nikolaus Hansen and Andreas Ostermeier. Adapting arbitrary normal mutation distributions in evolution strategies: The covariance matrix adaptation. In *Evolutionary Computation, 1996., Proceedings of IEEE International Conference on*, pages 312–317. IEEE, 1996.
12. K. Hofmann, S. Whiteson, and M. de Rijke. Balancing exploration and exploitation in learning to rank online. *Advances in Information Retrieval*, 5:251–263, 2011.
13. RL Jeanne. The evolution of the organization of work in social insects. *Monitore zoologico italiano*, 20(2):119–133, 1986.
14. D. Karaboga. An idea based on honey bee swarm for numerical optimization. *Techn. Rep. TR06, Erciyes Univ. Press, Erciyes*, 2005.
15. D. Karaboga and B. Akay. A comparative study of artificial bee colony algorithm. *Applied Mathematics and Computation*, 214(1):108–132, 2009.
16. D. Karaboga and B. Akay. A modified artificial bee colony (ABC) algorithm for constrained optimization problems. *Applied Soft Computing*, 11(3):3021–3031, 2011.
17. J. Kennedy and R. Eberhart. Particle swarm optimization. In *Proceedings., IEEE International Conference on Neural Networks, 1995.*, volume 4, pages 1942–1948. IEEE, 1995.
18. J. Lampinen and I. Zelinka. On stagnation of the differential evolution algorithm. In *Proceedings of MENDEL*, pages 76–83. Citeseer, 2000.
19. H.B. Mann and D.R. Whitney. On a test of whether one of two random variables is stochastically larger than the other. *The annals of mathematical statistics*, 18(1):50–60, 1947.
20. E. Mezura-Montes, J. Velázquez-Reyes, and C.A. Coello Coello. A comparative study of differential evolution variants for global optimization. In *Proceedings of the 8th annual conference on Genetic and evolutionary computation*, pages 485–492. ACM, 2006.
21. Michele Milano, Petros Koumoutsakos, and Jürgen Schmidhuber. Self-organizing nets for optimization. *IEEE Transactions on Neural Networks*, 15(3):758–765, 2004.
22. K. Milton. Diet and social organization of a free-ranging spider monkey population: The development of species-typical behavior in the absence of adults. *Juvenile primates: life history, development, and behavior*, pages 173–181, 1993.
23. M.A. Norconk and W.G. Kinzey. Challenge of neotropical frugivory: travel patterns of spider monkeys and bearded sakis. *American Journal of Primatology*, 34(2):171–183, 1994.
24. G.F. Oster and E.O. Wilson. *Caste and ecology in the social insects*. Princeton Univ Pr, 1979.
25. K.M. Passino. Biomimicry of bacterial foraging for distributed optimization and control. *Control Systems Magazine, IEEE*, 22(3):52–67, 2002.
26. K.M. Passino. Bacterial foraging optimization. *International Journal of Swarm Intelligence Research (IJSIR)*, 1(1):1–16, 2010.
27. K.V. Price. Differential evolution: a fast and simple numerical optimizer. In *Fuzzy Information Processing Society, 1996. NAFIPS. 1996 Biennial Conference of the North American*, pages 524–527. IEEE, 1996.
28. K.V. Price, R.M. Storn, and J.A. Lampinen. *Differential evolution: a practical approach to global optimization*. Springer Verlag, 2005.
29. S. Rahnamayan, H.R. Tizhoosh, and M.M.A. Salama. Opposition-based differential evolution. *IEEE Transactions on Evolutionary Computation*, 12(1):64–79, 2008.
30. G. Ramos-Fernandez. *Patterns of association, feeding competition and vocal communication in spider monkeys, Ateles geoffroyi*. Dissertations, University of Pennsylvania, <http://repository.upenn.edu/dissertations/AAI3003685>, 1 January 2001.
31. J. Sartore. Spider monkey images, <http://animals.nationalgeographic.com/animals/mammals/spider-monkey>, Retrieved on 21 Decmber 2011.
32. Harish Sharma, Jagdish Chand Bansal, and KV Arya. Opposition based lévy flight artificial bee colony. *Memetic Computing*, pages 1–15, 2012.
33. Y. Shi and R. Eberhart. Parameter selection in particle swarm optimization. In *Evolutionary Programming VII*, pages 591–600. Springer, 1998.
34. B. Simmen and D. Sabatier. Diets of some french guianan primates: food composition and food choices. *International Journal of Primatology*, 17(5):661–693, 1996.
35. R. Storn and K. Price. Differential evolution-a simple and efficient adaptive scheme for global optimization over continuous spaces. *Journal of Global Optimization*, 11:341–359, 1997.

36. P.N. Suganthan, N. Hansen, J.J. Liang, K. Deb, YP Chen, A. Auger, and S. Tiwari. Problem definitions and evaluation criteria for the CEC 2005 special session on real-parameter optimization. *KanGAL Report*, 2005.
37. M.M.F. Symington. Fission-fusion social organization in *Ateles* and *Pan*. *International Journal of Primatology*, 11(1):47–61, 1990.
38. M.G.M. van Roosmalen and Instituto Nacional de Pesquisas da Amazônia. Habitat preferences, diet, feeding strategy and social organization of the black spider monkey (*Ateles paniscus paniscus* Linnaeus 1758) in Surinam. Wageningen : Roosmalen, November 1985.
39. J. Vesterstrom and R. Thomsen. A comparative study of differential evolution, particle swarm optimization, and evolutionary algorithms on numerical benchmark problems. In *Congress on Evolutionary Computation, 2004. CEC2004.*, volume 2, pages 1980–1987. IEEE, 2004.
40. Thomas Weise, Raymond Chiong, and Ke Tang. Evolutionary optimization: Pitfalls and booby traps. *Journal of Computer Science and Technology*, 27(5):907–936, 2012.
41. D.F. Williamson, R.A. Parker, and J.S. Kendrick. The box plot: a simple visual method to interpret data. *Annals of Internal Medicine*, 110(11):916, 1989.
42. G. Zhu and S. Kwong. Gbest-guided artificial bee colony algorithm for numerical function optimization. *Applied Mathematics and Computation*, 217(7):3166–3173, 2010.

# Spider Monkey Optimization Algorithm for Numerical Optimization

Jagdish Chand Bansal · Harish Sharma · Shimpi Singh  
Jadon · Maurice Clerc

the date of receipt and acceptance should be inserted later

**Abstract** Swarm intelligence is one of the most promising area for the researchers in the field of numerical optimization. Researchers have developed many algorithms by simulating the swarming behavior of various creatures like ants, honey bees, fish, birds and the findings are very motivating. In this paper, a new approach for numerical optimization is proposed by modeling the foraging behavior of spider monkeys. Spider monkeys have been categorized as fission-fusion social structure based animals. The animals which follow fission-fusion social systems, split themselves from large to smaller groups and vice-versa based on the scarcity or availability of food. The proposed swarm intelligence approach is named as Spider Monkey Optimization (SMO) algorithm and can broadly be classified as an algorithm inspired by intelligent foraging behavior of fission-fusion social structure based animals.

## 1 Introduction

The name swarm is used for an accumulation of creatures such as ants, fish, birds, termites and honey bees which behave collectively. The definition given by Bonabeau for the swarm intelligence is “any attempt to design algorithms or distributed problem-solving devices inspired by the collective behaviour of social insect colonies and other animal societies” [3].

Swarm Intelligence is a meta-heuristic approach in the field of nature inspired techniques that is used to solve optimization problems. It is based on the collective behavior of social creatures. Social creatures utilize their ability of social learning and adaptation to solve complex tasks. Researchers have analyzed such behaviors and designed algorithms that can be used to solve nonlinear, non-convex or combinatorial optimization problems in many science and engineering domains. Previous research [7, 17, 28, 39] have shown that algorithms based on Swarm Intelligence have great potential to find a near optimal solution of real world optimization problem. The algorithms that have been emerged in recent years are Ant Colony Optimization (ACO) [7], Particle Swarm Optimization (PSO) [17], Bacterial Foraging Optimization (BFO) [26], Artificial Bee Colony Optimization (ABC) [14] etc.

---

Jagdish Chand Bansal  
ABV-Indian Institute of Information Technology and Management, Gwalior  
E-mail: jcbansal@gmail.com

Harish Sharma  
ABV-Indian Institute of Information Technology and Management, Gwalior  
E-mail: harish.sharma0107@gmail.com

Shimpi Singh Jadon  
ABV-Indian Institute of Information Technology and Management, Gwalior  
E-mail: shimpisingh2k6@gmail.com

Maurice Clerc  
E-mail: Maurice.Clerc@WriteMe.com

In order to design a new swarm intelligence based algorithm, it is necessary to understand whether a behavior is swarm intelligent behavior or not. Karaboga et al. mentioned that *Division of Labor* and *Self-Organization* are the necessary and sufficient conditions for obtaining intelligent swarming behaviors.

1. Self-organization: is an important feature of a swarm structure which results in global level response by means of interactions among its low-level components without a central authority or external element enforcing it through planning. Therefore, the globally coherent pattern appears from the local interaction of the components that build up the structure, thus the organization is achieved in parallel as all the elements act at the same time and distributed as no element is a central coordinator. Bonabeau et al. have defined the following four important characteristics on which self-organization is based [3]:
  - (i) Positive feedback: is an information extracted from the output of a system and reapplied to the input to promotes the creations of convenient structures. In the field of swarm intelligence positive feedback provides diversity and accelerate the system to new stable state.
  - (ii) Negative feedback: compensates the effect of positive feedback and helps to stabilize the collective pattern.
  - (iii) Fluctuations: are the rate or magnitude of random changes in the system. Randomness is often crucial for efflorescent structures since it allows the findings of new solutions. In foraging process, it helps to get-ride of stagnation.
  - (iv) Multiple interactions: provide the way of learning from the individuals within a society and thus enhance the combined intelligence of the swarm.
2. Division of labour: is a cooperative labour in specific, circumscribed tasks and like roles. In a group, there are various tasks, which are performed simultaneously by specialized individuals. Simultaneous task performance by cooperating specialized individuals is believed to be more efficient than the sequential task performance by unspecialized individuals [5, 13, 24].

This paper proposes a new swarm intelligence algorithm based on the foraging behavior of spider monkeys. The foraging behavior of spider monkeys shows that these monkeys fall in the category of fission-fusion social structure (FFSS) based animals. Thus the proposed optimization algorithm which is based on foraging behavior of spider monkeys is explained better in terms of FFSS. Further, the proposed strategy is tested on various benchmark and engineering optimization test problems.

The rest of the paper is organized as follows: Section 2 describes the foraging behavior and social structure of spider monkeys. In Section 3, first, the foraging behavior is critically evaluated to be a swarm intelligent behavior over the necessary and sufficient conditions of swarm intelligence and then Spider Monkey Optimization algorithm is proposed. A detail discussion about the proposed strategy is presented in section 4. In section 5, performance of the proposed strategy is analyzed and compared with four state-of-the-art algorithms, namely DE, PSO, ABC and CMA-ES. Finally, in section 6, paper is concluded.

## 2 Foraging and Social Behavior of Spider Monkeys

Fission-fusion swarm is a social grouping pattern in which individuals form temporary small parties (also called sub-groups) whose members belong to a larger community (or unit-group) of stable membership, there can be fluid movement between subgroups and unit-groups such that group composition and size changes frequently [37].

The fission-fusion social system of swarm can minimize direct foraging competition among group members, so they divide themselves into sub-groups in order to search food. The members of these subgroups then communicate (through barking and other physical activities) within and outside the subgroup depending upon the availability of food. In this society, social group sleep in one habitat together but forage in small sub-groups going off in different directions during the day. This form of social formation occurs in several species of primates like hamadryas, bonobo, chimpanzees, gelada baboons and spider monkeys. These societies change frequently in their size and composition, making up a strong social group called the ‘parent group’. All the individual members of a faunal community comprise of permanent social networks and their capability to track changes in the environment varies according to their individual animal dynamics. In a fission-fusion society, the main parent group can fission into smaller subgroups or individuals to adapt to the environmental or social circumstances. For example, members of a group are separated from the main group in order to hunt or forage for food during the day, but at night they return to join (fusion) the primary group to share food and to take part in other activities [37].

The society of spider monkeys is one of the example of fission-fusion social structure. In subsequent subsections, a brief overview on swarming of spider monkeys is presented.

## 2.1 Social Organization and Behavior

The social organization of spider monkeys is related to fission-fusion social system. Figure 1 provide some pictures of spider monkeys. [31]. They are social animals and live in group of up to 50 individuals [34]. Spider monkeys break up into




Fig. 1: Social Organization and Behavior (a) Spider-Monkey (b) Spider Monkey Group (c) Spider Monkey sub-group (d) Foods Foraging [31]

small foraging groups that travel together and forage throughout the day within a core area of the larger group's home range [34]. Spider monkeys find their foods in a very different way: a female leads the group and is responsible for finding food sources. In case if she doesn't find sufficient food for the group, she divides the group into smaller subgroups that forage separately [23]. The subgroups within the band are temporary and may vary in formation frequently throughout the day, but on average 3 members can be found in any group at any time ([38, 23]). When two different bands of spider monkeys come closer, the males in each band display aggressiveness and territorial behavior such as calling and barking. These communications occur with much distance between the two subgroups and do not involve any physical contacts, showing that groups respect distinct territory boundaries [38]. Members of a society might not ever be noticed closer at one place, but their mutual tolerance of each other when they come into contact reflects that they are component of the larger group [38]. The main reason behind emerging of fission-fusion social system is the competition for food among the group members when there is a shortage in food availability due to seasonal reasons [23]. When a big group gets food at particular location, there is likely to be less food per group member compared to a small group. After some time, when food scarcity is at its peak, average subgroup size is the smallest and during period of highest food availability, subgroup size is the largest, indicating that competition for scarce resources necessitates breaking into smaller foraging groups [38, 22]. One reason spider monkeys break into smaller foraging groups but still remain part of a larger social unit is the advantage to individual group members in terms of increased mating chances and security from predators.

## 2.2 Communication

Spider monkeys share their intentions and observations using postures and positions, such as postures of sexual receptivity and of attack. During traveling, they interact with each other over long distances using a particular call which sounds like a horse's whinny. Each individual has its own discernible sound so that other members of the group can easily identify who is calling. This long-distance communication permits spider monkeys to get-together, stay away from enemies, share food and gossip. In order to interact to other group members, they generally use visual and vocal communication[30].

## 3 Spider Monkey Optimization Algorithm

Social behavior of spider monkeys inspires authors to develop an stochastic optimization technique that mimics fission-fusion social structure (FFSS) based foraging behavior of spider monkeys. Following are the key features of the FFSS.

1. The fission-fusion social structure based animals are social and live in groups of 40-50 individuals. The FFSS of swarm may reduce the foraging competition among group members by dividing them into sub-groups in order to search food.
2. A female (global Leader) generally leads the group and is responsible for searching food sources. If she is not able to get enough food for the group, she divides the group into smaller subgroups (size varies from 3 to 8 members) that forage independently.
3. Sub-groups are also supposed to be lead by a female (local leader) who becomes decision-maker for planning an efficient foraging route each day.
4. The members of these subgroups then communicate within and outside the subgroup depending upon the availability of food and to maintain territorial boundaries.

In the developed strategy, the foraging behavior of FFSS based animals (e.g. spider monkeys) is divided into four steps. First, the group starts food foraging and evaluates their distance from the food. In the second step, based on the distance from the foods, group members update their positions and again evaluate distance from the food sources. Furthermore, in the third step, the local leader updates its best position within the group and if the position is not updated for a specified number of times then all members of that group start searching of the food in different directions. Next, in the fourth step, the global leader, updates its ever best position and in case of stagnation, it splits the group into smaller size subgroups. All the four steps mentioned before, are continuously executed until the desired output is achieved. There are two important control parameters necessary to introduce in the proposed strategy, one is '*GlobalLeaderLimit*' and another is '*LocalLeaderLimit*' which helps local and global leaders to take appropriate decisions.

The control parameter *LocalLeaderLimit* is used to avoid stagnation i.e., if a local group leader does not update herself in a specified number of times then that group is re-directed to a different direction for foraging. Here, the term 'specified number of times' is referred as *LocalLeaderLimit*. Another control parameter, *GlobalLeaderLimit* is used for the same purpose for global leader. The global leader breaks the group into smaller sub-groups if she does not update in a specified number of times.

The proposed strategy follows self-organization and division of labour properties for obtaining intelligent swarming behaviors of animals. As animals updating their positions by learning from local leader, global leader and self experience in the first and second steps of algorithm, it shows positive feedback mechanisms of self-organization. The third step, in which the stagnated group members are re-directed to different directions for food searching, is responsible for fluctuations in the food foraging process. In the fourth step, when the global leader is get stuck, it divides the groups into smaller subgroups for foraging of foods. This phenomena presents division of labour property. 'Local leader limit' and 'Global leader limit' provides negative feedback to help local and global leader's for their decisions.

However, the proposed strategy is inspired from the foraging behavior of spider monkeys, it is different from the natural foraging behavior of spider monkeys. In In the proposed strategy, the post of leader (local or global) is not permanent but depends upon the ability of leader to search of food. Further, the spider monkeys use different type of communication tactics which are not simulated by the proposed strategy. In this way, the proposed strategy is different from the real foraging behavior of spider monkeys.

### 3.1 Main steps of Spider Monkey Optimization Algorithm (SMO)

Similar to the other population-based algorithms, SMO is a trial and error based collaborative iterative process. The SMO process consists of six phases: Local Leader phase, Global Leader phase, Local Leader Learning phase, Global Leader Learning phase, Local Leader Decision phase and Global Leader Decision phase. The position update process in Global Leader phase is inspired from the Gbest-guided ABC [42] and modified version of ABC [16]. The details of each step of *SMO* implementation are explained below:

#### 3.1.1 Initialization of the Population

Initially, *SMO* generates a uniformly distributed initial population of  $N$  spider monkeys where each monkey  $SM_i (i = 1, 2, \dots, N)$  is a  $D$ -dimensional vector. Here  $D$  is the number of variables in the optimization problem and  $SM_i$  represent the  $i^{th}$  Spider Monkey (*SM*) in the population. Each spider monkey *SM* corresponds to the potential solution of the problem under consideration. Each  $SM_i$  is initialized as follows:

$$SM_{ij} = SM_{minj} + U(0, 1) \times (SM_{maxj} - SM_{minj}) \quad (1)$$



where  $SM_{minj}$  and  $SM_{maxj}$  are bounds of  $SM_i$  in  $j^{th}$  direction and  $U(0, 1)$  is a uniformly distributed random number in the range  $[0, 1]$ .

### 3.1.2 Local Leader Phase (LLP)

In the Local Leader phase, each Spider Monkey SM modifies its current position based on the information of the local leader experience as well as local group members experience. The fitness value of so obtained new position is calculated. If the fitness value of the new position is higher than that of the old position, then the SM updates his position with the new one. The position update equation for  $i^{th}$  SM ( which is a member of  $k^{th}$  local group) in this phase is

$$SM_{newij} = SM_{ij} + U(0, 1) \times (LL_{kj} - SM_{ij}) + U(-1, 1) \times (SM_{rj} - SM_{ij}) \quad (2)$$

where  $SM_{ij}$  is the  $j^{th}$  dimension of the  $i^{th}$  SM,  $LL_{kj}$  represents the  $j^{th}$  dimension of the  $k^{th}$  local group leader position.  $SM_{rj}$  is the  $j^{th}$  dimension of the  $r^{th}$  SM which is chosen randomly within  $k^{th}$  group such that  $r \neq i$ ,  $U(0, 1)$  is a uniformly distributed random number between 0 and 1. Algorithm 1 shows position update process in the Local Leader phase. In Algorithm 1,  $MG$  is the maximum number of groups in the swarm and  $pr$  is the perturbation rate which

---

**Algorithm 1** Position update process in Local Leader Phase:

---

```

for each  $k \in \{1, \dots, MG\}$  do
  for each member  $SM_i \in k^{th}$  group do
    for each  $j \in \{1, \dots, D\}$  do
      if  $U(0, 1) \geq pr$  then
         $SM_{newij} = SM_{ij} + U(0, 1) \times (LL_{kj} - SM_{ij}) + U(-1, 1) \times (SM_{rj} - SM_{ij})$ 
      else
         $SM_{newij} = SM_{ij}$ 
      end if
    end for
  end for
end for

```

---

controls the amount of perturbation in the current position. The range of  $pr$  is  $[0.1, 0.9]$  (explained in section 5.1).

### 3.1.3 Global Leader Phase (GLP)

After completion of the Local Leader phase, the Global Leader phase (GLP) starts. In GLP phase, all the SM's update their position using experience of Global Leader and local group member's experience. The position update equation for this phase is as follows:

$$SM_{newij} = SM_{ij} + U(0, 1) \times (GL_j - SM_{ij}) + U(-1, 1) \times (SM_{rj} - SM_{ij}) \quad (3)$$

where  $GL_j$  represents the  $j^{th}$  dimension of the global leader position and  $j \in \{1, 2, \dots, D\}$  is the randomly chosen index.

In this phase, the positions of spider monkeys ( $SM_i$ ) are updated based on a probabilities  $prob_i$  which are calculated using their fitness. In this way a better candidate will have a higher chance to make itself better. The probability  $prob_i$  may be calculated using following expression (there may be some other but it must be a function of fitness):

$$prob_i = 0.9 \times \frac{fitness_i}{max\_fitness} + 0.1, \quad (4)$$

here  $fitness_i$  is the fitness value of the  $i^{th}$  SM and  $max\_fitness$  is the maximum fitness in the group. Further, the fitness of the newly generated position of the SM's is calculated and compared with the old one and adopted the better position.

**Algorithm 2** Position update process in Global Leader Phase (GLP) :

---

```

1  for  $k = 1$  to  $MG$  do
2     $count = 1$ ;
3     $GS = k^{th}$  group size;
4    while  $count < GS$  do
5      for  $i = 1$  to  $GS$  do
6        if  $U(0,1) < prob_i$  then
7           $count = count + 1$ .
8          Randomly select  $j \in \{1 \dots D\}$ .
9          Randomly select  $SM_r$  from  $k^{th}$  group s.t.  $r \neq i$ .
10          $SM_{newij} = SM_{ij} + U(0,1) \times (GL_j - SM_{ij}) + U(-1,1) \times (SM_{rj} - SM_{ij})$ .
11       end if
12     end for
13     if  $i$  is equal to  $GS$  then
14        $i = 1$ ;
15     end if
16   end while
17 end for

```

---

*3.1.4 Global Leader Learning (GLL) phase*

In this phase, the position of the global leader is updated by applying the greedy selection in the population i.e., the position of the SM having best fitness in the population is selected as the updated position of the global leader. Further, it is checked that the position of global leader is updating or not and if not then the *GlobalLimitCount* is incremented by 1.

*3.1.5 Local Leader Learning (LLL) phase*

In this phase, the position of the local leader is updated by applying the greedy selection in that group i.e., the position of the SM having best fitness in that group is selected as the updated position of the local leader. Next, the updated position of the local leader is compared with the old one and if the local leader is not updated then the *LocalLimitCount* is incremented by 1.

*3.1.6 Local Leader Decision (LLD) phase*

If any Local Leader position is not updated up to a predetermined threshold called *LocalLeaderLimit*, then all the members of that group update their positions either by random initialization or by using combined information from Global Leader and Local Leader through equation (5), based on the *pr*.

$$SM_{newij} = SM_{ij} + U(0,1) \times (GL_j - SM_{ij}) + U(0,1) \times (SM_{ij} - LL_{kj}); \quad (5)$$

It is clear from the equation (5) that the updated dimension of this SM is attracted towards global leader and repel from the local leader. The pseudo code of LLD phase for  $k^{th}$  group is shown in Algorithm 3. In this algorithm *LocalLimitCount<sub>k</sub>* is the trial counter for the local best solution of  $k^{th}$  group.

*3.1.7 Global Leader Decision (GLD) phase*

In this phase, the position of global leader is monitored and if it is not updated up to a predetermined number of iterations called *GlobalLeaderLimit*, then the global leader divides the population into smaller groups. Firstly, the population is divided into two groups and then three groups and so on till the maximum number of groups (*MG*) are formed as shown in the Figures 2-5. Each time in GLD phase, LLL process is initiated to elect the local leader in the newly formed groups. The case in which maximum number of groups are formed and even then the position of global leader is not updated then the global leader combines all the groups to form a single group. Thus the proposed algorithm is inspired from fusion-fission structure of SMs. The working of this phase is shown in Algorithm 4. The complete pseudo-code of the proposed strategy is given in Algorithm 5:

**Algorithm 3** Local Leader Decision Phase:

---

```

1  for  $k = \{1 \dots MG\}$  do
2    if  $LocalLimitCount_k > LocalLeaderLimit$  then
3       $LocalLimitCount_k = 0$ .
4       $GS = k^{th}$  group size;
5      for  $i \in \{1 \dots GS\}$  do
6        for each  $j \in \{1 \dots D\}$  do
7          if  $U(0, 1) \geq pr$  then
8             $SM_{new_{ij}} = SM_{min_j} + U(0, 1) \times (SM_{max_j} - SM_{min_j})$ 
9          else
10              $SM_{new_{ij}} = SM_{ij} + U(0, 1) \times (GL_j - SM_{ij}) + U(0, 1) \times (SM_{ij} - LL_{kj})$ 
11          end if
12        end for
13      end for
14    end if
15  end for

```

---




Fig. 2: SMO topology: single group

**Algorithm 4** Global Leader Decision Phase:

---

```

1  if  $GlobalLimitCount > GlobalLeaderLimit$  then
2     $GlobalLimitCount = 0$ 
3    if Number of groups  $< MG$  then
4      Divide the population into groups.
5    else
6      Combine all the groups to make a single group.
7    end if
8    Update Local Leaders position.
9  end if

```

---

## 3.2 Control Parameters in SMO

It is clear from the above discussion that there are four control parameters in SMO algorithm: the value of *LocalLeaderLimit*, *GlobalLeaderLimit*, the maximum group *MG* and perturbation rate *pr*. Some settings of control parameters are suggested as follows:

- $MG = N/10$ , i.e., it is chosen such that minimum number of SM's in a group should be 10




Fig. 3: SMO topology: swarm is divided into two group




Fig. 4: SMO topology: swarm is divided into three group

- $GlobalLeaderLimit \in [N/2, 2 \times N]$ ,
- $LocalLeaderLimit$  should be  $D \times N$ ,




Fig. 5: SMO topology: minimum size group

**Algorithm 5** Spider Monkey Optimization (SMO) Algorithm:

1. Initialize Population, *LocalLeaderLimit*, *GlobalLeaderLimit*, *pr*.
2. Calculate fitness (i.e., the distance of individuals from food sources).
3. Select global leader and local leaders by applying greedy selection (see section 3.1.4, 3.1.5).
- while** (Termination criteria is not satisfied) **do**
  - (i) For finding the objective (Food Source), generate the new positions for all the group members by using self experience, local leader experience and group members experience.[Refer Algorithm 1].
  - (ii) Apply the greedy selection process between existing position and newly generated position, based on fitness and select the better one;
  - (iii) Calculate the probability  $prob_i$  for all the group members using equation (4).
  - (iv) Produce new positions for the all the group members, selected by  $prob_i$ , by using self experience, global leader experience and group members experiences. [Refer Algorithm 2].
  - (v) Update the position of local and global leaders, by applying the greedy selection process on all the groups (see section 3.1.4, 3.1.5).
  - (vi) If any Local group leader is not updating her position after a specified number of times (*LocalLeaderLimit*) then re-direct all members of that particular group for foraging by algorithm (3)
  - (vii) If Global Leader is not updating her position for a specified number of times (*GlobalLeaderLimit*) then she divides the group into smaller groups by algorithm (4).
- end while**

–  $pr \in [0.1, 0.9]$ ,

here,  $N$  is the swarm size.

**4 Discussion**

Exploration and exploitation are the two important characteristics of the population (or swarm) based optimization algorithms [9, 17, 35, 25]. In optimization algorithms, the exploration represents the ability to discover the global optimum by investigating the various unknown regions in the solution search space. While, the exploitation represents the ability to find better solutions by implementing the knowledge of the previous good solutions. In behavior, the exploration and exploitation contradict with each other, however both abilities should be well balanced to achieve better optimization performance [40]. It is expected from a good search process that it should explore the new solutions, while maintaining satisfactory performance by exploiting existing solutions [12].

The inherent drawback with most of the population based stochastic algorithms is premature convergence. ABC, DE and PSO are not exceptions [15, 20, 2]. Dervis Karaboga and Bahriye Akay [15] compared the different variants of ABC and found that ABC shows poor performance and remains inefficient in exploring the search space. The solution search equation of ABC is significantly influenced by a random quantity which helps in exploration at the cost of exploitation of the search space [42]. Further, Mezura-Montes et al. [20] analyzed DE and its variants for global optimization and found that DE has deficiency of premature convergence and stagnation. Also some studies proved that DE sometimes stops proceeding toward the global optima even though the population has not converged to local optima or any other point [18]. Price et al. [28] also drawn the same conclusions regarding DE. However the standard PSO has the capability to get a good solution at a significantly faster rate but, when it is compared to other optimization techniques, it is weak to refine the optimum solution, mainly due to less diversity in later search [2]. On the different side, problem-based tuning of parameters is required in PSO, to get an optimum solution accurately and efficiently [33]. Therefore, it is clear that if a population based algorithm is capable of balancing between exploration and exploitation of the search space, then the algorithm is regarded as an efficient algorithm. From this point of view ABC, PSO and DE are not efficient algorithms. The problems of premature convergence and stagnation is a matter of serious consideration for designing a comparatively efficient nature inspired algorithms (NIAs). By keeping in mind the existing drawbacks of NIAs, SMO is designed in this paper.

In the proposed algorithm, the first phase named '*Local Leader phase*' is used to explore the search region as in this phase all the members of the groups update their positions with high perturbation in the dimensions. The perturbation is high for initial iterations and gradually reducing in later iterations. The second phase '*Global Leader phase*' promotes the exploitation as in this phase, better candidates get more chance to update and in position update process, only single randomly selected dimension is updated. The third and fourth phase namely '*Local Leader Learning phase*' and '*Global Leader Learning phase*', are used to check that the search process is not stagnated. In these two phases, it is checked that the local best and global best solutions are updating or not in a predefined number of trials. If not then the solution is considered stagnated. The fifth phase '*Local Leader Decision phase*' is used to avoid the stagnation or premature convergence of local solutions. In this phase, if the local best solution is not updated in a predefined number of trials (*LocalLeaderLimit*) then all the members of that group are re-initialized. In this phase, all the dimensions of the individuals are initialized either randomly or by using global best solution and local best solution. Further, the *Global Leader Decision phase* is used to avoid stagnation of the global best solution. In this phase if the global best solution is not updated within a predefined number of trials (*GlobalLeaderLimit*) then the group is divided into smaller subgroups. The benefit of this structured group strategy is that initially there is a single group so every newly generated food source is attracted towards the best food source (in this case the global best will be the local best also), thereby converging faster to the solution. But as a results of such exploitative tendency, in many cases, the population may skip the global minima and can get stuck into local minima. Therefore, to avoid this situation, if global minima is not updating itself for a predefined number of times then the group is divided into subgroups. Now every new solution will be attracted towards the respective subgroup's local best food source, hence contributes in the exploration of the search space. When the maximum number of subgroups have been formed and even though the global optima is not updating its position then all the subgroups are combined to form a single group and process repeats itself. Therefore, this phase helps to balance the exploration and exploitation capability of the algorithm while maintaining the convergence speed. From above discussion, it is clear that SMO tries to balance the diversity in the population/swarm and hence can be considered as a new candidate in the field of population based algorithms like ABC [15], PSO [17], DE [35] etc. In ABC, DE and PSO, the position update equation is based on the difference vector and so is the case with SMO. Therefore, it may be considered in the category of ABC, PSO and DE algorithms.

## 5 Experimental Results

In order to analyze the performance of SMO algorithm, 26 different global optimization problems ( $f_1$  to  $f_{26}$ ) are selected (listed in Table 1). These are continuous, un-biased optimization problems and have different degrees of complexity and multimodality. Test problems  $f_1 - f_{19}$  and  $f_{24} - f_{26}$  are taken from [1] and test problems  $f_{20} - f_{23}$  are taken from [36] with the associated offset values. This set is large enough to include different kinds of problems such as unimodal, multimodal, separable and non separable. A unimodal function  $f(x)$  has a single extremum (minimum or maximum in the range specified for  $x$ ). On the other hand if a function has more than one peaks in the search space i.e., local extremum, this function is called multimodal. Multimodal functions are used to test the ability of algorithms getting

rid of local minima. If the exploration process of an algorithm is poor then it will not be able to search the whole search space efficiently and will stuck to some local optima. Functions having flat surfaces are also difficult for algorithms since, the flatness of the function does not give any information to the algorithm to direct the search process towards the minima.

### 5.1 Experimental setting

Swarm size, perturbation rate ( $pr$ ),  $LLL$ ,  $GLL$  and maximum number of groups ( $MG$ ) are the parameters that affect the performance of the  $SMO$ , significantly. To fine tune (finding most suitable values) these parameters, sensitivity analyses with different values of these parameters have been carried out. Swarm size is varied from 40 to 160 with step size 20,  $pr$  is varied from 0.1 to 0.9 with step size 0.1,  $MG$  is varied from 1 to 6 with step size 1,  $LLL$  is varied from 100 to 2500 with step size 200 and  $GLL$  is varied from 10 to 220 with step size 30. At a time only one parameter is varied while all other parameters are kept fixed. This fine tuning is done with the following assumptions:

- $pr$  is varied from 0.1 to 0.9 while  $MG$ ,  $LLL$ ,  $GLL$  and Swarm size are fixed to be 5, 1500, 50, and 50, respectively.
- $MG$  is varied from 1 to 6 while  $LLL$ ,  $GLL$  and Swarm size are fixed to be 1500, 50, and 50, respectively.  $pr$  is linearly increasing from 0.1 to 0.4 through iterations.
- $GLL$  is varied from 10 to 220 while  $LLL$ ,  $MG$  and Swarm size are fixed to be 1500, 5, and 50, respectively.  $pr$  is linearly increasing from 0.1 to 0.4 through iterations.
- $LLL$  is varied from 100 to 2500 while  $MG$ ,  $GLL$  and Swarm size are fixed to be 5, 50, and 50, respectively.  $pr$  is linearly increasing from 0.1 to 0.4 through iterations.
- Swarm size is varied from 40 to 160 while  $LLL$ ,  $GLL$  and  $MG$  are fixed to be 1500, 50, and 5, respectively.  $pr$  is linearly increasing from 0.1 to 0.4 through iterations.

For the purpose of sensitivity analysis, 6 test problems are considered and each problem is simulated 30 times. Effects of these parameters are shown in Figures 6(a)- 6(f) respectively. It is clear from Figure 6(a) that  $SMO$  is very sensitive towards  $pr$ .  $SMO$  performs better on some problems with small values of  $pr$  while on some, it performs better with large values of  $pr$ . Therefore, the value of  $pr$  is adopted linearly increasing over iterations to consider the dynamic nature of parameter  $pr$ . It should be noted that this setting of  $pr$  is not general. For a particular problem a different setting of  $pr$  may provide better results. Further, by analyzing Figure 6(b), it can be stated that the value of  $MG = 5$  gives comparatively better results for the given set of test problems. Sensitivity of  $GlobalLeaderLimit(GLL)$  and  $LocalLeaderLimit(LLL)$  can be analyzed by Figure 6(c) and Figure 6(d). It is observed that the value of  $GLL = 50$  and  $LLL = 1500$  gives better results on the considered benchmark optimization problems. Further, swarm size is analyzed in Figure 6(e) and Figure 6(f). It is clear from Figure 6(e) that  $SMO$  is quite sensitive with respect to the swarm size. The optimum value of swarm size around 40 can be observed from the Figure 6(e) and 6(f).

To prove the efficiency of  $SMO$  algorithm, it is compared with four state-of-art algorithms, namely PSO [4] (based on Standard PSO 2006 but with linearly decreasing inertia weight, modified velocity update equation and a different parameters setting), ABC [14], DE ( $DE/rand/bin/1$ ) [35] and Covariance Matrix Adaptation Evolution Strategies (CMA-ES) [11]. For the comparison, same stopping criteria, number of simulations and maximum number of function evaluations are used for all the considered algorithms. The values of parameters for the considered algorithms are as follows:

#### SMO parameters setting:

- The Swarm size  $N = 50$ ,
- $MG = 5$ ,
- $GlobalLeaderLimit=50$ ,
- $LocalLeaderLimit=1500$ ,
- $pr \in [0.1, 0.4]$ , linearly increasing over iterations,

$$pr_{G+1} = pr_G + (0.4 - 0.1)/MIR; pr_1 = 0.1. \quad (6)$$

where,  $G$  is the iteration counter,  $MIR$  is the maximum number of iterations.

- The stopping criteria is either maximum number of function evaluations (which is set to be  $2.0 \times 10^5$ ) is reached or the corresponding acceptable error (mentioned in Table 1) have been achieved,

- The number of simulations (or run) =100.

#### ABC parameters setting:

- Colony size  $SN=100$ ,
- Number of food sources  $SN/2$ ,
- $limit = 1500$  [14],

#### DE parameters setting:

- The crossover probability  $CR=0.9$  [8],
- The scale factor which controls the implication of the differential variation  $F=0.5$  [27],
- Population size  $NP=50$ .

#### PSO parameters setting:

- Inertia Weight ( $w$ ), decreases linearly from 1 to 0.1,
- Acceleration coefficients ( $c_1 = 2, c_2 = 2$ ),
- Swarm size  $S=50$ .

#### CMA-ES parameters setting [10]:

All parameter settings for CMA-ES is kept same as in [10]. The results of CMA-ES are obtained by the source code provided at its developer's webpage, <http://www.bionik.tu-berlin.de/user/niko/index.html>.

## 5.2 Results Analysis of Experiments

Numerical results for benchmark problems of Table 1 with the experimental settings given in subsection 5.1 are given in Table 2. In Table 2, standard deviation (SD), mean error (ME), average number of function evaluations (AFE), and success rate (SR) are reported for test problems  $f_1$  to  $f_{26}$ . The  $AFE$  is the average of the function evaluations that are required to reach at the termination criteria in 100 runs. In other words,

$$AFE = \frac{\sum_{i=1}^{100} \# \text{ of function evaluations to meet the termination criteria for run } i}{100}$$

Table 2 shows that most of the time SMO outperforms in terms of reliability, efficiency and accuracy. Some more intensive statistical analyses based on boxplots, the Mann-Whitney U rank sum test, performance indices [6], and acceleration rate (AR) [29] have been carried out for the results of DE, PSO, ABC, CMA-ES and SMO.






Fig. 6: Effect of parameters on success rate for functions  $f_9, f_{12}, f_{14}, f_{18}, f_{25}$  and  $f_{26}$  (a) when  $pr$  is varied (b) when  $MG$  is varied (c) when Global Leader Limit is varied (d) when Local Leader Limit is varied (e) Swarm Size v/s Successful Runs (f) Swarm Size v/s Average number of function evaluations.

Table 1: Benchmark functions used in experiments. D: Dimensions, C: Characteristic, U: Unimodal, M: Multimodal, S: Separable, N: Non-Separable, AE: Acceptable Error

Test Problem	Objective function	Search Range	Optimum Value	D	C	AE
Schwefel function 1.2	$f_1(x) = \sum_{i=1}^D (\sum_{j=1}^i x_j)^2$	$[-100, 100]$	0	30	UN	$1.0E-03$
Step function	$f_2(x) = \sum_{i=1}^D \lfloor (x_i + 0.5) \rfloor^2$	$[-100, 100]$	0	30	US	$1.0E-03$
Schwefel function	$f_3(x) = -\sum_{i=1}^D (x_i \sin \sqrt{ x_i })$	$[-500, 500]$	$-418.9829 \times D$	30	MS	$1.0E-03$
Rastrigin	$f_4(x) = 10D + \sum_{i=1}^D [x_i^2 - 10 \cos(2\pi x_i)]$	$[-5.12, 5.12]$	0	30	MS	$1.0E-03$
Levy function 1	$f_5(x) = \frac{\pi}{D} [10 \sin^2(\pi y_D) + \sum_{i=1}^D u(x_i, 10, 100, 4)]$ , where $y_i = 1 + \frac{1}{4}(x_i + (y_D - 1)^2) + \sum_{i=1}^D u(x_i, 10, 100, 4)$ , $u(x_i, 10, 100, 4) = \begin{cases} k(x_i - a)^m, & x_i > a; \\ 0, & -a \leq x_i \leq a; \\ k(-x_i - a)^m, & x_i < a. \end{cases}$	$[-50, 50]$	0	30	MN	$1.0E-03$
Levy function 2	$f_6(x) = 0.1(\sin^2(3\pi x_1) + \sum_{i=1}^{D-1} [(x_i - 1)^2(1 + \sin^2(3\pi x_{i+1}))]) + (x_D - 1)^2(1 + \sin^2(2\pi x_D)) + \sum_{i=1}^D u(x_i, 5, 100, 4)$	$[-65.536, 65.536]$	0.998	2	MN	$1.0E-03$
Shekel Foxholes Function	$f_7(x) = \frac{1}{500} + \sum_{j=1}^{25} \frac{1}{j + \sum_{i=1}^D (x_i - A_{ij})^6} - 1$	$[-5, 5]$	0.0003075	4	MN	$1.0E-03$
Kowalik function	$f_8(x) = \sum_{i=1}^{11} \left[ a_i - \frac{x_i(0.45 + b_i x_2)}{b_i^2 + b_i x_3 + x_4} \right]^2$	$[-5, 5]$	-1.0316	2	MN	$1.0E-03$
Six-hump camel back	$f_9(x) = (4 - 2.1x_1^2 + x_1^4/3)x_1^2 + x_1x_2 + (-4 + 4x_2^2)x_2^2$	$[-5, 5]$	0.397887	2	MN	$1.0E-03$
Brainin RCOS function	$f_{10}(x) = (x_2 - \frac{5.1}{4\pi^2}x_1^2 + \frac{5}{\pi}x_1 - 6)^2 + 10(1 - \frac{1}{5\pi})\cos x_1 + 10$	$x_1 \in [-5, 10], x_2 \in [0, 15]$	3	2	MN	$1.0E-03$
Goldstien & Price function	$f_{11}(x) = [1 + (x_1 + x_2 + 1)^2(19 - 14x_1 + 13x_1^2 - 14x_2 + 6x_1x_2 + 3x_2^2)] * [30 + (2x_1 - 3x_2)^2(18 - 32x_1 + 12x_1^2 - 48x_2 - 36x_1x_2 + 27x_2^2)]$	$[0, 1]$	-3.86278	3	MN	$1.0E-03$
Hartmann function 3	$f_{12}(x) = -\sum_{i=1}^4 \alpha_i \exp[-\sum_{j=1}^3 A_{ij}(x_j - P_{ij})^2]$	$[0, 1]$	-3.32237	6	MN	$1.0E-03$
Hartmann function 6	$f_{13}(x) = -\sum_{i=1}^4 \alpha_i \exp[-\sum_{j=1}^6 B_{ij}(x_j - Q_{ij})^2]$	$[0, 10]$	-10.1532	4	MN	$1.0E-03$
Shekel function 5	$f_{14}(x) = -\sum_{j=1}^5 [\sum_{i=1}^4 (x_i - C_{ij})^2 + \beta_j]^{-1}$	$[0, 10]$	-10.4029	4	MN	$1.0E-03$
Shekel function 7	$f_{15}(x) = -\sum_{j=1}^7 [\sum_{i=1}^4 (x_i - C_{ij})^2 + \beta_j]^{-1}$	$[0, 10]$	-10.5364	4	MN	$1.0E-03$
Shekel function 10	$f_{16}(x) = -\sum_{j=1}^{10} [\sum_{i=1}^4 (x_i - C_{ij})^2 + \beta_j]^{-1}$	$[-10, 10]$	0	30	US	$1.0E-05$
Cigar	$f_{17}(x) = x_0^2 + 10000 \sum_{i=1}^D x_i^2$	$[-5.12, 5.12]$	0	30	US	$1.0E-05$
Axis parallel hyper-ellipsoid	$f_{18}(x) = \sum_{i=1}^D i x_i^2$	$[-100, 100]$	0	30	UN	$1.0E-05$
Beale	$f_{19}(x) = [1.5 - x_1(1 - x_2)]^2 + [2.25 - x_1(1 - x_2^2)]^2 + [2.625 - x_1(1 - x_2^3)]^2$	$[-4.5, 4.5]$	0	2	UN	$1.0E-05$
Shifted Sphere	$f_{20}(x) = \sum_{i=1}^D z_i^2 + f_{bias}$ , $z = x - o$ , $x = [x_1, x_2, \dots, x_D]$ , $o = [o_1, o_2, \dots, o_D]$	$[-100, 100]$	-450	10	US	$1.0E-05$
Shifted Schwefel	$f_{21}(x) = \sum_{i=1}^D (\sum_{j=1}^i z_j)^2 + f_{bias}$ , $z = x - o$ , $x = [x_1, x_2, \dots, x_D]$ , $o = [o_1, o_2, \dots, o_D]$	$[-100, 100]$	-450	10	UN	$1.0E-05$
Shifted Griewank	$f_{22}(x) = \sum_{i=1}^D \frac{x_i^2}{4000} - \prod_{i=1}^D \cos(\frac{x_i}{\sqrt{i}}) + 1 + f_{bias}$ , $z = (x - o)$ , $x = [x_1, x_2, \dots, x_D]$ , $o = [o_1, o_2, \dots, o_D]$	$[-600, 600]$	-180	10	MN	$1.0E-05$
Shifted Ackley	$f_{23}(x) = -20 \exp(-0.2 \sqrt{\frac{1}{D} \sum_{i=1}^D z_i^2}) - \exp(\frac{1}{D} \sum_{i=1}^D \cos(2\pi z_i)) + 20 + e + f_{bias}$ , $z = (x - o)$ , $x = [x_1, x_2, \dots, x_D]$ , $o = [o_1, o_2, \dots, o_D]$	$[-32, 32]$	-140	10	MS	$1.0E-05$
Easom's function	$f_{24}(x) = -\cos x_1 \cos x_2 \exp((-x_1 - \pi)^2 - (x_2 - \pi)^2)$	$[-10, 10]$	-1	2	UN	$1.0E-13$
Dekkers and Aarts	$f_{25}(x) = 10^5 x_1^2 + x_2^2 - (x_1^2 + x_2^2)^2 + 10^{-5}(x_1^2 + x_2^2)^4$	$[-20, 20]$	-24777	2	MN	$5.0E-01$
Shubert	$f_{26}(x) = -\sum_{i=1}^5 i \cos((i+1)x_1 + 1) \sum_{j=1}^5 i \cos((i+1)x_2 + 1)$	$[-10, 10]$	-186.7309	2	MN	$1.0E-05$

Table 2: Experimental Results

Test Function	Algorithm	SD	ME	AFE	SR
$f_1$	DE	1.42E-04	8.68E-04	27378	100
	PSO	6.72E-05	9.34E-04	45914.5	100
	ABC	2.02E-04	7.57E-04	35901	100
	CMA-ES	2.90E-04	7.10E-04	21248	100
	SMO	8.38E-05	8.88E-04	15128.19	100
$f_2$	DE	3.54E-01	1.00E-01	25858	95
	PSO	2.36E-04	2.53E-04	38273.5	100
	ABC	5.92E-04	6.35E-04	20244	100
	CMA-ES	1.77E+00	1.44E+00	72184	36
	SMO	1.20E-05	2.34E-04	12018.41	100
$f_3$	DE	6.12E+02	2.24E+03	200000	0
	PSO	6.70E+02	2.80E+03	200000	0
	ABC	1.18E+01	1.19E+00	170335	76
	CMA-ES	8.96E+02	7.64E+03	200000	0
	SMO	1.11E+02	7.67E+01	180525.04	65
$f_4$	DE	4.93E+00	1.54E+01	200000	0
	PSO	1.35E+01	3.80E+01	200000	0
	ABC	3.14E-04	4.72E-04	87039	100
	CMA-ES	1.36E+01	5.18E+01	200000	0
	SMO	2.33E-04	3.39E-04	83158.66	100
$f_5$	DE	1.45E-02	2.90E-03	24490.5	98
	PSO	1.44E-02	2.98E-03	52777.5	98
	ABC	2.19E-04	7.48E-04	29301	100
	CMA-ES	3.40E-02	7.20E-04	23254	88
	SMO	1.61E-04	6.52E-04	16176	100
$f_6$	DE	1.78E-03	1.15E-03	26753	97
	PSO	2.58E-03	1.62E-03	51446	93
	ABC	1.96E-04	7.89E-04	32604	100
	CMA-ES	4.50E-03	1.70E-03	13756	86
	SMO	1.43E-04	1.07E-04	23728.83	100
$f_7$	DE	7.15E-05	2.39E-04	2632.5	100
	PSO	3.09E-04	3.06E-04	3778	100
	ABC	2.79E-04	1.93E-04	1306	100
	CMA-ES	6.87E+00	1.04E+01	200000	0
	SMO	2.68E-04	2.02E-04	919.71	100
$f_8$	DE	2.14E-04	8.32E-04	8170	97
	PSO	1.33E-04	8.39E-04	1957	100
	ABC	1.34E-04	8.43E-04	7525.37	100
	CMA-ES	4.20E-03	1.50E-03	13434	88
	SMO	1.38E-04	8.51E-04	2214.37	100
$f_9$	DE	1.01E-04	4.44E-04	1686.5	100
	PSO	3.05E-04	4.80E-04	1318	100
	ABC	3.11E-04	5.08E-04	899	100
	CMA-ES	5.20E-11	6.03E-04	619	100
	SMO	2.99E-04	4.02E-04	529.65	100
$f_{10}$	DE	1.32E-04	4.89E-04	2081	100
	PSO	2.82E-04	4.81E-04	1445.5	100
	ABC	2.79E-04	4.77E-04	1480	100
	CMA-ES	1.40E-07	3.98E-04	594	100
	SMO	2.91E-04	4.25E-04	673.2	100
$f_{11}$	DE	1.20E-04	4.78E-04	1608	100
	PSO	2.70E-04	4.83E-04	1900.5	100
	ABC	3.08E-04	4.88E-04	2925.11	100
	CMA-ES	2.51E-01	1.43E-02	2052	78
	SMO	2.96E-04	4.85E-04	866.25	100

to be cont'd on next page

Table 2: Experimental Results (Cont.)

Test Function	Algorithm	SD	ME	AFE	SR
$f_{12}$	DE	1.04E-04	5.01E-04	1334	100
	PSO	2.46E-04	5.77E-04	1080.5	100
	ABC	2.64E-04	5.48E-04	1415	100
	CMA-ES	4.80E-08	9.25E-04	996	100
	SMO	2.66E-04	5.15E-04	598.95	100
$f_{13}$	DE	5.22E-02	8.84E-02	149112	26
	PSO	5.63E-02	4.29E-02	76074	64
	ABC	2.33E-04	6.81E-04	4652	100
	CMA-ES	5.80E-02	3.80E-03	22330	48
	SMO	1.18E-02	1.86E-03	27278.86	99
$f_{14}$	DE	1.05E+00	1.50E-01	7962	98
	PSO	1.36E+00	2.75E-01	16708.5	96
	ABC	2.56E-04	5.74E-04	6656	100
	CMA-ES	2.58E-02	3.18E-02	42561	40
	SMO	2.58E-04	6.40E-04	17592.18	100
$f_{15}$	DE	1.65E-04	5.63E-04	3659.5	100
	PSO	2.35E-04	6.89E-04	5435	100
	ABC	2.93E-04	5.90E-04	8222.32	100
	CMA-ES	1.74E-01	1.25E-02	35632	48
	SMO	2.57E-04	6.62E-04	9519.46	100
$f_{16}$	DE	6.67E-01	6.76E-02	5620	99
	PSO	2.56E-04	6.57E-04	5463.5	100
	ABC	2.82E-04	5.75E-04	9584.35	100
	CMA-ES	2.54E-02	2.15E-03	11234	52
	SMO	2.48E-04	6.53E-04	7605.82	100
$f_{17}$	DE	1.34E-06	8.63E-06	40678	100
	PSO	5.46E-07	9.38E-06	69416.5	100
	ABC	1.82E-06	8.25E-06	63993	100
	CMA-ES	6.61E-06	2.51E-05	10318	100
	SMO	9.45E-07	8.94E-06	22477.95	100
$f_{18}$	DE	1.31E-06	8.60E-06	26463.5	100
	PSO	6.13E-07	9.37E-06	44129.5	100
	ABC	2.00E-06	8.18E-06	41861	100
	CMA-ES	1.06E-06	7.03E-06	16463	100
	SMO	7.62E-07	8.96E-06	14679.72	100
$f_{19}$	DE	1.13E-06	4.72E-06	1849	100
	PSO	2.67E-06	4.22E-06	2762	100
	ABC	2.42E-06	7.81E-06	31948.76	100
	CMA-ES	1.01E-06	1.17E-06	1247.16	100
	SMO	2.58E-06	4.81E-06	1569.15	100
$f_{20}$	DE	2.03E-06	7.46E-06	10805.5	100
	PSO	1.47E-06	8.07E-06	15854.5	100
	ABC	2.16E-06	7.35E-06	17112	100
	CMA-ES	8.12E-06	6.38E-06	13805.5	100
	SMO	1.86E-06	7.65E-06	5898.42	100
$f_{21}$	DE	3.39E+03	1.21E+05	200000	0
	PSO	1.01E+03	7.84E+02	200000	0
	ABC	3.96E+03	1.31E+04	200000	0
	CMA-ES	1.00E+03	1.84E+02	200000	0
	SMO	1.18E+03	1.84E+04	200000	0
$f_{22}$	DE	1.20E-02	1.34E-02	165684	22
	PSO	2.77E-02	4.28E-02	198768.5	2
	ABC	2.86E-03	1.09E-03	101707.2	86
	CMA-ES	5.63E-04	1.03E-04	95707.2	96
	SMO	6.03E-03	2.68E-03	130922.94	77

to be cont'd on next page

Table 2: Experimental Results (Cont.)

Test Function	Algorithm	SD	ME	AFE	SR
$f_{23}$	DE	1.21E-06	8.85E-06	15959	100
	PSO	8.69E-07	9.10E-06	24687.5	100
	ABC	1.71E-06	8.09E-06	32415	100
	CMA-ES	2.35E-06	5.37E-06	17365	100
	SMO	1.13E-06	8.66E-06	9069.39	100
$f_{24}$	DE	7.36E-15	4.50E-14	5210	100
	PSO	2.87E-14	5.13E-14	9778	100
	ABC	5.64E-07	5.71E-08	128925.18	52
	CMA-ES	8.17E-14	7.83E-14	9612	100
	SMO	2.69E-14	4.71E-14	11789.91	100
$f_{25}$	DE	1.12E-03	4.90E-01	2725.5	100
	PSO	5.64E-03	4.91E-01	4979	100
	ABC	5.25E-03	4.90E-01	2567	100
	CMA-ES	6.07E-03	7.91E-01	1725.5	100
	SMO	4.98E-03	4.89E-01	1258.29	100
$f_{26}$	DE	2.16E-06	4.78E-06	9663	100
	PSO	4.01E-04	1.01E-04	72252.5	83
	ABC	5.95E-06	5.32E-06	8248.56	100
	CMA-ES	6.27E-06	7.32E-06	14262	100
	SMO	5.58E-06	4.97E-06	4379.76	100

### 5.3 Statistical Analysis

DE, PSO, ABC, CMA-ES and SMO are compared based on SR, AFE, and ME. First SR of all these algorithms is compared and if it is not possible to distinguish the performance of algorithms based on SR then comparison is made on the basis of AFE. ME is used for comparison if the comparison is not possible on the basis of SR and AFE both. From the results shown in Table 2, it is clear that SMO costs less on 14 function ( $f_1, f_2, f_4, f_5, f_6, f_7, f_9, f_{11}, f_{12}, f_{18}, f_{20}, f_{23}, f_{25}, f_{26}$ ) among all the considered algorithms. As these functions include unimodel, multimodel, separable, non separable, lower and higher dimension functions, it can be stated that SMO balances the exploration and exploitation capabilities efficiently. ABC outperforms SMO over five test functions ( $f_3, f_{13}, f_{14}, f_{15}, f_{21}, f_{22}$ ) and four are multimodel functions. It shows that ABC perform better on multimodel functions as the solution search equation of ABC is significantly influenced by a random quantity which helps in exploration at the cost of exploitation of the search space [32]. CMA-ES outperforms over SMO on six test functions ( $f_{10}, f_{17}, f_{19}, f_{21}, f_{22}, f_{24}$ ) among these four test functions are unimodel functions. Generally speaking, the cost of CMA-ES is lower than those of SMO, ABC, DE and PSO for the unimodal functions. This is because CMA-ES is a local method devised for optimal exploitation of local information [21]. DE outperform over only two test functions ( $f_{15}, f_{24}$ ) in which  $f_{15}$  is unimodel and  $f_{24}$  is multimodel. Further, PSO performs better than SMO over five test function ( $f_8, f_{15}, f_{16}, f_{21}, f_{24}$ ) which all are non separable functions as well as four are multimodel functions. Overall, SMO is better than DE over 24 test functions, PSO over 21 test functions, ABC over 20 test functions, and CMA-ES over 20 test functions of mixed characteristics, when compared separately. It means that when the results of all functions are evaluated together, the SMO algorithm is the cost effective algorithm for most of the functions.

For the purpose of comparison in terms of consolidated performance, boxplot analyses have been carried out for all the considered algorithms. The empirical distribution of data is efficiently represented graphically by the boxplot analysis tool [41]. The boxplots of average number of function evaluations for DE, PSO, ABC, CMA-ES and SMO are shown in Figure 7. It is clear from Figure 7(a) that SMO is cost effective in terms of function evaluations as interquartile range and median of average number of function evaluations are low for SMO. When the considered algorithms are compared on the basis of standard deviation and success rate, it can be observed from Figure 7(b) and 7(c) that ABC and SMO have equal performance, while they perform better than DE, PSO and CMA-ES.

Though, it is clear from box plots that SMO is cost effective than DE, PSO, ABC, and CMA-ES i.e., SMO's result differs from the other, now to check, whether there exists any significant difference between algorithm's output or this




Fig. 7: Boxplots graph for (a) Average number of function evaluation, (b) Standard Deviation, and (c) Success Rate.

difference is due to some randomness, we require another statistical test. It can be observed from boxplots Figure 7(a) that average number of function evaluations used by the considered algorithms to solve the different problems are not normally distributed, so a non-parametric statistical test is required to compare the performance of the algorithms. The Mann-Whitney U rank sum [19], a non-parametric test, is well established test for comparison among non-Gaussian data. In this paper, this test is performed at 5% level of significance ( $\alpha = 0.05$ ) between SMO - DE, SMO - PSO, SMO - ABC, and SMO - CMA-ES.

Table 3 shows the results of the Mann-Whitney U rank sum test for the average function evaluations of 100 simulations. First we observe the significant difference by Mann-Whitney U rank sum test i.e., whether the two data sets are significantly different or not. If significant difference is not seen (i.e., the null hypothesis is accepted) then sign '=' appears and when significant difference is observed i.e., the null hypothesis is rejected then compare the average number of function evaluations. And we use signs '+' and '-' for the case where SMO takes less or more average number of function evaluations than the other algorithms, respectively. Therefore in Table 3, '+' shows that SMO is significantly better and '-' shows that SMO is worse. As Table 3 includes 79 '+' signs out of 104 comparisons. Therefore, it can be concluded that the results of SMO is significantly cost effective than DE, PSO, ABC and CMA-ES over considered test problems.

Further, to compare the considered algorithms, by giving weighted importance to SR, AFE and SD, performance indices (*PIs*) are calculated [6]. The values of *PI* for the DE, PSO, ABC and CMA-ES are calculated by using following

Table 3: Comparison based on mean function evaluations and the Mann-Whitney U rank sum test at a  $\alpha = 0.05$  significance level ('+' indicates SMO is significantly better, '-' indicates SMO is significantly worst and '=' indicates that there is no significant difference),

TP: Test Problem.

TP	Mann-Whitney U rank sum test with SMO				TP	Mann-Whitney U rank sum test with SMO			
	DE	PSO	ABC	CMA-ES		DE	PSO	ABC	CMA-ES
$f_1$	+	+	+	+	$f_{14}$	-	-	-	+
$f_2$	+	+	+	+	$f_{15}$	-	-	-	+
$f_3$	+	+	-	+	$f_{16}$	-	-	+	+
$f_4$	+	+	+	+	$f_{17}$	+	+	+	-
$f_5$	+	+	+	+	$f_{18}$	+	+	+	+
$f_6$	+	+	+	-	$f_{19}$	+	+	+	-
$f_7$	+	+	+	+	$f_{20}$	+	+	+	+
$f_8$	+	-	+	+	$f_{21}$	=	=	=	=
$f_9$	+	+	+	+	$f_{22}$	+	+	-	-
$f_{10}$	+	+	+	-	$f_{23}$	+	+	+	+
$f_{11}$	+	+	+	+	$f_{24}$	-	-	+	-
$f_{12}$	+	+	+	+	$f_{25}$	+	+	+	+
$f_{13}$	+	+	-	-	$f_{26}$	+	+	+	+

equations:

$$PI = \frac{1}{N_p} \sum_{i=1}^{N_p} (k_1 \alpha_1^i + k_2 \alpha_2^i + k_3 \alpha_3^i)$$

Where  $\alpha_1^i = \frac{Sr^i}{Tr^i}$ ;  $\alpha_2^i = \begin{cases} \frac{Mf^i}{Af^i}, & \text{if } Sr^i > 0. \\ 0, & \text{if } Sr^i = 0. \end{cases}$ ; and  $\alpha_3^i = \frac{Mo^i}{Ao^i}$   
 $i = 1, 2, \dots, N_p$

- $Sr^i$  = Successful simulations/runs of  $i^{th}$  problem.
- $Tr^i$  = Total simulations of  $i^{th}$  problem.
- $Mf^i$  = Minimum of average number of function evaluations used for obtaining the required solution of  $i^{th}$  problem.
- $Af^i$  = Average number of function evaluations used for obtaining the required solution of  $i^{th}$  problem.
- $Mo^i$  = Minimum of standard deviation obtained for the  $i^{th}$  problem.
- $Ao^i$  = Standard deviation obtained by an algorithm for the  $i^{th}$  problem.
- $N_p$  = Total number of optimization problems evaluated.

The weights assigned to SR, AFE and SD are represented by  $k_1, k_2$  and  $k_3$  respectively, where  $k_1 + k_2 + k_3 = 1$  and  $0 \leq k_1, k_2, k_3 \leq 1$ . To calculate the  $PI$ s, equal weights are assigned to two variables while weight of the remaining variable vary from 0 to 1 as given in [6]. Following are the resultant cases:

1.  $k_1 = W, k_2 = k_3 = \frac{1-W}{2}, 0 \leq W \leq 1$ ;
2.  $k_2 = W, k_1 = k_3 = \frac{1-W}{2}, 0 \leq W \leq 1$ ;
3.  $k_3 = W, k_1 = k_2 = \frac{1-W}{2}, 0 \leq W \leq 1$

The graphs corresponding to each of the cases (1), (2) and (3) for the considered algorithms are shown in Figures 8(a), 8(b), and 8(c) respectively. In these figures the weights  $k_1, k_2$  and  $k_3$  are represented by horizontal axis while the  $PI$  is represented by the vertical axis.

In case (1), AFE and SD are given equal weights.  $PI$ s of the considered algorithms are superimposed in Figure 8(a) for comparison of the performance. It is observed that  $PI$  of SMO is higher than the considered algorithms. In case (2), equal weights are assigned to SR and AFE and in case (3), equal weights are assigned to SR and AFE. It is clear from Figure 8(b) and Figure 8(c) that the algorithms perform same as in case (1).

Further, we compare the convergence speed of the considered algorithms by measuring the AFEs. A smaller AFEs means higher convergence speed. In order to minimize the effect of the stochastic nature of the algorithms, the reported function evaluations for each test problem is averaged over 100 runs. In order to compare convergence speeds, we use the acceleration rate (AR) which is defined as follows, based on the AFEs for the two algorithms ALGO and SMO:




Fig. 8: Performance index for test problems; (a) for case (1), (b) for case (2) and (c) for case (3).

$$AR = \frac{AFE_{ALGO}}{AFE_{SMO}}, \quad (7)$$

where,  $ALGO \in \{DE, PSO, ABC, CMA-ES\}$  and  $AR > 1$  means SMO is faster. In order to investigate the  $AR$  of the proposed algorithm as compared to the considered algorithms, results of Table 2 are analyzed and the value of  $AR$  is calculated using equation (7). Table 4 shows a comparison between SMO and DE, SMO and PSO, SMO and ABC, and SMO and CMA-ES in terms of  $AR$ . It is clear from the Table 4 that convergence speed of SMO is better than considered algorithms for most of the functions.

## 6 Conclusion

In this paper, a new swarm intelligence algorithm for optimization is proposed. The inspiration is from the social behavior of spider monkeys. The proposed algorithm is proved to be very flexible in the category of swarm intelligence based algorithms. With the help of numerical experiments over test problems, it has been shown that, for most of the problems the reliability (due to success rate), efficiency (due to average number of function evaluations) and accuracy (due to mean objective function value) of SMO is competitive or similar to those of DE, PSO, ABC and CMA-ES. Hence, it may be concluded that SMO is going to be a competing candidate in the field of swarm intelligence based optimization algorithms.



Table 4: Acceleration Rate (AR) of SMO as compared to the DE, PSO, ABC and CMA-ES, TP: Test Problems

TP	DE	PSO	ABC	CMA-ES
$f_1$	1.809734013	3.035029306	2.373119322	1.404530218
$f_2$	2.151532524	3.184572668	1.684415825	6.006118946
$f_3$	1.10787955	1.10787955	0.943553315	1.10787955
$f_4$	2.405041159	2.405041159	1.046661887	2.405041159
$f_5$	1.514002226	3.262704006	1.81138724	1.43756182
$f_6$	1.127447076	2.168079926	1.374024762	0.579716741
$f_7$	2.862315295	4.107816594	1.42001283	217.4598515
$f_8$	3.689536979	0.883772811	3.398424834	6.066736815
$f_9$	3.184178231	2.488435759	1.697347305	1.168696309
$f_{10}$	3.091206179	2.147207368	2.19845514	0.882352941
$f_{11}$	1.856277056	2.193939394	3.376750361	2.368831169
$f_{12}$	2.227230988	1.803990316	2.362467652	1.662910093
$f_{13}$	5.466210831	2.788752902	0.170534986	0.818582595
$f_{14}$	0.452587456	0.94976859	0.378349926	2.419313581
$f_{15}$	0.384423066	0.570935746	0.863738069	3.74306946
$f_{16}$	0.738907836	0.718331488	1.260133687	1.477026803
$f_{17}$	1.809684602	3.088204218	2.846923318	0.459027625
$f_{18}$	1.80272512	3.006154068	2.851621148	1.121479156
$f_{19}$	1.178344964	1.760188637	20.36055189	0.794799732
$f_{20}$	1.831931263	2.687923207	2.901115892	2.340542043
$f_{21}$	1	1	1	1
$f_{22}$	1.265507786	1.518209872	0.776847816	0.731019331
$f_{23}$	1.75965528	2.722068408	3.574110276	1.914682244
$f_{24}$	0.441903288	0.829353235	10.93521325	0.815273399
$f_{25}$	2.166034857	3.956957458	2.040070254	1.371305502
$f_{26}$	2.206285276	16.49690851	1.883336073	3.256342813

## Acknowledgement

The authors acknowledge the anonymous reviewers for their valuable comments and suggestions.

## References

1. M.M. Ali, C. Khompatraporn, and Z.B. Zabinsky. A numerical evaluation of several stochastic algorithms on selected continuous global optimization test problems. *Journal of Global Optimization*, 31(4):635–672, 2005.
2. P. Angeline. Evolutionary optimization versus particle swarm optimization: Philosophy and performance differences. In *Evolutionary Programming VII*, pages 601–610. Springer, 1998.
3. E. Bonabeau, M. Dorigo, and G. Theraulaz. *Swarm intelligence: from natural to artificial systems*. Oxford University Press, New York, USA, 1999.
4. Maurice Clerc. A method to improve standard PSO, [http://clerc.maurice.free.fr/psa/Design\\_efficient\\_PSO.pdf](http://clerc.maurice.free.fr/psa/Design_efficient_PSO.pdf), Reterived on Jan. 2012.
5. L.N. De Castro and F.J. Von Zuben. Artificial immune systems: Part I–basic theory and applications. *Universidade Estadual de Campinas, Dezembro de, Tech. Rep*, 1999.
6. Thakur M. Deep, K. A new crossover operator for real coded genetic algorithms. *Applied Mathematics and Computation*, 188(1):895911, 2007.
7. M. Dorigo and T. Stützle. *Ant colony optimization*. the MIT Press, 2004.
8. R. Gamperle, S.D. Muller, and A. Koumoutsakos. A parameter study for differential evolution. *Advances in Intelligent Systems, Fuzzy Systems, Evolutionary Computation*, 10:293–298, 2002.
9. D.E. Goldberg. *Genetic algorithms in search, optimization, and machine learning*. Addison-Wesley Professional, 1989.
10. Nikolaus Hansen. The cma evolution strategy: a comparing review. In *Towards a new evolutionary computation*, pages 75–102. Springer, 2006.

11. Nikolaus Hansen and Andreas Ostermeier. Adapting arbitrary normal mutation distributions in evolution strategies: The covariance matrix adaptation. In *Evolutionary Computation, 1996., Proceedings of IEEE International Conference on*, pages 312–317. IEEE, 1996.
12. K. Hofmann, S. Whiteson, and M. de Rijke. Balancing exploration and exploitation in learning to rank online. *Advances in Information Retrieval*, 5:251–263, 2011.
13. RL Jeanne. The evolution of the organization of work in social insects. *Monitore zoologico italiano*, 20(2):119–133, 1986.
14. D. Karaboga. An idea based on honey bee swarm for numerical optimization. *Techn. Rep. TR06, Erciyes Univ. Press, Erciyes*, 2005.
15. D. Karaboga and B. Akay. A comparative study of artificial bee colony algorithm. *Applied Mathematics and Computation*, 214(1):108–132, 2009.
16. D. Karaboga and B. Akay. A modified artificial bee colony (ABC) algorithm for constrained optimization problems. *Applied Soft Computing*, 11(3):3021–3031, 2011.
17. J. Kennedy and R. Eberhart. Particle swarm optimization. In *Proceedings., IEEE International Conference on Neural Networks, 1995.*, volume 4, pages 1942–1948. IEEE, 1995.
18. J. Lampinen and I. Zelinka. On stagnation of the differential evolution algorithm. In *Proceedings of MENDEL*, pages 76–83. Citeseer, 2000.
19. H.B. Mann and D.R. Whitney. On a test of whether one of two random variables is stochastically larger than the other. *The annals of mathematical statistics*, 18(1):50–60, 1947.
20. E. Mezura-Montes, J. Velázquez-Reyes, and C.A. Coello Coello. A comparative study of differential evolution variants for global optimization. In *Proceedings of the 8th annual conference on Genetic and evolutionary computation*, pages 485–492. ACM, 2006.
21. Michele Milano, Petros Koumoutsakos, and Jürgen Schmidhuber. Self-organizing nets for optimization. *IEEE Transactions on Neural Networks*, 15(3):758–765, 2004.
22. K. Milton. Diet and social organization of a free-ranging spider monkey population: The development of species-typical behavior in the absence of adults. *Juvenile primates: life history, development, and behavior*, pages 173–181, 1993.
23. M.A. Norconk and W.G. Kinzey. Challenge of neotropical frugivory: travel patterns of spider monkeys and bearded sakis. *American Journal of Primatology*, 34(2):171–183, 1994.
24. G.F. Oster and E.O. Wilson. *Caste and ecology in the social insects*. Princeton Univ Pr, 1979.
25. K.M. Passino. Biomimicry of bacterial foraging for distributed optimization and control. *Control Systems Magazine, IEEE*, 22(3):52–67, 2002.
26. K.M. Passino. Bacterial foraging optimization. *International Journal of Swarm Intelligence Research (IJSIR)*, 1(1):1–16, 2010.
27. K.V. Price. Differential evolution: a fast and simple numerical optimizer. In *Fuzzy Information Processing Society, 1996. NAFIPS. 1996 Biennial Conference of the North American*, pages 524–527. IEEE, 1996.
28. K.V. Price, R.M. Storn, and J.A. Lampinen. *Differential evolution: a practical approach to global optimization*. Springer Verlag, 2005.
29. S. Rahnamayan, H.R. Tizhoosh, and M.M.A. Salama. Opposition-based differential evolution. *IEEE Transactions on Evolutionary Computation*, 12(1):64–79, 2008.
30. G. Ramos-Fernandez. *Patterns of association, feeding competition and vocal communication in spider monkeys, Ateles geoffroyi*. Dissertations, University of Pennsylvania, <http://repository.upenn.edu/dissertations/AAI3003685>, 1 January 2001.
31. J. Sartore. Spider monkey images, <http://animals.nationalgeographic.com/animals/mammals/spider-monkey>, Retrieved on 21 Decmber 2011.
32. Harish Sharma, Jagdish Chand Bansal, and KV Arya. Opposition based lévy flight artificial bee colony. *Memetic Computing*, pages 1–15, 2012.
33. Y. Shi and R. Eberhart. Parameter selection in particle swarm optimization. In *Evolutionary Programming VII*, pages 591–600. Springer, 1998.
34. B. Simmen and D. Sabatier. Diets of some french guianan primates: food composition and food choices. *International Journal of Primatology*, 17(5):661–693, 1996.
35. R. Storn and K. Price. Differential evolution—a simple and efficient adaptive scheme for global optimization over continuous spaces. *Journal of Global Optimization*, 11:341–359, 1997.

36. P.N. Suganthan, N. Hansen, J.J. Liang, K. Deb, YP Chen, A. Auger, and S. Tiwari. Problem definitions and evaluation criteria for the CEC 2005 special session on real-parameter optimization. *KanGAL Report*, 2005.
37. M.M.F. Symington. Fission-fusion social organization in *ateles* and *pan*. *International Journal of Primatology*, 11(1):47–61, 1990.
38. M.G.M. van Roosmalen and Instituto Nacional de Pesquisas da Amazônia. Habitat preferences, diet, feeding strategy and social organization of the black spider monkey (*ateles paniscus paniscus* linnaeus 1758) in surinam. Wageningen : Roosmalen, November 1985.
39. J. Vesterstrom and R. Thomsen. A comparative study of differential evolution, particle swarm optimization, and evolutionary algorithms on numerical benchmark problems. In *Congress on Evolutionary Computation, 2004. CEC2004.*, volume 2, pages 1980–1987. IEEE, 2004.
40. Thomas Weise, Raymond Chiong, and Ke Tang. Evolutionary optimization: Pitfalls and booby traps. *Journal of Computer Science and Technology*, 27(5):907–936, 2012.
41. D.F. Williamson, R.A. Parker, and J.S. Kendrick. The box plot: a simple visual method to interpret data. *Annals of internal medicine*, 110(11):916, 1989.
42. G. Zhu and S. Kwong. Gbest-guided artificial bee colony algorithm for numerical function optimization. *Applied Mathematics and Computation*, 217(7):3166–3173, 2010.