



Location Finder - Unified v 1.14.0

Division: DHL Group, Post & Parcel Germany, DHL Express, DHL eCommerce, DHL Freight

- The **DHL Location Finder – Unified API** provides a single interface to discover all DHL locations that handle parcels and letters, enabling customers during online checkout to choose nearby pick-up or drop-off (PUDO) points such as parcel lockers and view key details like available services and opening hours.
- **New: Routing distance for Sweden: Get real driving-distance calculations** (in addition to airline distance) for Swedish locations, improving accuracy in checkout and location-selection workflows.

Best for:

- **Find locations easily:** Search by **address, geo-coordinates, location ID,** or **keywordId** for direct addressing.
- **All networks, worldwide:** Supports all parcel and letter forwarding networks worldwide (Post & Parcel Germany, DHL Express, DHL eCommerce, DHL Freight)
- **All location types:** Service points, post offices, postbank branches, lockers (including lean variants), PO boxes, and postboxes.
- **Full service info:** See which services each location supports, e.g. parcel/express pick-up, drop-off, unlabeled drop-off, plus extras like letter-service, postident, and age-verification.
- **Easy integration:** Ideal for checkout delivery options, map-based store locators, returns flows, and logistics planning.

Region: Global
Used for: Location

Overview

The **DHL Location Finder API** provides data on DHL Service Points which a user needs for sending and receiving packages.

Users of this API can:

- Retrieve DHL Service Points near a specific location based on either address information or geographical coordinates
- Determine which services are offered at a DHL Service Point
- Get information about opening hours and holiday closing times of each DHL Service Point

Scope

The API covers locations from the following **DHL divisions**:

DHL Division	Shipping Type
 P&P: Transporting, sorting and delivering of documents and goods-carrying shipments in Germany as well as conducting import and export business	Standard Shipping 
 eCom Solutions: Domestic last mile parcel delivery in selected countries outside Germany and non-TDI cross-border services primarily to, from, and within Europe	Standard Shipping 
 Express: Time Definite International (TDI), offering premium, cross-border delivery of time-critical documents and parcels	Express Shipping 

Post & Parcel Germany (P&P) and **eCommerce Solutions** countries available through this API are:

Austria (AT), Belgium (BE), Bulgaria (BG), Cyprus (CY), Czechia (CZ), Germany (DE), Denmark (DK), Estonia (EE), Spain (ES), Finland (FI), France (FR), United Kingdom of Great Britain and Northern Ireland (GB), Greece (GR), Croatia (HR), Hungary (HU), Italy (IT), Lithuania (LT), Luxembourg (LU), Latvia (LV), Netherlands (NL), Norway (NO), Poland (PL), Portugal (PT), Romania (RO), Sweden (SE), Slovenia (SI) and Slovakia (SK)

DHL Express countries available through this API are:

United Arab Emirates (AE), Afghanistan (AF), Albania (AL), Armenia (AM), Angola (AO), Argentina (AR), Austria (AT), Australia (AU), Bosnia and Herzegovina (BA), Barbados (BB), Bangladesh (BD), Belgium (BE), Burkina Faso (BF), Bulgaria (BG), Bahrain (BH), Benin (BJ), Bermuda (BM), Brunei Darussalam (BN), Bolivia (BO), Brazil (BR), Bahamas (BS), Bhutan (BT), Botswana (BW), Belarus (BY), Canada (CA), Congo (CG), Switzerland (CH), Côte d'Ivoire (CI), Cook Islands (CK), Chile (CL), China (CN), Colombia (CO), Costa Rica (CR), Cabo Verde (CV), Cyprus (CY), Czechia (CZ), Germany (DE), Denmark (DK), Dominican Republic (DO), Algeria (DZ), Ecuador (EC), Estonia (EE), Egypt (EG), Spain (ES), Ethiopia (ET), Finland (FI), Fiji (FJ), France (FR), United Kingdom of Great Britain and Northern Ireland (GB), Georgia (GE), French Guiana (GF), Guernsey (GG), Ghana (GH), Gambia (GM), Guadeloupe (GP), Greece (GR), Guatemala (GT), Guinea-Bissau (GW), Hong Kong (HK), Honduras (HN), Croatia (HR), Haiti (HT), Hungary (HU), Indonesia (ID), Ireland (IE), Israel (IL), India (IN), Iraq (IQ), Iran (IR), Iceland (IS), Italy (IT), Jersey (JE), Jamaica (JM), Jordan (JO), Japan (JP), Kenya (KE), Kyrgyzstan (KG), Cambodia (KH), Kiribati (KI), Comoros (KM), North Korea (KP), South Korea (KR), Kosovo (KV), Kuwait (KW), Cayman Islands (KY), Kazakhstan (KZ), Laos (LA), Lebanon (LB), Sri Lanka (LK), Liberia (LR), Lesotho (LS), Lithuania (LT), Luxembourg (LU), Latvia (LV), Morocco (MA), Moldova (MD), Madagascar (MG), North Macedonia (MK), Mali (ML), Myanmar (MM), Mongolia (MN), Macao (MO), Northern Mariana Islands (MP), Martinique (MQ), Mauritania (MR), Malta (MT), Mauritius (MU), Maldives (MV), Malawi (MW), Mexico (MX), Malaysia (MY), Mozambique (MZ), Namibia (NA), New Caledonia (NC), Nigeria (NG), Nicaragua (NI), Netherlands (NL), Norway (NO), Nepal (NP), Nauru (NR), Niue (NU), New Zealand (NZ), Oman (OM), Panama (PA), Peru (PE), French Polynesia (PF), Papua New Guinea (PG), Philippines (PH), Pakistan (PK), Poland (PL), Puerto Rico (PR), Portugal (PT), Paraguay (PY), Qatar (QA), Réunion (RE), Romania (RO), Serbia (RS), Russian (RU), Rwanda (RW), Saudi Arabia (SA), Solomon Islands (SB), Seychelles (SC), Sudan (SD), Sweden (SE), Singapore (SG), Slovenia (SI), Slovakia (SK), Sierra Leone (SL), Senegal (SN), South Sudan (SS), El Salvador (SV), Syrian Arab Republic (SY), Eswatini (SZ), Togo (TG), Thailand (TH), Timor-Leste (TL), Tunisia (TN), Tonga (TO), Turkey (TR), Trinidad and Tobago (TT), Tuvalu (TV), Taiwan (TW), Tanzania (TZ), Ukraine (UA), Uganda (UG), United States of America (US), Uruguay (UY), Uzbekistan (UZ), Venezuela (VE), Virgin Islands (VG), Virgin Islands (VI), Viet Nam (VN), Vanuatu (VU), Samoa (WS), Ceuta (XC), Montenegro (XM), Mayotte (YT), South Africa (ZA), Zambia (ZM), Zimbabwe (ZW)

Note: Please be aware that if you provide a valid country code but that code is not listed above, you may still get a successful response (200 OK) with no locations, as this API could recognized the country code but no locations in that country were found. On the other hand, if you provide a wrong country code, this API will respond with a 400 error.

The API provides the following **information** from a DHL Service Point:

- Name
- Address
- Geolocation
- Services offered (see below)
- Location type (see below)
- Opening hours
- Closing periods

The following **services** are offered:

Service Type	Service Description
parcel:pick-up-all	Includes any of the parcel:pick-up services. This can be used as a meta-query parameter. The service type "parcel:pick-up-all" will not be part of the API response.
parcel: pick-up	Consumers can pick up DHL Parcel shipments. This applies to last mile.
parcel: pick-up-registered	Locations that offer pick-up of DHL Parcel shipments only for registered users. This Service Type is relevant only to Germany. All of these locations are packstations/lockers.
parcel: pick-up-unregistered	Automated locker station for parcel pick-up for unregistered consumers (e.g. Parcel Locker, Packstation, SwipBox, Lean Parcel Locker). This Service Type is relevant for European countries except Germany.
parcel:drop-off-all	Includes locations that offer any of the parcel:drop-off services. This can be used as a meta-query parameter. The service type "parcel:drop-off-all" will not be part of the API response.
parcel: drop-off	Consumers can drop off DHL Parcel shipments. This applies to first mile.
parcel: drop-off-unregistered	Automated locker station for parcel pick-up for unregistered consumers (e.g. Parcel Locker, Packstation, SwipBox, Lean Parcel Locker). This Service Type is relevant for European countries except for Germany.
parcel: drop-off-unlabeled	Locations that offers unlabeled drop-off for DHL Parcel shipments. This service is also known as label-free, label-less or QR code drop-off.
express: pick-up	Consumers can pick up DHL Express shipments. This applies to last mile.
express: drop-off	Consumers can drop off DHL Express shipments. This applies to first mile.
express: drop-off-account	Consumers with a DHL Express account but without shipment label can drop off DHL Express shipment.
express: drop-off-easy	Consumers without a DHL Express account (new customer) can drop off DHL Express shipment.
express: drop-off-prelabeled	Consumers with a DHL Express account can drop off a DHL Express shipment which label has been created by using an online shipment manifest creation tool. The shipment can also be a return shipment.
express: drop-off-unlabeled	Location that offers unlabeled drop-off for DHL Express shipments. This service is also known as label-free, label-less or QR code drop-off.
letter-service	Letter services are offered (e.g. Post Office offering).
postbank	Offering of services from the German financial institution Deutsche Postbank AG, a subsidiary of Deutsche Bank AG. In addition to the core business of bank services, postal services are also offered (e.g. letter and parcel drop-off and the sale of letters and parcel stamps). The individual offering can be looked up at Deutsche Postbank AG.
cash-on-delivery	Offering of "cash on delivery". A shipment is only handed over to the recipient against payment.
franking	Offering of labels for franking. This does not include the product "Mobile Paketmarke".
cash-service	Cash service is offered via cash or card payment service. In Germany Giro, Maestro, Postcard, and cash payment is supported.
packaging-material	Offering packaging material such as packages for parcels, envelopes for letters, paper, pencils, and pens.
postident	Postident is a service to reliably verify the identity of a consumer. This service is commonly used for online bank account identity verification.
age-verification	Reliable verification of customers' age. This service is commonly used to verify that the consumer has reached a specific age for an online offering (e.g. 14 or 18 years).
handicapped-access	Fair access for the disabled.

Service Type	Service Description
parking	Parking area close by.
A location can be one of the following location types:	
Location Type	Location Description
servicepoint	A service point is also called shop. These shops are part of the DHL partner network, operated by individuals or other companies, e.g. a convenience store.
postoffice	A service point is also called shop. These shops are operated by DHL employees.
postbank	A service point is also called shop. These shops are part of the DHL partner network, operated by Postbank, a branch of Deutsche Bank AG.
locker	A locker is also called parcel locker. Lockers are automated machines that can be used for retrieval or deposit of shipments via self-service. Lockers can have additional flags to specify characteristics of a locker. - leanLocker flag - Lean lockers can be operated by app, only. There is no keyboard available. - dfLocker flag - DeinFach lockers are part of the DHL partner network, operated by AZL GmbH. These lockers have a gray coloring.
pobox	A post office box, commonly abbreviated as P.O box, is a uniquely addressable lockable box maintained by DHL. This is for last mile, only.
postbox	A post box, also known as pillar box, collection box, mailbox, letter box or drop box, is a physical box intended to deposit outgoing mail to be collected by DHL for forwarding to it's destination. This is for first mile, only.

Using the API

You need to provide address information and an API subscription key (this key needs to be specified in the request header).

Example Use Cases

Search DHL Service Point locations based on address information

The API allows the user to search for DHL Service Points based on location-based specificity - from an area or city to a full address. The DHL Service Points returned will be ordered by distance from the location of the customer.

Search DHL Service Point locations based on an exact point

When the exact location of the customer is known, a search from that exact latitude and longitude can be performed. This search will retrieve DHL Service Points nearest to the user ordered by distance.

Know when a DHL Service Point is opened

Not all DHL Service Points have the same opening hours and some might not be open all days of the week. With the API, the exact opening hours of the DHL Service Point are shown to the customer so an informed decision can be made.

Which services are offered at a DHL Service Point

All the services offered by the DHL Service Point are listed in the API; a user can filter based on the services required.

Core Services (pick-up / drop-off)			Additional Services
Standard Shipping 		Express Shipping 	postbank cash-on-delivery franking cash-service packaging-material postident age-verification handicapped-access parking
Deutsche Post	DHL Parcel	DHL Express	
Germany	Europe	Europe	
letter-service ¹⁾	parcel:pick-up	express:pick-up	
	parcel:drop-off	express:drop-off	
	parcel:pick-up-registered		
	parcel:pick-up-unregistered		
	parcel:drop-off-unregistered		
¹⁾ No letter-boxes included			

User Guide

Get Access

You must request credentials for any applications you develop

To register your app and get your API subscription keys:

- Click My Apps (/user/apps) on the portal website.
- Click Add Developer App.

The "Add App" form appears.

- Complete the Add App form.

You can select the APIs you want to access.

- When you have completed the form, click the Add App button.

The "Approved" label will appear next to the app name when the app has been approved.

Note: Additional verification steps may be required for some applications.

Authentication

Every call to the API requires a subscription key. This key needs to be specified in the request header (DHL-API-Key).

To view your API subscription keys:

- From the My Apps (/user/apps) screen, click on the name of your app.

The Details screen appears.

- If you have access to more than one API, click the name of the relevant API.

Note: The APIs are listed under the "Credentials" section.

- Click the **Show** link below the asterisks that is hiding the *Consumer Key*.

The *Consumer Key* appears.

Environments

The addressable API base URL/URI environment is:

Environment	Description
https://api.dhl.com/location-finder/v1	Production environment

Rate limits

Rate limits protect the DHL infrastructure from suspicious requests that exceed defined thresholds.

When you first request access to the Location Finder - Unified API, you will get the initial service level which allows **500 calls per day**.

Additional rate limits are available and they are granted according to your specific use case. If you would like to request for additional limits, please proceed with the following steps:

- 1. Create an app as described under Get Access () section.
- 2. Click My Apps (/user/apps) on the portal website.
- 3. Click on the App you created
- 4. Scroll down to the APIs list and click on the "Request Upgrade" button.
- 5. Please refer to the example below:

Credential

Consumer Key

.....

Show

Consumer Secret

.....

Show

APIs

Name	Environment	Rate limit	Status	Upgrade ⓘ
Location Finder - Unified	Production (Global)	500 requests every 1 day	enabled	Request upgrade

When the limit is reached, you will receive an HTTP Status code:

429: Too many requests.

How to address Shipments

It is possible to send shipments directly to DHL Service Point locations. In order to do so, the addressing schemes described below should be applied.

Important notes:

- The addressing schemes do **not apply for DHL Express**.
- Additional information on how to use DHL Packstation can be found here (<https://www.dhl.de/en/privatkunden/pakete-empfangen/an-einem-abholort-empfangen/packstation/packstation-kompakt.html>)
- Shipments can only be sent directly to a DHL Service Point that have a designated **Postfiliale number** (provided as *keywordID* in the API response)
- Please provide the **recipient e-mail address**. This is needed in order to inform you by e-mail as soon as the recipient can pick up the shipment

Addressing to a locker in Germany

If you wish to address your shipment to a locker ("DHL Packstation") in Germany, please follow the steps below:

- 1. Provide your **name**
- 2. Use "Packstation" as **street name**
- 3. Use the DHL Packstation number (here "145") as **house number**
- 4. Provide your PostNumber (here "987654321") in the **second name** or **additional address** field.

If you don't have a PostNumber yet, sign up for one here (<https://www.dhl.de/en/privatkunden/pakete-empfangen/an-einem-abholort-empfangen/packstation-empfang.html>)

- 1. Enter the **country** (here "DE"), **postal code** (here "53113") and **city** (here "Bonn")

First name

Max

Last name	Sample
Additional address information	987654321
Street	Packstation
House number	145
Country	DE
Postal code	53113
City	Bonn

The API sample response below provides all necessary location data:

```
"url": "/locations/8007-453113145",
"location": {
  "ids": [
    {
      "locationId": "8003-453113145",
      "provider": "parcel"
    }
  ],
  "keyword": "***DHL Packstation**",
  "keywordId": "***145**",
  "type": "locker"
},
"name": "DHL Packstation 145",
"distance": 52,
"place": {
  "address": {
    "countryCode": "***DE**",
    "postalCode": "***53113**",
    "addressLocality": "***Bonn**",
    "streetAddress": "Charles-de-Gaulle-Str. 20"
  },
  ...
}
```

Addressing to a DHL Service Point in Germany

If you wish to address your shipment to a DHL Service Point ("Postoffice" or "Parcelshop") in Germany, please follow the steps below:

- 1. Provide your **name**
- 2. Use "Postfiliale" as **street name**
- 3. Use the Postfiliale number (here "502") as **house number**
- 4. *Optional:* Provide your PostNumber (here "987654321") in the **second name** or **additional address** field.

If you don't have a PostNumber yet, sign up for one here (<https://www.dhl.de/en/privatkunden/pakete-empfangen/an-einem-abholort-empfangen/packstation-empfang.html>)

- 1. Enter the **country** (here "DE"), **postal code** (here "53113") and **city** (here "Bonn")

First name	Max
Last name	Sample
Additional address information (optional)	987654321
Street	Postfiliale
House number	502
Country	DE
Postal code	53113
City	Bonn

The API sample response below provides all necessary location data:

```
"url": "/locations/8003-4008202",
  "location": {
    "ids": [
      {
        "locationId": "8003-4008202",
        "provider": "parcel"
      }
    ],
    "keyword": "***Postfiliale**",
    "keywordId": "***502**",
    "type": "postoffice"
  },
  "name": "Postfiliale 502",
  "distance": 26,
  "place": {
    "address": {
      "countryCode": "***DE**",
      "postalCode": "***53113**",
      "addressLocality": "***Bonn**",
      "streetAddress": "Charles-de-Gaulle-Str. 20"
    },
    ...
  }
```

Addressing to a locker in Europe

If you wish to address your shipment to a locker in Europe, please follow the steps below:

- 1. Provide your **name**
- 2. Use the country specific keyword (here "DHL Packstation") as **street name**
- 3. Use the keywordID (here "NL-110151") as **house number**
- 4. Enter the **country** (here "NL"), **postal code** (here "1101DZ") and **city** (here "Amsterdam")

First name	Max
Last name	Sample
Street	DHL Packstation
House number	NL-110151
Country	NL
Postal code	1101DZ
City	Amsterdam

The API sample response below provides all necessary location data:


```
"url": "/locations/8004-NL-110151",
  "location": {
    "ids": [
      {
        "locationId": "8004-NL-110151",
        "provider": "parcel"
      }
    ],
    "keyword": "***DHL Packstation**",
    "keywordId": "***NL-110151**",
    "type": "locker"
  },
  "name": "DHL Pakketautomaat Shell Lhweg",
  "distance": 472,
  "place": {
    "address": {
      "countryCode": "***NL**",
      "postalCode": "***1101DZ**",
      "addressLocality": "***Amsterdam**",
      "streetAddress": "Laarderhoogtweg 5-PS"
    },
    ...
  }
```

Addressing to a DHL Service Point in Europe

If you wish to address your shipment to a DHL Service Point in Europe, please follow the steps below:

- 1. Provide your **name**
- 2. Use the country specific keyword (here "DHL Parcelshop") and keywordID (here "NL-110603") as **additional address** information
- 3. Enter the **country** (here "NL"), **postal code** (here "1106LN"), **city** (here "Amsterdam"), **street** (here "Holendrechtplein") and **house number** (here "14")

First name	Max
Last name	Sample
Additional address information	DHL Parcelshop NL-110603
Street	Holendrechtplein
House number	14
Country	NL
Postal code	1106LN
City	Amsterdam

The API sample response below provides all necessary location data:

```
"url": "/locations/8004-NL-110603",
  "location": {
    "ids": [
      {
        "locationId": "8004-NL-110603",
        "provider": "parcel"
      }
    ],
    "keyword": "**DHL Parcelshop**",
    "keywordId": "**NL-110603**",
    "type": "servicepoint"
  },
  "name": "Akash Multi Plaza 14B",
  "distance": 984,
  "place": {
    "address": {
      "countryCode": "**NL**",
      "postalCode": "**1106LN**",
      "addressLocality": "**Amsterdam**",
      "streetAddress": "Holendrechtplein 14"
    },
    ...
  }
```

Additional Information

Permitted HTTP methods

- GET for retrieving data

Example requests to the API

Simple HTTP request example:

```
curl -X GET 'https://api.dhl.com/location-finder/v1/find-by-address?countryCode=GB&addressLocality=London' -H 'DHL-API-Key:ApiKeyPasteHere'
```

How Tos

Find DHL locations for delivery in Germany?

Use Case

I am a retailer based in Germany. My customers can order my products via my online store. I want to use the Location Finder - Unified API to display DPDHL locations at the check-out of my online store as delivery option. Only those locations should be returned by the API, which can be used for direct addressing. I offer standard delivery (no Express delivery) and both DPDHL stores (servicepoint, post offices and Postbank) and lockers (called DHL Packstation in Germany) are interesting for me.

Solution

In Germany, the business unit within DPDHL to handle this use case is P&P (Post & Parcel), available with this API through the parameter *providerType* as ***parcel***. The services that offer direct addressing are ***parcel:pick-up***

(offered by service points, post offices and postbank) and ***parcel:pick-up-registered*** (only offered by lockers). For more information about this business unit and these services, please visit our overview ([link](#))page.

The parameter `serviceType` allows me to filter locations by services such as *parcel:pick-up* and *parcel:pick-up-registered*. Given this parameter will make the result include only locations with at least ***all*** of the `serviceTypes` requested, and in Germany, locations that offer *parcel:pick-up* do ***not*** offer *parcel:pick-up-registered*, I need to make two calls to the Location Finder - Unified API.

1. Retrieving locations that offer the service ***parcel:pick-up***

```
curl -X GET "https://api.dhl.com/location-finder/v1/find-by-geo?latitude=50.7169763&longitude=7.1329916&providerType=parcel&serviceType=parcel%3Apick-up&radius=2500&limit=20" -H "accept: application/json" -H "DHL-API-Key: ****"
```

- **latitude** and **longitude**: This is the reference point used to find locations around it. In this case, `/find-by-address` could have been use as well, although `/find-by-geo` is more straight forward as `/find-by-address` simply converts an address to a geo point as a first step.
- **providerType**: This parameter with value *'parcel'* ensures that only results from P&P (Post & Parcel) will be returned, excluding locations which are not relevant for this case (e.g. DHL Express).
- **serviceType**: This parameter with value *'parcel:pick-up'* ensures that any location which does not offer this service is excluded.
- **radius**: 2500 meters around the reference point (latitude, longitude) will be considered for the search.
- **limit**: If available, up to 20 locations will be returned in the response.

1. Retrieving locations that offer the service ***parcel:pick-up-registered***

```
curl -X GET "https://api.dhl.com/location-finder/v1/find-by-geo?latitude=50.7169763&longitude=7.1329916&providerType=parcel&serviceType=parcel%3Apick-up-registered&radius=2500&limit=20" -H "accept: application/json" -H "DHL-API-Key: ****"
```

- **serviceType**: This parameter with value *'parcel:pick-up-registered'* ensures that any location which does not offer this service is excluded. In this case, all other parameters are the same.

Considerations

- If I would make only one call to the API including the parameter `serviceType` twice (one per service type), I would have no results as the API would look for locations which offer *parcel:pick-up* and *parcel:pick-up-registered*. In Germany there are no locations with that characteristic.
- I will have to concatenate the results of both calls in order to display the complete list of locations for delivery to my customer.

Guide for users of Location Search Europe API

This guide is for developers transitioning from the legacy **Location Search Europe API** to the current **Location Finder - Unified API**.

As part of our commitment to improving the developer experience, we have consolidated the functionality of the former Location Search Europe API into the more powerful and comprehensive Location Finder - Unified API. This allows you to get more value and capabilities from a single, streamlined integration.

The legacy Location Search Europe API has been decommissioned. To continue accessing location data, please update your application to use the Location Finder - Unified API.

To assist with this process, you can find a **mapping of the data fields** between the two APIs below.

Location Search Europe API	Location Search Europe API Response	Location Finder - Unified API (v1)	Location Finder - Unified API (v1) Response
distance	n/a	distance	"distance": 662
routingCode	n/a	n/a	n/a
countryCode	de	countryCode	"countryCode": "DE"
zipCode	53113	postalCode	"postalCode": "53113"
city	Bonn	addressLocality	"addressLocality": "Bonn"
district		n/a	n/a
area		n/a	n/a
additionalInfo		n/a	n/a
street	Charles-de-Gaulle-Str.	streetAddress	"streetAddress": "Charles-de-Gaulle-Str. 20"
additionalStreet		n/a	n/a
houseNo	20	streetAddress	"streetAddress": "Charles-de-Gaulle-Str. 20"
format1		n/a	n/a
format2		n/a	n/a
keyWord	Postfiliale	keyword	"keyword": "Postfiliale"
partnerType		n/a	n/a
shopType	postOffice	type	"type": "postoffice"
shopName		name	"name": "Postfiliale 502"
latitude	50.7160101	latitude	"latitude": 50.7160101
longitude	7.1298043	longitude	"longitude": 7.1298043
primaryKeyDeliverySystem	4008202	n/a	n/a
primaryKeyZipRegion	502	keywordId	"keywordId": "502"
systemID	8003	n/a	n/a
id	8003-4008202	locationId	"locationId": "8003-4008202"
psfWelcometexts		n/a	n/a
psfServicetypes		serviceTypes	"serviceTypes"
psfTimeinfos		openingHours	"openingHours"
psfClosureperiods		closurePeriods	"closurePeriods"
primaryLanguage		n/a	n/a
secondaryLanguage		n/a	n/a
tertiaryLanguage		n/a	n/a
psfOtherinfos		n/a	n/a
psfForeignKeys		n/a	n/a
psfFiles		n/a	n/a

For more details, please check this guide (English version) (/sites/default/files/2022-03/202203_Location%20Finder%20-%20Unified%20External%20Guide%20%28English%29.pdf) or guide (German version) (/sites/default/files/2022-03/202203_Location%20Finder%20-%20Unified%20Externer%20Guide%20%28Deutsch%29.pdf).

Legal Terms

specifics for the use of Location DATA

- Data requested and received via the DHL LOCATION FINDER API, such as addresses of DHL Service Point locations, location types, services at location, is hereinafter referred to as "Location Data".
- Such Location Data is provided to You and/or the entity you are authorized to represent (hereinafter "You"/"Your") via the DHL LOCATION FINDER API under the following prerequisites and/or restrictions:
 - You shall **only** publish, display and/or otherwise use the Location Data in connection with location data of other logistics/transportation services providers (e.g. show DPDHL ´s locations together with locations of other transportation and/or logistics services providers on a website - a comparison portal for example - or any other (electronic) channel and/or medium), provided that You - always show and/or display all DPDHL locations, that are available at the according address and that have been provided to You via the DHL LOCATION FINDER API (i.e. without dismissing single locations), and
 - do not specifically select and/or recommend single locations thus contradicting DPDHL ´s business interests.
 - o You shall **not** store and/or modify Location Data in any form; it is especially prohibited to analyze and/or derive data/information for competitive purposes from the Location Data without our prior written consent.

DHL Location Finder - Unified API step-by-step setup with Postman.pdf
(<https://developer.dhl.com/sites/default/files/2026-05/DHL%20Location%20Finder%20-%20Unified%20API%20step-by-step%20setup%20with%20Postman.pdf>) 

PDF - 2.01 MB

Location Finder Unified API.json
(<https://developer.dhl.com/sites/default/files/2026-05/Location%20Finder%20Unified%20API.json>) 

JSON - 205.87 KB

Disclaimer

10.Aug.2022

This changelog section is an abstract and optional representation of the actual changes to the API description. For full details of the changes to a previous version please refer to API description.

1.14.0

22.Jan.2026

- The endpoints /location-finder/v1/find-by-address and /location-finder/v1/find-by-geo now return a new routingDistance object in the response for Sweden (countryCode=SE) queries. This object provides road-based distance by car, in addition to the existing airline distance, offering more accurate proximity for navigating geographically challenging areas.

1.13.0

13.May.2025

- Geocoder Interface Adjustment: The interface to our geocoder has been improved, resulting in enhanced retrieval of geocoordinates for the endpoint /location-finder/v1/find-by-address. This improvement is

particularly noticeable for queries that include postal codes only for Sweden. Other endpoints remain unaffected.

1.12.0

30.Apr.2025

- The weighting logic for address-based search requests has been further enhanced, resulting in improved address resolution for the endpoint /location-finder/v1/find-by-address. Other endpoints remain unaffected.

1.11.0

04.Feb.2025

- DeinFach parcel lockers have been added.

1.10.1

30.Jan.2025

- This is a hot fix release. The weighting logic of version 1.10.0 was partially rolled back.

1.10.0

29.Jan.2025

- The weighting logic for address-based search requests has been improved. This update ensures more advanced address resolution for the endpoint /location-finder/v1/find-by-address. Other endpoints are not affected.

1.9.10

15.Jan.2025

- Update of country specific character handling for the endpoint /location-finder/v1/find-by-keyword-id. This improves retrieval of locations that possess country specific characters such as "Budaörs" or "csa-Érd". Other endpoints are not affected.

1.9.9

08.Jan.2025

- Update of the address structuring subservice. This update ensures more advanced address resolution for the endpoint /location-finder/v1/find-by-address/find-by-address.

1.9.8

15.Nov.2024

- Enhancement of Sweden postal code handling in the geocoding subservice used by the endpoint /location-finder/v1/find-by-address. This improves postal code handling for queries to Sweden locations. Other endpoints are not affected.
- For postbank locations (locationType postbank) the serviceType letter-service was added.

1.9.7

08.Aug.2024

- Enhancement of Norway postal code handling in the geocoding subservice used by the endpoint /location-finder/v1/find-by-address. This improves postal code handling for queries to Norway locations. Other endpoints are not affected.

1.9.6

11.Jul.2024

- Minor bug fixes and dependency updates. Changelog updated.

1.9.5

01.Jul.2024

- Enhancement of Portugal postal code handling in the geocoding subservice used by the endpoint /location-finder/v1/find-by-address. This improves postal code handling for queries to Portugal locations. Other endpoints are not affected.

1.9.4

27.May.2024

- Adjustment of postal code query handling used by the endpoint /location-finder/v1/find-by-keyword-id to cater for alphanumeric postal codes, e.g. "4705-097" used in Portugal. Other endpoints are not affected.

1.9.3

09.May.2024

- Reverted the following change: Locations mapped as "parcel:pick-up" are now also mapped as "parcel:pick-up-unregistered", this is done to provide more accurate and veridic responses according to the service type title.

1.9.2

15.Apr.2024

- The weighting logic of terms used in search requests done to the API has been improved.
- Locations mapped as "parcel:pick-up" are now also mapped as "parcel:pick-up-unregistered", this is done to provide more accurate and veridic responses according to the service type title.

1.9.1

21.Mar.2024

- Added the new locationType "postbox". These locations are also called mail boxes or postal boxes and refer to the postal boxes on the street that are open to collect mail at any moment.

1.9.0

12.Mar.2024

- Performance updates

1.8.1

06.Mar.2024

- The geocoding subservice used for the endpoint "/find-by-address" has been migrated to a new instance. Both old and new instances are based on the same software and data used for geocoding service. Other endpoints remain unchanged. There is no change in data quality.

1.8.0

19.Feb.2024

- The query parameter "serviceType=parcel:drop-off-all" was added to offer a query parameter to retrieve all locations that offer any drop-off service.

1.7.8

07.Feb.2024

- Added break hours for all locations in Italy and Greece.

1.7.7

17.Jan.2024

- Switched to a new data source for DHL Express locations.

1.7.6

26.Oct.2023

- The query filter parameter "serviceType=parcel:pick-up-all" was extended to be combined with other serviceType filter parameters such as "serviceType=handicapped-access". This allows to show all wheelchair accessible locations that offer shipment pickup (e.g. shops and lockers). Previously, the parameter "serviceType=parcel:pick-up-all" could not be combined with other serviceType parameters.

1.7.5

24.Oct.2023

- Location de-duplication fix.

1.7.4

02.Oct.2023

- Minor find-by-address performance updates.

1.7.3

18.Sep.2023

- Minor performance updates.

1.7.2

28.Aug.2023

- Updated postal code handling.

1.7.1

15.Aug.2023

- The minimum input length is set to three characters. It is calculated as the sum of addressLocality, postalCode and streetAddress.

1.7.0

19.Jul.2023

- Added service type `express:drop-off-unlabeled` for locations that offers unlabeled drop-off for DHL Express shipments. This service is also known as label-free, label-less or QR code drop-off.

1.6.3

09.Jun.2022

- Added the possibility to query for all locations with any of the three `parcel:pick-up serviceType` offerings
- Removed unexpected error responses from specification.

1.6.2

17.Mar.2022

- Changed default and maximum radius to 5000m (5km) and 1 000 000m (1000km) respectively

1.6.1

16.Feb.2022

- Added `leanLocker` flag which is true for lockers that can be operated with a mobile phone only.
- Replaced dev with sandbox environment

1.6.0

11.Oct.2021

- Added `containedInPlace` property to result locations

1.5.3

02.Jul.2021

- Added query parameter validation

1.5.2

30.Jun.2021

- Specs Migration to OAS3

1.5.1

16.Jun.2021

- Added Optional Country Code parameters for /find-by-geo
- Added Feature to filter by Country Code when it is provided for the results

1.5.0

15.Jun.2021

- Added hideClosedShops filter

1.4.0

18.Feb.2021

- Added providerType filter
- Bug fixed: unlimited search radius for /find-by-address fixed. Now the default of 500 meters is applied if the parameter is not specified. A maximum of 25000 meters can be specified.

1.3.0

09.Dec.2020

- Added average capacity per day of the week in for german lockers, where source data is available.
- Increased the limit for search radius from 15km to 25km

1.2.0

25.Jun.2020

- Added new find-by-keyword-id endpoint.
- Added specification of the non-happy path of endpoints.

1.1.0

27.Jan.2020

- Added `locationType` filter functionality.
- Added `availableCapacity` for location type `locker` to response.

1.0.0

18.Dec.2019

- Initial Release

Find Content

 Search

APIs of our divisions

- DHL eCommerce (/dhl-ecommerce)
- DHL Express (/dhl-express)
- DHL Global Forwarding (/dhl-global-forwarding)

[DHL Freight \(/dhl-freight\)](#)
[DHL Supply Chain \(/dhl-supply-chain\)](#)
[Post & Parcel Germany \(/post-and-parcel-germany\)](#)

Developers

[API Catalog \(/api-catalog\)](#)
[Documentation \(/documentation\)](#)
[API Status \(https://status.api.dhl.com/\)](https://status.api.dhl.com/)



[Imprint \(/imprint\)](#) [Privacy Notice \(/privacy-notice\)](#) [Terms of Use \(/terms-use\)](#) [Cookie Settings](#)