


| Feature | | | Scer | nario | | | Step | | | |
|-----------------|-------------|---|------|-------|---|----|------|---|----|--|
| Name | Duration | T | P | F | S | T | P | F | S | |
| SignIn | 3 m 1.176 s | 4 | 0 | 4 | 0 | 15 | 0 | 0 | 15 | |
| Forgot Password | 3 m 1.147 s | 5 | 0 | 5 | 0 | 16 | 0 | 0 | 16 | |


| # | Feature Name | Scenario Name |
|---|-----------------|---|
| 1 | <u>SignIn</u> | Validate that Sign-In page form contains below elements:- |
| 2 | | Validate that user is not able to login using invalid credentials |
| 3 | | Validate that user logs in successfully using valid credentials |
| 4 | | Validate that Sign-In page title is "Customer Login" |
| 5 | Forgot Password | Verify that "This is a required field." error message is displayed under all Mandatory fields provded user clicks on "Reset my password" button * |
| 6 | | Verify that user gets below mentioned labels/Fields on "Forgot Password" webpage Labels, "Forgot Password" button, "Please enter your email * |
| 7 | | Verify that "If there is an account associated with <entered address="" email=""> you will receive an email with a link to reset your password." message is *</entered> |
| 8 | | Verify that "Please enter a valid email address (Ex: johndoe@domain.com). " error message is displayed under Email textbox provided user enters * |
| 9 | | Verify that title of Forgot Password page is "Forgot Your Password?" |

^{*} The feature name and/or scenario name has been cropped to fit in the available space.



| # | Feature Name | T | P | F | S | Duration |
|---|-----------------|---|---|---|---|-------------|
| 1 | <u>SignIn</u> | 4 | 0 | 4 | 0 | 3 m 1.176 s |
| 2 | Forgot Password | 5 | 0 | 5 | 0 | 3 m 1.147 s |

SCENARIOS SUMMARY -- 5 --



| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|-----------------|--|---|---|---|---|--------------|
| 1 | SignIn | Validate that Sign-In page form contains below elements:- | 8 | 0 | 0 | 8 | 3 m 1.168 s |
| 2 | | Validate that user is not able to login using invalid credentials | 2 | 0 | 0 | 2 | 1 m 28.439 s |
| 3 | | Validate that user logs in successfully using valid credentials | 2 | 0 | 0 | 2 | 19.717 s |
| 4 | | Validate that Sign-In page title is "Customer Login" | 3 | 0 | 0 | 3 | 38.152 s |
| 5 | Forgot Password | Verify that "This is a required field." error message is displayed under all Mandatory fields provded user clicks on * | 3 | 0 | 0 | 3 | 3 m 1.146 s |
| 6 | | Verify that user gets below mentioned labels/Fields on "Forgot Password' webpage Labels,"Forgot Password" * | 6 | 0 | 0 | 6 | 1 m 14.469 s |
| 7 | | Verify that "If there is an account associated with <entered address="" email=""> you will receive an email with a link to reset *</entered> | 2 | 0 | 0 | 2 | 3 m 1.137 s |
| 8 | | Verify that "Please enter a valid email address (Ex: johndoe@domain.com)." error message is displayed under * | 2 | 0 | 0 | 2 | 1 m 6.917 s |

^{*} The feature name and/or scenario name has been cropped to fit in the available space.


| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--------------|--|---|---|---|---|-------------|
| 9 | | Verify that title of Forgot Password page is "Forgot Your Password?" | 3 | 0 | 0 | 3 | 3 m 1.110 s |

DETAILED SECTION -- 7 --

SignIn

| FAILED | DURATION - 3 m 1.176 s | Scenarios | | Steps | |
|-------------------|------------------------|-----------|---|------------|----|
| | | Total - 4 | | Total - 15 | |
| / 12:45:37.498 pm | // 12:48:38.674 pm / | Pass - 0 | 4 | Pass - 0 | 15 |
| | | Fail - 4 | | Fail - 0 | 10 |
| | | Skip - 0 | | Skip - 15 | |
| | | | | | |

Validate that Sign-In page form contains below elements:-




| # | Step / Hook Details | Status | Duration |
|---|---|--------|-------------|
| | BEFORE - parallel.AppHooks.Setup() | FAILED | 3 m 1.093 s |
| | org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'AMIT_PC', ip: '192.168.29.158' | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:536) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver. <init>(RemoteWebDriver.java:161)</init> | | |
| | at org.openqa.selenium.remote.RemoteWebDriver. <init>(RemoteWebDriver.java:141)</init> | | |
| | at factory.DriverFactory.init_driver(DriverFactory.java:105) | | |
| | at parallel.AppHooks.Setup(AppHooks.java:31) | | |
| | Caused by: org.openqa.selenium.TimeoutException: java.util.concurrent.TimeoutException Build info: version: '4.19.1', revision: 'abe0ee07dc' | | |
| | System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.1' Driver info: driver.version: RemoteWebDriver | | |
| | at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:396) | | |
| | at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42) | | |
| | at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55) | | |
| | at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:352) | | |
| | at org.openqa.selenium.remote.tracing.TracedHttpClient.execute(TracedHttpClient.java:54) | | |
| | at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:89) | | |
| | at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75) | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162) | | |
| | at org.openqa.selenium.remote.TracedCommandExecutor.execute(TracedCommandExecutor.java:51) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver. <init>(RemoteWebDriver.java:161)</init> | | |
| | at org.openqa.selenium.remote.RemoteWebDriver. <init>(RemoteWebDriver.java:141)</init> | | |
| | at factory.DriverFactory.init_driver(DriverFactory.java:105) | | |
| | at parallel.AppHooks.Setup(AppHooks.java:31) | | |
| | at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:580) | | |
| | at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) | | |
| | at io.cucumber.java.Invoker.invoke(Invoker.java:24) | | |
| | at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) | | |
| | at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) | | |
| | at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) | | |
| | at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) | | |
| | at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) | | |
| | at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) | | |
| | at io.cucumber.core.runner.TestStep.run(TestStep.java:53) | | |
| | at io.cucumber.core.runner.TestCase.run(TestCase.java:78) | | |
| | at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) | | |
| | $at\ io. cucumber. core. runtime. Rethrowing Throwable Collector. execute And Throw (Rethrowing Throwable Collector. java: 23)$ | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) | | |
| | at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) | | |
| | at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:580) | | |
| | at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141) | | |
| | at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686) | | |
| | at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230) | | |
| | at org. testng. in ternal. invokers. Test Method With Data Provider Method Worker. call (Test Method With Data Provider Method Worker. java: 81) | | |
| | at org.testng.internal.thread.Async\$AsyncTask.run(Async.java:34) | | |
| | at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144) | | |
| | at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:642) | | |
| | at java.base/java.lang.Thread.run(Thread.java:1575) | | |
| | Caused by: java.util.concurrent.TimeoutException | | |
| | at java.base/java.util.concurrent.CompletableFuture.timedGet(CompletableFuture.java:2004) | | |
| | at java.base/java.util.concurrent.CompletableFuture.get(CompletableFuture.java:2139) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:379) | | |
| 1 | Given User is on Sign-In page | SKIPPED | 0.000 s |
| 2 | Then Email label is displayed on sign-in page | SKIPPED | 0.005 s |
| 3 | And Email textbox is displayed on sign-in page | SKIPPED | 0.001 s |
| 4 | And Password label is displayed on sign-in page | SKIPPED | 0.002 s |
| 5 | And Password textbox is displayed on sign-in page | SKIPPED | 0.000 s |
| 6 | And Forgot Password Link is displayed | SKIPPED | 0.000 s |
| 7 | And Create An Account button is displayed | SKIPPED | 0.005 s |
| 8 | And Sign-In button is displayed | SKIPPED | 0.001 s |
| | AFTER - parallel.AppHooks.FailedTestSS(io.cucumber.java.Scenario) | FAILED | 0.004 s |
| | java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at parallel.AppHooks.FailedTestSS(AppHooks.java:56) | | |
| | AFTER - parallel.AppHooks.TearDown(io.cucumber.java.Scenario) | FAILED | 0.004 s |
| | java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at parallel.AppHooks.TearDown(AppHooks.java:36) | | |

Validate that user is not able to login using invalid credentials




| # | Step / Hook Details | Status | Duration |
|---|--|--------|--------------|
| | BEFORE - parallel.AppHooks.Setup() | FAILED | 1 m 28.431 s |
| | org.openqa.selenium.WebDriverException: disconnected: Unable to receive message from renderer (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=131.0.6778.108) Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.1' Driver info: org.openqa.selenium.remote. RemoteWebDriver Command: [c68d88faea5c8bb80cea155b4494c3c8, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.108, chrome: {chromedriverVersion: 131.0.6778.87 (ce31cae94873, userDataDir: /tmp/.org.chromium.Chromium}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:39737}, networkConnectionEnabled: | | |

DETAILED SECTION -- 10 --

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | false, pageLoadStrategy: normal, platformName: linux, proxy: Proxy(), se:bidiEnabled: false, se:cdp: ws://172.24.0.3:4444/sessio, se:cdpVersion: 131.0.6778.108, se:containerName: , se:noVncPort: 7900, se:vnc: ws://172.24.0.3:4444/sessio, se:vncEnabled: true, se:vncLocalAddress: ws://172.24.0.3:7900, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c68d88faea5c8bb80cea155b4494c3c8 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.TracedCommandExecutor.execute(FracedCommandExecutor.java:51) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver*RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver*RemoteWebDriver*Java:110) | | |
| | at parallel.AppHooks.Setup(AppHooks.java:31) | | |
| 1 | Given User is on Sign-In page | SKIPPED | 0.001 s |
| 2 | When User enters invalid credentials in sign-in form | SKIPPED | 0.001 s |
| | usernamepasswordrazdanamit1151@gmail.comChericof1#ushajain@gmail.comChericof1#11 | | |
| | AFTER - parallel.AppHooks.FailedTestSS(io.cucumber.java.Scenario) | FAILED | 0.002 s |
| | java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at parallel.AppHooks.FailedTestSS(AppHooks.java:56) | | |
| | AFTER - parallel.AppHooks.TearDown(io.cucumber.java.Scenario) | FAILED | 0.001 s |
| | java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at parallel.AppHooks.TearDown(AppHooks.java:36) | | |


Validate that user logs in successfully using valid credentials



| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | BEFORE - parallel.AppHooks.Setup() | FAILED | 19.638 s |
| | org.openqa.selenium.WebDriverException: disconnected: Unable to receive message from renderer (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=131.0.6778.108) Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.1' Driver info: org.openqa.selenium.remote. RemoteWebDriver Command: [99e9cd81e85cf96ff72088025076aa85, maximizeCurrentWindow {}] Capabilities (acceptInsecureCetts: false, browserName: chrome, browserVersion: 131.0.6778.108, chrome: {chromedriverVersion: 131.0.6778.87 (ce31cae94873, userDataDir: /tmp/.org.chromium.Chromium}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:44477}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: linux, proxy: Proxy(), se:bidiEnabled: false, se:cdp: ws://172.24.0.3:4444/sessio, se:cdpVersion: 131.0.6778.108, se:containerName: , se:noVncPort: 7900, se:vnc: ws://172.24.0.3:4444/sessio, se:vncEnabled: true, se:vncLocalAddress: ws://172.24.0.3:7900, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:minPinLength: true, webauthn:extension:minPinLength: true, webauthn:extension:minPinLength: true, webauthn:extension:minPinLength: true, webauthn:extension:pf: true, webauthn:extension:minPinLength: true, webauthn:extension:pf: true, webauthn:extension:pf: true, webauthn:extension:pf: true, webauthn:extension:pf: true, session ID: 99e9cd81e85cf96ff72088025076aa85 at java.base/jdk.internal.reflect.DirectConstructor.newInstanceWithCaller(Constructor.java:501) at java.base/jdk.internal.reflect.Constructor.newInstanceWithCaller(Constructor.java:485) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.open | FAILED | 19.638 s |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java.595) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.maximize(RemoteWebDriver.java:1034) | | |
| | at factory.DriverFactory.init_driver(DriverFactory.java:110) | | |
| | at parallel.AppHooks.Setup(AppHooks.java:31) | | |
| 1 | Given User is on Sign-In page | SKIPPED | 0.001 s |
| 2 | When User enters valid credentials in sign-in form | SKIPPED | 0.012 s |
| | razdanamit51@gmail.com Chericof1# | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | razdanamit51@gmail.com Chericof1# | | |
| | AFTER - parallel.AppHooks.FailedTestSS(io.cucumber.java.Scenario) | FAILED | 0.017 s |
| | java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at parallel.AppHooks.FailedTestSS(AppHooks.java:56) | | |
| | AFTER - parallel.AppHooks.TearDown(io.cucumber.java.Scenario) | FAILED | 0.004 s |
| | java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at parallel.AppHooks.TearDown(AppHooks.java:36) | | |

Validate that Sign-In page title is "Customer Login"



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | BEFORE - parallel.AppHooks.Setup() | FAILED | 38.136 s |
| | org.openqa.selenium.WebDriverException: disconnected: Unable to receive message from renderer (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=131.0.6778.108) Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.1' Driver info: org.openqa.selenium.remote. RemoteWebDriver Command: [85148e578a1417b96429ef05949bcf1b, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.108, chrome: {chromedriverVersion: 131.0.6778.87 (ce31cae94873, userDataDir: /tmp/.org.chromium.Chromium}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:39331}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: linux, proxy: Proxy(), se:bidiEnabled: false, se:cdp: ws://172.24.0.3:4444/sessio, se:cdpVersion: 131.0.6778.108, se:containerName: , se:noVncPort: 7900, se:vnc: ws://172.24.0.3:4444/sessio, se:vncEnabled: true, se:vncLocalAddress: ws://172.24.0.3:7900, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85148e578a1417b96429ef05949bcf1b at java.base/java.lang.reflect.Constructor.handleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) | | |

DETAILED SECTION -- 13 --


| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.TracedCommandExecutor.execute(TracedCommandExecutor.java:51) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.PerenoteWebDriver.perenoteWebDriver.perenoteWebDriver.java:1034) at factory.DriverFactory.init_driver(DriverFactory.java:110) at parallel.AppHooks.Setup(AppHooks.java:31) | | |
| 1 | Given User is on Sign-In page | SKIPPED | 0.001 s |
| 2 | When User gets the page title | SKIPPED | 0.001 s |
| 3 | Then title of the page is "Customer Login" | SKIPPED | 0.001 s |
| | AFTER - parallel.AppHooks.FailedTestSS(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at parallel.AppHooks.FailedTestSS(AppHooks.java:56) | FAILED | 0.004 s |
| | AFTER - parallel.AppHooks.TearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at parallel.AppHooks.TearDown(AppHooks.java:36) | FAILED | 0.003 s |

Forgot Password



Verify that "This is a required field." error message is displayed under all Mandatory fields provded user clicks on "Reset my password" button without entering any value in Mandatory field textbox.

DETAILED SECTION -- 14 --




| # | Step / Hook Details | Status | Duration |
|---|--|--------|-------------|
| | BEFORE - parallel.AppHooks.Setup() | FAILED | 3 m 1.074 s |
| | org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'AMIT_PC', ip: '192.168.29.158' | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:536) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver. <init>(RemoteWebDriver.java:161)</init> | | |
| | at org.openqa.selenium.remote.RemoteWebDriver. <init>(RemoteWebDriver.java:141)</init> | | |
| | at factory.DriverFactory.init_driver(DriverFactory.java:105) | | |
| | at parallel.AppHooks.Setup(AppHooks.java:31) | | |
| | Caused by: org.openqa.selenium.TimeoutException: java.util.concurrent.TimeoutException Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.1' Driver info: driver.version: RemoteWebDriver | | |
| | at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:396) | | |
| | at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42) | | |
| | at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55) | | |
| | at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:352) | | |
| | at org.openqa.selenium.remote.tracing.TracedHttpClient.execute(TracedHttpClient.java:54) | | |
| | at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:89) | | |
| | at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75) | | |
| | at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162) | | |
| | at org.openqa.selenium.remote.TracedCommandExecutor.execute(TracedCommandExecutor.java:51) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver. <init>(RemoteWebDriver.java:161)</init> | | |
| | at org.openqa.selenium.remote.RemoteWebDriver. <init>(RemoteWebDriver.java:141)</init> | | |
| | at factory.DriverFactory.init_driver(DriverFactory.java:105) | | |
| | at parallel.AppHooks.Setup(AppHooks.java:31) | | |
| | at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:580) | | |
| | at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at io.cucumber.java.Invoker.invoke(Invoker.java:24) | | |
| | at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) | | |
| | at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) | | |
| | at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) | | |
| | at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) | | |
| | at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) | | |
| | at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) | | |
| | at io.cucumber.core.runner.TestStep.run(TestStep.java:53) | | |
| | at io.cucumber.core.runner.TestCase.run(TestCase.java:78) | | |
| | at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) | | |
| | at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) | | |
| | at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) | | |
| | at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:580) | | |
| | at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141) | | |
| | at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686) | | |
| | at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230) | | |
| | at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:81) | | |
| | at org.testng.internal.thread.Async\$AsyncTask.run(Async.java:34) | | |
| | at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144) | | |
| | at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:642) | | |
| | at java.base/java.lang.Thread.run(Thread.java:1575) | | |
| | Caused by: java.util.concurrent.TimeoutException | | |
| | at java.base/java.util.concurrent.CompletableFuture.timedGet(CompletableFuture.java:2004) at java.base/java.util.concurrent.CompletableFuture.get(CompletableFuture.java:2139) | | |
| | at java.base/java.utii.concurrent.completable-rutule.get(completable-rutule.java.2139) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:379) | | |
| | | | |
| 1 | Given User is on Forgot Password page | SKIPPED | 0.002 s |
| 2 | When User clicks on "Reset My Password" button | SKIPPED | 0.000 s |
| 3 | Then "This is a required field." is displayed under Email textbox | SKIPPED | 0.001 s |
| | AFTER - parallel.AppHooks.FailedTestSS(io.cucumber.java.Scenario) | FAILED | 0.010 s |
| | java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" | | |
| | because "this.driver" is null | | |
| | at parallel.AppHooks.FailedTestSS(AppHooks.java:56) | | |
| | AFTER - parallel.AppHooks.TearDown(io.cucumber.java.Scenario) | FAILED | 0.003 s |
| | java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | at parallel.AppHooks.TearDown(AppHooks.java:36) | | |


Verify that user gets below mentioned labels/Fields on "Forgot Password' webpage Labels,"Forgot Password" button, "Please enter your email address below to receive a password reset link.", "Email" (with *) and "Reset my Password" button



| # | Step / Hook Details | Status | Duration |
|---|--|--------|--------------|
| | BEFORE - parallel.AppHooks.Setup() | FAILED | 1 m 14.436 s |
| | org.openqa.selenium.WebDriverException: disconnected: Unable to receive message from renderer (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=131.0.6778.108) Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.1' Driver info: org.openqa.selenium.remote. RemoteWebDriver Command: [8ff7d4a57fc7b5f81a062c1bfcc7f796, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.108, chrome: {chromedriverVersion: 131.0.6778.87 (ce31cae94873, userDataDir: /tmp/.org.chromium.Chromium}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:39677}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: linux, proxy: Proxy(), se:bidiEnabled: false, se:cdp: ws://172.24.0.3:4444/sessio, se:cdpVersion: 131.0.6778.108, se:containerName: , se:noVncPort: 7900, se:vnc: ws://172.24.0.3:4444/sessio, se:vncEnabled: true, se:vncLocalAddress: ws://172.24.0.3:7900, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:inlangeBlob: true, webauthn:extension:inlangeBlo | | |
| | 8ff7d4a57fc7b5f81a062c1bfcc7f796 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) | | |
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501) | | |
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485) | | |
| | at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) | | |
| | at org.openqa.selenium.remote.TracedCommandExecutor.execute(TracedCommandExecutor.java:51) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.maximize(RemoteWebDriver.java:1034) at factory.DriverFactory.init_driver(DriverFactory.java:110) at parallel.AppHooks.Setup(AppHooks.java:31) | | |
| 1 | Given User is on Forgot Password page | SKIPPED | 0.001 s |
| 2 | Then Forgot Password label is displayed | SKIPPED | 0.001 s |
| 3 | And Please enter your email address below to receive a password reset link. label is displayed | SKIPPED | 0.001 s |
| 4 | And Email label is displayed | SKIPPED | 0.001 s |
| 5 | And Email textbox is displayed | SKIPPED | 0.000 s |
| 6 | And Reset My Password button is displayed | SKIPPED | 0.002 s |
| | AFTER - parallel.AppHooks.FailedTestSS(io.cucumber.java.Scenario) | FAILED | 0.004 s |
| | java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at parallel.AppHooks.FailedTestSS(AppHooks.java:56) | | |
| | AFTER - parallel.AppHooks.TearDown(io.cucumber.java.Scenario) | FAILED | 0.002 s |
| | java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at parallel.AppHooks.TearDown(AppHooks.java:36) | | |

Verify that "If there is an account associated with <entered email address> you will receive an email with a link to reset your password." message is displayed provided user enters valid email address in email address textbox followed by click on Rest my account button



| # | Step / Hook Details | Status | Duration |
|---|---|--------|-------------|
| | BEFORE - parallel.AppHooks.Setup() | FAILED | 3 m 1.095 s |
| | org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'AMIT_PC', ip: '192.168.29.158' | | |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:536) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver. <init>(RemoteWebDriver.java:161)</init> | | |
| | at org.openqa.selenium.remote.RemoteWebDriver. <init>(RemoteWebDriver.java:141)</init> | | |
| | at factory.DriverFactory.init_driver(DriverFactory.java:105) | | |
| | at parallel.AppHooks.Setup(AppHooks.java:31) | | |
| | Caused by: org.openqa.selenium.TimeoutException: java.util.concurrent.TimeoutException Build info: version: '4.19.1', revision: 'abe0ee07dc' | | |
| | System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.1' Driver info: driver.version: RemoteWebDriver | | |
| | at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:396) | | |
| | at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42) | | |
| | at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55) | | |
| | at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:352) | | |
| | at org.openqa.selenium.remote.tracing.TracedHttpClient.execute(TracedHttpClient.java:54) | | |
| | at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:89) | | |
| | at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75) | | |
| | at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162) | | |
| | at org.openqa.selenium.remote.TracedCommandExecutor.execute(TracedCommandExecutor.java:51) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver. <init>(RemoteWebDriver.java:161)</init> | | |
| | at org.openqa.selenium.remote.RemoteWebDriver. <init>(RemoteWebDriver.java:141)</init> | | |
| | at factory.DriverFactory.init_driver(DriverFactory.java:105) | | |
| | at parallel.AppHooks.Setup(AppHooks.java:31) | | |
| | at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:580) | | |
| | at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) | | |
| | at io.cucumber.java.Invoker.invoke(Invoker.java:24) | | |
| | at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) | | |
| | at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) | | |
| | at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) | | |
| | at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) | | |
| | at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) | | |
| | at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) | | |
| | at io.cucumber.core.runner.TestStep.run(TestStep.java:53) | | |
| | at io.cucumber.core.runner.TestCase.run(TestCase.java:78) | | |
| | at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) | | |
| | at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) | | |

DETAILED SECTION -- 19 --

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:81) at org.testng.internal.thread.Async\$Async\$ask.run(Async.java:34) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:642) at java.base/java.lang.Thread.run(Thread.java:1575) Caused by: java.util.concurrent.TimeoutException at java.base/java.util.concurrent.CompletableFuture.timedGet(CompletableFuture.java:2139) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:379) | | |
| 1 | Given User is on Forgot Password page | SKIPPED | 0.003 s |
| 2 | When User enters valid email in email textbox email razdanamit51@gmail.com | SKIPPED | 0.010 s |
| | AFTER - parallel.AppHooks.FailedTestSS(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at parallel.AppHooks.FailedTestSS(AppHooks.java:56) | FAILED | 0.003 s |
| | AFTER - parallel.AppHooks.TearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at parallel.AppHooks.TearDown(AppHooks.java:36) | FAILED | 0.009 s |

Verify that "Please enter a valid email address (Ex: johndoe@domain.com)." error message is displayed under Email textbox provided user enters Invalid email address in email textbox and clicks on Reset My Password button


DETAILED SECTION -- 20 --



| ŧ | Step / Hook Details | Status | Duration |
|---|--|---------|-------------|
| | BEFORE - parallel.AppHooks.Setup() | FAILED | 1 m 6.891 s |
| | org.openqa.selenium.WebDriverException: disconnected: Unable to receive message from renderer (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=131.0.6778.108) Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.1' Driver info: org.openqa.selenium.remote. RemoteWebDriver Command: [bd23d38d0344e6118e3a518c942a7956, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, prowserName: chrome, browserVersion: 131.0.6778.108, chrome: (chromedriverVersion: 131.0.6778.87 (ce31cae94873, userDataDir: /tmp/org.chromium.Chromium), fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:38711}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: linux, proxy: Proxy(), se:bidiEnabled: false, se:cdp: ws://172.24.0.3:4444/sessio, se:vncEnabled: false, pageLoadStrategy: normal, platformName: inux, proxy: Proxy(), se:bidiEnabled: false, se:cdp: ws://172.24.0.3:4444/sessio, se:vncEnabled: true, se:vncLocalAddress: ws://172.24.0.3:7900, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:minPinLength: true, webauthn:extension:accedElob: true, accedencedElob: true, webauthn:extension:accedElob: true, accedencedElob: tru | | |
| | at parallel.AppHooks.Setup(AppHooks.java:31) | | |
| | Given User is on Forgot Password page | SKIPPED | 0.001 s |
| | When User enters invalid email in email textbox | SKIPPED | 0.002 s |
| | razdanamit51@gmail | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | ushajasas | | |
| | AFTER - parallel.AppHooks.FailedTestSS(io.cucumber.java.Scenario) | FAILED | 0.002 s |
| | java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at parallel.AppHooks.FailedTestSS(AppHooks.java:56) | | |
| | AFTER - parallel.AppHooks.TearDown(io.cucumber.java.Scenario) | FAILED | 0.003 s |
| | java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at parallel.AppHooks.TearDown(AppHooks.java:36) | | |

Verify that title of Forgot Password page is "Forgot Your Password?"



| # | Step / Hook Details | Status | Duration |
|---|---|--------|-------------|
| | BEFORE - parallel.AppHooks.Setup() | FAILED | 3 m 1.070 s |
| | org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'AMIT_PC', ip: '192.168.29.158' | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:536) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver. <init>(RemoteWebDriver.java:161)</init> | | |
| | at org.openqa.selenium.remote.RemoteWebDriver. <init>(RemoteWebDriver.java:141)</init> | | |
| | at factory.DriverFactory.init_driver(DriverFactory.java:105) | | |
| | at parallel.AppHooks.Setup(AppHooks.java:31) | | |
| | Caused by: org.openqa.selenium.TimeoutException: java.util.concurrent.TimeoutException Build info: version: '4.19.1', revision: 'abe0ee07dc' | | |
| | System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.1' Driver info: driver.version: RemoteWebDriver | | |
| | at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:396) | | |
| | at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42) | | |
| | at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55) | | |
| | at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:352) | | |
| | at org.openqa.selenium.remote.tracing.TracedHttpClient.execute(TracedHttpClient.java:54) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:89) | | |
| | at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75) | | |
| | at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162) | | |
| | at org.openqa.selenium.remote.TracedCommandExecutor.execute(TracedCommandExecutor.java:51) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver. <init>(RemoteWebDriver.java:161)</init> | | |
| | at org.openqa.selenium.remote.RemoteWebDriver. <init>(RemoteWebDriver.java:141)</init> | | |
| | at factory.DriverFactory.init_driver(DriverFactory.java:105) | | |
| | at parallel.AppHooks.Setup(AppHooks.java:31) | | |
| | at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:580) | | |
| | at io.cucumber.java.lnvoker.dolnvoke(Invoker.java:66) | | |
| | at io.cucumber.java.Invoker.invoke(Invoker.java:24) | | |
| | at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) | | |
| | at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) | | |
| | at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) | | |
| | at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) | | |
| | at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) | | |
| | at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) | | |
| | at io.cucumber.core.runner.TestStep.run(TestStep.java:53) | | |
| | at io.cucumber.core.runner.TestCase.run(TestCase.java:78) | | |
| | at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) | | |
| | at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) | | |
| | at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) | | |
| | at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:580) | | |
| | at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141) | | |
| | at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686) | | |
| | at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230) | | |
| | at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:81) | | |
| | at org.testng.internal.thread.Async\$AsyncTask.run(Async.java:34) | | |
| | at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144) | | |
| | at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:642) | | |
| | at java.base/java.lang.Thread.run(Thread.java:1575) | | |
| | Caused by: java.util.concurrent.TimeoutException | | |

DETAILED SECTION -- 23 --

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at java.base/java.util.concurrent.CompletableFuture.timedGet(CompletableFuture.java:2004) at java.base/java.util.concurrent.CompletableFuture.get(CompletableFuture.java:2139) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:379) | | |
| 1 | Given User is on Forgot Password page | SKIPPED | 0.002 s |
| 2 | When User gets the page title | SKIPPED | 0.001 s |
| 3 | Then title of the page is "Forgot Your Password?" | SKIPPED | 0.001 s |
| | AFTER - parallel.AppHooks.FailedTestSS(io.cucumber.java.Scenario) | FAILED | 0.024 s |
| | java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at parallel.AppHooks.FailedTestSS(AppHooks.java:56) | | |
| | AFTER - parallel.AppHooks.TearDown(io.cucumber.java.Scenario) | FAILED | 0.009 s |
| | java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at parallel.AppHooks.TearDown(AppHooks.java:36) | | |