Cucumber Report

| Start : Dec 22, 11:51:32.955 am	End : Dec 22, 11:54:34.411 am	Duration : 3 m 1.456 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 2 SKIPPED - 0	PASSED - 0 FAILED - 9 SKIPPED - 0	PASSED - 0 FAILED - 0 SKIPPED - 31

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Forgot Password	*3 m 1.456 s*	5	0	5	0	16	0	0	16
SignIn	*3 m 1.418 s*	4	0	4	0	15	0	0	15

#	Feature Name	Scenario Name
1	Forgot Password	Verify that user gets below mentioned labels/Fields on "Forgot Password' webpage Labels,"Forgot Password" button,"Please enter your email *
2		Verify that "Please enter a valid email address (Ex: johndoe@domain.com). " error message is displayed under Email textbox provided user enters *
3		Verify that "If there is an account associated with <entered email address> you will receive an email with a link to reset your password." message is *
4		Verify that title of Forgot Password page is "Forgot Your Password?"
5		Verify that "This is a required field." error message is displayed under all Mandatory fields provded user clicks on "Reset my password" button *
6	SignIn	Validate that user is not able to login using invalid credentials
7		Validate that user logs in successfully using valid credentials
8		Validate that Sign-In page form contains below elements:-
9		Validate that Sign-In page title is "Customer Login"

* The feature name and/or scenario name has been cropped to fit in the available space.

#	Feature Name	T	P	F	S	Duration
1	Forgot Password	5	0	5	0	3 m 1.456 s
2	SignIn	4	0	4	0	3 m 1.418 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Forgot Password	Verify that user gets below mentioned labels/Fields on "Forgot Password' webpage Labels,"Forgot Password" *	6	0	0	6	3 m 1.449 s
2		Verify that "Please enter a valid email address (Ex: johndoe@domain.com)." error message is displayed under *	2	0	0	2	1 m 36.726 s
3		Verify that "If there is an account associated with <entered email address> you will receive an email with a link to reset *	2	0	0	2	53.386 s
4		Verify that title of Forgot Password page is "Forgot Your Password?"	3	0	0	3	3 m 1.425 s
5		Verify that "This is a required field." error message is displayed under all Mandatory fields provded user clicks on *	3	0	0	3	1 m 25.741 s
6	SignIn	Validate that user is not able to login using invalid credentials	2	0	0	2	3 m 1.418 s
7		Validate that user logs in successfully using valid credentials	2	0	0	2	3 m 1.404 s
8		Validate that Sign-In page form contains below elements:-	8	0	0	8	1 m 52.988 s

* The feature name and/or scenario name has been cropped to fit in the available space.

#	Feature Name	Scenario Name	T	P	F	S	Duration
9		Validate that Sign-In page title is "Customer Login"	3	0	0	3	32.346 s

Forgot Password

FAILED	DURATION - 3 m 1.456 s	Scenarios Total - 5 Pass - 0 Fail - 5 Skip - 0	5	Steps Total - 16 Pass - 0 Fail - 0 Skip - 16	16
/ 11:51:32.955 am // 11:54:34.411 am /					

Verify that user gets below mentioned labels/Fields on "Forgot Password' webpage Labels,"Forgot Password" button, "Please enter your email address below to receive a password reset link.", "Email" (with *) and "Reset my Password" button

FAILED	DURATION - 3 m 1.449 s		Steps Total - 6 Pass - 0 Fail - 0 Skip - 6	6
/ 11:51:32.962 am // 11:54:34.411 am /				
Forgot Password				

#	Step / Hook Details	Status	Duration
	BEFORE - parallel.AppHooks.Setup()	FAILED	3 m 1.359 s

	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'AMIT_PC', ip: '192.168.29.158'
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:536)
	    at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232)
	    at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:161)
	    at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:141)
	    at factory.DriverFactory.init_driver(DriverFactory.java:105)
	    at parallel.AppHooks.Setup(AppHooks.java:31)
	Caused by: org.openqa.selenium.TimeoutException: java.util.concurrent.TimeoutException Build info: version: '4.19.1', revision: 'abe0ee07dc'
	System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.1' Driver info: driver.version: RemoteWebDriver
	    at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:396)
	    at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda$apply$0(AddSeleniumUserAgent.java:42)
	    at org.openqa.selenium.remote.http.Filter.lambda$andFinally$1(Filter.java:55)
	    at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:352)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.tracing.TracedHttpClient.execute(TracedHttpClient.java:54)		
	at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:89)		
	at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75)		
	at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162)		
	at org.openqa.selenium.remote.TracedCommandExecutor.execute(TracedCommandExecutor.java:51)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		
	at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232)		
	at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:161)		
	at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:141)		
	at factory.DriverFactory.init_driver(DriverFactory.java:105)		
	at parallel.AppHooks.Setup(AppHooks.java:31)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:53)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:78)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:136)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230)		
	at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:81)		
	at org.testng.internal.thread.Async$AsyncTask.run(Async.java:34)		
	at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144)		
	at java.base/java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:642)		
	at java.base/java.lang.Thread.run(Thread.java:1575)		

| #	Step / Hook Details	Status	Duration

	Caused by: java.util.concurrent.TimeoutException
	    at java.base/java.util.concurrent.CompletableFuture.timedGet(CompletableFuture.java:2004)
	    at java.base/java.util.concurrent.CompletableFuture.get(CompletableFuture.java:2139)
	    at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:379)		

1	Given User is on Forgot Password page	SKIPPED	0.000 s
2	Then Forgot Password label is displayed	SKIPPED	0.006 s
3	And Please enter your email address below to receive a password reset link. label is displayed	SKIPPED	0.001 s
4	And Email label is displayed	SKIPPED	0.001 s
5	And Email textbox is displayed	SKIPPED	0.008 s
6	And Reset My Password button is displayed	SKIPPED	0.000 s
	AFTER - parallel.AppHooks.FailedTestSS(io.cucumber.java.Scenario)	FAILED	0.009 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at parallel.AppHooks.FailedTestSS(AppHooks.java:56)		
	AFTER - parallel.AppHooks.TearDown(io.cucumber.java.Scenario)	FAILED	0.012 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at parallel.AppHooks.TearDown(AppHooks.java:36)		

Verify that "Please enter a valid email address (Ex: johndoe@domain.com)." error message is displayed under Email textbox provided user enters Invalid email address in email textbox and clicks on Reset My Password button

FAILED	DURATION - 1 m 36.726 s		Steps
/ 11:51:32.975 am // 11:53:09.701 am /			Total - 2
Forgot Password			Pass - 0 Fail - 0 Skip - 2

#	Step / Hook Details	Status	Duration
	BEFORE - parallel.AppHooks.Setup()	FAILED	1 m 36.700 s
	org.openqa.selenium.WebDriverException: disconnected: Unable to receive message from renderer (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=131.0.6778.108) Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.1' Driver info: org.openqa.selenium.remote. RemoteWebDriver Command: [ef5258bca282160a0d077814b264d546, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false,		

| #	Step / Hook Details	Status	Duration

	browserName: chrome, browserVersion: 131.0.6778.108, chrome: {chromedriverVersion: 131.0.6778.87 (ce31cae94873..., userDataDir: /tmp/.org.chromium.Chromium...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:35879}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: linux, proxy: Proxy(), se:bidiEnabled: false, se:cdp: ws://172.24.0.2:4444/sessio..., se:cdpVersion: 131.0.6778.108, se:containerName: , se:noVncPort: 7900, se:vnc: ws://172.24.0.2:4444/sessio..., se:vncEnabled: true, se:vncLocalAddress: ws://172.24.0.2:7900, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ef5258bca282160a0d077814b264d546
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)
	    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	    at org.openqa.selenium.remote.TracedCommandExecutor.execute(TracedCommandExecutor.java:51)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595)
	    at org.openqa.selenium.remote.RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.maximize(RemoteWebDriver.java:1034)
	    at factory.DriverFactory.init_driver(DriverFactory.java:110)
	    at parallel.AppHooks.Setup(AppHooks.java:31)		

1	Given User is on Forgot Password page	SKIPPED	0.000 s
2	When User enters invalid email in email textbox razdanamit51@gmail ushajasas	SKIPPED	0.002 s
	AFTER - parallel.AppHooks.FailedTestSS(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at parallel.AppHooks.FailedTestSS(AppHooks.java:56)	FAILED	0.003 s
	AFTER - parallel.AppHooks.TearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at parallel.AppHooks.TearDown(AppHooks.java:36)	FAILED	0.003 s

Verify that "If there is an account associated with <entered email address> you will receive an email with a link to reset your password." message is displayed provided user enters valid email address in email address textbox followed by click on Rest my account button

FAILED	DURATION - 53.386 s

/ 11:51:32.976 am // 11:52:26.362 am /

Forgot Password

Steps
Total - 2
Pass - 0
Fail - 0
Skip - 2

#	Step / Hook Details	Status	Duration
	BEFORE - parallel.AppHooks.Setup()	FAILED	52.007 s

	org.openqa.selenium.WebDriverException: disconnected: Unable to receive message from renderer (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=131.0.6778.108) Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.1' Driver info: org.openqa.selenium.remote. RemoteWebDriver Command: [8ec302787252371695145dd6819221e7, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.108, chrome: {chromedriverVersion: 131.0.6778.87 (ce31cae94873..., userDataDir: /tmp/ .org.chromium.Chromium...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:34451}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: linux, proxy: Proxy(), se:bidiEnabled: false, se:cdp: ws://172.24.0.2:4444/sessio..., se:cdpVersion: 131.0.6778.108, se:containerName: , se:noVncPort: 7900, se:vnc: ws://172.24.0.2:4444/sessio..., se:vncEnabled: true, se:vncLocalAddress: ws://172.24.0.2:7900, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 8ec302787252371695145dd6819221e7
	   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)
	   at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	   at org.openqa.selenium.remote.TracedCommandExecutor.execute(TracedCommandExecutor.java:51)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595)
	   at org.openqa.selenium.remote.RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.maximize(RemoteWebDriver.java:1034)
	   at factory.DriverFactory.init_driver(DriverFactory.java:110)
	   at parallel.AppHooks.Setup(AppHooks.java:31)		

1	Given User is on Forgot Password page	SKIPPED	0.000 s
2	When User enters valid email in email textbox	SKIPPED	1.361 s
	email		

#	Step / Hook Details	Status	Duration
	razdanamit51@gmail.com		
	AFTER - parallel.AppHooks.FailedTestSS(io.cucumber.java.Scenario)	FAILED	0.005 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at parallel.AppHooks.FailedTestSS(AppHooks.java:56)		
	AFTER - parallel.AppHooks.TearDown(io.cucumber.java.Scenario)	FAILED	0.004 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at parallel.AppHooks.TearDown(AppHooks.java:36)		

### Verify that title of Forgot Password page is "Forgot Your Password?"

FAILED	DURATION - 3 m 1.425 s
/ 11:51:32.984 am // 11:54:34.409 am /	
Forgot Password	

Steps
Total - 3
Pass - 0
Fail - 0
Skip - 3

3

#	Step / Hook Details	Status	Duration
	BEFORE - parallel.AppHooks.Setup()	FAILED	3 m 1.354 s

	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'AMIT_PC', ip: '192.168.29.158'
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:536)
	    at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232)
	    at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:161)
	    at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:141)
	    at factory.DriverFactory.init_driver(DriverFactory.java:105)
	    at parallel.AppHooks.Setup(AppHooks.java:31)
	Caused by: org.openqa.selenium.TimeoutException: java.util.concurrent.TimeoutException Build info: version: '4.19.1', revision: 'abe0ee07dc'
	System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.1' Driver info: driver.version: RemoteWebDriver
	    at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:396)
	    at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda$apply$0(AddSeleniumUserAgent.java:42)
	    at org.openqa.selenium.remote.http.Filter.lambda$andFinally$1(Filter.java:55)
	    at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:352)
	    at org.openqa.selenium.remote.tracing.TracedHttpClient.execute(TracedHttpClient.java:54)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:89)		
	at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75)		
	at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162)		
	at org.openqa.selenium.remote.TracedCommandExecutor.execute(TracedCommandExecutor.java:51)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		
	at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232)		
	at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:161)		
	at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:141)		
	at factory.DriverFactory.init_driver(DriverFactory.java:105)		
	at parallel.AppHooks.Setup(AppHooks.java:31)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:53)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:78)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:136)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230)		
	at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:81)		
	at org.testng.internal.thread.Async$AsyncTask.run(Async.java:34)		
	at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144)		
	at java.base/java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:642)		
	at java.base/java.lang.Thread.run(Thread.java:1575)		
Caused by: java.util.concurrent.TimeoutException			

#	Step / Hook Details	Status	Duration
	at java.base/java.util.concurrent.CompletableFuture.timedGet(CompletableFuture.java:2004) at java.base/java.util.concurrent.CompletableFuture.get(CompletableFuture.java:2139) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:379)		
1	Given User is on Forgot Password page	SKIPPED	0.009 s
2	When User gets the page title	SKIPPED	0.006 s
3	Then title of the page is "Forgot Your Password?"	SKIPPED	0.002 s
	AFTER - parallel.AppHooks.FailedTestSS(io.cucumber.java.Scenario)	FAILED	0.012 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at parallel.AppHooks.FailedTestSS(AppHooks.java:56)		
	AFTER - parallel.AppHooks.TearDown(io.cucumber.java.Scenario)	FAILED	0.016 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at parallel.AppHooks.TearDown(AppHooks.java:36)		

Verify that "This is a required field." error message is displayed under all Mandatory fields provded user clicks on "Reset my password" button without entering any value in Mandatory field textbox.

FAILED	DURATION - 1 m 25.741 s
/ 11:51:32.986 am // 11:52:58.727 am /	
Forgot Password	

Steps
Total - 3
Pass - 0
Fail - 0
Skip - 3

3

#	Step / Hook Details	Status	Duration
	BEFORE - parallel.AppHooks.Setup()	FAILED	1 m 25.723 s
	org.openqa.selenium.WebDriverException: disconnected: Unable to receive message from renderer (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=131.0.6778.108) Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.1' Driver info: org.openqa.selenium.remote. RemoteWebDriver Command: [c3c1001ac413490aa1d281ae149119be, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.108, chrome: {chromedriverVersion: 131.0.6778.87 (ce31cae94873..., userDataDir: /tmp/ .org.chromium.Chromium...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:33251}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: linux, proxy: Proxy(), se:bidiEnabled: false, se:cdp: ws://172.24.0.2:4444/sessio..., se:cdpVersion: 131.0.6778.108, se:containerName: , se:noVncPort: 7900, se:vnc: ws://172.24.0.2:4444/sessio..., se:vncEnabled: true, se:vncLocalAddress: ws://172.24.0.2:7900, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script:		

#	Step / Hook Details	Status	Duration
	30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c3c1001ac413490aa1d281ae149119be at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.TracedCommandExecutor.execute(TracedCommandExecutor.java:51) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.maximize(RemoteWebDriver.java:1034) at factory.DriverFactory.init_driver(DriverFactory.java:110) at parallel.AppHooks.Setup(AppHooks.java:31)		
1	Given User is on Forgot Password page	SKIPPED	0.001 s
2	When User clicks on "Reset My Password" button	SKIPPED	0.001 s
3	Then "This is a required field." is displayed under Email textbox	SKIPPED	0.001 s
	AFTER - parallel.AppHooks.FailedTestSS(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at parallel.AppHooks.FailedTestSS(AppHooks.java:56)		
	AFTER - parallel.AppHooks.TearDown(io.cucumber.java.Scenario)	FAILED	0.003 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at parallel.AppHooks.TearDown(AppHooks.java:36)		

SignIn

FAILED	DURATION - 3 m 1.418 s	Scenarios Total - 4 Pass - 0 Fail - 4 Skip - 0	4	Steps Total - 15 Pass - 0 Fail - 0 Skip - 15	15
	/ 11:51:32.973 am // 11:54:34.391 am /				

Validate that user is not able to login using invalid credentials

FAILED	DURATION - 3 m 1.418 s		Steps
/ 11:51:32.973 am // 11:54:34.391 am /			Total - 2
			Pass - 0
SignIn			Fail - 0
			Skip - 2

#	Step / Hook Details	Status	Duration
	BEFORE - parallel.AppHooks.Setup()	FAILED	3 m 1.355 s

	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'AMIT_PC', ip: '192.168.29.158'
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:536)
	    at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232)
	    at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:161)
	    at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:141)
	    at factory.DriverFactory.init_driver(DriverFactory.java:105)
	    at parallel.AppHooks.Setup(AppHooks.java:31)
	Caused by: org.openqa.selenium.TimeoutException: java.util.concurrent.TimeoutException Build info: version: '4.19.1', revision: 'abe0ee07dc'
	System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.1' Driver info: driver.version: RemoteWebDriver
	    at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:396)
	    at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda$apply$0(AddSeleniumUserAgent.java:42)
	    at org.openqa.selenium.remote.http.Filter.lambda$andFinally$1(Filter.java:55)
	    at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:352)
	    at org.openqa.selenium.remote.tracing.TracedHttpClient.execute(TracedHttpClient.java:54)
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:89)
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75)
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162)
	    at org.openqa.selenium.remote.TracedCommandExecutor.execute(TracedCommandExecutor.java:51)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
	    at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232)
	    at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:161)
	    at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:141)
	    at factory.DriverFactory.init_driver(DriverFactory.java:105)
	    at parallel.AppHooks.Setup(AppHooks.java:31)
	    at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)
	    at java.base/java.lang.reflect.Method.invoke(Method.java:580)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:81) at org.testng.internal.thread.Async$AsyncTask.run(Async.java:34) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144) at java.base/java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:642) at java.base/java.lang.Thread.run(Thread.java:1575) Caused by: java.util.concurrent.TimeoutException at java.base/java.util.concurrent.CompletableFuture.timedGet(CompletableFuture.java:2004) at java.base/java.util.concurrent.CompletableFuture.get(CompletableFuture.java:2139) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:379)		
1	Given User is on Sign-In page	SKIPPED	0.001 s
2	When User enters invalid credentials in sign-in form 	username	password
---	---
razdanamit1151@gmail.com	Chericof1#
ushajain@gmail.com	Chericof1#11		SKIPPED	0.001 s
	AFTER - parallel.AppHooks.FailedTestSS(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null	FAILED	0.012 s

#	Step / Hook Details	Status	Duration
	at parallel.AppHooks.FailedTestSS(AppHooks.java:56)		
	AFTER - parallel.AppHooks.TearDown(io.cucumber.java.Scenario)	FAILED	0.008 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at parallel.AppHooks.TearDown(AppHooks.java:36)		

### Validate that user logs in successfully using valid credentials

FAILED	DURATION - 3 m 1.404 s
/ 11:51:32.977 am // 11:54:34.381 am /	
SignIn	

Steps
Total - 2
Pass - 0
Fail - 0
Skip - 2

2

#	Step / Hook Details	Status	Duration
	BEFORE - parallel.AppHooks.Setup()	FAILED	3 m 1.359 s

	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'AMIT_PC', ip: '192.168.29.158'
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:536)
	    at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232)
	    at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:161)
	    at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:141)
	    at factory.DriverFactory.init_driver(DriverFactory.java:105)
	    at parallel.AppHooks.Setup(AppHooks.java:31)
	Caused by: org.openqa.selenium.TimeoutException: java.util.concurrent.TimeoutException Build info: version: '4.19.1', revision: 'abe0ee07dc'
	System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.1' Driver info: driver.version: RemoteWebDriver
	    at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:396)
	    at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda$apply$0(AddSeleniumUserAgent.java:42)
	    at org.openqa.selenium.remote.http.Filter.lambda$andFinally$1(Filter.java:55)
	    at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:352)
	    at org.openqa.selenium.remote.tracing.TracedHttpClient.execute(TracedHttpClient.java:54)
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:89)
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75)
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162)
	    at org.openqa.selenium.remote.TracedCommandExecutor.execute(TracedCommandExecutor.java:51)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		
	at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232)		
	at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:161)		
	at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:141)		
	at factory.DriverFactory.init_driver(DriverFactory.java:105)		
	at parallel.AppHooks.Setup(AppHooks.java:31)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:53)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:78)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:136)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230)		
	at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:81)		
	at org.testng.internal.thread.Async$AsyncTask.run(Async.java:34)		
	at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144)		
	at java.base/java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:642)		
	at java.base/java.lang.Thread.run(Thread.java:1575)		
	Caused by: java.util.concurrent.TimeoutException		
	at java.base/java.util.concurrent.CompletableFuture.timedGet(CompletableFuture.java:2004)		
	at java.base/java.util.concurrent.CompletableFuture.get(CompletableFuture.java:2139)		
	at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:379)		
1	Given User is on Sign-In page	SKIPPED	0.006 s

| #	Step / Hook Details	Status	Duration
2	When User enters valid credentials in sign-in form razdanamit51@gmail.com Chericof1# razdanamit51@gmail.com Chericof1#	SKIPPED	0.006 s
	AFTER - parallel.AppHooks.FailedTestSS(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at parallel.AppHooks.FailedTestSS(AppHooks.java:56)	FAILED	0.007 s
	AFTER - parallel.AppHooks.TearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at parallel.AppHooks.TearDown(AppHooks.java:36)	FAILED	0.002 s

Validate that Sign-In page form contains below elements:-

FAILED	DURATION - 1 m 52.988 s
/ 11:51:32.978 am // 11:53:25.966 am /	
SignIn	

Steps
Total - 8
Pass - 0
Fail - 0
Skip - 8

8

#	Step / Hook Details	Status	Duration

	BEFORE - parallel.AppHooks.Setup()
	
	org.openqa.selenium.WebDriverException: disconnected: Unable to receive message from renderer (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=131.0.6778.108) Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.1' Driver info: org.openqa.selenium.remote. RemoteWebDriver Command: [4a50d3ff0124da32478223c2232fd284, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.108, chrome: {chromedriverVersion: 131.0.6778.87 (ce31cae94873..., userDataDir: /tmp/ .org.chromium.Chromium...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:38785}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: linux, proxy: Proxy(), se:bidiEnabled: false, se:cdp: ws://172.24.0.2:4444/sessio..., se:cdpVersion: 131.0.6778.108, se:containerName: , se:noVncPort: 7900, se:vnc: ws://172.24.0.2:4444/sessio..., se:vncEnabled: true, se:vncLocalAddress: ws://172.24.0.2:7900, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 4a50d3ff0124da32478223c2232fd284
	   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)
		FAILED	1 m 52.965 s

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.TracedCommandExecutor.execute(TracedCommandExecutor.java:51) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.maximize(RemoteWebDriver.java:1034) at factory.DriverFactory.init_driver(DriverFactory.java:110) at parallel.AppHooks.Setup(AppHooks.java:31)		
1	Given User is on Sign-In page	SKIPPED	0.000 s
2	Then Email label is displayed on sign-in page	SKIPPED	0.001 s
3	And Email textbox is displayed on sign-in page	SKIPPED	0.000 s
4	And Password label is displayed on sign-in page	SKIPPED	0.000 s
5	And Password textbox is displayed on sign-in page	SKIPPED	0.000 s
6	And Forgot Password Link is displayed	SKIPPED	0.001 s
7	And Create An Account button is displayed	SKIPPED	0.000 s
8	And Sign-In button is displayed	SKIPPED	0.000 s
	AFTER - parallel.AppHooks.FailedTestSS(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at parallel.AppHooks.FailedTestSS(AppHooks.java:56)		
	AFTER - parallel.AppHooks.TearDown(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at parallel.AppHooks.TearDown(AppHooks.java:36)		

Validate that Sign-In page title is "Customer Login"

FAILED	DURATION - 32.346 s
/ 11:51:32.982 am // 11:52:05.328 am /	
SignIn	

Steps
Total - 3
Pass - 0
Fail - 0
Skip - 3

3

#	Step / Hook Details	Status	Duration
	BEFORE - parallel.AppHooks.Setup()	FAILED	32.296 s

	org.openqa.selenium.WebDriverException: disconnected: Unable to receive message from renderer (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=131.0.6778.108) Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.1' Driver info: org.openqa.selenium.remote. RemoteWebDriver Command: [c18d251a425b35ec56c126c5c2cac355, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.108, chrome: {chromedriverVersion: 131.0.6778.87 (ce31cae94873..., userDataDir: /tmp/ .org.chromium.Chromium...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:36991}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: linux, proxy: Proxy(), se:bidiEnabled: false, se:cdp: ws://172.24.0.2:4444/sessio..., se:cdpVersion: 131.0.6778.108, se:containerName: , se:noVncPort: 7900, se:vnc: ws://172.24.0.2:4444/sessio..., se:vncEnabled: true, se:vncLocalAddress: ws://172.24.0.2:7900, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c18d251a425b35ec56c126c5c2cac355
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)
	    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	    at org.openqa.selenium.remote.TracedCommandExecutor.execute(TracedCommandExecutor.java:51)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595)
	    at org.openqa.selenium.remote.RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.maximize(RemoteWebDriver.java:1034)
	    at factory.DriverFactory.init_driver(DriverFactory.java:110)
	    at parallel.AppHooks.Setup(AppHooks.java:31)		

1	Given User is on Sign-In page	SKIPPED	0.000 s
2	When User gets the page title	SKIPPED	0.002 s
3	Then title of the page is "Customer Login"	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
	AFTER - parallel.AppHooks.FailedTestSS(io.cucumber.java.Scenario)	FAILED	0.012 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at parallel.AppHooks.FailedTestSS(AppHooks.java:56)		
	AFTER - parallel.AppHooks.TearDown(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at parallel.AppHooks.TearDown(AppHooks.java:36)		