

Cucumber Report

22 Dec 2024, 12:05:08 pm

Start : Dec 22, 11:56:45.796 am

End : Dec 22, 12:05:06.910 pm

Duration : 8 m 21.114 s

Features



Scenarios

Steps

PASSED - 0
FAILED - 2
SKIPPED - 0

PASSED - 0
FAILED - 9
SKIPPED - 0

PASSED - 1
FAILED - 1
SKIPPED - 29




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Forgot Password</u>	1 m 47.798 s	5	0	5	0	16	0	0	16
<u>SignIn</u>	8 m 21.084 s	4	0	4	0	15	1	1	13

#	Feature Name	Scenario Name
1	<u>Forgot Password</u>	<u>Verify that "Please enter a valid email address (Ex: johndoe@domain.com). " error message is displayed under Email textbox provided user enters *</u>
2		<u>Verify that "This is a required field." error message is displayed under all Mandatory fields provided user clicks on "Reset my password" button *</u>
3		<u>Verify that "If there is an account associated with <entered email address> you will receive an email with a link to reset your password." message is *</u>
4		<u>Verify that user gets below mentioned labels/Fields on "Forgot Password" webpage Labels, "Forgot Password" button, "Please enter your email *</u>
5		<u>Verify that title of Forgot Password page is "Forgot Your Password?"</u>
6	<u>SignIn</u>	<u>Validate that user is not able to login using invalid credentials</u>
7		<u>Validate that user logs in successfully using valid credentials</u>
8		<u>Validate that Sign-In page form contains below elements:-</u>
9		<u>Validate that Sign-In page title is "Customer Login"</u>

* The feature name and/or scenario name has been cropped to fit in the available space.



#	Feature Name	T	P	F	S	Duration
1	<u>Forgot Password</u>	5	0	5	0	1 m 47.798 s
2	<u>SignIn</u>	4	0	4	0	8 m 21.084 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Forgot Password</u>	<u>Verify that "Please enter a valid email address (Ex: johndoe@domain.com)." error message is displayed under *</u>	2	0	0	2	1 m 25.969 s
2		<u>Verify that "This is a required field." error message is displayed under all Mandatory fields provided user clicks on *</u>	3	0	0	3	1 m 7.196 s
3		<u>Verify that "If there is an account associated with <entered email address> you will receive an email with a link to reset *</u>	2	0	0	2	1 m 12.577 s
4		<u>Verify that user gets below mentioned labels/Fields on "Forgot Password" webpage Labels, "Forgot Password" *</u>	6	0	0	6	31.571 s
5		<u>Verify that title of Forgot Password page is "Forgot Your Password?"</u>	3	0	0	3	1 m 47.748 s
6	<u>SignIn</u>	<u>Validate that user is not able to login using invalid credentials</u>	2	0	0	2	1 m 38.391 s
7		<u>Validate that user logs in successfully using valid credentials</u>	2	1	1	0	8 m 21.082 s
8		<u>Validate that Sign-In page form contains below elements:-</u>	8	0	0	8	45.662 s



* The feature name and/or scenario name has been cropped to fit in the available space.

#	Feature Name	Scenario Name	T	P	F	S	Duration
9		<u>Validate that Sign-In page title is "Customer Login"</u>	3	0	0	3	2 m 4.452 s

Forgot Password

FAILED	DURATION - 1 m 47.798 s	Scenarios Total - 5 Pass - 0 Fail - 5 Skip - 0		Steps Total - 16 Pass - 0 Fail - 0 Skip - 16	
/ 11:56:45.796 am // 11:58:33.594 am /					



Verify that "Please enter a valid email address (Ex: johndoe@domain.com)." error message is displayed under Email textbox provided user enters Invalid email address in email textbox and clicks on Reset My Password button

FAILED	DURATION - 1 m 25.969 s		Steps	
/ 11:56:45.802 am // 11:58:11.771 am /			Total - 2	
Forgot Password			Pass - 0	
			Fail - 0	
			Skip - 2	

#	Step / Hook Details	Status	Duration
	<p>BEFORE - parallel.AppHooks.Setup()</p> <p>org.openqa.selenium.WebDriverException: disconnected: Unable to receive message from renderer (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=131.0.6778.108) Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.1' Driver info: org.openqa.selenium.remote.RemoteWebDriver Command: [bf34487ae2968dcebcf3381d75e7ae15, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.108, chrome: {chromedriverVersion: 131.0.6778.87 (ce31cae94873..., userDataDir: /tmp/.org.chromium.Chromium...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:41945}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: linux, proxy: Proxy(), se:bidisEnabled: false, se:cdp: ws://172.24.0.2:4444/session..., se:cdpVersion: 131.0.6778.108, se:containerName: , se:noVncPort: 7900, se:vnc: ws://172.24.0.2:4444/session..., se:vncEnabled: true, se:vncLocalAddress: ws://172.24.0.2:7900, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: bf34487ae2968dcebcf3381d75e7ae15</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)</p>	FAILED	1 m 25.909 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.TracedCommandExecutor.execute(TracedCommandExecutor.java:51) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.maximize(RemoteWebDriver.java:1034) at factory.DriverFactory.init_driver(DriverFactory.java:110) at parallel.AppHooks.Setup(AppHooks.java:31) </pre>		
1	Given User is on Forgot Password page	SKIPPED	0.001 s
2	When User enters invalid email in email textbox	SKIPPED	0.000 s
	<pre> razdanamit51@gmail ushajasas </pre>		
	AFTER - parallel.AppHooks.FailedTestSS(io.cucumber.java.Scenario)	FAILED	0.003 s
	<pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at parallel.AppHooks.FailedTestSS(AppHooks.java:56) </pre>		
	AFTER - parallel.AppHooks.TearDown(io.cucumber.java.Scenario)	FAILED	0.003 s
	<pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at parallel.AppHooks.TearDown(AppHooks.java:36) </pre>		



Verify that "This is a required field." error message is displayed under all Mandatory fields provided user clicks on "Reset my password" button without entering any value in Mandatory field textbox.

FAILED	DURATION - 1 m 7.196 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 3</div>	
/ 11:56:45.810 am // 11:57:53.006 am /				
Forgot Password				

#	Step / Hook Details	Status	Duration
	BEFORE - parallel.AppHooks.Setup()	FAILED	1 m 7.151 s

#	Step / Hook Details	Status	Duration
	<pre>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: Could not start a new session. Could not start a new session. Error while creating session with the driver service. Stopping driver service: Could not start a new session. Response code 500. Message: disconnected: Unable to receive message from renderer (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=131.0.6778.108) Host info: host: '417135e59525', ip: '172.24.0.2' Build info: version: '4.27.0', revision: 'd6e718d' System info: os.name: 'Linux', os.arch: 'amd64', os.version: '5.15.167.4-microsoft-standard-WSL2', java.version: '17.0.13' Driver info: driver.version: unknown Build info: version: '4.27.0', revision: 'd6e718d' System info: os.name: 'Linux', os.arch: 'amd64', os.version: '5.15.167.4-microsoft-standard-WSL2', java.version: '17.0.13' Driver info: driver.version: unknown Build info: version: '4.27.0', revision: 'd6e718d' System info: os.name: 'Linux', os.arch: 'amd64', os.version: '5.15.167.4-microsoft-standard-WSL2', java.version: '17.0.13' Driver info: driver.version: unknown Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.1' Driver info: org.openqa.selenium.remote.RemoteWebDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, platformName: linux}]] Capabilities {browserName: chrome, platformName: linux} at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:114) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162) at org.openqa.selenium.remote.TracedCommandExecutor.execute(TracedCommandExecutor.java:51) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:161) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:141) at factory.DriverFactory.init_driver(DriverFactory.java:105) at parallel.AppHooks.Setup(AppHooks.java:31)</pre>		
1	Given User is on Forgot Password page	SKIPPED	0.001 s
2	When User clicks on "Reset My Password" button	SKIPPED	0.001 s
3	Then "This is a required field." is displayed under Email textbox	SKIPPED	0.001 s
	AFTER - parallel.AppHooks.FailedTestSS(io.cucumber.java.Scenario)	FAILED	0.002 s
	<pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at parallel.AppHooks.FailedTestSS(AppHooks.java:56)</pre>		
	AFTER - parallel.AppHooks.TearDown(io.cucumber.java.Scenario)	FAILED	0.004 s
	<pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at parallel.AppHooks.TearDown(AppHooks.java:36)</pre>		



Verify that "If there is an account associated with <entered email address> you will receive an email with a link to reset your password." message is displayed provided user enters valid email address in email address textbox followed by click on Rest my account button

<div>FAILED</div> <div>DURATION - 1 m 12.577 s</div>			<div>Steps</div> <div>Total - 2</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 2</div>	
/ 11:56:45.811 am // 11:57:58.388 am /				
Forgot Password				

#	Step / Hook Details	Status	Duration
	BEFORE - parallel.AppHooks.Setup() org.openqa.selenium.WebDriverException: disconnected: Unable to receive message from renderer (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=131.0.6778.108) Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.1' Driver info: org.openqa.selenium.remote. RemoteWebDriver Command: [af95df20ae32df72c30e03ad6e88b9ee, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.108, chrome: {chromedriverVersion: 131.0.6778.87 (ce31cae94873..., userDataDir: /tmp/.org.chromium.Chromium...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:37353}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: linux, proxy: Proxy(), se:bidirectional: false, se:cdp: ws://172.24.0.2:4444/session..., se:cdpVersion: 131.0.6778.108, se:containerName: , se:noVncPort: 7900, se:vnc: ws://172.24.0.2:4444/session..., se:vncEnabled: true, se:vncLocalAddress: ws://172.24.0.2:7900, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: af95df20ae32df72c30e03ad6e88b9ee at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.TracedCommandExecutor.execute(TracedCommandExecutor.java:51) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.maximize(RemoteWebDriver.java:1034) at factory.DriverFactory.init_driver(DriverFactory.java:110) at parallel.AppHooks.Setup(AppHooks.java:31)	FAILED	1 m 12.520 s
1	Given User is on Forgot Password page	SKIPPED	0.000 s
2	When User enters valid email in email textbox	SKIPPED	0.018 s
	email <input type="text"/>		

#	Step / Hook Details	Status	Duration
	razdanamit51@gmail.com		
	AFTER - parallel.AppHooks.FailedTestSS(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at parallel.AppHooks.FailedTestSS(AppHooks.java:56)	FAILED	0.003 s
	AFTER - parallel.AppHooks.TearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at parallel.AppHooks.TearDown(AppHooks.java:36)	FAILED	0.004 s



Verify that user gets below mentioned labels/Fields on "Forgot Password" webpage Labels, "Forgot Password" button, "Please enter your email address below to receive a password reset link.", "Email" (with *) and "Reset my Password" button

FAILED	DURATION - 31.571 s		Steps Total - 6 Pass - 0 Fail - 0 Skip - 6	
/ 11:56:45.835 am // 11:57:17.406 am /				
Forgot Password				

#	Step / Hook Details	Status	Duration
	BEFORE - parallel.AppHooks.Setup() org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: Could not start a new session. Could not start a new session. Error while creating session with the driver service. Stopping driver service: Could not start a new session. Response code 500. Message: disconnected: Unable to receive message from renderer (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=131.0.6778.108) Host info: host: '417135e59525', ip: '172.24.0.2' Build info: version: '4.27.0', revision: 'd6e718d' System info: os.name: 'Linux', os.arch: 'amd64', os.version: '5.15.167.4-microsoft-standard-WSL2', java.version: '17.0.13' Driver info: driver.version: unknown Build info: version: '4.27.0', revision: 'd6e718d' System info: os.name: 'Linux', os.arch: 'amd64', os.version: '5.15.167.4-microsoft-standard-WSL2', java.version: '17.0.13' Driver info: driver.version: unknown Build info: version: '4.27.0', revision: 'd6e718d' System info: os.name: 'Linux', os.arch: 'amd64', os.version: '5.15.167.4-microsoft-standard-WSL2', java.version: '17.0.13' Driver info: driver.version: unknown Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.1' Driver info: org.openqa.selenium.remote.RemoteWebDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, platformName: linux}]] Capabilities {browserName: chrome, platformName: linux} at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:114) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75)	FAILED	31.474 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162) at org.openqa.selenium.remote.TracedCommandExecutor.execute(TracedCommandExecutor.java:51) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:161) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:141) at factory.DriverFactory.init_driver(DriverFactory.java:105) at parallel.AppHooks.Setup(AppHooks.java:31) </pre>		
1	Given User is on Forgot Password page	SKIPPED	0.002 s
2	Then Forgot Password label is displayed	SKIPPED	0.000 s
3	And Please enter your email address below to receive a password reset link. label is displayed	SKIPPED	0.001 s
4	And Email label is displayed	SKIPPED	0.001 s
5	And Email textbox is displayed	SKIPPED	0.002 s
6	And Reset My Password button is displayed	SKIPPED	0.005 s
	AFTER - parallel.AppHooks.FailedTestSS(io.cucumber.java.Scenario)	FAILED	0.015 s
	<pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at parallel.AppHooks.FailedTestSS(AppHooks.java:56) </pre>		
	AFTER - parallel.AppHooks.TearDown(io.cucumber.java.Scenario)	FAILED	0.003 s
	<pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at parallel.AppHooks.TearDown(AppHooks.java:36) </pre>		



Verify that title of Forgot Password page is "Forgot Your Password?"

<div>FAILED</div> <div>DURATION - 1 m 47.748 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 3</div>	
/ 11:56:45.846 am // 11:58:33.594 am /				
Forgot Password				



#	Step / Hook Details	Status	Duration
	BEFORE - parallel.AppHooks.Setup()	FAILED	1 m 47.737 s

#	Step / Hook Details	Status	Duration
	<pre>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: Could not start a new session. Could not start a new session. Error while creating session with the driver service. Stopping driver service: Could not start a new session. Response code 500. Message: disconnected: Unable to receive message from renderer (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=131.0.6778.108) Host info: host: '417135e59525', ip: '172.24.0.2' Build info: version: '4.27.0', revision: 'd6e718d' System info: os.name: 'Linux', os.arch: 'amd64', os.version: '5.15.167.4-microsoft-standard-WSL2', java.version: '17.0.13' Driver info: driver.version: unknown Build info: version: '4.27.0', revision: 'd6e718d' System info: os.name: 'Linux', os.arch: 'amd64', os.version: '5.15.167.4-microsoft-standard-WSL2', java.version: '17.0.13' Driver info: driver.version: unknown Build info: version: '4.27.0', revision: 'd6e718d' System info: os.name: 'Linux', os.arch: 'amd64', os.version: '5.15.167.4-microsoft-standard-WSL2', java.version: '17.0.13' Driver info: driver.version: unknown Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.1' Driver info: org.openqa.selenium.remote.RemoteWebDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, platformName: linux}]] Capabilities {browserName: chrome, platformName: linux} at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:114) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162) at org.openqa.selenium.remote.TracedCommandExecutor.execute(TracedCommandExecutor.java:51) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:161) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:141) at factory.DriverFactory.init_driver(DriverFactory.java:105) at parallel.AppHooks.Setup(AppHooks.java:31)</pre>		
1	Given User is on Forgot Password page	SKIPPED	0.000 s
2	When User gets the page title	SKIPPED	0.000 s
3	Then title of the page is "Forgot Your Password?"	SKIPPED	0.001 s
	<pre>AFTER - parallel.AppHooks.FailedTestSS(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at parallel.AppHooks.FailedTestSS(AppHooks.java:56)</pre>	FAILED	0.002 s
	<pre>AFTER - parallel.AppHooks.TearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at parallel.AppHooks.TearDown(AppHooks.java:36)</pre>	FAILED	0.003 s

SignIn

FAILED	DURATION - 8 m 21.084 s	Scenarios Total - 4 Pass - 0 Fail - 4 Skip - 0		Steps Total - 15 Pass - 1 Fail - 1 Skip - 13	
/ 11:56:45.826 am // 12:05:06.910 pm /					



Validate that user is not able to login using invalid credentials

<div>FAILED</div> <div>DURATION - 1 m 38.391 s</div>		<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 2</div>	<div></div>
<div>/ 11:56:45.827 am // 11:58:24.218 am /</div>				
<div>SignIn</div>				

#	Step / Hook Details	Status	Duration
	BEFORE - parallel.AppHooks.Setup() org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: Could not start a new session. Could not start a new session. Error while creating session with the driver service. Stopping driver service: Could not start a new session. Response code 500. Message: disconnected: Unable to receive message from renderer (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=131.0.6778.108) Host info: host: '417135e59525', ip: '172.24.0.2' Build info: version: '4.27.0', revision: 'd6e718d' System info: os.name: 'Linux', os.arch: 'amd64', os.version: '5.15.167.4-microsoft-standard-WSL2', java.version: '17.0.13' Driver info: driver.version: unknown Build info: version: '4.27.0', revision: 'd6e718d' System info: os.name: 'Linux', os.arch: 'amd64', os.version: '5.15.167.4-microsoft-standard-WSL2', java.version: '17.0.13' Driver info: driver.version: unknown Build info: version: '4.27.0', revision: 'd6e718d' System info: os.name: 'Linux', os.arch: 'amd64', os.version: '5.15.167.4-microsoft-standard-WSL2', java.version: '17.0.13' Driver info: driver.version: unknown Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.1' Driver info: org.openqa.selenium.remote.RemoteWebDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, platformName: linux}]] Capabilities {browserName: chrome, platformName: linux} at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:114) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162) at org.openqa.selenium.remote.TracedCommandExecutor.execute(TracedCommandExecutor.java:51) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:161) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:141)	FAILED	1 m 38.364 s

#	Step / Hook Details	Status	Duration
	at factory.DriverFactory.init_driver(DriverFactory.java:105) at parallel.AppHooks.Setup(AppHooks.java:31)		
1	Given User is on Sign-In page	SKIPPED	0.000 s
2	When User enters invalid credentials in sign-in form	SKIPPED	0.002 s
	usernamepassword		
	razdanamit1151@gmail.comChericof1#		
	ushajain@gmail.comChericof1#11		
	AFTER - parallel.AppHooks.FailedTestSS(io.cucumber.java.Scenario)	FAILED	0.005 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at parallel.AppHooks.FailedTestSS(AppHooks.java:56)		
	AFTER - parallel.AppHooks.TearDown(io.cucumber.java.Scenario)	FAILED	0.004 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at parallel.AppHooks.TearDown(AppHooks.java:36)		

Validate that user logs in successfully using valid credentials

FAILED	DURATION - 8 m 21.082 s		Steps Total - 2 Pass - 1 Fail - 1 Skip - 0	
/ 11:56:45.828 am // 12:05:06.910 pm /				
SignIn				

#	Step / Hook Details	Status	Duration				
1	Given User is on Sign-In page	PASSED	2 m 2.666 s				
2	When User enters valid credentials in sign-in form	FAILED	3 m 3.726 s				
	<table><tr><td>razdanamit51@gmail.com</td><td>Chericof1#</td></tr><tr><td>razdanamit51@gmail.com</td><td>Chericof1#</td></tr></table>			razdanamit51@gmail.com	Chericof1#	razdanamit51@gmail.com	Chericof1#
razdanamit51@gmail.com	Chericof1#						
razdanamit51@gmail.com	Chericof1#						
	org.openqa.selenium.WebDriverException: Unable to execute request for an existing session: java.util.concurrent.TimeoutException Build info: version: '4.27.0', revision: 'd6e718d' System info: os.name: 'Linux', os.arch: 'amd64', os.version: '5.15.167.4-microsoft-standard-WSL2', java.version: '17.0.13' Driver info: driver.version: unknown Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.1' Driver info: org.openqa.selenium.remote.RemoteWebDriver Command: [abe57886f52a978e18645e435e3f6d4f, clickElement {id=f.3362A28047445EBEB914E5ADAFF3AB9C.d,						


#	Step / Hook Details	Status	Duration
	<p>9BFEC7DC2F4FF6CAB7DCEBA764BC472C.e.16}} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.108, chrome: {chromedriverVersion: 131.0.6778.87 (ce31cae94873..., userDataDir: /tmp/.org.chromium.Chromium...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:35401}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: linux, proxy: Proxy(), se:bidirectionalEnabled: false, se:cdp: ws://172.24.0.2:4444/session..., se:cdpVersion: 131.0.6778.108, se:containerName: , se:noVncPort: 7900, se:vnc: ws://172.24.0.2:4444/session..., se:vncEnabled: true, se:vncLocalAddress: ws://172.24.0.2:7900, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[RemoteWebDriver: chrome on linux (abe57886f52a978e18645e435e3f6d4f)] -> xpath: //*[@id="send2" and @class="action login primary"]] Session ID: abe57886f52a978e18645e435e3f6d4f</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.TracedCommandExecutor.execute(TracedCommandExecutor.java:51) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy23.click(Unknown Source) at pages.SignIn_Page.ClickSignInButton(SignIn_Page.java:103) at parallel.SignIn_StepDefinitions.user_enters_valid_in_email_textbox(SignIn_StepDefinitions.java:83) at ?.User enters valid credentials in sign-in form(file:///C:/Users/razda/git/PROJECT6_GRIDPROJECT/src/test/resources/parallel/SignIn.feature:49) * Not displayable characters are replaced by '?'. </p>		
	<p>AFTER - parallel.AppHooks.FailedTestSS(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.TimeoutException: timeout: Timed out receiving message from renderer: 10.000 (Session info: chrome=131.0.6778.108) Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.1' Driver info: org.openqa.selenium.remote.RemoteWebDriver Command: [abe57886f52a978e18645e435e3f6d4f, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.108, chrome: {chromedriverVersion: 131.0.6778.87 (ce31cae94873..., userDataDir: /tmp/.org.chromium.Chromium...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:35401}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: linux, proxy: Proxy(), se:bidirectionalEnabled: false, se:cdp: ws://172.24.0.2:4444/session..., se:cdpVersion: 131.0.6778.108, se:containerName: , se:noVncPort: 7900, se:vnc: ws://172.24.0.2:4444/session..., se:vncEnabled: true, se:vncLocalAddress: ws://172.24.0.2:7900, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: abe57886f52a978e18645e435e3f6d4f</p>	FAILED	1 m 34.904 s

Validate that Sign-In page form contains below elements:-

FAILED DURATION - 45.662 s

/ 11:56:45.844 am // 11:57:31.506 am /

SignIn



Steps

Total - 8

Pass - 0

Fail - 0

Skip - 8



#	Step / Hook Details	Status	Duration
---	---------------------	--------	----------

BEFORE - parallel.AppHooks.Setup()

```
org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: Could not start a new session. Could not start a new session. Error while creating session with the driver service. Stopping driver service: Could not start a new session. Response code 500. Message: disconnected: Unable to receive message from renderer (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=131.0.6778.108) Host info: host: '417135e59525', ip: '172.24.0.2' Build info: version: '4.27.0', revision: 'd6e718d' System info: os.name: 'Linux', os.arch: 'amd64', os.version: '5.15.167.4-microsoft-standard-WSL2', java.version: '17.0.13' Driver info: driver.version: unknown Build info: version: '4.27.0', revision: 'd6e718d' System info: os.name: 'Linux', os.arch: 'amd64', os.version: '5.15.167.4-microsoft-standard-WSL2', java.version: '17.0.13' Driver info: driver.version: unknown Build info: version: '4.27.0', revision: 'd6e718d' System info: os.name: 'Linux', os.arch: 'amd64', os.version: '5.15.167.4-microsoft-standard-WSL2', java.version: '17.0.13' Driver info: driver.version: unknown Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.1' Driver info: org.openqa.selenium.remote.RemoteWebDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, platformName: linux}]] Capabilities {browserName: chrome, platformName: linux}
    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:114)
    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75)
```

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162) at org.openqa.selenium.remote.TracedCommandExecutor.execute(TracedCommandExecutor.java:51) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:161) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:141) at factory.DriverFactory.init_driver(DriverFactory.java:105) at parallel.AppHooks.Setup(AppHooks.java:31)		
1	Given User is on Sign-In page	SKIPPED	0.002 s
2	Then Email label is displayed on sign-in page	SKIPPED	0.002 s
3	And Email textbox is displayed on sign-in page	SKIPPED	0.001 s
4	And Password label is displayed on sign-in page	SKIPPED	0.001 s
5	And Password textbox is displayed on sign-in page	SKIPPED	0.001 s
6	And Forgot Password Link is displayed	SKIPPED	0.002 s
7	And Create An Account button is displayed	SKIPPED	0.002 s
8	And Sign-In button is displayed	SKIPPED	0.002 s
	AFTER - parallel.AppHooks.FailedTestSS(io.cucumber.java.Scenario)	FAILED	0.004 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at parallel.AppHooks.FailedTestSS(AppHooks.java:56)		
	AFTER - parallel.AppHooks.TearDown(io.cucumber.java.Scenario)	FAILED	0.003 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at parallel.AppHooks.TearDown(AppHooks.java:36)		

Validate that Sign-In page title is "Customer Login"

FAILED DURATION - 2 m 4.452 s / 11:56:45.849 am // 11:58:50.301 am / SignIn		Steps Total - 3 Pass - 0 Fail - 0 Skip - 3	
---------------------------------------------------------------------------------------------	--	--------------------------------------------------------	--

#	Step / Hook Details	Status	Duration
	<p>BEFORE - parallel.AppHooks.Setup()</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: Could not start a new session. Could not start a new session. Error while creating session with the driver service. Stopping driver service: Could not start a new session. Response code 500. Message: disconnected: Unable to receive message from renderer (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=131.0.6778.108) Host info: host: '417135e59525', ip: '172.24.0.2' Build info: version: '4.27.0', revision: 'd6e718d' System info: os.name: 'Linux', os.arch: 'amd64', os.version: '5.15.167.4-microsoft-standard-WSL2', java.version: '17.0.13' Driver info: driver.version: unknown Build info: version: '4.27.0', revision: 'd6e718d' System info: os.name: 'Linux', os.arch: 'amd64', os.version: '5.15.167.4-microsoft-standard-WSL2', java.version: '17.0.13' Driver info: driver.version: unknown Build info: version: '4.27.0', revision: 'd6e718d' System info: os.name: 'Linux', os.arch: 'amd64', os.version: '5.15.167.4-microsoft-standard-WSL2', java.version: '17.0.13' Driver info: driver.version: unknown Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.1' Driver info: org.openqa.selenium.remote.RemoteWebDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, platformName: linux}]] Capabilities {browserName: chrome, platformName: linux}</p> <p>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:114) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162) at org.openqa.selenium.remote.TracedCommandExecutor.execute(TracedCommandExecutor.java:51) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:161) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:141) at factory.DriverFactory.init_driver(DriverFactory.java:105) at parallel.AppHooks.Setup(AppHooks.java:31)</p>	FAILED	2 m 4.445 s
1	Given User is on Sign-In page	SKIPPED	0.000 s
2	When User gets the page title	SKIPPED	0.000 s
3	Then title of the page is "Customer Login"	SKIPPED	0.000 s
	<p>AFTER - parallel.AppHooks.FailedTestSS(io.cucumber.java.Scenario)</p> <p>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null</p> <p>at parallel.AppHooks.FailedTestSS(AppHooks.java:56)</p>	FAILED	0.002 s
	<p>AFTER - parallel.AppHooks.TearDown(io.cucumber.java.Scenario)</p> <p>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null</p> <p>at parallel.AppHooks.TearDown(AppHooks.java:36)</p>	FAILED	0.001 s