Cucumber Report

Start : Dec 22, 11:19:52.717 am

End : Dec 22, 11:22:58.031 am

Duration : 3 m 5.314 s

Features	Scenarios	Steps

PASSED - 0	PASSED - 0	PASSED - 0
FAILED - 2	FAILED - 9	FAILED - 0
SKIPPED - 0	SKIPPED - 0	SKIPPED - 31

2

9

31

Pass %

Pass %

Pass %

Feature		Scenario				Step			
Name	**Duration**	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
Forgot Password	_3 m 5.311 s_	5	0	5	0	16	0	0	16
SignIn	_3 m 5.291 s_	4	0	4	0	15	0	0	15

#	Feature Name	Scenario Name
1	Forgot Password	Verify that "If there is an account associated with <entered email address> you will receive an email with a link to reset your password." message is *
2		Verify that user gets below mentioned labels/Fields on "Forgot Password' webpage Labels,"Forgot Password" button,"Please enter your email *
3		Verify that "Please enter a valid email address (Ex: johndoe@domain.com). " error message is displayed under Email textbox provided user enters *
4		Verify that "This is a required field." error message is displayed under all Mandatory fields provded user clicks on "Reset my password" button *
5		Verify that title of Forgot Password page is "Forgot Your Password?"
6	SignIn	Validate that Sign-In page title is "Customer Login"
7		Validate that user logs in successfully using valid credentials
8		Validate that Sign-In page form contains below elements:-
9		Validate that user is not able to login using invalid credentials

#	Feature Name	T	P	F	S	Duration
1	Forgot Password	5	0	5	0	3 m 5.311 s
2	SignIn	4	0	4	0	3 m 5.291 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Forgot Password	Verify that "If there is an account associated with <entered email address> you will receive an email with a link to reset *	2	0	0	2	1 m 20.843 s
2		Verify that user gets below mentioned labels/Fields on "Forgot Password' webpage Labels,"Forgot Password" *	6	0	0	6	51.855 s
3		Verify that "Please enter a valid email address (Ex: johndoe@domain.com)." error message is displayed under *	2	0	0	2	3 m 5.246 s
4		Verify that "This is a required field." error message is displayed under all Mandatory fields provded user clicks on *	3	0	0	3	3 m 5.270 s
5		Verify that title of Forgot Password page is "Forgot Your Password?"	3	0	0	3	1 m 28.191 s
6	SignIn	Validate that Sign-In page title is "Customer Login"	3	0	0	3	3 m 5.285 s
7		Validate that user logs in successfully using valid credentials	2	0	0	2	3 m 5.287 s
8		Validate that Sign-In page form contains below elements:-	8	0	0	8	1 m 45.126 s

The feature name and/or scenario name has been cropped to fit in the available space.

#	Feature Name	Scenario Name	T	P	F	S	Duration
9		*Validate that user is not able to login using invalid credentials*	2	0	0	2	30.957 s

Forgot Password

FAILED	DURATION - 3 m 5.311 s		Scenarios Total - 5 Pass - 0 Fail - 5 Skip - 0	5	Steps Total - 16 Pass - 0 Fail - 0 Skip - 16	16
/ 11:19:52.717 am // 11:22:58.028 am /						

Verify that "If there is an account associated with <entered email address> you will receive an email with a link to reset your password." message is displayed provided user enters valid email address in email address textbox followed by click on Rest my account button

FAILED	DURATION - 1 m 20.843 s		Steps Total - 2 Pass - 0 Fail - 0 Skip - 2	2
/ 11:19:52.726 am // 11:21:13.569 am /				
Forgot Password				

#	Step / Hook Details	Status	Duration
	BEFORE - parallel.AppHooks.Setup()	FAILED	1 m 20.798 s

	org.openqa.selenium.WebDriverException: disconnected: Unable to receive message from renderer (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=131.0.6778.108) Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.1' Driver info: org.openqa.selenium.remote. RemoteWebDriver Command: [e69fbd1d8ed782d9311d7e0452d61111, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.108, chrome: {chromedriverVersion: 131.0.6778.87 (ce31cae94873..., userDataDir: /tmp/ .org.chromium.Chromium...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:39215}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: linux, proxy: Proxy(), se:bidiEnabled: false, se:cdp: ws://172.24.0.2:4444/sessio..., se:cdpVersion: 131.0.6778.108, se:containerName: , se:noVncPort: 7900, se:vnc: ws://172.24.0.2:4444/sessio..., se:vncEnabled: true, se:vncLocalAddress: ws://172.24.0.2:7900, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e69fbd1d8ed782d9311d7e0452d61111
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.TracedCommandExecutor.execute(TracedCommandExecutor.java:51) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.maximize(RemoteWebDriver.java:1034) at factory.DriverFactory.init_driver(DriverFactory.java:110) at parallel.AppHooks.Setup(AppHooks.java:31)		
1	Given User is on Forgot Password page	SKIPPED	0.000 s
2	When User enters valid email in email textbox email razdanamit51@gmail.com	SKIPPED	0.000 s
	AFTER - parallel.AppHooks.FailedTestSS(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at parallel.AppHooks.FailedTestSS(AppHooks.java:56)	FAILED	0.003 s
	AFTER - parallel.AppHooks.TearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at parallel.AppHooks.TearDown(AppHooks.java:36)	FAILED	0.002 s

Verify that user gets below mentioned labels/Fields on "Forgot Password' webpage Labels,"Forgot Password" button, "Please enter your email address below to receive a password reset link.", "Email" (with *) and "Reset my Password" button

FAILED	DURATION - 51.855 s		Steps
/ 11:19:52.742 am // 11:20:44.597 am /			Total - 6
Forgot Password			Pass - 0
			Fail - 0
			Skip - 6

#	Step / Hook Details	Status	Duration
	BEFORE - parallel.AppHooks.Setup()	FAILED	51.819 s

	org.openqa.selenium.WebDriverException: disconnected: Unable to receive message from renderer (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=131.0.6778.108) Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.1' Driver info: org.openqa.selenium.remote. RemoteWebDriver Command: [55d08b06186e76d68205e6cd094b22ca, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.108, chrome: {chromedriverVersion: 131.0.6778.87 (ce31cae94873..., userDataDir: /tmp/ .org.chromium.Chromium...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:44099}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: linux, proxy: Proxy(), se:bidiEnabled: false, se:cdp: ws://172.24.0.2:4444/sessio..., se:cdpVersion: 131.0.6778.108, se:containerName: , se:noVncPort: 7900, se:vnc: ws://172.24.0.2:4444/sessio..., se:vncEnabled: true, se:vncLocalAddress: ws://172.24.0.2:7900, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 55d08b06186e76d68205e6cd094b22ca
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)
	  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	  at org.openqa.selenium.remote.TracedCommandExecutor.execute(TracedCommandExecutor.java:51)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595)
	  at org.openqa.selenium.remote.RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.maximize(RemoteWebDriver.java:1034)
	  at factory.DriverFactory.init_driver(DriverFactory.java:110)
	  at parallel.AppHooks.Setup(AppHooks.java:31)		

1	Given User is on Forgot Password page	SKIPPED	0.000 s
2	Then Forgot Password label is displayed	SKIPPED	0.000 s
3	And Please enter your email address below to receive a password reset link. label is displayed	SKIPPED	0.001 s
4	And Email label is displayed	SKIPPED	0.000 s
5	And Email textbox is displayed	SKIPPED	0.001 s
6	And Reset My Password button is displayed	SKIPPED	0.001 s
	AFTER - parallel.AppHooks.FailedTestSS(io.cucumber.java.Scenario)	FAILED	0.005 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at parallel.AppHooks.FailedTestSS(AppHooks.java:56)		
	AFTER - parallel.AppHooks.TearDown(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null		

#	Step / Hook Details	Status	Duration
	at parallel.AppHooks.TearDown(AppHooks.java:36)		

Verify that "Please enter a valid email address (Ex: johndoe@domain.com)." error message is displayed under Email textbox provided user enters Invalid email address in email textbox and clicks on Reset My Password button

FAILED	DURATION - 3 m 5.246 s		Steps	
/ 11:19:52.753 am // 11:22:57.999 am /			Total - 2	
			Pass - 0	2
Forgot Password			Fail - 0	
			Skip - 2	

#	Step / Hook Details	Status	Duration
	BEFORE - parallel.AppHooks.Setup()	FAILED	3 m 5.210 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'AMIT_PC', ip: '192.168.29.158' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:536) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:161) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:141) at factory.DriverFactory.init_driver(DriverFactory.java:105) at parallel.AppHooks.Setup(AppHooks.java:31) Caused by: org.openqa.selenium.TimeoutException: java.util.concurrent.TimeoutException Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.1' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:396) at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda$apply$0(AddSeleniumUserAgent.java:42) at org.openqa.selenium.remote.http.Filter.lambda$andFinally$1(Filter.java:55) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:352) at org.openqa.selenium.remote.tracing.TracedHttpClient.execute(TracedHttpClient.java:54) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:89) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162) at org.openqa.selenium.remote.TracedCommandExecutor.execute(TracedCommandExecutor.java:51) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:161)		
	at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:141)		
	at factory.DriverFactory.init_driver(DriverFactory.java:105)		
	at parallel.AppHooks.Setup(AppHooks.java:31)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:53)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:78)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:136)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230)		
	at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:81)		
	at org.testng.internal.thread.Async$AsyncTask.run(Async.java:34)		
	at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144)		
	at java.base/java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:642)		
	at java.base/java.lang.Thread.run(Thread.java:1575)		
	Caused by: java.util.concurrent.TimeoutException		
	at java.base/java.util.concurrent.CompletableFuture.timedGet(CompletableFuture.java:2004)		
	at java.base/java.util.concurrent.CompletableFuture.get(CompletableFuture.java:2139)		
	at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:379)		
1	Given User is on Forgot Password page	SKIPPED	0.005 s
2	When User enters invalid email in email textbox	SKIPPED	0.005 s

#	Step / Hook Details	Status	Duration
	razdanamit51@gmail ushajasas		
	AFTER - parallel.AppHooks.FailedTestSS(io.cucumber.java.Scenario)	FAILED	0.004 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at parallel.AppHooks.FailedTestSS(AppHooks.java:56)		
	AFTER - parallel.AppHooks.TearDown(io.cucumber.java.Scenario)	FAILED	0.009 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at parallel.AppHooks.TearDown(AppHooks.java:36)		

Verify that "This is a required field." error message is displayed under all Mandatory fields provded user clicks on "Reset my password" button without entering any value in Mandatory field textbox.

FAILED	*DURATION - 3 m 5.270 s*		Steps
/ 11:19:52.758 am // 11:22:58.028 am /			Total - 3
			Pass - 0
Forgot Password			Fail - 0
			Skip - 3

#	Step / Hook Details	Status	Duration
	BEFORE - parallel.AppHooks.Setup()	FAILED	3 m 5.211 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'AMIT_PC', ip: '192.168.29.158' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:536) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:161) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:141) at factory.DriverFactory.init_driver(DriverFactory.java:105) at parallel.AppHooks.Setup(AppHooks.java:31) Caused by: org.openqa.selenium.TimeoutException: java.util.concurrent.TimeoutException Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.1' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:396) at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda$apply$0(AddSeleniumUserAgent.java:42) at org.openqa.selenium.remote.http.Filter.lambda$andFinally$1(Filter.java:55)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:352)		
	at org.openqa.selenium.remote.tracing.TracedHttpClient.execute(TracedHttpClient.java:54)		
	at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:89)		
	at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75)		
	at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162)		
	at org.openqa.selenium.remote.TracedCommandExecutor.execute(TracedCommandExecutor.java:51)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		
	at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232)		
	at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:161)		
	at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:141)		
	at factory.DriverFactory.init_driver(DriverFactory.java:105)		
	at parallel.AppHooks.Setup(AppHooks.java:31)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:53)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:78)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:136)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230)		
	at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:81)		
	at org.testng.internal.thread.Async$AsyncTask.run(Async.java:34)		
	at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144)		
	at java.base/java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:642)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.Thread.run(Thread.java:1575) Caused by: java.util.concurrent.TimeoutException at java.base/java.util.concurrent.CompletableFuture.timedGet(CompletableFuture.java:2004) at java.base/java.util.concurrent.CompletableFuture.get(CompletableFuture.java:2139) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:379)		
1	Given User is on Forgot Password page	SKIPPED	0.004 s
2	When User clicks on "Reset My Password" button	SKIPPED	0.002 s
3	Then "This is a required field." is displayed under Email textbox	SKIPPED	0.013 s
	AFTER - parallel.AppHooks.FailedTestSS(io.cucumber.java.Scenario)	FAILED	0.003 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at parallel.AppHooks.FailedTestSS(AppHooks.java:56)		
	AFTER - parallel.AppHooks.TearDown(io.cucumber.java.Scenario)	FAILED	0.006 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at parallel.AppHooks.TearDown(AppHooks.java:36)		

Verify that title of Forgot Password page is "Forgot Your Password?"

FAILED	DURATION - 1 m 28.191 s
/ 11:19:52.761 am // 11:21:20.952 am /	
Forgot Password	

Steps
Total - 3
Pass - 0
Fail - 0
Skip - 3

3

#	Step / Hook Details	Status	Duration
	BEFORE - parallel.AppHooks.Setup()	FAILED	1 m 28.181 s
	org.openqa.selenium.WebDriverException: disconnected: Unable to receive message from renderer (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=131.0.6778.108) Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.1' Driver info: org.openqa.selenium.remote. RemoteWebDriver Command: [b4ab141982fe3f890b27750cbac7edaa, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.108, chrome: {chromedriverVersion: 131.0.6778.87 (ce31cae94873..., userDataDir: /tmp/ .org.chromium.Chromium...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:46179}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: linux, proxy: Proxy(), se:bidiEnabled: false, se:cdp: ws://172.24.0.2:4444/sessio..., se:cdpVersion: 131.0.6778.108, se:containerName: , se:noVncPort: 7900, se:vnc: ws://172.24.0.2:4444/sessio..., se:vncEnabled: true, se:vncLocalAddress: ws://172.24.0.2:7900, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script:		

#	Step / Hook Details	Status	Duration

	30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b4ab141982fe3f890b27750cbac7edaa
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)
	    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	    at org.openqa.selenium.remote.TracedCommandExecutor.execute(TracedCommandExecutor.java:51)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595)
	    at org.openqa.selenium.remote.RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.maximize(RemoteWebDriver.java:1034)
	    at factory.DriverFactory.init_driver(DriverFactory.java:110)
	    at parallel.AppHooks.Setup(AppHooks.java:31)		

1	Given User is on Forgot Password page	SKIPPED	0.001 s
2	When User gets the page title	SKIPPED	0.001 s
3	Then title of the page is "Forgot Your Password?"	SKIPPED	0.000 s
	AFTER - parallel.AppHooks.FailedTestSS(io.cucumber.java.Scenario)	FAILED	0.003 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at parallel.AppHooks.FailedTestSS(AppHooks.java:56)		
	AFTER - parallel.AppHooks.TearDown(io.cucumber.java.Scenario)	FAILED	0.003 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at parallel.AppHooks.TearDown(AppHooks.java:36)		

SignIn

FAILED	DURATION - 3 m 5.291 s	Scenarios Total - 4 Pass - 0 Fail - 4 Skip - 0	4	Steps Total - 15 Pass - 0 Fail - 0 Skip - 15	15
	/ 11:19:52.740 am // 11:22:58.031 am /				

Validate that Sign-In page title is "Customer Login"

FAILED	DURATION - 3 m 5.285 s		Steps
/ 11:19:52.741 am // 11:22:58.026 am /			Total - 3
			Pass - 0
SignIn			Fail - 0
			Skip - 3

#	Step / Hook Details	Status	Duration
	BEFORE - parallel.AppHooks.Setup()	FAILED	3 m 5.196 s

	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'AMIT_PC', ip: '192.168.29.158'
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:536)
	  at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232)
	  at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:161)
	  at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:141)
	  at factory.DriverFactory.init_driver(DriverFactory.java:105)
	  at parallel.AppHooks.Setup(AppHooks.java:31)
	Caused by: org.openqa.selenium.TimeoutException: java.util.concurrent.TimeoutException Build info: version: '4.19.1', revision: 'abe0ee07dc'
	System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.1' Driver info: driver.version: RemoteWebDriver
	  at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:396)
	  at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda$apply$0(AddSeleniumUserAgent.java:42)
	  at org.openqa.selenium.remote.http.Filter.lambda$andFinally$1(Filter.java:55)
	  at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:352)
	  at org.openqa.selenium.remote.tracing.TracedHttpClient.execute(TracedHttpClient.java:54)
	  at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:89)
	  at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75)
	  at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162)
	  at org.openqa.selenium.remote.TracedCommandExecutor.execute(TracedCommandExecutor.java:51)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
	  at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232)
	  at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:161)
	  at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:141)
	  at factory.DriverFactory.init_driver(DriverFactory.java:105)
	  at parallel.AppHooks.Setup(AppHooks.java:31)
	  at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)
	  at java.base/java.lang.reflect.Method.invoke(Method.java:580)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:81) at org.testng.internal.thread.Async$AsyncTask.run(Async.java:34) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144) at java.base/java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:642) at java.base/java.lang.Thread.run(Thread.java:1575) Caused by: java.util.concurrent.TimeoutException at java.base/java.util.concurrent.CompletableFuture.timedGet(CompletableFuture.java:2004) at java.base/java.util.concurrent.CompletableFuture.get(CompletableFuture.java:2139) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:379)		
1	Given User is on Sign-In page	SKIPPED	0.004 s
2	When User gets the page title	SKIPPED	0.000 s
3	Then title of the page is "Customer Login"	SKIPPED	0.000 s
	AFTER - parallel.AppHooks.FailedTestSS(io.cucumber.java.Scenario)	FAILED	0.014 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at parallel.AppHooks.FailedTestSS(AppHooks.java:56)		
	AFTER - parallel.AppHooks.TearDown(io.cucumber.java.Scenario)	FAILED	0.015 s

#	Step / Hook Details	Status	Duration
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at parallel.AppHooks.TearDown(AppHooks.java:36)		

## Validate that user logs in successfully using valid credentials

FAILED	DURATION - 3 m 5.287 s
/ 11:19:52.744 am // 11:22:58.031 am /	
SignIn	

Steps
Total - 2
Pass - 0
Fail - 0
Skip - 2

2

#	Step / Hook Details	Status	Duration
	BEFORE - parallel.AppHooks.Setup()	FAILED	3 m 5.213 s

	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'AMIT_PC', ip: '192.168.29.158'
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:536)
	    at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232)
	    at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:161)
	    at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:141)
	    at factory.DriverFactory.init_driver(DriverFactory.java:105)
	    at parallel.AppHooks.Setup(AppHooks.java:31)
	Caused by: org.openqa.selenium.TimeoutException: java.util.concurrent.TimeoutException Build info: version: '4.19.1', revision: 'abe0ee07dc'
	System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.1' Driver info: driver.version: RemoteWebDriver
	    at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:396)
	    at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda$apply$0(AddSeleniumUserAgent.java:42)
	    at org.openqa.selenium.remote.http.Filter.lambda$andFinally$1(Filter.java:55)
	    at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:352)
	    at org.openqa.selenium.remote.tracing.TracedHttpClient.execute(TracedHttpClient.java:54)
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:89)
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75)
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162)
	    at org.openqa.selenium.remote.TracedCommandExecutor.execute(TracedCommandExecutor.java:51)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
	    at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232)
	    at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:161)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:141) at factory.DriverFactory.init_driver(DriverFactory.java:105) at parallel.AppHooks.Setup(AppHooks.java:31) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:81) at org.testng.internal.thread.Async$AsyncTask.run(Async.java:34) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144) at java.base/java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:642) at java.base/java.lang.Thread.run(Thread.java:1575) Caused by: java.util.concurrent.TimeoutException at java.base/java.util.concurrent.CompletableFuture.timedGet(CompletableFuture.java:2004) at java.base/java.util.concurrent.CompletableFuture.get(CompletableFuture.java:2139) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:379)		
1	Given User is on Sign-In page	SKIPPED	0.001 s
2	When User enters valid credentials in sign-in form	SKIPPED	0.020 s
	razdanamit51@gmail.com Chericof1#		

#	Step / Hook Details	Status	Duration
	razdanamit51@gmail.com	Chericof1#		
	AFTER - parallel.AppHooks.FailedTestSS(io.cucumber.java.Scenario)	FAILED	0.023 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at parallel.AppHooks.FailedTestSS(AppHooks.java:56)		
	AFTER - parallel.AppHooks.TearDown(io.cucumber.java.Scenario)	FAILED	0.012 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at parallel.AppHooks.TearDown(AppHooks.java:36)		

Validate that Sign-In page form contains below elements:-

FAILED	DURATION - 1 m 45.126 s
/ 11:19:52.747 am // 11:21:37.873 am /	
SignIn	

Steps
Total - 8
Pass - 0
Fail - 0
Skip - 8

8

#	Step / Hook Details	Status	Duration
	BEFORE - parallel.AppHooks.Setup()	FAILED	1 m 45.107 s

	org.openqa.selenium.WebDriverException: disconnected: Unable to receive message from renderer (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=131.0.6778.108) Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.1' Driver info: org.openqa.selenium.remote. RemoteWebDriver Command: [0a65c1e7d2a1d14058b4dab000bdd6c9, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.108, chrome: {chromedriverVersion: 131.0.6778.87 (ce31cae94873..., userDataDir: /tmp/ .org.chromium.Chromium...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:36481}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: linux, proxy: Proxy(), se:bidiEnabled: false, se:cdp: ws://172.24.0.2:4444/sessio..., se:cdpVersion: 131.0.6778.108, se:containerName: , se:noVncPort: 7900, se:vnc: ws://172.24.0.2:4444/sessio..., se:vncEnabled: true, se:vncLocalAddress: ws://172.24.0.2:7900, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0a65c1e7d2a1d14058b4dab000bdd6c9
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)
	    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.TracedCommandExecutor.execute(TracedCommandExecutor.java:51) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.maximize(RemoteWebDriver.java:1034) at factory.DriverFactory.init_driver(DriverFactory.java:110) at parallel.AppHooks.Setup(AppHooks.java:31)		
1	Given User is on Sign-In page	SKIPPED	0.001 s
2	Then Email label is displayed on sign-in page	SKIPPED	0.001 s
3	And Email textbox is displayed on sign-in page	SKIPPED	0.001 s
4	And Password label is displayed on sign-in page	SKIPPED	0.001 s
5	And Password textbox is displayed on sign-in page	SKIPPED	0.001 s
6	And Forgot Password Link is displayed	SKIPPED	0.001 s
7	And Create An Account button is displayed	SKIPPED	0.001 s
8	And Sign-In button is displayed	SKIPPED	0.002 s
	AFTER - parallel.AppHooks.FailedTestSS(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at parallel.AppHooks.FailedTestSS(AppHooks.java:56)		
	AFTER - parallel.AppHooks.TearDown(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at parallel.AppHooks.TearDown(AppHooks.java:36)		

Validate that user is not able to login using invalid credentials

FAILED	DURATION - 30.957 s		Steps	
/ 11:19:52.751 am // 11:20:23.708 am /			Total - 2	
SignIn			Pass - 0	2
			Fail - 0	
			Skip - 2	

#	Step / Hook Details	Status	Duration
	BEFORE - parallel.AppHooks.Setup()	FAILED	30.869 s

	org.openqa.selenium.WebDriverException: disconnected: Unable to receive message from renderer (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=131.0.6778.108) Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.1' Driver info: org.openqa.selenium.remote. RemoteWebDriver Command: [6f0b133d0ad4c6444fd1c319a420b65f, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.108, chrome: {chromedriverVersion: 131.0.6778.87 (ce31cae94873..., userDataDir: /tmp/ .org.chromium.Chromium...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:43233}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: linux, proxy: Proxy(), se:bidiEnabled: false, se:cdp: ws://172.24.0.2:4444/sessio..., se:cdpVersion: 131.0.6778.108, se:containerName: , se:noVncPort: 7900, se:vnc: ws://172.24.0.2:4444/sessio..., se:vncEnabled: true, se:vncLocalAddress: ws://172.24.0.2:7900, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6f0b133d0ad4c6444fd1c319a420b65f
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)
	    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	    at org.openqa.selenium.remote.TracedCommandExecutor.execute(TracedCommandExecutor.java:51)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595)
	    at org.openqa.selenium.remote.RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.maximize(RemoteWebDriver.java:1034)
	    at factory.DriverFactory.init_driver(DriverFactory.java:110)
	    at parallel.AppHooks.Setup(AppHooks.java:31)		

1	Given User is on Sign-In page	SKIPPED	0.001 s
2	When User enters invalid credentials in sign-in form	SKIPPED	0.024 s
	username / password table: 	username	password
---	---
razdanamit1151@gmail.com	Chericof1#
ushajain@gmail.com	Chericof1#11			
	AFTER - parallel.AppHooks.FailedTestSS(io.cucumber.java.Scenario)	FAILED	0.019 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at parallel.AppHooks.FailedTestSS(AppHooks.java:56)		
	AFTER - parallel.AppHooks.TearDown(io.cucumber.java.Scenario)	FAILED	0.003 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at parallel.AppHooks.TearDown(AppHooks.java:36)		