


EP

is weekend?

5 projects / assignment

Animation




Media Query

@ screen and (max ---)

Animation


@ keyframes

use



60fps
120fps

keyframe
S





alternate

0%







0 → 100%

100% → 0%



CSS variables

1 Kaam baare - 2 padhe



child ↓ ↓

why?

root element

— X — X —

DRY

Don't repeat
yourself

}

WET

write everything
twice

(2 pri

(B) (T)

Animation

— X CSS — X —

CSS → Bohat Kuch
transform: rotate X —
background-color
1 500 - 1000

flex
justify
align
T-C
M
P → 10-15
min

framework






(Same Kaam with lesser
amount of code)

↓
easy


- ✓ → Bulma
- ✓ → Semantic UI
- ✓ → Materialize
- ✓ → Tailwind
- ✓ → SASS
- ✓ → Bootstrap



software?



□ = 12



12/4

8

Up → 12

↓ ✓
↑ X

12 ↑ → next row

Cases (V)

① 1400


② 1200

③ 998

④ 76'

⑤ 57

⑥ 5




• Container

750px



1250 → 1400

→ 1350px






1550

1150

< div class = "container" >
< /div >

100 -



row

4

Reverse

bool

1 bootstrap

JS

1 bootstrap

12

Break-pointers

row

col

xl-xxl -lg- md-sm

Practise

simple