[2CEIT5PE5: MOBILE APPLICATION DEVELOPMENT]

Practical: 5

AIM - What is Intent? Write down types of Intent and types of Intent Action. Create an application which demonstrates implicit Intent for following features.

Submitted By: 21012021003



Department of Computer Engineering/Information Technology

activity_main.xml:

```
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
xmlns:android="http://schemas.android.com/apk/res/android"
  xmlns:app="http://schemas.android.com/apk/res-auto"
  xmlns:tools="http://schemas.android.com/tools"
  android:layout width="match parent"
  android:layout_height="match_parent"
  tools:context=".MainActivity">
  <TextView
    android:id="@+id/textView2"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:text="Web Url:"
    app:layout_constraintBaseline_toBaselineOf="@+id/editTextUrl"
    app:layout_constraintEnd_toStartOf="@+id/editTextUrl"
    app:layout_constraintHorizontal_bias="0.5"
    app:layout_constraintStart_toStartOf="parent" />
  <EditText
    android:id="@+id/editTextUrl"
    android:layout_width="wrap_content"
    android:layout height="wrap content"
    android:layout_marginStart="44dp"
    android:layout_marginTop="104dp"
    android:ems="10"
    android:inputType="text"
    android:text="https://www.ganpatuniversity.ac.in"
    app:layout_constraintEnd_toStartOf="@+id/Browserbtn"
    app:layout_constraintHorizontal_bias="0.5"
    app:layout constraintStart toEndOf="@+id/textView2"
    app:layout_constraintTop_toTopOf="parent" />
  <Button
    android:id="@+id/Browserbtn"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:text="Browse"
    app:layout_constraintBaseline_toBaselineOf="@+id/editTextUrl"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintHorizontal_bias="0.5"
    app:layout_constraintStart_toEndOf="@+id/editTextUrl"/>
  <TextView
    android:id="@+id/textView3"
    android:layout width="wrap content"
    android:layout_height="wrap_content"
    android:text="Contact No.:"
```

Practical: 5

```
app:layout_constraintBaseline_toBaselineOf="@+id/editTextNumber"
  app:layout_constraintEnd_toStartOf="@+id/editTextNumber"
  app:layout_constraintHorizontal_bias="0.5"
  app:layout_constraintStart_toStartOf="parent" />
<EditText
  android:id="@+id/editTextNumber"
  android:layout width="wrap content"
  android:layout_height="wrap_content"
  android:layout_marginTop="196dp"
  android:ems="10"
  android:inputType="text"
  android:text="+911234567890"
  app:layout_constraintEnd_toStartOf="@+id/Callbtn"
  app:layout_constraintHorizontal_bias="0.5"
  app:layout_constraintStart_toEndOf="@+id/textView3"
  app:layout_constraintTop_toTopOf="parent" />
<Button
  android:id="@+id/Callbtn"
  android:layout_width="wrap_content"
  android:layout_height="wrap_content"
  android:text="Call"
  app:layout_constraintBaseline_toBaselineOf="@+id/editTextNumber"
  app:layout constraintEnd toEndOf="parent"
  app:layout_constraintHorizontal_bias="0.5"
  app:layout_constraintStart_toEndOf="@+id/editTextNumber" />
<TextView
  android:id="@+id/textView4"
  android:layout_width="wrap_content"
  android:layout_height="wrap_content"
  android:layout marginStart="16dp"
  android:text="Call Log:"
  app:layout_constraintBaseline_toBaselineOf="@+id/CallLogbtn"
  app:layout_constraintStart_toStartOf="parent" />
<TextView
  android:id="@+id/textView5"
  android:layout_width="wrap_content"
  android:layout_height="wrap_content"
  android:layout_marginStart="16dp"
  android:text="Gallery:"
  app:layout_constraintBaseline_toBaselineOf="@+id/Gallerybtn"
  app:layout_constraintStart_toStartOf="parent" />
<TextView
  android:id="@+id/textView6"
  android:layout_width="wrap_content"
  android:layout_height="wrap_content"
```

```
android:layout_marginStart="8dp"
  android:text="Camera:"
  app:layout_constraintBaseline_toBaselineOf="@+id/Camerabtn"
  app:layout_constraintStart_toStartOf="parent" />
<TextView
  android:id="@+id/textView7"
  android:layout width="wrap content"
  android:layout_height="wrap_content"
  android:layout_marginStart="16dp"
  android:text="Alarm:"
  app:layout_constraintBaseline_toBaselineOf="@+id/Alarmbtn"
  app:layout_constraintStart_toStartOf="parent" />
<Button
  android:id="@+id/CallLogbtn"
  android:layout_width="wrap_content"
  android:layout height="wrap content"
  android:layout_marginTop="280dp"
  android:layout_marginEnd="4dp"
  android:text="Call Log"
  app:layout_constraintEnd_toEndOf="parent"
  app:layout_constraintTop_toTopOf="parent" />
<Button
  android:id="@+id/Gallerybtn"
  android:layout_width="wrap_content"
  android:layout_height="wrap_content"
  android:layout_marginTop="344dp"
  android:layout marginEnd="11dp"
  android:text="Gallery"
  app:layout_constraintEnd_toEndOf="parent"
  app:layout_constraintTop_toTopOf="parent" />
<Button
  android:id="@+id/Camerabtn"
  android:layout_width="wrap_content"
  android:layout_height="wrap_content"
  android:layout_marginTop="417dp"
  android:layout_marginEnd="6dp"
  android:text="Camera"
  app:layout_constraintEnd_toEndOf="parent"
  app:layout_constraintTop_toTopOf="parent" />
<Button
  android:id="@+id/Alarmbtn"
  android:layout_width="wrap_content"
  android:layout height="wrap content"
  android:layout_marginTop="482dp"
  android:layout_marginEnd="14dp"
```

```
android:text="Alarm"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintTop_toTopOf="parent" />
</androidx.constraintlayout.widget.ConstraintLayout>
MainActivity.kt:
package com.example.mad_practical_5_21012021003
import android.content.Intent
import android.net.Uri
import androidx.appcompat.app.AppCompatActivity
import android.os.Bundle
import android.provider.AlarmClock
import android.provider.CallLog
import android.provider.MediaStore
import android.widget.Button
import android.widget.EditText
class MainActivity : AppCompatActivity() {
  override fun onCreate(savedInstanceState: Bundle?) {
    super.onCreate(savedInstanceState)
    setContentView(R.layout.activity_main)
    val buttonBrowse: Button = findViewById(R.id.Browserbtn)
    val editUrl: EditText =findViewById(R.id.editTextUrl)
    val buttoncall:Button=findViewById(R.id.Callbtn)
    val editcall:EditText=findViewById(R.id.editTextNumber)
    val buttonCallLog:Button = findViewById(R.id.CallLogbtn)
    val buttonGallery:Button = findViewById(R.id.Gallerybtn)
    val buttonCamera:Button = findViewById(R.id.Camerabtn)
    val buttonAlarm:Button = findViewById(R.id.Alarmbtn)
    buttonBrowse.setOnClickListener { openBrowser(editUrl.text.toString()) }
    buttoncall.setOnClickListener { openCall(editcall.text.toString()) }
    buttonCallLog.setOnClickListener {openCallLog() }
    buttonGallery.setOnClickListener {openGallery() }
    buttonCamera.setOnClickListener { openCamera() }
    buttonAlarm.setOnClickListener { openAlarm() }
  }
  fun openBrowser(URL: String ){
    Intent(Intent.ACTION_VIEW, Uri.parse(URL)).also { startActivity(it) }
  fun openCall(number: String ){
    Intent(Intent.ACTION_DIAL).setData(Uri.parse("tel:$number")).also { startActivity(it)
```

```
}

fun openCallLog(){
    Intent(Intent.ACTION_VIEW).setType(CallLog.Calls.CONTENT_TYPE).also {
    startActivity(it) }
    }
    fun openGallery(){
        Intent(Intent.ACTION_VIEW).setType("image/*").also { startActivity(it) }
    }
    fun openCamera(){
        Intent(MediaStore.ACTION_IMAGE_CAPTURE).also { startActivity(it) }
    }
    fun openAlarm(){
        Intent(AlarmClock.ACTION_SHOW_ALARMS).also { startActivity(it) }
    }
}
```

