



RAJINDRA CARBONS
UCI CARBONS GROUP

HOSHIARPUR, PUNJAB · KERALA · INDIA

ACTIVATED CARBON EXCELLENCE

Wood · Coconut · Pharma · Speciality

— *purifying since 1969...* —

9,000 MT
Annual Capacity

30+
Countries

500+
Clients

55+
Years

WATER

GOLD RECOVERY

GAS & AIR

PHARMA

FOOD & BEV

DEFENCE



India's first high-macroporous pine-based activated carbon.

Founded 1969 by Rajinder Kumar Gupta in Hoshiarpur, Punjab after returning from Europe with rotary kiln technology. Three generations later, UCI Carbons Group serves 30+ countries — from our own forests in Punjab to our own coconut carbonisation facility in Kerala.

1969
Founded

9,000 MT
Capacity

8 Kilns
Rotary

12 Units
Acid Wash

25 Acres
Facility

3rd Gen
Family

OWN FARMLANDS

Punjab — Wood Source


4 species: Pine · Poplar · Babool · Eucalyptus.
Own farmlands in Punjab's Shiwalik foothills.
No middlemen. Full source traceability from forest to kiln.

OWN CARBONISATION

Kerala — Coconut Source

UCI Coconut Facility, Mallapuram, Kerala.
In-house carbonisation from raw dry shell — no third-party dependency. CTC 55–65% · Hardness 98%+

FACILITY LOCATIONS — INDIA





WOOD-BASED AC — PUNJAB

Pine · Poplar · Babool · Eucalyptus

Own farmlands · Meso/macroporous · High MB & IV · Water, pharma, dye, food processing



WOOD GAC

Grade	IV mg/g	Mesh	Application
UCI 4x8 (RC48)	900–1000	4x8	Air purification · HVAC · VOC control
UCI 6x18 (RC618)	900–1000	6x18	Residential air purifiers · canister filters
UCI RC830	800–950	8x30	Potable water / TOC / dechlorination
UCI RC1240	800–900	12x40	Fine filtration beds
Premio (UCI W GAC 8x30 HV)	1050	8x30	High-activity colour removal / premium water



WOOD PAC — BASE GRADES (ALKALINE)

Grade	MB mg/g	IV mg/g	Application
UCI 10	100–120	550–650	Industrial ETP — dye / high-BOD effluent
UCI UW22	200–225	900–1000	Water treatment · ETP · industrial
UCI UW24	230–245	1025–1075	Pharma · edible oil refining
UCI UW26	255–270	1050–1100	Premium water · API purification
UCI UW32	310–330	1100–1200	Max activity · pharmaceutical

Full range: UCI 10 · 15N · 16N+ · UW22 · UW24 · UW26 · UW32 · All 200/325M · pH Alkaline

Acid-washed NS grades (UCI 10NS → DL Premium) — pH 5.5–7.5 · Pharma/API grade · full specs see Pharma page

COCONUT SHELL AC — UCI COCONUT FACILITY, KERALA

Microporous · CTC 55–65% · Hardness 98%+

WATER TREATMENT GAC

UCI Code	IV mg/g	Mesh	Hard.	Application
UCI C GAC 8x16	1050	8x16	98%	Potable water / municipal treatment
UCI C GAC 8x30	1050	8x30	98%	Potable water / TOC removal
UCI C GAC 12x30	1100	12x30	98%	Drinking water / BTF systems
UCI C GAC 12x40	1050	12x40	97%	Municipal filters / RO pre-treatment

GOLD RECOVERY — ACGOLD GRADES

ACGOLD Grade	CTC%	K-Val	Mesh	Application
ACGOLD 6SZ	55	55–60	6x12	CIL/RIP — coarse circuit
ACGOLD 6SFY	60	60–65	6x12	CIL — high CTC
ACGOLD 8SZ	55	58–63	8x16	CIP/CIL — standard
ACGOLD 8SFY	60	62–65	8x16	CIP — premium K-value
ACGOLD 8x14	60	60–65	8x14	Water & gold — dual purpose

ACGOLD PRO: 99.8% hardness · Precision-sized S. Indian shell · Uniform bed packing · K-value 63–65 · Higher yield, lower cost vs standard.

GOLD RECOVERY SPECIFICATIONS

Hardness >99% · Ash NMT 3% · Moisture NMT 5% · AWWA B604. CIP/CIL/RIP circuits — max micropore density for gold adsorption.



AC 3x6 / 4x10

Air Purification & VOC Control

30x60 / 35x80

Cigarette Filters & Cartridges

CBRN

Defence / NBC / Gas Masks

AIR & GAS PHASE (COCONUT — UCI COCONUT FACILITY, KERALA)

UCI Code	Mesh	CTC%	Density g/cc	Application
AC 3x6	3x6	50/55/60	0.45–0.55	Industrial air / odour control
AC 1/4x6	1/4x6	50/55/60	0.45–0.55	Automotive VOC / evap. emission
AC 4x8	4x8	50/55/60	0.45–0.55	Chemical processing / HVAC
AC 4x10	4x10	50/55/60	0.45–0.55	Oil & gas / amine purification

GAS MASKS & FILTER CARTRIDGES

UCI Code	Mesh	CTC%	Hardness	Application
AC 20x60	20x60	50/55/60	98%	Respirators / industrial masks
AC 30x60	30x60	50/55/60	98%	Cigarette filters / cartridges
AC 35x70	35x70	50/55/60	98%	NBC / CBRN gas masks
AC 35x80	35x80	50/55/60	98%	Military / defence respirators

PELLETS & IMPREGNATED SPECIALITY

UCI Code	Type	BET / CTC	Dia.	Impregnant	Application
UCI C PEL 4mm BET950	Pellet	950 m ² /g	4mm	—	VOC / solvent recovery
UCI C PEL 4mm BET1300	Pellet	1300 m ² /g	4mm	—	High-activity gas phase
UCI C PEL 4mm KOH	Impreg.	1300 m ² /g	4mm	KOH	H ₂ S / biogas / sewage
UCI C PEL 4mm KI	Impreg.	1300 m ² /g	4mm	KI	Mercury / flue gas capture
UCI C GAC 8x30 Silver	GAC	IV 1050	8x30	Silver	POU water / antimicrobial
UCI C GAC 30x60 CTC55	GAC fine	CTC 55	30x60	—	Cigarette filter media

DEFENCE / CBRN GRADE

35x80 mesh coconut shell carbon. Hard, spherical, ultra-fine particle for military & civil defence NBC respirators. CTC 50/55/60% options. Bulk or drum pack. Tested to NIOSH/EN requirements.

35x80
Mesh · CBRN



API, Bulk Drug & Medical Grade Carbon

UCI's pharma-grade wood-based activated carbons — trusted by Indian pharmaceutical manufacturers for decades under the original grade names pharma teams know. Low iron, low ash, high meso/macro porosity. BP / USP / EU / IP compliant on request.

Key applications: Paracetamol · Metformin · Ranitidine · API/Bulk Drug decolorisation · Penem Injectables · Charcoal Tablets · Anti-flatulence formulations · Veterinary suspensions & powders

Compliance: PN EN 12903 · BP/USP/EU/IP on request. Special aerobic & anaerobic bacteria testing for medical grades. COA with every batch.

UCI WOOD ACID-WASHED PHARMA GRADES — ORIGINAL GRADE NAMES (KNOWN TO PHARMA INDUSTRY)

Grade Name	MB mg/g	IV mg/g	Ash (max)	pH	Primary Application
UCI Supra	270–320	1050	10%	8.5–11.5	General decolour / water treatment
UCI 15NS	160–180	750–900	5%	5.5–7.5	API / bulk drug purification
UCI 16NS	180–200	850–900	4%	5.5–7.5	API / bulk drug purification
UCI 20NS	235–255	900–1000	3%	5.5–7.5	Paracetamol · Metformin · Ranitidine
UCI 55N	275–290	1025–1075	3%	5.5–7.5	High-purity API decolour
UCI 55NS	300–325	1050–1100	2%	5.5–7.5	Penem Injectables · premium API
UCI 70NS	—	—	2%	5.5–7.5	Ultra-high purity injectables
DL Premium	335–360	1100–1200	2%	5.5–7.5	Pharma premium / low-iron API

Veterinary & Charcoal Tablets — UCI Medi+

Wood-based steam-process carbon — low mineral ash, low heavy metals, high adsorption index. Aligned to **BP / USP / EU and Vegetal Carbon standards**. Aerobic and anaerobic bacteria testing performed. Special drum packing and small pack sizes available.

- **Charcoal tablets & suspensions** — anti-flatulence, gut treatment, poisoning antidote
- **Veterinary use** — animal poisoning treatment, gut infections, suspensions & powders
- **Injectables** — UCI Medi+ formulations for pharma manufacturing
- **Packaging** — Special drums, small packs, bulk bags as per customer requirement



Serving 30+ countries — water · gold · pharma · defence

— purifying since 1969... —

COMING SOON 2026

Middle East — Warehouse, Distribution & Regeneration

Gulf facility serving UAE, Saudi, Qatar, Kuwait, Oman · Carbon regeneration saves 40–60% vs virgin replacement

GCC

Water Treatment

GAC/PAC for municipal, industrial, RO pre-treatment, TOC & THM removal.

Gold Recovery

ACGOLD series — K-val to 65. ACGOLD PRO: 99.8% hardness, low platelets, max ROI for CIP/CIL/RIP.

Air & VOC Control

Wood GAC 4x7/4x8 for HVAC & commercial air scrubbers; 6x18 for residential air purifiers. Coconut AC 3x6/4x10 for industrial air & solvent VOC.

Industrial ETP

PAC IV 500–700 for large-scale effluent. Textile dye removal >90%. Pharmaceutical and industrial wastewater.

Pharma & API

UCI 15NS–DL Premium. BP/USP/EU. Paracetamol, Metformin, Penem. UCI Medi+ for tablets & vet.

Spice & Oil

Pepper, chilli & herb oleoresin decolourisation. EO-Grade PAC with controlled D50/D10/D90 for edible oil. Halal/Kosher.

ISO 9001:2015

ISO 14001:2015

BIS IS 877

AWWA B600

NSF/ANSI 61 — Coconut

FSSC 22000

REACH (in progress)

HALAL · KOSHER

BP / USP / EU / IP

Packaging — export ready · ISPM 15 · UCI lot number on every bag

Small Bags

2–25 kg

LDPE/HDPE · 8–10/pallet

FIBC Big Bag

275–335 kg

Black PP · inner liner · 1x1x1m

Jumbo Bags

500–1000 kg

Bulk · container-stuffed

Drums / Custom

Per req.

Pharma / sealed / special packs



Ready to specify the right grade?

Samples · Datasheets · COA on request

Technical team for application engineering

purifying since 1969...

kartik.gupta@ucicarbonson.com

+91 9501 005 395

ucicarbonson.com

Hoshiarpur, Punjab · Kerala · India



PRODUCTION · HQ

Rajindra Carbons
Bhagowal, Hoshiarpur
Punjab, India
25 acres · 6 rotary kilns
Wood GAC & PAC

PHARMA HERITAGE

**Universal Carbons
(India)**
Tanda Road, Hoshiarpur
Punjab, India
2 kilns · Since 1969
Pharma & specialty grades

COCONUT CARBON

Aliph Carbon
Mallapuram, Kerala
South India
Own carbonisation plant
Coconut GAC & Gold
grades

DISTRIBUTION HUB

UCI Warehouse
Hyderabad, Telangana
India
10,000 MT covered storage
ISPM 15 · Export-ready

EU OPS & SALES

Germany · Europe
European operations
Filtech 2026 presence
Technical support — EU
Samples & specification

9,000 MT
ANNUAL CAPACITY

30+
COUNTRIES

500+
GLOBAL CLIENTS

55+
YEARS

8
ROTARY KILNS

KEY EXPORT MARKETS

USA UK France Germany Netherlands Serbia Australia Argentina Russia Sri Lanka Gulf Region Spain Belgium
Switzerland + 15 more



RAJINDRA CARBONS
UCI CARBONS GROUP

HOSHIARPUR, PUNJAB · KERALA · INDIA · SINCE 1969

DEODORIZE · DECOLORIZE · PURIFY

Purifying Since 1969.

Asia's most trusted source of natural activated carbon — from our
forests to your filter.

GET IN TOUCH

kartik.gupta@ucicarbonson.com

+91 9501 005 395

ucicarbonson.com

Rajindra Carbons · Bhagowal, Hoshiarpur, Punjab, India
Aliph Carbon · Mallapuram, Kerala · EU Ops & Sales · Germany

purifying since 1969...

ISO 9001

ISO 14001

Halal

Kosher

NSF

BP/USP/EU