Research package

The main manuscript is now an IEEE conference-style draft: `RESEARCH_PAPER.pdf` is typeset with the unmodified IEEEtran class; `RESEARCH_PAPER.docx` is editable Word; `RESEARCH_PAPER.md` is the authored source; `RESEARCH_PAPER.tex` and `IEEEtran.cls` support LaTeX editing. `RESEARCH_PAPER.html` is a browser reading copy. The previous expanded report is preserved as `RESEARCH_SUPPLEMENT` in all five reader formats. The four student authors, institute affiliation and faculty guide are copied from the supplied project-cover screenshot; all five contact emails are included as supplied by the user. No venue-specific page limit or PDF eXpress approval is asserted. Formatting and build notes are in `IEEE_FORMAT_NOTES.md`.

Start with `QUALITY_IMPROVEMENTS.md` for the latest speech-model evaluation, complete metric scorecard and retained negative experiments. Read `PIPELINE_IMPROVEMENTS.md` for the installed learned discussion-review stage and its measured limits, `CLASSIFIER_COMPARISON.md` for the matched four-family/two-feature comparison and `DECISION_DISCUSSION_IMPROVEMENTS.md` for the context/smoothing experiments. Read `SUBMISSION_RECOVERY_PLAN.md` for the research plan, `DECISION_DISCUSSION_EXPERIMENT.md` for the original supervised pilot, `RESEARCH_VALIDITY_REVIEW.md` for the critical audit, `COMPARATIVE_AND_ABLATION.md` for earlier metric comparisons, `EVALUATION_RESULTS.md` for measurements, `PROJECT_GUIDE.md` for run commands, and `ANNOTATION_AND_SUBMISSION.md` for remaining validation. Every Markdown document has editable Word (`.docx`), legacy Word (`.doc`) and PDF companions. The source professor instructions and CALO PDF are preserved; the user's current IEEE-format instruction governs the main manuscript.

Raw measurements are in `evaluation/`; original diagrams are in `figures/`. Private downstream artifacts must be reviewed before sharing. The project is not scientifically validated merely because its functional tests pass. Human annotations, physical phone testing and author declarations remain necessary.