

1.	Create a Java class named Book with three attributes (title, author, and price) and an appropriate constructor. In the main method, perform the following tasks, at first, create a Stack that stores Book objects, then insert any 5 Book objects into the stack. After that, delete the top Book object from the stack. Finally, display the top Book object without removing it.
2.	At a bank, customers are waiting in a long queue to deposit their electricity bills. Each customer may have a different number of bills. For example, one customer may have 5 bills, another may have 20 bills, and another may have just 1 bill, and so on. This difference in the number of bills causes significant delays and increases waiting times, especially for those with fewer bills. To reduce overall waiting time and improve service flow, implement a solution using Java's Collection Framework that handles customers in a way that those with fewer bills are processed earlier. Expected Output: Enter number of customers: 4 Enter name and bills: Rafi 12 Sara 2 Imran 7 Nabila 1 Processing Order: Serving Nabila (Bills: 1) Serving Sara (Bills: 2) Serving Imran (Bills: 7) Serving Rafi (Bills: 12)
3.	In a digital library management system, books are stored and organized in a way that allows users to easily browse and search for them. Each book has a unique ID, a title, and an author. To improve user experience, the system automatically arranges all books alphabetically based on their titles, regardless of case sensitivity. For this purpose, a TreeSet is used, which ensures that the books remain sorted and no duplicate entries (based on title comparison) are stored. Several books such as <i>Data Structures</i>, <i>Database System</i>, <i>Java Programming</i>, <i>Machine Learning</i>, and <i>Operating System</i> are added to the system. Additionally, the platform allows users to search for a specific book by entering its title. The system then checks whether the book exists in the collection and displays the details if found; otherwise, it notifies the user that the book is not available.

	Suppose two strings str1 = "Hello" and str2 = "BUBTian's". If the two strings are not equal then concatenate them, otherwise delete a substring 'UBT' from str2. Write a program to implement this scenario.