OAVS TGT COMPUTER SCIENCE

TEACHER EXAMINATION

MCQ QUESTION BANK

Introduction to DBMS

History | Advantages | Limitations | Users
Software Modules | Architecture

307+ Unique Exam-Oriented MCQs with Answers & Explanations

Chapter 1: History of DBMS

47 Questions | OAVS TGT Computer Science - MCQ Question Bank

Q1 | EVOLUTION | HISTORY OF DBMS HIST

Before the advent of DBMS, how was data primarily managed in organizations?

A. Using file-based systems
B. Using automated query languages
C. Using integrated data dictionaries
D. Using centrally managed databases

Ans: A

Explanation: Prior to DBMS, data was managed using traditional file processing systems where each application maintained its own separate files.

Q2 | NEED | HISTORY OF DBMS HIST

Which of the following was NOT a typical problem associated with traditional file-based systems?

A. Data isolation
B. Concurrent access anomalies
C. Data redundancy
D. Automatic query optimization

Ans: D

Explanation: File-based systems lacked features like automatic query optimization; this capability was introduced with DBMS.

Q3 | MILESTONE | HISTORY OF DBMS HIST

The relational model, which forms the theoretical basis of most modern DBMS, was proposed by:

A. E. F. Codd
B. Peter Chen
C. Charles Bachman
D. Edgar Dijkstra

Ans: A

Explanation: E. F. Codd introduced the relational model in his 1970 paper published while at IBM.

Q4 | MILESTONE | HISTORY OF DBMS HIST

In which year did E. F. Codd publish his seminal paper on the relational model?

A. 1979
B. 1965
C. 1970
D. 1985

Ans: C

Explanation: Codd's paper 'A Relational Model of Data for Large Shared Data Banks' was published in 1970.

Q5 | EVOLUTION | HISTORY OF DBMS **HIST**

IBM's IMS, one of the earliest database systems, was based on which data model?

A. Punch-card model
B. Flat-file model
C. Hierarchical model
D. Network model

Ans: C

Explanation: IMS (Information Management System) developed by IBM in the 1960s used the hierarchical data model.

Q6 | EVOLUTION | HISTORY OF DBMS **HIST**

The CODASYL model, developed in the late 1960s, is associated with which type of database model?

A. Network model
B. Relational model
C. Object model
D. Hierarchical model

Ans: A

Explanation: CODASYL (Conference on Data Systems Languages) formalized the network data model.

Q7 | MILESTONE | HISTORY OF DBMS **HIST**

Which early research prototype demonstrated the practical feasibility of the relational model at IBM?

A. System R
B. dBASE
C. INGRES
D. Oracle

Ans: A

Explanation: IBM's System R project in the 1970s was a pioneering implementation validating relational database concepts.

Q8 | MILESTONE | HISTORY OF DBMS **HIST**

The INGRES project, an early relational DBMS implementation, was developed at:

A. Carnegie Mellon University
B. University of California, Berkeley
C. Stanford University
D. MIT

Ans: B

Explanation: INGRES was developed at UC Berkeley in the 1970s as an academic relational database project.

Q9 | MILESTONE | HISTORY OF DBMS **HIST**

Which company released one of the first commercially available relational database systems in 1979?

A. Oracle
B. Microsoft
C. IBM
D. Sybase

Ans: A

Explanation: Oracle (then Relational Software Inc.) released a commercial RDBMS in 1979, ahead of IBM's own commercial product.

Q10 | MILESTONE | HISTORY OF DBMS **HIST**

SQL, originally called SEQUEL, was developed at:

A. Oracle
B. Bell Labs
C. IBM
D. Berkeley

Ans: C

Explanation: SQL was originally developed as SEQUEL by IBM researchers for use with System R.

Q11 | NEED | HISTORY OF DBMS **HIST**

Which problem of file-based systems refers to the same data being duplicated across multiple files?

A. Integrity problem
B. Atomicity problem
C. Data redundancy
D. Data isolation

Ans: C

Explanation: Redundant storage of the same data across separate files is the classic redundancy problem of file systems.

Q12 | NEED | HISTORY OF DBMS **HIST**

'Data isolation' as a limitation of file systems refers to:

A. Excess duplication of data
B. Difficulty accessing data scattered across multiple files/formats
C. Unauthorized access to data
D. Loss of data during power failure

Ans: B

Explanation: Data isolation means related data is scattered across different files in different formats, making it hard to write applications to retrieve it.

Q13 | NEED | HISTORY OF DBMS **HIST**

Which limitation of file processing systems refers to a transaction being partially completed due to system failure?

A. Redundancy problem
B. Isolation problem
C. Security problem
D. Atomicity problem

Ans: D

Explanation: The atomicity problem refers to failure to ensure all-or-nothing execution of operations, e.g., a fund transfer completing only partially.

Q14 | NEED | HISTORY OF DBMS **HIST**

Concurrent access anomalies in file systems typically arise due to:

A. Multiple users/programs accessing and updating data simultaneously without control
B. Poor hardware
C. Lack of indexing
D. Excess storage capacity

Ans: A

Explanation: Without concurrency control, simultaneous updates by multiple programs can produce inconsistent results.

Q15 | NEED | HISTORY OF DBMS **HIST**

Which of these is a key motivation that led to the development of DBMS technology?

A. Need to eliminate all computer hardware
B. Need for centralized, controlled, and consistent data management
C. Need for more paper-based records
D. Need to remove application programs

Ans: B

Explanation: DBMS was developed to overcome the shortcomings of file systems through centralized, consistent data management.

Q16 | EVOLUTION | HISTORY OF DBMS **HIST**

The transition from the 1970s into the 1980s in DBMS history is best characterized by:

A. A shift from navigational, pointer-based access (hierarchical/network) toward declarative, non-procedural access
B. Return to purely manual paper-based record keeping
C. Complete abandonment of database technology
D. Elimination of the need for a database administrator

Ans: A

Explanation: This period marked the historical shift away from navigational access models toward the simpler, declarative style enabled by the relational approach.

Q17 | EVOLUTION | HISTORY OF DBMS **HIST**

Which trend characterized the DBMS industry during the 1980s?

A. Widespread commercial adoption of relational DBMS products by businesses

B. Elimination of the need for query languages

C. Decline and abandonment of database technology

D. A return to purely manual, paper-based record keeping

Ans: A

Explanation: The 1980s saw growing commercial adoption of relational database products across businesses, following earlier research prototypes.

Q18 | EVOLUTION | HISTORY OF DBMS **HIST**

Arrange in correct historical order: (i) Relational Model (ii) Hierarchical Model (iii) File-Based Systems (iv) Network Model

A. iii, ii, iv, i

B. iv, ii, i, iii

C. i, ii, iii, iv

D. ii, i, iv, iii

Ans: A

Explanation: The correct chronological order is File-Based Systems, then Hierarchical, then Network, then Relational.

Q19 | MILESTONE | HISTORY OF DBMS **HIST**

Which milestone marks the beginning of standardized query languages for relational databases?

A. Introduction of hierarchical model

B. Development of the CODASYL network model

C. Development of the SQL standard by ANSI

D. Introduction of IMS

Ans: C

Explanation: ANSI standardized SQL in 1986, establishing a common query language for relational databases.

Q20 | NEED | HISTORY OF DBMS **HIST**

A major driver for the evolution from file systems to DBMS was to overcome which combination of issues?

A. Lack of graphical interfaces

B. Lack of internet connectivity

C. High processing speed only

D. Redundancy, inconsistency, isolation, integrity, atomicity, and security issues

Ans: D

Explanation: These interrelated issues in file systems were the primary drivers behind the development of DBMS.

Q21 | EVOLUTION | HISTORY OF DBMS **HIST**

Fill in the blank: The _____ model, proposed by Charles Bachman, is also known as the CODASYL model.

A. Network
B. Relational
C. Hierarchical
D. Flat-file

Ans: A

Explanation: Charles Bachman is credited with developing the network database model, formalized as the CODASYL model.

Q22 | ASSERTION-REASON | HISTORY OF DBMS **HIST**

Assertion (A): File-based systems suffer from data redundancy. Reason (R): Each application program maintains its own separate data files.

A. A is true, R is false
B. Both A and R are true, and R is the correct explanation of A
C. Both A and R are true, but R is not the correct explanation of A
D. A is false, R is true

Ans: B

Explanation: Since each application maintained independent files, the same data was often duplicated, directly causing redundancy.

Q23 | NEED | HISTORY OF DBMS **HIST**

Which of the following best describes 'data inconsistency' as a file-system limitation?

A. Data cannot be shared at all
B. Data stored in multiple copies may not be updated uniformly, leading to conflicting values
C. Data is stored only in one place
D. Data is always encrypted

Ans: B

Explanation: When redundant copies of data are not updated together, conflicting values across files cause inconsistency.

Q24 | NEED | HISTORY OF DBMS **HIST**

The security problem in traditional file-processing systems mainly arose because:

A. Only one file existed for the entire organization
B. There was no mechanism to enforce access control at a granular level
C. There was too much centralization
D. Data was always encrypted

Ans: B

Explanation: File systems typically lacked fine-grained authorization mechanisms to restrict access to sensitive data.

Q25 | EVOLUTION | HISTORY OF DBMS **HIST**

Which of these historical database systems used a tree-like structure to represent relationships between data?

A. Relational model
B. Deductive model
C. Hierarchical model
D. Network model

Ans: C

Explanation: The hierarchical model organizes data in a tree structure with parent-child relationships.

Q26 | MATCH THE FOLLOWING | HISTORY OF DBMS **HIST**

Match: 1. Hierarchical 2. Network 3. Relational 4. File-Based System with (a) Tables/rows (b) Tree structure (c) Owner-member set structure (d) Flat sequential files

A. 1-b,2-a,3-d,4-c
B. 1-b,2-c,3-a,4-d
C. 1-a,2-b,3-c,4-d
D. 1-c,2-b,3-d,4-a

Ans: B

Explanation: Hierarchical uses tree structures, Network uses owner-member sets, Relational uses tables, and File-Based Systems use flat sequential files.

Q27 | MILESTONE | HISTORY OF DBMS **HIST**

Which factor is considered a key historical milestone marking DBMS moving from research to industry adoption?

A. Invention of the mouse
B. Invention of the internet
C. Introduction of punch cards
D. Commercial release of Oracle in 1979

Ans: D

Explanation: Oracle's 1979 commercial release of a relational DBMS marked a major transition from academic research to industry adoption.

Q28 | EVOLUTION | HISTORY OF DBMS **HIST**

The term 'database' itself came into common use during which decade?

A. 1980s
B. 1950s
C. 2000s
D. 1960s

Ans: D

Explanation: The term 'database' gained common usage in the 1960s alongside the development of early database management systems.

Q29 | NEED | HISTORY OF DBMS **HIST**

Which of the following statements about early file-based systems is TRUE?

A. They had built-in query optimizers

B. They supported concurrent transactions safely

C. They provided full data independence

D. Application programs were tightly coupled with file structures

Ans: D

Explanation: In file systems, application code was directly tied to the physical structure of files, unlike in DBMS.

Q30 | EVOLUTION | HISTORY OF DBMS **HIST**

The evolution of DBMS from single-user systems to multi-user systems primarily addressed the need for:

A. Removal of programming languages

B. Concurrent access and shared data usage

C. Reduced hardware cost

D. Elimination of storage devices

Ans: B

Explanation: Multi-user DBMS capability allowed many users to share and concurrently access the same data reliably.

Q31 | EVOLUTION | HISTORY OF DBMS **HIST**

Which of the following is NOT considered a traditional (historical) DBMS data model?

A. Hierarchical

B. Cloud-native

C. Network

D. Relational

Ans: B

Explanation: Cloud-native databases are a modern development, not one of the traditional historical data models.

Q32 | NEED | HISTORY OF DBMS **HIST**

The primary reason organizations moved away from file-based systems to DBMS was:

A. To increase redundancy

B. To improve data management, sharing, and integrity

C. To increase application-specific control over data

D. To eliminate the need for storage

Ans: B

Explanation: DBMS was adopted to resolve the redundancy, isolation, and integrity problems inherent in file systems.

Q33 | EVOLUTION | HISTORY OF DBMS **HIST**

Which of the following best represents the correct evolutionary sequence of database technology?

A. Network, then Relational, then Hierarchical

B. Relational, then Hierarchical, then Network

C. Hierarchical, then Network, then Relational

D. Relational, then Network, then Hierarchical

Ans: C

Explanation: This reflects the actual historical progression of database system generations, from tree-based to set-based to table-based structures.

Q34 | NEED | HISTORY OF DBMS **HIST**

In the pre-DBMS era, who was primarily responsible for managing data access logic?

A. Database Administrator

B. End users directly

C. Application programmers within each program

D. Query optimizer

Ans: C

Explanation: In file-based systems, data access logic was embedded within each application program since there was no centralized DBMS.

Q35 | MILESTONE | HISTORY OF DBMS **HIST**

Which historical development directly enabled declarative, non-procedural data querying, as opposed to procedural file access?

A. Network model

B. Relational model with SQL

C. Hierarchical model

D. Flat files

Ans: B

Explanation: SQL, built on the relational model, allowed users to specify what data they wanted without detailing how to retrieve it.

Q36 | EVOLUTION | HISTORY OF DBMS **HIST**

What was a major limitation of the network (CODASYL) model that motivated the shift toward the relational model?

A. It supported SQL natively

B. It was too simple

C. Complex navigational access and rigid structure made it difficult to use and modify

D. It had no data at all

Ans: C

Explanation: The network model required complex, pointer-based navigational access, which the relational model simplified considerably.

Q37 | NEED | HISTORY OF DBMS **HIST**

Which statement about 'traditional file system vs DBMS' is historically accurate?

A. File systems had built-in backup and recovery mechanisms

B. File systems provided better data independence than DBMS

C. DBMS was developed to overcome redundancy, inconsistency, and integrity issues of file systems

D. File systems inherently supported multi-user concurrency control

Ans: C

Explanation: DBMS technology emerged specifically to resolve these long-standing shortcomings of file-based systems.

Q38 | MILESTONE | HISTORY OF DBMS **HIST**

Which of the following best represents a milestone that promoted portability of database applications across different DBMS vendors?

A. Adoption of a standardized query language (SQL) across multiple DBMS vendors

B. Continued reliance on proprietary, vendor-specific file formats

C. Return to single-vendor hierarchical systems

D. Elimination of query languages altogether

Ans: A

Explanation: A common, standardized query language allowed applications to be more portable across different vendors' relational DBMS products.

Q39 | EVOLUTION | HISTORY OF DBMS **HIST**

The primary purpose of studying the 'history of DBMS' in an academic syllabus is to understand:

A. How data management evolved to meet growing organizational needs

B. Internet protocols

C. Programming languages only

D. Hardware manufacturing

Ans: A

Explanation: Understanding this evolution helps explain why modern DBMS features exist and what problems they solve.

Q40 | MILESTONE | HISTORY OF DBMS **HIST**

Which pioneer is often referred to as the 'father of the relational database'?

A. Larry Ellison

B. Charles Bachman

C. E. F. Codd

D. Michael Stonebraker

Ans: C

Explanation: E. F. Codd's foundational 1970 paper earned him this widely used title.

Q41 | NEED | HISTORY OF DBMS **HIST**

Which of the following was a direct consequence of 'program-data dependence' in file-based systems?

A. No need for testing

B. Data could never be lost

C. Changing file structure required changes in all dependent application programs

D. Programs became simpler over time

Ans: C

Explanation: Program-data dependence meant the structure of files was embedded in application code, so file structure changes required corresponding code changes.

Q42 | NEED | HISTORY OF DBMS **HIST**

Which of the following statements correctly distinguishes DBMS from file systems in a historical context?

A. File systems support SQL while DBMS does not

B. Both provide identical levels of data independence

C. File systems offer centralized control; DBMS does not

D. DBMS provides centralized control, reduced redundancy, and data independence, which file systems lacked

Ans: D

Explanation: These are precisely the capabilities that DBMS added over traditional file-processing systems.

Q43 | EVOLUTION | HISTORY OF DBMS **HIST**

The transition from single flat files to hierarchical and then network models was primarily driven by the need to:

A. Eliminate the need for programmers

B. Represent more complex relationships between data

C. Avoid using computers

D. Reduce storage costs to zero

Ans: B

Explanation: Hierarchical and network models were developed to model more complex real-world relationships than flat files could.

Q44 | MILESTONE | HISTORY OF DBMS **HIST**

Which of the following is true regarding Michael Stonebraker's historical contribution to DBMS?

A. He invented the hierarchical model

B. He invented SQL

C. He worked exclusively on network model systems

D. He led the INGRES project, contributing significantly to relational database development

Ans: D

Explanation: Michael Stonebraker was a key figure behind the INGRES project at UC Berkeley, advancing relational database technology.

Q45 | EVOLUTION | HISTORY OF DBMS **HIST**

Which of the following best summarizes the overall historical trend in DBMS evolution?

A. Complete abandonment of relational concepts

B. Constant reduction in functionality

C. Progressive improvement in data independence, integrity, concurrency, and scalability

D. Increasing complexity with no benefit

Ans: C

Explanation: Over time, successive generations of DBMS technology improved on independence, integrity, concurrency handling, and scalability.

Q46 | NEED | HISTORY OF DBMS **HIST**

Which of the following best explains why 'traditional file systems' are still studied in DBMS history despite being outdated?

A. They are identical to modern DBMS

B. They are still the most widely used systems today

C. They illustrate the specific problems that DBMS technology was designed to solve

D. They have no relevance at all

Ans: C

Explanation: Understanding the shortcomings of file systems provides essential context for appreciating DBMS design goals.

Q47 | MILESTONE | HISTORY OF DBMS **HIST**

Which of the following best reflects a key milestone associated with the standardization of the relational query language?

A. ANSI SQL standardization in 1986

B. Introduction of the first hard disk

C. Development of the first spreadsheet software

D. Invention of punch cards in the 1890s

Ans: A

Explanation: The 1986 ANSI SQL standard was a landmark milestone unifying relational query language syntax across vendors.

Chapter 2: Advantages of DBMS

50 Questions | OAVS TGT Computer Science - MCQ Question Bank

Q1 | CONCEPT | ADVANTAGES OF DBMS **ADV**

Which of the following is considered the primary advantage of a DBMS?

A. Increased data redundancy
B. Increased file duplication
C. Reduced data consistency
D. Reduced data redundancy

Ans: D

Explanation: A DBMS minimizes unnecessary duplication of data, improving consistency and reducing storage requirements.

Q2 | DATA SHARING | ADVANTAGES OF DBMS **ADV**

'Data sharing' as an advantage of DBMS means:

A. Data cannot be shared across departments
B. Multiple users and applications can access the same data concurrently
C. Data sharing increases redundancy
D. Only one user can access data at a time

Ans: B

Explanation: A DBMS enables the same underlying data to be accessed and shared across multiple users and applications.

Q3 | CONSISTENCY | ADVANTAGES OF DBMS **ADV**

Data consistency in a DBMS is primarily maintained through:

A. Allowing unrestricted duplication
B. Removing all constraints
C. Storing multiple uncontrolled copies of data
D. Centralized control that ensures updates are reflected uniformly

Ans: D

Explanation: Centralized management ensures that once data is updated, all users see the same consistent version.

Q4 | INTEGRITY | ADVANTAGES OF DBMS **ADV**

Data integrity in a DBMS refers to:

A. Encrypting all data
B. Deleting invalid data automatically
C. Ensuring accuracy and correctness of data through constraints and rules
D. Increasing storage space

Ans: C

Explanation: Integrity constraints such as keys and check constraints ensure that stored data remains accurate and valid.

Q5 | SECURITY | ADVANTAGES OF DBMS **ADV**

Which DBMS feature helps protect data from unauthorized access?

A. Data redundancy

B. Lack of constraints

C. Security mechanisms and authorization

D. File duplication

Ans: C

Explanation: Authorization and access control mechanisms restrict data access to permitted users only.

Q6 | REDUNDANCY | ADVANTAGES OF DBMS **ADV**

'Reduced redundancy' in DBMS is achieved mainly through:

A. Removing all indexes

B. Increasing the number of files

C. Centralized data storage shared among applications

D. Storing each data item multiple times

Ans: C

Explanation: A shared, centralized data store avoids the need for each application to keep its own duplicate copy.

Q7 | BACKUP AND RECOVERY | ADVANTAGES OF DBMS **ADV**

Backup and recovery features of a DBMS are primarily designed to:

A. Restore data to a consistent state after failure

B. Eliminate the need for transactions

C. Increase data loss risk

D. Slow down the system

Ans: A

Explanation: Backup and recovery mechanisms ensure data can be restored to a valid state after crashes or failures.

Q8 | DATA INDEPENDENCE | ADVANTAGES OF DBMS **ADV**

'Data independence' as an advantage of DBMS allows:

A. Applications to be affected by every change in data storage

B. Changes in data storage structure without affecting application programs

C. Removal of all data from storage

D. Applications to directly manipulate physical storage

Ans: B

Explanation: Data independence insulates application programs from changes made to the underlying storage structure.

Q9 | CENTRALIZED CONTROL | ADVANTAGES OF DBMS **ADV**

Centralized control in a DBMS environment enables:

A. Consistent enforcement of standards, security, and integrity across the organization

B. Removal of data sharing

C. Complete elimination of the DBA role

D. Each department managing its own separate incompatible files

Ans: A

Explanation: A single point of control allows uniform policies for security, standards, and integrity organization-wide.

Q10 | CONCEPT | ADVANTAGES OF DBMS **ADV**

Which of the following is NOT typically listed as an advantage of DBMS?

A. Increased application development cost and complexity

B. Reduced data redundancy

C. Improved data security

D. Better data consistency

Ans: A

Explanation: Increased cost and complexity are limitations, not advantages, of DBMS.

Q11 | DATA INDEPENDENCE | ADVANTAGES OF DBMS **ADV**

Physical data independence means:

A. Applications directly control disk storage

B. Changes in logical schema never affect anything

C. Data is stored without any structure

D. Changes in physical storage structure do not require changes in the conceptual schema or application programs

Ans: D

Explanation: Physical data independence shields the conceptual level and applications from changes in physical storage.

Q12 | DATA INDEPENDENCE | ADVANTAGES OF DBMS **ADV**

Logical data independence means:

A. Changes in the conceptual schema do not require changes in external schemas or application programs

B. Changes to the physical storage do not affect the conceptual schema

C. Direct access to disk blocks

D. Removing all schemas

Ans: A

Explanation: Logical data independence protects external views and applications from certain changes at the conceptual level.

Q13 | INTEGRITY | ADVANTAGES OF DBMS **ADV**

Which advantage of DBMS ensures that a bank transaction either fully completes or has no effect at all?

A. Atomicity ensured through transaction management, contributing to integrity

B. Data redundancy control

C. Data isolation

D. Poor concurrency

Ans: A

Explanation: Transaction management guarantees atomicity, so operations either complete fully or are rolled back entirely.

Q14 | SCENARIO | ADVANTAGES OF DBMS **ADV**

A company previously stored customer data separately in sales, billing, and support departments, causing conflicting records. A DBMS primarily solves this via:

A. Removing all customer data

B. Increasing redundancy further

C. Isolating data further

D. Centralized, shared, and consistent data storage

Ans: D

Explanation: Centralizing customer data in one shared database eliminates conflicting, duplicated departmental records.

Q15 | FILL IN THE BLANK | ADVANTAGES OF DBMS **ADV**

The DBMS advantage where the same set of data can be used by multiple applications simultaneously is called _____.

A. Data redundancy

B. Data duplication

C. Data sharing

D. Data isolation

Ans: C

Explanation: Data sharing allows a single copy of data to serve multiple applications and users at once.

Q16 | CONCEPT | ADVANTAGES OF DBMS **ADV**

Which of the following best defines 'controlled redundancy' as practiced in DBMS?

A. Redundancy is always harmful and never allowed

B. Some redundancy may be retained deliberately and managed to improve performance, while inconsistency is controlled

C. Redundancy applies only to backup files

D. Redundancy is completely eliminated with no exceptions

Ans: B

Explanation: DBMS design sometimes retains limited, controlled redundancy for performance, while managing it to avoid inconsistency.

Q17 | ASSERTION-REASON | ADVANTAGES OF DBMS ADV

Assertion (A): DBMS improves data security. Reason (R): DBMS provides authorization mechanisms restricting access based on user roles.

A. Both true, R does not explain A
B. A false, R true
C. Both true, R correctly explains A
D. A true, R false

Ans: C

Explanation: Role-based authorization mechanisms are precisely how DBMS achieves improved security.

Q18 | CENTRALIZED CONTROL | ADVANTAGES OF DBMS ADV

Which of the following is a direct benefit of centralized data management under DBMS?

A. Easier enforcement of standards and consistent backup policies
B. Loss of data ownership clarity
C. Reduced accountability
D. Increased data scattering

Ans: A

Explanation: Centralized management allows uniform application of organizational standards and backup policies.

Q19 | BACKUP AND RECOVERY | ADVANTAGES OF DBMS ADV

A DBMS's recovery mechanism typically uses which of the following to restore data after a crash?

A. Deleting corrupted files permanently
B. Redundancy elimination only
C. Manual re-entry of all data
D. Transaction logs and backups

Ans: D

Explanation: Recovery relies on transaction logs combined with periodic backups to restore a consistent database state.

Q20 | INTEGRITY | ADVANTAGES OF DBMS ADV

Which feature allows a DBMS to enforce that a 'salary' field can never be negative?

A. Data redundancy
B. File duplication
C. Data isolation
D. Integrity constraints

Ans: D

Explanation: Check constraints, a type of integrity constraint, can enforce valid value ranges such as non-negative salaries.

Q21 | DATA SHARING | ADVANTAGES OF DBMS **ADV**

The main advantage of 'data sharing' is best illustrated by which scenario?

A. Applications unable to access shared tables

B. Sales, inventory, and finance departments all accessing a single, unified customer/order database

C. Two departments maintaining completely separate, disconnected copies of customer data

D. Only the DBA being allowed to view data

Ans: B

Explanation: A single unified database accessible by multiple departments exemplifies effective data sharing.

Q22 | CONSISTENCY | ADVANTAGES OF DBMS **ADV**

Compared to file systems, DBMS provides better data consistency mainly because:

A. It stores multiple independent uncontrolled copies

B. It disables all update operations

C. Updates are centrally managed so all users see the same up-to-date data

D. It removes need for any validation

Ans: C

Explanation: Centralized update management ensures that all users work with the same current version of the data.

Q23 | INTEGRITY | ADVANTAGES OF DBMS **ADV**

Which of the following features contributes to both data integrity and consistency in DBMS?

A. Constraints such as primary key, foreign key, and check constraints

B. Removing all keys

C. Allowing duplicate primary keys

D. Ignoring referential integrity

Ans: A

Explanation: Key and check constraints enforce valid, accurate, and consistent relationships among stored data.

Q24 | BACKUP AND RECOVERY | ADVANTAGES OF DBMS **ADV**

DBMS provides 'backup and recovery' as an advantage primarily to protect against:

A. Increased user access

B. System crashes, hardware failures, and data loss

C. Excessive documentation

D. Slow query performance

Ans: B

Explanation: Backup and recovery mechanisms exist specifically to safeguard against data loss from failures.

Q25 | CONCEPT | ADVANTAGES OF DBMS **ADV**

Which of the following best describes the advantage of 'reduced application development time' under DBMS?

A. DBMS increases the code applications must write

B. A common DBMS interface/API reduces redundant coding for data access across applications

C. There is no reusability benefit

D. Developers must rewrite data access logic for every application

Ans: B

Explanation: Standard DBMS interfaces let developers reuse common data access logic instead of rewriting it repeatedly.

Q26 | SECURITY | ADVANTAGES OF DBMS **ADV**

In terms of security, which of the following DBMS advantages is correct?

A. Security is solely the concern of application programs

B. DBMS provides fine-grained access control through user roles and privileges

C. DBMS gives every user equal, unrestricted access

D. DBMS cannot restrict access at table or column level

Ans: B

Explanation: DBMS supports granular privilege assignment at table, column, and row levels through role-based access control.

Q27 | CONCEPT | ADVANTAGES OF DBMS **ADV**

A key benefit of DBMS is 'concurrent access control,' which primarily ensures:

A. No transactions are allowed

B. Only one user can access the database at a time

C. Multiple users can access and modify data simultaneously without conflicts or anomalies

D. Data becomes permanently locked

Ans: C

Explanation: Concurrency control mechanisms allow safe simultaneous access by multiple users while preserving consistency.

Q28 | DATA INDEPENDENCE | ADVANTAGES OF DBMS **ADV**

Which advantage of DBMS is illustrated when a university changes its physical storage device without needing to modify student record applications?

A. Data redundancy

B. Logical data independence

C. Physical data independence

D. Poor integrity

Ans: C

Explanation: This scenario is a textbook example of physical data independence.

Q29 | CENTRALIZED CONTROL | ADVANTAGES OF DBMS **ADV**

Which of the following is an advantage related to 'standardization' in a DBMS environment?

A. Redundant, conflicting data definitions

B. Uniform data formats, naming conventions, and documentation across the organization

C. Every department uses different, incompatible data formats

D. No naming conventions are enforced

Ans: B

Explanation: Centralized DBMS management encourages consistent standards and documentation organization-wide.

Q30 | REDUNDANCY | ADVANTAGES OF DBMS **ADV**

DBMS reduces 'data redundancy' but does NOT completely eliminate it because:

A. DBMS cannot store any duplicate values ever

B. Redundancy is impossible to reduce

C. Controlled redundancy may be retained for performance or specific design needs

D. Redundancy has no relation to DBMS design

Ans: C

Explanation: Some deliberate, controlled redundancy is sometimes retained by design for performance reasons.

Q31 | MATCH THE FOLLOWING | ADVANTAGES OF DBMS **ADV**

Match: 1. Data Independence 2. Integrity 3. Security 4. Backup and Recovery with (a) Restoring lost data (b) Restricting unauthorized access (c) Insulating applications from storage changes (d) Enforcing accuracy rules

A. 1-b, 2-a, 3-d, 4-c

B. 1-d, 2-c, 3-a, 4-b

C. 1-a, 2-b, 3-c, 4-d

D. 1-c, 2-d, 3-b, 4-a

Ans: D

Explanation: Data independence insulates applications from storage changes, integrity enforces accuracy rules, security restricts access, and backup/recovery restores lost data.

Q32 | CONCEPT | ADVANTAGES OF DBMS **ADV**

Which of the following statements about DBMS advantages is FALSE?

A. DBMS eliminates the need for any backup strategy

B. DBMS supports data sharing among multiple users

C. DBMS provides centralized control

D. DBMS improves data consistency

Ans: A

Explanation: DBMS still requires a well-planned backup strategy; it does not eliminate this need.

Q33 | CONCEPT | ADVANTAGES OF DBMS **ADV**

The advantage of the 'self-describing nature' of a database system refers to:

A. Absence of any schema

B. Applications describing the database instead of the DBMS

C. The database containing both data and metadata (data dictionary) describing its own structure

D. The database containing only data, no metadata

Ans: C

Explanation: A DBMS stores metadata in a data dictionary alongside the actual data, describing its own structure.

Q34 | CONCEPT | ADVANTAGES OF DBMS **ADV**

Multiple views of data for different users is an advantage that supports:

A. Only one fixed way of viewing data for everyone

B. Tailored external views (subschemas) suited to different user needs while sharing the same underlying data

C. Complete duplication of the database per user

D. No customization of data presentation

Ans: B

Explanation: External views allow each user group to see a tailored perspective of the same shared underlying data.

Q35 | CONCEPT | ADVANTAGES OF DBMS **ADV**

Which of the following is an advantage of DBMS related to 'economy of scale'?

A. DBMS increases the number of required servers linearly per department

B. DBMS always costs more than separate file systems in every case

C. Combining data and application management reduces overall organizational cost compared to maintaining many separate file systems

D. Economy of scale does not apply to data management

Ans: C

Explanation: Centralizing data management can reduce overall costs compared to maintaining many fragmented file systems.

Q36 | INTEGRITY | ADVANTAGES OF DBMS **ADV**

A DBA can enforce integrity constraints such as domain, key, and referential integrity primarily to achieve:

A. Slower query response

B. Reduced data sharing

C. Accurate and reliable data across the organization

D. Increased data redundancy

Ans: C

Explanation: Integrity constraints ensure the accuracy and reliability of data throughout the organization.

Q37 | CONSISTENCY | ADVANTAGES OF DBMS **ADV**

Which DBMS advantage directly reduces the chances of updating one copy of data while leaving another copy outdated?

A. Data isolation

B. Controlled/reduced redundancy leading to improved consistency

C. Lack of constraints

D. Increased redundancy

Ans: B

Explanation: By minimizing redundant copies, DBMS reduces the risk of some copies becoming outdated while others are updated.

Q38 | CONCEPT | ADVANTAGES OF DBMS **ADV**

DBMS-provided 'concurrent transaction management' primarily prevents which type of problem?

A. Reduced data sharing

B. Increased hardware costs

C. Slow backup speed

D. Lost update and inconsistent read anomalies

Ans: D

Explanation: Concurrency control specifically prevents anomalies like lost updates and inconsistent reads during simultaneous access.

Q39 | CENTRALIZED CONTROL | ADVANTAGES OF DBMS **ADV**

Which statement best explains why 'centralized control' is considered an advantage of DBMS?

A. It increases redundant, unmanaged data silos

B. It eliminates the need for a data dictionary

C. It allows a single authority (DBA) to enforce standards, security, and integrity uniformly

D. It removes any accountability

Ans: C

Explanation: Centralized authority through the DBA enables consistent, organization-wide enforcement of policies.

Q40 | CONCEPT | ADVANTAGES OF DBMS **ADV**

Which of the following is an advantage of DBMS in terms of query capability?

A. Users must write low-level file access code for each query

B. Queries cannot be optimized

C. Only programmers can retrieve any data

D. Non-procedural query languages like SQL simplify data retrieval for users

Ans: D

Explanation: SQL's declarative nature lets users specify what data they need without detailing retrieval procedures.

Q41 | CONCEPT | ADVANTAGES OF DBMS **ADV**

In DBMS, 'improved data accessibility and responsiveness' is achieved through:

A. Query languages and indexing structures enabling fast, flexible data retrieval

B. Storing data only on tape drives

C. Removing all indexes

D. Disabling query optimization

Ans: A

Explanation: Indexing and efficient query processing together enable fast and flexible access to data.

Q42 | SECURITY | ADVANTAGES OF DBMS **ADV**

A key advantage of a DBMS relevant to compliance and auditing is:

A. Maintaining detailed logs and audit trails of data access/modification

B. Removing all historical records

C. Disabling transaction logs

D. Preventing any tracking of user actions

Ans: A

Explanation: Audit trails and access logs support compliance requirements by recording who accessed or changed data.

Q43 | CONCEPT | ADVANTAGES OF DBMS **ADV**

Which of the following best represents the advantage 'reduced program maintenance'?

A. Programs become more tightly coupled to storage details

B. Every data change requires rewriting all applications

C. Since data structure changes are isolated from applications through data independence, less application code needs to be rewritten

D. Maintenance effort increases with DBMS

Ans: C

Explanation: Data independence limits the ripple effect of storage changes, reducing the need to rewrite application code.

Q44 | SCENARIO | ADVANTAGES OF DBMS **ADV**

An organization's HR, Payroll, and Finance departments all draw employee salary information from one shared, authoritative database table. This demonstrates which DBMS advantage?

A. Data isolation

B. Poor security

C. Data sharing and reduced redundancy

D. Lack of integrity

Ans: C

Explanation: A single shared, authoritative source used by multiple departments exemplifies data sharing and reduced redundancy.

Q45 | BACKUP AND RECOVERY | ADVANTAGES OF DBMS **ADV**

Which advantage ensures that even after a system crash mid-transaction, the database returns to a consistent prior state?

A. Poor concurrency control

B. Lack of constraints

C. Recovery management ensuring atomicity and durability

D. Data redundancy

Ans: C

Explanation: Recovery management restores the database to a consistent state by rolling back incomplete transactions.

Q46 | CONCEPT | ADVANTAGES OF DBMS **ADV**

The DBMS advantage of 'flexibility' is best demonstrated by:

A. Fixed and unchangeable file formats

B. Requiring a full system rebuild for any change

C. Ability to add new data types, fields, or relationships with minimal disruption to existing applications, aided by data independence

D. Complete inability to modify schema ever

Ans: C

Explanation: Data independence allows schema evolution with minimal disruption to existing applications.

Q47 | CONCEPT | ADVANTAGES OF DBMS **ADV**

Which of the following is true about DBMS providing 'multiple user interfaces'?

A. Naive users must write SQL directly

B. There is no interface flexibility

C. DBMS provides only one rigid interface for all users

D. DBMS can support both programmatic (API) and query-based (SQL) interfaces suited to different user types

Ans: D

Explanation: Different user categories can interact via forms, APIs, or direct SQL depending on their needs.

Q48 | INTEGRITY | ADVANTAGES OF DBMS **ADV**

DBMS enforces 'referential integrity' mainly to:

A. Increase redundant copies

B. Allow orphan records freely

C. Disable relationships between tables

D. Ensure relationships between tables (foreign keys) remain valid and consistent

Ans: D

Explanation: Referential integrity constraints ensure foreign key values correspond to valid primary key values in related tables.

Q49 | CONCEPT | ADVANTAGES OF DBMS **ADV**

Which is NOT a genuine benefit typically attributed to DBMS?

A. Enhanced data security

B. Improved concurrent access

C. Reduced redundancy

D. Elimination of the need for a DBA

Ans: D

Explanation: DBMS does not eliminate the need for a DBA; in fact, it introduces the role of DBA to manage the system centrally.

Q50 | CONCEPT | ADVANTAGES OF DBMS **ADV**

Which combination best represents the 'core advantages' of DBMS as commonly listed in exam syllabi?

A. Only centralized control

B. Only backup and recovery

C. Data sharing, consistency, integrity, security, reduced redundancy, backup/recovery, data independence, centralized control

D. Redundancy increase, poor security, high cost

Ans: C

Explanation: These are the standard, syllabus-recognized advantages of DBMS over file-based systems.

Chapter 3: Limitations of DBMS

45 Questions | OAVS TGT Computer Science - MCQ Question Bank

Q1 | COST | LIMITATIONS OF DBMS **LIM**

Which of the following is a limitation of DBMS related to financial investment?

A. High cost of software, hardware, and skilled personnel

B. Reduced redundancy

C. Improved integrity

D. Better data sharing

Ans: A

Explanation: Implementing a DBMS involves significant costs for software licenses, hardware, and trained staff.

Q2 | COMPLEXITY | LIMITATIONS OF DBMS **LIM**

The 'complexity' limitation of DBMS refers to:

A. Simple, easy-to-understand systems requiring no training

B. Sophisticated software requiring specialized knowledge to design, implement, and maintain

C. Elimination of the need for a DBA

D. Reduced need for planning

Ans: B

Explanation: DBMS software is sophisticated, and designing and maintaining it requires specialized expertise.

Q3 | HARDWARE REQUIREMENT | LIMITATIONS OF DBMS **LIM**

DBMS often requires substantial hardware resources such as:

A. Significant memory, processing power, and storage capacity

B. Minimal memory and no processing power

C. No storage devices at all

D. Only a single floppy disk

Ans: A

Explanation: Running a DBMS efficiently typically demands considerable memory, CPU power, and storage.

Q4 | PERFORMANCE OVERHEAD | LIMITATIONS OF DBMS **LIM**

'Performance overhead' as a DBMS limitation refers to:

A. Complete absence of any processing delay

B. DBMS always being faster than file systems in every scenario

C. Additional processing for features like concurrency control, security checks, and integrity enforcement, which can slow operations

D. Removal of all system resources

Ans: C

Explanation: Features like locking, constraint checking, and logging add processing overhead compared to raw file access.

Q5 | FAILURE IMPACT | LIMITATIONS OF DBMS **LIM**

A key limitation regarding 'failure impact' in DBMS is that:

A. DBMS is immune to hardware failure

B. Each department is unaffected by centralized failures

C. Failures never affect the system

D. Centralization means a single failure can affect the entire organization's data availability

Ans: D

Explanation: Because data is centralized, a single system failure can disrupt access across the whole organization.

Q6 | MAINTENANCE | LIMITATIONS OF DBMS **LIM**

'Maintenance' as a limitation of DBMS includes:

A. Continuous need for backups, tuning, updates, and monitoring by skilled staff

B. Elimination of the DBA role

C. One-time setup with no further effort

D. No need for regular monitoring

Ans: A

Explanation: DBMS systems require ongoing maintenance, monitoring, and tuning to remain reliable and efficient.

Q7 | OTHER LIMITATIONS | LIMITATIONS OF DBMS **LIM**

Which of the following is considered a standard limitation of DBMS?

A. Reduced data redundancy

B. Better security

C. Improved data consistency

D. Requirement of specialized/skilled staff (DBA, developers), increasing operational cost

Ans: D

Explanation: Skilled personnel are essential to operate a DBMS, adding to the organization's operational costs.

Q8 | COST | LIMITATIONS OF DBMS **LIM**

The high setup and licensing cost of DBMS software is a limitation especially significant for:

A. Government organizations only

B. No organization is affected by cost

C. Large multinational corporations only

D. Small organizations with limited budgets

Ans: D

Explanation: Small organizations with tight budgets often find DBMS setup and licensing costs disproportionately burdensome.

Q9 | COMPLEXITY | LIMITATIONS OF DBMS **LIM**

Which of the following best explains 'complexity' as a DBMS limitation for developers?

A. DBMS eliminates all technical skill requirements

B. Complexity has no bearing on cost

C. Designing schemas, writing efficient queries, and managing a DBMS requires specialized skills and training

D. Developers need no special training to use DBMS features

Ans: C

Explanation: Effective schema design and query writing demand specialized technical training.

Q10 | FAILURE IMPACT | LIMITATIONS OF DBMS **LIM**

Centralization of data, while an advantage, also creates a limitation because:

A. It never causes any risk

B. It always improves performance

C. It removes the DBA's importance

D. A single point of failure can disrupt access for the entire organization

Ans: D

Explanation: Centralized systems carry the risk that one failure point can affect the entire organization's operations.

Q11 | PERFORMANCE OVERHEAD | LIMITATIONS OF DBMS **LIM**

Which limitation relates to the additional resources DBMS consumes for maintaining logs, indexes, and metadata?

A. Better concurrency

B. Reduced redundancy

C. Improved integrity

D. Performance/storage overhead

Ans: D

Explanation: Logs, indexes, and metadata all consume additional storage and processing resources.

Q12 | COST | LIMITATIONS OF DBMS **LIM**

The cost limitation of DBMS includes which of the following components?

A. Only training costs

B. Software, hardware, training, and skilled personnel costs

C. Only hardware costs

D. Software licensing costs only

Ans: B

Explanation: Total cost of DBMS ownership spans software, hardware, staff training, and skilled personnel.

Q13 | FAILURE IMPACT | LIMITATIONS OF DBMS **LIM**

Which of the following scenarios best illustrates the 'failure impact' limitation?

A. One department's file becomes corrupted, but others remain unaffected

B. DBMS failure has zero effect on operations

C. A single server hosting the centralized DBMS goes down, halting operations across all departments

D. Backup systems are unnecessary

Ans: C

Explanation: A centralized DBMS outage can simultaneously disrupt every department relying on that shared system.

Q14 | COST | LIMITATIONS OF DBMS **LIM**

For small-scale applications with simple data needs, DBMS may be considered a limitation because:

A. It always improves efficiency at no cost

B. It has no learning curve

C. The overhead, cost, and complexity may outweigh the benefits compared to simpler file-based solutions

D. Small applications never need any planning

Ans: C

Explanation: For very simple needs, the overhead of a full DBMS may not be justified compared to lighter alternatives.

Q15 | SOFTWARE REQUIREMENT | LIMITATIONS OF DBMS **LIM**

Which is a typical limitation related to 'software requirements' of DBMS?

A. DBMS runs without any installation

B. DBMS often requires specific compatible operating systems, drivers, and supporting software

C. DBMS requires no operating system support

D. DBMS eliminates the need for any software environment

Ans: B

Explanation: DBMS software typically has specific compatibility requirements with operating systems and supporting software.

Q16 | ASSERTION-REASON | LIMITATIONS OF DBMS **LIM**

Assertion (A): DBMS implementation increases organizational costs. Reason (R): DBMS requires specialized hardware, software licenses, and trained personnel.

A. Both true, R does not explain A

B. Both true, R correctly explains A

C. A true, R false

D. A false, R true

Ans: B

Explanation: These specific resource requirements are exactly why DBMS adoption raises organizational costs.

Q17 | COST | LIMITATIONS OF DBMS **LIM**

Which of the following is an accurate limitation regarding DBMS and small businesses?

A. DBMS provides no benefit regardless of scale

B. The overhead cost may not be justified for organizations with very simple, small-scale data needs

C. Small businesses never use file systems

D. DBMS is always cheaper than file systems for small businesses

Ans: B

Explanation: Small businesses with simple needs may find the cost of a full DBMS disproportionate to their requirements.

Q18 | MAINTENANCE | LIMITATIONS OF DBMS **LIM**

The need for continuous backup, tuning, and monitoring in DBMS results in which limitation?

A. Elimination of the DBA role

B. Increased ongoing maintenance effort and cost

C. No need for recovery planning

D. Reduced maintenance effort

Ans: B

Explanation: Ongoing operational tasks like backup and tuning add to the maintenance burden of running a DBMS.

Q19 | PERFORMANCE OVERHEAD | LIMITATIONS OF DBMS **LIM**

Which limitation arises from DBMS enforcing integrity constraints and concurrency control mechanisms on every transaction?

A. Additional processing overhead reducing raw transaction speed compared to unconstrained file access

B. Zero processing overhead

C. Faster performance than any file system in all cases

D. Complete elimination of transaction processing

Ans: A

Explanation: Constraint checking and concurrency control add processing steps that can reduce raw transaction speed.

Q20 | CONCEPT | LIMITATIONS OF DBMS **LIM**

Which of the following is NOT typically listed as a limitation of DBMS?

A. Performance overhead

B. Complexity

C. Data sharing

D. High cost

Ans: C

Explanation: Data sharing is an advantage of DBMS, not a limitation.

Q21 | COST | LIMITATIONS OF DBMS **LIM**

The requirement for a trained Database Administrator to manage a DBMS is considered a limitation because:

A. It has no cost implication

B. It adds to organizational recruitment and salary costs

C. Anyone can perform DBA tasks without training

D. DBAs are never required

Ans: B

Explanation: Hiring and retaining skilled DBAs adds recurring costs to the organization's budget.

Q22 | OTHER LIMITATIONS | LIMITATIONS OF DBMS **LIM**

Which is a valid limitation of DBMS in terms of 'conversion cost'?

A. Conversion is always free and instantaneous

B. There is never any legacy data to migrate

C. DBMS requires no data migration

D. Migrating existing file-based data into a DBMS can be costly and complex

Ans: D

Explanation: Migrating legacy file-based data to a new DBMS structure often involves considerable cost and effort.

Q23 | HARDWARE REQUIREMENT | LIMITATIONS OF DBMS **LIM**

Which of the following best describes 'hardware requirement' limitations of a DBMS?

A. DBMS often needs powerful processors, sufficient RAM, and adequate storage to run efficiently

B. DBMS can run on any minimal legacy hardware without issue

C. DBMS has no hardware dependency

D. DBMS demands negligible processing power and memory

Ans: A

Explanation: Efficient DBMS operation typically requires adequate processing power, memory, and storage.

Q24 | OTHER LIMITATIONS | LIMITATIONS OF DBMS **LIM**

A limitation of DBMS related to scalability for very large enterprises is:

A. Scalability is never a concern

B. DBMS scales infinitely with zero added cost

C. Large-scale usage has no complexity

D. Managing very large, complex, and rapidly growing databases can require substantial additional investment and expertise

Ans: D

Explanation: Very large databases demand additional investment in infrastructure and specialized expertise to manage growth.

Q25 | FAILURE IMPACT | LIMITATIONS OF DBMS **LIM**

Which of the following is a 'failure impact' concern specific to centralized DBMS architectures?

A. Failure impact only affects the DBA

B. Failures are always isolated to individual users

C. If the central database becomes unavailable, all dependent applications may be affected simultaneously

D. Centralized systems are immune to downtime

Ans: C

Explanation: A centralized failure can cascade across all applications and users depending on that single system.

Q26 | COMPLEXITY | LIMITATIONS OF DBMS **LIM**

Complexity in DBMS design particularly affects which group?

A. No one is affected by design complexity

B. Hardware vendors only

C. End users who never interact with the schema

D. Database designers and administrators who must model data, define schemas, and optimize performance

Ans: D

Explanation: Designers and DBAs bear the burden of managing schema design and performance optimization complexity.

Q27 | OTHER LIMITATIONS | LIMITATIONS OF DBMS **LIM**

Which of these best reflects the limitation of 'specialized staff requirement'?

A. Organizations must hire or train DBAs and skilled developers, increasing operational costs

B. Specialized staff requirements do not exist for DBMS

C. DBMS requires no technical staff

D. Any general office worker can manage a DBMS without training

Ans: A

Explanation: Skilled personnel are needed to operate and maintain a DBMS, adding to operational cost.

Q28 | CONCEPT | LIMITATIONS OF DBMS **LIM**

Which of the following combinations correctly represents standard DBMS limitations?

A. Reduced redundancy, better integrity, lower cost

B. High cost, complexity, hardware/software requirements, performance overhead, failure impact, maintenance

C. Backup/recovery, data independence, consistency

D. Improved security, data sharing, centralized control

Ans: B

Explanation: These are the standard limitations recognized in DBMS syllabi, in contrast to the advantages.

Q29 | FILL IN THE BLANK | LIMITATIONS OF DBMS **LIM**

The limitation where DBMS operations may become slower due to overhead of constraint checking and logging is called _____.

A. Performance overhead

B. Data isolation

C. Data redundancy

D. Centralized control

Ans: A

Explanation: This describes the performance overhead limitation directly.

Q30 | MAINTENANCE | LIMITATIONS OF DBMS **LIM**

Which of the following is an example of a maintenance-related limitation of DBMS?

A. Maintenance responsibilities disappear with DBMS

B. Maintenance only applies to file systems

C. No maintenance is ever required after installation

D. Regular need for performance tuning, index rebuilding, and software updates

Ans: D

Explanation: Ongoing tuning, index rebuilding, and updates are typical maintenance tasks required for DBMS.

Q31 | COMPLEXITY | LIMITATIONS OF DBMS **LIM**

A limitation associated with DBMS complexity is that:

A. Query design is irrelevant to performance

B. Schema design requires no expertise

C. Poorly designed schemas or queries can lead to significant performance issues, requiring expert tuning

D. Complexity has no effect on system performance

Ans: C

Explanation: Suboptimal schema or query design can cause significant performance problems needing expert intervention.

Q32 | FAILURE IMPACT | LIMITATIONS OF DBMS **LIM**

Which of the following statements about DBMS limitations is TRUE?

A. Centralized DBMS failure can disrupt access for multiple dependent applications simultaneously

B. DBMS eliminates the need for backup strategies

C. DBMS has no associated licensing or hardware costs

D. DBMS guarantees zero downtime under all circumstances

Ans: A

Explanation: This is a core limitation stemming from the centralized nature of most DBMS deployments.

Q33 | MAINTENANCE | LIMITATIONS OF DBMS **LIM**

Which of the following is a limitation related to upgrading or migrating a DBMS to a newer version?

A. Version upgrades can involve compatibility issues, downtime, and additional cost

B. Upgrades eliminate all previous limitations permanently

C. Upgrades are always instant and risk-free

D. DBMS never requires version upgrades

Ans: A

Explanation: Upgrading DBMS versions can introduce compatibility challenges, downtime, and added expense.

Q34 | OTHER LIMITATIONS | LIMITATIONS OF DBMS **LIM**

Which of the following is a valid limitation concerning 'training' requirements for DBMS adoption?

A. Training requirements apply only to hardware vendors

B. End users and staff may require training to effectively use new DBMS tools and interfaces

C. No training is ever necessary

D. DBMS is universally intuitive with zero learning curve

Ans: B

Explanation: Adopting new DBMS tools often requires staff training to use them effectively.

Q35 | OTHER LIMITATIONS | LIMITATIONS OF DBMS **LIM**

In terms of limitations, 'vendor lock-in' can occur in DBMS because:

A. Proprietary DBMS features/formats may make switching to another vendor's system costly and complex

B. All DBMS vendors use identical standards with zero switching cost

C. Open standards eliminate this concern entirely

D. Vendor lock-in never occurs in DBMS

Ans: A

Explanation: Proprietary features and formats can make it costly and complex to switch DBMS vendors.

Q36 | OTHER LIMITATIONS | LIMITATIONS OF DBMS **LIM**

Which is a limitation related to 'network dependency' in modern client-server DBMS deployments?

A. DBMS operates independently of any network

B. DBMS never requires network connectivity

C. Network downtime or latency can directly impact database availability and performance for remote users

D. Network issues never affect centralized databases

Ans: C

Explanation: Client-server DBMS deployments depend on network connectivity, so outages or latency directly affect access.

Q37 | CONCEPT | LIMITATIONS OF DBMS **LIM**

Which statement best captures the trade-off represented by DBMS limitations?

A. Limitations of DBMS apply only to file systems

B. DBMS limitations are identical to its advantages

C. DBMS has no trade-offs whatsoever

D. DBMS offers powerful features and control at the cost of higher complexity, resource requirements, and centralized failure risk

Ans: D

Explanation: DBMS's powerful capabilities come with corresponding trade-offs in cost, complexity, and centralized risk.

Q38 | SCENARIO | LIMITATIONS OF DBMS **LIM**

A small retail shop with minimal data needs decides to implement a full-scale enterprise DBMS. Which limitation is most likely to be relevant here?

A. Improved data sharing across departments

B. Better data integrity than needed

C. Reduced redundancy is a problem

D. Unjustifiably high cost and complexity relative to the shop's simple requirements

Ans: D

Explanation: For such simple needs, a full enterprise DBMS's cost and complexity may be disproportionate.

Q39 | PERFORMANCE OVERHEAD | LIMITATIONS OF DBMS **LIM**

Which of the following best explains why 'performance overhead' is considered a limitation even in well-designed DBMS?

A. Overhead is completely avoidable with any DBMS

B. Even well-designed DBMS must perform additional checks such as constraints, locking, and logging that inherently add some processing cost

C. Overhead applies only to hardware, not software

D. File systems have more overhead than DBMS always

Ans: B

Explanation: Necessary safety features like locking and logging inherently introduce some processing overhead.

Q40 | OTHER LIMITATIONS | LIMITATIONS OF DBMS **LIM**

Which of the following is an example of 'other standard limitations' typically cited for DBMS, beyond cost and complexity?

A. Zero need for periodic backups

B. Complete immunity to hardware failure

C. Guaranteed elimination of redundancy in all cases

D. Risk of vendor lock-in and dependency on specialized DBMS expertise

Ans: D

Explanation: Vendor lock-in and dependence on specialized expertise are commonly cited additional DBMS limitations.

Q41 | OTHER LIMITATIONS | LIMITATIONS OF DBMS **LIM**

Which of the following most accurately reflects a limitation of DBMS related to organizational change management?

A. Migrating from legacy file systems to DBMS may require significant organizational, procedural, and staff training changes

B. Organizational processes are unaffected by DBMS adoption

C. Adopting DBMS requires no changes to existing workflows

D. DBMS adoption is instantaneous with no transition period

Ans: A

Explanation: Transitioning to a DBMS often requires substantial changes to workflows, procedures, and staff skills.

Q42 | CONCEPT | LIMITATIONS OF DBMS **LIM**

Which of the following is NOT a valid limitation of DBMS?

A. Performance overhead due to added functionality

B. Elimination of data redundancy entirely with zero overhead

C. Requirement of skilled personnel

D. High initial implementation cost

Ans: B

Explanation: DBMS reduces, but does not entirely eliminate, redundancy, and this reduction comes with some overhead, making this statement factually incorrect.

Q43 | COST | LIMITATIONS OF DBMS **LIM**

Which of the following statements about DBMS cost limitations is most accurate?

A. DBMS implementation has no cost implications

B. Cost includes only the price of the DBMS software license

C. Cost includes software, hardware, training, staffing, and ongoing maintenance expenses

D. Cost concerns apply only to open-source DBMS

Ans: C

Explanation: Total cost of ownership spans far more than just the software license itself.

Q44 | FAILURE IMPACT | LIMITATIONS OF DBMS **LIM**

Which limitation is most directly linked to the statement: 'A bug or crash in the DBMS engine can potentially affect all applications relying on it'?

A. Reduced redundancy

B. Data sharing advantage

C. Centralized failure impact

D. Improved backup features

Ans: C

Explanation: This describes the centralized failure impact limitation, where one point of failure affects many dependents.

Q45 | CONCEPT | LIMITATIONS OF DBMS **LIM**

Overall, which best summarizes the limitations of DBMS as covered in the syllabus?

A. DBMS limitations only apply to obsolete systems

B. DBMS has no drawbacks compared to file systems

C. DBMS involves trade-offs including cost, complexity, hardware/software needs, performance overhead, failure impact, and maintenance burden

D. Limitations of DBMS are identical across all vendors with no variation

Ans: C

Explanation: These trade-offs are the standard set of limitations recognized across DBMS syllabi.

Chapter 4: Users of DBMS

55 Questions | OAVS TGT Computer Science - MCQ Question Bank

Q1 | DBA | USERS OF DBMS **USR**

Who is primarily responsible for the overall management, security, and control of a database system?

A. Casual user
B. Application programmer
C. Naive user
D. Database Administrator (DBA)

Ans: D

Explanation: The DBA holds overall responsibility for managing, securing, and controlling the database system.

Q2 | DATABASE DESIGNER | USERS OF DBMS **USR**

Which user category is responsible for designing the conceptual schema and structure of the database before implementation?

A. Database Designers
B. Casual users
C. Naive users
D. End users

Ans: A

Explanation: Database designers model entities, relationships, and constraints to create the conceptual schema.

Q3 | APPLICATION PROGRAMMER | USERS OF DBMS **USR**

Application programmers primarily interact with a database through:

A. Direct SQL queries typed interactively for one-time use
B. Graphical menu-driven interfaces designed for non-technical users
C. Physical storage devices directly
D. Application programs written in host languages with embedded DML statements

Ans: D

Explanation: Application programmers embed DML statements within host language programs to build applications.

Q4 | NAIVE USER | USERS OF DBMS **USR**

'Naive users' of a database typically interact with it through:

A. Writing new DBMS software
B. Direct manipulation of the physical schema
C. Complex SQL queries
D. Pre-written application programs/forms with simple interfaces

Ans: D

Explanation: Naive users rely on simple, pre-built interfaces since they lack technical database expertise.

Q5 | CASUAL USER | USERS OF DBMS **USR**

Which type of user interacts with the database occasionally, needing different information each time, often using ad-hoc query languages?

A. Specialized users
B. Casual users
C. Naive users
D. Sophisticated users

Ans: B

Explanation: Casual users access the database infrequently, with varying information needs met through query facilities.

Q6 | SOPHISTICATED USER | USERS OF DBMS **USR**

'Sophisticated users' of a DBMS are typically:

A. Users who never interact with data
B. Users such as analysts who interact with the system using query languages directly without writing full application programs
C. Occasional users needing simple menu interfaces
D. Application programmers only

Ans: B

Explanation: Sophisticated users understand query languages well enough to interact directly without full applications.

Q7 | SPECIALIZED USER | USERS OF DBMS **USR**

'Specialized users' of a DBMS typically build applications for:

A. Naive, one-time queries
B. Specialized purposes like CAD systems, knowledge-based systems, or complex data modeling not suited to traditional data processing
C. Simple, everyday data retrieval only
D. Standard payroll processing only

Ans: B

Explanation: Specialized users develop sophisticated applications for domain-specific needs beyond routine data processing.

Q8 | DBA | USERS OF DBMS **USR**

Which of the following is a key responsibility of a Database Administrator?

A. Writing end-user application interfaces only
B. Schema definition, authorization control, and ensuring data security and integrity
C. Manufacturing storage disks
D. Designing physical hardware devices

Ans: B

Explanation: These core responsibilities fall squarely within the DBA's role in managing the database system.

Q9 | DBA | USERS OF DBMS **USR**

Granting and revoking access privileges to different users is a responsibility of:

A. Specialized users
B. Naive users
C. Casual users
D. Database Administrator

Ans: D

Explanation: Authorization management, including granting and revoking privileges, is a core DBA responsibility.

Q10 | DBA | USERS OF DBMS **USR**

Which user role is responsible for monitoring database performance and tuning it for efficiency?

A. Casual user
B. Sophisticated user
C. Naive user
D. Database Administrator

Ans: D

Explanation: Performance monitoring and tuning are standard responsibilities of the DBA.

Q11 | NAIVE USER | USERS OF DBMS **USR**

Bank tellers using a fixed-format form to check account balances are an example of:

A. Naive users
B. Specialized users
C. Sophisticated users
D. Database designers

Ans: A

Explanation: Fixed-format, pre-built interfaces are characteristic of how naive users interact with a database.

Q12 | CASUAL USER | USERS OF DBMS **USR**

A market research analyst who occasionally queries the database for specific reports using an ad hoc query interface is an example of:

A. Naive user
B. Application programmer
C. Casual user
D. DBA

Ans: C

Explanation: Occasional, varying information needs met via ad hoc queries describe a casual user.

Q13 | SOPHISTICATED USER | USERS OF DBMS **USR**

A data scientist who writes complex analytical SQL queries and understands the underlying database structure deeply is best classified as a:

A. Sophisticated user
B. Specialized user
C. Naive user
D. Casual user

Ans: A

Explanation: Deep understanding of the query language and database structure characterizes a sophisticated user.

Q14 | DATABASE DESIGNER | USERS OF DBMS USR

Which of the following is a responsibility of database designers?

A. Physically maintaining server hardware

B. Managing daily backup schedules

C. Approving user access requests

D. Deciding what data should be stored and how entities/relationships are structured

Ans: D

Explanation: Database designers determine the structure of data, entities, and relationships during schema design.

Q15 | APPLICATION PROGRAMMER | USERS OF DBMS USR

Application programmers typically use which type of languages to interact with a database?

A. Only menu-driven GUIs

B. Host languages (like Java, C++, Python) with embedded DML/SQL

C. Only natural language

D. Only voice commands

Ans: B

Explanation: Application programmers embed DML/SQL calls within general-purpose host programming languages.

Q16 | DBA | USERS OF DBMS USR

Which of the following best describes the responsibility of 'schema definition' under DBA duties?

A. Advertising the database product

B. Defining the physical and logical structure of the database

C. Physically manufacturing storage

D. Writing end-user forms only

Ans: B

Explanation: Schema definition covers establishing the logical and physical structure of the database.

Q17 | SPECIALIZED USER | USERS OF DBMS USR

Which user category would most likely use a CAD (Computer-Aided Design) system built on a specialized database?

A. Specialized users

B. Naive users

C. Application programmers only

D. Casual users

Ans: A

Explanation: CAD systems represent a classic example of specialized-user applications built on a database.

Q18 | DBA | USERS OF DBMS **USR**

The DBA's responsibility of 'liaising with users' primarily involves:

A. Marketing the DBMS product

B. Writing physical hardware drivers

C. Ignoring user requirements entirely

D. Gathering requirements and ensuring the database meets organizational and user needs

Ans: D

Explanation: Understanding and addressing user requirements is part of the DBA's coordination responsibilities.

Q19 | DBA | USERS OF DBMS **USR**

Which of the following is NOT typically a responsibility of a DBA?

A. Ensuring data security

B. Backup and recovery planning

C. Schema and storage structure definition

D. Writing end-user application source code for daily transactions

Ans: D

Explanation: Writing application source code for daily transactions is generally the responsibility of application programmers, not the DBA.

Q20 | MATCH THE FOLLOWING | USERS OF DBMS **USR**

Match: 1. Naive 2. Casual 3. Sophisticated 4. Specialized with (a) Uses query language directly for varied needs (b) Uses fixed menu/form interfaces (c) Builds domain-specific applications like CAD/expert systems (d) Accesses database occasionally with changing needs

A. 1-c,2-a,3-b,4-d

B. 1-d,2-c,3-b,4-a

C. 1-b,2-d,3-a,4-c

D. 1-a,2-b,3-c,4-d

Ans: C

Explanation: Naive users use fixed forms, casual users access occasionally with changing needs, sophisticated users use query languages directly, and specialized users build domain-specific applications.

Q21 | APPLICATION PROGRAMMER | USERS OF DBMS **USR**

Which of the following is an example of an application programmer's task?

A. Writing a payroll processing program that embeds SQL statements to update employee records

B. Approving new user accounts

C. Physically installing database servers

D. Defining overall database security policy

Ans: A

Explanation: Embedding SQL within a payroll processing program is a typical application programmer task.

Q22 | NAIVE USER | USERS OF DBMS **USR**

Which DBMS user type requires the least technical knowledge of the database system?

A. Naive users
B. Sophisticated users
C. Database designers
D. Specialized users

Ans: A

Explanation: Naive users interact via simple pre-built interfaces and need minimal technical database knowledge.

Q23 | DBA | USERS OF DBMS **USR**

The responsibility for ensuring 'data integrity constraints' are properly enforced typically lies with:

A. Naive users
B. Casual users only
C. End customers
D. DBA and database designers

Ans: D

Explanation: Defining and enforcing integrity constraints is a joint responsibility of the DBA and database designers.

Q24 | END USERS | USERS OF DBMS **USR**

Which of the following best describes the role of 'end users' in a broad sense within DBMS?

A. Individuals or systems that ultimately access and use the data stored in the database, including naive, casual, sophisticated, and specialized users
B. Only application programmers
C. Only the DBA
D. Only database designers

Ans: A

Explanation: End users is a broad category encompassing all the specific user types who ultimately consume the data.

Q25 | DBA | USERS OF DBMS **USR**

Which responsibility involves the DBA coordinating with database designers during initial system design?

A. None; DBAs are not involved in design
B. Requirement analysis and conceptual schema approval
C. Writing menu-driven forms for naive users
D. Physical manufacturing of hardware

Ans: B

Explanation: DBAs often work with designers during requirement analysis and schema approval in the design phase.

Q26 | NAIVE USER | USERS OF DBMS USR

A university office clerk who uses a simple pre-built form to enter student admission data is classified as a:

A. Specialized user
B. Naive user
C. Sophisticated user
D. Casual user

Ans: B

Explanation: Using a simple pre-built form for routine data entry is characteristic of a naive user.

Q27 | SOPHISTICATED USER | USERS OF DBMS USR

Which of the following users is most likely to directly write ad hoc SQL queries for data analysis without needing a custom application?

A. Casual system integrator
B. Sophisticated user
C. Naive user
D. Specialized user

Ans: B

Explanation: Sophisticated users are comfortable writing their own SQL queries without needing custom applications.

Q28 | DBA | USERS OF DBMS USR

Which of the following is a key responsibility of the DBA related to system failures?

A. Preventing all users from accessing the database permanently
B. Ignoring failures since DBMS is failure-proof
C. Ensuring recovery procedures are in place and executed in case of failures
D. Deleting all data after any failure

Ans: C

Explanation: The DBA is responsible for establishing and executing recovery procedures following failures.

Q29 | CASUAL USER | USERS OF DBMS USR

Which of the following best distinguishes 'casual users' from 'naive users'?

A. Naive users write complex SQL, casual users do not use the database
B. Both are identical in behavior
C. Casual users access the database occasionally with varying information needs using query facilities, while naive users use fixed routine interfaces
D. Casual users never interact with the database

Ans: C

Explanation: This is the core distinction between the two user types in terms of frequency and interface used.

Q30 | DATABASE DESIGNER | USERS OF DBMS USR

Which of the following professionals is responsible for translating organizational data requirements into a conceptual schema?

A. Naive user
B. Database designer
C. DBA only
D. Casual user

Ans: B

Explanation: Database designers are specifically tasked with modeling organizational requirements into a conceptual schema.

Q31 | ASSERTION-REASON | USERS OF DBMS USR

Assertion (A): The DBA plays a critical central role in DBMS. Reason (R): The DBA is responsible for authorizing access, ensuring security, and coordinating the overall database system.

A. Both true, R does not explain A
B. A false, R true
C. A true, R false
D. Both true, R correctly explains A

Ans: D

Explanation: These responsibilities are precisely what makes the DBA's role central to DBMS operation.

Q32 | DBA | USERS OF DBMS USR

Which of the following is a typical responsibility shared between DBA and database designers?

A. Deciding on integrity constraints and schema structure
B. Marketing the final product
C. Writing casual user's ad hoc reports
D. Manufacturing storage hardware

Ans: A

Explanation: Both roles collaborate on defining schema structure and applicable integrity constraints.

Q33 | APPLICATION PROGRAMMER | USERS OF DBMS USR

A programmer developing a mobile banking app that embeds SQL calls to fetch account details is an example of a(n):

A. Casual user
B. Application programmer
C. Naive user
D. Specialized user

Ans: B

Explanation: Embedding SQL calls within an application's source code is the defining task of an application programmer.

Q34 | SPECIALIZED USER | USERS OF DBMS **USR**

Which user type is most associated with building expert systems or knowledge-based systems using specialized databases?

A. Application programmers writing payroll systems
B. Specialized users
C. Naive users
D. Casual users

Ans: B

Explanation: Building expert or knowledge-based systems is a hallmark task of specialized users.

Q35 | DBA | USERS OF DBMS **USR**

Which of the following best reflects the responsibility of 'monitoring performance and tuning' among DBMS users?

A. This has no defined owner
B. This is typically a naive user's responsibility
C. This is typically a casual user's responsibility
D. This is typically the DBA's responsibility

Ans: D

Explanation: Performance monitoring and tuning fall under the DBA's standard responsibilities.

Q36 | NAIVE USER | USERS OF DBMS **USR**

Which of these is generally NOT a task performed by naive users?

A. Filling in a simple form to withdraw cash at an ATM
B. Using a pre-designed application interface
C. Selecting from a fixed menu option
D. Writing complex nested SQL subqueries

Ans: D

Explanation: Writing complex nested SQL subqueries requires technical skill beyond what naive users typically possess.

Q37 | APPLICATION PROGRAMMER | USERS OF DBMS **USR**

Which of the following is TRUE regarding the responsibilities of application programmers?

A. They are responsible for hardware procurement
B. They design the initial conceptual schema alone
C. They exclusively manage database security policies
D. They write and test application programs interfacing with the database using host languages

Ans: D

Explanation: Writing and testing application programs that interface with the database is their core role.

Q38 | DBA | USERS OF DBMS **USR**

The role of ensuring 'authorization and access control' is primarily assigned to:

A. Casual users
B. Specialized users
C. Naive users
D. Database Administrator

Ans: D

Explanation: Authorization and access control management is a defining DBA responsibility.

Q39 | FILL IN THE BLANK | USERS OF DBMS **USR**

A _____ interacts with the database occasionally and each time may require different data, typically using a query language.

A. Specialized user
B. Casual user
C. DBA
D. Naive user

Ans: B

Explanation: This describes the casual user category precisely.

Q40 | SPECIALIZED USER | USERS OF DBMS **USR**

Which of the following best represents a 'specialized user' scenario in the exam context?

A. An analyst running a one-time ad hoc report
B. An engineer using a specialized CAD/CAM database application
C. A programmer maintaining routine payroll software
D. A bank clerk using a fixed transaction screen

Ans: B

Explanation: CAD/CAM applications are a classic example of specialized-user database applications.

Q41 | DATABASE DESIGNER | USERS OF DBMS **USR**

Which of the following DBMS user roles would be responsible for defining views (external schemas) tailored to different user groups?

A. End customers
B. Casual users
C. Naive users
D. Database designers/DBA

Ans: D

Explanation: Defining tailored external views is typically a design and administration responsibility.

Q42 | DBA | USERS OF DBMS **USR**

Coordinating with management to align database policies with organizational goals is a responsibility of:

A. Database Administrator
B. Specialized users
C. Casual users
D. Naive users

Ans: A

Explanation: The DBA typically liaises with management to align database policy with organizational objectives.

Q43 | SOPHISTICATED USER | USERS OF DBMS **USR**

Which of the following best differentiates 'sophisticated users' from 'application programmers'?

A. Both are identical roles
B. Application programmers never use SQL
C. Sophisticated users only use menu-driven forms
D. Sophisticated users interact directly with the DBMS via query languages without writing full programs, while application programmers write complete programs embedding DML

Ans: D

Explanation: This directly contrasts the two roles based on how they interact with the database.

Q44 | SOPHISTICATED USER | USERS OF DBMS **USR**

Which category best fits a financial analyst who directly queries the company database using SQL for ad hoc analysis, without a custom-built application?

A. Sophisticated user
B. Casual maintenance staff
C. Specialized user
D. Naive user

Ans: A

Explanation: Direct, skilled SQL use for analysis without a custom application is characteristic of a sophisticated user.

Q45 | DBA | USERS OF DBMS **USR**

Which of the following is a key DBA task related to 'data dictionary/catalog management'?

A. This is not a DBA task
B. Manufacturing hardware components
C. Maintaining metadata describing the structure, constraints, and organization of the database
D. Writing naive user forms

Ans: C

Explanation: Maintaining the data dictionary, which stores metadata about the database, is a standard DBA task.

Q46 | NAIVE USER | USERS OF DBMS **USR**

Which is the correct match for a naive user's typical activity?

A. Writing new stored procedures

B. Performing database performance tuning

C. Designing the conceptual schema

D. Filling in a standard transaction form (e.g., ATM withdrawal)

Ans: D

Explanation: Using a standard, pre-built transaction form is the classic naive user activity.

Q47 | DBA | USERS OF DBMS **USR**

A key responsibility of the DBA in managing 'storage structure and access methods' is:

A. Interacting with the database only through naive forms

B. This falls solely under application programmers

C. Writing casual reports for management

D. Deciding indexing strategies and storage organization to optimize performance

Ans: D

Explanation: Deciding on storage organization and indexing strategies is part of the DBA's technical responsibilities.

Q48 | END USERS | USERS OF DBMS **USR**

Which of the following statements about 'end users' as a broad category is TRUE?

A. End users are responsible for schema design

B. End users never interact with application interfaces

C. End users include naive, casual, sophisticated, and specialized users who ultimately use the data

D. End users are limited strictly to DBAs

Ans: C

Explanation: End users is an umbrella term covering all these specific categories of data consumers.

Q49 | DATABASE DESIGNER | USERS OF DBMS **USR**

Which DBMS user is primarily concerned with ensuring proper conceptual, logical, and physical design consistency?

A. Database designer

B. Naive user

C. Casual user

D. Specialized user

Ans: A

Explanation: Database designers focus on ensuring consistency across the conceptual, logical, and physical design levels.

Q50 | CASUAL USER | USERS OF DBMS USR

In an OAVS exam context, which of these best represents a 'casual user' example?

A. A teacher who fills a fixed daily attendance form

B. A school principal who occasionally queries the student database for a specific annual report with varying requirements each time

C. A DBA managing user permissions

D. A software engineer maintaining backend database code

Ans: B

Explanation: Occasional access with varying requirements is the hallmark of a casual user.

Q51 | DBA | USERS OF DBMS USR

Which responsibility is uniquely associated with the DBA and not typically with database designers?

A. Recommending indexing strategies for query performance

B. Granting/revoking user privileges and managing system security

C. Deciding the overall conceptual schema structure during initial design

D. Approving external view definitions for departments

Ans: B

Explanation: Managing user privileges and overall system security is specifically a DBA function, distinct from design tasks.

Q52 | NAIVE USER | USERS OF DBMS USR

Which of the following best describes why naive users need simplified, menu-driven, or form-based interfaces?

A. They typically lack technical knowledge of the database structure or query languages

B. They are highly trained SQL experts

C. They prefer writing raw SQL for every transaction

D. They design the database schema themselves

Ans: A

Explanation: Naive users generally lack the technical background needed to use query languages directly.

Q53 | DATABASE DESIGNER | USERS OF DBMS USR

Which of the following user roles would most likely be responsible for defining integrity constraints during schema design?

A. Casual users

B. Database designers

C. End customers

D. Naive users

Ans: B

Explanation: Integrity constraints are typically defined by database designers as part of schema design.

Q54 | DBA | USERS OF DBMS **USR**

Which of the following best reflects the responsibility of 'ensuring data security' among DBMS users?

A. No one is responsible for this

B. Primarily a casual user's responsibility

C. Primarily the DBA's responsibility, supported by proper authorization mechanisms

D. Primarily a naive user's responsibility

Ans: C

Explanation: Ensuring data security through authorization mechanisms is squarely a DBA responsibility.

Q55 | CONCEPT | USERS OF DBMS **USR**

Overall, which best summarizes the hierarchy/classification of DBMS users covered in the syllabus?

A. Only application programmers interact with the database

B. DBA, Database Designers, Application Programmers, and End Users (Naive, Casual, Sophisticated, Specialized) each with distinct roles and responsibilities

C. All users have identical roles and responsibilities

D. Only DBA and naive users exist

Ans: B

Explanation: This is the standard classification of DBMS users as covered in the syllabus.

Chapter 5: Software Modules in DBMS

55 Questions | OAVS TGT Computer Science - MCQ Question Bank

Q1 | QUERY PROCESSOR | SOFTWARE MODULES IN DBMS **MOD**

Which DBMS software module is responsible for translating high-level queries (e.g., SQL) into low-level instructions understandable by the storage manager?

A. Buffer Manager
B. File Manager
C. Query Processor
D. Transaction Manager

Ans: C

Explanation: The Query Processor translates and optimizes high-level queries into executable low-level operations.

Q2 | STORAGE MANAGER | SOFTWARE MODULES IN DBMS **MOD**

The Storage Manager module of a DBMS is primarily responsible for:

A. Providing the interface between the low-level data stored in the database and application programs/queries
B. Managing user authentication
C. Displaying data on screen
D. Compiling SQL syntax only

Ans: A

Explanation: The Storage Manager bridges physical stored data with the higher-level requests from queries and applications.

Q3 | TRANSACTION MANAGER | SOFTWARE MODULES IN DBMS **MOD**

Which module ensures that a database remains in a consistent state despite system failures, by managing commit and rollback operations?

A. File Manager
B. Buffer Manager
C. Query Optimizer
D. Transaction Manager

Ans: D

Explanation: The Transaction Manager coordinates commit and rollback operations to preserve database consistency.

Q4 | AUTHORIZATION MANAGER | SOFTWARE MODULES IN DBMS **MOD**

The Authorization and Integrity Manager module is primarily responsible for:

A. Formatting output reports
B. Managing disk read/write speed
C. Checking user permissions and enforcing integrity constraints on stored data
D. Compiling application source code

Ans: C

Explanation: This module verifies user privileges and ensures data changes satisfy defined integrity constraints.

Q5 | QUERY PROCESSOR | SOFTWARE MODULES IN DBMS **MOD**

Which sub-component of the Query Processor is responsible for choosing the most efficient execution plan for a query?

A. DDL interpreter

B. Buffer manager

C. File manager

D. Query optimizer

Ans: D

Explanation: The query optimizer evaluates alternative execution plans and selects the most cost-effective one.

Q6 | BUFFER MANAGER | SOFTWARE MODULES IN DBMS **MOD**

The Buffer Manager is responsible for:

A. Designing the ER diagram

B. Enforcing security policies

C. Writing SQL queries

D. Managing the allocation of main memory buffer space for data fetched from disk

Ans: D

Explanation: The Buffer Manager controls which disk blocks reside in main memory buffers to optimize I/O performance.

Q7 | FILE MANAGER | SOFTWARE MODULES IN DBMS **MOD**

Which module handles the allocation of storage space on disk and management of the data structures used to represent stored information?

A. Authorization Manager

B. File Manager

C. Query Processor

D. Transaction Manager

Ans: B

Explanation: The File Manager manages disk space allocation and the physical data structures on storage.

Q8 | DATABASE MANAGER | SOFTWARE MODULES IN DBMS **MOD**

The Database Manager module acts as an interface between:

A. Hardware manufacturers and vendors

B. Two separate unrelated databases

C. Low-level data and application programs/queries submitted to the system

D. End users and the internet

Ans: C

Explanation: The Database Manager coordinates between stored low-level data and the requests coming from applications/queries.

Q9 | QUERY PROCESSOR | SOFTWARE MODULES IN DBMS **MOD**

Which component of the Query Processor parses and checks the syntax of a submitted SQL query?

A. Transaction manager
B. Buffer manager
C. File manager
D. DML compiler/parser

Ans: D

Explanation: The DML compiler/parser checks query syntax and translates it into an internal representation.

Q10 | INTEGRITY MANAGER | SOFTWARE MODULES IN DBMS **MOD**

The Integrity Manager specifically checks that:

A. Updates to the database do not violate specified consistency constraints
B. Queries are syntactically correct
C. Users have correct login credentials only
D. Disk space is sufficient

Ans: A

Explanation: The Integrity Manager ensures that all data modifications comply with defined consistency constraints.

Q11 | TRANSACTION MANAGER | SOFTWARE MODULES IN DBMS **MOD**

Which of the following software modules is primarily responsible for ensuring atomicity and durability of transactions?

A. Transaction Manager
B. Query Optimizer
C. Buffer Manager
D. File Manager

Ans: A

Explanation: The Transaction Manager specifically enforces the atomicity and durability properties of transactions.

Q12 | AUTHORIZATION MANAGER | SOFTWARE MODULES IN DBMS **MOD**

The Authorization Manager checks:

A. Whether SQL syntax is correct
B. Whether disk space is available
C. Whether a user has the necessary privileges to perform a requested operation
D. Whether the query optimizer selected the best plan

Ans: C

Explanation: The Authorization Manager verifies that the requesting user has permission for the intended operation.

Q13 | BUFFER MANAGER | SOFTWARE MODULES IN DBMS **MOD**

Which module is responsible for minimizing disk I/O by managing which data blocks reside in memory at a given time?

A. Authorization Manager

B. File Manager

C. Query Processor

D. Buffer Manager

Ans: D

Explanation: By managing which blocks stay in memory, the Buffer Manager reduces costly disk I/O operations.

Q14 | QUERY PROCESSOR | SOFTWARE MODULES IN DBMS **MOD**

The DDL interpreter, a component of the query processor, is responsible for:

A. Managing memory buffers

B. Interpreting Data Definition Language statements and recording definitions in the data dictionary

C. Managing physical disk blocks

D. Handling user logins

Ans: B

Explanation: The DDL interpreter processes schema definition statements and stores them in the data dictionary.

Q15 | FILE MANAGER | SOFTWARE MODULES IN DBMS **MOD**

Which of the following best describes the role of the File Manager in DBMS architecture?

A. Manages allocation of space on disk storage and the data structures used to represent information stored on disk

B. Manages user authentication only

C. Manages the graphical user interface

D. Manages network connections between servers

Ans: A

Explanation: This is the core role of the File Manager within the DBMS's storage subsystem.

Q16 | TRANSACTION MANAGER | SOFTWARE MODULES IN DBMS **MOD**

Which module coordinates concurrent execution of multiple transactions to maintain consistency (concurrency control)?

A. DDL interpreter

B. File Manager

C. Buffer Manager

D. Transaction Manager (with concurrency control subcomponent)

Ans: D

Explanation: Concurrency control, a key function of the Transaction Manager, coordinates simultaneous transactions safely.

Q17 | MATCH THE FOLLOWING | SOFTWARE MODULES IN DBMS MOD

Match: 1. Query Processor 2. Storage Manager 3. Transaction Manager 4. Buffer Manager with (a) Manages memory for disk blocks (b) Interfaces low-level data with queries (c) Translates/optimizes queries (d) Ensures atomicity/consistency of transactions

A. 1-c,2-b,3-d,4-a
B. 1-b,2-c,3-a,4-d
C. 1-a,2-d,3-b,4-c
D. 1-d,2-a,3-c,4-b

Ans: A

Explanation: The Query Processor translates/optimizes queries, the Storage Manager interfaces data with queries, the Transaction Manager ensures consistency, and the Buffer Manager manages memory.

Q18 | STORAGE MANAGER | SOFTWARE MODULES IN DBMS MOD

Which of these is NOT typically considered a component of the Storage Manager?

A. File manager
B. Query optimizer
C. Authorization and integrity manager
D. Buffer manager

Ans: B

Explanation: The query optimizer is a component of the Query Processor, not the Storage Manager.

Q19 | TRANSACTION MANAGER | SOFTWARE MODULES IN DBMS MOD

The transaction manager ensures which properties of transactions, commonly remembered by the acronym ACID?

A. Accuracy, Completeness, Integrity, Data
B. Availability, Concurrency, Integration, Design
C. Atomicity, Consistency, Isolation, Durability
D. Authorization, Control, Indexing, Design

Ans: C

Explanation: ACID stands for Atomicity, Consistency, Isolation, and Durability, the properties guaranteed by transaction management.

Q20 | FILE MANAGER | SOFTWARE MODULES IN DBMS MOD

Which module is primarily responsible for interacting directly with the operating system's file system to manage physical storage?

A. Transaction Coordinator
B. Authorization Manager
C. Query Optimizer
D. File Manager

Ans: D

Explanation: The File Manager interfaces with the OS to manage physical file storage on disk.

Q21 | QUERY PROCESSOR | SOFTWARE MODULES IN DBMS **MOD**

The 'query evaluation engine,' part of the query processor, is responsible for:

A. Managing backup schedules

B. Checking user login credentials

C. Allocating disk blocks

D. Executing the low-level operations/instructions generated by the query optimizer

Ans: D

Explanation: The evaluation engine carries out the specific low-level operations chosen by the query optimizer.

Q22 | INTEGRITY MANAGER | SOFTWARE MODULES IN DBMS **MOD**

Which software module would detect and prevent a user from updating a salary field to a negative value, based on defined constraints?

A. Buffer Manager

B. Integrity Manager

C. File Manager

D. Query Optimizer

Ans: B

Explanation: The Integrity Manager enforces constraints such as valid value ranges on data fields.

Q23 | BUFFER MANAGER | SOFTWARE MODULES IN DBMS **MOD**

Which of the following best describes the relationship between the Buffer Manager and Storage Manager?

A. The Storage Manager has no relation to memory management

B. The Buffer Manager is typically considered a component/subsystem of the Storage Manager, handling memory-disk data transfer

C. They are entirely unrelated modules

D. The Buffer Manager replaces the Storage Manager entirely

Ans: B

Explanation: The Buffer Manager operates as part of the Storage Manager subsystem, managing memory-disk data transfer.

Q24 | TRANSACTION MANAGER | SOFTWARE MODULES IN DBMS **MOD**

Which module ensures that once a transaction is committed, its effects persist even after a system crash (durability)?

A. DDL interpreter

B. Query Optimizer

C. Transaction Manager, working with recovery mechanisms

D. Authorization Manager

Ans: C

Explanation: Durability, one of the ACID properties, is guaranteed by the Transaction Manager together with recovery mechanisms.

Q25 | FILL IN THE BLANK | SOFTWARE MODULES IN DBMS **MOD**

The _____ module translates DML statements into low-level instructions the query evaluation engine can understand.

A. Authorization Manager
B. File Manager
C. Buffer Manager
D. Query Processor (DML compiler)

Ans: D

Explanation: The DML compiler, part of the Query Processor, performs this translation.

Q26 | AUTHORIZATION MANAGER | SOFTWARE MODULES IN DBMS **MOD**

Which of the following modules would primarily be invoked when a new user attempts to log in and execute a query?

A. Buffer Manager
B. Authorization Manager (to verify permissions)
C. DDL interpreter
D. File Manager

Ans: B

Explanation: The Authorization Manager verifies user permissions before allowing query execution.

Q27 | QUERY PROCESSOR | SOFTWARE MODULES IN DBMS **MOD**

Which statement about the Query Optimizer is correct?

A. It manages disk buffers only
B. It manages transaction logs exclusively
C. It selects the most cost-effective execution strategy among multiple possible query execution plans
D. It handles user authentication

Ans: C

Explanation: The query optimizer's job is to select the most efficient plan among alternatives for executing a query.

Q28 | DATABASE MANAGER | SOFTWARE MODULES IN DBMS **MOD**

The overall software module often referred to as the Database Manager coordinates which of the following?

A. Only physical hardware manufacturing
B. Only report formatting
C. Only network configuration
D. Interactions between the query processor, storage manager, and other modules to process user requests

Ans: D

Explanation: The Database Manager coordinates the various subsystems to process user requests end to end.

Q29 | ASSERTION-REASON | SOFTWARE MODULES IN DBMS **MOD**

Assertion (A): The Buffer Manager is critical to DBMS performance. Reason (R): It decides which data blocks to keep in main memory to reduce costly disk I/O operations.

A. A false, R true

B. Both true, R correctly explains A

C. Both true, R does not explain A

D. A true, R false

Ans: B

Explanation: Reducing disk I/O through smart buffering is exactly why the Buffer Manager is important to performance.

Q30 | TRANSACTION MANAGER | SOFTWARE MODULES IN DBMS **MOD**

Which of the following software modules directly deals with maintaining logs for recovery purposes?

A. Query Optimizer

B. Transaction Manager (recovery subsystem)

C. Authorization Manager

D. DDL Interpreter

Ans: B

Explanation: Recovery logs are maintained by the recovery subsystem, part of the Transaction Manager.

Q31 | QUERY PROCESSOR | SOFTWARE MODULES IN DBMS **MOD**

Which of the following best describes the DML compiler component?

A. It manages user access rights

B. It handles disk block allocation

C. It translates Data Manipulation Language statements into an internal, low-level form usable by the query evaluation engine

D. It formats final reports for users

Ans: C

Explanation: The DML compiler converts DML statements into a form the evaluation engine can process.

Q32 | TRANSACTION MANAGER | SOFTWARE MODULES IN DBMS **MOD**

Which software module in DBMS architecture is responsible for ensuring that concurrent transactions do not interfere with one another, preserving isolation?

A. DDL Interpreter

B. Query Optimizer

C. File Manager

D. Concurrency control component of the Transaction Manager

Ans: D

Explanation: The concurrency control subsystem of the Transaction Manager preserves isolation among concurrent transactions.

Q33 | CONCEPT | SOFTWARE MODULES IN DBMS **MOD**

Which of the following is a correct pairing of module and its core function?

A. Query Optimizer - disk space allocation

B. Authorization Manager - SQL query parsing

C. Buffer Manager - memory management for disk blocks

D. File Manager - transaction commit/rollback

Ans: C

Explanation: This is the only correctly matched pairing among the options.

Q34 | AUTHORIZATION MANAGER | SOFTWARE MODULES IN DBMS **MOD**

Which module would be responsible for rejecting a query if the user lacks SELECT privilege on a given table?

A. Authorization Manager

B. File Manager

C. Query Optimizer

D. Buffer Manager

Ans: A

Explanation: Privilege checks such as SELECT permission are enforced by the Authorization Manager.

Q35 | STORAGE MANAGER | SOFTWARE MODULES IN DBMS **MOD**

Which of the following best explains why the Storage Manager is considered critical in DBMS architecture?

A. It handles only network security

B. It replaces the need for a query processor

C. It formats final printed reports

D. It bridges the gap between the physical data stored on disk and the logical view required by the query processor and applications

Ans: D

Explanation: The Storage Manager's central role is connecting physical storage with the logical data view needed above it.

Q36 | INTEGRITY MANAGER | SOFTWARE MODULES IN DBMS **MOD**

Which module ensures constraints such as uniqueness of primary keys are enforced during data insertion?

A. File Manager

B. Integrity Manager

C. Buffer Manager

D. Query Evaluation Engine

Ans: B

Explanation: Enforcing key uniqueness constraints is a function of the Integrity Manager.

Q37 | QUERY PROCESSOR | SOFTWARE MODULES IN DBMS **MOD**

Which of the following software modules would be primarily responsible for deciding the join order in a multi-table SQL query for optimal performance?

A. Query Optimizer
B. Authorization Manager
C. Integrity Manager
D. File Manager

Ans: A

Explanation: Deciding optimal join order among multiple possible strategies is a core query optimizer function.

Q38 | CONCEPT | SOFTWARE MODULES IN DBMS **MOD**

Which is TRUE regarding the interaction between the Query Processor and Storage Manager?

A. They function completely independently with no interaction
B. The Query Processor manages disk buffers directly, bypassing Storage Manager
C. The Storage Manager compiles SQL syntax
D. The Query Processor generates low-level requests that are executed by the Storage Manager against physical data

Ans: D

Explanation: The Query Processor and Storage Manager work together, with the former issuing low-level requests to the latter.

Q39 | TRANSACTION MANAGER | SOFTWARE MODULES IN DBMS **MOD**

Which of the following best describes the recovery manager, often considered part of the transaction manager subsystem?

A. Optimizes SQL query execution plans
B. Allocates disk space for new files
C. Restores the database to a consistent state following a system crash or transaction failure
D. Handles user login authentication

Ans: C

Explanation: The recovery manager's job is specifically to restore consistency after crashes or failures.

Q40 | INTEGRITY MANAGER | SOFTWARE MODULES IN DBMS **MOD**

Which module would be invoked to check whether a foreign key reference is valid before allowing a row to be inserted?

A. Integrity Manager
B. Query Optimizer
C. DDL Interpreter
D. Buffer Manager

Ans: A

Explanation: Referential integrity checks on foreign keys are performed by the Integrity Manager.

Q41 | QUERY PROCESSOR | SOFTWARE MODULES IN DBMS **MOD**

Which of the following correctly lists components that together constitute the Query Processor in typical DBMS architecture?

A. Only the query optimizer

B. DDL interpreter, DML compiler, query optimizer, query evaluation engine

C. Transaction manager and recovery manager only

D. File manager, buffer manager, authorization manager

Ans: B

Explanation: These four components together form the standard Query Processor subsystem.

Q42 | STORAGE MANAGER | SOFTWARE MODULES IN DBMS **MOD**

Which of the following correctly lists components typically grouped under the Storage Manager?

A. Query optimizer and query evaluation engine only

B. Authorization and integrity manager, transaction manager, file manager, buffer manager

C. DDL interpreter and DML compiler only

D. None of the above

Ans: B

Explanation: These four components are typically grouped as part of the Storage Manager subsystem.

Q43 | TRANSACTION MANAGER | SOFTWARE MODULES IN DBMS **MOD**

Which software module ensures that if a system crashes mid-transaction, partially completed changes are rolled back?

A. DDL Interpreter

B. Query Optimizer

C. File Manager

D. Transaction Manager/Recovery subsystem

Ans: D

Explanation: Rolling back incomplete transactions after a crash is handled by the recovery subsystem of the Transaction Manager.

Q44 | CONCEPT | SOFTWARE MODULES IN DBMS **MOD**

Which of the following best describes why 'modularity' in DBMS software architecture is beneficial?

A. It separates concerns, making the system easier to design, maintain, and optimize independently

B. It has no benefit and only increases complexity

C. It removes the need for hardware resources

D. It eliminates the need for a DBA

Ans: A

Explanation: Modular design allows each subsystem to be developed, maintained, and optimized independently.

Q45 | FILE MANAGER | SOFTWARE MODULES IN DBMS **MOD**

Which module in the DBMS architecture would primarily interact with the operating system's I/O subsystem?

A. Authorization Manager

B. Query Optimizer

C. File Manager and Buffer Manager

D. DDL Interpreter

Ans: C

Explanation: These storage-related modules interact directly with the OS's I/O subsystem for disk operations.

Q46 | DATABASE MANAGER | SOFTWARE MODULES IN DBMS **MOD**

Which of the following statements about the Database Manager module is correct?

A. It has no defined role in standard DBMS architecture

B. It is identical in function to the buffer manager

C. It only manages user interface design

D. It acts as an overall coordinating interface between application programs/queries and the stored data, invoking storage manager and query processor functions

Ans: D

Explanation: The Database Manager serves as the overarching coordinator among the DBMS's core subsystems.

Q47 | QUERY PROCESSOR | SOFTWARE MODULES IN DBMS **MOD**

Which module ensures a query like 'SELECT * FROM employees WHERE salary > 50000' is parsed and translated for execution?

A. Buffer Manager alone

B. Authorization Manager alone

C. File Manager alone

D. Query Processor (via DML compiler and evaluation engine)

Ans: D

Explanation: The Query Processor's components jointly parse, optimize, and execute such a query.

Q48 | CONCEPT | SOFTWARE MODULES IN DBMS **MOD**

Which of the following best distinguishes the Authorization Manager from the Integrity Manager?

A. The Integrity Manager checks user passwords

B. Both perform identical functions

C. The Authorization Manager checks user permissions/privileges, while the Integrity Manager checks that operations satisfy consistency constraints on data

D. The Authorization Manager checks data type correctness only

Ans: C

Explanation: This is the precise distinction in function between these two modules.

Q49 | DATABASE MANAGER | SOFTWARE MODULES IN DBMS **MOD**

Which software module would typically maintain a data dictionary describing schema, constraints, and metadata?

A. Buffer Manager exclusively

B. Database Manager, in coordination with the storage manager

C. File Manager exclusively

D. Query Optimizer exclusively

Ans: B

Explanation: The data dictionary is managed as part of the overall Database Manager coordination with storage.

Q50 | CONCEPT | SOFTWARE MODULES IN DBMS **MOD**

Which of the following best represents the reason DBMS architecture separates the Query Processor from the Storage Manager?

A. Because storage managers cannot process any queries

B. Because they must always run on separate physical machines

C. To allow independent optimization of query handling and physical data storage/retrieval mechanisms

D. Because SQL queries never touch physical storage

Ans: C

Explanation: Separation of concerns allows each subsystem to be optimized and evolved independently.

Q51 | INTEGRITY MANAGER | SOFTWARE MODULES IN DBMS **MOD**

Which module's failure would most directly compromise the enforcement of 'not null' or 'unique' column constraints?

A. Buffer Manager

B. Integrity Manager

C. File Manager

D. Query Optimizer

Ans: B

Explanation: These constraints are specifically enforced by the Integrity Manager.

Q52 | CONCEPT | SOFTWARE MODULES IN DBMS **MOD**

Which of the following best represents the sequential flow when a user submits an SQL query?

A. Storage Manager parses SQL directly with no query processor involved

B. Query Processor parses/optimizes the query, then Storage Manager retrieves/updates physical data, then results are returned to user

C. Buffer Manager independently executes SQL without other modules

D. Authorization Manager executes the entire query alone

Ans: B

Explanation: This describes the typical processing pipeline from query submission to result delivery.

Q53 | TRANSACTION MANAGER | SOFTWARE MODULES IN DBMS **MOD**

Which of the following best explains the role of 'concurrency control' as part of transaction management?

A. Ensuring multiple simultaneous transactions execute without violating database consistency or isolation

B. Parsing SQL syntax

C. Checking user passwords

D. Allocating physical disk blocks

Ans: A

Explanation: Concurrency control specifically manages simultaneous transaction execution while preserving consistency and isolation.

Q54 | TRANSACTION MANAGER | SOFTWARE MODULES IN DBMS **MOD**

Which software module would be responsible for reporting a deadlock between two transactions competing for the same resource?

A. Authorization Manager

B. Transaction Manager's concurrency control component

C. Query Optimizer

D. File Manager

Ans: B

Explanation: Deadlock detection is a function of the concurrency control component within the Transaction Manager.

Q55 | CONCEPT | SOFTWARE MODULES IN DBMS **MOD**

Overall, which set of modules together forms the core software architecture of a typical DBMS as per the syllabus?

A. Query Processor, Storage Manager (with Authorization/Integrity Manager, Transaction Manager, File Manager, Buffer Manager), and Database Manager

B. Only hardware components

C. Only the DBA and end users

D. Only the query optimizer and file manager

Ans: A

Explanation: These modules together constitute the standard DBMS software architecture covered in the syllabus.

Chapter 6: Architecture of DBMS

55 Questions | OAVS TGT Computer Science - MCQ Question Bank

Q1 | THREE-SCHEMA | ARCHITECTURE OF DBMS **ARCH**

The three-schema architecture of a DBMS consists of which levels?

A. External, Conceptual, Internal

B. Physical, Logical, Network

C. Local, Global, Distributed

D. Hardware, Software, Application

Ans: A

Explanation: The three-schema (ANSI/SPARC) architecture defines External, Conceptual, and Internal levels.

Q2 | EXTERNAL LEVEL | ARCHITECTURE OF DBMS **ARCH**

The External level of the three-schema architecture describes:

A. The physical storage of data on disk

B. The network topology of the database servers

C. Individual user views of the database, tailored to specific user needs

D. The overall community view/logical structure of the entire database

Ans: C

Explanation: The external level provides tailored views suited to the needs of specific individual users or applications.

Q3 | CONCEPTUAL LEVEL | ARCHITECTURE OF DBMS **ARCH**

The Conceptual level of the three-schema architecture represents:

A. The physical storage devices

B. The internal buffer management

C. The overall logical structure of the entire database for the community of users, hiding physical storage details

D. Individual user views only

Ans: C

Explanation: The conceptual level provides a unified logical view of the whole database, independent of physical storage.

Q4 | INTERNAL LEVEL | ARCHITECTURE OF DBMS **ARCH**

The Internal level of the three-schema architecture describes:

A. The organizational management hierarchy

B. Only the application programming interface

C. User-specific views

D. The physical storage structure, including data structures and access methods used on disk

Ans: D

Explanation: The internal level deals with how data is actually stored physically, including access methods.

Q5 | DATA INDEPENDENCE | ARCHITECTURE OF DBMS **ARCH**

Which type of data independence allows changes to the internal schema without requiring changes to the conceptual schema?

A. Logical data independence
B. Physical data independence
C. External data independence
D. View data independence

Ans: B

Explanation: Physical data independence insulates the conceptual schema from changes at the internal (storage) level.

Q6 | DATA INDEPENDENCE | ARCHITECTURE OF DBMS **ARCH**

Which type of data independence allows changes to the conceptual schema without requiring changes to external schemas or application programs?

A. Physical data independence
B. Logical data independence
C. Internal data independence
D. Storage independence

Ans: B

Explanation: Logical data independence insulates external schemas and applications from certain conceptual-level changes.

Q7 | MAPPING | ARCHITECTURE OF DBMS **ARCH**

The mapping between the external level and the conceptual level is known as the:

A. Internal/physical mapping
B. Storage mapping
C. External/conceptual mapping
D. Conceptual/internal mapping

Ans: C

Explanation: This mapping translates between individual user views and the overall conceptual schema.

Q8 | MAPPING | ARCHITECTURE OF DBMS **ARCH**

The mapping between the conceptual level and the internal level is known as the:

A. External/conceptual mapping
B. View mapping
C. External/internal mapping
D. Conceptual/internal mapping

Ans: D

Explanation: This mapping translates between the logical conceptual schema and the physical internal schema.

Q9 | CONCEPT | ARCHITECTURE OF DBMS **ARCH**

Who proposed the three-schema architecture concept, later formalized by ANSI/SPARC?

A. Peter Chen

B. E. F. Codd

C. Charles Bachman alone

D. ANSI/SPARC Study Group

Ans: D

Explanation: The three-schema architecture was formalized by the ANSI/SPARC Study Group on Database Management Systems.

Q10 | CONCEPT | ARCHITECTURE OF DBMS **ARCH**

Which of the following best defines a 'schema' in DBMS architecture?

A. A single user query

B. A single row in a table

C. The overall design or structure/description of the database, which remains relatively stable over time

D. A specific instance of data at a point in time

Ans: C

Explanation: A schema describes the structural design of a database, distinct from the changing data it holds.

Q11 | THREE-SCHEMA | ARCHITECTURE OF DBMS **ARCH**

The main purpose of the three-schema architecture is to:

A. Eliminate the need for a conceptual schema

B. Combine external and internal levels into one

C. Separate user applications from physical database storage, enabling data independence

D. Increase the complexity of DBMS without benefit

Ans: C

Explanation: This separation of levels is precisely what enables logical and physical data independence.

Q12 | EXTERNAL LEVEL | ARCHITECTURE OF DBMS **ARCH**

Which of the following statements about external schemas (subschemas) is correct?

A. External schemas describe only physical storage

B. There is only one external schema for the entire database

C. External schemas cannot be different from the conceptual schema

D. Multiple external schemas can exist, each tailored to a specific group of users or applications

Ans: D

Explanation: Multiple external schemas allow different user groups to have views tailored to their specific needs.

Q13 | INTERNAL LEVEL | ARCHITECTURE OF DBMS ARCH

Which level of the three-schema architecture is closest to physical storage devices?

A. External
B. Internal
C. Conceptual
D. Application level

Ans: B

Explanation: The internal level directly deals with the physical storage structure of data.

Q14 | EXTERNAL LEVEL | ARCHITECTURE OF DBMS ARCH

Which level of the three-schema architecture is closest to individual end-user requirements?

A. Conceptual
B. Physical
C. Internal
D. External

Ans: D

Explanation: The external level is designed specifically around the needs of individual users or applications.

Q15 | DATA INDEPENDENCE | ARCHITECTURE OF DBMS ARCH

If a company decides to change the file organization method (e.g., from sequential to indexed) on disk without affecting application programs, this demonstrates:

A. Physical data independence
B. External data independence
C. View data independence
D. Logical data independence

Ans: A

Explanation: Changing physical storage organization without affecting the conceptual schema/applications is physical data independence.

Q16 | DATA INDEPENDENCE | ARCHITECTURE OF DBMS ARCH

If a company adds a new attribute to the conceptual schema without needing to modify existing external views/application programs that don't use that attribute, this demonstrates:

A. Logical data independence
B. Internal data independence
C. Storage-only independence
D. Physical data independence

Ans: A

Explanation: Insulating unaffected external views from a conceptual-level change is an example of logical data independence.

Q17 | CONCEPTUAL LEVEL | ARCHITECTURE OF DBMS **ARCH**

The conceptual schema is typically defined using which type of model, independent of any specific DBMS product's physical implementation?

A. Physical storage model

B. Programming language syntax

C. A high-level, implementation-independent conceptual data model

D. Network topology model

Ans: C

Explanation: High-level conceptual models describe the overall logical structure independent of physical implementation.

Q18 | MAPPING | ARCHITECTURE OF DBMS **ARCH**

Which of the following best describes the purpose of 'mapping' between schema levels in the three-schema architecture?

A. To increase redundancy across levels

B. To translate requests and results between different levels of abstraction (external, conceptual, internal)

C. To eliminate the need for schemas entirely

D. To physically merge all schemas into one

Ans: B

Explanation: Mappings convert requests/results between the external, conceptual, and internal levels of abstraction.

Q19 | THREE-SCHEMA | ARCHITECTURE OF DBMS **ARCH**

Which of the following is a key advantage provided directly by the three-schema architecture?

A. Data independence, allowing changes at one level without affecting others

B. Increased data redundancy across levels

C. Complete elimination of the DBA's role

D. Removal of the need for a conceptual schema

Ans: A

Explanation: The main benefit of this layered architecture is the data independence it enables.

Q20 | INTERNAL LEVEL | ARCHITECTURE OF DBMS **ARCH**

Which schema level would define access methods, indexes, and storage structures used to physically store data?

A. Conceptual

B. Internal

C. External

D. Application

Ans: B

Explanation: Physical storage details, including access methods and indexes, belong to the internal schema level.

Q21 | EXTERNAL LEVEL | ARCHITECTURE OF DBMS **ARCH**

A 'view' in a relational DBMS most directly corresponds to which schema level?

A. Conceptual level

B. Physical level

C. External level

D. Internal level

Ans: C

Explanation: Views represent tailored, user-specific perspectives of data, corresponding to the external level.

Q22 | DATA INDEPENDENCE | ARCHITECTURE OF DBMS **ARCH**

Which of the following best distinguishes 'logical data independence' from 'physical data independence'?

A. Logical data independence deals with changes at the conceptual level not affecting external schemas; physical data independence deals with changes at the internal level not affecting the conceptual schema

B. Physical data independence relates only to user views

C. Both terms mean the same thing

D. Logical data independence relates only to hardware

Ans: A

Explanation: This precisely captures the distinction between the two forms of data independence.

Q23 | DATA INDEPENDENCE | ARCHITECTURE OF DBMS **ARCH**

Which of the following is generally considered harder to achieve in practice, logical or physical data independence, and why?

A. Logical data independence, because changes to the conceptual schema (e.g., adding/removing entities) can significantly affect application programs relying on the old structure

B. Physical data independence, because hardware rarely changes

C. Neither type of independence is relevant in practice

D. Both are equally trivial to achieve

Ans: A

Explanation: Structural conceptual changes tend to ripple more into applications than storage-level changes, making logical independence harder.

Q24 | FILL IN THE BLANK | ARCHITECTURE OF DBMS **ARCH**

The _____ schema represents the single, unified logical view of the entire database shared across the organization.

A. Internal

B. Physical

C. External

D. Conceptual

Ans: D

Explanation: This describes the conceptual schema precisely.

Q25 | ASSERTION-REASON | ARCHITECTURE OF DBMS **ARCH**

Assertion (A): The three-schema architecture supports data independence. Reason (R): Each schema level is separated by mappings, allowing changes at one level to be absorbed without affecting the levels above it.

A. A false, R true

B. Both true, R correctly explains A

C. A true, R false

D. Both true, R does not explain A

Ans: B

Explanation: The mappings between levels are exactly what allow changes to be absorbed, enabling data independence.

Q26 | CONCEPT | ARCHITECTURE OF DBMS **ARCH**

Which of the following best represents the 'components' of a typical DBMS architecture beyond the three schema levels?

A. Query processor, storage manager, transaction manager, and associated data dictionary/catalog

B. Only hardware components

C. Only network cables

D. Only the DBA and end users

Ans: A

Explanation: These software components work together with the schema levels to form the overall DBMS architecture.

Q27 | CONCEPTUAL LEVEL | ARCHITECTURE OF DBMS **ARCH**

In the three-schema architecture, who typically defines the conceptual schema?

A. Database designers/DBA

B. Application programmers only

C. Naive users

D. Casual users

Ans: A

Explanation: Database designers, often in coordination with the DBA, define the overall conceptual schema.

Q28 | CONCEPTUAL LEVEL | ARCHITECTURE OF DBMS **ARCH**

Which of the following best explains why the three-schema architecture uses a 'conceptual level' separate from 'external' and 'internal' levels?

A. To merge all user views into a single rigid format

B. To provide a stable, unified logical view shielding users from both physical storage details and allowing multiple different user views

C. To increase redundancy between physical and user levels

D. To eliminate any need for a physical schema

Ans: B

Explanation: The conceptual level acts as a stable intermediary, insulating users from storage details while supporting multiple views.

Q29 | CONCEPTUAL LEVEL | ARCHITECTURE OF DBMS **ARCH**

Which schema level would be most affected if the organization changes its overall data model, e.g., adding new entity types organization-wide?

A. Conceptual level (potentially cascading to external levels depending on independence)

B. Physical level only

C. Internal only

D. None; changes never propagate

Ans: A

Explanation: Organization-wide structural changes primarily affect the conceptual schema and may cascade further depending on data independence.

Q30 | CONCEPT | ARCHITECTURE OF DBMS **ARCH**

Which of the following best describes 'data dictionary/catalog' in DBMS architecture?

A. A backup tape

B. A hardware component for storage

C. A repository storing metadata about schemas, constraints, and database structure

D. A user manual for end users

Ans: C

Explanation: The data dictionary stores metadata describing the database's schemas, constraints, and structure.

Q31 | MATCH THE FOLLOWING | ARCHITECTURE OF DBMS **ARCH**

Match schema level to its scope: 1. External 2. Conceptual 3. Internal with (a) Physical storage (b) Community/global logical view (c) Individual user view

A. 1-c, 2-b, 3-a

B. 1-a, 2-c, 3-b

C. 1-b, 2-a, 3-c

D. 1-c, 2-a, 3-b

Ans: A

Explanation: External corresponds to individual user view, Conceptual to the community/global logical view, and Internal to physical storage.

Q32 | DATA INDEPENDENCE | ARCHITECTURE OF DBMS **ARCH**

Which of the following is an example of achieving physical data independence?

A. Removing an external view entirely

B. Changing indexing structures on disk without modifying the conceptual schema or applications

C. Changing SQL query syntax used by applications

D. Adding a new entity type to the conceptual schema

Ans: B

Explanation: This is a direct example of physical data independence in action.

Q33 | DATA INDEPENDENCE | ARCHITECTURE OF DBMS **ARCH**

Which of the following is an example of achieving logical data independence?

A. Adding a new attribute to a conceptual-level table without needing to modify unrelated external views/applications

B. Changing hardware disk type

C. Rewriting an SQL query for performance

D. Changing the physical file organization on disk

Ans: A

Explanation: This scenario shows applications remaining unaffected despite a conceptual-level schema change.

Q34 | MAPPING | ARCHITECTURE OF DBMS **ARCH**

Which of the following best explains the role of 'mappings' in enabling data independence within the three-schema architecture?

A. Mappings translate structures and operations from one schema level to another, absorbing changes so that higher levels remain unaffected

B. Mappings duplicate all schemas identically

C. Mappings eliminate the need for any schema level

D. Mappings only apply to hardware configuration

Ans: A

Explanation: Mappings absorb changes between levels, which is the mechanism that enables data independence.

Q35 | CONCEPT | ARCHITECTURE OF DBMS **ARCH**

In the context of DBMS architecture, 'instance' refers to:

A. The query language syntax

B. The physical hardware used

C. The actual data stored in the database at a particular moment in time

D. The design/structure of the database

Ans: C

Explanation: An instance is the actual content of the database at a given point in time, as opposed to its structural schema.

Q36 | CONCEPT | ARCHITECTURE OF DBMS **ARCH**

Which of the following best distinguishes 'schema' from 'instance'?

A. Schema changes constantly while instance never changes

B. Instance refers to hardware, schema refers to software

C. Both terms are identical

D. Schema is the structural design, relatively stable over time; instance is the actual content/data at a specific point in time, which changes frequently

Ans: D

Explanation: This is the standard distinction between the stable structural schema and the frequently changing instance data.

Q37 | INTERNAL LEVEL | ARCHITECTURE OF DBMS **ARCH**

Which level of the three-schema architecture would be responsible for defining that the Employee table has an index on EmployeeID for faster searches?

A. Internal

B. Application

C. External

D. Conceptual

Ans: A

Explanation: Index definitions are a physical storage detail, belonging to the internal schema level.

Q38 | THREE-SCHEMA | ARCHITECTURE OF DBMS **ARCH**

Which of the following best describes the overall goal of DBMS architecture as covered in the syllabus?

A. To increase complexity without any structural benefit

B. To organize the system into clear levels/components that separate concerns, enable data independence, and support efficient data management

C. To make all data physically identical across levels

D. To eliminate schemas entirely

Ans: B

Explanation: This is the fundamental purpose behind the layered three-schema DBMS architecture.

Q39 | EXTERNAL LEVEL | ARCHITECTURE OF DBMS **ARCH**

Which of the following would be defined at the external level for a payroll application user who only needs to see salary and employee name, not other confidential details?

A. A tailored external view/subschema showing only relevant attributes

B. The complete internal storage structure

C. The entire conceptual schema with all attributes

D. Physical disk block addresses

Ans: A

Explanation: A tailored subschema at the external level restricts the visible attributes to only what that user needs.

Q40 | EXTERNAL LEVEL | ARCHITECTURE OF DBMS **ARCH**

Which of the following best describes why multiple external schemas can coexist for a single conceptual schema?

A. Each external schema requires a separate physical database

B. External schemas are unrelated to the conceptual schema

C. Different user groups have different views/requirements of the same underlying data

D. There can be only one external schema per database

Ans: C

Explanation: Multiple tailored views can be derived from the same single conceptual schema.

Q41 | INTERNAL LEVEL | ARCHITECTURE OF DBMS **ARCH**

Which of the following is TRUE about the internal schema?

A. There are multiple internal schemas per external schema

B. It is identical to the external schema

C. It is unique for a given database, describing physical storage and access methods

D. It describes only user-facing views

Ans: C

Explanation: A database typically has one internal schema describing its physical storage and access methods.

Q42 | DATA INDEPENDENCE | ARCHITECTURE OF DBMS **ARCH**

Which of the following scenarios best illustrates a violation of physical data independence?

A. Changing the disk storage format requires rewriting all application programs referencing the data

B. Adding a new external view requires no schema change

C. Adding a new attribute at the conceptual level has zero impact anywhere

D. Changing the disk storage format has no effect on any application

Ans: A

Explanation: If a storage format change forces application rewrites, physical data independence has not been properly achieved.

Q43 | CONCEPT | ARCHITECTURE OF DBMS **ARCH**

Which component of the DBMS architecture works most closely with the internal schema to manage actual data storage and retrieval?

A. Storage Manager

B. DDL Interpreter alone

C. Query Optimizer alone

D. Authorization Manager alone

Ans: A

Explanation: The Storage Manager directly manages physical storage and retrieval described by the internal schema.

Q44 | CONCEPT | ARCHITECTURE OF DBMS **ARCH**

Which of the following best explains the relationship between the three-schema architecture and software modules like the query processor and storage manager?

A. The three-schema architecture is a software module itself

B. The three-schema architecture defines levels of abstraction, while software modules implement the functionality needed to process data across those levels

C. Software modules replace the need for schema levels

D. They are entirely unrelated concepts

Ans: B

Explanation: The architecture defines conceptual levels, while software modules provide the implementation that operates across them.

Q45 | THREE-SCHEMA | ARCHITECTURE OF DBMS **ARCH**

Which of the following is the correct order of increasing abstraction from physical storage to user view?

A. External to Internal to Conceptual

B. Conceptual to Internal to External

C. External to Conceptual to Internal

D. Internal to Conceptual to External

Ans: D

Explanation: Moving from physical storage upward: Internal, then Conceptual, then External represents increasing abstraction toward the user.

Q46 | CONCEPT | ARCHITECTURE OF DBMS **ARCH**

Which of the following best summarizes 'components of DBMS architecture' as covered in the syllabus?

A. Three schema levels (external, conceptual, internal), their mappings, and core software modules (query processor, storage manager, etc.) working together

B. Only end users and DBAs

C. Only the internal schema

D. Only hardware devices

Ans: A

Explanation: This combination represents the full set of architectural components covered in the syllabus.

Q47 | MAPPING | ARCHITECTURE OF DBMS **ARCH**

Which of the following is an example of the 'external/conceptual mapping' in practice?

A. Managing user passwords

B. Translating conceptual-level requests into physical disk block addresses

C. Formatting final printed reports

D. Translating a user's view-level query referencing only certain attributes into the corresponding conceptual-level query

Ans: D

Explanation: This is precisely the function of the external/conceptual mapping.

Q48 | MAPPING | ARCHITECTURE OF DBMS **ARCH**

Which of the following is an example of the 'conceptual/internal mapping' in practice?

A. Translating user queries into a simplified external view

B. Formatting SQL syntax errors

C. Translating conceptual-level record structures into their corresponding physical storage representation

D. Managing user access privileges

Ans: C

Explanation: This is precisely the function of the conceptual/internal mapping.

Q49 | DATA INDEPENDENCE | ARCHITECTURE OF DBMS **ARCH**

Which of the following best explains why achieving true logical data independence is often considered more challenging than physical data independence in practice?

A. Because conceptual-level (structural) changes often ripple into how applications interpret data, unlike storage-level changes which are more easily isolated

B. Because physical data independence is impossible to achieve

C. Because logical data independence does not exist in practice

D. Because physical changes always affect every application while logical changes never do

Ans: A

Explanation: Structural, conceptual-level changes tend to have broader downstream effects on applications than isolated storage changes.

Q50 | INTERNAL LEVEL | ARCHITECTURE OF DBMS **ARCH**

Which of the following best represents an 'internal schema' definition detail?

A. Description of a single user's login credentials

B. Description of the specific report format shown to a manager

C. Description of organizational hierarchy

D. Description of stored records, field lengths, indexes, and file organization on disk

Ans: D

Explanation: These are exactly the kinds of physical storage details defined at the internal schema level.

Q51 | THREE-SCHEMA | ARCHITECTURE OF DBMS **ARCH**

Which of the following is NOT one of the three levels of the ANSI/SPARC three-schema architecture?

A. Distributed

B. Internal

C. Conceptual

D. External

Ans: A

Explanation: The Distributed level is not part of the classical three-schema architecture; the standard three levels are External, Conceptual, and Internal.

Q52 | CONCEPTUAL LEVEL | ARCHITECTURE OF DBMS **ARCH**

Which of the following best describes why the conceptual schema is considered the 'central' or 'community' view?

A. It represents the complete logical structure of the whole database, independent of how individual users view it or how it is physically stored

B. It has no relationship to external or internal schemas

C. It only represents one user's specific needs

D. It only represents physical storage details

Ans: A

Explanation: Its role as a unified, organization-wide logical view is precisely why it is called the central or community schema.

Q53 | SCENARIO | ARCHITECTURE OF DBMS **ARCH**

Which level of DBMS architecture would be modified if a company decides to hide certain sensitive salary fields from a particular department's application?

A. Conceptual level only, with no external schema changes

B. Internal level only

C. External level (creating/modifying a tailored view)

D. Physical storage level

Ans: C

Explanation: Restricting visible fields for a specific department is achieved by tailoring that department's external view.

Q54 | THREE-SCHEMA | ARCHITECTURE OF DBMS **ARCH**

Which of the following best explains the benefit of separating 'what data is logically stored' (conceptual schema) from 'how it is physically stored' (internal schema)?

A. It eliminates the need for a conceptual schema

B. It allows database administrators to optimize physical storage/performance independently without disrupting the logical structure used by applications

C. It has no practical benefit

D. It forces every application to know physical storage details

Ans: B

Explanation: This separation is exactly what allows independent optimization of physical storage without disrupting applications.

Q55 | CONCEPT | ARCHITECTURE OF DBMS **ARCH**

Overall, which best summarizes the Architecture of DBMS topic as covered in the syllabus?

A. DBMS architecture is identical to network architecture

B. There is no formal architecture associated with DBMS

C. The three-schema architecture (external, conceptual, internal) with associated mappings enables data independence and organizes the components of a DBMS

D. DBMS architecture consists only of hardware components

Ans: C

Explanation: This summarizes the core content of the Architecture of DBMS topic as covered in the syllabus.