Managing Menus

Visual Basic 6.0

OAVS TGT Computer Teacher Examination | 146 Exam-Focused MCQs

SYLLABUS COVERED

d. Managing Menus
i. Creating and modifying menu at Design time
ii. Programming menu commands
iii. Shortcut keys & menus at runtime

Part	Section	Questions
1	Creating Menus at Design Time	Q1 - Q20
2	Modifying Menu Items and Properties	Q21 - Q38
3	Menu Hierarchies and Submenus	Q39 - Q51
4	Programming Menu Commands	Q52 - Q63
5	Menu Command Events	Q64 - Q72
6	Shortcut Keys and Menu Commands	Q73 - Q83
7	Managing Menus at Runtime	Q84 - Q105
8	Code-Based and Scenario-Based Questions	Q106 - Q121
9	Important and Tricky Questions	Q122 - Q134
10	Mixed OAVS TGT Practice Set	Q135 - Q146

Tip: Menu Editor = Ctrl+E | Prefix: mnu | Separator caption: - | Access key: & | Shortcut: design time only | Run time: Caption, Checked, Enabled, Visible | Load/Unload: control arrays | PopupMenu: context menus.

PART 1: CREATING MENUS AT DESIGN TIME

Q1 | Concept | Managing Menus

Which Visual Basic 6.0 tool is used to create and modify menus at design time?

- **A.** Menu Editor
- **B.** Immediate Window
- **C.** Project Explorer
- **D.** Properties Window

Ans: A

Explanation: The Menu Editor allows developers to create menu items, organize submenu hierarchies, and configure menu properties.

Q2 | Concept | Managing Menus

Which keyboard shortcut opens the Menu Editor while a form is active in the designer?

- **A.** F4
- **B.** Ctrl+E
- **C.** Ctrl+M
- **D.** Ctrl+R

Ans: B

Explanation: Ctrl+E opens the Menu Editor. F4 opens the Properties window and Ctrl+R opens Project Explorer.

Q3 | Concept | Managing Menus

From which VB 6.0 IDE menu is the Menu Editor opened?

- **A.** Tools menu
- **B.** View menu
- **C.** Format menu
- **D.** Project menu

Ans: A

Explanation: The command is Tools > Menu Editor. It is also on the standard toolbar.

Q4 | Concept | Managing Menus

When is the Menu Editor unavailable (dimmed) in the IDE?

- **A.** When the form has no controls placed on it
- **B.** When the project contains more than one form
- **C.** When no form designer window is active, e.g. only a Code window has focus
- **D.** When the form's Caption property is empty

Ans: C

Explanation: The Menu Editor works on the active form, so a form window must be selected in design mode.

Q5 | Concept | Managing Menus

Which two properties must be supplied for every menu item, including a separator bar?

- **A.** Name and Enabled
- **B.** Caption and Name
- **C.** Caption and Shortcut
- **D.** Name and Index

Ans: B

Explanation: Each menu item is a control, so it needs a Name; the Caption holds its text (a separator uses a hyphen).

Q6 | Concept | Managing Menus

What is the main purpose of the Name property of a menu item?

- **A.** To decide whether the item shows a check mark
- **B.** To identify the menu control in code and in its event procedure names
- **C.** To assign the Alt-key access letter
- **D.** To set the text shown on the menu

Ans: B

Explanation: Code such as mnuFileOpen_Click uses the Name. The visible text comes from the Caption.

Q7 | Concept | Managing Menus

Which prefix is conventionally used for naming menu controls in VB 6.0?

- **A.** mnc
- **B.** mni
- **C.** mnu
- **D.** cmd

Ans: C

Explanation: The standard prefix is mnu, for example mnuFile and mnuFileOpen.

Q8 | Concept | Managing Menus

Which Caption creates a separator bar in a menu?

- **A.** _ (underscore)
- **B.** = (equals sign)
- **C.** | (vertical bar)
- **D.** - (a single hyphen)

Ans: D

Explanation: A hyphen as the Caption draws a horizontal separator line. The separator still needs a Name.

Q9 | Concept | Managing Menus

In the Menu Editor, which button indents the selected item to make it a menu command or submenu item under the item above it?

- **A.** Up arrow
- **B.** Right arrow
- **C.** Left arrow
- **D.** Insert

Ans: B

Explanation: The right arrow demotes the item one level (adds four dots). The left arrow promotes it one level.

Q10 | Concept | Managing Menus

Which Menu Editor buttons change the position of an item within the same menu level?

- **A.** Up and Down arrows
- **B.** Left and Right arrows
- **C.** Next and Insert
- **D.** OK and Cancel

Ans: A

Explanation: The up and down arrows reorder items; the left and right arrows change the indentation level.

Q11 | Concept | Managing Menus

Which Menu Editor button inserts a blank item above the currently selected item?

- **A.** Next
- **B.** Delete
- **C.** Insert
- **D.** OK

Ans: C

Explanation: Insert adds a new blank item before the selected one. Next moves to the following item.

Q12 | Concept | Managing Menus

What does the Delete button of the Menu Editor do?

- **A.** Unloads the item at run time
- **B.** Removes the selected menu item from the list
- **C.** Clears every menu on the form
- **D.** Sets the item's Visible property to False

Ans: B

Explanation: Delete removes only the selected item from the menu structure at design time.

Q13 | Concept | Managing Menus

What do the four dots (....) before an item in the Menu Editor list indicate?

- **A.** The item is disabled
- **B.** The item is indented one level below a menu title
- **C.** The item is a separator bar
- **D.** The item has a shortcut key

Ans: B

Explanation: Each group of four dots represents one level of indentation in the menu hierarchy.

Q14 | Concept | Managing Menus

Besides Tools > Menu Editor, how can the Menu Editor be opened?

- **A.** Right-click the Toolbox and choose Menu
- **B.** Press F5 with the form selected
- **C.** Double-click the form's title bar
- **D.** Right-click the form in the designer and choose Menu Editor

Ans: D

Explanation: The form's context menu in the designer includes the Menu Editor command. F5 runs the project.

Q15 | Concept | Managing Menus

A menu bar can be attached directly to which of the following?

- **A.** A PictureBox
- **B.** A TextBox
- **C.** A Form
- **D.** A Frame

Ans: C

Explanation: Menus belong to forms (including MDI forms), not to other controls.

Q16 | Concept | Managing Menus

What happens when Cancel is clicked in the Menu Editor?

- **A.** All menus on the form are deleted
- **B.** The form runs to preview the menu
- **C.** Changes are saved and the editor closes
- **D.** Changes made in that session are discarded and the editor closes

Ans: D

Explanation: OK applies the changes to the form; Cancel throws them away.

Q17 | Concept | Managing Menus

What does the large list box at the bottom of the Menu Editor display?

- **A.** The available shortcut keys
- **B.** The hierarchical list of all menu items on the form
- **C.** The forms in the project
- **D.** The event procedures of the menu

Ans: B

Explanation: It shows every menu item with indentation (dots) reflecting its level in the hierarchy.

Q18 | Concept | Managing Menus

Up to how many levels of submenus can be created in the VB 6.0 Menu Editor?

- **A.** Four
- **B.** Two
- **C.** Six
- **D.** Unlimited

Ans: C

Explanation: VB 6.0 permits submenus nested up to six levels deep; beyond that the Menu Editor allows no further indenting.

Q19 | Concept | Managing Menus

How is a menu control array created at design time in the Menu Editor?

- **A.** Give the items the same Caption and different Names
- **B.** Give adjacent items at the same level the same Name and different Index values
- **C.** Set WindowList to True for the items
- **D.** Give the items the same Shortcut key

Ans: B

Explanation: Items sharing a Name are accepted only as a control array, so each needs a unique Index.

Q20 | Tricky | Managing Menus

Which condition must be met by items that form one menu control array?

- **A.** They must have identical Captions
- **B.** They must all be top-level menus
- **C.** They must all have a separator above them
- **D.** They must be adjacent in the list and at the same indentation level under the same parent

Ans: D

Explanation: Members of a menu control array must be contiguous and share the same level and parent.

PART 2: MODIFYING MENU ITEMS AND PROPERTIES

Q21 | Concept | Managing Menus

Which menu property displays a check mark beside a menu item?

- **A.** Marked
- **B.** Value
- **C.** Checked
- **D.** Selected

Ans: C

Explanation: Checked is a Boolean property; True shows a check mark next to the item.

Q22 | Scenario | Managing Menus

A command must stay visible on the menu but be unavailable to the user for now. Which property should be set to False?

- **A.** Visible
- **B.** Index
- **C.** Enabled
- **D.** Checked

Ans: C

Explanation: Enabled = False dims the item. Visible = False would remove it from the menu.

Q23 | Concept | Managing Menus

What are the default values of Enabled, Visible and Checked for a new menu item?

- **A.** Enabled = False, Visible = True, Checked = False
- **B.** Enabled = True, Visible = True, Checked = False
- **C.** Enabled = True, Visible = True, Checked = True
- **D.** Enabled = True, Visible = False, Checked = False

Ans: B

Explanation: A new item is enabled and visible and has no check mark.

Q24 | Concept | Managing Menus

What is the purpose of the Index property of a menu item?

- **A.** To set its position on the screen
- **B.** To set its access letter
- **C.** To assign a shortcut key
- **D.** To make the item an element of a menu control array

Ans: D

Explanation: Items sharing a Name and having different Index values form a menu control array.

Q25 | Concept | Managing Menus

What does the WindowList property of a top-level menu do on an MDI form?

- **A.** Shows a list of the open MDI child windows on that menu
- **B.** Lists recently opened files
- **C.** Lists all forms in the project
- **D.** Lists all menu names in the Properties window

Ans: A

Explanation: When WindowList is True, VB automatically appends the open child window titles to the menu.

Q26 | Concept | Managing Menus

What is the use of the HelpContextID property of a menu item?

- **A.** It sets the menu's access key
- **B.** It sets the item's position in the list
- **C.** It hides the item at run time
- **D.** It links the item to a specific topic of a help file

Ans: D

Explanation: HelpContextID holds a numeric ID that points to the related topic in the help file.

Q27 | Concept | Managing Menus

What does the NegotiatePosition property of a menu control?

- **A.** Whether and where the menu appears in a container's menu bar when an embedded object is active
- **B.** The alphabetical order of menu items
- **C.** The shortcut key of the menu
- **D.** The font used for the caption

Ans: A

Explanation: NegotiatePosition (None, Left, Middle, Right) is used when menus are shared with an active OLE object.

Q28 | Concept | Managing Menus

If a caption is typed as &Edit, what is the result at run time?

- **A.** The caption displays '&Edit' as typed
- **B.** Ctrl+E becomes its shortcut key
- **C.** E is underlined and Alt+E can open the menu
- **D.** The item is disabled

Ans: C

Explanation: An ampersand before a letter makes that letter the access key, shown underlined.

Q29 | Concept | Managing Menus

How can a caption display a literal ampersand, as in 'Cut & Paste'?

- **A.** Type the caption as Cut %& Paste
- **B.** Type the caption as Cut \& Paste
- **C.** Type the caption as Cut && Paste
- **D.** Type the caption as Cut & Paste

Ans: C

Explanation: A single & marks an access key; a double && displays one literal ampersand.

Q30 | Concept | Managing Menus

Which of the following is NOT a property of a menu control?

- **A.** Visible
- **B.** Checked
- **C.** Caption
- **D.** Left

Ans: D

Explanation: Menu items have no Left, Top, Width or Height because the system positions them.

Q31 | Tricky | Managing Menus

A menu item's Name is changed in the Menu Editor after its Click procedure has been written. What happens to that procedure?

- **A.** It stays in the code window but is no longer linked to the menu as its event
- **B.** It is renamed automatically
- **C.** It is deleted automatically
- **D.** VB refuses to change the Name

Ans: A

Explanation: VB does not rename existing event procedures; the old procedure becomes an ordinary general procedure.

Q32 | Concept | Managing Menus

Which of the following appears as a check box in the Menu Editor?

- **A.** WindowList
- **B.** AutoRedraw
- **C.** TabStop
- **D.** Locked

Ans: A

Explanation: The Menu Editor offers four check boxes: Checked, Enabled, Visible and WindowList.

Q33 | Concept | Managing Menus

How can the caption of an existing menu item be changed at design time?

- **A.** It cannot be changed once created
- **B.** Delete the item and re-create it every time
- **C.** Edit it in the Project Explorer
- **D.** Select the item in the Menu Editor list, edit the Caption box, and click OK

Ans: D

Explanation: Selecting an item in the list loads its properties into the editor fields for modification.

Q34 | Concept | Managing Menus

By Windows convention, what does an ellipsis in a caption such as 'Save As...' indicate?

- **A.** A dialog box asking for more information will appear
- **B.** The item is disabled
- **C.** The item has a submenu
- **D.** The item has a shortcut key

Ans: A

Explanation: An ellipsis is a user-interface convention that warns that further input will be requested.

Q35 | Match | Managing Menus

Match the menu property with its effect:
1. Checked 2. Enabled 3. Visible 4. Index
a. Element number in a control array b. Displays a tick c. Dims the item d. Hides the item

- **A.** 1-c, 2-b, 3-a, 4-d
- **B.** 1-b, 2-c, 3-d, 4-a
- **C.** 1-a, 2-d, 3-c, 4-b
- **D.** 1-d, 2-a, 3-b, 4-c

Ans: B

Explanation: Checked shows a tick, Enabled dims, Visible hides, and Index numbers control array elements.

Q36 | Statement | Managing Menus

Consider the statements:
I. The Caption of a menu item may contain spaces.
II. The Name of a menu item may contain spaces.
III. The Name is used to refer to the menu item in code.

- **A.** II and III only
- **B.** I and III only
- **C.** I, II and III
- **D.** I and II only

Ans: B

Explanation: Names are identifiers and cannot contain spaces; captions are display text and can.

Q37 | Concept | Managing Menus

Which of the following is NOT a valid setting of the NegotiatePosition property?

- **A.** None
- **B.** Middle
- **C.** Left
- **D.** Top

Ans: D

Explanation: The valid values are 0-None, 1-Left, 2-Middle and 3-Right.

Q38 | Concept | Managing Menus

Which practice is recommended for access keys in the same menu?

- **A.** Use access keys only on separator bars
- **B.** Use the same underlined letter for all items
- **C.** Use the same letter as the shortcut key for every item
- **D.** Use a different underlined letter for each item

Ans: D

Explanation: Unique access letters in one menu avoid ambiguity when the user navigates with the keyboard.

PART 3: MENU HIERARCHIES AND SUBMENUS

Q39 | Concept | Managing Menus

In the Menu Editor list, which items appear on the form's menu bar?

A. Items with no indentation (no dots)
B. Items whose caption is a hyphen
C. Items with eight dots
D. Items with four dots

Ans: A

Explanation: Non-indented items are top-level menu titles shown on the menu bar.

Q40 | Code | Managing Menus

How many menu titles appear on the menu bar for this Menu Editor list?

```
File
....New
....Open
Edit
....Cut
....Copy
Help
....About
```

A. 8
B. 2
C. 3
D. 5

Ans: C

Explanation: Only File, Edit and Help have no dots, so they are the menu bar titles.

Q41 | Code | Managing Menus

In this list, which item will show an arrowhead at run time to indicate a submenu?

```
File
....Recent Files
........Doc1
........Doc2
....Exit
```

A. Exit
B. Recent Files
C. Doc1
D. File

Ans: B

Explanation: Recent Files has indented items beneath it, so it opens a submenu instead of running a command.

Q42 | Concept | Managing Menus

In the Menu Editor list, how is a submenu item shown that belongs to a menu command which is itself under a menu title?

- **A.** With four dots
- **B.** With eight dots
- **C.** With no dots
- **D.** With one dot

Ans: B

Explanation: Each level adds four dots: title (0), command (4), submenu item (8).

Q43 | Concept | Managing Menus

Which name follows the recommended hierarchical naming convention for the Open command under the File menu?

- **A.** mnuFileOpen
- **B.** FileOpenMnu
- **C.** menuOpen.File
- **D.** mnuOpenFile

Ans: A

Explanation: The convention is prefix + parent name + item name, such as mnuFileOpen or mnuEditCopy.

Q44 | Concept | Managing Menus

What is the effect of setting Enabled = False on a top-level menu title?

- **A.** Only the title text is dimmed; commands still work
- **B.** The menu moves to the right end of the bar
- **C.** The whole menu is dimmed and its commands cannot be chosen
- **D.** Its commands are deleted

Ans: C

Explanation: A disabled menu title cannot be opened, so none of its commands can be reached.

Q45 | Concept | Managing Menus

What is the effect of setting Visible = False on a top-level menu title?

- **A.** The menu becomes dimmed
- **B.** The menu becomes a context menu automatically
- **C.** Only the title disappears; the commands stay on screen
- **D.** The entire menu, including its commands, disappears from the menu bar

Ans: D

Explanation: Hiding a title hides everything under it as well.

Q46 | Concept | Managing Menus

What is the purpose of a separator bar in a menu?

- **A.** To visually divide groups of related commands
- **B.** To create a submenu
- **C.** To disable the commands below it
- **D.** To assign a shortcut key

Ans: A

Explanation: Separator bars organize long menus into logical groups; they are not clickable.

Q47 | Scenario | Managing Menus

An item 'Exit' is listed with no dots after the Help menu but should be under File. What is the correct way to fix this in the Menu Editor?

- **A.** Drag it with the mouse onto the File title
- **B.** Set its Index equal to the File menu's Index
- **C.** Prefix its caption with 'File.'
- **D.** Move it up below the File commands with the up arrow, then indent it with the right arrow

Ans: D

Explanation: Position in the list and indentation decide parentage; the Menu Editor has no drag-and-drop.

Q48 | Concept | Managing Menus

How does the Menu Editor decide the parent of an indented item?

- **A.** The item with the same Index
- **B.** The item whose Name has the same prefix
- **C.** The nearest item above it with one level less indentation
- **D.** The item selected when Insert was pressed

Ans: C

Explanation: Parentage is determined only by list order and indentation.

Q49 | Concept | Managing Menus

Which sequence ranks the menu structure from highest level to lowest?

- **A.** Menu bar -> menu title -> menu command -> submenu item
- **B.** Submenu item -> menu command -> menu bar -> menu title
- **C.** Menu command -> menu title -> menu bar -> submenu item
- **D.** Menu title -> menu bar -> submenu item -> menu command

Ans: A

Explanation: The menu bar holds titles; titles hold commands; commands can hold submenu items.

Q50 | Tricky | Managing Menus

mnuFile.Enabled = False is set, but mnuFileOpen.Enabled still holds True. Can the user choose Open?

- **A.** Yes, but only with the right mouse button
- **B.** No, because Open's Enabled becomes False automatically
- **C.** Yes, because Open is enabled
- **D.** No; the disabled parent menu cannot be opened so Open cannot be reached

Ans: D

Explanation: Child items keep their own Enabled value, but they are unreachable while the parent menu is disabled.

Q51 | Concept | Managing Menus

What does the arrowhead at the right of a menu item at run time indicate?

- **A.** The item is checked
- **B.** The item opens a submenu instead of running a command
- **C.** The item has a shortcut key
- **D.** The item is disabled

Ans: B

Explanation: An item that has indented items beneath it displays an arrowhead and opens a cascading submenu.

PART 4: PROGRAMMING MENU COMMANDS

Q52 | Concept | Managing Menus

A menu item is named mnuFileOpen. Which procedure runs when the user chooses it?

- **A.** mnuFileOpen_Select
- **B.** mnuFileOpen_Open
- **C.** mnuFileOpen_Click
- **D.** Open_mnuFile_Click

Ans: C

Explanation: Menu event procedures are named ControlName_EventName, and the menu event is Click.

Q53 | Concept | Managing Menus

In design mode, what happens when a menu item is clicked on the form (not in the Menu Editor)?

- **A.** The Menu Editor opens
- **B.** The Code window opens with that item's Click procedure
- **C.** The item is run immediately
- **D.** The item is deleted

Ans: B

Explanation: Clicking a menu item in the designer jumps to its Click event stub.

Q54 | Output | Managing Menus

What happens when this menu command runs?

```
Private Sub mnuFileExit_Click()
    Unload Me
End Sub
```

- **A.** The form is only hidden
- **B.** The Exit item is disabled
- **C.** The current form is closed
- **D.** All text boxes are cleared

Ans: C

Explanation: Unload Me unloads the form that contains the code; the program ends if it was the last form.

Q55 | Concept | Managing Menus

Which statement toggles the check mark of mnuViewStatus every time it is executed?

- **A.** mnuViewStatus.Check = Not mnuViewStatus.Check
- **B.** mnuViewStatus.Checked = Not mnuViewStatus.Checked
- **C.** mnuViewStatus.Checked = True
- **D.** mnuViewStatus.Value = Not mnuViewStatus.Value

Ans: B

Explanation: Checked is a Boolean property, so Not reverses its current value.

Q56 | Concept | Managing Menus

Which statement dims (grays out) the menu item mnuEditPaste?

- **A.** mnuEditPaste.Enabled = False
- **B.** mnuEditPaste.Checked = False
- **C.** mnuEditPaste.Caption = ""
- **D.** mnuEditPaste.Visible = False

Ans: A

Explanation: Enabled = False makes the item unavailable but still visible.

Q57 | Output | Managing Menus

Text1 is not bold initially. What is the state of Text1 after the menu item is clicked twice?

```
Private Sub mnuFormatBold_Click()
    Text1.FontBold = Not Text1.FontBold
End Sub
```

- **A.** Bold
- **B.** Italic
- **C.** Run-time error
- **D.** Not bold

Ans: D

Explanation: The statement flips FontBold each time: False -> True -> False.

Q58 | Tricky | Managing Menus

Which is the valid way to run the code of mnuFileSave from another procedure?

- **A.** Call mnuFileSave_Click
- **B.** mnuFileSave.Value = True
- **C.** mnuFileSave.Click
- **D.** mnuFileSave.Execute

Ans: A

Explanation: Menu controls have no Click method; the event procedure is called like any other procedure.

Q59 | Concept | Managing Menus

Which statement about Unload Me and End in an Exit command is correct?

- **A.** End only closes the active form
- **B.** Unload Me always terminates all forms and the program
- **C.** Unload Me runs the form's Unload events, but End terminates immediately without them
- **D.** Both behave identically in every respect

Ans: C

Explanation: End stops the program at once, skipping Form_Unload and QueryUnload; Unload Me is the orderly route.

Q60 | Output | Managing Menus

What happens when the user chooses Help > About?

```
Private Sub mnuHelpAbout_Click()
    MsgBox "Menu Demo v1.0", vbInformation, "About"
End Sub
```

A. A compile error occurs
B. The item becomes disabled
C. The form closes
D. A message box with an information icon and the title 'About' appears

Ans: D

Explanation: vbInformation gives the icon and the third argument supplies the title bar text.

Q61 | Concept | Managing Menus

In the procedure below, what does Me refer to?

```
Private Sub mnuColorRed_Click()
    Me.BackColor = vbRed
End Sub
```

A. The menu item that was clicked
B. The form on which the menu is placed
C. The Menu Editor
D. The project

Ans: B

Explanation: Me always refers to the current form instance, so the form's background becomes red.

Q62 | Output | Managing Menus

The user chooses the item with Index 1. Which Align items are checked afterwards?

```
Private Sub mnuAlign_Click(Index As Integer)
    Dim i As Integer
    For i = 0 To 2
        mnuAlign(i).Checked = False
    Next i
    mnuAlign(Index).Checked = True
End Sub
```

A. All three items
B. Items 0 and 1
C. Only item 1
D. Only item 0

Ans: C

Explanation: The loop clears every check mark and then sets only the chosen element, giving radio-button behaviour.

Q63 | Code | Managing Menus

What does this Form_Load code achieve for the Recent Files list?

```
Private Sub Form_Load()
    mnuRecent(0).Visible = False
End Sub
```

A. Adds a shortcut key to the list

B. Deletes the control array

C. Disables the whole File menu

D. Hides the list item until a file name is available

Ans: D

Explanation: Setting Visible = False on element 0 keeps the unused Recent Files entry off the menu.

PART 5: MENU COMMAND EVENTS

Q64 | Concept | Managing Menus

Which event is supported by a menu control?

- **A.** KeyPress
- **B.** Click
- **C.** DblClick
- **D.** MouseDown

Ans: B

Explanation: Click is the only event of a menu item; it fires for mouse, access-key or shortcut-key selection.

Q65 | Code | Managing Menus

When does this procedure run, and what does it achieve?

```
Private Sub mnuEdit_Click()
    mnuEditCopy.Enabled = (Text1.SelLength > 0)
End Sub
```

- **A.** When Text1 changes; the Edit menu is hidden
- **B.** Each time the Edit menu is opened; Copy is enabled only if text is selected
- **C.** When Copy is clicked; text is copied
- **D.** Only at form load; Copy is disabled permanently

Ans: B

Explanation: The Click event of a top-level menu fires as it opens, which is a good moment to refresh item states.

Q66 | Concept | Managing Menus

A user opens the Edit menu (mnuEdit) and chooses Copy (mnuEditCopy). In which order do the Click events occur?

- **A.** mnuEdit_Click, then mnuEditCopy_Click
- **B.** Only mnuEditCopy_Click
- **C.** Only mnuEdit_Click
- **D.** mnuEditCopy_Click, then mnuEdit_Click

Ans: A

Explanation: The title's Click occurs when the menu opens; the command's Click occurs when it is chosen.

Q67 | Statement | Managing Menus

Which of the following can trigger the Click event of a menu item?
I. Clicking the item with the mouse
II. Pressing its access key while the menu is open
III. Pressing its assigned shortcut key

- **A.** II and III only
- **B.** I only
- **C.** I and II only
- **D.** I, II and III

Ans: D

Explanation: All three actions choose the command and therefore raise its Click event.

Q68 | Code | Managing Menus

The item with Index 2 in the control array is chosen. What is the font size of Text1?

```
Private Sub mnuSize_Click(Index As Integer)
    Select Case Index
        Case 0: Text1.FontSize = 8
        Case 1: Text1.FontSize = 12
        Case 2: Text1.FontSize = 16
    End Select
End Sub
```

A. 2
B. 8
C. 12
D. 16

Ans: D

Explanation: The Index argument tells which element was clicked, and Case 2 sets the size to 16.

Q69 | Output | Managing Menus

What is the form caption after the menu item is clicked three times?

```
Dim n As Integer
Private Sub mnuCount_Click()
    n = n + 1
    Me.Caption = "Clicks: " & n
End Sub
```

A. Clicks: 1
B. Clicks: 123
C. Clicks: 3
D. Clicks: 0

Ans: C

Explanation: n is a form-level variable, so it keeps its value between clicks and grows to 3.

Q70 | Output | Managing Menus

When the form starts, how does the Save item appear?

```
Private Sub Form_Load()
    mnuFileSave.Enabled = False
End Sub
```

A. Checked
B. It causes a run-time error
C. Hidden
D. Dimmed (disabled)

Ans: D

Explanation: Form_Load can set menu properties; Enabled = False makes Save unavailable from the start.

Q71 | Concept | Managing Menus

What happens when the user tries to click a disabled menu item?

A. The item becomes enabled
B. A run-time error is raised
C. Its Click event occurs normally
D. Nothing; its Click event does not occur

Ans: D

Explanation: Disabled items ignore user input, so no event is generated.

Q72 | Code | Managing Menus

Which is the correct Click procedure header for elements of a menu control array named mnuRecent?

A. Private Sub mnuRecent_Index_Click()
B. Private Sub mnuRecent_Click(Index As Integer)
C. Private Sub mnuRecent_Click(Index As String)
D. Private Sub mnuRecent_Click()

Ans: B

Explanation: A control array event receives the Index of the element, declared As Integer.

PART 6: SHORTCUT KEYS AND MENU COMMANDS

Q73 | Concept | Managing Menus

Where is a shortcut key assigned to a menu command at design time?

- **A.** Caption property
- **B.** KeyPreview property of the form
- **C.** Shortcut drop-down list in the Menu Editor
- **D.** Shortcut text box in the Properties window

Ans: C

Explanation: The Menu Editor provides a Shortcut combo box listing the available key combinations.

Q74 | Concept | Managing Menus

Which of the following can be selected in the Menu Editor's Shortcut list?

- **A.** Ctrl+F5
- **B.** Shift+Alt+X
- **C.** Alt+F
- **D.** Ctrl+Alt+K

Ans: A

Explanation: The list holds Ctrl+letters, function keys with Ctrl/Shift, Ins/Del variants, etc. Alt+letter is for access keys.

Q75 | Concept | Managing Menus

What is the main difference between a shortcut key and an access key?

- **A.** Both are identical in behaviour
- **B.** An access key runs the command directly; a shortcut key needs the menu opened
- **C.** A shortcut key runs the command directly; an access key works through the menu with Alt/underlined letters
- **D.** Shortcut keys apply only to top-level menus

Ans: C

Explanation: Ctrl+S can run Save without opening any menu, whereas an access key navigates the menu.

Q76 | Concept | Managing Menus

A Save item has Ctrl+S selected as its shortcut. How is the shortcut shown at run time?

- **A.** Only if the programmer types it into the Caption
- **B.** It appears on the form's title bar
- **C.** It is never displayed
- **D.** Ctrl+S appears automatically at the right side of the caption

Ans: D

Explanation: VB adds the shortcut text itself, so it must not be typed into the caption.

Q77 | Concept | Managing Menus

A menu item's shortcut is Ctrl+P, but its Enabled property is False. What happens when Ctrl+P is pressed?

- **A.** Nothing; the command is not executed
- **B.** A run-time error occurs
- **C.** The command still runs
- **D.** The item becomes enabled

Ans: A

Explanation: A disabled command ignores its shortcut key as well as mouse selection.

Q78 | Match | Managing Menus

Match the standard shortcut with its common command:
1. Ctrl+X 2. Ctrl+V 3. Ctrl+N 4. Ctrl+P
a. Print b. Cut c. Paste d. New

- **A.** 1-c, 2-b, 3-a, 4-d
- **B.** 1-b, 2-c, 3-d, 4-a
- **C.** 1-d, 2-a, 3-b, 4-c
- **D.** 1-a, 2-d, 3-c, 4-b

Ans: B

Explanation: These are the standard Windows conventions that menu designers follow.

Q79 | Scenario | Managing Menus

Which caption lets a user choose the Exit command by pressing X while the File menu is open?

- **A.** Exit&
- **B.** E&xit
- **C.** E&&xit
- **D.** &Exit

Ans: B

Explanation: The ampersand goes before the letter to be underlined; && would show a literal ampersand.

Q80 | Statement | Managing Menus

Consider the statements:
I. Shortcut keys are chosen from a predefined list in the Menu Editor.
II. Any key combination may be typed freely as a shortcut.
III. The shortcut text is shown next to the caption automatically.

- **A.** III only
- **B.** I and II only
- **C.** II and III only
- **D.** I and III only

Ans: D

Explanation: Shortcuts come from a fixed list; arbitrary combinations cannot be typed.

Q81 | Concept | Managing Menus

Which shortcut key is conventionally assigned to the Help command?

- **A.** Ctrl+H
- **B.** F1
- **C.** F12
- **D.** F5

Ans: B

Explanation: F1 is the standard Windows key for Help and is available in the Shortcut list.

Q82 | Tricky | Managing Menus

Ctrl+C is the Shortcut of mnuEditCopy and the focus is in a text box. Which procedure runs when Ctrl+C is pressed?

- **A.** mnuEditCopy_Click, since the menu shortcut is processed first
- **B.** Only the text box's built-in copy
- **C.** None; Ctrl+C is reserved by Windows
- **D.** Text1_KeyPress only

Ans: A

Explanation: A menu shortcut takes priority, so the menu command's code is responsible for the copy.

Q83 | Concept | Managing Menus

For which menu items is the Shortcut list in the Menu Editor unavailable?

- **A.** Items in a submenu
- **B.** Items with a separator above them
- **C.** Items under a File menu
- **D.** Top-level menu titles on the menu bar

Ans: D

Explanation: Shortcut keys are meant for commands, so they cannot be assigned to menu bar titles.

PART 7: MANAGING MENUS AT RUNTIME

Q84 | Concept | Managing Menus

Which set of menu properties can all be changed by code at run time?

- **A.** Caption, Shortcut, Checked, Visible
- **B.** Caption, Checked, Enabled, Visible
- **C.** Name, Caption, Enabled, Visible
- **D.** Shortcut, Name, Index, Enabled

Ans: B

Explanation: Name and Index are read-only at run time and Shortcut is set only at design time.

Q85 | Concept | Managing Menus

Which statement changes the displayed text of the menu item mnuFileOpen at run time?

- **A.** mnuFileOpen.Text = "Open Recent"
- **B.** mnuFileOpen.Label = "Open Recent"
- **C.** mnuFileOpen.Caption = "Open Recent"
- **D.** mnuFileOpen.Name = "Open Recent"

Ans: C

Explanation: Caption holds the menu text; Name is read-only at run time.

Q86 | Concept | Managing Menus

Which statement hides the whole Edit menu (title and commands) at run time?

- **A.** mnuEdit.Visible = False
- **B.** mnuEdit.Checked = False
- **C.** Unload mnuEdit
- **D.** mnuEdit.Enabled = False

Ans: A

Explanation: Visible = False removes the title from the menu bar; Enabled = False would only dim it.

Q87 | Concept | Managing Menus

Which statement is used to add a new element to a menu control array at run time?

- **A.** Create
- **B.** Add
- **C.** Load
- **D.** Show

Ans: C

Explanation: Load mnuRecent(n) creates a new element of the control array in memory.

Q88 | Concept | Managing Menus

What must exist before new menu items can be added at run time with Load?

- **A.** The Menu Editor must remain open
- **B.** At least one element (usually Index 0) created at design time
- **C.** The Shortcut property must be set
- **D.** The menu must be a top-level menu with Visible False

Ans: B

Explanation: Only elements of an existing control array can be loaded.

Q89 | Concept | Managing Menus

Which statement removes a menu item that was added at run time using Load?

- **A.** Unload
- **B.** Hide
- **C.** Delete
- **D.** Remove

Ans: A

Explanation: Unload mnuRecent(n) removes an element created with Load.

Q90 | Output | Managing Menus

What does this loop do?

```
Dim i As Integer
For i = 1 To 3
    Load mnuRecent(i)
    mnuRecent(i).Caption = "File" & i
    mnuRecent(i).Visible = True
Next i
```

- **A.** Adds one item captioned File3
- **B.** Adds three items captioned File1, File2 and File3 to the menu
- **C.** Removes three items from the menu
- **D.** Causes a compile error

Ans: B

Explanation: Each pass loads a new element of mnuRecent and gives it a caption.

Q91 | Code | Managing Menus

Which statement adds the next new element to the menu control array mnuRecent?

- **A.** Load mnuRecent(mnuRecent.UBound + 1)
- **B.** Add mnuRecent(UBound + 1)
- **C.** Load mnuRecent(mnuRecent.Count)
- **D.** Load mnuRecent.UBound + 1

Ans: A

Explanation: UBound gives the highest index in use, so UBound + 1 is the next free index.

Q92 | Concept | Managing Menus

Which method displays a context (popup) menu at run time?

- **A.** PopupMenu
- **B.** DisplayMenu
- **C.** ContextMenu
- **D.** ShowMenu

Ans: A

Explanation: PopupMenu is a method of Form and MDIForm that shows a menu at the mouse position or at given coordinates.

Q93 | Code | Managing Menus

What does the following code do?

```
Private Sub Form_MouseUp(Button As Integer, Shift As Integer, X As Single, Y As Single)
    If Button = vbRightButton Then PopupMenu mnuEdit
End Sub
```

A. Moves the form to the pointer
B. Shows the Edit menu as a popup when the right mouse button is released over the form
C. Disables the Edit menu
D. Opens the Menu Editor

Ans: B

Explanation: Button = vbRightButton checks for the right button; PopupMenu then displays mnuEdit's commands.

Q94 | Concept | Managing Menus

What is required of the menu specified in the PopupMenu method?

A. It must have WindowList set to True
B. It must be a menu control array
C. It must have a shortcut key
D. It must be a top-level menu that has at least one submenu item

Ans: D

Explanation: The popup shows the commands under the specified menu, so it needs at least one.

Q95 | Concept | Managing Menus

Which statement about a top-level menu whose Visible property is False is true?

A. It is hidden from the menu bar but can still be displayed with PopupMenu
B. It cannot be used with PopupMenu
C. It is deleted when the form loads
D. It must be re-created with Load before use

Ans: A

Explanation: Developers often hide a menu title and use it only as a context menu.

Q96 | Tricky | Managing Menus

In the PopupMenu method, what does the flag vbPopupMenuRightButton specify?

A. The popup is aligned to the right of x
B. The popup appears only on a right-click
C. Items in the popup can be chosen with either the left or right mouse button
D. The first item is displayed in bold

Ans: C

Explanation: By default (left button flag) only the left button selects items; the right-button flag allows both.

Q97 | Concept | Managing Menus

What does the boldcommand argument of PopupMenu specify?

A. The item that is checked
B. The item that is shown with a shortcut
C. The menu item to be displayed in bold as the default command
D. The item that is disabled

Ans: C

Explanation: boldcommand names one menu control in the popup to be shown in bold.

Q98 | Tricky | Managing Menus

When is the statement after a PopupMenu call executed?

- **A.** After the popup menu has been dismissed (an item chosen or closed)
- **B.** Immediately, while the menu is still open
- **C.** Only when the form is unloaded
- **D.** Never, because PopupMenu ends the procedure

Ans: A

Explanation: PopupMenu is synchronous: code halts until the user finishes with the popup.

Q99 | Output | Managing Menus

Initially mnuViewPanel.Checked = False and Picture1 is visible. What is the state after the item is clicked twice?

```
Private Sub mnuViewPanel_Click()
    mnuViewPanel.Checked = Not mnuViewPanel.Checked
    Picture1.Visible = mnuViewPanel.Checked
End Sub
```

- **A.** Checked = True and Picture1 visible
- **B.** Checked = False and Picture1 visible
- **C.** Checked = True and Picture1 hidden
- **D.** Checked = False and Picture1 hidden

Ans: D

Explanation: Click 1: True/visible; Click 2: False/hidden, since Picture1 follows the Checked value.

Q100 | Output | Managing Menus

What remains of the control array after this code executes?

```
Dim i As Integer
For i = mnuRecent.UBound To 1 Step -1
    Unload mnuRecent(i)
Next i
```

- **A.** Only element 0, created at design time
- **B.** No elements at all
- **C.** All elements, now hidden
- **D.** Only the last element

Ans: A

Explanation: Elements loaded at run time are unloaded, and element 0 stays because Unload does not remove it.

Q101 | Concept | Managing Menus

What is the correct order of arguments in the PopupMenu method?

- **A.** flags, menuname, x, y, boldcommand
- **B.** menuname, x, y, flags, boldcommand
- **C.** x, y, menuname, flags, boldcommand
- **D.** menuname, flags, x, y, boldcommand

Ans: D

Explanation: Syntax: object.PopupMenu menuname, flags, x, y, boldcommand.

Q102 | Concept | Managing Menus

Which constant centers the popup menu horizontally on the x coordinate?

- **A.** vbPopupMenuLeftAlign
- **B.** vbPopupMenuCenterAlign
- **C.** vbPopupMenuCenter
- **D.** vbPopupMenuMiddleAlign

Ans: B

Explanation: The alignment constants are LeftAlign (default), CenterAlign and RightAlign.

Q103 | Concept | Managing Menus

In which mouse event is a popup menu conventionally shown for a right-click?

- **A.** DblClick
- **B.** Click
- **C.** MouseUp
- **D.** Resize

Ans: C

Explanation: Popup menus follow the Windows convention of appearing when the right button is released; Click does not receive the button.

Q104 | Concept | Managing Menus

In an MDI application, what happens to the MDI form's menu bar when a child form that has its own menu is active?

- **A.** The MDI form's menu is deleted permanently
- **B.** The child form's menu replaces the MDI form's menu bar
- **C.** The two menus are shown in separate bars
- **D.** The child's menu appears inside the child window

Ans: B

Explanation: A child's menu is displayed on the MDI form's menu bar and replaces the MDI menu while the child is active.

Q105 | Concept | Managing Menus

On which kind of menu is the WindowList property normally set to True in an MDI application?

- **A.** A separator bar
- **B.** A shortcut key
- **C.** A top-level menu such as Window
- **D.** A menu control array element

Ans: C

Explanation: The Window menu lists the open child forms, with a check mark on the active one.

PART 8: CODE-BASED AND SCENARIO-BASED QUESTIONS

Q106 | Error-ID | Managing Menus

Why does the statement mnuFileSave.Shortcut = vbKeyS cause an error?

- **A.** Menu items cannot have shortcut keys
- **B.** mnuFileSave has not been loaded
- **C.** Shortcut values must be strings
- **D.** Shortcut can be set only at design time in the Menu Editor

Ans: D

Explanation: The Shortcut property is not available in code, so VB reports 'Method or data member not found'.

Q107 | Error-ID | Managing Menus

mnuFileOpen was created without an Index value. Why does Load mnuFileOpen fail?

- **A.** Load needs the parent menu to be unloaded first
- **B.** Load cannot be used with menus
- **C.** Only elements of a control array can be loaded
- **D.** Names must start with mnuLoad

Ans: C

Explanation: A single menu item is not an array, so Load/Unload cannot be applied to it.

Q108 | Error-ID | Managing Menus

mnuRecent(0) was created at design time. What is wrong with Unload mnuRecent(0)?

- **A.** Index 0 does not exist
- **B.** Unload needs the Visible property to be True
- **C.** Unload can be used only for top-level menus
- **D.** Control array elements created at design time cannot be unloaded

Ans: D

Explanation: Only elements added with Load at run time may be removed with Unload.

Q109 | Error-ID | Managing Menus

mnuRecent(0) exists. Which error occurs on executing Load mnuRecent(0)?

- **A.** Type mismatch
- **B.** Subscript out of range
- **C.** Object already loaded
- **D.** Permission denied

Ans: C

Explanation: Run-time error 360 is raised because element 0 is already present.

Q110 | Error-ID | Managing Menus

Only mnuRecent(0) exists. What happens when mnuRecent(5).Caption = "X" is executed?

- **A.** Run-time error: control array element does not exist
- **B.** Nothing happens
- **C.** The caption is set and item 5 is created automatically
- **D.** The caption of item 0 is changed

Ans: A

Explanation: Run-time error 340 occurs because element 5 was never loaded.

Q111 | Scenario | Managing Menus

A Save command must be unavailable until the user types in Text1. Which approach is correct?

- **A.** Unload mnuFileSave and Load it again on the first key press
- **B.** Set mnuFileSave.Index = 0 until text is typed
- **C.** Set mnuFileSave.Enabled = False initially and set it True in Text1_Change
- **D.** Set mnuFileSave.Checked = False until text is typed

Ans: C

Explanation: Enabled controls availability; the Change event is a natural place to react to typing.

Q112 | Scenario | Managing Menus

The Tools menu must be visible only when the Boolean variable isAdmin is True. Which statement achieves this?

- **A.** mnuTools.Checked = isAdmin
- **B.** mnuTools.Visible = isAdmin
- **C.** mnuTools.Enabled = isAdmin
- **D.** mnuTools.Caption = isAdmin

Ans: B

Explanation: Enabled would only dim the menu; Visible hides it completely when isAdmin is False.

Q113 | Output | Managing Menus

The user chooses the item with Index 1. Which items are checked afterwards?

```
Private Sub mnuSize_Click(Index As Integer)
    Dim i As Integer
    For i = 0 To 2
        mnuSize(i).Checked = (i = Index)
    Next i
End Sub
```

- **A.** Only the item with Index 0
- **B.** None of the items
- **C.** All three items
- **D.** Only the item with Index 1

Ans: D

Explanation: (i = Index) is True only when i equals the chosen element, so only that item gets a tick.

Q114 | Output | Managing Menus

How does the Paste item appear after these statements execute?

```
mnuEditPaste.Enabled = False
mnuEditPaste.Visible = True
```

- **A.** Visible but dimmed
- **B.** Visible and usable
- **C.** Hidden
- **D.** Checked and hidden

Ans: A

Explanation: Visible = True keeps it on the menu while Enabled = False prevents its use.

Q115 | Tricky | Managing Menus

Can the user see and choose the Options command after this code runs?

```
mnuTools.Visible = False
mnuToolsOptions.Visible = True
```

A. No, because Options was unloaded
B. Yes, but it is dimmed
C. Yes, because Options is visible
D. No, because its parent menu is hidden

Ans: D

Explanation: A child item cannot be reached when its parent title is not displayed.

Q116 | Output | Managing Menus

The caption is initially 'Full Screen'. What is the caption after three clicks?

```
Private Sub mnuViewMode_Click()
    If mnuViewMode.Caption = "Full Screen" Then
        mnuViewMode.Caption = "Normal View"
    Else
        mnuViewMode.Caption = "Full Screen"
    End If
End Sub
```

A. Full Screen
B. Full Screen Normal View
C. Run-time error
D. Normal View

Ans: D

Explanation: The caption alternates: Normal View, Full Screen, Normal View.

Q117 | Output | Managing Menus

The user chooses File > Exit and clicks No in the message box. What happens?

```
Private Sub mnuFileExit_Click()
    If MsgBox("Quit?", vbYesNo) = vbYes Then Unload Me
End Sub
```

A. The Exit item is disabled
B. The program ends with an error
C. Nothing; the form stays open
D. The form is closed

Ans: C

Explanation: Unload Me runs only when MsgBox returns vbYes.

Q118 | Output | Managing Menus

What is the final value of mnuBold.Checked?

```
mnuBold.Checked = True
mnuBold.Checked = Not mnuBold.Checked
mnuBold.Checked = Not mnuBold.Checked
```

A. True
B. Run-time error
C. False
D. Null

Ans: A

Explanation: It is set True, flipped to False, then flipped back to True.

Q119 | Code | Managing Menus

What is the effect of this procedure?

```
Private Sub Text1_Change()
    mnuFileSave.Enabled = Len(Text1.Text) > 0
End Sub
```

A. Save is checked whenever Text1 changes
B. Save is enabled only when Text1 is empty
C. Save is enabled whenever Text1 contains at least one character
D. Save is hidden when Text1 changes

Ans: C

Explanation: The Boolean expression Len(Text1.Text) > 0 is assigned directly to Enabled.

Q120 | Code | Managing Menus

If lastAction = "Typing", what is the caption of mnuEditUndo after this statement?

```
mnuEditUndo.Caption = "Undo " & lastAction
```

A. Undo & lastAction
B. UndoTyping
C. Undo Typing
D. Typing

Ans: C

Explanation: The & operator joins the strings, giving 'Undo Typing'.

Q121 | Output | Managing Menus

What is the Recent menu state after this code (mnuRecent(0) exists)?

```
mnuRecent(0).Caption = "A.txt"
Load mnuRecent(1)
mnuRecent(1).Caption = "B.txt"
```

A. mnuRecent(0) and mnuRecent(1) both exist and show 'A.txt' and 'B.txt'
B. Both items exist but are hidden by default
C. A run-time error occurs
D. Only mnuRecent(1) exists

Ans: A

Explanation: Load creates element 1 and the captions are then set; mnuRecent(0) already existed.

PART 9: IMPORTANT AND TRICKY QUESTIONS

Q122 | Assertion-Reason | Managing Menus

Assertion (A): A separator bar in a menu must be given a Name in the Menu Editor.
Reason (R): Every separator bar is a menu control and every menu control requires a Name.

- **A.** Both A and R are true, and R is the correct explanation of A
- **B.** Both A and R are true, but R is not the correct explanation of A
- **C.** A is true, but R is false
- **D.** A is false, but R is true

Ans: A

Explanation: A separator is created like any other item (Caption '-') and the editor demands a Name for it.

Q123 | Assertion-Reason | Managing Menus

Assertion (A): A shortcut key can run a menu command without opening the menu.
Reason (R): The shortcut key text is displayed beside the menu caption at run time.

- **A.** Both A and R are true, and R is the correct explanation of A
- **B.** Both A and R are true, but R is not the correct explanation of A
- **C.** A is true, but R is false
- **D.** A is false, but R is true

Ans: B

Explanation: Both are true, but displaying the text does not explain why the shortcut works directly.

Q124 | Assertion-Reason | Managing Menus

Assertion (A): The Shortcut property of a menu item can be assigned in code at run time.
Reason (R): Shortcut keys are selected from a drop-down list in the Menu Editor.

- **A.** Both A and R are true, and R is the correct explanation of A
- **B.** Both A and R are true, but R is not the correct explanation of A
- **C.** A is true, but R is false
- **D.** A is false, but R is true

Ans: D

Explanation: Shortcut is a design-time setting only, so A is false while R is true.

Q125 | Assertion-Reason | Managing Menus

Assertion (A): A top-level menu with Visible = False can still be displayed with the PopupMenu method.
Reason (R): PopupMenu cannot display a menu that is hidden from the menu bar.

- **A.** Both A and R are true, and R is the correct explanation of A
- **B.** Both A and R are true, but R is not the correct explanation of A
- **C.** A is true, but R is false
- **D.** A is false, but R is true

Ans: C

Explanation: A is true (a common technique for context menus); R contradicts it and is false.

Q126 | Assertion-Reason | Managing Menus

Assertion (A): The first item in the Menu Editor list cannot be indented.

Reason (R): A submenu item needs a parent item above it.

- **A.** Both A and R are true, and R is the correct explanation of A
- **B.** Both A and R are true, but R is not the correct explanation of A
- **C.** A is true, but R is false
- **D.** A is false, but R is true

Ans: A

Explanation: With nothing above the first item there is no possible parent, so the right arrow is unavailable.

Q127 | Statement | Managing Menus

Consider the statements:
I. Menu items respond to the Click event.
II. Menu controls can be dragged from the Toolbox onto a form.
III. Menus are created using the Menu Editor.

- **A.** I, II and III
- **B.** I and III only
- **C.** I and II only
- **D.** II and III only

Ans: B

Explanation: The Toolbox has no Menu control; menus come only from the Menu Editor.

Q128 | Statement | Managing Menus

Consider the statements about a menu control array:
I. Elements share the same Name.
II. Elements are distinguished by Index.
III. Elements share a single Click procedure.

- **A.** II and III only
- **B.** I and II only
- **C.** I, II and III
- **D.** I and III only

Ans: C

Explanation: A control array has one name, numbered elements and one event procedure with an Index argument.

Q129 | Statement | Managing Menus

Consider the statements about PopupMenu:
I. It is a method of a form.
II. The menu used must have at least one submenu item.
III. A popup menu can be invoked only with the left mouse button.

- **A.** I and II only
- **B.** II and III only
- **C.** III only
- **D.** I and III only

Ans: A

Explanation: Popup menus are normally shown on a right-button event; statement III is false.

Q130 | Match | Managing Menus

Match each Menu Editor button with its function:
1. Right arrow 2. Left arrow 3. Insert 4. Delete
a. Promote one level b. Indent one level c. Add a blank item above d. Remove the selected item

- **A.** 1-b, 2-a, 3-c, 4-d
- **B.** 1-c, 2-d, 3-b, 4-a
- **C.** 1-d, 2-c, 3-a, 4-b
- **D.** 1-a, 2-b, 3-d, 4-c

Ans: A

Explanation: Right arrow demotes, left arrow promotes, Insert adds above, and Delete removes.

Q131 | Match | Managing Menus

Match each statement or method with its purpose:
1. Load 2. Unload 3. PopupMenu 4. Call
a. Create an array element at run time b. Remove a run-time element c. Show a context menu d. Invoke an event procedure

- **A.** 1-b, 2-a, 3-d, 4-c
- **B.** 1-c, 2-d, 3-a, 4-b
- **C.** 1-d, 2-c, 3-b, 4-a
- **D.** 1-a, 2-b, 3-c, 4-d

Ans: D

Explanation: Load and Unload manage array elements; PopupMenu shows a popup; Call runs a procedure.

Q132 | Tricky | Managing Menus

Which statement is FALSE?

- **A.** Menus are created and modified with the Menu Editor
- **B.** A menu item can be added to a form by dragging a Menu control from the Toolbox
- **C.** Elements of a menu control array share one Click procedure
- **D.** A hidden top-level menu can still serve as a popup menu

Ans: B

Explanation: VB 6.0 has no Menu control in the Toolbox; the Menu Editor is the only design-time tool.

Q133 | Tricky | Managing Menus

mnuFileSave.Enabled is False and the code calls mnuFileSave_Click. What happens?

- **A.** The procedure executes normally
- **B.** Nothing happens
- **C.** The item is enabled first
- **D.** A run-time error occurs

Ans: A

Explanation: Enabled only blocks user actions; calling the event procedure directly runs the code anyway.

Q134 | Tricky | Managing Menus

Which of the following is NOT possible with the standard VB 6.0 Menu Editor?

- **A.** Displaying a bitmap icon beside a menu item
- **B.** Creating a separator bar
- **C.** Creating a control array of menu items
- **D.** Assigning a shortcut key

Ans: A

Explanation: The standard Menu Editor does not support pictures on menu items.

PART 10: MIXED OAVS TGT PRACTICE SET

Q135 | Concept | Managing Menus

Two menu items on the same form can share the same Name only when:

- **A.** They have different shortcut keys
- **B.** They are on different menus
- **C.** They have different captions
- **D.** They are elements of a control array with different Index values

Ans: D

Explanation: Otherwise Names must be unique; control array elements are the one allowed exception.

Q136 | Sequence | Managing Menus

Which sequence correctly creates a File menu with an Exit command?

- **A.** Open Menu Editor; give File its Caption and Name; click right arrow; give Exit its Caption and Name; click OK
- **B.** Open Menu Editor; give File its Caption and Name; click Next; give Exit its Caption and Name; click right arrow; click OK
- **C.** Open Menu Editor; give Exit its Caption and Name; click right arrow; give File its Caption and Name; click OK
- **D.** Add a Menu control from the Toolbox; set its Caption to File; add another for Exit; set its Parent property to File

Ans: B

Explanation: The first item cannot be indented; Exit must come after File and then be indented one level.

Q137 | Scenario | Managing Menus

A form has menu &File with command &Save (shortcut Ctrl+S). How can Save be chosen using only access keys?

- **A.** Press Shift+Alt+S
- **B.** Press Alt+S directly
- **C.** Press Ctrl+F, then S
- **D.** Press Alt+F, then S

Ans: D

Explanation: Alt+F opens the File menu, then S selects the underlined command. Ctrl+S is the shortcut route.

Q138 | Scenario | Managing Menus

At run time a form shows no menu bar although menus were created. What is a possible cause?

- **A.** Every top-level menu has Visible set to False
- **B.** The form's KeyPreview is True
- **C.** The menus have access keys
- **D.** The form's WindowState is Normal

Ans: A

Explanation: If all titles are hidden, no menu bar is displayed.

Q139 | Concept | Managing Menus

What is the data type of the Checked, Enabled and Visible properties of a menu item?

- **A.** String
- **B.** Variant
- **C.** Integer
- **D.** Boolean

Ans: D

Explanation: They hold True or False.

Q140 | Tricky | Managing Menus

In PopupMenu mnuEdit, vbPopupMenuRightAlign, 100, 200 what does the flag vbPopupMenuRightAlign do?

- **A.** Moves the popup to the right of the screen
- **B.** Aligns the caption text to the right
- **C.** Restricts the popup to the right mouse button
- **D.** Places the popup so that its right edge is at the x coordinate

Ans: D

Explanation: The alignment flags position the popup relative to x: left edge (default), centered or right edge.

Q141 | Code | Managing Menus

How many separator bars and menu bar titles does this Menu Editor list contain?

```
&File
....&New
....&Open
....-
....E&xit
&Edit
....Cu&t
....&Copy
....-
....&Paste
```

- **A.** 1 separator bar and 2 titles
- **B.** 3 separator bars and 2 titles
- **C.** 2 separator bars and 2 titles
- **D.** 2 separator bars and 4 titles

Ans: C

Explanation: The two hyphen items are separators; &File and &Edit are the only non-indented titles.

Q142 | Concept | Managing Menus

Which property of a menu control array returns the number of elements currently loaded?

- **A.** Length
- **B.** Items
- **C.** Count
- **D.** Size

Ans: C

Explanation: Control arrays provide Count, LBound and UBound.

Q143 | Concept | Managing Menus

What decides the left-to-right order of top-level menus on the menu bar?

- **A.** Their Index values
- **B.** Their order in the Menu Editor list
- **C.** Alphabetical order of their Names
- **D.** The order of creation of event procedures

Ans: B

Explanation: Items are displayed in the same order as they appear in the list, top to bottom.

Q144 | Concept | Managing Menus

What is the state of the Menu Editor while the application is running?

- **A.** Unavailable; menus must be edited in design mode
- **B.** Available, with changes applied next run
- **C.** Available only for Caption changes
- **D.** Available, with changes applied immediately

Ans: A

Explanation: The IDE disables the Menu Editor in run mode (and break mode).

Q145 | Error-ID | Managing Menus

What happens when this procedure runs?

```
Private Sub mnuFileOpen_Click()
    mnuFileOpen.Enabled = "Off"
End Sub
```

- **A.** The item is hidden
- **B.** Run-time error 13: Type mismatch
- **C.** The caption changes to Off
- **D.** The item is disabled

Ans: B

Explanation: Enabled is Boolean, so assigning a non-numeric string such as "Off" cannot be converted.

Q146 | Scenario | Managing Menus

Which call shows mnuEdit as a popup centered at the pointer with the Copy item in bold?

- **A.** PopupMenu mnuEdit, mnuEditCopy, vbPopupMenuCenterAlign
- **B.** PopupMenu mnuEditCopy, mnuEdit, vbPopupMenuCenterAlign
- **C.** PopupMenu mnuEdit, vbPopupMenuCenterAlign, , , mnuEditCopy
- **D.** PopupMenu mnuEdit, , , , vbPopupMenuCenterAlign

Ans: C

Explanation: Empty positions skip x and y; the fifth argument, boldcommand, names mnuEditCopy.

QUICK ANSWER KEY

1. A	**2**. B	**3**. A	**4**. C	**5**. B	**6**. B	**7**. C	**8**. D	**9**. B	**10**. A
11. C	**12**. B	**13**. B	**14**. D	**15**. C	**16**. D	**17**. B	**18**. C	**19**. B	**20**. D
21. C	**22**. C	**23**. B	**24**. D	**25**. A	**26**. D	**27**. A	**28**. C	**29**. C	**30**. D
31. A	**32**. A	**33**. D	**34**. A	**35**. B	**36**. B	**37**. D	**38**. D	**39**. A	**40**. C
41. B	**42**. B	**43**. A	**44**. C	**45**. D	**46**. A	**47**. D	**48**. C	**49**. A	**50**. D
51. B	**52**. C	**53**. B	**54**. C	**55**. B	**56**. A	**57**. D	**58**. A	**59**. C	**60**. D
61. B	**62**. C	**63**. D	**64**. B	**65**. B	**66**. A	**67**. D	**68**. D	**69**. C	**70**. D
71. D	**72**. B	**73**. C	**74**. A	**75**. C	**76**. D	**77**. A	**78**. B	**79**. B	**80**. D
81. B	**82**. A	**83**. D	**84**. B	**85**. C	**86**. A	**87**. C	**88**. B	**89**. A	**90**. B
91. A	**92**. A	**93**. B	**94**. D	**95**. A	**96**. C	**97**. C	**98**. A	**99**. D	**100**. A
101. D	**102**. B	**103**. C	**104**. B	**105**. C	**106**. D	**107**. C	**108**. D	**109**. C	**110**. A
111. C	**112**. B	**113**. D	**114**. A	**115**. D	**116**. D	**117**. C	**118**. A	**119**. C	**120**. C
121. A	**122**. A	**123**. B	**124**. D	**125**. C	**126**. A	**127**. B	**128**. C	**129**. A	**130**. A
131. D	**132**. B	**133**. A	**134**. A	**135**. D	**136**. B	**137**. D	**138**. A	**139**. D	**140**. D
141. C	**142**. C	**143**. B	**144**. A	**145**. B	**146**. C				