ANALOGY

Word, Number, Letter-Cluster and Triad Analogies

OAVS TGT | Reasoning (Verbal) | Topic 6 of the syllabus list

Syllabus line (Reasoning, 30 Marks): “The Verbal Reasoning topics like Series, Ranks, Direction, Arrangement, Coding, Decoding, **Analogy** and Classification/Odd Pair, Syllogism and Statement Conclusion.”

Built from: OAVS TGT English 2019, English 2022, Mathematics 2024, Science 2024 and Social Studies 2023 (17 May 2023, Shift 2). All 14 analogy questions found in these papers are solved here. Classification / Odd Pair is the next topic in the syllabus line, so odd-one-out questions are not repeated here.

What is inside

Ch.	Title	What you get
1	PYQ Analysis	Counts, patterns, priority, index of all 14 PYQs
2	Foundation	The A : B :: C : ? format, 4-step method, relationship catalogue
3	Word Analogies	Semantic relations and country : capital : currency (4 PYQs)
4	Number Analogies	n(n+1), squares, cubes and how to test them (1 PYQ)
5	Letter-Cluster Analogies	Uniform and mixed shifts, the # and % format (5 PYQs)
6	Triad Patterns	Letter and word triads that follow the same logic (4 PYQs)
7	Shortcuts, Traps and Scope	Speed methods; where related PYQs are covered
8	Practice Set	21 original questions with answer key
9	Quick Revision	One-page cheat sheet

SCOPE: The letter-shift mechanics here are the same as in the Coding–Decoding PDF. This PDF applies them to *relationship* questions (“is related to ... in the same way”), which is how the paper asks them.

CHAPTER 1

PYQ Analysis

Analogy: about 3 questions per paper, and letter-cluster analogies are the most frequent

Paper	Q. numbers	Count	What was asked
English 2019	31, 42, 58	3	Three word analogies (source/product, predator/prey, antonym)
English 2022	52	1	Number analogy 26 : 702 :: 12 : ?
Mathematics 2024	90, 92, 95, 100	4	Two letter-cluster analogies; two letter triads
Science 2024	74, 82, 90, 99	4	Three letter-cluster analogies (one with # and %); one word triad
Social Studies 2023	2, 10	2	Country : capital : currency; reverse-then-shift triad
Total		**14**	**Found in every paper**

Pattern	PYQs	Priority
Letter-cluster analogy, same shift for every letter (+5, +6, −4)	4	★★★ Must
Triad of letter or word clusters: same transformation (shift, rearrange, reverse)	4	★★★ Must
Word analogy: semantic relation (source, enemy, antonym, capital–currency)	4	★★★ Must
Letter-cluster analogy with mixed shifts (+7, +5, −7, −5)	1	★★ High
Number analogy: n(n+1)	1	★★ High
Expected, not yet asked: profession–tool, whole–part, number cubes, digit and letter–number pairs	0	★ Expected

PYQ INSIGHT: **Template repeat in one paper:** Science 2024 Q74 and Q90 are the same question (+6 shift) with different letters. Maths 2024 Q95 (+5) is the same template. If the first pair shows the same shift for all letters, you are done in 15 seconds.

PYQ INSIGHT: **Triad questions** (‘same pattern’ across a set of three) appeared in three of the five papers: Maths 2024 Q90, Q100, Science 2024 Q99 and SST 2023 Q10. Each triad needs one rule for ‘step 1’ and one for ‘step 2’.

Index of the 14 PYQs

Paper / Q	Question in short	Ans	See
Eng 2019 Q31	Chimney : smoke :: Rifle : ?	Bullet	3.1
Eng 2019 Q42	Mongoose : snake :: Tiger : ?	Deer	3.1
Eng 2019 Q58	Cruel : Kind :: Ignore : ?	Notice	3.1
SST 2023 Q2	Iran : Tehran : Rial (country : capital : currency)	Malaysia : Kuala Lumpur : Ringgit	3.2
Eng 2022 Q52	26 : 702 :: 12 : ?	156	4.2
Maths 2024 Q95	EFHD : JKMI :: HIKG : MNPL; KLNJ : ?	PQSO	5.1
Science 2024 Q74	NRPM : TXVS :: LPNK : RVTQ; JNLI : ?	PTRO	5.1
Science 2024 Q90	KOLJ : QURP :: MQNL : SWTR; OSPN : ?	UYVT	5.1
Science 2024 Q82	# : SLG :: GZU : %	# = WPK; % = CVQ	5.2
Maths 2024 Q92	QWDV : XBWQ :: SQBB : ZVUW; NFGM : ?	UKZH	5.3
Maths 2024 Q90	Triads CJ-FM-HK; FM-IP-KN; find the same pattern	IP-LS-NQ	6.1
Maths 2024 Q100	Triads EA-FB-HJ; IE-JF-LN; find the same pattern	LH-MI-OQ	6.1
Science 2024 Q99	Triads FORT-RFOT-TROF; MEDS-DMES-SDEM	NICE-CNIE-ECIN	6.2
SST 2023 Q10	PORTS : STROP : TUSPQ	FLASK : KSALF : LTBMG	6.2

CHAPTER 2

Foundation

The format and the method behind every analogy

2.1 Reading the format

Format	Reads as	Example
A : B :: C : ?	A is related to B in the same way as C is related to ?	Chimney : smoke :: Rifle : ?
A : B : C :: D : E : ?	Three-part relation (triad of words)	Iran : Tehran : Rial
X is related to Y in a certain way; P is related to Q in the same way; what is R related to?	Letter and number analogies in words	EFHD : JKMI :: HIKG : MNPL; KLNJ : ?
Which triad follows the same pattern as the two given?	One rule for each step, same on every triad	CJ-FM-HK; FM-IP-KN

2.2 Four-step method

Step	Do this
1	**State the relation of the first pair in one sentence** (‘a thing and what it gives out’, ‘+5 to every letter’).
2	Check the **direction**: is it A → B or B → A? The second pair must go the same way.
3	Apply the sentence to the third item and **eliminate every option with a different relation**.
4	If two options still fit, choose the one that matches the **closest and most specific** relation (for example the product of a thing, not a part of it).

2.3 Relationship catalogue (word analogies)

Relation	Pattern	Example
Synonym	same meaning	Big : Large
Antonym	opposite meaning	Cruel : Kind; Ignore : Notice
Source and product	thing : what it gives or lets out	Chimney : smoke; Cow : milk; Rifle : bullet
Hunter and prey (natural enemy)	animal : what it hunts	Mongoose : snake; Tiger : deer
Tool and use	instrument : function	Pen : write; Knife : cut
Worker and place	person : workplace	Doctor : hospital; Teacher : school
Animal and home	animal : its home	Bee : hive; Lion : den
Young one	animal : its young	Cow : calf; Tadpole : frog (stage)
Instrument and measure	instrument : what it measures	Thermometer : temperature; Barometer : pressure
Study and subject	science : what it studies	Ornithology : birds; Seismology : earthquakes
Part and whole	part : whole	Petal : flower; Page : book
Country : capital : currency	three-part geography	Iran : Tehran : Rial; Malaysia : Kuala Lumpur : Ringgit

SHORTCUT: Write the relation **before looking at the options**. Options are built to include a ‘similar-looking’ word (for example Fire, Coal near Chimney : smoke); your sentence removes it.

CHAPTER 3

Word Analogies

Semantic relations: 4 PYQs

3.1 English 2019 (Q31, Q42, Q58)

PYQ Eng 2019 Q31 Source and product

Q. Chimney : smoke :: Rifle : ? (A. Station B. Bullet C. Fire D. Coal)

Step 1. Relation: a chimney lets out smoke, so the pair is a thing and what comes out of it.
Step 2. A rifle lets out a bullet. Station and Coal do not come out of a rifle; Fire is a state, not a thing it sends out.
Answer: Bullet (Option B)

PYQ Eng 2019 Q42 Hunter and prey

Q. Mongoose : snake :: Tiger : ? (A. Lizard B. Dog C. Squirrel D. Deer)

Step 1. Relation: the mongoose is a natural enemy that hunts the snake (hunter : prey).
Step 2. Tiger's prey from the options is the deer. Lizard, dog and squirrel are not the tiger's typical prey in this relation.
Answer: Deer (Option D)

PYQ Eng 2019 Q58 Antonyms

Q. Cruel : Kind :: Ignore : ? (A. Snub B. Disclaim C. Notice D. Disregard)

Step 1. Relation: antonyms (opposites).
Step 2. Opposite of ignore: notice. Snub and disregard are synonyms of ignore; disclaim means to deny.
Answer: Notice (Option C)

TRAP: Cruel : Kind is an **opposite** pair. Options that are synonyms of the third word (Snub, Disregard) are the traps. Always decide 'same or opposite' first.

3.2 Country : capital : currency (SST 2023 Q2)

PYQ SST 2023 Q2 Triad of words

Q. Iran : Tehran : Rial. Select the option with the same relationship. 1. Italy : Rome : Dollar 2. Bangladesh : Dhaka : Yen 3. Oman : Kabul : Taka 4. Malaysia : Kuala Lumpur : Ringgit

Step 1. Relation: country : its capital : its currency.
Step 2. Check each option on both parts: Italy–Rome ✓ but Italy's currency is the euro, not the dollar ✗. Bangladesh–Dhaka ✓ but the currency is the taka, not the yen ✗.
Step 3. Oman's capital is Muscat, not Kabul ✗. Malaysia–Kuala Lumpur–Ringgit: all correct ✓.
Answer: Malaysia : Kuala Lumpur : Ringgit (Option 4)

SHORTCUT: For a three-part relation, every part must be right. An option with one correct part and one wrong part is the usual distractor.

CHAPTER 4

Number Analogies

A relation between two numbers: 1 PYQ

4.1 Common numeric relations

Relation	Pattern	Example
Square	n : n^2	7 : 49
Cube	n : n^3	5 : 125
n(n+1) = n^2 + n	n : n × (n + 1)	26 : 702; 7 : 56
n^2 − 1 / n^2 + 1	n : $n^2 \mp 1$	8 : 63; 10 : 101
n^3 ± 1	n : $n^3 \pm 1$	3 : 28; 4 : 63
Multiple	n : k × n	6 : 48 (×8)
Digit sum / reversal	n : sum of digits; n : reverse of n	85 : 13

4.2 How to find the relation

Step	Do this
1	Compare size: is the second number about the first squared? About double? Smaller?
2	Check the nearest square or cube of the first number. The gap (+n, −1, +1) is the clue.
3	Test the same relation on the options for the third number.

PYQ Eng 2022 Q52 $n^2 + n$

Q. 26 : 702 :: 12 : ? (A. 144 B. 376 C. 524 D. 156)

Step 1. $26^2 = 676$. The gap 702 − 676 = 26, the number itself. So the relation is $n^2 + n = n \times (n + 1) = 26 \times 27 = 702$.

Step 2. Apply to 12: 12 × 13 = 156 (= 144 + 12).

Answer: 156 (Option D)

TRAP: 144 is 12^2 only; it is what you get if you stop at ‘square’. Always test **one step beyond** the nearest square: $26^2 = 676$ is not 702.

CHAPTER 5

Letter-Cluster Analogies

Shifts in every position: 5 PYQs

5.1 Same shift for every letter

Method: find the shift from the first letter pair. Confirm it on every other letter and on the second pair. Apply to the third cluster (wrap after Z).

PYQ Maths 2024 Q95 +5 on every letter

Q. EFHD is related to JKMI. In the same way, HIKG is related to MNPL. To which option is KLNJ related? (A. PQOS B. QPOS C. PQSO D. QPSO)

Step 1. E → J (+5), F → K (+5), H → M (+5), D → I (+5). Second pair: H → M, I → N, K → P, G → L: +5 ✓.
Step 2. KLNJ: K + 5 = P, L + 5 = Q, N + 5 = S, J + 5 = O.
Answer: PQSO (Option C)

Pair	E	F	H	D
Position	5	6	8	4
Shift	+5	+5	+5	+5
Result	J	K	M	I
Position	10	11	13	9

PYQ Science 2024 Q74 +6 on every letter

Q. NRPM is related to TXVS in a certain way. In the same way LPNK is related to RVTQ. To which is JNLI related? (1. TPOR 2. TPRO 3. PTRO 4. PTOR)

Step 1. N → T (+6), R → X (+6), P → V (+6), M → S (+6). Second pair: L → R, P → V, N → T, K → Q: +6 ✓.
Step 2. JNLI: J + 6 = P, N + 6 = T, L + 6 = R, I + 6 = O.
Answer: PTRO (Option 3)

PYQ Science 2024 Q90 +6 on every letter (same template)

Q. KOLJ is related to QURP; MQNL to SWTR. To which is OSPN related? (1. UYVT 2. UYTV 3. YUVT 4. YUTV)

Step 1. K → Q (+6), O → U (+6), L → R (+6), J → P (+6) ✓; second pair also +6.
Step 2. OSPN: O + 6 = U, S + 6 = Y, P + 6 = V, N + 6 = T.
Answer: UYVT (Option 1)

SHORTCUT: Two options usually differ only by the **order** of the same letters (UYVT, UYTV). Compute the first **and** last letters of your answer; both must match.

5.2 The # and % format (Science 2024 Q82)

'# : SLG :: GZU : %' means: the way # relates to SLG is the way GZU relates to %. Both # and % are missing, so **test each option** by finding one shift that works for both pairs.

PYQ Science 2024 Q82 Test the options

Q. Which letter-clusters should replace # and % so that # : SLG :: GZU : % ? 1. # = LPK; % = BVQ 2. # = WKK; % = COP 3. # = WPK; % = CVQ 4. # = SDK; % = GYQ

Step 1. Option 3: WPK → SLG: W (23) → S (19) = −4; P (16) → L (12) = −4; K (11) → G (7) = −4. Same shift for all.
Step 2. GZU → CVQ: G (7) → C (3) = −4; Z (26) → V (22) = −4; U (21) → Q (17) = −4 ✓ (same −4).
Step 3. Options 1, 2 and 4 fail the first pair: LPK → SLG gives +7 then −4 (not one shift); WKK → SLG gives −4 then +1; SDK → SLG gives 0, +8, −4.
Answer: # = WPK; % = CVQ (Option 3)

Pair	W	P	K
Position	23	16	11
Shift	-4	-4	-4
Result	S	L	G
Position	19	12	7

SHORTCUT: A shift that is **the same for every letter** is the strongest filter. Reject any option whose first pair shows different shifts on different letters.

5.3 Mixed shifts in one cluster (Maths 2024 Q92)

PYQ Maths 2024 Q92 Different shift per position

Q. QWDV is related to XBWQ. In the same way SQBB is related to ZVUW. To which option is NFGM related? (A. UKHZ B. UZHK C. UKZH D. UZKH)

Step 1. Positions: Q 17 → X 24 (+7); W 23 → B 2 (+5, since 23 + 5 = 28 − 26 = 2); D 4 → W 23 (−7, since 4 − 7 = −3 + 26 = 23); V 22 → Q 17 (−5).
Step 2. Second pair SQBB → ZVUW: S +7 = Z, Q +5 = V, B −7 = U, B −5 = W ✓. The rule is +7, +5, −7, −5 in that position order.
Step 3. NFGM: N + 7 = U, F + 5 = K, G − 7 = Z (7 − 7 = 0, plus 26 = 26), M − 5 = H.
Answer: UKZH (Option C)

Pair	Q	W	D	V
Position	17	23	4	22
Shift	+7	+5	-7	-5
Result	X	B	W	Q
Position	24	2	23	17

TRAP: Options UKHZ and UZKH have the same four letters as the answer. Check **each position**, not just the letters. Position 3 should be Z (a wrap-around), which only option C has.

CHAPTER 6

Triad Patterns

Same logic across a set of three: 4 PYQs

Method

Step	Do this
1	Find the **step 1 rule** (term 1 → term 2) and the **step 2 rule** (term 2 → term 3) in the first triad.
2	Check that the second given triad follows the same two rules. Fix them.
3	Test each option: it must obey the same step 1 and step 2. Drop an option at the first failure.
4	For letter-pair triads write the shift for each letter (+3, +3 | +2, −2). For word triads name the rearrangement (reverse, first letter to end, third to front).

6.1 Letter-pair triads (Maths 2024)

PYQ Maths 2024 Q90 Step 1: (+3, +3); step 2: (+2, −2)

Q. Triads CJ-FM-HK and FM-IP-KN follow the same pattern. Select the triad that follows it. A. JP-KS-NR B. IP-LS-NR C. JP-LS-NR D. IP-LS-NQ

Step 1. CJ → FM: C + 3 = F, J + 3 = M. FM → HK: F + 2 = H, M − 2 = K. FM → IP: +3, +3. IP → KN: I + 2 = K, P − 2 = N ✓.
Step 2. Option A: JP → KS is (+1, +3) ✗. Option B: IP → LS (+3, +3) ✓, LS → NR: S − 2 = Q, not R ✗. Option C: JP → LS is (+2, +3) ✗.
Step 3. Option D: IP → LS (+3, +3) ✓; LS → NQ: L + 2 = N, S − 2 = Q ✓.
Answer: IP-LS-NQ (Option D)

PYQ Maths 2024 Q100 Step 1: (+1, +1); step 2: (+2, +8)

Q. Triads EA-FB-HJ and IE-JF-LN. Select the triad with the same pattern. A. KH-NJ-OR B. KG-NJ-PR C. LH-NI-OR D. LH-MI-OQ

Step 1. EA → FB: +1, +1. FB → HJ: F + 2 = H, B + 8 = J. Second triad: IE → JF (I + 1 = J, E + 1 = F); JF → LN (J + 2 = L, F + 8 = N) ✓.
Step 2. Option A: KH → NJ is (+3, +2) ✗. B: KG → NJ (+3, +3) ✗. C: LH → NI is (+2, +1) ✗.
Step 3. Option D: LH → MI (+1, +1) ✓; MI → OQ: M + 2 = O, I + 8 = Q ✓.
Answer: LH-MI-OQ (Option D)

SHORTCUT: Check **step 1 on the first pair of every option first**: it eliminates most options at once (Q100: A, B, C fail on the first step).

6.2 Word triads and reverse-then-shift

PYQ Science 2024 Q99 Third letter to front; third term = reverse of the first

Q. FORT - RFOT - TROF; MEDS - DMES - SDEM. Select the option with the same logic. 1. FILE - FLIE - ELI 2. NICE - CNIE - ECIN 3. LANG - NLAG - ANGL 4. CAGE - ACGE - EAGC

Step 1. FORT → RFOT: the third letter R moves to the front. MEDS → DMES: the third letter D moves to the front ✓.
Step 2. FORT → TROF and MEDS → SDEM: the third term is the first word **reversed**.
Step 3. NICE → CNIE (third letter C to front ✓); NICE reversed = ECIN ✓. Options 1, 3 and 4 fail step 1 or step 2 (for example LANG → NLAG ✓ but ANGL is not LANG reversed (GNAL)).
Answer: NICE - CNIE - ECIN (Option 2)

PYQ SST 2023 Q10 Reverse the word, then +1 to every letter

Q. PORTS : STROP : TUSPQ. Select the option with the same relationship. 1. DOERS : SRODE : TSPEF 2. FLASK : KSALF : LTBMG 3. GAINS : AGNIS : TJOHB 4. CLASS : ASSLC : BTTMD

Step 1. PORTS reversed = STROP ✓. STROP + 1 on every letter: S → T, T → U, R → S, O → P, P → Q = TUSPQ ✓.
Step 2. Option 2: FLASK reversed = KSALF ✓; KSALF + 1: K → L, S → T, A → B, L → M, F → G = LTBMG ✓.
Step 3. Options 1, 3 and 4: the second word is not the reverse of the first (DOERS reversed is SREOD, GAINS reversed is SNIAG, CLASS reversed is SSALC).
Answer: FLASK : KSALF : LTBMG (Option 2)

SHORTCUT: If the second term is **not** the exact reverse of the first, the option fails immediately. Reversal is the cheapest check; do it before any shift.

CHAPTER 7

Shortcuts, Traps and Scope

Speed methods and what is covered elsewhere

- **First pair, all letters:** write the shift for every letter; same shift means done.
- **Check the first and last letter of your answer** against the options; it eliminates look-alike options.
- **Reverse first** in triad questions; it costs 3 seconds and kills most options.
- **Say the relation in words** for word analogies before reading the options.
- **Number analogy:** test the nearest square, then ‘$n^2 + n$’ or ‘$n^2 - 1$’.
- **Wrap-around:** add 26 below A, subtract 26 above Z (G − 7 = Z).
- **# and % questions:** test each option with a single shift; reject on the first mismatch.

Trap	How to avoid it
Synonym options in an antonym pair	Decide ‘same or opposite’ before choosing (Cruel : Kind, Ignore : Notice).
Options with the same letters in a different order	Check every position, not the set of letters (UKZH vs UKHZ).
Stopping at ‘square’ in a number analogy	$26^2 = 676$, not 702; the extra 26 is the clue ($n^2 + n$).
Half-right three-part relations	Every part must be right (Italy : Rome : Dollar fails on the currency).
Wrong direction (B : A instead of A : B)	The third and fourth items must keep the first pair’s order.
Applying a shift to the wrong cluster	Use the shift from the **first pair** on the **third cluster**, not on the second pair.

Scope: PYQs that look like analogy but belong elsewhere

PYQ	Where it belongs
SST 2023 Q5, Q29; Science 2024 Q72, Q89	‘Word pair with a different relationship’ (odd pair): Classification / Odd Pair. The relations in Chapter 3 are the toolkit.
Maths 2024 Q72, Q85; Eng 2022 Q38, Q51, Q58, Q59; Science 2024 Q87	Odd letter-cluster or odd word (three alike, one different): Classification / Odd Pair
Eng 2022 Q44; Maths 2024 Q89; Science 2024 Q75, Q76, Q85	Written codes and sentence codes: Coding–Decoding (already covered)

CHAPTER 8

Practice Set

21 original questions; answers on the next page

Q	Question
1	Pen : Write :: Knife : ?
2	Doctor : Hospital :: Teacher : ?
3	Bee : Hive :: Lion : ?
4	Thermometer : Temperature :: Barometer : ?
5	Hot : Cold :: Brave : ?
6	Caterpillar : Butterfly :: Tadpole : ?
7	Mongoose : Snake :: Cat : ?
8	India : Delhi : Rupee :: Japan : ? : ?
9	Ornithology : Birds :: Entomology : ?
10	7 : 56 :: 9 : ?
11	5 : 125 :: 4 : ?
12	8 : 63 :: 10 : ?
13	3 : 28 :: 4 : ?
14	ABCD : EFGH :: IJKL : ?
15	GOLD : IQNF :: MAKE : ?
16	FAST : IXVQ :: KING : ?
17	BAD : YZW :: CAT : ?
18	# : MNO :: PQR : %. Options: 1. # = OPQ; % = NOP 2. # = KLM; % = NOP 3. # = OPQ; % = RST 4. # = QRS; % = NOP
19	AD-CF-EH and BE-DG-FI follow the same pattern. Select the triad that follows it: A. GJ-IL-KN B. GJ-HK-IL C. GJ-IM-KN D. GJ-IL-KP
20	FORT - TFOR - TROF and MEDS - SMED - SDEM follow the same logic. Select the same logic: A. LAMP - PLAM - PMAL B. HOME - MHOE - EMOH C. FIRE - EFIR - FIRE D. TAPE - PTAE - EPAT
21	PORTS : STROP : TUSPQ. Using the same logic, find the third term: LAMP : PMAL : ?

Answer key with logic

Q	Answer	Logic
1	Cut	tool : its function
2	School	worker : workplace
3	Den	animal : its home
4	Pressure	instrument : what it measures
5	Coward	antonym
6	Frog	young stage : adult
7	Mouse	hunter : prey
8	Tokyo : Yen	country : capital : currency
9	Insects	science : what it studies
10	90	n(n + 1): 7 × 8 = 56; 9 × 10 = 90
11	64	cube: $5^3 = 125$; $4^3 = 64$
12	99	$n^2 - 1$: $8^2 - 1 = 63$; $10^2 - 1 = 99$
13	65	$n^3 + 1$: 27 + 1 = 28; 64 + 1 = 65
14	MNOP	+4 to every letter
15	OCMG	+2 to every letter (G → I, O → Q, L → N, D → F)
16	NFQD	+3, −3, +3, −3: F + 3 = I, A − 3 = X, S + 3 = V, T − 3 = Q; KING: N, F, Q, D
17	XZG	opposite letters (positions add to 27): B ↔ Y, A ↔ Z, D ↔ W; C ↔ X, A ↔ Z, T ↔ G
18	Option 1	OPQ → MNO is −2; PQR → NOP is −2. Option 2: KLM → MNO is +2 ✗; option 3: PQR → RST is +2 ✗; option 4: QRS → MNO is −4 ✗
19	A	Step 1 and step 2 are both (+2, +2): GJ → IL → KN ✓. B is (+1, +1); C: IL → IM ✗; D: IL → KP ✗ (L + 4)
20	A	Last letter to front, then reverse of the first word: LAMP → PLAM ✓ → PMAL (reverse of LAMP) ✓. B: second term ✗; C: third term is not reversed ✗; D: PTAE ✗
21	QNBM	Third term = second term + 1 on every letter: P → Q, M → N, A → B, L → M

CHAPTER 9

Quick Revision

One page for the last day

Type	Method	PYQ check
Word analogy	One-sentence relation; check direction; same or opposite	Chimney : smoke → Rifle : bullet; Mongoose : snake → Tiger : deer; Cruel : Kind → Ignore : Notice
Country : capital : currency	All three parts must be correct	Malaysia : Kuala Lumpur : Ringgit
Number analogy	Nearest square; $n^2 + n$; $n^2 - 1$; cubes	26 : 702 → 12 : 156
Letter cluster, same shift	First pair: shift per letter; same for all → apply	+5 (EFHD → JKMI); +6 (NRPM → TXVS); −4 (WPK → SLG)
Letter cluster, mixed shift	List the shift per position	+7, +5, −7, −5: NFGM → UKZH
# and % questions	Test each option with one shift on both pairs	# = WPK; % = CVQ
Letter-pair triads	Step 1 shifts, step 2 shifts; check the first step of each option	(+3, +3 | +2, −2): IP-LS-NQ; (+1, +1 | +2, +8): LH-MI-OQ
Word triads	Reverse first; name the rearrangement	NICE-CNIE-ECIN; FLASK : KSALF : LTBMG (reverse, then +1)

ROUTINE: Exam-day routine: words, say the relation; numbers, test $n^2 + n$; letters, write shifts for every position; triads, reverse first. 25 seconds per question.