

Backend API Requirements

Project: Care Connect App

Date: November 16, 2025



AUTHENTICATION APIs

1. Signup

POST /auth/signup

Request:

```
{
  "name": "string",
  "phone_number": "string",
  "email": "string",
  "password": "string",
  "user_type": "string"
}
```

Response:

```
{
  "success": true,
  "message": "Account created successfully. Please verify your phone number.",
  "data": {
    "id": "uuid",
    "name": "string",
    "phone_number": "string",
    "email": "string",
    "token": "string",
    "is_verified": false,
    "is_phone_verified": false,
    "user_type": "string",
    "created_at": "timestamp"
  }
}
```

2. Send OTP

POST /auth/send-otp

Request:

```
{
  "phone_number": "string"
}
```

Response:

```
{
  "success": true,
  "message": "OTP sent successfully to +1234567890",
  "data": {
    "otp_sent": true,
    "expires_at": "timestamp",
    "retry_after": 60
  }
}
```

3. Verify OTP

POST /auth/verify-otp

Request:

```
{
  "phone_number": "string",
  "otp": "string"
}
```

Response:

```
{
  "success": true,
  "message": "Phone number verified successfully",
  "data": {
    "id": "uuid",
    "name": "string",
    "phone_number": "string",
    "email": "string",
    "token": "string",
    "is_verified": true,
    "is_phone_verified": true,
    "user_type": "string"
  }
}
```

4. Resend OTP

POST /auth/resend-otp

Request:

```
{
  "phone_number": "string"
}
```

Response:

```
{
```

```
"success": true,
"message": "OTP resent successfully",
"data": {
  "otp_sent": true,
  "expires_at": "timestamp",
  "retry_after": 60
}
}
```

5. Login with Password

POST /auth/login

Request:

```
{
  "phone_number": "string",
  "password": "string"
}
```

Response:

```
{
  "success": true,
  "message": "Login successful",
  "data": {
    "id": "uuid",
    "name": "string",
    "phone_number": "string",
    "email": "string",
    "token": "string",
    "refresh_token": "string",
    "is_verified": true,
    "is_phone_verified": true,
    "user_type": "string",
    "kyc_status": "string",
    "last_login": "timestamp"
  }
}
```

6. Request Login OTP

POST /auth/request-login-otp

Request:

```
{
  "phone_number": "string"
}
```

Response:

```
{
  "success": true,
```

```
"message": "OTP sent to your phone number",
"data": {
  "otp_sent": true,
  "expires_at": "timestamp",
  "retry_after": 60
}
}
```

7. Login with OTP

POST /auth/login-otp

Request:

```
{
  "phone_number": "string",
  "otp": "string"
}
```

Response:

```
{
  "success": true,
  "message": "Login successful",
  "data": {
    "id": "uuid",
    "name": "string",
    "phone_number": "string",
    "email": "string",
    "token": "string",
    "refresh_token": "string",
    "is_verified": true,
    "is_phone_verified": true,
    "user_type": "string",
    "kyc_status": "string",
    "last_login": "timestamp"
  }
}
```

8. Forgot Password

POST /auth/forgot-password

Request:

```
{
  "phone_number": "string"
}
```

Response:

```
{
  "success": true,
  "message": "Password reset OTP sent successfully",
}
```

```
"data": {
  "otp_sent": true,
  "expires_at": "timestamp"
}
```

9. Reset Password

POST /auth/reset-password

Request:

```
{
  "phone_number": "string",
  "otp": "string",
  "new_password": "string"
}
```

Response:

```
{
  "success": true,
  "message": "Password reset successful. Please login with your new password.",
  "data": {
    "password_reset": true
  }
}
```

10. Get Current User

GET /auth/me

Request:

- Header: Authorization: Bearer {token}

Response:

```
{
  "success": true,
  "message": "User data retrieved successfully",
  "data": {
    "id": "uuid",
    "name": "string",
    "phone_number": "string",
    "email": "string",
    "token": "string",
    "is_verified": true,
    "is_phone_verified": true,
    "user_type": "string",
    "kyc_status": "string",
    "profile_picture_url": "string",
  }
}
```

```
    "created_at": "timestamp",
    "updated_at": "timestamp"
  }
}
```

11. Logout

POST /auth/logout

Request:

- **Header:** Authorization: Bearer {token}

Response:

```
{
  "success": true,
  "message": "Logged out successfully",
  "data": {
    "logged_out": true
  }
}
```

12. Refresh Token

POST /auth/refresh-token

Request:

```
{
  "refresh_token": "string"
}
```

Response:

```
{
  "success": true,
  "message": "Token refreshed successfully",
  "data": {
    "token": "string",
    "refresh_token": "string",
    "expires_in": 3600
  }
}
```

13. Validate Token

POST /auth/validate-token

Request:

```
{
  "token": "string"
}
```

Response:

```
{
  "success": true,
  "message": "Token is valid",
  "data": {
    "valid": true,
    "expires_at": "timestamp"
  }
}
```



KYC APIs

14. Submit KYC

POST /api/kyc/submit

Request:

```
{
  "full_name": "string",
  "mobile_number": "string",
  "email_id": "string",
  "gender": "string",
  "date_of_birth": "string",
  "profile_picture_url": "string",
  "apartment_name": "string",
  "street_address": "string",
  "landmark": "string",
  "city": "string",
  "zip_code": "string",
  "state": "string",
  "country": "string",
  "permanent_address": "string",
  "is_permanent_same_as_present": "boolean",
  "latitude": "number",
  "longitude": "number",
  "govt_id_type": "string",
  "govt_id_number": "string",
  "govt_id_document_url": "string",
  "company_name": "string",
  "services": ["string"],
  "experience_document_url": "string"
}
```

Response:

```
{
  "success": true,
  "message": "KYC details submitted successfully",
  "data": {
```

```

    "id": "uuid",
    "user_id": "uuid",
    "full_name": "string",
    "mobile_number": "string",
    "email_id": "string",
    "gender": "string",
    "date_of_birth": "string",
    "profile_picture_url": "string",
    "apartment_name": "string",
    "street_address": "string",
    "landmark": "string",
    "city": "string",
    "zip_code": "string",
    "state": "string",
    "country": "string",
    "permanent_address": "string",
    "is_permanent_same_as_present": true,
    "latitude": 40.7128,
    "longitude": -74.0060,
    "govt_id_type": "string",
    "govt_id_number": "string",
    "govt_id_document_url": "string",
    "verification_status": "pending",
    "submitted_at": "timestamp",
    "verified_at": null,
    "rejection_reason": null,
    "company_name": "string",
    "services": ["string"],
    "experience_document_url": "string"
  }
}

```

15. Get KYC Details

GET /api/kyc/{user_id}

Request:

- **Header:** Authorization: Bearer {token}
- **Path Parameter:** user_id

Response:

```

{
  "success": true,
  "message": "KYC details retrieved successfully",
  "data": {
    "id": "uuid",
    "user_id": "uuid",
    "full_name": "string",
    "mobile_number": "string",
    "email_id": "string",
    "gender": "string",
    "date_of_birth": "string",
    "profile_picture_url": "string",
    "apartment_name": "string",
    "street_address": "string",

```



```
    "landmark": "string",
    "city": "string",
    "zip_code": "string",
    "state": "string",
    "country": "string",
    "permanent_address": "string",
    "is_permanent_same_as_present": true,
    "latitude": 40.7128,
    "longitude": -74.0060,
    "govt_id_type": "string",
    "govt_id_number": "string",
    "govt_id_document_url": "string",
    "verification_status": "string",
    "submitted_at": "timestamp",
    "verified_at": "timestamp",
    "rejection_reason": "string",
    "company_name": "string",
    "services": ["string"],
    "experience_document_url": "string"
  }
}
```

16. Check KYC Status

GET /api/kyc/status/{user_id}

Request:

- **Header:** Authorization: Bearer {token}
- **Path Parameter:** user_id

Response:

```
{
  "success": true,
  "message": "KYC status retrieved successfully",
  "data": {
    "user_id": "uuid",
    "is_verified": true,
    "verification_status": "string",
    "submitted_at": "timestamp",
    "verified_at": "timestamp",
    "rejection_reason": "string"
  }
}
```

17. Update KYC Details

PUT /api/kyc/{kyc_id}

Request:

- **Header:** Authorization: Bearer {token}

- Path Parameter: kyc_id

Request Body: (Same as Submit KYC - include only fields to update)

```
{
  "full_name": "string",
  "mobile_number": "string",
  "email_id": "string",
  "gender": "string",
  "date_of_birth": "string",
  "profile_picture_url": "string",
  "apartment_name": "string",
  "street_address": "string",
  "landmark": "string",
  "city": "string",
  "zip_code": "string",
  "state": "string",
  "country": "string",
  "permanent_address": "string",
  "is_permanent_same_as_present": "boolean",
  "latitude": "number",
  "longitude": "number",
  "govt_id_type": "string",
  "govt_id_number": "string",
  "govt_id_document_url": "string",
  "company_name": "string",
  "services": ["string"],
  "experience_document_url": "string"
}
```

Response:

```
{
  "success": true,
  "message": "KYC details updated successfully",
  "data": {
    "id": "uuid",
    "user_id": "uuid",
    "full_name": "string",
    "mobile_number": "string",
    "email_id": "string",
    "gender": "string",
    "date_of_birth": "string",
    "profile_picture_url": "string",
    "apartment_name": "string",
    "street_address": "string",
    "landmark": "string",
    "city": "string",
    "zip_code": "string",
    "state": "string",
    "country": "string",
    "permanent_address": "string",
    "is_permanent_same_as_present": true,
    "latitude": 40.7128,
    "longitude": -74.0060,
    "govt_id_type": "string",
    "govt_id_number": "string",
    "govt_id_document_url": "string",
    "verification_status": "string",
  }
}
```

```
    "submitted_at": "timestamp",
    "verified_at": "timestamp",
    "rejection_reason": "string",
    "company_name": "string",
    "services": ["string"],
    "experience_document_url": "string"
  }
}
```

FILE UPLOAD APIs

18. Upload Profile Picture

POST /api/kyc/upload/profile

Request:

- **Content-Type:** multipart/form-data
- **Header:** Authorization: Bearer {token}
- **Form Data:**
 - file: File
 - type: "profile"

Response:

```
{
  "success": true,
  "message": "Profile picture uploaded successfully",
  "data": {
    "url": "string",
    "filename": "string",
    "size": 245678,
    "mime_type": "string",
    "uploaded_at": "timestamp"
  }
}
```

19. Upload Government ID Document

POST /api/kyc/upload/document

Request:

- **Content-Type:** multipart/form-data
- **Header:** Authorization: Bearer {token}
- **Form Data:**
 - file: File
 - type: "id_document"
 - document_type: "string" (optional)

Response:

```
{
  "success": true,
  "message": "Document uploaded successfully",
  "data": {
    "url": "string",
    "filename": "string",
    "size": 1245678,
    "mime_type": "string",
    "document_type": "string",
    "uploaded_at": "timestamp"
  }
}
```

20. Upload Experience Certificate

POST /api/kyc/upload/experience

Request:

- **Content-Type:** multipart/form-data
- **Header:** Authorization: Bearer {token}
- **Form Data:**
 - file: File
 - type: "experience"

Response:

```
{
  "success": true,
  "message": "Experience certificate uploaded successfully",
  "data": {
    "url": "string",
    "filename": "string",
    "size": 845678,
    "mime_type": "string",
    "uploaded_at": "timestamp"
  }
}
```

21. Delete Uploaded File

DELETE /api/kyc/upload/{file_id}

Request:

- **Header:** Authorization: Bearer {token}
- **Path Parameter:** file_id

Response:

```
{
  "success": true,
  "message": "File deleted successfully",
  "data": {
    "deleted": true,
    "file_id": "uuid"
  }
}
```

ERROR RESPONSE FORMAT

All error responses follow this structure:

```
{
  "success": false,
  "message": "Error description",
  "error_code": "ERROR_CODE",
  "errors": {
    "field_name": ["Error message 1", "Error message 2"]
  }
}
```

Common Error Codes:

- VALIDATION_ERROR - Invalid input data
- INVALID_CREDENTIALS - Wrong password
- PHONE_EXISTS - Phone already registered
- INVALID_OTP - Wrong OTP code
- OTP_EXPIRED - OTP timeout
- ACCOUNT_NOT_FOUND - User doesn't exist
- INVALID_TOKEN - JWT expired/invalid
- PHONE_NOT_VERIFIED - Phone not verified
- RATE_LIMIT_EXCEEDED - Too many requests
- KYC_NOT_FOUND - KYC not found
- KYC_ALREADY_EXISTS - KYC already submitted
- UPDATE_NOT_ALLOWED - Cannot update
- ACCESS_DENIED - No permission
- FILE_TOO_LARGE - File exceeds limit
- INVALID_FILE_FORMAT - Wrong file type
- DOCUMENT_NOT_READABLE - Poor quality

Backend API Requirements Project: Care Connect App Date: November 16, 2025

=====

===== TABLE OF CONTENTS

1. CARECREW SERVICE APIs
2. CARECREW PROVIDER APIs
3. CARECREW BOOKING APIs

4. GOODS/PRODUCTS APIs
5. CART & ORDER APIs
6. PROPERTY APIs
7. NEWS/FEED APIs
8. REEL/VIDEO APIs
9. HOME APIs
10. CAREER/JOB APIs
11. EXPLORE APIs
12. REFERRAL APIs
13. SEARCH & FILTER APIs

🔧 1. CARECREW SERVICE APIs

22. Get All CareCrew Services GET /api/carecrew/services

Request: • Header: Authorization: Bearer {token}

Response:

```
{
  "success": true,
  "message": "Services retrieved successfully",
  "data": [
    {
      "id": "uuid",
      "name": "Plumber",
      "description": "Expert plumbing services for all your needs",
      "icon_path": "https://cdn.example.com/icons/plumber.png",
      "category": "plumber",
      "is_active": true,
      "avg_rating": 4.5,
      "total_providers": 156,
      "price_range": {
        "min": 300,
        "max": 1500
      }
    },
    {
      "id": "uuid",
      "name": "Electrician",
      "description": "Professional electrical services",
      "icon_path": "https://cdn.example.com/icons/electrician.png",
      "category": "electrician",
      "is_active": true,
      "avg_rating": 4.6,
      "total_providers": 142,
      "price_range": {
        "min": 350,
        "max": 1800
      }
    }
  ]
}
```

```
}  
]  
}
```

23. Get Service Details GET /api/carecrew/services/{service_id}

Request: • Header: Authorization: Bearer {token} • Path Parameter: service_id

Response:

```
{  
  "success": true,  
  "message": "Service details retrieved successfully",  
  "data": {  
    "id": "uuid",  
    "name": "Plumber",  
    "description": "Expert plumbing services for all your needs",  
    "icon_path": "string",  
    "category": "plumber",  
    "is_active": true,  
    "avg_rating": 4.5,  
    "total_providers": 156,  
    "price_range": {  
      "min": 300,  
      "max": 1500  
    },  
    "specialties": ["Leak Repairs", "Pipe Installation", "Bathroom  
Fitting"],  
    "created_at": "timestamp",  
    "updated_at": "timestamp"  
  }  
}
```

=====

===== 2. CARECREW PROVIDER APIs

24. Get Providers by Service Type GET /api/carecrew/providers

Request: • Header: Authorization: Bearer {token} • Query Parameters:

- service_type (required): "plumber", "electrician", "cleaner", etc.
- sort_by: "rating", "price", "experience"
- limit: 10 (default)
- offset: 0 (default)
- latitude: number (optional)
- longitude: number (optional)

Example: GET /api/carecrew/providers?service_type=plumber&sort_by=rating&limit=20

Response:

```

{
  "success": true,
  "message": "Providers retrieved successfully",
  "data": {
    "providers": [
      {
        "id": "uuid",
        "name": "Rajesh Kumar",
        "service_type": "plumber",
        "rating": 4.8,
        "review_count": 234,
        "location": "Andheri West, Mumbai",
        "phone": "+919876543210",
        "profile_image": "string",
        "specialties": ["Leak Repairs", "Pipe Installation", "Bathroom
Fitting"],
        "hourly_rate": 500.0,
        "experience": "8+ years",
        "is_verified": true,
        "is_saved": false,
        "availability": "available",
        "distance_km": 2.3
      }
    ],
    "total_count": 156,
    "current_page": 1,
    "total_pages": 8
  }
}

```

25. Get Provider Details GET /api/carecrew/providers/{provider_id}

Request: • Header: Authorization: Bearer {token} • Path Parameter: provider_id

Response:

```

{
  "success": true,
  "message": "Provider details retrieved successfully",
  "data": {
    "id": "uuid",
    "name": "Rajesh Kumar",
    "service_type": "plumber",
    "rating": 4.8,
    "review_count": 234,
    "location": "Andheri West, Mumbai",
    "phone": "+919876543210",
    "email": "rajesh@example.com",
    "profile_image": "string",
    "specialties": ["Leak Repairs", "Pipe Installation", "Bathroom
Fitting"],
    "hourly_rate": 500.0,
    "experience": "8+ years",
    "is_verified": true,
    "is_saved": false,
    "availability": "available",
    "bio": "Experienced plumber with 8+ years in residential and commercial
plumbing.",
    "gallery": [
      "string",

```



```

    "string"
  ],
  "reviews": [
    {
      "id": "uuid",
      "reviewer_name": "Priya Sharma",
      "reviewer_image": "string",
      "rating": 5.0,
      "comment": "Excellent service! Very professional.",
      "review_date": "timestamp",
      "service_type": "plumber"
    }
  ],
  "completed_jobs": 450,
  "response_time": "15 mins",
  "available_slots": [
    "timestamp",
    "timestamp"
  ]
}
}

```

26. Get Featured Providers GET /api/carecrew/providers/featured

Request: • Header: Authorization: Bearer {token} • Query Parameters:

- limit: 5 (default)

Response:

```

{
  "success": true,
  "message": "Featured providers retrieved successfully",
  "data": [
    {
      "id": "uuid",
      "name": "Rajesh Kumar",
      "service_type": "plumber",
      "rating": 4.8,
      "review_count": 234,
      "location": "Andheri West, Mumbai",
      "phone": "+919876543210",
      "profile_image": "string",
      "hourly_rate": 500.0,
      "is_featured": true
    }
  ]
}

```

27. Add CareCrew Service (Provider) POST /api/carecrew/providers/services

Request: • Header: Authorization: Bearer {token} • Content-Type: multipart/form-data • Form Data:

- service_name: "Emergency Plumbing"
- category: "plumber"
- price: 500

- experience: "8 years"
- description: "24/7 emergency plumbing services"
- image: File
- latitude: 19.0760
- longitude: 72.8777

Response:

```
{
  "success": true,
  "message": "Service added successfully",
  "data": {
    "service_id": "uuid",
    "provider_id": "uuid",
    "service_name": "Emergency Plumbing",
    "category": "plumber",
    "price": 500,
    "experience": "8 years",
    "description": "24/7 emergency plumbing services",
    "image_url": "string",
    "location": {
      "latitude": 19.0760,
      "longitude": 72.8777
    },
    "created_at": "timestamp"
  }
}
```

28. Save/Unsave Provider POST /api/carecrew/providers/{provider_id}/save

Request: • Header: Authorization: Bearer {token} • Path Parameter: provider_id

Request Body:

```
{
  "action": "save"
}
```

Response:

```
{
  "success": true,
  "message": "Provider saved successfully",
  "data": {
    "provider_id": "uuid",
    "is_saved": true
  }
}
```

29. Search CareCrew Providers GET /api/carecrew/providers/search

Request: • Header: Authorization: Bearer {token} • Query Parameters:

- query: "plumber near me"
- service_type: "plumber"

- location: "Mumbai"
- min_rating: 4.0
- max_price: 1000
- latitude: number
- longitude: number

Response:

```
{
  "success": true,
  "message": "Search results retrieved successfully",
  "data": {
    "providers": [
      {
        "id": "uuid",
        "name": "Rajesh Kumar",
        "service_type": "plumber",
        "rating": 4.8,
        "review_count": 234,
        "location": "Andheri West, Mumbai",
        "hourly_rate": 500.0,
        "distance_km": 2.3
      }
    ],
    "total_count": 45
  }
}
```

30. Get Search History (CareCrew) GET /api/carecrew/search/history

Request: • Header: Authorization: Bearer {token}

Response:

```
{
  "success": true,
  "message": "Search history retrieved successfully",
  "data": [
    "plumber near me",
    "electrician",
    "interior designer"
  ]
}
```

31. Clear Search History (CareCrew) DELETE /api/carecrew/search/history

Request: • Header: Authorization: Bearer {token}

Response:

```
{
  "success": true,
  "message": "Search history cleared successfully",
  "data": {
    "cleared": true
  }
}
```

```
}
```

 3. CARECREW BOOKING APIs

32. Book CareCrew Service POST /api/bookings

Request: • Header: Authorization: Bearer {token}

Request Body:

```
{
  "provider_id": "uuid",
  "service_type": "plumber",
  "scheduled_date_time": "timestamp",
  "address": "string",
  "problem_description": "string",
  "contact_number": "string",
  "latitude": 19.0760,
  "longitude": 72.8777
}
```

Response:

```
{
  "success": true,
  "message": "Booking created successfully",
  "data": {
    "booking_id": "uuid",
    "booking_number": "BKG20251116001",
    "provider_id": "uuid",
    "provider_name": "Rajesh Kumar",
    "provider_phone": "+919876543210",
    "service_type": "plumber",
    "scheduled_date_time": "timestamp",
    "status": "pending",
    "address": "string",
    "problem_description": "string",
    "estimated_cost": 500.0,
    "created_at": "timestamp"
  }
}
```

33. Get User Bookings GET /api/bookings

Request: • Header: Authorization: Bearer {token} • Query Parameters:

- status: "pending", "confirmed", "completed", "cancelled"
- limit: 10 (default)
- offset: 0

Response:

```
{
  "success": true,
  "message": "Bookings retrieved successfully",
  "data": {
    "bookings": [
      {
        "booking_id": "uuid",
        "booking_number": "BKG20251116001",
        "provider_id": "uuid",
        "provider_name": "Rajesh Kumar",
        "provider_image": "string",
        "service_type": "plumber",
        "scheduled_date_time": "timestamp",
        "status": "pending",
        "address": "string",
        "estimated_cost": 500.0,
        "created_at": "timestamp"
      }
    ],
    "total_count": 18,
    "current_page": 1,
    "total_pages": 2
  }
}
```

34. Get Booking Details GET /api/bookings/{booking_id}

Request: • Header: Authorization: Bearer {token} • Path Parameter: booking_id

Response:

```
{
  "success": true,
  "message": "Booking details retrieved successfully",
  "data": {
    "booking_id": "uuid",
    "booking_number": "BKG20251116001",
    "provider_id": "uuid",
    "provider_name": "Rajesh Kumar",
    "provider_phone": "+919876543210",
    "provider_image": "string",
    "provider_rating": 4.8,
    "service_type": "plumber",
    "scheduled_date_time": "timestamp",
    "status": "pending",
    "address": "string",
    "problem_description": "string",
    "contact_number": "+919876543210",
    "estimated_cost": 500.0,
    "final_cost": null,
    "payment_status": "pending",
    "tracking_status": [
      {
        "status": "Booking Placed",
        "timestamp": "timestamp",
        "description": "Your booking has been placed successfully"
      }
    ]
  }
}
```

```

    ],
    "created_at": "timestamp",
    "updated_at": "timestamp"
  }
}

```

35. Get Provider Bookings (For CareCrew) GET /api/bookings/provider

Request: • Header: Authorization: Bearer {token} • Query Parameters:

- status: "pending", "confirmed", "completed"
- limit: 10
- offset: 0

Response:

```

{
  "success": true,
  "message": "Provider bookings retrieved successfully",
  "data": {
    "bookings": [
      {
        "booking_id": "uuid",
        "booking_number": "BKG20251116001",
        "customer_name": "John Doe",
        "customer_phone": "+919876543210",
        "customer_image": "string",
        "service_type": "plumber",
        "scheduled_date_time": "timestamp",
        "status": "pending",
        "address": "string",
        "problem_description": "string",
        "estimated_cost": 500.0,
        "created_at": "timestamp"
      }
    ],
    "total_count": 67,
    "current_page": 1,
    "total_pages": 7
  }
}

```

36. Update Booking Status (Provider) PUT /api/bookings/{booking_id}/status

Request: • Header: Authorization: Bearer {token} • Path Parameter: booking_id

Request Body:

```

{
  "status": "confirmed",
  "notes": "On my way to your location",
  "estimated_cost": 600.0
}

```

Response:

```
{
  "success": true,
  "message": "Booking status updated successfully",
  "data": {
    "booking_id": "uuid",
    "status": "confirmed",
    "estimated_cost": 600.0,
    "notes": "On my way to your location",
    "updated_at": "timestamp"
  }
}
```

37. Cancel Booking PUT /api/bookings/{booking_id}/cancel

Request: • Header: Authorization: Bearer {token} • Path Parameter: booking_id

Request Body:

```
{
  "cancellation_reason": "string"
}
```

Response:

```
{
  "success": true,
  "message": "Booking cancelled successfully",
  "data": {
    "booking_id": "uuid",
    "status": "cancelled",
    "cancellation_reason": "string",
    "cancelled_at": "timestamp"
  }
}
```

=====

===== 4. GOODS/PRODUCTS APIs

38. Get Product Categories GET /api/goods/categories

Request: • Header: Authorization: Bearer {token}

Response:

```
{
  "success": true,
  "message": "Categories retrieved successfully",
  "data": [
    {
      "id": "uuid",
      "name": "Furniture",
      "icon": "string",
      "subcategories": [
        {
```

```

        "id": "uuid",
        "name": "Sofa",
        "icon": "string"
    }
  ]
}

```

39. Get Products by Category GET /api/goods/products

Request: • Header: Authorization: Bearer {token} • Query Parameters:

- category (required): "furniture"
- subcategory: "sofa"
- limit: 20 (default)
- offset: 0
- sort_by: "price_low", "price_high", "rating"
- min_price: number
- max_price: number

Example: GET /api/goods/products?category=furniture&subcategory=sofa&limit=20

Response:

```

{
  "success": true,
  "message": "Products retrieved successfully",
  "data": {
    "products": [
      {
        "id": "uuid",
        "name": "3-Seater Sofa",
        "description": "Comfortable fabric sofa",
        "price": 15999.0,
        "original_price": 19999.0,
        "discount": 20,
        "category": "furniture",
        "subcategory": "sofa",
        "images": ["string"],
        "rating": 4.5,
        "review_count": 89,
        "unit": "piece",
        "available_units": ["piece"],
        "in_stock": true,
        "provider_id": "uuid",
        "provider_name": "Furniture World",
        "delivery_time": "3-5 days"
      }
    ],
    "total_count": 156,
    "current_page": 1,
    "total_pages": 8
  }
}

```

40. Get Product Details GET /api/goods/products/{product_id}

Request: • Header: Authorization: Bearer {token} • Path Parameter: product_id

Response:

```
{
  "success": true,
  "message": "Product details retrieved successfully",
  "data": {
    "id": "uuid",
    "name": "3-Seater Sofa",
    "description": "Comfortable fabric sofa with modern design. Perfect for
living room.",
    "price": 15999.0,
    "original_price": 19999.0,
    "discount": 20,
    "category": "furniture",
    "subcategory": "sofa",
    "images": ["string"],
    "rating": 4.5,
    "review_count": 89,
    "unit": "piece",
    "available_units": ["piece"],
    "in_stock": true,
    "stock_quantity": 15,
    "provider_id": "uuid",
    "provider_name": "Furniture World",
    "provider_rating": 4.6,
    "delivery_time": "3-5 days",
    "specifications": {
      "dimensions": "200cm x 90cm x 85cm",
      "material": "Fabric",
      "color": "Grey",
      "weight": "45 kg"
    },
    "reviews": [
      {
        "id": "uuid",
        "user_name": "Amit Singh",
        "user_image": "string",
        "rating": 5.0,
        "comment": "Excellent quality and comfortable!",
        "review_date": "timestamp"
      }
    ],
    "related_products": ["uuid"]
  }
}
```

41. Add Product (CareCrew Provider) POST /api/goods/products

Request: • Header: Authorization: Bearer {token} • Content-Type: multipart/form-data •
Form Data:

- name: "3-Seater Sofa"
- description: "Comfortable fabric sofa"
- price: 15999.0
- category: "furniture"
- subcategory: "sofa"

- unit: "piece"
- stock_quantity: 10
- images: [File, File, File]
- dimensions: "200cm x 90cm x 85cm"
- material: "Fabric"
- color: "Grey"

Response:

```
{
  "success": true,
  "message": "Product added successfully",
  "data": {
    "id": "uuid",
    "name": "3-Seater Sofa",
    "price": 15999.0,
    "category": "furniture",
    "subcategory": "sofa",
    "images": ["string"],
    "provider_id": "uuid",
    "created_at": "timestamp"
  }
}
```

42. Update Product PUT /api/goods/products/{product_id}

Request: • Header: Authorization: Bearer {token} • Path Parameter: product_id • Content-Type: multipart/form-data

Request Body: (Same as Add Product - include only fields to update)

Response:

```
{
  "success": true,
  "message": "Product updated successfully",
  "data": {
    "id": "uuid",
    "name": "3-Seater Sofa",
    "price": 15999.0,
    "updated_at": "timestamp"
  }
}
```

43. Delete Product DELETE /api/goods/products/{product_id}

Request: • Header: Authorization: Bearer {token} • Path Parameter: product_id

Response:

```
{
  "success": true,
  "message": "Product deleted successfully",
  "data": {
    "deleted": true,
  }
}
```

```
    "product_id": "uuid"
  }
}
```

44. Get Featured Products GET /api/goods/products/featured

Request: • Header: Authorization: Bearer {token} • Query Parameters:

- limit: 10 (default)

Response:

```
{
  "success": true,
  "message": "Featured products retrieved successfully",
  "data": [
    {
      "id": "uuid",
      "name": "3-Seater Sofa",
      "price": 15999.0,
      "original_price": 19999.0,
      "discount": 20,
      "images": ["string"],
      "rating": 4.5,
      "review_count": 89,
      "is_featured": true
    }
  ]
}
```

45. Get Products by Provider GET /api/goods/products/provider/{provider_id}

Request: • Header: Authorization: Bearer {token} • Path Parameter: provider_id • Query Parameters:

- limit: 20
- offset: 0

Response:

```
{
  "success": true,
  "message": "Provider products retrieved successfully",
  "data": {
    "products": [
      {
        "id": "uuid",
        "name": "3-Seater Sofa",
        "price": 15999.0,
        "images": ["string"],
        "rating": 4.5,
        "in_stock": true
      }
    ],
    "total_count": 45
  }
}
```

===== 5. CART & ORDER APIs

46. Add to Cart POST /api/cart/items

Request: • Header: Authorization: Bearer {token}

Request Body:

```
{
  "product_id": "uuid",
  "quantity": 1,
  "selected_unit": "piece"
}
```

Response:

```
{
  "success": true,
  "message": "Item added to cart successfully",
  "data": {
    "cart_item_id": "uuid",
    "product_id": "uuid",
    "product_name": "3-Seater Sofa",
    "product_image": "string",
    "quantity": 1,
    "price": 15999.0,
    "total_price": 15999.0,
    "unit": "piece"
  }
}
```

47. Get Cart Items GET /api/cart/items

Request: • Header: Authorization: Bearer {token}

Response:

```
{
  "success": true,
  "message": "Cart items retrieved successfully",
  "data": {
    "cart_items": [
      {
        "id": "uuid",
        "product_id": "uuid",
        "product_name": "3-Seater Sofa",
        "product_image": "string",
        "quantity": 1,
        "price": 15999.0,
        "total_price": 15999.0,
        "unit": "piece",
        "provider_id": "uuid",
        "provider_name": "Furniture World"
      }
    ]
  }
}
```

```

    }
  ],
  "subtotal": 23997.0,
  "delivery_fee": 200.0,
  "discount": 0.0,
  "total": 24197.0,
  "total_items": 3
}
}

```

48. Update Cart Item PUT /api/cart/items/{cart_item_id}

Request: • Header: Authorization: Bearer {token} • Path Parameter: cart_item_id

Request Body:

```

{
  "quantity": 2
}

```

Response:

```

{
  "success": true,
  "message": "Cart item updated successfully",
  "data": {
    "cart_item_id": "uuid",
    "quantity": 2,
    "total_price": 31998.0
  }
}

```

49. Remove from Cart DELETE /api/cart/items/{cart_item_id}

Request: • Header: Authorization: Bearer {token} • Path Parameter: cart_item_id

Response:

```

{
  "success": true,
  "message": "Item removed from cart successfully",
  "data": {
    "removed": true,
    "cart_item_id": "uuid"
  }
}

```

50. Clear Cart DELETE /api/cart/items

Request: • Header: Authorization: Bearer {token}

Response:

```

{
  "success": true,
  "message": "Cart cleared successfully",
}

```

```
"data": {
  "cleared": true
}
```

51. Place Order POST /api/orders

Request: • Header: Authorization: Bearer {token}

Request Body:

```
{
  "delivery_address": "string",
  "delivery_instructions": "string",
  "delivery_slot": "timestamp",
  "return_bag": false,
  "no_contact_delivery": true,
  "partner_tip": 50,
  "payment_method": "cod"
}
```

Response:

```
{
  "success": true,
  "message": "Order placed successfully",
  "data": {
    "order_id": "uuid",
    "order_number": "ORD20251116001",
    "status": "pending",
    "items": [
      {
        "product_id": "uuid",
        "product_name": "3-Seater Sofa",
        "quantity": 1,
        "price": 15999.0,
        "total_price": 15999.0
      }
    ],
    "subtotal": 15999.0,
    "delivery_fee": 200.0,
    "discount": 0.0,
    "partner_tip": 50.0,
    "total": 16249.0,
    "delivery_address": "string",
    "delivery_slot": "timestamp",
    "payment_method": "cod",
    "estimated_delivery": "timestamp",
    "created_at": "timestamp"
  }
}
```

52. Get User Orders GET /api/orders

Request: • Header: Authorization: Bearer {token} • Query Parameters:

- status: "pending", "confirmed", "delivered", "cancelled"

- limit: 10 (default)
- offset: 0

Response:

```
{
  "success": true,
  "message": "Orders retrieved successfully",
  "data": {
    "orders": [
      {
        "order_id": "uuid",
        "order_number": "ORD20251116001",
        "status": "pending",
        "total_items": 1,
        "total": 16249.0,
        "delivery_address": "string",
        "estimated_delivery": "timestamp",
        "created_at": "timestamp"
      }
    ],
    "total_count": 25,
    "current_page": 1,
    "total_pages": 3
  }
}
```

53. Get Order Details GET /api/orders/{order_id}

Request: • Header: Authorization: Bearer {token} • Path Parameter: order_id

Response:

```
{
  "success": true,
  "message": "Order details retrieved successfully",
  "data": {
    "order_id": "uuid",
    "order_number": "ORD20251116001",
    "status": "pending",
    "items": [
      {
        "product_id": "uuid",
        "product_name": "3-Seater Sofa",
        "product_image": "string",
        "quantity": 1,
        "price": 15999.0,
        "total_price": 15999.0,
        "provider_id": "uuid",
        "provider_name": "Furniture World"
      }
    ],
    "subtotal": 15999.0,
    "delivery_fee": 200.0,
    "discount": 0.0,
    "partner_tip": 50.0,
    "total": 16249.0,
    "delivery_address": "string",
  }
}
```

```

    "delivery_instructions": "string",
    "delivery_slot": "timestamp",
    "payment_method": "cod",
    "payment_status": "pending",
    "estimated_delivery": "timestamp",
    "tracking_status": [
      {
        "status": "Order Placed",
        "timestamp": "timestamp",
        "description": "Your order has been placed successfully"
      }
    ],
    "created_at": "timestamp"
  }
}

```

54. Get Provider Orders (For CareCrew) GET /api/orders/provider

Request: • Header: Authorization: Bearer {token} • Query Parameters:

- status: "pending", "confirmed", "delivered"
- limit: 10
- offset: 0

Response:

```

{
  "success": true,
  "message": "Provider orders retrieved successfully",
  "data": {
    "orders": [
      {
        "order_id": "uuid",
        "order_number": "ORD20251116001",
        "customer_name": "John Doe",
        "customer_phone": "+919876543210",
        "status": "pending",
        "total_items": 1,
        "total": 16249.0,
        "delivery_address": "string",
        "delivery_slot": "timestamp",
        "created_at": "timestamp"
      }
    ],
    "total_count": 45,
    "current_page": 1,
    "total_pages": 5
  }
}

```

55. Update Order Status (Provider) PUT /api/orders/{order_id}/status

Request: • Header: Authorization: Bearer {token} • Path Parameter: order_id

Request Body:

```

{

```



```
"status": "confirmed",
"notes": "Order confirmed and will be shipped soon"
}
```

Response:

```
{
  "success": true,
  "message": "Order status updated successfully",
  "data": {
    "order_id": "uuid",
    "status": "confirmed",
    "notes": "Order confirmed and will be shipped soon",
    "updated_at": "timestamp"
  }
}
```

56. Cancel Order PUT /api/orders/{order_id}/cancel

Request: • Header: Authorization: Bearer {token} • Path Parameter: order_id

Request Body:

```
{
  "cancellation_reason": "string"
}
```

Response:

```
{
  "success": true,
  "message": "Order cancelled successfully",
  "data": {
    "order_id": "uuid",
    "status": "cancelled",
    "cancellation_reason": "string",
    "cancelled_at": "timestamp"
  }
}
```

=====

===== 🏠 6. PROPERTY APIs

57. Get Properties GET /api/properties

Request: • Header: Authorization: Bearer {token} • Query Parameters:

- property_type: "rent", "sale", "pg"
- limit: 20 (default)
- offset: 0
- sort_by: "price_low", "price_high", "newest"

Response:

```
{
  "success": true,
  "message": "Properties retrieved successfully",
  "data": {
    "properties": [
      {
        "id": "uuid",
        "title": "2BHK Apartment in Andheri",
        "property_type": "rent",
        "price": 25000,
        "deposit": 50000,
        "location": "Andheri West, Mumbai",
        "area_sqft": 1200,
        "bedrooms": 2,
        "bathrooms": 2,
        "furnishing": "semi-furnished",
        "images": ["string"],
        "is_featured": false,
        "is_saved": false,
        "created_at": "timestamp"
      }
    ],
    "total_count": 234,
    "current_page": 1,
    "total_pages": 12
  }
}
```

58. Get Property Details GET /api/properties/{property_id}

Request: • Header: Authorization: Bearer {token} • Path Parameter: property_id

Response:

```
{
  "success": true,
  "message": "Property details retrieved successfully",
  "data": {
    "id": "uuid",
    "title": "2BHK Apartment in Andheri",
    "description": "Spacious 2BHK apartment with modern amenities",
    "property_type": "rent",
    "price": 25000,
    "deposit": 50000,
    "location": "Andheri West, Mumbai",
    "area_sqft": 1200,
    "bedrooms": 2,
    "bathrooms": 2,
    "furnishing": "semi-furnished",
    "floor": 5,
    "total_floors": 10,
    "age_years": 3,
    "facing": "east",
    "parking": true,
    "parking_count": 1,
    "images": ["string"],
    "video_url": "string",
  }
}
```

```

    "amenities": ["Gym", "Swimming Pool", "Security"],
    "nearby_places": {
      "schools": ["ABC School - 0.5km"],
      "hospitals": ["XYZ Hospital - 1km"],
      "markets": ["Local Market - 0.3km"]
    },
    "owner": {
      "id": "uuid",
      "name": "Property Owner",
      "phone": "+919876543210",
      "profile_image": "string"
    },
    "latitude": 19.1136,
    "longitude": 72.8697,
    "is_featured": false,
    "is_saved": false,
    "is_verified": true,
    "views_count": 1234,
    "likes_count": 56,
    "created_at": "timestamp",
    "updated_at": "timestamp"
  }
}

```

59. Create Property Listing POST /api/properties

Request: • Header: Authorization: Bearer {token} • Content-Type: multipart/form-data • Form Data:

- title: "2BHK Apartment in Andheri"
- description: "Spacious 2BHK apartment"
- property_type: "rent"
- price: 25000
- deposit: 50000
- location: "Andheri West, Mumbai"
- area_sqft: 1200
- bedrooms: 2
- bathrooms: 2
- furnishing: "semi-furnished"
- images: [File, File, File]
- latitude: 19.1136
- longitude: 72.8697
- amenities: ["Gym", "Swimming Pool"]

Response:

```

{
  "success": true,
  "message": "Property listing created successfully",
  "data": {
    "id": "uuid",
    "title": "2BHK Apartment in Andheri",
    "property_type": "rent",
    "price": 25000,
    "images": ["string"],
    "created_at": "timestamp"
  }
}

```

```
}  
}
```

60. Update Property Listing PUT /api/properties/{property_id}

Request: • Header: Authorization: Bearer {token} • Path Parameter: property_id • Content-Type: multipart/form-data

Request Body: (Same as Create Property - include only fields to update)

Response:

```
{  
  "success": true,  
  "message": "Property listing updated successfully",  
  "data": {  
    "id": "uuid",  
    "title": "2BHK Apartment in Andheri",  
    "updated_at": "timestamp"  
  }  
}
```

61. Delete Property Listing DELETE /api/properties/{property_id}

Request: • Header: Authorization: Bearer {token} • Path Parameter: property_id

Response:

```
{  
  "success": true,  
  "message": "Property listing deleted successfully",  
  "data": {  
    "deleted": true,  
    "property_id": "uuid"  
  }  
}
```

62. Get Broker Properties GET /api/properties/broker

Request: • Header: Authorization: Bearer {token} • Query Parameters:

- limit: 20
- offset: 0
- status: "active", "sold", "rented"

Response:

```
{  
  "success": true,  
  "message": "Broker properties retrieved successfully",  
  "data": {  
    "properties": [  
      {  
        "id": "uuid",  
        "title": "2BHK Apartment in Andheri",  

```

```

        "property_type": "rent",
        "price": 25000,
        "images": ["string"],
        "status": "active",
        "views_count": 1234,
        "likes_count": 56,
        "created_at": "timestamp"
    }
],
    "total_count": 45
}

```

63. Search Properties GET /api/properties/search

Request: • Header: Authorization: Bearer {token} • Query Parameters:

- query: "2bhk andheri"
- property_type: "rent"
- min_price: 20000
- max_price: 30000
- bedrooms: 2
- location: "Andheri"
- latitude: number
- longitude: number
- radius_km: 5

Response:

```

{
  "success": true,
  "message": "Search results retrieved successfully",
  "data": {
    "properties": [
      {
        "id": "uuid",
        "title": "2BHK Apartment in Andheri",
        "price": 25000,
        "location": "Andheri West, Mumbai",
        "distance_km": 1.2
      }
    ],
    "total_count": 45
  }
}

```

64. Like Property POST /api/properties/{property_id}/like

Request: • Header: Authorization: Bearer {token} • Path Parameter: property_id

Response:

```

{
  "success": true,
  "message": "Property liked successfully",
  "data": {

```

```
    "property_id": "uuid",
    "is_liked": true,
    "likes_count": 57
  }
}
```

65. Unlike Property DELETE /api/properties/{property_id}/like

Request: • Header: Authorization: Bearer {token} • Path Parameter: property_id

Response:

```
{
  "success": true,
  "message": "Property unliked successfully",
  "data": {
    "property_id": "uuid",
    "is_liked": false,
    "likes_count": 56
  }
}
```

66. Save Property (Bookmark) POST /api/properties/{property_id}/save

Request: • Header: Authorization: Bearer {token} • Path Parameter: property_id

Response:

```
{
  "success": true,
  "message": "Property saved successfully",
  "data": {
    "property_id": "uuid",
    "is_saved": true
  }
}
```

67. Unsave Property DELETE /api/properties/{property_id}/save

Request: • Header: Authorization: Bearer {token} • Path Parameter: property_id

Response:

```
{
  "success": true,
  "message": "Property removed from saved list",
  "data": {
    "property_id": "uuid",
    "is_saved": false
  }
}
```

68. Report Property POST /api/properties/{property_id}/report

Request: • Header: Authorization: Bearer {token} • Path Parameter: property_id

Request Body:

```
{
  "reason": "Fake listing",
  "description": "This property doesn't exist"
}
```

Response:

```
{
  "success": true,
  "message": "Property reported successfully",
  "data": {
    "report_id": "uuid",
    "property_id": "uuid",
    "status": "pending"
  }
}
```

69. Get Saved Properties GET /api/properties/saved

Request: • Header: Authorization: Bearer {token} • Query Parameters:

- limit: 20
- offset: 0

Response:

```
{
  "success": true,
  "message": "Saved properties retrieved successfully",
  "data": {
    "properties": [
      {
        "id": "uuid",
        "title": "2BHK Apartment in Andheri",
        "price": 25000,
        "images": ["string"],
        "saved_at": "timestamp"
      }
    ],
    "total_count": 12
  }
}
```

=====



7. NEWS/FEED APIs

70. Get News Feed GET /api/news

Request: • Header: Authorization: Bearer {token} • Query Parameters:

- limit: 20 (default)

- offset: 0
- category: "property", "lifestyle", "tips"

Response:

```
{
  "success": true,
  "message": "News feed retrieved successfully",
  "data": {
    "news": [
      {
        "id": "uuid",
        "title": "10 Tips for First-Time Home Buyers",
        "content": "Short preview of the article...",
        "category": "property",
        "images": ["string"],
        "author": {
          "id": "uuid",
          "name": "John Doe",
          "profile_image": "string"
        },
        "likes_count": 234,
        "comments_count": 45,
        "shares_count": 12,
        "is_liked": false,
        "is_saved": false,
        "created_at": "timestamp"
      }
    ],
    "total_count": 456,
    "current_page": 1,
    "total_pages": 23
  }
}
```

71. Get News Details GET /api/news/{news_id}

Request: • Header: Authorization: Bearer {token} • Path Parameter: news_id

Response:

```
{
  "success": true,
  "message": "News details retrieved successfully",
  "data": {
    "id": "uuid",
    "title": "10 Tips for First-Time Home Buyers",
    "content": "Full article content here...",
    "category": "property",
    "images": ["string"],
    "author": {
      "id": "uuid",
      "name": "John Doe",
      "profile_image": "string",
      "bio": "Real estate expert"
    },
    "likes_count": 234,
    "comments_count": 45,
  }
}
```



```

    "shares_count": 12,
    "is_liked": false,
    "is_saved": false,
    "tags": ["home-buying", "tips", "real-estate"],
    "read_time_minutes": 5,
    "views_count": 1234,
    "created_at": "timestamp",
    "updated_at": "timestamp"
  }
}

```

72. Create News Article POST /api/news

Request: • Header: Authorization: Bearer {token} • Content-Type: multipart/form-data • Form Data:

- title: "10 Tips for First-Time Home Buyers"
- content: "Article content..."
- category: "property"
- images: [File, File]
- tags: ["home-buying", "tips"]

Response:

```

{
  "success": true,
  "message": "News article created successfully",
  "data": {
    "id": "uuid",
    "title": "10 Tips for First-Time Home Buyers",
    "category": "property",
    "images": ["string"],
    "created_at": "timestamp"
  }
}

```

73. Like News Article POST /api/news/{news_id}/like

Request: • Header: Authorization: Bearer {token} • Path Parameter: news_id

Response:

```

{
  "success": true,
  "message": "News article liked successfully",
  "data": {
    "news_id": "uuid",
    "is_liked": true,
    "likes_count": 235
  }
}

```

74. Unlike News Article DELETE /api/news/{news_id}/like

Request: • Header: Authorization: Bearer {token} • Path Parameter: news_id

Response:

```
{
  "success": true,
  "message": "News article unliked successfully",
  "data": {
    "news_id": "uuid",
    "is_liked": false,
    "likes_count": 234
  }
}
```

75. Save News Article (Bookmark) POST /api/news/{news_id}/save

Request: • Header: Authorization: Bearer {token} • Path Parameter: news_id

Response:

```
{
  "success": true,
  "message": "News article saved successfully",
  "data": {
    "news_id": "uuid",
    "is_saved": true
  }
}
```

76. Remove Bookmark from News DELETE /api/news/{news_id}/save

Request: • Header: Authorization: Bearer {token} • Path Parameter: news_id

Response:

```
{
  "success": true,
  "message": "News article removed from bookmarks",
  "data": {
    "news_id": "uuid",
    "is_saved": false
  }
}
```

77. Share News Article POST /api/news/{news_id}/share

Request: • Header: Authorization: Bearer {token} • Path Parameter: news_id

Request Body:

```
{
  "platform": "whatsapp"
}
```

Response:

```
{
```

```

"success": true,
"message": "News article shared successfully",
"data": {
  "news_id": "uuid",
  "shares_count": 13,
  "share_url": "string"
}
}

```

=====

===== 8. REEL/VIDEO APIs

78. Get Reels Feed GET /api/reels

Request: • Header: Authorization: Bearer {token} • Query Parameters:

- limit: 10 (default)
- offset: 0
- category: "property", "lifestyle", "tips"

Response:

```

{
  "success": true,
  "message": "Reels retrieved successfully",
  "data": {
    "reels": [
      {
        "id": "uuid",
        "title": "Beautiful 3BHK Tour",
        "description": "Take a virtual tour of this stunning apartment",
        "video_url": "string",
        "thumbnail_url": "string",
        "duration_seconds": 45,
        "category": "property",
        "author": {
          "id": "uuid",
          "name": "Property Expert",
          "profile_image": "string"
        },
        "likes_count": 1234,
        "comments_count": 89,
        "shares_count": 45,
        "views_count": 5678,
        "is_liked": false,
        "is_saved": false,
        "created_at": "timestamp"
      },
      {
        "likes_count": 1234,
        "comments_count": 89,
        "shares_count": 45,
        "views_count": 5678,
        "is_liked": false,
        "is_saved": false,
        "created_at": "timestamp"
      }
    ],
    "total_count": 234
  }
}

```

79. Get Reel Details GET /api/reels/{reel_id}

Request: • Header: Authorization: Bearer {token} • Path Parameter: reel_id

Response:

```
{
  "success": true,
  "message": "Reel details retrieved successfully",
  "data": {
    "id": "uuid",
    "title": "Beautiful 3BHK Tour",
    "description": "Take a virtual tour of this stunning apartment",
    "video_url": "string",
    "thumbnail_url": "string",
    "duration_seconds": 45,
    "category": "property",
    "author": {
      "id": "uuid",
      "name": "Property Expert",
      "profile_image": "string",
      "follower_count": 12345
    },
    "likes_count": 1234,
    "comments_count": 89,
    "shares_count": 45,
    "views_count": 5678,
    "is_liked": false,
    "is_saved": false,
    "tags": ["property-tour", "3bhk"],
    "music": {
      "title": "Background Music",
      "artist": "Artist Name"
    },
    "created_at": "timestamp"
  }
}
```

80. Create Reel POST /api/reels

Request: • Header: Authorization: Bearer {token} • Content-Type: multipart/form-data • Form Data:

- title: "Beautiful 3BHK Tour"
- description: "Virtual tour..."
- video: File
- thumbnail: File
- category: "property"
- tags: ["property-tour", "3bhk"]

Response:

```
{
  "success": true,
  "message": "Reel created successfully",
  "data": {
    "id": "uuid",
    "title": "Beautiful 3BHK Tour",
    "video_url": "string",
  }
}
```

```
    "thumbnail_url": "string",
    "created_at": "timestamp"
  }
}
```

81. Like Reel POST /api/reels/{reel_id}/like

Request: • Header: Authorization: Bearer {token} • Path Parameter: reel_id

Response:

```
{
  "success": true,
  "message": "Reel liked successfully",
  "data": {
    "reel_id": "uuid",
    "is_liked": true,
    "likes_count": 1235
  }
}
```

82. Unlike Reel DELETE /api/reels/{reel_id}/like

Request: • Header: Authorization: Bearer {token} • Path Parameter: reel_id

Response:

```
{
  "success": true,
  "message": "Reel unliked successfully",
  "data": {
    "reel_id": "uuid",
    "is_liked": false,
    "likes_count": 1234
  }
}
```

83. Follow User POST /api/users/{user_id}/follow

Request: • Header: Authorization: Bearer {token} • Path Parameter: user_id

Response:

```
{
  "success": true,
  "message": "User followed successfully",
  "data": {
    "user_id": "uuid",
    "is_following": true,
    "follower_count": 12346
  }
}
```

84. Unfollow User DELETE /api/users/{user_id}/follow

Request: • Header: Authorization: Bearer {token} • Path Parameter: user_id

Response:

```
{
  "success": true,
  "message": "User unfollowed successfully",
  "data": {
    "user_id": "uuid",
    "is_following": false,
    "follower_count": 12345
  }
}
```

=====

===== 🏠 9. HOME APIs

85. Get Home Feed GET /api/home

Request: • Header: Authorization: Bearer {token}

Response:

```
{
  "success": true,
  "message": "Home feed retrieved successfully",
  "data": {
    "banners": [
      {
        "id": "uuid",
        "title": "Zero Deposit Homes",
        "image_url": "string",
        "action_type": "navigate",
        "action_url": "/zero-deposit",
        "order": 1
      }
    ],
    "quick_actions": [
      {
        "id": "uuid",
        "title": "Find Property",
        "icon": "string",
        "action_type": "navigate",
        "action_url": "/properties"
      }
    ],
    "stats": {
      "properties_listed": 25643,
      "happy_customers": 15234,
      "verified_brokers": 1234,
      "service_providers": 5678
    },
    "featured_properties": [
      {
        "id": "uuid",
```

```

        "title": "2BHK Apartment",
        "price": 25000,
        "images": ["string"]
    }
],
"featured_reels": [
    {
        "id": "uuid",
        "title": "Property Tour",
        "thumbnail_url": "string",
        "video_url": "string"
    }
],
"latest_news": [
    {
        "id": "uuid",
        "title": "Real Estate News",
        "images": ["string"]
    }
]
}
}

```

86. Get Home Statistics GET /api/home/stats

Request: • Header: Authorization: Bearer {token}

Response:

```

{
  "success": true,
  "message": "Home statistics retrieved successfully",
  "data": {
    "properties_listed": 25643,
    "happy_customers": 15234,
    "verified_brokers": 1234,
    "service_providers": 5678,
    "total_bookings": 3456,
    "completed_orders": 2345
  }
}

```

87. Get Banners GET /api/banners

Request: • Header: Authorization: Bearer {token} • Query Parameters:

- position: "home", "explore", "carecrew"

Response:

```

{
  "success": true,
  "message": "Banners retrieved successfully",
  "data": [
    {
      "id": "uuid",
      "title": "Zero Deposit Homes",

```

```

        "subtitle": "Move in without paying deposit",
        "image_url": "string",
        "action_type": "navigate",
        "action_url": "/zero-deposit",
        "order": 1,
        "is_active": true
    }
]
}

```

88. Get Quick Actions GET /api/quick-actions

Request: • Header: Authorization: Bearer {token}

Response:

```

{
  "success": true,
  "message": "Quick actions retrieved successfully",
  "data": [
    {
      "id": "uuid",
      "title": "Find Property",
      "icon": "string",
      "action_type": "navigate",
      "action_url": "/properties",
      "order": 1,
      "is_active": true
    }
  ]
}

```

89. Get Home Reels GET /api/home/reels

Request: • Header: Authorization: Bearer {token} • Query Parameters:

- limit: 5 (default)

Response:

```

{
  "success": true,
  "message": "Home reels retrieved successfully",
  "data": [
    {
      "id": "uuid",
      "title": "Property Tour",
      "video_url": "string",
      "thumbnail_url": "string",
      "likes_count": 1234
    }
  ]
}

```


===== 10. CAREER/JOB APIs

90. Get All Jobs GET /api/jobs

Request: • Header: Authorization: Bearer {token} • Query Parameters:

- job_type: "full-time", "part-time", "contract"
- category: "property", "carecrew", "other"
- location: "Mumbai"
- limit: 20 (default)
- offset: 0

Response:

```
{
  "success": true,
  "message": "Jobs retrieved successfully",
  "data": {
    "jobs": [
      {
        "id": "uuid",
        "title": "Real Estate Sales Agent",
        "company": "ABC Realty",
        "company_logo": "string",
        "location": "Mumbai, Maharashtra",
        "job_type": "full-time",
        "experience_required": "2-5 years",
        "salary_range": {
          "min": 300000,
          "max": 600000,
          "currency": "INR"
        },
        "posted_date": "timestamp",
        "application_count": 45,
        "is_saved": false
      }
    ],
    "total_count": 123,
    "current_page": 1,
    "total_pages": 7
  }
}
```

91. Get Job Details GET /api/jobs/{job_id}

Request: • Header: Authorization: Bearer {token} • Path Parameter: job_id

Response:

```
{
  "success": true,
  "message": "Job details retrieved successfully",
```

```

"data": {
  "id": "uuid",
  "title": "Real Estate Sales Agent",
  "description": "Full job description...",
  "responsibilities": ["Sell properties", "Generate leads"],
  "requirements": ["2+ years experience", "Good communication"],
  "company": "ABC Realty",
  "company_logo": "string",
  "company_description": "Leading real estate company",
  "location": "Mumbai, Maharashtra",
  "job_type": "full-time",
  "experience_required": "2-5 years",
  "salary_range": {
    "min": 300000,
    "max": 600000,
    "currency": "INR"
  },
  "benefits": ["Health Insurance", "Performance Bonus"],
  "skills_required": ["Sales", "Negotiation", "Communication"],
  "posted_date": "timestamp",
  "application_deadline": "timestamp",
  "application_count": 45,
  "is_saved": false,
  "has_applied": false
}
}

```

92. Post Job POST /api/jobs

Request: • Header: Authorization: Bearer {token}

Request Body:

```

{
  "title": "Real Estate Sales Agent",
  "description": "Full job description...",
  "responsibilities": ["Sell properties", "Generate leads"],
  "requirements": ["2+ years experience"],
  "company": "ABC Realty",
  "location": "Mumbai, Maharashtra",
  "job_type": "full-time",
  "experience_required": "2-5 years",
  "salary_min": 300000,
  "salary_max": 600000,
  "benefits": ["Health Insurance"],
  "skills_required": ["Sales", "Negotiation"],
  "application_deadline": "timestamp"
}

```

Response:

```

{
  "success": true,
  "message": "Job posted successfully",
  "data": {
    "id": "uuid",
    "title": "Real Estate Sales Agent",
    "company": "ABC Realty",
    "posted_date": "timestamp",

```

```
    "status": "active"
  }
}
```

93. Apply for Job POST /api/jobs/{job_id}/apply

Request: • Header: Authorization: Bearer {token} • Path Parameter: job_id • Content-Type: multipart/form-data • Form Data:

- resume: File
- cover_letter: "string"
- expected_salary: 500000

Response:

```
{
  "success": true,
  "message": "Job application submitted successfully",
  "data": {
    "application_id": "uuid",
    "job_id": "uuid",
    "job_title": "Real Estate Sales Agent",
    "status": "submitted",
    "applied_date": "timestamp"
  }
}
```

94. Get Job Applications (User) GET /api/jobs/applications

Request: • Header: Authorization: Bearer {token} • Query Parameters:

- status: "submitted", "reviewed", "shortlisted", "rejected"
- limit: 20
- offset: 0

Response:

```
{
  "success": true,
  "message": "Job applications retrieved successfully",
  "data": {
    "applications": [
      {
        "application_id": "uuid",
        "job_id": "uuid",
        "job_title": "Real Estate Sales Agent",
        "company": "ABC Realty",
        "status": "submitted",
        "applied_date": "timestamp"
      }
    ],
    "total_count": 15
  }
}
```

===== 🔍 11. EXPLORE APIs

95. Get Explore Properties GET /api/explore/properties

Request: • Header: Authorization: Bearer {token} • Query Parameters:

- latitude: 19.0760 (required)
- longitude: 72.8777 (required)
- radius_km: 5 (default)
- property_type: "rent", "sale"
- min_price: number
- max_price: number
- limit: 20
- offset: 0

Response:

```
{
  "success": true,
  "message": "Explore properties retrieved successfully",
  "data": {
    "properties": [
      {
        "id": "uuid",
        "title": "2BHK Apartment",
        "price": 25000,
        "location": "Andheri West, Mumbai",
        "latitude": 19.1136,
        "longitude": 72.8697,
        "distance_km": 1.2,
        "images": ["string"],
        "property_type": "rent",
        "bedrooms": 2,
        "area_sqft": 1200
      }
    ],
    "total_count": 45,
    "map_bounds": {
      "north": 19.2,
      "south": 19.0,
      "east": 72.9,
      "west": 72.8
    }
  }
}
```

96. Perform Property Action (Like/Save/Report) POST
/api/explore/properties/{property_id}/action

Request: • Header: Authorization: Bearer {token} • Path Parameter: property_id

Request Body:

```
{
  "action": "like",
  "data": {
    "reason": "Interested in this property"
  }
}
```

Response:

```
{
  "success": true,
  "message": "Action performed successfully",
  "data": {
    "property_id": "uuid",
    "action": "like",
    "status": "success"
  }
}
```

===== 📦 12. REFERRAL APIs

97. Get Referral Code GET /api/referrals/code

Request: • Header: Authorization: Bearer {token}

Response:

```
{
  "success": true,
  "message": "Referral code retrieved successfully",
  "data": {
    "referral_code": "ABC123XYZ",
    "referral_link": "https://app.livana.com/ref/ABC123XYZ",
    "total_referrals": 15,
    "successful_referrals": 12,
    "pending_rewards": 500,
    "earned_rewards": 2400
  }
}
```

98. Get Referral History GET /api/referrals/history

Request: • Header: Authorization: Bearer {token} • Query Parameters:

- limit: 20
- offset: 0

Response:

```
{
  "success": true,
  "message": "Referral history retrieved successfully",
}
```

```

"data": {
  "referrals": [
    {
      "id": "uuid",
      "referred_user_name": "John Doe",
      "referred_date": "timestamp",
      "status": "successful",
      "reward_amount": 200,
      "reward_status": "credited"
    }
  ],
  "total_count": 15
}

```

99. Apply Referral Code POST /api/referrals/apply

Request: • Header: Authorization: Bearer {token}

Request Body:

```

{
  "referral_code": "ABC123XYZ"
}

```

Response:

```

{
  "success": true,
  "message": "Referral code applied successfully",
  "data": {
    "referral_code": "ABC123XYZ",
    "referrer_name": "Jane Smith",
    "reward_amount": 200,
    "terms": "Complete your first booking to earn reward"
  }
}

```

=====

===== 🔍 13. SEARCH & FILTER APIs

100. Global Search GET /api/search

Request: • Header: Authorization: Bearer {token} • Query Parameters:

- query: "2bhk andheri"
- type: "all", "properties", "products", "services", "news"
- limit: 20

Response:

```
{
  "success": true,
  "message": "Search results retrieved successfully",
  "data": {
    "properties": [
      {
        "id": "uuid",
        "title": "2BHK Apartment",
        "type": "property"
      }
    ],
    "products": [
      {
        "id": "uuid",
        "name": "Sofa Set",
        "type": "product"
      }
    ],
    "services": [
      {
        "id": "uuid",
        "name": "Plumber",
        "type": "service"
      }
    ],
    "news": [
      {
        "id": "uuid",
        "title": "Real Estate Tips",
        "type": "news"
      }
    ],
    "total_results": 45
  }
}
```

101. Get Search Filters GET /api/search/filters

Request: • Header: Authorization: Bearer {token} • Query Parameters:

- type: "properties", "products"

Response:

```
{
  "success": true,
  "message": "Search filters retrieved successfully",
  "data": {
    "property_types": ["rent", "sale", "pg"],
    "price_ranges": [
      {"min": 0, "max": 10000},
      {"min": 10000, "max": 25000},
      {"min": 25000, "max": 50000}
    ],
    "bedrooms": [1, 2, 3, 4, 5],
    "furnishing": ["unfurnished", "semi-furnished", "fully-furnished"],
    "amenities": ["Parking", "Gym", "Swimming Pool", "Security"],
    "categories": ["furniture", "appliances", "decor"]
  }
}
```

```
}
```

102. Save Search Filter POST /api/search/filters/save

Request: • Header: Authorization: Bearer {token}

Request Body:

```
{
  "name": "2BHK Under 30k",
  "type": "properties",
  "filters": {
    "property_type": "rent",
    "bedrooms": 2,
    "max_price": 30000,
    "location": "Andheri"
  }
}
```

Response:

```
{
  "success": true,
  "message": "Search filter saved successfully",
  "data": {
    "filter_id": "uuid",
    "name": "2BHK Under 30k",
    "created_at": "timestamp"
  }
}
```

103. Get Saved Search Filters GET /api/search/filters/saved

Request: • Header: Authorization: Bearer {token}

Response:

```
{
  "success": true,
  "message": "Saved filters retrieved successfully",
  "data": [
    {
      "filter_id": "uuid",
      "name": "2BHK Under 30k",
      "type": "properties",
      "filters": {
        "property_type": "rent",
        "bedrooms": 2,
        "max_price": 30000
      },
      "created_at": "timestamp"
    }
  ]
}
```

===== ERROR RESPONSE FORMAT

All error responses follow this structure:

```
{
  "success": false,
  "message": "Error description",
  "error_code": "ERROR_CODE",
  "errors": {
    "field_name": ["Error message 1", "Error message 2"]
  }
}
```

Common Error Codes: • **VALIDATION_ERROR** - Invalid input data • **UNAUTHORIZED** - Not authenticated • **FORBIDDEN** - No permission to access resource • **NOT_FOUND** - Resource not found • **ALREADY_EXISTS** - Resource already exists • **INVALID_STATUS** - Invalid status transition • **RATE_LIMIT_EXCEEDED** - Too many requests • **FILE_TOO_LARGE** - File exceeds size limit • **INVALID_FILE_FORMAT** - Unsupported file type • **INSUFFICIENT_BALANCE** - Not enough credits/points • **SERVICE_UNAVAILABLE** - Service temporarily down • **DATABASE_ERROR** - Database operation failed • **EXTERNAL_API_ERROR** - Third-party API error

===== ADDITIONAL INFORMATION

API BASE URLs: • Production: <https://api.livanaeco.com> • Staging: <https://api-staging.livanaeco.com> • Development: <http://localhost:8080>

AUTHENTICATION: All authenticated endpoints require Bearer token in header:
Authorization: Bearer {jwt_token}

PAGINATION: APIs that return lists support pagination: • limit: Number of items per page (default: 10, max: 100) • offset: Number of items to skip (default: 0)

Response includes:

```
{
  "total_count": 156,
  "current_page": 1,
  "total_pages": 16
}
```

RATE LIMITING: • Authenticated requests: 100 requests per minute per user •
Unauthenticated requests: 20 requests per minute per IP • File upload: 10 uploads per hour
per user

FILE UPLOAD LIMITS: • Profile pictures: Max 5MB, formats: JPG, PNG • Documents:
Max 10MB, formats: PDF, JPG, PNG • Videos: Max 100MB, formats: MP4, MOV • Product
images: Max 5MB each, max 10 images

SUPPORTED LANGUAGES: • English (en) • Hindi (hi)

DATE/TIME FORMAT: • ISO 8601: 2025-11-16T10:30:00Z • Timezone: UTC

CURRENCY: • INR (Indian Rupees)

=====

===== **END OF DOCUMENT**

Document Version: 2.0 Last Updated: November 16, 2025 Total APIs: 103