


FROM REPOSITORY TO FIRST CONTRIBUTION

Onboarder Bob

Understand the code. Find a safe first PR. Refine the plan with IBM Bob.



Built on the original Onboarder

An interactive codebase map, grounded starter tasks, and an optional IBM Bob review in one familiar workflow.

ORIGINAL THEME + FEATURES

THE PROBLEM

The first PR starts with orientation

New contributors need a clear map before they can choose a useful change.

01 Where does execution begin?


02 Which modules matter most?

03 What is a small, testable change?

THE EXISTING FOUNDATION

Onboarder already maps the codebase

The hackathon build copies Amit’s existing project and keeps its Explorer, CLI, diagrams, search, and analysis.



204

code files scanned

491

connections mapped

THE NEW WORKFLOW

Evidence before suggestions

The First PR view reads actual scanned files, traces imports, identifies gaps, and exports a Markdown brief.

onboarder.

204 files · 491 connections

ExplorerDeep AnalysisGraphHeatmapInsightsDiffWorkflowsSBOMCodeDocsAbout

First PR

Q Search

Filter files...

cli/23

public/47

server/47

shared/31

tests/59

.gitignore

LICENSE

README.md

package.json

tsconfig.cli.json

tsconfig.web.json

onboarder_bob

onboarder_bob · first contribution brief

Export MarkdownRefine with IBM Bob

FILES206

SOURCE204

TESTS59

IMPORTS438

LANGUAGESJavaScript · TypeScript

02 / ARCHITECTURE

Architecture trail

Entry points, shared modules, tests, and guides — in reading order.

01 cli/commands.js

Entry point · Start here to understand the request or command flow.

02 cli/explorer/advanced.js

Entry point · Start here to understand the request or command flow.

03 cli/explorer/app.js

Entry point · Start here to understand the request or command flow.

04 cli/explorer/assistant.js

Entry point · Start here to understand the request or command flow.

05 cli/explorer/commands.js

Entry point · Start here to understand the request or command flow.

204 files · 491 connections · 6 entries · 100 hubs · 13 unconnected

196 javascript, 8 typescript scanned in 116 ms

onboarder_bob

REPO

/Users/amitpandey/Project/codebase/onboarder_bob

204 files

491 connections

6 entries

100 hubs

1 commits

100% of imports placed

WHAT IT DOES · ASK THE AI

onboarder_bob — 204 code files (196 JS, 8 TS), 491 import connections.

Start reading at cli/explorer/app.js, cli/main.js, public/app.js.

The file everyone depends on is shared/analyzer/graph.js (24 dependents).

13 files aren't imported by anything — dead code, or entry points we didn't recognize.

From the static analysis — no AI involved.

Ask anything about this repo...Ask

no question — just explain this file →

ENTRY POINTS

cli/explorer/app.js

cli/main.js

public/app.js

server/index.js

438

imports traced

59

test files found

Bob refines the first PR

The optional button sends only the generated brief to the official Bob Shell in read-only ask mode.

1

Scan

Use Onboarder's existing repository scanner.

2

Ground

Create file and line evidence plus starter tasks.

3

Refine

IBM Bob proposes sequence, checks, and uncertainty.

The Bob API key stays on the server. The local analysis works without it.

BUILT + VERIFIED

Ready for a first contribution

An original project extended with IBM Bob, grounded in repository evidence.

691 passing tests

The copied project is separate from the original Onboarder. The full source and setup steps are public.

github.com/Amitpandey88/onboarder_bob