

IN Project SANCHI — 6-Member Voice Over (VO) Handover Dossier

Official Video Recording Cue Sheet, Word-for-Word Scripts, Timings & Evaluator Defense Guide

TOTAL DURATION

4 Min 30 Sec – 4 Min 50 Sec

LIVE DEMO PORTAL

sih-2026-mpals-main.onrender.com

FORMAT

6 Individual Speakers (1 Part Each)

AUDIO TARGET

1080p 60fps | 48kHz WAV / M4A



Crucial Voice-Over Guidelines for All 6 Teammates

Please read these before tapping record on your mobile phone or computer mic:

1. Mobile Phone Mic Positioning

Hold your phone 5 to 6 inches away from your mouth at a 45° angle (near your cheek). Do not speak straight into the mic to prevent breath pops ("p", "t", "b").

2. Silence Room Noise

Turn off ceiling fans, AC, coolers, and close room windows. Avoid rooms with bare walls (record facing a wardrobe, curtain, or bed to absorb echo).

3. Recommended Recording Apps

iPhone: *Voice Memos* (Settings → Lossless audio).
Android: *Dolby On* (Free) or default Voice Recorder set to *High Quality WAV*.

4. Pacing & Energy

Speak at ~130 to 140 words per minute (about 80% your natural casual speed). Pronounce technical names clearly: "MPLADS", "e-SAKSHI", "PFMS", "SANCHI".



Team Roles, Timestamps & Responsibility Grid

PART & ROLE	SPEAKER TITLE	TIMESTAMP	DURATION	WORD COUNT	CORE MISSION
Part 1	Teammate 1 — Problem Lead	0:00 – 0:50	50s	~125 words	Establish ₹2,400 Cr scale & retrospective audit failure
Part 2	Teammate 2 — Solution Lead	0:50 – 1:35	45s	~118 words	Introduce Sanchi & its 6 interlocking solution pillars

PART & ROLE	SPEAKER TITLE	TIMESTAMP	DURATION	WORD COUNT	CORE MISSION
Part 3	Teammate 3 — Systems Lead	1:35 - 2:15	40s	~105 words	Multi-source fusion: PFMS, e-SAKSHI, GeM & explainability
Part 4	Teammate 4 — Frontend Lead	2:15 - 3:10	55s	~135 words	Live app walkthrough: Gateway, KPIs, Anomaly Table & GIS Map
Part 5	Teammate 5 — Tech & AI Lead	3:10 - 4:05	55s	~140 words	AI mathematical breakdown, NIC SMS dispatch & offline resilience
Part 6	Teammate 6 — Pitch Lead	4:05 - 4:50	45s	~110 words	High-impact closing defense: "Guardian for public money"

PART 1 — THE PROBLEM

Speaker: Teammate 1 (Problem Lead)

🕒 0:00 – 0:50 (50s)

📄 125 Words

 **Screen Cue (Video sync):** Start with Title card, then navigate to official MoSPI portal spreadsheet view showing manual rows and delayed completion entries. Highlight pain point callouts.

 **VOICE TONE:** Calm, authoritative, serious. Build measured urgency.

"Every year, the Government of India releases Rs. 5 crore per Member of Parliament under the MPLADS scheme — the Members of Parliament Local Area Development Scheme.

That is Rs. 2,400 crore of public money every single year.

This money is meant to build infrastructure — roads, schools, water systems — directly in the constituencies of MPs across India. But here is the reality.

All fund tracking and project monitoring today happens through manual entries on the MoSPI portal. District-level officers fill in forms. Nodal officers verify. Reports are filed.

The problem? There is no automated layer that catches anomalies.

No flag when Rs. 47 lakhs is released to a contractor and the work completion report appears 11 months later — with no GPS-tagged photo evidence. No alert when the same vendor wins back-to-back tenders across three districts. No system that detects when a project drags beyond its sanctioned timeline while more funds keep flowing in.

The audit is always retrospective. The damage is already done.

MoSPI identified this exact gap as a national-level priority. Their problem statement — **SIH26102** — is titled: *'Development of an AI-powered system to detect anomalies, fraud, and inefficiencies in MPLAD Scheme implementation.'*

That is the problem we chose. And we built Sanchi."

 **YOUR EVALUATOR DEFENSE QUESTION (KEEP IN MIND):**

Q: "Who benefits and how do you measure post-deployment success?"

ANSWER:

"Four tiers benefit: MoSPI National, State Nodal Officers, District Collectors, and Hon'ble MPs. Success is measured by an 80% reduction in audit cycle turnaround, 100% pre-sanction duplication detection, and elimination of unmonitored fund leakage."

PART 2 — THE SOLUTION

Speaker: Teammate 2 (Solution Lead)

🕒 0:50 – 1:35 (45s)

📄 118 Words

 **Screen Cue (Video sync):** Display the Sanchi system architecture diagram, then dynamically animate the 6 solution pillars onto the screen as they are named.

 **VOICE TONE:** Confident, solution-oriented, proud, visionary.

"We call our system Sanchi.

In Sanskrit and Hindi, Sanchi means 'Treasury' — a sacred collection, preserved and protected. Just as the ancient Sanchi Stupa stands as a monument of integrity across centuries, our system stands as a digital guardian over every rupee of public money.

Sanchi solves the MPLADS monitoring gap through six interlocking capabilities:

ONE — Real-Time Anomaly Detection: Using a five-vector statistical engine — Z-Score outliers, fund release patterns, contractor repeat-win rates, timeline drift, and work completion gaps — Sanchi flags suspicious projects before the audit begins.

TWO — AI Risk Scoring: Every project in the system receives a dynamic AI risk score — from 0 to 100 — computed live. High-risk projects are immediately escalated to senior officials.

THREE — Role-Based Access Control: Built for government hierarchy: MP offices, District Collectors, Nodal Officers, and Ministry Auditors each see only what they are authorized to see.

FOUR — GIS-Based Project Mapping: Every project is plotted on a live map of India with fund velocity overlaid district by district.

FIVE — Automated Reporting: Generates audit-ready PDF compliance reports in one click.

SIX — Automated Notification & Dispatch: Direct statutory escalation notices sent via NIC SMS Gateway to District Magistrates the instant critical anomalies are identified."

PART 3 — OUR SYSTEM & DATA PIPELINES

Speaker: Teammate 3 (Systems Lead)

🕒 1:35 – 2:15 (40s)

📄 105 Words

 **Screen Cue (Video sync):** Show the multi-source data ingestion pipeline graphic, clicking open the live 'Multi-Source Diagnostics Modal' in Sanchi.

 **VOICE TONE:** Technical, crisp, authoritative, clear diction.

"Let me show you how Sanchi handles data — because government monitoring requires breaking institutional data silos.

The official problem statement specifically calls for multi-source data synthesis. Sanchi integrates four live streams:

FIRST — PFMS, the Public Financial Management System: Ingesting ministry fund releases, state distributions, DBT vendor disbursements, and bank transaction ledgers.

SECOND — e-SAKSHI, the MoSPI Scheme Portal: Streaming MP works recommendations, administrative sanctions, and technical clearance milestones.

THIRD — GeM and State e-Tenders: Monitoring contractor bidding history and tender allocations to detect repeat-win collusion.

FOURTH — The NIC SMS Gateway: Powering automated statutory escalations to field authorities.

And we do not rely on an opaque black box. Every anomaly calculated by Sanchi carries a transparent mathematical proof — Z-Score variances, interquartile range deviations, and milestone timeline divergence — ensuring complete explainability for MoSPI auditors."

 **YOUR EVALUATOR DEFENSE QUESTION (KEEP IN MIND):**

Q: "Where does your data come from? Is this real or synthetic?"

ANSWER:

"Our architecture uses a validated hybrid methodology. The MP master registry represents all 773 official Rajya Sabha and Lok Sabha MPs with their actual jurisdictions, derived from official government records. Works ledgers and transaction events are calibrated against MoSPI scheme guidelines, with synthetic edge-cases injected to validate anomaly detection across all 36 States."

PART 4 — PROTOTYPE TOUR: FRONTEND COMMAND CENTER

Speaker: Teammate 4 (Frontend Lead)

🕒 2:15 – 3:10 (55s)

📄 135 Words

 **Screen Cue (Video sync):** Navigate to live site: sih-2026-mpals-main.onrender.com. Show Gateway login with Ashoka Chakra, authenticate as Ministry Admin, showcase KPI cards, filter Anomaly Table, hover on GIS Map, click 'Generate Report'.

 **VOICE TONE:** Energetic, enthusiastic, smooth presenter pacing.

"Let me walk you through the live Sanchi user experience.

We open with the Secure Gateway — the Sanchi login portal. Notice the Government of India identity markers: the Ashoka Chakra emblem, 256-bit TLS security strip, and anti-bot CAPTCHA verification. Through our Role-Based Access system, officials authenticate under designated scopes — Ministry Admin, State Nodal Officer, District Collector, or Hon'ble MP.

Logging in as Ministry Admin unlocks the full executive command center.

We land on the Main Surveillance Dashboard. At the top — four live KPI cards:

- 773 Members of Parliament monitored across Rajya Sabha and Lok Sabha.
- Rs. 11,681.9 Crore in cumulative MPLADS fund allocation across 36 States and UTs.
- 1,239 Total Severity Anomalies indexed.
- 42 Critical High-Risk cases requiring immediate administrative intervention.

These numbers are live, reactive, and dynamically calculated.

Below, the Anomaly Intelligence Table allows instant filtering by severity, state, and anomaly type. Next, the GIS Project Map plots projects pan-India with color-coded markers for fund velocity. A District Collector can open this on any device and see where works are stalling.

And with one click on Generate Report, Sanchi compiles an audit-ready compliance PDF, structured for parliamentary review."

PART 5 — PROTOTYPE TOUR: TECH STACK & AI ENGINE

Speaker: Teammate 5 (Tech & AI Lead)

🕒 3:10 – 4:05 (55s)

📄 140 Words

 **Screen Cue (Video sync):** Click a critical row in the Anomaly Table to open the 'Investigation Workspace' modal. Point to the mathematical breakdown metrics, click 'Dispatch NIC SMS Notice', show the logged token, briefly showcase dual database architecture.

 **VOICE TONE:** Deep-tech, engineering rigor, analytical precision.

"Now let's examine the deep-tech engineering powering Sanchi under the hood.

Our backend is built in Node.js and Express in strict TypeScript — fully typed with structured middleware, robust JWT authentication, and sanitized error boundaries.

Our database layer features a dual-adapter architecture: running SQLite locally for rapid development and PostgreSQL in production on Render cloud, sharing the exact same relational schema.

Let's look at the AI Statistical Engine in action. When I open this high-risk case in the Investigation Workspace, Sanchi explains the exact mathematical breakdown:

- A Z-Score allocation divergence exceeding 3.2 standard deviations from peer cohorts.
- A contractor repeat-win concentration index of 84%.
- And a payment-to-progress gap where Rs. 48 lakhs was disbursed with zero physical validation.

As an authorized officer, I can triage this alert directly to 'Under Review' or 'Resolved'.

And crucially — directly fulfilling the official PS requirement for notification delivery — I click 'Dispatch NIC SMS Notice'. Instantly, the system generates a cryptographically tracked reference token and logs the SMS dispatch to the District Magistrate and the MP Secretariat.

Furthermore, Sanchi features graceful degradation: if backend connectivity drops, our client-side fallback engine in ai-engine.js maintains full offline audit capabilities without system interruption."

 **YOUR EVALUATOR DEFENSE QUESTION (KEEP IN MIND):**

Q: "What is the AI actually doing that simple SQL rules cannot?"

ANSWER:

"Simple SQL rules rely on static thresholds that fraudulent patterns easily bypass. Sanchi computes dynamic multi-vector matrices: parametric Z-scores with dynamic IQR fences comparing an MP against their peer cohort, contractor repeat-win entropy clustering across blocks, and linear timeline drift regression, yielding an explainable composite risk index from 0 to 100."

PART 6 — THE CLOSE & EVALUATOR DEFENSE

Speaker: Teammate 6 (Pitch Lead)

🕒 4:05 – 4:50 (45s)

📄 110 Words

 **Screen Cue (Video sync):** Pull back to display the full live command dashboard on screen. Hold camera steady on full view, then slowly fade to the Sanchi official emblem and SIH Team slide.

 **VOICE TONE:** Slow, deliberate, inspiring, commanding. Land with maximum conviction.

"Every year, Rs. 2,400 crore of public money flows into MPLADS.

Every year, the audit happens after the fact — after delays, after diversions, after the damage is already recorded.

Sanchi changes that equation completely:

- Not retrospective. Proactive.
- Not manual paperwork. Unified multi-source intelligence.
- Not a black box. Mathematically explainable decision support.

Sanchi requires zero workflow disruption. It is built to bridge directly into PFMS and e-SAKSHI as an intelligent oversight layer.

We did not build a dashboard.

We built a guardian for public money.

Sanchi — MPLADS Anomaly and Lifecycle Surveillance Intelligence.

Smart India Hackathon 2026. Team Sanchi is ready for your questions."

 **FINAL CLOSING STANCE FOR JUDGES:**

Hold silence for 2 seconds. Look directly at the camera with confidence. Be prepared to immediately pivot into the live Q&A session.

Hackathon Evaluator Q&A Stress-Test Defense Sheet

Judges often ask tricky questions during evaluation. Here are the prepared answers assigned to respective teammates:

Q1: "Where does your data come from? Is this real or synthetic?"

Assigned: Speaker 3 / 5

"Our architecture uses a validated hybrid methodology. The MP master registry represents all 773 official Rajya Sabha and Lok Sabha MPs with their actual jurisdictions, derived from official government records. Works ledgers and transaction events are calibrated against MoSPI scheme guidelines, with synthetic edge-cases injected to validate anomaly detection across all 36 States."

Q2: "What is the AI actually doing that simple SQL rules cannot?"

Assigned: Speaker 5

"Simple SQL rules rely on static thresholds that fraudulent patterns easily bypass. Sanchi computes dynamic multi-vector matrices: parametric Z-scores with dynamic IQR fences comparing an MP against their peer cohort, contractor repeat-win entropy clustering across blocks, and linear timeline drift regression, yielding an explainable composite risk index from 0 to 100."

Q3: "What happens when network connectivity drops or APIs fail?"

Assigned: Speaker 5

"Sanchi is built with Graceful Architectural Degradation. If remote database connectivity fails, the application automatically switches to local cached storage and activates client-side statistical processing via ai-engine.js, allowing officers to continue auditing without disruption."

Q4: "How does this scale to national production volumes?"

Assigned: Speaker 3 / 5

"Our backend utilizes Express and TypeScript with indexed PostgreSQL queries. With server-side pagination and optimized indexing on MP ID, state, and severity, Sanchi easily scales to millions of works records across all 700+ districts with sub-second response times."

Q5: "Who benefits and how do you measure post-deployment success?"

Assigned: Speaker 1 / 6

"Four tiers benefit: MoSPI National, State Nodal Officers, District Collectors, and Hon'ble MPs. Success is measured by an 80% reduction in audit cycle turnaround, 100% pre-sanction duplication detection, and elimination of unmonitored fund leakage."

✅ Pre-Recording Verification Checklist:

- Each teammate has rehearsed their designated script 2 times with a stopwatch.
- Timings match the target duration (Part 1: 50s, Part 2: 45s, Part 3: 40s, Part 4: 55s, Part 5: 55s, Part 6: 45s).
- Screen recording is captured at 1080p 60fps with full screen (F11) on [Live Portal](#).

- Export individual audio files as Part1_Speaker1_Problem.wav, Part2_Speaker2_Solution.wav, etc.