


1. CONSTRUCTION DETAILS ON PLATFORM FRAMING, BASEMENT FOUNDATION AND CRAWL SPACE FOUNDATION

PLATFORM FRAME CONSTRUCTION

IT IS A SIMPLE METHOD THAT IS GENERALLY USEFUL FOR HOUSE CONSTRUCTION. IN THIS METHOD, FIRST-FLOOR JOISTS ARE COVERED WITH SUB-FLOORING TO PRODUCE A SURFACE ON WHICH EXTERIOR WALLS AND INTERIOR PARTITIONS ARE BUILT. THE PLATFORM SYSTEM ALLOWS WALL FRAMEWORK TO BE CONSTRUCTED ON THE FLOOR AND THE COMPLETE UNIT TO BE TILTED INTO PLACE.




BASEMENT FOUNDATION

BASEMENT DEVELOPMENT CREATES IMPORTANT BUSINESS AND RESIDENTIAL SPACE. THEY CAN BRING LONG-TERM BENEFITS OF BETTER ENERGY EFFICIENCY AND SPACE HEATING SAVINGS WHEN COMPARED TO IDENTICAL ABOVE-GROUND BUILDINGS.

THERE ARE THREE DIFFERENT TYPES OF BASEMENT CONSTRUCTION. TYPE A, B AND C.


TYPE A

PROVIDES TANKED DEFENSE. THIS STRUCTURE IS MADE UP OF A WATER-RESISTANT LAYER IN THE FORM OF A MEMBRANE, WHICH IS NORMALLY INSTALLED ON THE STRUCTURE'S EXTERIOR FACE. THERE ARE NUMEROUS TYPES OF A STRUCTURES. BECAUSE THIS TYPE OF BASEMENT CONSTRUCTION LACKS INTEGRATED WATER RESISTANCE, IT IS ENTIRELY DEPENDENT ON THE WATERPROOFING MEMBRANE.




TYPE B

A STRUCTURALLY INHERENT PROTECTION. THIS IS COMMONLY A WATER-RESISTANT PRESTRESSED OR REINFORCED CONCRETE. BECAUSE CONCRETE IS NOT AS GOOD AT RESISTING WATER VAPOUR MOVEMENT, IT IS FREQUENTLY USED IN TYPE A OR TYPE C BUILDING.




TYPE C

TYPE C BASEMENT ARCHITECTURE INCLUDES A DRAINAGE CAVITY WITHIN THE STRUCTURE THAT GATHERS WATER AND TRANSPORTS IT TO A PUMP DRAINAGE SYSTEM.




A COUPLE OF EXAMPLE DETAILS OF TYPE A CONSTRUCTION



CRAWL SPACE FOUNDATION

A COMMON CHOICE FOR BUILDING ON SOLID GROUND. IT IS MADE UP OF FOOTINGS AND WALLS (USUALLY POURED CONCRETE) THAT ELEVATE THE HOME FROM THE GROUND, CREATING A "CRAWLSPACE" REGION BETWEEN THE GROUND AND THE FIRST FLOOR.




CRAWLSPACE FOUNDATION


2. DETAILS FOR THE CONCRETE COMPONENTS (STRIP FOOTING FOR WALL FOUNDATION, ISOLATED FOOTING FOR PEDESTAL FOUNDATION, MASONRY WALL & REINFORCEMENTS, REINFORCED CONCRETE BEAMS, WHERE NECESSARY)

A. STRIP FOOTING FOR WALL FOUNDATION

STRIP FOUNDATIONS (OR STRIP FOOTINGS) ARE A TYPE OF SHALLOW FOUNDATION USED TO PROVIDE A CONTINUOUS, LEVEL (OR SOMETIMES STEPPED) STRIP OF SUPPORT FOR LINEAR STRUCTURES SUCH AS WALLS OR CLOSELY-SPACED ROWS OF COLUMNS BUILT ON TOP OF THE FOUNDATION AND PLACED CENTRALLY ALONG THEIR LENGTH.




B. ISOLATED FOOTING FOR PEDESTAL FOUNDATION





C. MASONRY WALL & REINFORCEMENTS

D.




REINFORCED CONCRETE BEAMS,






3. DETAILS FOR WOODEN POSTS, WOODEN BEAMS AND GENERAL WOOD FRAMING


A. DETAILS FOR WOODEN POSTS,



B. WOODEN BEAMS




C. GENERAL WOOD FRAMING




4. FLOOR JOIST SYSTEM DETAILS

FLOOR JOISTS ARE HORIZONTAL STRUCTURAL MEMBERS THAT SPAN OPEN SPACES, USUALLY BETWEEN BEAMS, AND TRANSFER LOAD TO VERTICAL STRUCTURAL MEMBERS. THE WEIGHT OF EVERYTHING INSIDE A ROOM, INCLUDING WALLS, FURNITURE, APPLIANCES, AND EVEN PEOPLE, IS SUPPORTED BY THE FLOOR JOISTS.




5. WOOD PARTITION (WALL) FRAMING.




7. WOODEN TRUSS DETAILS, ROOF FRAMING PLAN, GUTTER DETAILS

A. WOODEN TRUSS DETAILS




B. ROOF FRAMING PLAN

Framing




Hip Roof Plan View

- 1 Common Rafters
- 2 Hip Rafters
- 3 End Common Rafters
- 4 Jack Rafters
- 5 Ridge
- 6 Working Points



Hip Roof Working Points

- 1 Run of First Common
- 2 Run of Hip
- 3 Run of End Common (Same as First Common)




ROOF DETAIL AT GUTTER

4" COMPATIBLE TAPE

DRIP EDGE EXTENDS 4" INTO ROOF AND AT LEAST HALFWAY DOWN THE FACE OF THE SHADOW BOARD

SHADOW BOARD

36" WIDE SELF-SEALING BITUMINOUS MEMBRANE TO EXTEND HALFWAY DOWN THE FACE OF THE FASCIA



C. GUTTER DETAILS