```
{
        // Place your GLOBAL snippets here. Each snippet is defined under a snippet name and
has a scope, prefix, body and
        // description. Add comma separated ids of the languages where the snippet is
applicable in the scope field. If scope
        // is left empty or omitted, the snippet gets applied to all languages. The prefix is what
is
        // used to trigger the snippet and the body will be expanded and inserted. Possible
variables are:
        // $1, $2 for tab stops, $0 for the final cursor position, and ${1:label}, ${2:another} for
placeholders.
        // Placeholders with the same ids are connected.
        // Example:
        // "Print to console": {
                "scope": "javascript,typescript",
        //
                "prefix": "log",
        //
        //
                "body": [
        //
                        "console.log('$1');",
                        "$2"
        //
        //
                "description": "Log output to console"
        //
        //}
        "Base javascript": {
                "scope": "html,css,javascript",
                "prefix": "cj_01",
                "body": [
                        "<!DOCTYPE html>",
                        "<html lang='es'>",
                        "\t<head>",
                        "\t\t<meta charset='utf-8'>",
                        "\t\<meta name='viewport' content='width=device-width, initial-
scale=1.0'>",
                        "\t\t<title>Diapositiva 1</title>",
                        "\t\t<style>",
       "\t\t@font-face { font-family: myFont; src: url(cj/Cheveuxdange.ttf); font-weight:
bolder;}",
       "\t\t\body{ color:white; background-color: #333;}",
       "\t\t*{ box-sizing: border-box; margin:0; padding: 0;}",
       "\t\tp{ font-size: 10em; font-family: myFont; text-align: center; margin-top:1em;
color:lightskyblue}",
        "\t\t</style>",
                        "\t</head>",
                        "\t<body>",
                        "\t\t<JavaScript&gt;",
                        "\t</body>",
                        "</html>",
                "description": "Curso JavaScript diapositiva 1",
        "Lógica javascript": {
                "scope": "html,css,javascript",
                "prefix": "cj 02",
```

```
"body": [
                          "<!DOCTYPE html>",
                          "<html lang='es'>",
                          "\t<head>",
                          "\t\t<meta charset='utf-8'>",
                          "\t\<meta name='viewport' content='width=device-width, initial-
scale=1.0'>",
                          "\t\t<title>Diapositiva 2</title>",
                          "\t\t<style>",
       "\t\t\@font-face { font-family: myFont; src: url(cj/Cheveuxdange.ttf); font-weight:
bolder;}",
       "\t\tbody{ color:white; background-color: #333;font:2em myFont; padding:.5em}",
       "\t\t*{ box-sizing: border-box; margin:0; padding: 0;}",
                          "\t\t\theader{font-family: myFont; text-align:
center;padding:.2em;width:95%;margin:.5em auto; color:white; border:3px solid white}",
                          "\t\ttable,tr,td {border:3px solid white; border-collapse: collapse;}",
                          "\t\ttd{padding: .5em;}",
                          "\t\tmain{color:yellow; font-size:.8em; padding: 1em;}",
                          "\t\t\t hr{border:3px dashed yellow;margin-top: 0.5em;}",
        ''\t</style>''
                          "\t</head>",
                          "\t<body>",
                          "\t\t<header>Lógica de programación</header>",
                          "\t\t",
                          "\t\t<tr style='border-bottom:8px double
white'>ABNOT ANOT A<td
B",
                          "\t\t00document.write(0 | |
0);</script><script>document.write(0 &&
0);</script><script>document.write(!0);</script><script>document.write(!
0);</script>",
                          "\t\t\t01script>document.write(0 | |
1);</script><script>document.write(0 &&
1);</script><script>document.write(!0);</script>><script>document.write(!
1);</script>",
                          "\t\t\t10<script>document.write(1 | |
0);</script><script>document.write(1 &&
0);</script><script>document.write(!1);</script><script>document.write(!
0);</script>",
                          "\t\t\t11d>cument.write(1 | |
1);</script><script>document.write(1 &&
1);</script><script>document.write(!1);</script><script>document.write(!
1);</script>",
                          "\t\t",
                          "\t\t<hr>",
                          ''\t<main>'',
        "\t\t<tr&gt;<br>&nbsp;&nbsp;&nbsp;&nbsp;&lt;td&gt;0&lt;/td&gt;&lt;td&
```

0);</script&gt;&lt;/td&gt;<br>&nbsp;&nbsp;&nbsp;&nbsp;&lt;td&gt;&lt;script&gt;document.write(0 &&

gt;0</td&gt;<br>&nbsp;&nbsp;&nbsp;&nbsp;&lt;td&gt;&lt;script&gt;document.writ

0);</script&gt;&lt;/td&gt;<br>&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&lt;td&gt;&lt;script&gt;document.write(!0);&lt;/script&gt;&lt;/td&gt;<br>&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&lt;td&gt;&lt;/td&gt;&lt;/tr&gt;<br>",

 $\label{linear_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_contro$ 

- 1);</script&gt;&lt;/td&gt;<br>&nbsp;&nbsp;&nbsp;&nbsp;&lt;td&gt;&lt;script&gt;document.write(0 &&
- 1);</script&gt;&lt;/td&gt;<br>&nbsp;&nbsp;&nbsp;&nbsp;&lt;td&gt;&lt;script&gt;document.write(!0);&lt;/script&gt;&lt;/td&gt;<br>&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&lt;td&gt;&lt;/td&gt;&lt;/td&gt;&lt;/tr&gt;<br>",

 $\label{linear_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_contro$ 

- 0);</script&gt;&lt;/td&gt;<br>&nbsp;&nbsp;&nbsp;&nbsp;&lt;td&gt;&lt;script&gt;document.write(1 &&
- 0);</script&gt;&lt;/td&gt;<br>&nbsp;&nbsp;&nbsp;&nbsp;&lt;td&gt;&lt;script&gt;document.write(!1);&lt;/script&gt;&lt;/td&gt;<br>&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&lt;td&gt;&lt;td&gt;&lt;/td&gt;&lt;/tr&gt;<br>",

"\t\t<tr&gt;<br>&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&lt;td&gt;1&lt;/td&gt;&lt;td&gt;1&lt;/td&gt;<br>&nbsp;&nbsp;&nbsp;&nbsp;&lt;td&gt;&lt;script&gt;document.write(1 | |

- 1);</script&gt;&lt;/td&gt;<br>&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&lt;td&gt;&lt;script&gt;document.write(1 &&
- 1);</script&gt;&lt;/td&gt;<br>&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&lt;td&gt;&lt;script&gt;document.write(!1);&lt;/script&gt;&lt;/td&gt;<br>&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&lt;td&gt;&lt;script&gt;document.write(!1);&lt;/script&gt;&lt;/td&gt;&lt;/tr&gt;<br>",

```
''\t</main>''
                        "\t</body>",
                        "</html>",
                "description": "Curso JavaScript diapositiva 2",
        "Tipos datos generales javascript": {
                "scope": "html,css,javascript",
                "prefix": "cj 03",
                "body": [
                        "<!DOCTYPE html>",
                        "<html lang='es'>",
                        "\t<head>",
                        "\t\t<meta charset='utf-8'>",
                        "\t\<meta name='viewport' content='width=device-width, initial-
scale=1.0'>",
                        "\t\t<title>Diapositiva 3</title>",
                        "\t\t<style>",
```

"\t\t@font-face { font-family: myFont; src: url(cj/Cheveuxdange.ttf); font-weight: bolder;}",

"\t\tbody{ color:white; background-color: #333;font:2em myFont; display:grid; grid-template-columns: 1fr 1fr; justify-content: center;}",

```
"\t\t\t*{ box-sizing: border-box; margin:0; padding: 0;}",
                  "\t\t\theader{font-family: myFont; text-align:
center;padding:.2em;width:95%;margin:.5em auto; color:white; border:3px solid white}",
                  "\t\ttable,tr,td {border:1px solid white; border-collapse: collapse;}",
                  "\t\t\ttd{padding: .5em;}",
                  "\t\tmain{color:yellow; font-size:.8em; padding: 1em;}",
                  "\t\thr{border:3px dashed yellow;margin-top: 0.5em;}",
      "\t\t</style>",
                  "\t</head>",
                  "\t<body>",
                  "\t\t<header style='grid-column: span 2;'>Tipos de datos</header>",
                  "\t\t",
                  "\t\tNuméricos",
                  "\t\t   Enteros",
                  "\t\t   Reales",
                  "\t\t  Reales",
                  "\t\tLógicos",
                  "\t\t",
                  "\t\t",
                  "\t\tVariables",
                  "\t\t   Contadores",
      "\t\t   Acumuladores",
                  "\t\tConstantes",
                  "\t\t",
                  ''\t</main>'',
                  "\t</body>",
                  "</html>",
            "description": "Curso JavaScript diapositiva 3",
      "Tipos Javascript ": {
            "scope": "html,css,javascript",
            "prefix": "cj 04",
            "body": [
                  "<!DOCTYPE html>",
                  "<html lang='es'>",
                  "\t<head>",
                  "\t\t<meta charset='utf-8'>",
                  "\t\<meta name='viewport' content='width=device-width, initial-
scale=1.0'>",
                  "\t\t<title>Diapositiva 4</title>",
                  "\t\t<style>",
     "\t\t@font-face { font-family: myFont; src: url(cj/Cheveuxdange.ttf); font-weight:
bolder;}",
     "\t\tbody{ color:white; background-color: #333;font:2.3em myFont;}",
     "\t\t*{ box-sizing: border-box; margin:0; padding: 0;}",
                  "\t\t\theader{font-family: myFont; text-align:
center;padding:.2em;width:95%;margin:.5em auto; color:white; border:3px solid white}",
                  "\t\ttable,tr,td {border:3px solid white; border-collapse:
collapse;font-size:.9em;}",
                  "\t\t\ttd{padding: .5em;}",
```

```
"\t\tmain{color:yellow; font-size:.8em; padding: 1em;}",
                    "\t\t.ama{color:yellow};",
                    "\t\thr{border:3px dashed yellow;margin-top: 0.5em;}",
      "\t\t</style>",
                    "\t</head>",
                    "\t<body>",
                    "\t\t < header > Tipos de datos - Javascript < / header > ",
                    "\t\t",
                    "\t\tString'tarta de plátano vegana
con masa casera';",
                    "\t\tNumbervar peso = 54;var
pesoExacto = 54.3;",
                    "\t\tBooleanvar x = false;if (x) { // este
código no se ejecuta ",
                    "\t\tBooleanvar x = false;if (x) { // este
código no se ejecuta ",
                    "\t\tundefinedvar
saludo;console.log(typeof saludo); // 'undefined'",
                    "\t\t\tObjectvar persona = { nombre:
'Marcel', edad: '38', ciudad: 'Alaior' };",
                    "\t\t",
                    ''\t</main>''
                    "\t</body>",
                    "</html>",
             "description": "Curso JavaScript diapositiva 4",
      "Arrays Javascript": {
             "scope": "html,css,javascript",
             "prefix": "cj 05",
             "body": [
                    "<!DOCTYPE html>",
                    "<html lang='es'>",
                    "\t<head>",
                    "\t\t<meta charset='utf-8'>",
                    "\t\t<meta name='viewport' content='width=device-width, initial-
scale=1.0'>",
                    "\t\t<title>Diapositiva 5</title>",
                    "\t\t<style>",
     "\t\t@font-face { font-family: myFont; src: url(cj/Cheveuxdange.ttf); font-weight:
bolder;}",
     "\t\t\body{ color:white; background-color: #333;font:2.5em myFont;}",
     "\t\t*{ box-sizing: border-box; margin:0; padding: 0;}",
                    "\t\theader{font-family: myFont; text-align:
center;padding:.2em;width:95%;margin:.5em auto; color:white; border:3px solid white}",
                    "\t\t\ttable,tr,td {border:3px solid white; border-collapse:
collapse;font-size:.9em;}",
                    "\t\ttd{padding: .5em;}",
                    "\t\tmain{color:yellow; font-size:.8em; padding: 1em;}",
                    "\t\t.ama{color:yellow};",
                    "\t\thr{border:3px dashed yellow;margin-top: 0.5em;}",
      "\t\t</style>",
```

```
"\t</head>",
                      "\t<body>",
                      "\t\t<header >Tipos de datos - Javascript</header>",
                      "\t\t",
                      "\t\t\tArrays",
                      "\t\tVar días = ["lunes", "martes", "miércoles",
"jueves", "viernes", "sábado", "domingo"]",
                      "\t\tVar meses = ["enero", "febrero", "marzo",
"abril", "mayo", "junio", "julio", "agosto", "septiembre", "octubre", "noviembre",
"diciembre"]",
                      "\t\t",
                      "\t\t</main>",
                      "\t</body>",
                      "</html>",
               "description": "Curso JavaScript diapositiva 5",
       "Secuencial Javascript": {
               "scope": "html,css,javascript",
               "prefix": "cj_06",
               "body": [
                      "<!DOCTYPE html>",
                      "<html lang='es'>",
                      "\t<head>",
                      "\t\t<meta charset='utf-8'>",
                      "\t\<meta name='viewport' content='width=device-width, initial-
scale=1.0'>",
                      "\t\t<title>Diapositiva 6</title>",
                      "\t\t<style>",
      "\t\t@font-face { font-family: myFont; src: url(cj/Cheveuxdange.ttf); font-weight:
bolder;}",
      "\t\tbody{ color:white; background-color: #333;font:2em myFont; display:grid; grid-
template-columns: 45% 55%; align-content: stretch;}",
      "\t\t*{ box-sizing: border-box; margin:0; padding: 0;}",
                      "\t\theader{font-family: myFont; text-align:
center; padding: .2em; width: 95%; margin: .5em auto; color: white; border: 3px solid white}",
                      "\t\ttable,tr,td {border:1px solid white; border-collapse: collapse;}",
                      "\t\t\t td{padding: .5em;}",
                      "\t\tmain{color:yellow; font-size:.8em; padding: 1em;}",
                      "\t\thr{border:3px dashed yellow;margin-top: 0.5em;}",
       "\t\t</style>",
                      "\t</head>",
                      "\t<body>",
                      "\t\t<header style='grid-column: span 2;'>Estructura
secuencial</header>",
                      "\t\t<img style=' margin: .3em auto; box-shadow: 8px 8px 8px
lightsteelblue; 'src='cj/secuencial.png' alt="width='68%'>",
                      "\t\t<div style='color:lightgreen; margin:.3em auto;border:3px solid
white; padding: 1em; width: 90%; font-size: .8em'>",
                      "\t\t\tVolumen de un cubo<br>",
                      "\t\tVariables: valor, resultado tipo entero<br>",
                      "\t\t\tInicio<br>",
```

```
"\t\t   ESCRIBIR "Introducir valor"<br>",
                      "\t\t\anbsp;  LEER valor<br>",
                      "\t\t\anbsp;  resultado=valor**3<br>",
                      "\t\t   ESCRIBIR "El volumen del cubo es " +
resultado<br/><br/>",
                      "\t\t\tfin<br>",
                      "\t\t</div>",
                      "\t\t</main>",
                      "\t</body>",
                      "</html>",
              ],
               "description": "Curso JavaScript diapositiva 6",
       "Alternativa Javascript": {
               "scope": "html,css,javascript",
               "prefix": "cj_07",
               "body": [
                      "<!DOCTYPE html>",
                      "<html lang='es'>",
                      "\t<head>",
                      "\t\t<meta charset='utf-8'>",
                      "\t\<meta name='viewport' content='width=device-width, initial-
scale=1.0'>",
                      "\t\t<title>Diapositiva 7</title>",
                      "\t\t<style>",
      "\t\t@font-face { font-family: myFont; src: url(cj/Cheveuxdange.ttf); font-weight:
bolder;}",
      "\t\tbody{ color:white; background-color: #333;font:2em myFont; display:grid; grid-
template-columns: 45% 55%; align-content: stretch;}",
      "\t\t*{ box-sizing: border-box; margin:0; padding: 0;}",
                      "\t\theader{font-family: myFont; text-align:
center;padding:.2em;width:95%;margin:.5em auto; color:white; border:3px solid white}",
                      "\t\ttable,tr,td {border:1px solid white; border-collapse: collapse;}",
                      "\t\ttd{padding: .5em;}",
                      "\t\tmain{color:yellow; font-size:.8em; padding: 1em;}",
                      "\t\thr{border:3px dashed yellow;margin-top: 0.5em;}",
       "\t\t</style>",
                      "\t</head>",
                      "\t<body>",
                      "\t\t<header style='grid-column: span 2;'>Estructura
alternativa</header>",
                      "\t\<img style=' margin: .3em auto; box-shadow: 8px 8px 8px
lightsteelblue; 'src='cj/alternativa.png' alt="width='68%'>",
                      "\t\t<div style='color:lightgreen; margin:.3em auto;border:3px solid
white; padding: 1em; width: 90%; font-size: .8em'>",
                      "\t\tNumero positivo o negativo<br>",
                      "\t\t\tVariables : valor tipo entero<br>",
                      "\t\t\tInicio<br>",
                      "\t\t   ESCRIBIR "Introducir valor" < br>",
                      "\t\t\t   LEER valor<br>",
                      "\t\t\anbsp;  SI valor > 0 entonces<br>",
```

```
"\t\t\anbsp;     ESCRIBIR
"positivo"<br>",
                      "\t\t   SINO<br>",
                      "\t\t\anbsp;     ESCRIBIR
"negativo" < br>",
                      "\t\t\anbsp;  FIN SI<br>",
                      "\t\t\tfin<br>",
                      "\t\t</div>",
                      ''\t</main>''
                      "\t</body>",
                      "</html>",
              "description": "Curso JavaScript diapositiva 7",
       },
       "alternativa Javascript": {
               "scope": "html,css,javascript",
               "prefix": "cj_08",
               "body": [
                      "<!DOCTYPE html>",
                      "<html lang='es'>",
                      "\t<head>",
                      "\t\t<meta charset='utf-8'>",
                      "\t\<meta name='viewport' content='width=device-width, initial-
scale=1.0'>",
                      "\t\t<title>Diapositiva 8</title>",
                      "\t\t<style>",
      "\t\t@font-face { font-family: myFont; src: url(cj/Cheveuxdange.ttf); font-weight:
bolder;}",
      "\t\t\body{ color:white; background-color: #333;font:2em myFont; }",
      "\t\t*{ box-sizing: border-box; margin:0; padding: 0;}",
                      "\t\t\t header{font-family: myFont; text-align:
center;padding:.2em;width:94%;margin:.5em auto; color:white; border:3px solid white}",
                      "\t\ttable,tr,td {border:1px solid white; border-collapse: collapse;}",
                      "\t\t\ttd{padding: .5em;}",
                      "\t\tmain{display:grid; grid-template-columns: 1fr 1fr 1fr; align-
content: stretch;grid-gap:1.5em; margin-left:1.3em;}",
                      "\t\thr{border:3px dashed yellow;margin-top: 0.5em;}",
       ''\t</style>''
                      "\t</head>",
                      "\t<body>",
                      "\t\t<header style='grid-column: span 2;'>Estructura
alternativa</header>",
                      "\t<main>",
                      "\t\<div style='color:lightskyblue;border:3px solid white; padding:
.5em;width:90%;font-size:.8em'>",
                      "\t\tif(cond) {<br>",
                      "\t\t\anbsp;  ... <br>",
                      "\t\t\t}else{<br>",
                      "\t\t\anbsp;  ...<br>",
                      "\t\t\t}<br>",
                      "\t\t\t</div>",
```

```
"\t\t<div style='color:lightskyblue; border:3px solid white; padding:
.5em;width:90%;font-size:.8em'>",
                    "\t\tif(cond) {<br>",
                    "\t\t\anbsp;  ... <br>",
                    "\t\t\t}elseif (cond){<br>",
                    "\t\t\anbsp;  ... <br>",
                    "\t\t\elseif (cond){<br>",
                    "\t\t\anbsp;  ... <br>",
                    ''\t\t\}else{<br}''
                    "\t\t\anbsp;  ... <br>",
                    "\t\t\t}<br>",
                    "\t\t\t</div>",
                    "\t\t<div style='color:lightskyblue; border:3px solid white; padding:
.5em;width:90%;font-size:.8em'>",
                    "\t\t\switch(valor){<br>",
                    "\t\t\anbsp;  case cl1:<br>",
                    "\t\t      ...<br>",
                    "\t\t     break<br>",
                    "\t\t\anbsp;  case cl2:<br>",
                    "\t\t\anbsp;    ...<br>",
                    "\t\t     break<br>",
                    "\t\t   default:<br>",
                    "\t\t\anbsp;     ...<br>",
                    "\t\t\t}<br>",
                    "\t\t</div>",
                    ''\t</main>'',
                    "\t</body>",
                    "</html>",
             "description": "Curso JavaScript diapositiva 8",
       "Repetitiva Javascript": {
             "scope": "html,css,javascript",
             "prefix": "cj 09",
             "body": [
                    "<!DOCTYPE html>",
                    "<html lang='es'>",
                    "\t<head>",
                    "\t\t<meta charset='utf-8'>",
                    "\t\<meta name='viewport' content='width=device-width, initial-
scale=1.0'>",
                    "\t\t<title>Diapositiva 9</title>",
                    "\t\t<style>",
     "\t\t@font-face { font-family: myFont; src: url(cj/Cheveuxdange.ttf); font-weight:
bolder;}",
      "\t\tbody{ color:white; background-color: #333;font:2em myFont; display:grid; grid-
template-columns: 45% 55%; align-content: stretch;}",
      "\t\t\t*{ box-sizing: border-box; margin:0; padding: 0;}",
                    "\t\t\theader{font-family: myFont; text-align:
center;padding:.2em;width:95%;margin:.5em auto; color:white; border:3px solid white}",
                    "\t\ttable,tr,td {border:1px solid white; border-collapse: collapse;}",
                    "\t\ttd{padding: .5em;}",
```

```
"\t\tmain{color:yellow; font-size:.8em; padding: 1em;}",
                     "\t\thr{border:3px dashed yellow;margin-top: 0.5em;}",
       "\t\t</style>",
                     "\t</head>",
                     "\t<body>",
                     "\t\t<header style='grid-column: span 2;'>Estructura
repetitiva</header>",
                     "\t\t<img style=' margin: .3em auto; box-shadow: 8px 8px 8px
lightsteelblue; 'src='cj/repetitiva.png' alt=" width='60%'>",
                     "\t\t<div style='color:lightgreen; margin:.3em auto;border:3px solid
white; padding: 1em; width: 90%; font-size: .8em'>",
                     "\t\t\suma de los primeros maximo valores<br>",
                     "\t\t\tVariables: contador, maximo, suma tipo entero",
                     "\t\t\tInicio<br>",
                     "\t\t\anbsp;  ESCRIBIR "Introducir valor máximo"<br>",
                     "\t\t\t   LEER maximo<br>",
                     "\t\t\anbsp;  suma=0<br>",
                     "\t\t\anbsp;  contador=1<br>",
                     "\t\t   MIENTRAS !(contador > máximo)<br>",
       "\t\t\anbsp;    \suma=suma+contador<br>",
       "\t\t\anbsp;     contador=contador+1<br>",
                     "\t\t\t   FIN MIENTRAS<br>",
                     "\t\t   ESCRIBIR "La suma es "+ suma<br>",
                     "\t\t\tfin<br>",
                     "\t\t</div>",
                     "\t\t</main>",
                     "\t</body>",
                     "</html>",
              "description": "Curso JavaScript diapositiva 9",
       "Estructuras Repetitiva Javascript": {
              "scope": "html,css,javascript",
              "prefix": "cj_10",
              "body": [
                     "<!DOCTYPE html>",
                     "<html lang='es'>",
                     "\t<head>",
                     "\t\t<meta charset='utf-8'>",
                     "\t\<meta name='viewport' content='width=device-width, initial-
scale=1.0'>",
                     "\t\t<title>Diapositiva 10</title>",
                     "\t\t<style>",
      "\t\t\@font-face { font-family: myFont; src: url(cj/Cheveuxdange.ttf); font-weight:
bolder;}",
      "\t\t\body{ color:white; background-color: #333;font:2em myFont;}",
      "\t\t*{ box-sizing: border-box; margin:0; padding: 0;}",
                     "\t\t\theader{font-family: myFont; text-align:
center;padding:.2em;width:95%;margin:.5em auto; color:white; border:3px solid white}",
```

```
"\t\tdiv {color:lightskyblue; margin:.3em auto;border:3px solid white;
padding: 1em; width: 95%; font-size: .8em}",
                     "\t\thr{border:3px dashed yellow;margin-top: 0.5em;}",
       "\t\t</style>",
                     "\t</head>",
                     "\t<body>",
                     "\t\t<header>Estructura repetitiva</header>",
                     "\t\t<div>while(cond){ ... } </div>",
                     "\t\t<div>do{ ... } while(cond)</div>",
                     "\t\t<div>for(vari=1;i&lt;10;i++){ ... }</div>",
                     "\t\t<div>for(var elem in array){ ... }</div>",
                     "\t\t<div>for(var elem of array){ ... }</div>",
                     "\t</body>",
                     "</html>",
              "description": "Curso JavaScript diapositiva 10",
       "POO Javascript": {
              "scope": "html,css,javascript",
              "prefix": "cj_11",
              "body": [
                     "<!DOCTYPE html>",
                     "<html lang='es'>",
                     "\t<head>",
                     "\t\t<meta charset='utf-8'>",
                     "\t\<meta name='viewport' content='width=device-width, initial-
scale=1.0'>",
                     "\t\t<title>Diapositiva 11</title>",
                     "\t\t<style>",
      "\t\t@font-face { font-family: myFont; src: url(cj/Cheveuxdange.ttf); font-weight:
bolder;}",
      "\t\tbody{ color:white; background-color: #333;font:2em myFont; display:grid; grid-
template-columns: 50% 50%; align-content: stretch;}",
      "\t\t*{ box-sizing: border-box; margin:0; padding: 0;}",
                     "\t\theader{font-family: myFont; text-align:
center; padding: .2em; width: 95%; margin: .5em auto; color: white; border: 3px solid white}",
                     "\t\thr{border:3px dashed yellow;margin-top: 0.5em;}",
       ''\t</style>''
                     "\t</head>",
                     "\t<body>",
                     "\t\t<header style='grid-column: span 2;'>POO</header>",
                     "\t\t<div style='color:white; margin:.3em auto;border:3px solid
white; padding: 1em; width: 90%; font-size: .8em'>",
                     "\t\t\t   PROPIEDADES<br>",
                     "\t\t     marca<br>",
                     "\t\t     modelo<br>",
                     "\t\t      color<br>",
                     "\t\t     velocidad<br>",
                     "\t\t\anbsp;    estado<br>",
                     "\t\t</div>",
                     "\t\t<div style='color:white; margin:.3em auto;border:3px solid
white; padding: 1em; width: 90%; font-size: .8em'>",
```

```
"\t\t\anbsp;  METODOS<br>",
                   "\t\t     acelerar()<br>",
                   "\t\t     frenar()<br>",
                   "\t\t     arrancar()<br>",
                   "\t\t     apagar()<br>",
                   "\t\t</div>",
                   "\t</body>",
                   "</html>",
            "description": "Curso JavaScript diapositiva 11",
      "POO Vehiculo Javascript": {
            "scope": "html,css,javascript",
            "prefix": "cj_12",
            "body": [
                   "<!DOCTYPE html>",
                   "<html lang='es'>",
                   "\t<head>",
                   "\t\t<meta charset='utf-8'>",
                   "\t\<meta name='viewport' content='width=device-width, initial-
scale=1.0'>",
                   "\t\t<title>Diapositiva 12</title>",
                   "\t\t<style>",
     "\t\t@font-face { font-family: myFont; src: url(cj/Cheveuxdange.ttf); font-weight:
bolder;}",
     "\t\tbody{ color:white; background-color: #333;font:2em myFont; display:grid; grid-
template-columns: 50% 50%; align-content: stretch;}",
     "\t\t\t*{ box-sizing: border-box; margin:0; padding: 0;}",
                   "\t\theader{font-family: myFont; text-align:
center;padding:.2em;width:95%;margin:.5em auto; color:white; border:3px solid white}",
                   "\t\thr{border:3px dashed yellow;margin-top: 0.5em;}",
      "\t\t</style>",
                   "\t</head>",
                   "\t<body>",
                   "\t\t<header style='grid-column: span 2;'>POO</header>",
                   "\t\t<div style='color:yellow; margin:.3em auto;border:3px solid
white; padding: 1em; width: 90%; font-size: .8em'>",
                   "\t\tclass Vehiculo {<br>",
                   "\t\t   constructor (marca, modelo, color){<br>",
      "\t\t     this.marca=marca;<br>",
      "\t\t\anbsp;    this.modelo=modelo;<br>",
      "\t\t\anbsp;    this.color=color;<br>",
      "\t\t\anbsp;     this.velocidad=0;<br>",
      "\t\t\anbsp;    this.estado="parado"<br>",
                   "\t\t\anbsp;  }<br>",
                   "\t\t\t};<br>",
                   "\t\t</div>",
```

```
"\t\t<div style='color:yellow; margin:.3em auto;border:3px solid
white; padding: 1em; width: 90%; font-size:.8em'>",
                      "\t\t\acelerar(velocidad){<br>",
                      "\t\t   this.velocidad=velocidad;<br>",
                      "\t\t\t};<br>",
                      "\t\t\tfrenar(velocidad){<br>",
                      "\t\t   this.velocidad=velocidad;<br>",
                      "\t\t\t};<br>",
                      "\t\t\arrancar(){<br>",
                      "\t\t\nbsp;  this.estado="enmarcha";<br>",
                      "\t\t\t};<br>",
                      "\t\t\tapagar(){<br>",
                      "\t\t\anbsp;  this.estado="parado";<br>",
                      "\t\t\t};<br>",
                      "\t\t</div>",
                      "\t</body>",
                      "</html>",
               "description": "Curso JavaScript diapositiva 12",
       "POO Instanciar Javascript": {
               "scope": "html,css,javascript",
               "prefix": "cj 13",
               "body": [
                       "<!DOCTYPE html>",
                      "<html lang='es'>",
                      "\t<head>",
                      "\t\t<meta charset='utf-8'>",
                      "\t\t<meta name='viewport' content='width=device-width, initial-
scale=1.0'>",
                      "\t\t<title>Diapositiva 13</title>",
                      "\t\t<style>",
      "\t\t@font-face { font-family: myFont; src: url(cj/Cheveuxdange.ttf); font-weight:
bolder;}",
      "\t\tbody{ color:white; background-color: #333;font:2em myFont; display:grid; grid-
template-columns: 50% 50%; align-content: stretch;}",
      "\t\t\t*{ box-sizing: border-box; margin:0; padding: 0;}",
                      "\t\theader,div{font-family: myFont; text-align:
center;padding:.2em;width:95%;margin:.5em auto; color:white; border:3px solid white}",
                      "\t\thr{border:3px dashed yellow;margin-top: 0.5em;}",
       "\t\t</style>",
                      "\t</head>",
                      "\t<body>",
                      "\t\t<header style='grid-column: span 2;'>POO</header>",
                      "\t\cdiv style='color:white;grid-column: span 2;'>instanciar</div>",
                      "\t\t<div style='text-align:left;color:yellow;grid-column: span 2;'>",
                      "\t\tmicoche= newVehiculo ('Renault', 'Megane', 'Gris'); <br><",
                      "\t\ttucoche= newVehiculo ('Mazda','626','Rojo');<br>",
                      "\t\tmicoche.acelerar(100);<br>",
                      "\t\t\ttucoche.velocidad=25;<br><br><br>",
                      "\t\t</div>",
                      "\t</body>",
```

```
"</html>",
              "description": "Curso JavaScript diapositiva 13",
       "POO herencia Javascript": {
              "scope": "html,css,javascript",
              "prefix": "cj_14",
              "body": [
                     "<!DOCTYPE html>",
                     "<html lang='es'>",
                     "\t<head>",
                     "\t\t<meta charset='utf-8'>",
                     "\t\<meta name='viewport' content='width=device-width, initial-
scale=1.0'>",
                     "\t\t<title>Diapositiva 14</title>",
                     "\t\t<style>",
      "\t\t@font-face { font-family: myFont; src: url(cj/Cheveuxdange.ttf); font-weight:
bolder;}",
      "\t\t\body{ color:white; background-color: #333;font:2em myFont; display:grid; grid-
template-columns: 50% 50%; align-content: stretch;}",
      "\t\t*{ box-sizing: border-box; margin:0; padding: 0;}",
                     "\t\theader,div{font-family: myFont; text-align:
center;padding:.2em;width:95%;margin:.5em auto; color:white; border:3px solid white}",
                     "\t\thr{border:3px dashed yellow;margin-top: 0.5em;}",
       "\t\t</style>",
                     "\t</head>",
                     "\t<body>",
                     "\t\t<header style='grid-column: span 2;'>POO</header>",
                     "\t\cdiv style='color:white;grid-column: span 2;'>instanciar</div>",
                     "\t\t<div style='text-align:left;color:yellow;grid-column: span 2;font-
size:.9em;padding-left:1.5em'>",
                     "\t\tclass Camion extends Vehiculo{<br>",
                     "\t\t   constructor(marca, modelo, color,
carga){<br>",
       "\t\t\t     super(marca,modelo,color);<br>",
                     "\t\t\anbsp;  }<br>",
                     "\t\t\t}<br>",
                     "\t\tclass Guagua extends Vehiculo{<br>",
                     "\t\t   constructor(marca, modelo, color,
plazas){<br>",
       "\t\t\t     super(marca,modelo,color);<br>",
       "\t\t\t      this.plazas=plazas;<br>",
                     "\t\t\anbsp;  }<br>",
                     "\t\t\t}<br>",
                     "\t\t</div>",
                     "\t</body>",
                     "</html>",
              "description": "Curso JavaScript diapositiva 14",
```

```
"POO polimorfismo Javascript": {
              "scope": "html,css,javascript",
              "prefix": "cj_15",
              "body": [
                     "<!DOCTYPE html>",
                     "<html lang='es'>",
                     "\t<head>",
                     "\t\t<meta charset='utf-8'>",
                     "\t\<meta name='viewport' content='width=device-width, initial-
scale=1.0'>",
                     "\t\t<title>Diapositiva 15</title>",
                     "\t\t<style>",
      "\t\t@font-face { font-family: myFont; src: url(cj/Cheveuxdange.ttf); font-weight:
bolder;}",
      "\t\t\tbody{ color:white; background-color: #333;font:2em myFont; display:grid; grid-
template-columns: 50% 50%; align-content: stretch;}",
      "\t\t*{ box-sizing: border-box; margin:0; padding: 0;}",
                     "\t\t\theader,div{font-family: myFont; text-align:
center;padding:.2em;width:95%;margin:.5em auto; color:white; border:3px solid white}",
                     "\t\thr{border:3px dashed yellow;margin-top: 0.5em;}",
       "\t\t</style>",
                     "\t</head>",
                     "\t<body>",
                     "\t\t<header style='grid-column: span 2;'>POO</header>",
                     "\t\t<div style='color:white;grid-column: span
2;'>polimorfismo</div>",
                     "\t\t<div style='text-align:left;color:yellow;grid-column: span 2;font-
size:.9em;padding-left:1.5em'>",
                     "\t\tclass Camion extends Vehiculo {{<br>",
       "\t\t\anbsp;  constructor(marca,modelo,color,carga){<br>",
       "\t\t\t     super(marca,modelo,color);<br>",
       "\t\t\anbsp;     this.carga=carga;<br>",
                     "\t\t\t   }<br>",
                     "\t\t\anbsp;  arrancar(){;<br>",
       "\t\t\t      this.estado='Relenti';<br>",
                     "\t\t\anbsp;  }<br>",
                     ''\t\t,
                     "\t\t</div>",
                     "\t</body>",
                     "</html>",
              "description": "Curso JavaScript diapositiva 15",
       "POO sobrecarga Javascript": {
              "scope": "html,css,javascript",
              "prefix": "cj_16",
              "body": [
```

```
"<!DOCTYPE html>",
                    "<html lang='es'>",
                    "\t<head>",
                    "\t\t<meta charset='utf-8'>",
                    "\t\t<meta name='viewport' content='width=device-width, initial-
scale=1.0'>",
                    "\t\t<title>Diapositiva 16</title>",
                    "\t\t<style>",
      "\t\t@font-face { font-family: myFont; src: url(cj/Cheveuxdange.ttf); font-weight:
bolder;}",
      "\t\t\tbody{ color:white; background-color: #333;font:2em myFont; display:grid; grid-
template-columns: 50% 50%; align-content: stretch;}",
      "\t\t*{ box-sizing: border-box; margin:0; padding: 0;}",
                    "\t\theader,div{font-family: myFont; text-align:
center; padding: .2em; width: 95%; margin: .5em auto; color: white; border: 3px solid white}",
                    "\t\thr{border:3px dashed yellow;margin-top: 0.5em;}",
       ''\t</style>''
                    "\t</head>",
                    "\t<body>",
                    "\t\t<header style='grid-column: span 2;'>POO</header>",
                    "\t\cdiv style='color:white;grid-column: span 2;'>sobrecarga</div>",
                    "\t\t<div style='text-align:left;color:yellow;grid-column: span 2;font-
size:.9em;padding-left:1.5em'>",
                    "\t\t\tclass Guagua extends Vehiculo {{<br>",
       "\t\t   constructor(marca,modelo,color,plazas){<br>",
       "\t\t\anbsp;    super(marca,modelo,color);<br>",
       "\t\t     this.plazas=plazas;<br>",
                    "\t\t\anbsp;  }<br>",
                    "\t\t\anbsp;  constructor(marca,modelo){<br>",
       "\t\t\anbsp;     super(marca,modelo);<br>",
       "\t\t\anbsp;    this.color=blanco;<br>",
                    "\t\t      this.plazas=12;<br>",
                    "\t\t\anbsp;  }<br>",
                    "\t\t\t}<br>",
                    "\t\t</div>"
                    "\t</body>",
                    "</html>",
              "description": "Curso JavaScript diapositiva 16",
       "Funciones Javascript": {
              "scope": "html,css,javascript",
             "prefix": "cj 17",
              "body": [
                    "<!DOCTYPE html>",
                    "<html lang='es'>",
                    "\t<head>",
```

```
"\t\t<meta charset='utf-8'>",
                                             "\t\<meta name='viewport' content='width=device-width, initial-
scale=1.0'>",
                                             "\t\t<title>Diapositiva 18</title>",
                                             "\t\t<style>",
            "\t\t\@font-face { font-family: myFont; src: url(cj/Cheveuxdange.ttf); font-weight:
bolder;}",
            "\t\tbody{ color:white; background-color: #333;font:2em myFont;
padding:.5em;display:grid; grid-template-columns: 1fr 1fr; grid-column-gap:1em;}",
            "\t\t*{ box-sizing: border-box; margin:0; padding: 0;}",
                                             "\t\theader,div{font-family: myFont; text-align:
center; padding: .2em; width: 100%; margin: .5em auto; color: white; border: 3px solid white \right\{",
                                             "\t\tspan{color:white}",
                                             "\t\thr{border:3px dashed yellow;margin-top: 0.5em;}",
               ''\t</style>''
                                             "\t</head>",
                                             "\t<body>",
                                             "\t\t<header style='grid-column: span 2;'>Funciones</header>",
                                             "\t\t<div style='text-align:left;color:yellow;font-size:.9em;padding-
left:1.5em'>",
                                             "\t\t<span>Creación</span><br>",
                                             "\t\t\anbsp;  function sumar1(a,b) {<br>",
                                             "\t\t     \u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbsp;\u00e4nbs
                                             "\t\t     return suma <br>",
                                             "\t\t\anbsp;  }<br>",
                                             "\t\t   function sumar2(a,b) {<br>",
                                             "\t\t      let suma=a+b;<br>",
                                             "\t\t\anbsp;    alert('La suma es: '+
suma)<br>",
                                             "\t\t\anbsp;  }<br>",
                                             "\t\t</div>",
                                             "\t\t<div style='text-align:left;color:yellow;font-size:.9em;padding-
left:1.5em'>",
                                             "\t\t<span>Llamada</span><br>",
                                             "\t\t\anbsp;  valor=sumar1(2,3)<br>",
                                             "\t\t\anbsp;  alert(suma(2,3)<br>",
                                             "\t\t   resultado=sumar(2,3)*5<br>",
                                             "\t\t\t<br>",
                                             "\t\t\anbsp;  sumar2(2,3)<br>",
                                             "\t\t</div>",
                                             "\t</body>",
                                             "</html>",
                              "description": "Curso JavaScript diapositiva 17",
               "Funciones propias Javascript": {
                              "scope": "html,css,javascript",
                             "prefix": "cj_18",
                              "body": [
                                             "<!DOCTYPE html>",
                                             "<html lang='es'>",
                                             "\t<head>",
```

```
"\t\t<meta charset='utf-8'>",
                      "\t\<meta name='viewport' content='width=device-width, initial-
scale=1.0'>",
                      "\t\t<title>Diapositiva 18</title>",
                      "\t\t<style>",
      "\t\t\@font-face { font-family: myFont; src: url(cj/Cheveuxdange.ttf); font-weight:
bolder;}",
      "\t\tbody{ color:white; background-color: #333;font:2em myFont;
padding:.5em;display:grid; grid-template-columns: 1fr 1fr; grid-column-gap:1em;}",
      "\t\t\t*{ box-sizing: border-box; margin:0; padding: 0;}",
                      "\t\theader,div{font-family: myFont; text-align:
center; padding: .2em; width: 100%; margin: .5em auto; color: white; border: 3px solid white \right\{",
                      "\t\tspan{color:white}",
                      "\t\thr{border:3px dashed yellow;margin-top: 0.5em;}",
       ''\t</style>''
                      "\t</head>",
                      "\t<body>",
                      "\t\t<header style='grid-column: span 2;'>Funciones</header>",
                      "\t\t<div style='text-align:left;color:yellow;font-size:.9em;padding-
left:1.5em'>",
                      "\t\t<span>Internas</span><br>",
                      "\t\t   posicion=texto.charAt(1)<br>",
                      "\t\t\t   valor=parseInt(valor)<br>",
                      "\t\t   numero=Math.random()<br>",
                      "\t\t\t   <br><br><br>",
                      "\t\t</div>",
                      "\t\t<div style='text-align:left;color:yellow;font-size:.9em;padding-
left:1.5em'>",
                      "\t\t<span>Propias</span><br>",
                      "\t\t\anbsp;  diasemana=dia(5)<br>",
                      "\t\t\t   mesanno=mes(9)<br>",
                      "\t\t   <br><br><br><br>",
                      "\t\t</div>",
                      "\t</body>",
                      "</html>",
              "description": "Curso JavaScript diapositiva 18",
       "Eventos Javascript": {
              "scope": "html,css,javascript",
              "prefix": "cj_19",
              "body": [
                      "<!DOCTYPE html>",
                      "<html lang='es'>",
                      "\t<head>",
                      "\t\t<meta charset='utf-8'>",
                      "\t\<meta name='viewport' content='width=device-width, initial-
scale=1.0'>",
                      "\t\t<title>Diapositiva 19</title>",
                      "\t\t<style>",
      "\t\t@font-face { font-family: myFont; src: url(cj/Cheveuxdange.ttf); font-weight:
bolder;}",
```

```
"\t\tbody{ color:white; background-color: #333;font:2em myFont; display:grid; grid-
template-columns: 50% 50%; align-content: stretch;}",
      "\t\t*{ box-sizing: border-box; margin:0; padding: 0;}",
                       "\t\theader,div{font-family: myFont; text-align:
center;padding:.2em;width:95%;margin:.5em auto; color:white; border:3px solid white}",
                       "\t\thr{border:3px dashed yellow;margin-top: 0.5em;}",
        ''\t</style>''
                       "\t</head>".
                       "\t<body>",
                       "\t\t<header style='grid-column: span 2;'>Eventos</header>",
                       "\t\t<div style='text-align:left;color:yellow;grid-column: span 2;font-
size:.9em;padding-left:1.5em;line-height:1.8em'>",
                       "\t\t<body onload="alert('Bienvenido')"&gt;<br>",
                       "\t\t<form onsubmit="validar()"&gt;<br>",
                       "\t\t<button onclick="numeromayor(a,b)"&gt;<br>",
                       "\t\t<input type="text" id="id" onblur="valida(this)"
onfocus="relleno(this)"><br>",
                       "\t\t</div>",
                       "\t</body>",
                       "</html>",
               ],
               "description": "Curso JavaScript diapositiva 19",
        "DOM Javascript": {
               "scope": "html,css,javascript",
               "prefix": "cj_20",
               "body": [
                       "<!DOCTYPE html>",
                       "<html lang='es'>",
                       "\t<head>",
                       "\t\t<meta charset='utf-8'>",
                       "\t\<meta name='viewport' content='width=device-width, initial-
scale=1.0'>",
                       "\t\t<title>Diapositiva 20</title>",
                       "\t\t<style>",
      "\t\t@font-face { font-family: myFont; src: url(cj/Cheveuxdange.ttf); font-weight:
bolder;}",
      "\t\tbody{ color:white; background-color: #333;font:2em myFont; display:grid; grid-
template-columns: 50% 50%; align-content: stretch;}",
      "\t\t*{ box-sizing: border-box; margin:0; padding: 0;}",
                       "\t\t\theader,div{font-family: myFont; text-align:
center;padding:.2em;width:95%;margin:.5em auto; color:white; border:3px solid white}",
                       "\t\tspan{color:white}",
                       "\t\thr{border:3px dashed yellow;margin-top: 0.5em;}",
        "\t\t</style>",
                       "\t</head>",
                       "\t<body>",
                       "\t\t<header style='grid-column: span 2;'>DOM</header>",
                       "\t\t <div style='text-align:left;color:yellow;grid-column: span 2;font-
size:.9em;padding-left:1.5em;line-height:1.8em'>",
                       "\t\tdocument.getElementById("id") <span>-> objeto</span><br>",
```

```
"\t\tdocument.getElementById("id").href <span>-> valor
atributo</span><br>",
                      "\t\t\document.getElementsByName("fname") <span>-> colección de
objetos</span><br>",
                      "\t\tdocument.getElementsByTagName("p") <span>-> colección de
objetos</span><br>",
                      "\t\tdocument.getElementsByClassName("fname") <span>->
colección de objetos</span><br>",
                      "\t\tquerySelector(".class") <span>-> primer objeto</span><br>",
                      "\t\tquerySelectorAll(".class") <span>-> colección de
objetos</span><br>",
                      "\t\t</div>",
                      "\t</body>",
                      "</html>",
              "description": "Curso JavaScript diapositiva 20",
       },
}
```