

```

{
    // Place your GLOBAL snippets here. Each snippet is defined under a snippet name and
    // has a scope, prefix, body and
    // description. Add comma separated ids of the languages where the snippet is
    // applicable in the scope field. If scope
    // is left empty or omitted, the snippet gets applied to all languages. The prefix is what
    // is used to trigger the snippet and the body will be expanded and inserted. Possible
    // variables are:
    // $1, $2 for tab stops, $0 for the final cursor position, and ${1:label}, ${2:another} for
    // placeholders.
    // Placeholders with the same ids are connected.
    // Example:
    // "Print to console": {
    //     "scope": "javascript,typescript",
    //     "prefix": "log",
    //     "body": [
    //         "console.log('$1');",
    //         "$2"
    //     ],
    //     "description": "Log output to console"
    // }
    "Base CSS3": {
        "scope": "html,css",
        "prefix": "cc_01",
        "body": [
            "<!DOCTYPE html>",
            "<html lang='es'>",
            "\t<head>",
            "\t\t<meta charset='utf-8'>",
            "\t\t<meta name='viewport' content='width=device-width, initial-
scale=1.0'>",
            "\t\t<title>Diapositiva 1</title>",
            "\t\t<style>",
            "\t\t\t\t@font-face { font-family: myFont; src: url(cc/Cheveuxdange.ttf);
font-weight: bolder;}",
            "\t\t\t\tbody{ color:white; background-color: #333;}",
            "\t\t\t\t*{ box-sizing: border-box; margin:0; padding: 0;}",
            "\t\t\t\tp{ font-size: 10em; font-family: myFont; text-align: center;
margin-top:1em; color:lightskyblue}",
            "\t\t\t\tthr{border:3px dashed yellow;margin-top: 0.5em}",
            "\t\t</style>",
            "\t</head>",
            "\t<body>",
            "\t\t<p>&lt;CSS&gt;</p>",
            "\t</body>",
            "</html>",
        ],
        "description": "Curso CSS diapositiva 1",
    },
    "Aplicar CSS3": {
        "scope": "html,css",

```

[illegible]

[illegible]

```

        "\t\t\t\t&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;<tr><td style='border-
bottom:3px solid yellow'></td><td style='border-bottom:3px solid yellow'
colspan=2></td></tr>",
        "\t\t\t\t&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;<tr
style='color:lightskyblue'><td>h1</td><td>{color:</td><td>#990000;}</td></tr>",
        "\t\t\t\t&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;<tr><td></td><td
style='border-bottom:3px solid yellow'></td><td style='border-bottom:3px solid
yellow'></td></tr>",

        "\t\t\t\t&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;<tr><td></td><td>Propiedad</td><td>V
alor</td></tr>",
        "\t\t\t\t</table>",
        "\t\t\t</div>",
        "\t\t</main>",
        "\t</body>",
        "</html>",
    ],
    "description": "Curso CSS diapositiva 3",
},
"Selector CSS3": {
    "scope": "html,css",
    "prefix": "cc_04",
    "body": [
        "<!DOCTYPE html>",
        "<html lang='es'>",
        "\t<head>",
        "\t\t<meta charset='utf-8'>",
        "\t\t<meta name='viewport' content='width=device-width, initial-
scale=1.0'>",
        "\t\t<title>Diapositiva 4</title>",
        "\t\t<style>",
        "\t\t\t@font-face { font-family: myFont; src: url(cc/Cheveuxdange.ttf);
font-weight: bolder;}",
        "\t\t\tbody{ color:white; background-color: #333; font-family:
myFont;padding:1em}",
        "\t\t\t*{ box-sizing: border-box; margin:0; padding: 0;}",
        "\t\t\tdiv{border :3px solid white;display:block; margin: .3em
auto;width:90%; font-size:1.9em; padding:.2em; padding-left:1em;}",
        "\t\t\t.ama{color:yellow;}",
        "\t\t\ttable{border-collapse: collapse; width: 90%; margin:0 auto}",
        "\t\t\ttd{padding:.1em;padding-left: .5em;}",
        "\t\t\ttable,td,th{border:1px solid white}",
        "\t\t\tthr{border:3px dashed yellow;margin: 1em}",
        "\t\t</style>",
        "\t</head>",
        "\t<body>",
        "\t\t<main>",
        "\t\t\t<div style='text-align:center'>Relacionar CSS a HTML</div>",
        "\t\t\t<div>",
        "\t\t\t\t<table>",
        "\t\t\t\t\t&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;<tr><td
colspan=2>Selectores</td></tr>",

```

```

        "\t\t\t\t\t&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;<tr><td >*</td><td
class='ama'>* {color:#FFF;background-color:#999}</td></tr>",
        "\t\t\t\t\t&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;<tr><td
>&lt;etiqueta&gt;</td><td class='ama'>p { text-align: center}</td></tr>",
        "\t\t\t\t\t&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;<tr><td >class</td><td
class='ama'>.cuerpo_texto{ font-family: Verdana;}</td></tr>",
        "\t\t\t\t\t&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;<tr><td >id</td><td
class='ama'>#cuerpo_texto{ font-family: Verdana;}</td></tr>",
        "\t\t\t\t\t&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;<tr><td
>descendiente</td><td class='ama'>p .destacado{ font: 2em italic;}</td></tr>",
        "\t\t\t\t\t&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;<tr><td >hijo</td><td
class='ama'>div> p { font:-style: italic;}</td></tr>",
        "\t\t\t\t\t&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;<tr><td
>adyacente</td><td class='ama'>p + span{ font:-style: italic;}</td></tr>",
        "\t\t\t\t\t&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;<tr><td
colspan=2>,...</td></tr>",
        "\t\t\t\t\t</table><br>",
        "\t\t\t\t\t</div>",
        "\t\t\t\t\t</main>",
        "\t\t\t\t\t</body>",
        "</html>",
    ],
    "description": "Curso CSS diapositiva 4",
},
"Atributos CSS3": {
    "scope": "html,css",
    "prefix": "cc_05",
    "body": [
        "<!DOCTYPE html>",
        "<html lang='es'>",
        "\t<head>",
        "\t\t<meta charset='utf-8'>",
        "\t\t<meta name='viewport' content='width=device-width, initial-
scale=1.0'>",
        "\t\t<title>Diapositiva 5</title>",
        "\t\t<style>",
        "\t\t\t\t@font-face { font-family: myFont; src: url(cc/Cheveuxdange.ttf);
font-weight: bolder;}",
        "\t\t\ttbody{ color:white; background-color: #333; font-family:
myFont;padding:1em}",
        "\t\t\t\t{ box-sizing: border-box; margin:0; padding: 0;}",
        "\t\t\tdiv{border :3px solid white;display:block; margin: .3em
auto;width:90%; font-size:1.9em; padding:.2em; padding-left:1em;}",
        "\t\t\t.ama{color:yellow;}",
        "\t\t\ttable{border-collapse: collapse; width: 90%; margin:0 auto}",
        "\t\t\ttd{padding:.1em;padding-left: .5em;}",
        "\t\t\ttable,td,th{border:1px solid white}",
        "\t\t\tthr{border:3px dashed yellow;margin: 1em}",
        "\t\t</style>",
        "\t</head>",
        "\t<body>",
        "\t\t<main>",

```

```

        "\t\t\t<div style='text-align:center'>Relacionar CSS a HTML</div>",
        "\t\t\t<div>",
        "\t\t\t\t\t<table>",
        "\t\t\t\t\t\t\t&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;<tr><td
colspan=2>Selector de atributos</td></tr>",
        "\t\t\t\t\t\t\t&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;<tr><td >title</td><td
class='ama'>img[title] {color: yellow;}</td></tr>",
        "\t\t\t\t\t\t\t&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;<tr><td
>target=\"_blank\"</td><td class='ama'>a[target=\"_blank\"] {background-color:
yellow;}</td></tr>",
        "\t\t\t\t\t\t\t&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;<tr><td
>class=\"imagen\"</td><td class='ama'>class[imagen] {border: none;}</td></tr>",
        "\t\t\t\t\t\t\t&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;<tr><td
>*[lang]=\"es\"</td><td class='ama'>[lang|=es] {text-weight: bolder;}</td></tr>",
        "\t\t\t\t\t\t\t&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;<tr><td
colspan=2>...</td></tr>",
        "\t\t\t\t\t</table><br>",
        "\t\t\t</div>",
        "\t\t</main>",
        "\t</body>",
        "</html>",
    ],
    "description": "Curso CSS diapositiva 5",
},
"Pseudoselectores CSS3": {
    "scope": "html,css",
    "prefix": "cc_06",
    "body": [
        "<!DOCTYPE html>",
        "<html lang='es'>",
        "\t<head>",
        "\t\t<meta charset='utf-8'>",
        "\t\t<meta name='viewport' content='width=device-width, initial-
scale=1.0'>",
        "\t\t<title>Diapositiva 6</title>",
        "\t\t<style>",
        "\t\t\t\t@font-face { font-family: myFont; src: url(cc/Cheveuxdange.ttf);
font-weight: bolder;}",
        "\t\t\ttbody{ color:white; background-color: #333; font-family:
myFont;padding:1em}",
        "\t\t\t\t{ box-sizing: border-box; margin:0; padding: 0;}",
        "\t\t\ttdiv{border :3px solid white;display:block; margin: .3em
auto;width:90%; font-size:1.9em; padding:.2em; padding-left:1em;}",
        "\t\t\t.ama{color:yellow;}",
        "\t\t\ttable{border-collapse: collapse; width: 90%; margin:0 auto}",
        "\t\t\ttd{padding:.1em;padding-left: .5em;}",
        "\t\t\ttable,td,th{border:1px solid white}",
        "\t\t\tthr{border:3px dashed yellow;margin: 1em}",
        "\t\t</style>",
        "\t</head>",
        "\t<body>",
        "\t\t<main>",

```

```

        "\t\t\t<div style='text-align:center'>Relacionar CSS a HTML</div>",
        "\t\t\t<div>",
        "\t\t\t\t\t<table>",
        "\t\t\t\t\t\t\t&nbsp;&nbsp; &nbsp;&nbsp;&nbsp;&nbsp;&nbsp;<tr><td
colspan=2>Pseudoselectores</td></tr>",
        "\t\t\t\t\t\t\t&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;<tr><td >:first-child
</td><td class='ama'>p:first-child {color: blue;}</td></tr>",
        "\t\t\t\t\t\t\t&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;<tr><td >:nth-of-
type</td><td class='ama'>p:nth-of-type(2) {background: red;}</td></tr>",
        "\t\t\t\t\t\t\t&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;<tr><td >:last-
child</td><td class='ama'>p:last-child {background: #ff0000;}</td></tr>",
        "\t\t\t\t\t\t\t&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;<tr><td >:focus</td><td
class='ama'>input:focus {background-color: yellow;}</td></tr>",
        "\t\t\t\t\t\t\t&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;<tr><td >:nth-last-
child</td><td class='ama'>p:nth-last-child(2) {background: red;}</td></tr>",
        "\t\t\t\t\t\t\t&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;<tr><td
colspan=2>...</td></tr>",
        "\t\t\t\t\t</table><br>",
        "\t\t\t</div>",
        "\t\t</main>",
        "\t</body>",
        "</html>",
    ],
    "description": "Curso CSS diapositiva 6",
},
"Pseudoclasas CSS3": {
    "scope": "html,css",
    "prefix": "cc_07",
    "body": [
        "<!DOCTYPE html>",
        "<html lang='es'>",
        "\t<head>",
        "\t\t<meta charset='utf-8'>",
        "\t\t<meta name='viewport' content='width=device-width, initial-
scale=1.0'>",
        "\t\t<title>Diapositiva 7</title>",
        "\t\t<style>",
        "\t\t\t\t@font-face { font-family: myFont; src: url(cc/Cheveuxdange.ttf);
font-weight: bolder;}",
        "\t\t\t\tbody{ color:white; background-color: #333; font-family:
myFont;padding:1em}",
        "\t\t\t\t*{ box-sizing: border-box; margin:0; padding: 0;}",
        "\t\t\t\tdiv{border :3px solid white;display:block; margin: .3em
auto;width:90%; font-size:1.9em; padding:.2em; padding-left:1em;}",
        "\t\t\t\t.ama{color:yellow;}",
        "\t\t\t\ttable{border-collapse: collapse; width: 90%; margin:0 auto}",
        "\t\t\t\ttd{padding:.1em;padding-left: .5em;}",
        "\t\t\t\ttable,td,th{border:1px solid white}",
        "\t\t\t\tthr{border:3px dashed yellow;margin: 1em}",
        "\t\t</style>",
        "\t</head>",
        "\t<body>",

```

```

        "\t\t<main>",
        "\t\t\t<div style='text-align:center'>Relacionar CSS a HTML</div>",
        "\t\t\t<div>",
        "\t\t\t\t\t<table>",
        "\t\t\t\t\t\t\t&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;<tr><td
colspan=2>Pseudoselectores</td></tr>",
        "\t\t\t\t\t\t\t&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;<tr><td>:hover</td><td
class='ama'>a:hover {background-color: yellow;}</td></tr>",
        "\t\t\t\t\t\t\t&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;<tr><td>:active</td><td
class='ama'>a:active {background-color: yellow;}</td></tr>",
        "\t\t\t\t\t\t\t&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;<tr><td>::first-
line</td><td class='ama'>p::first-line {background-color: yellow;}</td></tr>",
        "\t\t\t\t\t\t\t&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;<tr><td>::first-
letter</td><td class='ama'>p::first-letter {font-size: 200%;}</td></tr>",
        "\t\t\t\t\t\t\t&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;<tr><td>::before
</td><td class='ama'>p::before {content: 'Read this: '}</td></tr>",
        "\t\t\t\t\t\t\t&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;<tr><td>::after</td><td
class='ama'>div>p::after {content: 'Read this: '}</td></tr>",
        "\t\t\t\t\t\t\t&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;<tr><td
colspan=2>...</td></tr>",
        "\t\t\t\t\t</table><br>",
        "\t\t\t</div>",
        "\t\t</main>",
        "\t</body>",
        "</html>",
    ],
    "description": "Curso CSS diapositiva 7",
  },
  "Float CSS3": {
    "scope": "html,css",
    "prefix": "cc_08",
    "body": [
      "<!DOCTYPE html>",
      "<html lang='es'>",
      "\t<head>",
      "\t\t<meta charset='utf-8'>",
      "\t\t<meta name='viewport' content='width=device-width, initial-
scale=1.0'>",
      "\t\t\t<title>Diapositiva 8</title>",
      "\t\t\t<style>",
      "\t\t\t\t\t@font-face { font-family: myFont; src: url(cc/Cheveuxdange.ttf);
font-weight: bolder;}",
      "\t\t\t\t\tbody{ color:white; background-color: #333; font-family:
myFont;padding:1em}",
      "\t\t\t\t\t*{ box-sizing: border-box; margin:0; padding: 0;}",
      "\t\t\t\t\tmain{display:grid; grid-template-columns: 1fr 1fr;}",
      "\t\t\t\t\t#div1{float: left;width: 50%;height: 10em;margin: 0
auto;padding: 1em ;border:3px solid lightsalmon;}",
      "\t\t\t\t\t#div2{float: left;width: 50%;height: 10em;margin: 0
auto;padding: 1em ;border:3px solid lightskyblue;}",
      "\t\t\t\t\tthr{border:3px dashed yellow;margin: 1em}",
      "\t\t\t</style>",
    ]
  }
}

```



```

        "\t</head>",
        "\t<body>",
        "\t\t<div style='text-align:center;font: 2.3em myFont;border:3px solid
white;margin: .2em;padding:.5em'>Organizando página web</div>",
        "\t\t<div style='text-align:center;font: 2.3em myFont;border:3px solid
white;margin: .2em;padding:.5em'>Float</div>",
        "\t\t<main>",
        "\t\t\t<aside>",
        "<pre style='font: 2.3em myFont; color:yellow'>",
        "\tdiv{",
        "\t\tfloat: left;",
        "\t\twidth: 50%;",
        "\t\theight: 10em;",
        "\t\tmargin: 0 auto;",
        "\t\tpadding: 1em ;",
        "\t\tborder:1px solid red;",
        "\t}",
        "</pre>",
        "\t\t\t</aside>",
        "\t\t\t<aside>",
        "<pre style='font: 2.3em myFont; color:yellow'>",
        "\tdiv{",
        "\t\tfloat: left;",
        "\t\twidth: 50%;",
        "\t\theight: 10em;",
        "\t\tmargin: 0 auto;",
        "\t\tpadding: 1em ;",
        "\t\tborder:1px solid blue;",
        "\t}",
        "</pre>",
        "\t\t\t</aside>",
        "\t\t</main>",
        "\t\t<hr>",
        "\t\t<div>",
        "\t\t\t<div id='div1'></div>",
        "\t\t\t<div id='div2'></div>",
        "\t\t</div>",
        "\t</body>",
        "</html>",
    ],
    "description": "Curso CSS diapositiva 8",
},
"Grid CSS3": {
    "scope": "html,css",
    "prefix": "cc_09",
    "body": [
        "<!DOCTYPE html>",
        "<html lang='es'>",
        "\t<head>",
        "\t\t<meta charset='utf-8'>",
        "\t\t<meta name='viewport' content='width=device-width, initial-
scale=1.0'>",

```

```

        "\t\t<title>Diapositiva 9</title>",
        "\t\t<style>",
        "\t\t\t@font-face { font-family: myFont; src: url(cc/Cheveuxdange.ttf);
font-weight: bolder;}",
        "\t\t\tbody{ color:white; background-color: #333; font-family:
myFont;padding:1em}",
        "\t\t\t*{ box-sizing: border-box; margin:0; padding: 0;}",
        "\t\t\tarticle{display:grid; grid-template-columns: 1fr 1fr 1fr;grid-
gap:2em; padding:1em;}",
        "\t\t\tdiv{width:100%;border:3px solid lightskyblue;height: 10em;}",
        "\t\t\tthr{border:3px dashed yellow;margin: 1em}",
        "\t\t</style>",
        "\t</head>",
        "\t<body>",
        "\t\t<p style='text-align:center;font: 2.3em myFont;border:3px solid
white;margin: .2em;padding:.5em'>Organizando página web</p>",
        "\t\t<p style='text-align:center;font: 2.3em myFont;border:3px solid
white;margin: .2em;padding:.5em'>Grid</p>",
        "\t\t<main>",
        "\t\t\t<aside>",
        "\t\t\t\t<pre style='font: 1.8em myFont; color:yellow'>",
        "\t\t\t\t\tbody {",
        "\t\t\t\t\t\tdisplay: grid;",
        "\t\t\t\t\t\tgrid-template-columns: 1fr 1fr 1fr;",
        "\t\t\t\t\t\tgrid-gap: 2em;",
        "\t\t\t\t\t\tpadding: 1em;",
        "\t\t\t\t\t}",
        "\t\t\t\t\tdiv {",
        "\t\t\t\t\t\twidth:100%;",
        "\t\t\t\t\t\tborder:1px solid blue;",
        "\t\t\t\t\t}",
        "\t\t\t\t\t</pre>",
        "\t\t\t\t\t<aside>",
        "\t\t\t\t</main>",
        "\t\t\t\t<hr>",
        "\t\t\t\t<article>",
        "\t\t\t\t\t<div></div>",
        "\t\t\t\t\t<div></div>",
        "\t\t\t\t\t<div></div>",
        "\t\t\t\t</article>",
        "\t\t</body>",
        "</html>",
    ],
    "description": "Curso CSS diapositiva 9",
  },
  "Text1 CSS3": {
    "scope": "html,css",
    "prefix": "cc_10",
    "body": [
      "<!DOCTYPE html>",
      "<html lang='es'>",
      "\t<head>",

```

[illegible]

[illegible]

```

        "\t\t\th1 { text-transform: capitalize; }<br>",
        "\t\t\th2 {text-decoration: underline;}<br>",
        "\t\t\tp{line-height: 1.5em;font-weight: bold;font-style: italic;}<br>",
        "\t\t\t... <br>",
        "\t\t&lt;h1&gt;Lorem, ipsum dolor.&lt;/h1&gt;<br>",
        "\t\t&lt;h2&gt;Lorem ipsum dolor sit amet  
consectetur.&lt;/h2&gt;<br>",
        "\t\t&lt;p&gt;Lorem ipsum dolor sit amet consectetur adipisicing elit.  
Cumque, eligendi eaque. Laudantium cupiditate maiores tempora, mollitia  
eligendi.&lt;/p&gt;<br>",
        "\t\t</div>",
        "\t\t<hr>",
        "\t\t<div style='font: 2.5em myFont;border:3px solid  
lightskyblue;padding:1.5em; height:12em;margin: .15em'>",
        "\t\t\t<h1>Lorem, ipsum dolor.</h1>",
        "\t\t\t<h2>Lorem ipsum dolor sit amet consectetur.</h2>",
        "\t\t\t<p style='color:lightskyblue;'>Lorem ipsum dolor sit amet  
consectetur adipisicing elit. Cumque, eligendi eaque. Laudantium cupiditate maiores tempora,  
mollitia eligendi.</p>",
        "\t\t</div>",
        "\t\t</body>",
        "</html>",
    ],
    "description": "Curso CSS diapositiva 11",
},
"Background CSS3": {
    "scope": "html,css",
    "prefix": "cc_12",
    "body": [
        "<!DOCTYPE html>",
        "<html lang='es'>",
        "\t<head>",
        "\t\t<meta charset='utf-8'>",
        "\t\t<meta name='viewport' content='width=device-width, initial-  
scale=1.0'>",
        "\t\t<title>Diapositiva 12</title>",
        "\t\t<style>",
        "\t\t\t\t@font-face { font-family: myFont; src: url(cc/Cheveuxdange.ttf);  
font-weight: bolder;}",
        "\t\t\t body{ color:white; background-color: #333; font-family:  
myFont;padding:1em}",
        "\t\t\t*{ box-sizing: border-box; margin:0; padding: 0;}",
        "\t\t\t#fondo {background: #333 url('cc/fondo.jpg') no-repeat right  
top; }",
        "\t\t p{margin-right: 200px;}",
        "\t\t thr{border:3px dashed yellow;margin: 1em}",
        "\t\t</style>",
        "\t</head>",
        "\t<body>",
        "\t\t<div style='text-align:center;font: 2.3em myFont;border:3px solid  
white;margin: .2em;padding:.5em'>Background</div>",

```

```
"\t\t<div style='font: 2.5em myFont;border:3px solid  
white;padding:1.5em; height:12em;margin: .15em'>",  
    "\t\t\t&\n\nbackground-color:",  
        "[color de fondo]<br>",  
  
        "\t\t\t&\n\nimage:  
url('nombre_imagen')<br>",  
  
        "\t\t\t&\n\nrepeat: no  
repeat/repeat-x/ repeat-y<br>",  
  
        "\t\t\t&\n\nattachment:  
fixed/scroll<br>",  
  
        "\t\t\t&\n\nposition:  
right/top/down/left/center<br>",  
            "\t\t</div>",  
            "\t\t<hr>",  
            "\t\t<div style='color:yellow; font-size:1.3em;margin:2em'>",  
                "\t\t\t#fondo {background: #333 url('cc/fondo.jpg') no-repeat right  
top; }<br>",  
                    "\t\t\t{margin-right: 200px;}<br>",  
                    "\t\t\t...<br>",  
                    "&p>The background property is a shorthand property for  
specifying all the background properties in one declaration.</p><br>",  
                    "&p>Here, the background image is only shown once, and it is  
also positioned in the top-right corner.</p><br>",  
                    "&p>We have also added a right margin, so that the text will  
not write over the background image.</p><br>",  
                        "\t\t</div>",  
                        "\t\t<hr>",  
                        "\t\t<div id='fondo' style='font: 2.5em myFont;border:3px solid  
lightskyblue;padding:1.5em; height:12em;margin: .15em;color:lightskyblue'>",  
                            "\t\t\t<p>The background property is a shorthand property for  
specifying all the background properties in one declaration.</p>",  
                                "\t\t\t<p>Here, the background image is only shown once, and it is  
also positioned in the top-right corner.</p>",  
                                    "\t\t\t<p>We have also added a right margin, so that the text will not  
write over the background image.</p>",  
                                        "\t\t</div>",  
  
                            "\t</body>",  
                            "</html>",  
],  
    "description": "Curso CSS diapositiva 12",  
},  
"Imagen CSS3": {  
    "scope": "html,css",  
    "prefix": "cc_13",  
    "body": [  
        "<!DOCTYPE html>",
```

```

        "<html lang='es'>",
        "\t<head>",
        "\t\t<meta charset='utf-8'>",
        "\t\t<meta name='viewport' content='width=device-width, initial-
scale=1.0'>",
        "\t\t<title>Diapositiva 13</title>",
        "\t\t<style>",
        "\t\t\t@font-face { font-family: myFont; src: url(cc/Cheveuxdange.ttf);
font-weight: bolder;}",
        "\t\t\tbody{ color:white; background-color: #333; font-family:
myFont;padding:1em}",
        "\t\t\t*{ box-sizing: border-box; margin:0; padding: 0;}",
        "\t\t\timg {width: 50%;display: block;margin: 0 auto;}",
        "\t\t\tthr{border:3px dashed yellow;margin: 1em}",
        "\t\t</style>",
        "\t</head>",
        "\t<body>",
        "\t\t<p style='text-align:center;font: 2.3em myFont;border:3px solid
white;margin: .2em;padding:.5em'>Imagen</p>",
        "\t\t<main style='border:3px solid white;;margin:
.4em;padding:.5em'>",
        "\t\t\t<aside style='width:50%;margin:3em auto;font: 2.3em myFont;
color:yellow'>",
        "\t\t\t\t<br>",
        "\t\t\t\twidth: 50%;<br>",
        "\t\t\t\tdisplay: block;<br>",
        "\t\t\t\tmargin: 0 auto;<br>",
        "\t\t\t\t<br>",
        "\t\t\t\t<aside>",
        "\t\t\t\t</main>",
        "\t\t\t<hr>",
        "\t\t\t<article>",
        "\t\t\t\t<img src='cc/img.jpg' alt=''>",
        "\t\t\t</article>",
        "\t\t</body>",
        "</html>",
    ],
    "description": "Curso CSS diapositiva 13",
  },
  "Contenedor CSS3": {
    "scope": "html,css",
    "prefix": "cc_14",
    "body": [
      "<!DOCTYPE html>",
      "<html lang='es'>",
      "<head>",
      "\t\t<meta charset='utf-8'>",
      "\t\t<meta name='viewport' content='width=device-width, initial-
scale=1.0'>",
      "\t\t<title>Diapositiva 14</title>",
      "\t\t<style>",

```

```

        "\t\t\t@font-face { font-family: myFont; src: url(cc/Cheveuxdange.ttf);
font-weight: bolder;}",
        "\t\t\t body{ color:white; background-color: #333; font-family:
myFont;padding:1em}",
        "\t\t\t*{ box-sizing: border-box; margin:0; padding: 0;}",
        "\t\t\tthr{border:3px dashed yellow;margin: 1em}",
        "\t\t</style>",
        "\t</head>",
        "\t<body>",
        "\t\t<p style='text-align:center;font: 2.3em myFont;border:3px solid
white;margin: .2em;padding:.5em>Contenedor</p>",
        "\t\t<div style='font: 2.2em myFont;border:3px solid
white;margin:.2em; height:480px;color:lightgreen;text-align: center;'>",
        "\t\t\t\tmargin<div style='border:3px solid lightgreen;margin:10px 40px;
height:380px'>",
        "\t\t\t\t\tborder<div style='border:3px solid lightgreen;margin:10px
40px; height:280px'>",
        "\t\t\t\t\t\tpadding<div style='border:3px solid lightgreen;margin:10px
40px; line-height:180px'>",
        "\t\t\t\t\t\t\tcontenido",
        "\t\t\t\t\t\t\t</div>",
        "\t\t\t\t\t\t</div>",
        "\t\t\t\t\t</div>",
        "\t\t\t\t</div>",
        "\t\t</body>",
        "</html>",
    ],
    "description": "Curso CSS diapositiva 14",
},
"Listas CSS3": {
    "scope": "html,css",
    "prefix": "cc_15",
    "body": [
        "<!DOCTYPE html>",
        "<html lang='es'>",
        "\t<head>",
        "\t\t<meta charset='utf-8'>",
        "\t\t<meta name='viewport' content='width=device-width, initial-
scale=1.0'>",
        "\t\t\t<title>Diapositiva 15</title>",
        "\t\t\t<style>",
        "\t\t\t\t\t@font-face { font-family: myFont; src: url(cc/Cheveuxdange.ttf);
font-weight: bolder;}",
        "\t\t\t\t\tbody{ color:white; background-color: #333; font-family:
myFont;padding:1em;}",
        "\t\t\t\t\t*{ box-sizing: border-box; margin:0; padding: 0;}",
        "\t\t\t\t\tdiv {width: 150px;height: 80px;background-color: lightskyblue;
color:#333; font-weight: bolder;}",
        "\t\t\t\t\tol { background: #ff9999;padding: 20px; width:50%; margin: 0
auto;}",
        "\t\t\t\t\tul {background: #3399ff;padding: 20px;width:50%; margin: 0
auto; margin-top: 2em;}",

```



[illegible]

[illegible]

[illegible]

```

color: #3a530c;}",
"\t\t\tdiv.relative {position: relative;left: 30px;border: 3px solid
white;background-color: #274708;}",
"\t\t\tdiv.fixed {position: fixed;bottom: 0;right: 0;width: 300px;border:
3px solid white;line-height:50px;background-color: #469612;}",
"\t\t\tdiv.absolute {position: absolute;top: 50px;right: 0;width:
50px;height: 30px;border: 3px solid white;background-color: #0e4d0e;}",
"\t\t\tdiv.sticky {position: sticky;bottom: 0;left:250px;padding:
5px;background-color: #082b13;border: 2px solid white;}",
"\t\t\tthr{border:3px dashed yellow;margin: 1em}",
"\t\t</style>",
"\t</head>",
"\t<body>",
"\t\t<p style='text-align:center;font: 2.3em myFont;border:3px solid
white;margin: .2em;padding:.5em'>Position</p>",
"\t\t<p style='font: 2.5em myFont;border:3px solid white;margin:
.2em;padding:1.5em'>&nbsp; &nbsp; &nbsp; &nbsp; &nbsp;static: en orden de
creación.<br>",
"\t\t&nbsp; &nbsp; &nbsp; &nbsp; &nbsp;absolute: posición
determinada.<br>",
"\t\t&nbsp; &nbsp; &nbsp; &nbsp; &nbsp;fixed: absolute respecto al
browser.<br>",
"\t\t&nbsp; &nbsp; &nbsp; &nbsp; &nbsp;relative: respecto a su
static.<br>",
"\t\t&nbsp; &nbsp; &nbsp; &nbsp; &nbsp;sticky: relative fixed.",
"\t\t</p>",
"\t\t<hr>",
"\t\t<p style='font: 1.2em myFont;color:yellow;margin:
.2em;padding:1em'>&nbsp; &nbsp; &nbsp; &nbsp;div.static {position: static;border:
3px solid white;background-color: #3a530c;}<br>",
"\t\t&nbsp; &nbsp; &nbsp; &nbsp; &nbsp;div.relative {position:
relative;left: 30px;border: 3px solid white;background-color: #274708;}<br>",
"\t\t&nbsp; &nbsp; &nbsp; &nbsp; &nbsp;div.fixed {position:
fixed;bottom: 0;right: 0;width: 300px;border: 3px solid white;line-height:50px;background-
color: #469612;}<br>",
"\t\t&nbsp; &nbsp; &nbsp; &nbsp; &nbsp;div.absolute {position:
absolute;top: 50px;right: 0;width: 50px;height: 30px;border: 3px solid white;background-color:
#0e4d0e;}<br>",
"\t\t&nbsp; &nbsp; &nbsp; &nbsp; &nbsp;div.sticky {position:
sticky;bottom: 0;left:250px;padding: 5px;background-color: #082b13;border: 2px solid
white;}<br>",
"\t\t&nbsp; &nbsp; &nbsp; &nbsp; &nbsp;... <br>",
"\t\t&nbsp; &nbsp; &nbsp; &nbsp; &nbsp;&lt;div
class='static'&gt;sta1&lt;/div&gt;<br>",
"\t\t&nbsp; &nbsp; &nbsp; &nbsp; &nbsp;&lt;div
class='static'&gt;sta2&lt;/div&gt;<br>",
"\t\t&nbsp; &nbsp; &nbsp; &nbsp; &nbsp;&lt;div
class='static'&gt;sta3&lt;/div&gt;<br>",
"\t\t&nbsp; &nbsp; &nbsp; &nbsp; &nbsp;&lt;div
class='relative'&gt;rel1&lt;/div&gt;<br>",

```

[illegible]

```

        "\t\t\t#example3 {border: 1px solid;padding: 10px;box-shadow: 5px
7px 3px red;width:50%}",
        "\t\t\t#example4 {color: white;text-shadow: 2px 2px 8px #eee;}",
        "\t\t\t#example5 {text-shadow: 0 0 8px #FF0000;}",
        "\t\t\t#example6 {text-shadow: 0 0 8px #FF0000, 0 0 5px #0000FF;}",
        "\t\t\tthr{border:3px dashed yellow;margin: 1em}",
        "\t\t</style>",
        "\t</head>",
        "\t<body>",
        "\t\t<p style='text-align:center;font: 2.3em myFont;border:3px solid
white;margin: .2em;padding:.5em'>Efectos</p>",
        "\t\t<p style='font: 2.5em myFont;border:3px solid white;margin:
.2em;padding:1.5em; height:12em'>&nbsp; &nbsp; &nbsp; &nbsp; &nbsp;Sombras.<br>",
        "\t\t\t&nbsp; &nbsp; &nbsp; &nbsp; &nbsp;shadow: x, y, difuminado y
color.<br>",
        "\t\t</p>",
        "\t\t<hr>",
        "\t\t<p style='font: 1.2em myFont;color:yellow;margin:
.2em;padding:1em'>&nbsp; &nbsp; &nbsp; &nbsp; &nbsp;#example1 {border: 1px
solid;padding: 10px;box-shadow: 5px 7px 3px;}<br>",
        "\t\t&nbsp; &nbsp; &nbsp; &nbsp; &nbsp;#example2 {border: 1px
solid;padding: 10px;box-shadow: 5px 7px 3px #888888;}<br>",
        "\t\t&nbsp; &nbsp; &nbsp; &nbsp; &nbsp;#example3 {border: 1px
solid;padding: 10px;box-shadow: 5px 7px 3px red;}<br>",
        "\t\t&nbsp; &nbsp; &nbsp; &nbsp; &nbsp;... <br>",
        "\t\t&nbsp; &nbsp; &nbsp; &nbsp; &nbsp;#example4 {color:
white;text-shadow: 2px 2px 8px #ccc;}<br>",
        "\t\t&nbsp; &nbsp; &nbsp; &nbsp; &nbsp;#example5 {text-shadow: 0
0 8px #FF0000;}<br>",
        "\t\t&nbsp; &nbsp; &nbsp; &nbsp; &nbsp;#example6 {text-shadow: 0
0 8px #FF0000, 0 0 5px #0000FF;}<br>",
        "\t\t<hr>",
        "\t\t&nbsp; &nbsp; &nbsp; &nbsp; &nbsp;<p id='example1'
style='margin:0 auto'>A div element with a shadow.</p>",
        "\t\t&nbsp; &nbsp; &nbsp; &nbsp; &nbsp;<p id='example2'
style='margin:0 auto'>You can also define the color of the shadow.</p>",
        "\t\t&nbsp; &nbsp; &nbsp; &nbsp; &nbsp;<p id='example3'
style='margin:0 auto'>A red shadow.</p>",
        "\t\t&nbsp; &nbsp; &nbsp; &nbsp; &nbsp;<h1 id='example4'
style='text-align: center;'>Text-shadow on white text</h1>",
        "\t\t&nbsp; &nbsp; &nbsp; &nbsp; &nbsp;<h1 id='example5'
style='text-align: center;'>Text-shadow with red neon glow</h1>",
        "\t\t&nbsp; &nbsp; &nbsp; &nbsp; &nbsp;<h1 id='example6'
style='text-align: center;'>Text-shadow with red and blue neon glow</h1>",
        "\t</body>",
        "</html>",
    ],
    "description": "Curso CSS diapositiva 18",
  },
  "Transform CSS3": {
    "scope": "html,css",
    "prefix": "cc_19",

```

```
"body": [
    "<!DOCTYPE html>",
    "<html lang='es'>",
    "\t<head>",
    "\t\t<meta charset='utf-8'>",
    "\t\t<meta name='viewport' content='width=device-width, initial-scale=1.0'>",
    "\t\t<title>Diapositiva 19</title>",
    "\t\t<style>",
    "\t\t\t@font-face { font-family: myFont; src: url(cc/Cheveuxdange.ttf); font-weight: bolder;}",
    "\t\t\tbody{ color:white; background-color: #333; font-family: myFont;padding:1em;}",
    "\t\t\t*{ box-sizing: border-box; margin:0; padding: 0;}",
    "\t\t\tdiv {width: 150px;height: 80px;background-color: lightskyblue; color:#333; font-weight: bolder;}",
    "\t\t\t#example1 {transform: rotate(10deg);}",
    "\t\t\t#example2 {transform: skewY(20deg);}",
    "\t\t\t#example3 {transform: scaleY(1.5);}",
    "\t\t\t#example4 {transform: translate(50px,100px);}",
    "\t\t\t#bloque{display: grid; padding:3em;grid-template-columns: repeat(4,1fr);grid-gap: 3em; justify-items: center;}",
    "\t\t\tthr{border:3px dashed yellow;margin: 1em}",
    "\t\t</style>",
    "\t</head>",
    "\t<body>",
    "\t\t<p style='text-align:center;font: 2.3em myFont;border:3px solid white;margin: .2em;padding:.5em'>Efectos</p>",
    "\t\t<p style='font: 2.5em myFont;border:3px solid white;margin: .2em;padding:1.5em; height:12em'>&nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; Transformaciones.<br>",
    "\t\t\t&nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; rotate(grados).<br>",
    "\t\t\t&nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; skew(grados).<br>",
    "\t\t\t&nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; scale (x, y).<br>",
    "\t\t\t&nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; translate(x,y).<br>",
    "\t\t</p>",
    "\t\t<hr>",
    "\t\t<p style='font: 1.6em myFont;color:yellow;margin: .2em;padding:1em'>&nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; div {width: 150px;height: 80px;background-color: lightskyblue};<br>",
    "\t\t\t&nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; #example1 {transform: rotate(10deg);}<br>",
    "\t\t\t&nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; #example2 {transform: skewY(20deg);}<br>",
    "\t\t\t&nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; #example3 {transform: scaleY(1.5);}<br>",
```

```

        "\t\t&nbsp; &nbsp; &nbsp; &nbsp; &nbsp;#example4 {transform:
translate(50px,100px);}<br>",
        "\t\t<hr><br>",
        "\t\t<article id='bloque'>",
        "\t\t\t<div style='text-align: center;display:inline-
block'>Rotate.</div>",
        "\t\t\t<div id='example2' style='text-align: center;display:inline-
block'>SkewY</div>",
        "\t\t\t<div style='text-align: center;display:inline-block'>SkewY</div>",
        "\t\t\t<div style='text-align: center;display:inline-
block'>Translate</div>",
        "\t\t\t<div id='example1' style='text-align: center;display:inline-
block'>Rotate.</div>",
        "\t\t\t<div id='example2' style='text-align: center;display:inline-
block'>SkewY</div>",
        "\t\t\t<div id='example3' style='text-align: center;display:inline-
block'>ScaleY.</div>",
        "\t\t\t<div id='example4' style='text-align: center;display:inline-
block'>Translate</div>",
        "\t\t</article>",
        "\t</body>",
        "</html>",
    ],
    "description": "Curso CSS diapositiva 19",
  },
  "Transition CSS3": {
    "scope": "html,css",
    "prefix": "cc_20",
    "body": [
      "<!DOCTYPE html>",
      "<html lang='es'>",
      "\t<head>",
      "\t\t<meta charset='utf-8'>",
      "\t\t<meta name='viewport' content='width=device-width, initial-
scale=1.0'>",
      "\t\t<title>Diapositiva 20</title>",
      "\t\t<style>",
      "\t\t\t@font-face { font-family: myFont; src: url(cc/Cheveuxdange.ttf);
font-weight: bolder;}",
      "\t\t\tbody{ color:white; background-color: #333; font-family:
myFont;padding:1em}",
      "\t\t\t*{ box-sizing: border-box; margin:0; padding: 0;}",
      "\t\t\tdiv {",
      "\t\t\t\twidth: 100px;",
      "\t\t\t\theight: 100px;",
      "\t\t\t\tbackground-color: lightskyblue;",
      "\t\t\t\ttransition: width 2s, height 4s, background-color 3s;",
      "\t\t\t\t}",
      "\t\t\tdiv:hover {",
      "\t\t\t\twidth: 300px;",
      "\t\t\t\theight: 300px;",
      "\t\t\t\tbackground-color: lightpink;",

```





[illegible]

```

        "\t\t\t\t&nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp;duration:3s;<br>",
        "\t\t\t\t&nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp;fill-
mode:none/forwards/backwards;<br>",
        "\t\t\t\t&nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp;iteration-
count:infinite/[numero]<br>",
        "\t\t\t\t&nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp;play-
state:paused/running<br>",
        "\t\t\t\t&nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp;timing-
function:linear/ease/steps<br>",
        "\t</main>",
        "\t<hr>",
        "\t\t<table style='width:100%;margin:0 auto; font-size:1.5em;
color:yellow'>",
        "\t\t\t<tr>",
        "\t\t\t\t<td style='padding-left:1em'>",
        "\t\t\t\t\t<td div {<br>",
        "\t\t\t\t\t\t&nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp;width:
100px;<br>",
        "\t\t\t\t\t\t&nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp;height:
100px;<br>",
        "\t\t\t\t\t\t&nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp;background-color:
red;<br>",
        "\t\t\t\t\t\t&nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp;position:
relative;<br>",
        "\t\t\t\t\t\t&nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp;animation-name:
example;<br>",
        "\t\t\t\t\t\t&nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp;animation-
duration: 5s;<br>",
        "\t\t\t\t\t\t&nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp;animation-timing-
function: linear;<br>",
        "\t\t\t\t\t\t&nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp;animation-delay:
2s;<br>",
        "\t\t\t\t\t\t&nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp;animation-
iteration-count: infinite;<br>",
        "\t\t\t\t\t\t&nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp;animation-
direction: alternate;<br>",
        "\t\t\t\t\t\t}<br>",
        "\t\t\t\t\t</td>",
        "\t\t\t\t<td valign='top' style='padding-left:1em'>",
        "\t\t\t\t\t@keyframes example {<br>",
        "\t\t\t\t\t\t&nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp;0% {background-
color:red; left:0px; top:0px;}<br>",
        "\t\t\t\t\t\t&nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp;25% {background-
color:yellow; left:200px; top:0px;}<br>",
        "\t\t\t\t\t\t&nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp;50% {background-
color:blue; left:200px; top:200px;}<br>",
        "\t\t\t\t\t\t&nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp;75% {background-
color:green; left:0px; top:200px;}<br>",
        "\t\t\t\t\t\t&nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp;100% {background-
color:red; left:0px; top:0px;}<br>",
        "\t\t\t\t\t}<br>",
        "\t\t\t\t</td>",

```

```
        "\t\t\t\t</tr>",
        "\t\t\t\t</table>",
        "\t\t\t\t<hr>",
        "\t\t\t\t<div></div>",
        "\t\t\t\t</body>",
        "</html>",
    ],
    "description": "Curso CSS diapositiva 21",
},
}
```