

Amlogic_NPU_Support_Operator_List

Version: v0.1

Release Date: 2026-07-15

版权

© 2026 晶晨半导体（上海）股份有限公司（代表其自身及其关联公司，以下简称“Amlogic”）版权所有。未经 Amlogic 书面许可，不得以任何形式或通过任何手段对本文件的任何部分进行复制、传播、转录或翻译成任何语言。

商标

 **Amlogic**，及 Amlogic 的其他图标均为 Amlogic 公司的商标。所有其他商标和注册商标均为其各自所有人的财产。

免责声明

由于产品版本升级或其他原因，本文档将可能在未经任何通知的情况下，不定期进行更新或修改。

本产品不适用于医疗、救生或生命维持等用途，也不适用于可合理预见因 Amlogic 产品故障或失灵可能导致人身伤害、死亡、严重财产或环境损害的应用场景。

文中提供的电路图及其他与 Amlogic 产品相关的信息仅为典型应用说明，完整且足以用于生产设计的全部信息不一定会提供。Amlogic 已尽量确保本文件内容准确和及时，但 Amlogic 不对本文档所含信息的准确性或完整性作任何保证。

Amlogic 产品可能存在未被识别的漏洞，或可能支持具有已知局限性的既定安全标准或规范。Amlogic 对任何漏洞不承担任何责任。

使用相关材料可能需获得第三方或 Amlogic 的知识产权许可。本文档对归属于 Amlogic 或任何其他方的知识产权不授予任何明示或暗示的声明或保证。文中包含的任何第三方网站链接仅为方便用户而提供，Amlogic 不对该等网站及其任何行为（包括隐私惯例、可用性和内容）作出认可，也不承担任何责任。

在任何情况下，Amlogic 均不对与本文档相关、由本文档使用或无法使用所产生的任何索赔承担责任。

联系方式

- 公司网址: www.amlogic.cn
- 售前咨询: contact@amlogic.com
- 技术支持: support@amlogic.com

修订记录

版本	修改说明
V0.1 (2026-07-15)	初始版本

目录

1. 文档说明

- 1.1 文档简介
- 1.2 适用平台
- 1.3 关键字说明

2. 算子列表

- 2.1 ADLA2 Support List
 - 2.1.1 Hardware Op List
 - 2.1.2 Software OP List
 - 2.1.3 Limitation
- 2.2 ADLA3 Support List
 - 2.2.1 Hardware Op List
 - 2.2.2 Software OP List
 - 2.2.3 Limitation

1. 文档说明

1.1 文档简介

本文档梳理并完整介绍**Amlogic NPU平台支持的算子集合**，覆盖硬件原生加速算子与软件适配支持算子两大类别。

文档内收录的所有算子均严格遵循TFLite标准算子规范。对于ONNX、PyTorch等其他开源框架的算子，只要可直接映射、或经拆分后可完全匹配本文档列出的算子集合，该原始框架算子即可在Amlogic NPU平台正常运行。

1.2 适用平台

本指南适用于以下 Amlogic NPU 平台：

- C308L / C302X
- S928X
- A311D2
- T968D4
- S905X5 / S905D5
- C302X2
- C305X2/A123X
- A311Y3

Note：C305X2/A123X 和 A311Y3 属于**ADLA3**，其他平台属于**ADLA2**。

1.3 关键字说明

- **ADLA2（第二代Amlogic NPU芯片）**：硬件指令集仅支持int8、uint8、int16等定点整数格式运算，无原生浮点加速单元。
- **ADLA3（第三代Amlogic NPU芯片）**：在定点运算能力基础上新增原生硬件支持，支持fp16、bf16浮点格式与int4低比特格式的运算。
- **HW： Hardware Op**，运行在NPU上。
- **SW： Software Op**，运行在CPU上。

2. 算子列表

2.1 ADLA2 Support List

2.1.1Hardware Op List

Others: 当前支持float32、int32、int64三类数据类型，有的算子可能仅适配其中单一格式；若存在暂不支持的情况，可通过后续迭代补充对应类型的支持能力。

Operators	Int8/Uint8	Int16	Ohters	Note
ADD	HW	HW	SW	
AVERAGE_POOL_2D	HW	HW	SW	
CONCATENATION	HW	HW	SW	
CONV_2D	HW	HW	/	
DEPTHWISE_CONV_2D	HW	HW	/	
DEPTH_TO_SPACE	HW	HW	SW	
EMBEDDING_LOOKUP	HW	HW	SW	SW if the lookup tensor is a variable; HW otherwise.
FULLY_CONNECTED	HW	HW	/	
L2_POOL_2D	HW	HW	SW	
LOGISTIC	HW	SW	SW	
LSTM	HW	HW	/	
MAX_POOL_2D	HW	HW	SW	
MUL	HW	HW	SW	
RELU	HW	HW	SW	
RELU_N1_TO_1	HW	HW	SW	
RELU6	HW	HW	SW	
RESHAPE	HW	HW	SW	
RESIZE_BILINEAR	HW/SW	HW/SW	SW	HW if 1) input width*height is 1x1, or 2) resizing from [n, h, w, c] to [n, 2h, 2w, c] SW otherwise
RNN	HW	HW	/	
SPACE_TO_DEPTH	HW	HW	SW	
TANH	HW	SW	SW	
PAD	HW	HW	SW	

Operators	Int8/Uint8	Int16	Ohters	Note
GATHER	HW	HW	SW	SW if the lookup tensor is a variable; HW otherwise
BATCH_TO_SPACE_ND	HW	HW	SW	
SPACE_TO_BATCH_ND	HW	HW	SW	
TRANSPOSE	HW	HW	SW	
MEAN	HW	HW	SW	
SUB	HW	HW	SW	
SQUEEZE	HW	HW	SW	
UNIDIRECTIONAL_SEQUENCE_LSTM	HW	HW	/	
STRIDED_SLICE	HW	HW	SW	
SPLIT	HW	HW	SW	
BIDIRECTIONAL_SEQUENCE_LSTM	HW	HW	/	
PRELU	HW	HW	SW	
MAXIMUM	HW	HW	SW	
MINIMUM	HW	HW	SW	
LESS	HW	HW	SW	
NEG	HW	HW	SW	
PADV2	HW	HW	SW	
GREATER	HW	HW	SW	
GREATER_EQUAL	HW	HW	SW	
LESS_EQUAL	HW	HW	SW	
SELECT	HW	HW	SW	
SLICE	HW	HW	SW	
TRANSPOSE_CONV	HW	HW	/	
TILE	HW	HW	SW	
EXPAND_DIMS	HW	HW	SW	
EQUAL	HW	HW	SW	
NOT_EQUAL	HW	HW	SW	
SUM	HW	HW	SW	
SHAPE	HW	HW	SW	
REDUCE_MAX	HW	HW	SW	
PACK	HW	HW	SW	
LOGICAL_OR	HW	HW	SW	

Operators	Int8/Uint8	Int16	Others	Note
LOGICAL_AND	HW	HW	SW	
LOGICAL_NOT	HW	HW	SW	
UNPACK	HW	HW	SW	
REDUCE_MIN	HW	HW	SW	
REDUCE_ANY	HW	HW	SW	
SQUARE	HW	HW	SW	
FILL	HW	HW	SW	
RESIZE_NEAREST_NEIGHBOR	HW	HW	SW	
LEAKY_RELU	HW	HW	SW	
SQUARED_DIFFERENCE	HW	HW	SW	
MIRROR_PAD	HW	HW	SW	
ABS	HW	HW	SW	
SPLIT_V	HW	HW	SW	
REVERSE_V2	HW	HW	SW	
ADD_N	HW	HW	SW	
GATHER_ND	HW	HW	SW	SW if the indices tensor is a variable; HW otherwise
QUANTIZE	HW/SW	SW	/	(int8 <--> uint8) hw, others sw
HARD_SWISH	HW	HW	SW	
SELECT_V2	HW	HW	SW	
BATCH_MATMUL	HW	HW/SW		T968D4/S905X5不支持 int16*int16, 转成sw
CUMSUM	HW	HW	SW	
BROADCAST_TO	HW	HW	SW	
REDUCE_ALL	HW	HW	SW	
BROADCAST_ARGS	HW	HW	SW	

2.1.2 Software OP List

All Type: 指该算子可能存在的所有type。

Operators	All Type
DEQUANTIZE	SW
FLOOR	SW

Operators	All Type
L2_NORMALIZATION	SW
LOCAL_RESPONSE_NORMALIZATION	SW
SOFTMAX	SW
CUSTOM	SW
DIV	SW
EXP	SW
TOPK_V2	SW
LOG_SOFTMAX	SW
CAST	SW
ARG_MAX	SW
SIN	SW
LOG	SW
SQRT	SW
RSQRT	SW
POW	SW
ARG_MIN	SW
REDUCE_PROD	SW
ONE_HOT	SW
FLOOR_DIV	SW
FLOOR_MOD	SW
RANGE	SW
UNIQUE	SW
CEIL	SW
COS	SW
ELU	SW
ROUND	SW
NON_MAX_SUPPRESSION_V4	SW
NON_MAX_SUPPRESSION_V5	SW
SCATTER_ND	SW

Operators	All Type
MULTINOMIAL	SW
GELU	SW

2.1.3 Limitation

Operators	Int8/Uint8	Int16	Limitation
AVERAGE_POOL_2D	HW	HW	max filter size is 15x15 if output is not 1x1
MAX_POOL_2D	HW	HW	max filter size is 15x15 if output is not 1x1

2.2 ADLA3 Support List

2.2.1 Hardware Op List

Operators	Int8/Uint8	Int16	f16/bf16	Others	Note
ADD	HW	HW	HW		
AVERAGE_POOL_2D	HW	HW	HW		
CONCATENATION	HW	HW	HW		
CONV_2D	HW	HW	HW		
DEPTHWISE_CONV_2D	HW	HW	HW		
DEPTH_TO_SPACE	HW	HW	HW		
EMBEDDING_LOOKUP	HW	HW	HW		SW if the lookup tensor is a variable; HW otherwise. Note
FULLY_CONNECTED	HW	HW	HW		
L2_POOL_2D	HW	HW	HW		
LOGISTIC	HW	SW	HW		
LSTM	HW	HW	HW		
MAX_POOL_2D	HW	HW	HW		
MUL	HW	HW	HW		
RELU	HW	HW	HW		
RELU_N1_TO_1	HW	HW	HW		
RELU6	HW	HW	HW		
RESHAPE	HW	HW	HW		
RESIZE_BILINEAR	HW/SW	HW/SW	HW		HW if 1) input width*height is 1x1, or 2) resizing from [n, h, w, c] to [n, 2h, 2w, c] SW otherwise
RNN	HW	HW	HW		
SPACE_TO_DEPTH	HW	HW	HW		
TANH	HW	SW	HW		
PAD	HW	HW	HW		
GATHER	HW	HW	HW		SW if the lookup tensor is a variable; HW otherwise
BATCH_TO_SPACE_ND	HW	HW	HW		
SPACE_TO_BATCH_ND	HW	HW	HW		
TRANSPOSE	HW	HW	HW		
MEAN	HW	HW	HW		
SUB	HW	HW	HW		
SQUEEZE	HW	HW	HW		
UNIDIRECTIONAL_SEQUENCE_LSTM	HW	HW	HW		

Operators	Int8/Uint8	Int16	f16/bf16	Ohters	Note
STRIDED_SLICE	HW	HW	HW		
SPLIT	HW	HW	HW		
BIDIRECTIONAL_SEQUENCE_LSTM	HW	HW	HW		
PRELU	HW	HW	HW		
MAXIMUM	HW	HW	HW		
MINIMUM	HW	HW	HW		
LESS	HW	HW	HW		
NEG	HW	HW	HW		
PADV2	HW	HW	HW		
GREATER	HW	HW	HW		
GREATER_EQUAL	HW	HW	HW		
LESS_EQUAL	HW	HW	HW		
SELECT	HW	HW	HW		
SLICE	HW	HW	HW		
TRANPOSE_CONV	HW	HW	HW		
TILE	HW	HW	HW		
EXPAND_DIMS	HW	HW	HW		
EQUAL	HW	HW	HW		
NOT_EQUAL	HW	HW	HW		
SUM	HW	HW	HW		
SHAPE	HW	HW	HW		
REDUCE_MAX	HW	HW	HW		
PACK	HW	HW	HW		
LOGICAL_OR	HW	HW	HW		
LOGICAL_AND	HW	HW	HW		
LOGICAL_NOT	HW	HW	HW		
UNPACK	HW	HW	HW		
REDUCE_MIN	HW	HW	HW		
REDUCE_ANY	HW	HW	HW		
SQUARE	HW	HW	HW		
FILL	HW	HW	HW		
RESIZE_NEAREST_NEIGHBOR	HW	HW	HW		
LEAKY_RELU	HW	HW	HW		
SQUARED_DIFFERENCE	HW	HW	HW		
MIRROR_PAD	HW	HW	HW		
ABS	HW	HW	HW		
SPLIT_V	HW	HW	HW		
REVERSE_V2	HW	HW	HW		
ADD_N	HW	HW	HW		

Operators	Int8/Uint8	Int16	f16/bf16	Ohters	Note
GATHER_ND	HW	HW	HW		SW if the indices tensor is a variable; HW otherwise
QUANTIZE	HW/SW	SW	SW		(int8 <--> uint8) hw, others sw
HARD_SWISH	HW	HW	SW		
SELECT_V2	HW	HW	HW		
BATCH_MATMUL	HW	HW/SW	HW		T968D4/S905X5不支持 int16*int16, 转成sw
CUMSUM	HW	HW	HW		
BROADCAST_TO	HW	HW	HW		
REDUCE_ALL	HW	HW	HW		
BROADCAST_ARGS	HW	HW	HW		
DEQUANTIZE	HW	HW	HW		
FLOOR	HW	HW	HW		
L2_NORMALIZATION	HW	HW	HW		
SOFTMAX	HW	HW	HW		
DIV	HW	HW	HW		
EXP	HW	HW	HW		
LOG_SOFTMAX	HW	HW	HW		
CAST	HW	HW	HW		
ARG_MAX	HW	HW	HW		
SIN	HW	HW	HW		
LOG	HW	HW	HW		
SQRT	HW	HW	HW		
RSQRT	HW	HW	HW		
POW	HW	HW	HW		
ARG_MIN	HW	HW	HW		
REDUCE_PROD	HW	HW	HW		
ONE_HOT	HW	HW	HW		
FLOOR_DIV	HW	HW	HW		
FLOOR_MOD	HW	HW	HW		
RANGE	HW	HW	HW		
CEIL	HW	HW	HW		
COS	HW	HW	HW		
ELU	HW	HW	HW		
ROUND	HW	HW	HW		
SCATTER_ND	HW	HW	HW		
GELU	HW	HW	HW		

2.2.2 Software OP List

All Type: 指该算子可能存在的所有type。

Operators	All Type
LOCAL_RESPONSE_NORMALIZATION	SW
CUSTOM	SW
TOPK_V2	SW
UNIQUE	SW
NON_MAX_SUPPRESSION_V4	SW
NON_MAX_SUPPRESSION_V5	SW
MULTINOMIAL	SW

2.2.3 Limitation

Operators	Int8/Uint8	Int16	Limitation
AVERAGE_POOL_2D	HW	HW	max filter size is 15x15 if output is not 1x1
MAX_POOL_2D	HW	HW	max filter size is 15x15 if output is not 1x1