Informatics Institute of Technology In Collaboration With

The University of Westminster, UK



The University of Westminster, Coat of Arms

A Novel Approach to Time Series Forecasting using Liquid Time-constant Networks

A Software Requirements Specification by

Mr. Ammar Raneez

W1761196 | 2019163

Supervised by Mr. Torin Wirasingha

November 2022

This Project Proposal is submitted in partial fulfilment of the requirements for the BSc (Hons) Computer Science degree at the University of Westminster.

Contents

List of Tablesii
List of Figuresii
1. CHAPTER OVERVIEW
2. RICH PICTURE
3. STAKEHOLDER ANALYSIS
3.1 Stakeholder onion model
3.2 Stakeholder viewpoints
4. REQUIREMENT ELICITATION METHODOLOGIES
5. ANALYSIS OF ELICITATION METHODOLOGIES
5.1 Literature review
5.2 Observations
5.3 Survey
5.4 Interviews11
5.5 Prototyping
7. SUMMARY OF FINDINGS
7. CONTEXT DIAGRAM
8. USE CASE DIAGRAM
9. USE CASE DESCRIPTIONS
10. REQUIREMENTS
10.1 Functional requirements18
10.2 Non-functional requirements
11. CHAPTER SUMMARY21
REFERENCES
APPENDIX I – Requirement Elicitation Methodologies
APPENDIX II – Survey Thematic Analysis
APPENDIX III – Interview Thematic Analysis
APPENDIX IV – Use Case Descriptions

List of Tables

Table 1: Stakeholder viewpoints (self-Composed)	3
Table 2: Requirement elicitation methodologies (Self-Composed)	4
Table 3: Observations findings (Self-Composed)	5
Table 4: Survey analysis (Self-Composed)	6
Table 5: Interview thematic analysis codes, themes & conclusions (Self-Composed)	11
Table 6: Prototyping findings (Self-Composed)	13
Table 7: Use case description UC:03; UC:04 (Self-Composed)	16
Table 8: Use case description UC:05; UC:06 (Self-Composed)	17
Table 9: 'MoSCoW' technique of requirement prioritization (Self-Composed)	18
Table 10: Functional requirements	19
Table 11: Non-functional requirements	20
Table 12: Stakeholder groups (Self-Composed)	II
Table 13: Survey thematic analysis codes, themes & conclusions (Self-Composed)	III
Table 14: Interview participant details (Self-Composed)	V
Table 15: Use case description UC:07 (Self-Composed)	VI
List of Figures	
Figure 1: Rich picture diagram (Self-Composed)	1
Figure 2: Stakeholder onion model (self-Composed)	2
Figure 3: Context diagram (Self-Composed)	15
Figure 4: Use case diagram (Self-Composed)	16

Acronyms

AI Artificial Intelligence.

API Application Programming Interface.

ARIMA Autoregressive Integrated Moving Average.

BPTT Back-Propagation Through Time.

BTC Bitcoin.

CT-GRU Continuous-time Gated Recurrent Unit.

CT-RNN Continuous-time Recurrent Neural Network.

DL Deep Learning.

GPU Graphics Processing Unit.

LSTM Long Short-Term Memory.

LTC Liquid Time-constant.

ML Machine Learning.

(s)MAPE Symmetric Mean Absolute Product Error.

MASE Mean Absolute Scaled Error.

MSE Mean Squared Error.

N-BEATS Neural Basis Expansion Analysis for interpretable Time Series.

NER Named Entity Recognition.

NLP Natural Language Processing.

ODE Ordinary Differential Equations.

POC Proof-Of-Concept.

REST Representational State Transfer.

RMSE Root Mean Squared Error.

RNN Recurrent Neural Network.

TS Time Series.

XAI Explainable Artificial Intelligence.

1. CHAPTER OVERVIEW

In this chapter, the author focuses on identifying the requirements and the steps followed to gather these requirements. In detail, possible stakeholders, alongside their interaction points and roles, are documented using a rich picture diagram and a stakeholder onion model. Furthermore, the requirement-gathering techniques followed and the insights obtained to analyze and produce functional and non-functional requirements, use case diagrams, and prototype descriptions are defined.

2. RICH PICTURE




Figure 1: Rich picture diagram (Self-Composed)

The above diagram illustrates a helicopter view of the wider environment, how specific stakeholders would interact with the system, and how they would benefit. Furthermore, the possibilities of negative impact on the design and possible critical analysis are identified, alongside the knowledge the researcher could receive to improve the system.

3. STAKEHOLDER ANALYSIS

The following section recognizes key stakeholders associated with the system, their relationships, and their respective roles. The stakeholder onion model depicts this information, and the stakeholder viewpoints further detail it.

3.1 Stakeholder onion model




Figure 2: Stakeholder onion model (*self-Composed*)

3.2 Stakeholder viewpoints

Table 1: Stakeholder viewpoints (self-Composed)

Stakeholder	Role	Benefits/Description
Support &	Operational – support &	Maintains the health of the system and attends to
Maintenance	Operational - maintenance	user inquiries.
Admin	Maintenance operator	Monitors and updates the system when
		necessary.
Owner	Owner &	Manages other operators, listens to feedback,
	Operational - administration	and communicates with other stakeholders.
Crypto trader	Functional beneficiary	More convenient for deciding whether to
Crypto buyer		purchase or sell currently held assets.
Investor	Financial beneficiary	Makes profit, by investing in the system, upon
		marketing or user subscriptions.
Domain	Surrogate – expert &	Provides advice on overall system
expert	Quality regulator	improvements.
Developer	Surrogate – developer	Develops the system.
Social media	Operational - secondary	Influence users, drive trends, and provide
influencers		thoughts.
Social media	Normal operator	Get influenced to invest or sell currently held
users		assets.
QA	Quality inspector	Tests the system's quality to ensure stability.
Competitors	Negative stakeholder	Build competing products that outperform or
		have better value.
Social media		Manipulate set trends and influencer thoughts.
manipulators		
Hackers		Disrupt the system and corrupt data.

4. REQUIREMENT ELICITATION METHODOLOGIES

Requirement elicitation methodologies can be carried out to gather requirements. The following table discusses the selected ones and their purpose.

Table 2: Requirement elicitation methodologies (Self-Composed)

Method 01: Literature review

An exhaustive literature review has been conducted to identify a respectable research gap in a cutting-edge research field and a domain of interest. The author studied existing systems to determine limitations and future research. A brief understanding of the implementation methods was also identified, alongside necessary best practices.

Method 02: Observations

Upon conducting the literature review, analysis of similar systems is an added advantage. Validating the mentioned hypothesis and evaluating its viability is paramount as the chosen research domain is relatively new. Existing algorithmic POCs must be studied and thoroughly assessed, as this will provide the author with the necessary insights and techniques to implement.

Method 03: Survey

Obtaining insights and expectations from end users can be gathered by conducting a survey, specifically, the questionnaire. Upon receiving this prominent information, they can decide whether the proposed system is helpful for the target audience and understand how the target audience intends to benefit from it. As they are pretty large in sample size, the survey is a powerful choice for data collection.

Method 04: Interview

Interviews can help gather knowledge and insights into more theoretical concepts that will be helpful behind the scenes for implementing the research component and associating with and answering the proposed research questions. The author can interview specific niche experts with knowledge of neural ODEs and SDEs to obtain said intuition, which they cannot acquire by conducting a survey.

Method 05: Prototyping

Prototyping will allow the developer to iterate between implementations and improvements. As the architecture is more novel, this procedure will be used abundantly as a straightforward approach to obtaining the optimal performance is unlikely and will take time.

5. ANALYSIS OF ELICITATION METHODOLOGIES

The essential stakeholders were separated into groups and each group were analyzed in a methodology that was most suited. The table breakdown of these stakeholders is available in **APPENDIX I**.

5.1 Literature review

Research domain

Hasani et al. (2021) mentioned that existing solutions in TS forecasting use traditional neural nets or statistics. Additionally, existing neural ODEs were underwhelming in performance compared to existing neural nets. Additionally, the proposed architecture by Hasani et al. (2020) uses the obsolete ODE, which lacks rapid adaptability (Duvenaud, 2021) - using an SDE instead can improve flexibility further. Therefore, combining both would produce the optimal architecture.

Problem domain

Based on the reviewed literature, work that included multiple exogenous features had not utilized a non-linear model (ex: Abraham et al., 2018; Valencia et al., 2019), and work that used a non-linear model had not included the additional features that the author aims to include (ex: Fleischer et al., 2022; Serafini et al., 2020). Moreover, the available literature did not include all the features; therefore, using a non-linear model with multiple features would produce the optimal solution.

5.2 Observations

Table 3: Observations findings (Self-Composed)

Criteria

The author did observations for two different scenarios.

- To find approaches to creating a neural SDE to implement the core research component (to answer all three research questions).
- To find approaches taken to implement the additional component of BTC forecasting.

Discussion of findings


The author noticed that POCs of neural SDEs are available sparingly and had yet to be utilized in an ML system like the proposed solution. Although POCs of BTC forecasting systems that use LSTMs and statistical algorithms are available in abundance, what was noticed is that they

all naively utilize only the closing price as a feature or the closing price with the Twitter sentiment. Considering this, they decided to build the primary research component first so that the algorithm could be used to build ML systems and create the supplementary BTC forecasting system utilizing as many exogenous features as possible that can be of effect. It is also safe to assume that building the research component could be later used as a baseline for future neural SDE implementations. Therefore, insights into implementing the supplementary system and effective evaluation techniques were acquired.

5.3 Survey


A survey was conducted to gather requirements from the target audience to infer functionalities to implement for the supplementary product developed.

Table 4: Survey analysis (Self-Composed)




All the participants believed that the proposed system would be beneficial – where the majority had a greater belief than others. Having obtained this information, it is evident that the supplementary proposed system will be helpful. As identified, not a single participant thought that the system would not be beneficial. Notably, this validates the problem domain and gives the author the 'green light' to go ahead.

Question	Who do you think would benefit from this system?
Aim of question	To identify beneficiaries and target audience




The majority of the participants believed that the system would be beneficial for expert traders, investors as well as a new audience. However, what can be identified, is that a minute portion of participants assumed that the system would be helpful primarily for people who are already involved in the market – this is some evidence that the system must be made as simple as possible to attract a newer audience. It is also identified to help only a new audience – this is evidence that the system must not be immature.

Question	This system will also benefit people who are not experts in cryptocurrencies
Aim of question	To identify whether non-technical crypto traders would benefit



The responses to the above question show that the system will also apply to audiences who are not cryptocurrency experts. This question goes hand in hand with the previous question to confirm whether the system can target a newer audience of people to get into cryptocurrencies rather than just focusing on a niche audience who are experts or current investors/traders.


Question	How do you decide whether to buy or sell assets?
----------	--



The responses to the above question are more of a 'Know Your Customer' question with no specific project-related purpose. Nevertheless, what can be identified is that most of the respondents have some knowledge of cryptocurrencies, where almost 70% are experienced in trading/investing cryptocurrencies – a great insight as nearly all the respondents have specific knowledge. Therefore, the author could use this to reach out to the respondents (whom they gathered requirements from) during the evaluation phase.


Question	Do you think predicting a more future date (ex: a week from now) is as
	important as tomorrow's price?
Aim of question	To identify whether a greater future date prediction is also necessary

Findings & conclusions



The author initially considered only having a single horizon forecast, considering the limited time. However, based on the above responses, it is evident that the audience would also expect forecasts for multi horizons. Therefore, the author will additionally aim to implement the ability of multi-horizon forecasting.


Question	Social media trends can impact the price
Aim of question	To identify whether the community believes that social media trends impact
	the price



The majority of the respondents believe that social trends impact the price. Therefore, it is necessary to consider as many trends as possible. Considering the project's limited time and scope, the author has decided to use Twitter volume and Google Trends; however, Reddit, Facebook, and others would also provide insights and could be considered as future work.

Question	If a highly influential person tweets about Bitcoin, do you expect the price
	to tip to the side in favor of their tweets meaning?
Aim of question	To identify whether including Twitter sentiment is beneficial and to confirm
	the problem domain contribution.






All participants believe that the current thoughts on social media affect the price in one way or another. Most participants further believed that the tweeter's influence adds additional significance. Considering this and the previous question, it is apparent that the mentioned social

factors contribute to price changes, which validates the problem domain contribution. Additionally, based on the responses, the requirement for NER and weighted search is more apparent to give more weightage to specific tweeter's sentiments.

Question	Would it be helpful to obtain a range of prices rather than a point price? (Ex:
	10,000 - 15,000 instead of 12,500)
Aim of question	To identify whether including uncertainty estimates is beneficial

Findings & conclusions



The author initially decided on only providing a point forecast for the system, as this research aims to develop a novel architecture for TS forecasting. However, based on the responses and while conducting prototyping, it became evident that a single-point prediction is likely to be less valuable than a range of prices. A point prediction is implausible to be accurate, which makes the requirement of uncertainty estimates more vital.

Question	What functionalities would you expect to have in a bitcoin forecasting
	system?
Aim of question	To identify any additional requirements

Findings & conclusions

To analyze opened ended questions, the author can perform thematic analysis. The analysis, including the theme and related codes, is available in **APPENDIX II**.

Based on the analysis conducted, it is evident that the participants would appreciate some Explainability. Including XAI is an addition that the author could look into if time permits. The participants also mentioned that the system would be better performant and robust if it utilized as many exogenous factors while making it as simple as possible. Based on these findings, the

author will aim to include as much Explainability as possible and make it mandatory to use the		
mentioned exogenous features.		
Question	Any extra feedback you would like to provide?	
Aim of question	No specific reason – is mainly used to obtain any additional feedback	
Findings & conclusions		
A few motivational sentences were submitted to inspire and motivate the author to perform to		
their best ability.		

5.4 Interviews

Interviews were conducted to obtain domain expertise and any information that the author may have missed and could be significant. The author interviewed only a few candidates as the research domain is new and unknown; fortunately, they were the most knowledgeable. The author also interviewed a candidate experienced in the problem domain area. The findings were analyzed using thematic analysis and are presented below.

The participants affiliations and their respective expertise area are presented in **APPENDIX III**.

Table 5: Interview thematic analysis codes, themes & conclusions (Self-Composed)

Code	Theme		
Research component			
Algorithm architecture	Research Problem & Gap		
Resource intensive	Requirements		
Obsolete, Inflexible	Advice		
Visualizations, Explainability	Other suggestions		
Problem domain			
External features and trends	Robustness		

Theme	Conclusion	Evidence		
Research comp	Research component			

Research	The interviewees validated the research	"Yes, there are many TS forecasting
Problem &	gap and the defined problem. They	algorithms; however, many are
Gap	were also happy that the author had	obsolete."
	been conducting this research, as few	"Yes, the chosen field of
	papers were published in this domain.	architectures can be considered an
		advancement."
		"As per my knowledge, I have not
		seen a system using the basic LTC
		architecture itself, so this new
		architecture will be novel."
Requirements	The interviewees were concerned that	"They are expensive to compute."
	ODEs and SDEs could be expensive to	"It can be resource-intensive."
	compute and hence could take some	
	time, which can be an issue given that	
	the forecasts must be produced quickly.	
	Therefore, the author must optimize the	
	model as much as possible to avoid	
	user-unfriendliness.	
Advice	The author had initially planned on	"I think latent ODEs are obsolete."
	only creating an implementation of the	"You should look into latent SDEs
	LTC architecture proposed by Hasani	instead."
	et al. (2020). However, the author	"Latent SDEs are more flexible, you
	could further improve the architecture	could try applying LTC architectures
	by using SDEs instead (the base LTC	to those more flexible models
	uses ODEs), which could manifest into	instead."
	a novel algorithm, which is the author's	
	current aim as it carries more	
	significance and a potentially more	
	outstanding contribution.	

Other	What was concluded here was that XAI	"Yea, in the domain of TS I have not		
suggestions	is primarily present for image	seen many explainable AI research		
	classification, and there needs to be	conducted."		
	more literature on the TS domain.	"Explainable AI is flourishing in		
	However, XAI integration into TS	image classification but I have not		
	modelling could be confusing and	seen it in TS."		
	complicated due to the temporal	"Integrating explainable AI might		
	component. Additionally, XAI for	not be straightforward as other		
	SDEs needs to be researched, which the	domains."		
	author could look into if time permits.			
Problem doma	in			
Robustness	The interview was an additional	"It is best if you try to include as		
	validation for the data collected in the	many features as possible."		
	survey. Most suggestions were to use	"It is not practical to forecast with		
	as many extra features as possible to	only historical prices."		
	make the model robust. Therefore, the			
	author will ensure that they utilize the			
	mentioned exogenous features.			

5.5 Prototyping

Table 6: Prototyping findings (Self-Composed)

Criteria

To explore the feasibility of creating the primary research component.

Discussion of findings

Upon iterative prototyping, challenges that the developer did not expect to arise emerged. Challenges ranged from finding a suitable dataset to implementing the algorithm itself. Building the algorithm is intimidating, as no proper reference exists. They realized that, alongside traditional DL theories, implementing the algorithm required more profound knowledge and understanding of SDEs and differential solvers. Furthermore, they had depended on the Twitter API to get tweet sentiment of specific days; however, this was impossible as Twitter had updated

the API only to provide tweets of the past seven days. Fortunately, there were public datasets available up to a certain point in time; therefore, they had to use a third-party library to scrape tweets of dates ahead of that point in time. Moreover, upon experimentation, they gained an epiphany that solely the point price prediction would be useless; instead, a range of uncertainty estimations that provide a range of values would be more helpful. Furthermore, any explainable insights from the networks can be valuable to provide intuition into the forecast generation.

7. SUMMARY OF FINDINGS

ID	Finding	Literature Review	Observations	Survey	Interview	Prototyping
		view				
Res	earch component					
1	Validate research domain and gap.	✓	✓		✓	
2	The novelty of the research hypothesis (an architecture	✓	✓		✓	
	inspired by the LTC).					
3	Neural ODEs are an advancement for TS forecasting.	✓			✓	
4	Try to integrate latent SDEs into an LTC architecture for				✓	
	a novel algorithm implementation instead of using the					
	same obsolete latent ODE.					
Pro	blem domain					
5	The system will be of use to experts and new audiences.			✓		
6	Social trends can be a source of impact.	✓		√		
7	Well-known influencers' opinions cause a more drastic	✓		√		✓
	impact.					
8	A system combining all exogenous features in a non-	✓				
	linear model has yet to be explored.					

9	Including a range of prices than a point price is an added		✓	✓
	advantage and can produce more credibility.			
10	Implementing an Explainability component will		✓	✓
	drastically make the system more credible.			
11	A system capable of changing its hyperparameters would		✓	
	make it worthwhile for experts.			

7. CONTEXT DIAGRAM

The following diagram depicts the system's boundaries and interactions. Determining them before development will provide the author insight into how the information should flow.




Figure 3: Context diagram (Self-Composed)

8. USE CASE DIAGRAM




Figure 4: Use case diagram (Self-Composed)

9. USE CASE DESCRIPTIONS

The core use case descriptions are presented below, any sub-descriptions are available in **APPENDIX IV**.

Table 7: Use case description UC:03; UC:04 (Self-Composed)

Use case	Display price & estimates
Id	UC:03; UC:04
Description	Display future prices and their respective uncertainty estimations based on
	the user's choice of date, alongside any Explainability insights.
Actor	User
Supporting	None
actor (if any)	
Stakeholders (if	Crypto buyer, crypto trader
any)	

Pre-conditions	All the data must be scraped and preprocessed, and the forecast should have			
	been generated.			
Main flow	MF1. User requests tomorrow's price.			
	MF2. The system recognizes the need to utilize available exogenous			
	features.			
	MF3. The system ensures data available is up-to-date (must be in this case,			
	as the script will run periodically automatically). If not:			
	1. Obtains the latest available data.			
	2. Performs sentiment analysis and self-retrains.			
	MF4. The system generates price and upper and lower estimations.			
	MF5. Display output to the user along with any insights.			
Alternative	AF1. The user requests the price for a date ahead of tomorrow.			
flows	AF2. The system recognizes the inability to utilize other features.			
	AF3. The system generates price and upper and lower estimations.			
	AF4. Display output to the user along with any insights.			
Exceptional	EF1. The system could not generate a prediction – display a user-friendly			
flows	error message.			
Post-conditions	The user is displayed with a forecast and necessary insights.			

Table 8: Use case description UC:05; UC:06 (Self-Composed)

Use case	Manage exogenous features
Id	UC:05; UC:06
Description	Manage and process new data without the need for manual interaction.
Actor	Script
Supporting	None
actor (if any)	
Stakeholders (if	None
any)	
Pre-conditions	The latest available data must be scraped and available.

Main flow	MF1. A Cron job triggered fetches the latest historical prices, tweets,			
	Twitter volume, trends, and block reward size data.			
	MF2. Twitter volume, Google trends, and block reward size are scaled and			
	cleaned.			
	MF3. Tweets undergo sentiment analysis to determine current speculation.			
	MF4. The sentiment is further weighted based on the Tweeter's importance			
	(ex: Elon Musk)			
	MF5. Features are combined with historical closing prices to create an			
	enriched dataset and retrain the model.			
Alternative	None			
flows				
Exceptional	EF1. The script could not fetch recent data – retry a few days later or alert			
flows	Admin for manual overhaul.			
Post-conditions	A new enriched dataset with the features is generated.			

10. REQUIREMENTS

10.1 Functional requirements

The functional requirements were determined based on priority using the 'MoSCoW' technique, which is detailed below.

Table 9: 'MoSCoW' technique of requirement prioritization (Self-Composed)

Priority level	Description
M (Must have)	The author must implement requirements with this priority for the project
	to succeed.
S (Should have)	Requirements that would much value but are not necessary.
C (could have)	Features that are optional and have no significant impact. It is desirable to
	implement them if time permits.
W (Will not have)	Requirements that will not be a part of the implementation at this point.

Table 10: Functional requirements

ID	Description	Priority	Use
			Case
Resear	ch level		
FR1	A robust and scalable implementation of the novel algorithm must	M	-
	be implemented that follows recommended standards.		
FR2	The developed algorithm must be able to be used as existing layers	M	-
	and algorithms (ex: LSTM, CNN).		
System	level		1
FR3	Users must be able to choose a future date.	M	UC:01
FR4	Users must be able to view the point prediction price.	M	UC:03
FR5	The system must generate the point prediction price based on the	M	UC:02
	user's choice of data.		
FR6	The script must obtain the latest data available periodically.	M	UC:04
FR7	The script must extract trends and sentiments from obtained data.	M	UC:05
FR8	The script should weigh sentiment based on any influential	S	UC:06
	personnel's tweet.		
FR9	Users should be able to view a range of prices along with the	S	UC:03
	single-point price.		
FR10	The system should generate higher and lower bound uncertainty	S	UC:02
	estimations.		
FR11	The GUI should plot the forecast with the current prices in a single	S	UC:03
	graph to show the growth/decline.		
FR12	The system could display some insights to the user, such as a	С	UC:03
	highly influential tweet that made it predict the price.		
FR13	Admins could authenticate and update the model with different	С	N/A
	parameters.		
FR14	Admins could get additional information about a prediction, such	С	N/A
	as the evaluation metric and accuracy.		
FR15	The system will not produce forecasts for other cryptocurrencies.	W	N/A

FR16	The system will not produce real-time forecasts (ex: hourly).	W	N/A	
------	---	---	-----	--

10.2 Non-functional requirements

The author prioritized the non-functional requirements based on the following two levels:

- Important best to have them.
- Desirable better to have them.

Table 11: Non-functional requirements

ID	Requirement	Description	Priority
NFR1	Performance	The system must take little time to generate a forecast,	Important
		given that a couple of extra features are in use.	
NFR2	Performance	The system must not unnecessarily keep updating its data.	Important
NFR3	Usability	The user interface must be simple and effective and	Important
		provide user-friendly errors if any occur.	
NFR4	Maintainability	The author must document the codebase well in case of	Important
		future reference, mainly the algorithm development	
		repository.	
NFR5	Quality	The output must be of good quality so that it provides	Desirable
		vital insights.	
NFR6	Scalability	The system must be deployed to a cloud with no scaling	Desirable
		issues and good resources for efficient and optimal	
		performance, especially as there could be multiple	
		concurrent active user requests.	
NFR7	Security	The system must be resilient to attackers, specifically to	Desirable
		prevent data manipulation.	
NFR8	Compatibility	The developer must test the system on most browsers and	Desirable
		mobile phones to ensure compatibility.	
NFR9	Availability	In critical failures, the primary operator must be available	Desirable
		and solve issues as soon as possible.	

11. CHAPTER SUMMARY

In this chapter, the author defined necessary stakeholders interacting with the system and described how the interaction would occur, visualizing this using a rich picture diagram and Saunder's Onion model. Additionally, requirement elicitation techniques, their reasoning, and their respective findings were discussed and presented. Finally, they specified the use cases, associated descriptions, and system requirements.

REFERENCES

Duvenaud, D (2021). Directions in ML: Latent Stochastic Differential Equations: An Unexplored Model Class. *YouTube*. Available from https://www.youtube.com/watch?v=6iEjF08xgBg. [Accessed on 30 Sep. 2022].

Hasani, R. et al. (2021). Liquid Neural Networks. *YouTube*. Available from https://www.youtube.com/watch?v=IlliqYiRhMU&t=350s. [Accessed on 30 Sep. 2022].

Valencia, F., Gómez-Espinosa, A. and Valdés-Aguirre, B. (2019). Price Movement Prediction of Cryptocurrencies Using Sentiment Analysis and Machine Learning. *Entropy*, 21 (6), 589. Available from https://doi.org/10.3390/e21060589 [Accessed 16 October 2022].

Serafini, G. et al. (2020). Sentiment-Driven Price Prediction of the Bitcoin based on Statistical and Deep Learning Approaches. 2020 International Joint Conference on Neural Networks (IJCNN). July 2020. Glasgow, United Kingdom: IEEE, 1–8. Available from https://doi.org/10.1109/IJCNN48605.2020.9206704 [Accessed 16 October 2022].

Abraham, J., Higdon, D., Nelson, J. and Ibarra, J. (2018). Cryptocurrency Price Prediction Using Tweet Volumes and Sentiment Analysis. *SMU Data Science Review:* Vol. 1: No. 3, Article 1. Available at: https://scholar.smu.edu/datasciencereview/vol1/iss3/1

Fleischer, J.P. et al. (2022). Time Series Analysis of Cryptocurrency Prices Using Long Short-Term Memory. *Algorithms*, 15 (7), 230. Available from https://doi.org/10.3390/a15070230 [Accessed 26 September 2022].

Hasani, R. et al. (2020). Liquid Time-constant Networks. Available from https://doi.org/10.48550/arXiv.2006.04439 [Accessed 25 September 2022].

APPENDIX I – Requirement Elicitation Methodologies

Table 12: Stakeholder groups (Self-Composed)

Group	Stakeholders	Reason	Instrument
G1	Domain experts	Gather any insights and knowledge	Interview
	(neural ODE/SDE	specifically in the research domain to answer	
	and	research questions and anything the author	
	blockchain/crypto)	may have missed.	
G2	End users (trader &	Gather requirements for supplementary	Survey
	buyer)	application implementation.	
G3	Competitors	Analyze any existing systems and literature	LR/Observations
		in the research and problem domain.	
G4	Developers	Ensure completion and feasibility of the	Prototyping
		project.	

APPENDIX II – Survey Thematic Analysis

Table 13: Survey thematic analysis codes, themes & conclusions (Self-Composed)

Code	Theme
Exogenous factors	Robustness
Explainability, Insights	Reliability
Simplicity, Convenience	User-friendly
Tuning	Editability
On-demand	Future consideration

Theme	Conclusion	Evidence
Robustness	Participants believed that prediction	"Use previous trends in the past."
	needed more than just including	"Consider all possible external
	historical prices and that social media	factors."
	Trends and other factors (ex:	
	sentiment) are required to make the	
	system as robust and performant as	
	possible.	
Reliability	Almost all respondents requested that	"Insights about the forecast will be
	the system provide an Explainability	beneficial."
	component so that the insights obtained	"Provide as much Explainability to
	can be reliable as the inference	make the prediction as credible as
	becomes as transparent as possible.	possible."
		"The rate of success of the prediction
		would be useful."
User-friendly	A couple of participants requested that	"Show some news about the current
	the system provide some	cryptocurrency world in the platform,
	cryptocurrency news to make it	so it's convenient for the users."
	convenient and make the inference	"Make the steps from choosing a date
	procedure as straightforward as	to forecasting as simple as possible."
	possible so there is no hindrance.	

Editability	An ML-knowledgeable participant	"Coming from machine learning
	mentioned that it would be an ideal	point of view, I think it'll be a good
	scenario if the system could tune the	idea if there's a functionality to
	hyperparameters of the model in use,	change the hyperparameters used."
	which could be an excellent	
	enhancement to the system as the	
	model anyways retrains periodically.	
Future	A couple of participants mentioned	"Predict the market for any given
considerations	some additional features that the author	time duration."
	believes they will not be able to cover,	"Ability to identify a pump and dump
	given the time allotted.	scenario compared to an actual
		increase in the price of stock/crypto."

APPENDIX III – Interview Thematic Analysis

Table 14: Interview participant details (Self-Composed)

Participant	Affiliation	Expertise related to the research
ID		
P1	Google Brain visiting researcher and Associate Professor at University of Toronto.	Neural ODEs and SDEs.
P2	Research scientist at Deepmind.	Neural ODEs and SDEs.
Р3	Research scientist at Meta AI.	Probabilistic DL and differential equations.
P4	PhD candidate at University of Nottingham.	XAI
P5	Chief Product Officer at Niftron.	Blockchain and cryptocurrencies.

APPENDIX IV – Use Case Descriptions

Table 15: Use case description UC:07 (Self-Composed)

Use case	Update model hyperparameters
Id	UC:07
Description	Manually change the hyperparameters used by the model.
Actor	Admin
Supporting	None
actor (if any)	
Stakeholders (if	None
any)	
Pre-conditions	All the data must be scraped and preprocessed (as the model would ideally
	need to be retrained upon hyperparameter tuning).
Main flow	MF1. Admin authorizes themselves.
	MF2. Admin can change the hyperparameters in use to a set of predefined
	values.
	MF3. The system ensures data available is up-to-date (must be in this case,
	as the script will run periodically automatically). If not:
	1. Obtains the latest available data.
	2. Performs sentiment analysis and self-retrains.
	MF4. The system retrains itself with the data and new hyperparameters.
Alternative	None
flows	
Exceptional	None
flows	
Post-conditions	The model is updated with the chosen hyperparameters.