



Sclera-Ki-
Cybersolutions

SUNPOR

Predictive AI

Phase 1 - Abschlussbericht

Phase 1 - Infrastruktur- und Datenerfassungs-Setup

Status: Abgeschlossen

Erstellt von:
Sclera KI Cyber Solutions
SUNPOR Predictive AI Projektteam

```
▼ 100.75.166.124
► S7HMI030 (1 topic, 1 message)
▼ EX10
► Heizzone (27 topics, 27 messages)
► Masse (5 topics, 5 messages)
► Granu (26 topics, 26 messages)
► Dosierung (34 topics, 34 messages)
► Downstream (3 topics, 3 messages)
► Offspec (5 topics, 5 messages)
► Antrieb (4 topics, 4 messages)
► SSYS (56 topics, 1202 messages)
```

Grundlage für Live-Datenerfassung geschaffen

E10-Produktionssignale fließen jetzt über MQTT und werden in der Datenbank gespeichert.

```
sunpor_db=# SELECT st.timestamp, st.value_raw, st.quality, pl.name AS production_line_name, ma.name AS machine_area_name, sc.winc-tag, sc.display_name, sc.unit, sc.datatype, sc.factor, sc.signal_group, sc.signal_role FROM signal_timeser
ize st INHER JOIN signal_catalog sc ON st.signal_id = sc.id LEFT JOIN production_lines pl ON sc.production_line_id = pl.id LEFT JOIN machine_areas ma ON sc.machine_area_id = ma.id ORDER BY st.timestamp DESC limit 10;
timestamp | value_raw | quality | production_line_name | machine_area_name | winc_tag | display_name | unit | datatype | factor | signal_group | signal_role
-----
2026-06-22 09:23:55.928957 | 1 | good | Extrusion E10 | Off-spec | S7HMI030.MHCC.D510V10_1 | Material Production Status (1 - Producing) | WORD | 1 | status | status
2026-06-22 09:23:55.928957 | 15 | good | Extrusion E10 | Antistatic | S7HMI030.MHCC.D510I120.Flow_soll | Antistatic Quantity Setpoint | l/h | REAL | 1 | pentane_nitrogen | setpoint
2026-06-22 09:23:55.928957 | 15.03827 | good | Extrusion E10 | Antistatic | S7HMI030.MHCC.D510I120.Flow | Antistatic Quantity Actual Value | l/h | REAL | 1 | pentane_nitrogen | actual
2026-06-22 09:23:55.928957 | 108 | good | Extrusion E10 | Off-spec | S7HMI030.MHCC.M003.Fein_sum_akt | Off-spec Quantity Sieve Fine | kg | REAL | 1 | offspec | quantity
2026-06-22 09:23:55.928957 | 208 | good | Extrusion E10 | Off-spec | S7HMI030.MHCC.M003.Grob_sum_akt | Off-spec Quantity Sieve Coarse | kg | REAL | 1 | offspec | quantity
2026-06-22 09:23:55.928957 | 40 | good | Extrusion E10 | Pentane / Nitrogen | S7HMI030.MHCC.E10P101.ActValue | Pentane Pump Frequency Actual Value | Hz | REAL | 1 | pentane_nitrogen | actual
2026-06-22 09:23:55.928957 | 0.448 | good | Extrusion E10 | Pentane / Nitrogen | S7HMI030.MHCC.E10I1122.Flow Ist | Nitrogen Quantity Actual Value | kg/h | REAL | 1 | pentane_nitrogen | actual
2026-06-22 09:23:55.928957 | 22.43423 | good | Extrusion E10 | Pentane / Nitrogen | S7HMI030.MHCC.E10I1122_masse | Pentane Quantity Actual Value | kg/h | REAL | 1 | pentane_nitrogen | actual
2026-06-22 09:23:55.928957 | 0 | good | Extrusion E10 | Off-spec | S7HMI030.MHCC.E10I1151_masse | Off-spec Quantity Silo | kg | REAL | 1 | offspec | quantity
2026-06-22 09:23:55.928957 | 0 | good | Extrusion E10 | Off-spec | S7HMI030.MHCC.E10I1152_masse | Off-spec Quantity Octabin | kg | REAL | 1 | offspec | quantity
(18 rows)
```

Zielsetzung

Das Ziel von Phase 1 war es, die technische Grundlage für eine zuverlässige Datenerfassung aus der SUNPOR-Produktionsumgebung aufzubauen und die Infrastruktur für die nachfolgenden Entwicklungsphasen vorzubereiten.

Produktionsumgebung

- Live-Signale
- MQTT-Broker
- Signalkatalog
- Datenbank

PHASENSTATUS

Abgeschlossen



**Sclera-Ki-
Cybersolutions**

PROJEKT

SUNPOR Predictive AI

Infrastruktur- und Datenerfassungs-Setup
für künftige KI-Entwicklungsphasen.

Grundlage vorbereitet für Datenmodellierung,
Prozessanalyse, Bedienereingaben und
prädiktive Analytik.

1. Sichere Server-Infrastruktur

Zwei dedizierte Server wurden innerhalb der SUNPOR-Netzwerkumgebung vorbereitet und konfiguriert:

01

edge-s01

Produktionsserver

Beide Server wurden mit sicherem Remote-Zugriff, Netzwerkkonnektivität, den erforderlichen Systemkomponenten und Betriebsbereitschaft für künftige Anwendungsbereitstellung und Wartung konfiguriert.

02

edge-s02

Entwicklungsserver

Betriebsbereit für künftige Anwendungsbereitstellung und Wartungsaktivitäten



2. MQTT-Datenintegration

Die MQTT-Kommunikationsschicht wurde erfolgreich auf dem Produktionsserver (edge-s01) bereitgestellt und konfiguriert.

Die SUNPOR-Produktionslinie E10 wurde mit dem MQTT-Broker verbunden. Dadurch wird die Live-Übertragung von Prozessdaten aus der Produktionsumgebung in die Infrastruktur der KI-Plattform ermöglicht.

E10 → MQTT-Broker → KI-Plattform

```
▼ 100.75.166.124
▶ S7HMI030 (1 topic, 1 message)
▼ EX10
  ▶ Heizzone (27 topics, 27 messages)
  ▶ Masse (5 topics, 5 messages)
  ▶ Granu (26 topics, 26 messages)
  ▶ Dosierung (34 topics, 34 messages)
  ▶ Downstream (3 topics, 3 messages)
  ▶ Offspec (5 topics, 5 messages)
  ▶ Antrieb (4 topics, 4 messages)
  ▶ SSYS (56 topics, 1202 messages)
```

Die MQTT-Topic-Struktur bestätigt, dass die Produktionslinie E10 verbunden ist. Die Signale sind in Bereiche wie Heizzone, Masse, Granu, Dosierung, Downstream, Offspec und Antrieb gruppiert.

Nachweis-Screenshot: MQTT-Broker-Topic-Struktur

3. Datenerfassung und Speicherprüfung

Der vollständige Datenfluss wurde erfolgreich geprüft:

- Produktionssignale werden von der E10-Linie veröffentlicht.
- Die Daten werden korrekt vom MQTT-Broker empfangen.
- Eingehende Nachrichten werden verarbeitet und dem Signalkatalog zugeordnet.
- Prozessdaten werden erfolgreich in der Datenbank gespeichert.

Die erste Validierung bestätigt, dass Produktionsdaten nun kontinuierlich aus dem Produktionssystem in die SUNPOR-KI-Datenplattform fließen.

```
D:"S7HMI030.WinCC.SUN_POLY2_SRV::E10L_Heizzone7TemperaturSollwert","timestamp":"06/18/2026 12:54:28.131 PM","value":"145","quality":"good"}
S7HMI030.WinCC.SUN_POLY2_SRV::E10L_Heizzone3TemperaturStell","timestamp":"06/21/2026 03:10:55.576 PM","value":"-43","quality":"good"}
{"S7HMI030.WinCC.SUN_POLY2_SRV::E10L_Heizzone1TemperaturIstwert","timestamp":"06/21/2026 03:03:51.575 PM","value":"40","quality":"good"}
S7HMI030.WinCC.SUN_POLY2_SRV::E10L_Heizzone6TemperaturStell","timestamp":"06/21/2026 03:10:55.576 PM","value":"-2","quality":"good"}
S7HMI030.WinCC.SUN_POLY2_SRV::E10L_Heizzone2TemperaturIstwert","timestamp":"06/21/2026 03:10:53.567 PM","value":"0","quality":"good"}
D:"S7HMI030.WinCC.SUN_POLY2_SRV::E10L_Heizzone1TemperaturSollwert","timestamp":"06/18/2026 12:54:28.131 PM","value":"35","quality":"good"}
{"S7HMI030.WinCC.SUN_POLY2_SRV::E10L_Heizzone2TemperaturIstwert","timestamp":"06/21/2026 03:10:49.552 PM","value":"45","quality":"good"}
{"S7HMI030.WinCC.SUN_POLY2_SRV::E10L_Heizzone6TemperaturIstwert","timestamp":"06/21/2026 03:10:43.570 PM","value":"144","quality":"good"}
D:"S7HMI030.WinCC.SUN_POLY2_SRV::E10L_Heizzone6TemperaturSollwert","timestamp":"06/18/2026 12:54:28.131 PM","value":"145","quality":"good"}
S7HMI030.WinCC.SUN_POLY2_SRV::E10L_Heizzone5TemperaturStell","timestamp":"06/21/2026 02:00:15.663 PM","value":"0","quality":"good"}
S7HMI030.WinCC.SUN_POLY2_SRV::E10L_Heizzone4TemperaturStell","timestamp":"06/21/2026 03:10:39.560 PM","value":"-10","quality":"good"}
S7HMI030.WinCC.SUN_POLY2_SRV::E10L_Heizzone7TemperaturStell","timestamp":"06/21/2026 03:10:53.567 PM","value":"-1","quality":"good"}
{"S7HMI030.WinCC.SUN_POLY2_SRV::E10L_Heizzone3TemperaturIstwert","timestamp":"06/21/2026 03:10:43.570 PM","value":"60","quality":"good"}
D:"S7HMI030.WinCC.SUN_POLY2_SRV::E10L_Heizzone5TemperaturSollwert","timestamp":"06/18/2026 12:54:28.129 PM","value":"145","quality":"good"}
D:"S7HMI030.WinCC.SUN_POLY2_SRV::E10L_Heizzone4TemperaturSollwert","timestamp":"06/18/2026 12:54:28.126 PM","value":"140","quality":"good"}
{"S7HMI030.WinCC.SUN_POLY2_SRV::E10L_Heizzone7TemperaturIstwert","timestamp":"06/21/2026 03:10:29.572 PM","value":"145","quality":"good"}
{"S7HMI030.WinCC.SUN_POLY2_SRV::E10L_Heizzone5TemperaturIstwert","timestamp":"06/21/2026 03:09:31.564 PM","value":"145","quality":"good"}
D:"S7HMI030.WinCC.SUN_POLY2_SRV::E10L_Heizzone3TemperaturSollwert","timestamp":"06/18/2026 12:54:28.128 PM","value":"60","quality":"good"}
{"S7HMI030.WinCC.SUN_POLY2_SRV::E10L_Heizzone4TemperaturIstwert","timestamp":"06/21/2026 03:10:41.557 PM","value":"139","quality":"good"}
S7HMI030.WinCC.SUN_POLY2_SRV::E10L_Heizzone1TemperaturStell","timestamp":"06/18/2026 12:54:28.129 PM","value":"-100","quality":"good"}
D:"S7HMI030.WinCC.SUN_POLY2_SRV::E10L_Heizzone2TemperaturSollwert","timestamp":"06/18/2026 12:54:28.129 PM","value":"45","quality":"good"}
{"S7HMI030.WinCC.SUN_POLY2_SRV::E10L_Heizzone9TemperaturIstwert","timestamp":"06/21/2026 12:29:43.800 PM","value":"159","quality":"good"}
S7HMI030.WinCC.SUN_POLY2_SRV::E10L_Heizzone8TemperaturStell","timestamp":"06/18/2026 12:54:28.130 PM","value":"0","quality":"good"}
D:"S7HMI030.WinCC.SUN_POLY2_SRV::E10L_Heizzone8TemperaturSollwert","timestamp":"06/18/2026 12:54:28.131 PM","value":"170","quality":"good"}
{"S7HMI030.WinCC.SUN_POLY2_SRV::E10L_Heizzone8TemperaturIstwert","timestamp":"06/21/2026 07:35:54.222 AM","value":"168","quality":"good"}
S7HMI030.WinCC.SUN_POLY2_SRV::E10L_Heizzone9TemperaturStell","timestamp":"06/18/2026 12:54:28.130 PM","value":"0","quality":"good"}
D:"S7HMI030.WinCC.SUN_POLY2_SRV::E10L_Heizzone9TemperaturSollwert","timestamp":"06/18/2026 12:54:28.129 PM","value":"40","quality":"good"}

0.WinCC.SUN_POLY2_SRV::E10L_MasseTemperatur01","timestamp":"06/21/2026 07:21:25.271 AM","value":"155","quality":"good"}
CC.SUN_POLY2_SRV::E10L_MasseDruck03","timestamp":"06/21/2026 03:10:55.230 PM","value":"132","quality":"good"}
CC.SUN_POLY2_SRV::E10L_MasseDruck01","timestamp":"06/21/2026 03:10:53.222 PM","value":"50","quality":"good"}
CC.SUN_POLY2_SRV::E10L_MasseDruck02","timestamp":"06/21/2026 03:10:55.230 PM","value":"130","quality":"good"}
CC.SUN_POLY2_SRV::E10L_MasseDruck04","timestamp":"06/21/2026 03:10:55.230 PM","value":"38","quality":"good"}

ges)
s)
{"S7HMI030.WinCC.SUN_POLY2_SRV::E10GLochplatte3Temperatur","timestamp":"06/21/2026 03:10:55.230 PM","value":"2374","quality":"good"}
es)
{"S7HMI030.WinCC.SUN_POLY2_SRV::E10GLochplatte2Temperatur","timestamp":"06/21/2026 03:10:55.230 PM","value":"2372","quality":"good"}
{"S7HMI030.WinCC.SUN_POLY2_SRV::E10GLochplatte1Temperatur","timestamp":"06/21/2026 03:10:51.220 PM","value":"2341","quality":"good"}

{"S7HMI030.WinCC.SUN_POLY2_SRV::E10GLochplatte4Temperatur","timestamp":"06/21/2026 03:10:55.230 PM","value":"2372","quality":"good"}
030.WinCC.SUN_POLY2_SRV::E10GMesserposition","timestamp":"06/21/2026 03:10:15.223 PM","value":"42","quality":"good"}
HMI030.WinCC.SUN_POLY2_SRV::E10GAnpresskraftIstwert","timestamp":"06/21/2026 03:10:52.221 PM","value":"501","quality":"good"}
7HMI030.WinCC.SUN_POLY2_SRV::E10GAnpresskraftSollwert","timestamp":"06/18/2026 12:54:28.412 PM","value":"0","quality":"good"}
```


Datenbankspeicherung geprüft

Prozessdaten werden erfolgreich in der Datenbank gespeichert. Die Beispielabfrage zeigt zeitgestempelte Signalwerte mit Qualität, Produktionslinie, Maschinenbereich, WinCC-Tag, Anzeigenname, Einheit, Datentyp, Signalgruppe und Signalrolle.

```
sunpor_db=# SELECT st.timestamp, st.value_raw, st.quality, pl.name AS production_line_name, ma.name AS machine_area_name, sc.wincc_tag, sc.display_name, sc.unit, sc.datatype, sc.factor, sc.signal_group, sc.signal_role FROM signal_timeser
ies st INNER JOIN signal_catalog sc ON st.signal_id = sc.id LEFT JOIN production_lines pl ON sc.production_line_id = pl.id LEFT JOIN machine_areas ma ON sc.machine_area_id = ma.id ORDER BY st.timestamp DESC limit 10;
```

timestamp	value_raw	quality	production_line_name	machine_area_name	wincc_tag	display_name	unit	datatype	factor	signal_group	signal_role
2026-06-22 09:23:55.920957	1	good	Extrusion E10	Off-spec	S7HMI030.WinCC.DS10V102_1	Material Production Status (1 = Producing)		WORD	1	status	status
2026-06-22 09:23:55.920957	15	good	Extrusion E10	Antistatic	S7HMI030.WinCC.DS10I120_flow_soll	Antistatic Quantity Setpoint	l/h	REAL	1	pentane_nitrogen	setpoint
2026-06-22 09:23:55.920957	15.03027	good	Extrusion E10	Antistatic	S7HMI030.WinCC.DS10I120_flow	Antistatic Quantity Actual Value	l/h	REAL	1	pentane_nitrogen	actual
2026-06-22 09:23:55.920957	160	good	Extrusion E10	Off-spec	S7HMI030.WinCC.MX03_Fein_sum_akt	Off-spec Quantity Sieve Fine	kg	REAL	1	offspec	quantity
2026-06-22 09:23:55.920957	280	good	Extrusion E10	Off-spec	S7HMI030.WinCC.MX03_Grob_sum_akt	Off-spec Quantity Sieve Coarse	kg	REAL	1	offspec	quantity
2026-06-22 09:23:55.920957	46	good	Extrusion E10	Pentane / Nitrogen	S7HMI030.WinCC.EX10P101.ActValue	Pentane Pump Frequency Actual Value	Hz	REAL	1	pentane_nitrogen	actual
2026-06-22 09:23:55.920957	0.448	good	Extrusion E10	Pentane / Nitrogen	S7HMI030.WinCC.EX10X132.Flow_Ist	Nitrogen Quantity Actual Value	kg/h	REAL	1	pentane_nitrogen	actual
2026-06-22 09:23:55.920957	22.43423	good	Extrusion E10	Pentane / Nitrogen	S7HMI030.WinCC.EX10I121_masse	Pentane Quantity Actual Value	kg/h	REAL	1	pentane_nitrogen	actual
2026-06-22 09:23:55.920957	0	good	Extrusion E10	Off-spec	S7HMI030.WinCC.EX10I353_masse	Off-spec Quantity Silo	kg	REAL	1	offspec	quantity
2026-06-22 09:23:55.920957	0	good	Extrusion E10	Off-spec	S7HMI030.WinCC.EX10I352_masse	Off-spec Quantity Octabin	kg	REAL	1	offspec	quantity

(10 rows)

```
sunpor_db=#
```

Die Datenbankabfrage bestätigt, dass zugeordnete E10-Datensätze für nachgelagerte Analysen verfügbar sind.

Gespeicherte Signalbeispiele umfassen Materialproduktionsstatus, Antistatik-Menge, Pentan/Stickstoff und Off-spec-Mengen.



**Sclera-Ki-
Cybersolutions**

Operative Datenerfassungs-Pipeline



Die erforderliche Infrastruktur, Kommunikationsschicht und Datenerfassungs-Pipeline sind jetzt betriebsbereit.

Live-Produktionsdaten aus der E10-Linie werden gesammelt und gespeichert. Damit ist die Grundlage für die nächsten Projektphasen geschaffen.

Bereit für: Datenmodellierung • Prozessanalyse • Bedienereingaben • prädiktive Analytik

Ergebnis

Phase 1 wurde erfolgreich abgeschlossen.

Die erforderliche Infrastruktur, Kommunikationsschicht und Datenerfassungs-Pipeline sind jetzt betriebsbereit. Live-Produktionsdaten aus der E10-Linie werden gesammelt und gespeichert. Damit ist die Grundlage für die nächsten Projektphasen geschaffen, einschließlich Datenmodellierung, Prozessanalyse, Integration von Bedienereingaben und Entwicklung prädiktiver Analytik.



▼ 100.75.166.124

► S7HMI030 (1 topic, 1 message)

▼ EX10

► Heizzone (27 topics, 27 messages)

► Masse (5 topics, 5 messages)

► Granu (26 topics, 26 messages)

► Dosierung (34 topics, 34 messages)

► Downstream (3 topics, 3 messages)

► Offspec (5 topics, 5 messages)

► Antrieb (4 topics, 4 messages)

► SSYS (56 topics, 1202 messages)

```
Zone3TemperaturStell = {"ItemID": "S7HMI030 WinCC SUN_POLY2_SRV.E10L_Heizzone3TemperaturStell", "timestamp": "06/21/2026 03:10:55:576 PM", "value": "-43", "quality": "good"}
Zone1TemperaturIstwert = {"ItemID": "S7HMI030 WinCC SUN_POLY2_SRV.E10L_Heizzone1TemperaturIstwert", "timestamp": "06/21/2026 03:03:51:575 PM", "value": "40", "quality": "good"}
ZoneTemperaturStell = {"ItemID": "S7HMI030 WinCC SUN_POLY2_SRV.E10L_Heizzone6TemperaturStell", "timestamp": "06/21/2026 03:10:55:576 PM", "value": "-2", "quality": "good"}
Zone2TemperaturStell = {"ItemID": "S7HMI030 WinCC SUN_POLY2_SRV.E10L_Heizzone2TemperaturStell", "timestamp": "06/21/2026 03:10:53:567 PM", "value": "0", "quality": "good"}
Zone1TemperaturSollwert = {"ItemID": "S7HMI030 WinCC SUN_POLY2_SRV.E10L_Heizzone1TemperaturSollwert", "timestamp": "06/18/2026 12:54:28:131 PM", "value": "35", "quality": "good"}
Zone2TemperaturIstwert = {"ItemID": "S7HMI030 WinCC SUN_POLY2_SRV.E10L_Heizzone2TemperaturIstwert", "timestamp": "06/21/2026 03:10:49:552 PM", "value": "45", "quality": "good"}
Zone6TemperaturIstwert = {"ItemID": "S7HMI030 WinCC SUN_POLY2_SRV.E10L_Heizzone6TemperaturIstwert", "timestamp": "06/21/2026 03:10:43:570 PM", "value": "144", "quality": "good"}
Zone6TemperaturSollwert = {"ItemID": "S7HMI030 WinCC SUN_POLY2_SRV.E10L_Heizzone6TemperaturSollwert", "timestamp": "06/18/2026 12:54:28:131 PM", "value": "145", "quality": "good"}
Zone5TemperaturStell = {"ItemID": "S7HMI030 WinCC SUN_POLY2_SRV.E10L_Heizzone5TemperaturStell", "timestamp": "06/21/2026 02:00:15:663 PM", "value": "0", "quality": "good"}
Zone4TemperaturStell = {"ItemID": "S7HMI030 WinCC SUN_POLY2_SRV.E10L_Heizzone4TemperaturStell", "timestamp": "06/21/2026 03:10:39:560 PM", "value": "-10", "quality": "good"}
ZoneTemperaturIstwert = {"ItemID": "S7HMI030 WinCC SUN_POLY2_SRV.E10L_Heizzone7TemperaturIstwert", "timestamp": "06/21/2026 03:10:53:567 PM", "value": "-1", "quality": "good"}
Zone3TemperaturIstwert = {"ItemID": "S7HMI030 WinCC SUN_POLY2_SRV.E10L_Heizzone3TemperaturIstwert", "timestamp": "06/21/2026 03:10:43:570 PM", "value": "60", "quality": "good"}
Zone5TemperaturSollwert = {"ItemID": "S7HMI030 WinCC SUN_POLY2_SRV.E10L_Heizzone5TemperaturSollwert", "timestamp": "06/18/2026 12:54:28:129 PM", "value": "145", "quality": "good"}
Zone4TemperaturSollwert = {"ItemID": "S7HMI030 WinCC SUN_POLY2_SRV.E10L_Heizzone4TemperaturSollwert", "timestamp": "06/18/2026 12:54:28:126 PM", "value": "140", "quality": "good"}
Zone7TemperaturIstwert = {"ItemID": "S7HMI030 WinCC SUN_POLY2_SRV.E10L_Heizzone7TemperaturIstwert", "timestamp": "06/21/2026 03:10:29:572 PM", "value": "145", "quality": "good"}
Zone5TemperaturIstwert = {"ItemID": "S7HMI030 WinCC SUN_POLY2_SRV.E10L_Heizzone5TemperaturIstwert", "timestamp": "06/21/2026 03:09:31:564 PM", "value": "145", "quality": "good"}
Zone3TemperaturSollwert = {"ItemID": "S7HMI030 WinCC SUN_POLY2_SRV.E10L_Heizzone3TemperaturSollwert", "timestamp": "06/18/2026 12:54:28:130 PM", "value": "60", "quality": "good"}
Zone4TemperaturIstwert = {"ItemID": "S7HMI030 WinCC SUN_POLY2_SRV.E10L_Heizzone4TemperaturIstwert", "timestamp": "06/21/2026 03:10:41:557 PM", "value": "139", "quality": "good"}
Zone1TemperaturStell = {"ItemID": "S7HMI030 WinCC SUN_POLY2_SRV.E10L_Heizzone1TemperaturStell", "timestamp": "06/18/2026 12:54:28:129 PM", "value": "100", "quality": "good"}
Zone2TemperaturSollwert = {"ItemID": "S7HMI030 WinCC SUN_POLY2_SRV.E10L_Heizzone2TemperaturSollwert", "timestamp": "06/18/2026 12:54:28:129 PM", "value": "45", "quality": "good"}
Zone9TemperaturIstwert = {"ItemID": "S7HMI030 WinCC SUN_POLY2_SRV.E10L_Heizzone9TemperaturIstwert", "timestamp": "06/21/2026 12:29:43:800 PM", "value": "159", "quality": "good"}
Zone8TemperaturStell = {"ItemID": "S7HMI030 WinCC SUN_POLY2_SRV.E10L_Heizzone8TemperaturStell", "timestamp": "06/18/2026 12:54:28:130 PM", "value": "0", "quality": "good"}
Zone8TemperaturSollwert = {"ItemID": "S7HMI030 WinCC SUN_POLY2_SRV.E10L_Heizzone8TemperaturSollwert", "timestamp": "06/18/2026 12:54:28:131 PM", "value": "170", "quality": "good"}
Zone8TemperaturIstwert = {"ItemID": "S7HMI030 WinCC SUN_POLY2_SRV.E10L_Heizzone8TemperaturIstwert", "timestamp": "06/21/2026 07:35:54:222 AM", "value": "169", "quality": "good"}
Zone9TemperaturStell = {"ItemID": "S7HMI030 WinCC SUN_POLY2_SRV.E10L_Heizzone9TemperaturStell", "timestamp": "06/18/2026 12:54:28:130 PM", "value": "0", "quality": "good"}
Zone9TemperaturSollwert = {"ItemID": "S7HMI030 WinCC SUN_POLY2_SRV.E10L_Heizzone9TemperaturSollwert", "timestamp": "06/18/2026 12:54:28:129 PM", "value": "40", "quality": "good"}
▼ Masse
Temperatur01 = {"ItemID": "S7HMI030 WinCC SUN_POLY2_SRV.E10L_MasseTemperatur01", "timestamp": "06/21/2026 07:21:25:271 AM", "value": "155", "quality": "good"}
Druck03 = {"ItemID": "S7HMI030 WinCC SUN_POLY2_SRV.E10L_MasseDruck03", "timestamp": "06/21/2026 03:10:55:230 PM", "value": "132", "quality": "good"}
Druck01 = {"ItemID": "S7HMI030 WinCC SUN_POLY2_SRV.E10L_MasseDruck01", "timestamp": "06/21/2026 03:10:53:222 PM", "value": "50", "quality": "good"}
Druck02 = {"ItemID": "S7HMI030 WinCC SUN_POLY2_SRV.E10L_MasseDruck02", "timestamp": "06/21/2026 03:10:55:230 PM", "value": "130", "quality": "good"}
Druck04 = {"ItemID": "S7HMI030 WinCC SUN_POLY2_SRV.E10L_MasseDruck04", "timestamp": "06/21/2026 03:10:55:230 PM", "value": "38", "quality": "good"}
▼ Granu
► Prozesswasser (7 topics, 7 messages)
► Anfahrventil (3 topics, 3 messages)
Lochplate3Temperatur = {"ItemID": "S7HMI030 WinCC SUN_POLY2_SRV.E10GLochplatte3Temperatur", "timestamp": "06/21/2026 03:10:55:230 PM", "value": "2374", "quality": "good"}
► Siebwechsler (5 topics, 5 messages)
Lochplatte2Temperatur = {"ItemID": "S7HMI030 WinCC SUN_POLY2_SRV.E10GLochplatte2Temperatur", "timestamp": "06/21/2026 03:10:55:230 PM", "value": "2372", "quality": "good"}
Lochplatte1Temperatur = {"ItemID": "S7HMI030 WinCC SUN_POLY2_SRV.E10GLochplatte1Temperatur", "timestamp": "06/21/2026 03:10:51:220 PM", "value": "2341", "quality": "good"}
► Antrieb (4 topics, 4 messages)
Lochplatte4Temperatur = {"ItemID": "S7HMI030 WinCC SUN_POLY2_SRV.E10GLochplatte4Temperatur", "timestamp": "06/21/2026 03:10:55:230 PM", "value": "2372", "quality": "good"}
Messerposition = {"ItemID": "S7HMI030 WinCC SUN_POLY2_SRV.E10GMesserposition", "timestamp": "06/21/2026 03:10:15:223 PM", "value": "42", "quality": "good"}
AnpresskraftIstwert = {"ItemID": "S7HMI030 WinCC SUN_POLY2_SRV.E10GAnpresskraftIstwert", "timestamp": "06/21/2026 03:10:52:221 PM", "value": "501", "quality": "good"}
AnpresskraftSollwert = {"ItemID": "S7HMI030 WinCC SUN_POLY2_SRV.E10GAnpresskraftSollwert", "timestamp": "06/18/2026 12:54:28:412 PM", "value": "0", "quality": "good"}
► Dosierung (34 topics, 34 messages)
```


Nächste Schritte

Im Rahmen der nächsten Projektphase werden die folgenden Arbeiten durchgeführt:

- Einrichtung des VPN-Zugangs zur SUNPOR-Umgebung, um einen sicheren und kontrollierten Fernzugriff auf die Systeme zu ermöglichen.
- Strukturierung, Validierung und Aufbereitung der erfassten Produktionsdaten als Grundlage für spätere Analysen und KI-Modelle.
- Erweiterung der Datenpipeline sowie erste Visualisierung der Produktionsdaten innerhalb der Plattform.
- Implementierung der Bedieneroberflächen (Operator Forms) zur Erfassung von Produktionsereignissen, Qualitätsinformationen und manuellen Eingaben.
- Vorbereitung der Systemzugänge für Produktionsleitung und relevante Teammitglieder zur zukünftigen Nutzung und Bewertung der Plattform.

Diese Arbeiten bilden die Grundlage für die weiteren Entwicklungsphasen des SUNPOR Predictive AI Systems.



Erstellt von:

Sclera KI Cyber Solutions
SUNPOR Predictive AI Projektteam