AA

PUBLIC PORTFOLIO EDITION

PERMANENTLY SANITIZED

Sensitive public target identifiers, infrastructure details,
organization-specific names, account names, certificate identifiers,
and reusable exploit material have been permanently redacted.
Private RFC1918 addresses are retained where they support the methodology.
The original report and evidence remain private.

Prepared for professional portfolio publication

PENETRATION TESTING REPORT

Internal Network Security Assessment

Training Organization	PixelMind
Training Platform	Field Training / Security Practice
Reporting Scope	Initial Access via VMware Horizon Vulnerability; Target Public IP [redacted]; Target Private IP 192.168.0.203; Internal Network 192.168.0.0/24
Initial Access Vector	VMware Horizon vulnerability / Log4j exposure
Academic Year	2026
Assessment Type	Internal Network Penetration Testing / Security Assessment
Target Public IP	[redacted]
Target Private IP	192.168.0.203
Network Target	192.168.0.0/24

Prepared by

Ammar Yahya Mohammed Aikan
Supervisor: Shehab Alyde

Prepared for academic submission and weekly progress review.

Version: 1.2
Date: 05/15/2026
PUBLIC

Limitations on Disclosure and Use of this Document

This report was prepared for academic submission and cybersecurity training purposes. It contains sensitive information about an internal network assessment, discovered services, security findings, and evidence collected during a controlled penetration testing activity. Unauthorized disclosure, distribution, or reproduction of this document or any part of it is prohibited.

The assessment was conducted using the provided scan outputs, screenshots, and account review exports. Findings should be validated by the system owner before remediation decisions are finalized. The report does not guarantee that all possible vulnerabilities were identified.

The initial access scenario documented in this report was based on a VMware Horizon vulnerability. Subsequent activities focused on internal network enumeration, service discovery, vulnerability validation, internal web page documentation, and Active Directory account review.

Document Details

Field	Value
Title	Internal Network Penetration Testing Report
Project Name	VMware Horizon Initial Access and Internal Network Security Assessment
Environment	Public endpoint [redacted]; Internal host 192.168.0.203; Internal network 192.168.0.0/24
Primary Initial Access Vector	VMware Horizon vulnerability / Log4j exposure
Project Resources	Nmap, Nuclei, PowerShell AD enumeration, browser-based web portal evidence, manual review
Evidence Update	Updated with full Nuclei cleaned output, Nmap summary, and all provided screenshot evidence
Project Duration	May 2026
Target Public IP	[redacted]
Target Private IP	192.168.0.203
Network Target	192.168.0.0/24

Document History

Version	Date	Author	Comments
1.0	05/15/2026	Ammar Yahya Mohammed Aikan	Initial English report prepared from provided evidence and template structure
1.1	05/15/2026	Ammar Yahya Mohammed Aikan	Updated with full Nuclei cleaned results, full Nmap summary, and all screenshots
1.2	05/15/2026	Ammar Yahya Mohammed Aikan	Added target public/private IP and network target scope information

Contents

- Executive Summary
- Issues Remediation
- Assessment Methodology
- Criteria for Risk Ratings
- Assessment Findings
- Summary of Findings
- Critical Risk Findings
- High Risk Findings
- Medium Risk Findings
- Low Risk Findings
- Appendix A - Full Nmap Open Ports
- Appendix B - Full Nuclei Cleaned Findings
- Appendix C - Evidence Screenshots
- Conclusion

Executive Summary

The purpose of this assessment was to evaluate the security posture of the internal network after an initial access scenario through a VMware Horizon vulnerability. The assessment covered network service discovery, vulnerability scanning, web page evidence collection, and Active Directory user/account review.

The assessment scope included public IP [redacted], internal/private target host 192.168.0.203, and internal network range 192.168.0.0/24. Nmap identified 46 visible hosts, 43 hosts with open ports, and 224 open TCP services. Important assets included a Domain Controller, VMware vCenter, VMware ESXi, VMware Horizon servers, NAS/Synology storage systems, VoIP/SIP devices, Windows servers, printers, and several web-enabled devices.

Nuclei produced 1099 deduplicated cleaned findings from the full uploaded Nuclei results. The scanner output included 2 critical, 1 high, 16 medium, 44 low, and 1036 informational findings. The most important issues were a VMware Horizon Log4j RCE exposure on 192.168.0.203 and a VMware vCenter CVE-2023-34048 version exposure on 192.168.0.19.

Active Directory review identified 89 user accounts. The review highlighted 72 enabled accounts, 14 privileged/admin-related accounts, 54 enabled accounts with PasswordNeverExpires=True, and 2 enabled accounts with PasswordNotRequired=True.

The most significant business risk is that compromise of the VMware Horizon access layer could allow an attacker to pivot into the internal network and interact with sensitive management systems such as vCenter, ESXi, Active Directory, SMB services, NAS storage, and remote administration interfaces.




Figure 1 - Nuclei findings by severity based on the full cleaned results file.

Key Observations

- Critical virtualization findings require immediate validation and remediation because VMware Horizon and vCenter are high-value management and remote access components.
- The full Nuclei output shows a broad internal attack surface, including VMware, SMB, LDAP, SSH, RDP, NAS, printer/MFP, VoIP, TLS, and HTTP security-header findings.
- Several internal web management interfaces were reachable, including firewall/VPN portals, VMware portals, NAS portals, printer portals, VoIP portals, and web-enabled devices.
- RDP and WinRM were present on several Windows systems, increasing the impact of credential compromise.
- The Active Directory user review identified enabled accounts with non-expiring passwords, stale account conditions, privileged accounts, and service/system accounts that should be reviewed.

Issues Remediation

No remediation validation was performed as part of the provided evidence package. Therefore, all findings in this report should be considered open until the system owner confirms remediation and a formal re-test is completed.

Recommended Remediation Priority

Priority	Finding IDs	Action
Immediate	C1, C2	Patch/upgrade VMware Horizon and VMware vCenter; restrict management access; review logs for exploitation indicators.
High Priority	H1-H3	Disable unsafe SNMP configuration, review privileged/service accounts, and enforce strong account controls.
Medium Priority	M1-M8	Harden SMB, LDAP, SSH, RDP/WinRM, NAS, MFP, TLS, and web management surfaces.
Low Priority	L1	Address security headers, certificate hygiene, TLS configuration, and informational exposure findings after critical/high issues are contained.

Assessment Methodology

The assessment used a combination of automated tooling, manual validation, and evidence review. The approach followed the structure of a practical penetration testing engagement: discovery, initial access documentation, internal enumeration, vulnerability scanning, account review, and reporting.

Automated Network and Vulnerability Scanning

- Nmap was used to identify active hosts, open ports, operating system indicators, and service banners across the 192.168.0.0/24 internal network range.
- Nuclei was used to validate known vulnerability signatures, configuration weaknesses, exposed web technologies, SMB/LDAP/SSH detections, and printer/MFP exposures.
- The full Nuclei cleaned results file was used for the updated report, not only the earlier short summary.
- A browser-based screenshot workflow was used to document reachable internal web portals and administrative interfaces.

Manual Review

- The most important assets were classified by role, including Domain Controller, VMware infrastructure, Horizon servers, NAS, VoIP, printers, and Windows servers.
- The Active Directory account export was reviewed to identify privileged accounts, enabled accounts with non-expiring passwords, PasswordNotRequired conditions, stale logon activity, and service/system accounts.
- Public-facing target endpoint: [redacted]; internal target host: 192.168.0.203; internal network range: 192.168.0.0/24.
- The VMware Horizon initial access path was documented at a high level without including operational exploit instructions in this final report.




Figure 2 - Discovered hosts by primary role based on Nmap open-port analysis.

Criteria for Risk Ratings

Risk Rating	Description
CRITICAL	Conditions that may directly enable remote code execution, full system compromise, or compromise of high-value infrastructure components such as Horizon, vCenter, or Active Directory.
HIGH	Conditions that could materially support compromise, persistence, privilege escalation, or unauthorized access to sensitive management services.
MEDIUM	Weaknesses that increase attack surface or may support compromise when combined with other issues, such as SMB signing gaps, LDAP exposure, weak SSH cryptography, RDP/WinRM exposure, or overexposed internal services.
LOW	Informational or hardening issues that do not directly enable compromise but reduce the overall security posture.
INFO	Technology identification or contextual detections used to support analysis but not treated as standalone vulnerabilities.

Assessment Findings

Summary

ID	Finding Description	Risk	Status
C1	VMware Horizon Log4j RCE exposure / initial access vector	Critical	Open
C2	VMware vCenter CVE-2023-34048 exposure	Critical	Open
H1	SNMPv1 community string set to public	High	Open
H2	Privileged and service accounts with weak lifecycle controls	High	Open
H3	Enabled IIS/service accounts with PasswordNotRequired conditions	High	Open
M1	SMB signing not enforced on multiple hosts	Medium	Open
M2	LDAP anonymous login detected	Medium	Open
M3	SSH Terrapin vulnerability detected	Medium	Open
M4	Unauthenticated printer/MFP exposure	Medium	Open
M5	RDP and WinRM exposed on multiple Windows hosts	Medium	Open
M6	NAS/Synology management and storage services exposed	Medium	Open
M7	Broad internal web administration surface exposed	Medium	Open
M8	Legacy TLS, weak ciphers, and certificate hygiene issues	Medium	Open
L1	Informational headers and service disclosure findings	Low	Open

Critical Risk Findings

C1. VMware Horizon Log4j Remote Code Execution exposure

Risk Rating: CRITICAL **Remediation Effort:** High

Summary

A critical Nuclei finding identified VMware Horizon Log4j RCE exposure on the Horizon portal. In the controlled training scenario, initial access was documented through the VMware Horizon attack path, after which internal network enumeration was performed. Because Horizon is a remote access component, compromise of this layer can provide a direct path into sensitive internal systems.

Affected Functionality / Systems

- https://192.168.0.203:443/portal/info.jsp
- Host indicator: view-conn-repl / VMware Horizon
- Related Horizon services observed on ports 80, 443, 8009, 8443, 3389, 389, 445, and 5985
- Public endpoint: [redacted]; private/internal target: 192.168.0.203; network target range: 192.168.0.0/24.

Proof of Concept / Evidence

Item	Evidence
Scanner detection	vmware-horizon-log4j-rce [critical] on https://192.168.0.203:443/portal/info.jsp
Impact	Potential remote code execution and internal pivoting from a remote access server
Report context	Initial access was stated as VMware Horizon vulnerability in the assignment context

Recommendations

- Validate the exact VMware Horizon version and Log4j component exposure immediately.
- Apply VMware vendor patches and mitigations for affected Horizon components.
- Restrict Horizon administrative and portal access to authorized networks only.
- Review Horizon, Windows, web server, and EDR logs for evidence of exploitation.
- Rotate potentially exposed credentials and review newly created local/domain accounts.

C2. VMware vCenter CVE-2023-34048 exposure

Risk Rating: CRITICAL **Remediation Effort:** High

Summary

The VMware vCenter server was identified as version 7.0.3 through the /sdk/ endpoint and was flagged by Nuclei for CVE-2023-34048 version exposure. vCenter is a high-value virtualization management component; compromise could affect the PUBLIC ity, integrity, and availability of virtual machines and infrastructure management operations.

Affected Functionality / Systems

- vcenter.[redacted] / 192.168.0.19
- https://192.168.0.19:443/sdk/
- VMware vCenter Server SOAP API 7.0.3

Proof of Concept / Evidence

Item	Evidence
Scanner detection	CVE-2023-34048:version [critical] on https://192.168.0.19:443/sdk/ with details 7.0.3
Nmap service identification	VMware vCenter Server SOAP API 7.0.3 on 443/tcp

Recommendations

- Patch or upgrade vCenter according to VMware security guidance.
- Restrict vCenter management access to a dedicated administrative VLAN or jump host.
- Review vCenter roles, SSO users, and audit logs for abnormal authentication or API activity.
- Disable unnecessary externally reachable vCenter endpoints and enforce MFA for administrators.

High Risk Findings

H1. SNMPv1 public community string

Risk Rating: HIGH **Remediation Effort:** Low

Summary

Nuclei identified an SNMPv1 community string configured as public. Default or weak SNMP community strings may disclose device information and can support further internal reconnaissance.

Affected Functionality / Systems

- 192.168.0.96:161
- Community string: public
- Device indicator: BRN94DDF83E3DE3

Proof of Concept / Evidence

Item	Evidence
Scanner detection	snmpv1-community-detect-string [high] on 192.168.0.96:161
Details	community_string="public"

Recommendations

- Disable SNMPv1/v2c where possible and migrate to SNMPv3.
- Change default community strings and enforce unique secrets.
- Restrict SNMP access to approved monitoring servers only.
- Review printer/MFP and network-device SNMP settings across the internal network.

H2. Privileged and service accounts with weak lifecycle controls

Risk Rating: HIGH **Remediation Effort:** Medium

Summary

The Active Directory review identified privileged/admin-related accounts and service accounts with risk flags such as non-expiring passwords, stale logon dates, and enabled status. Privileged accounts are high-impact targets after initial access because they can support privilege escalation and lateral movement.

Affected Functionality / Systems

- 89 total AD accounts reviewed
- 14 privileged/admin-related accounts identified
- 8 privileged/admin-related accounts are enabled
- 54 enabled accounts have PasswordNeverExpires=True

Proof of Concept / Evidence

Item	Evidence
Representative privileged accounts	Acronis Agent User, admin, Administrator, Administrator Tmpl, SBS Backup User, duosync, exactadm, floadm, krbtgt, migadmin
User export evidence	Users_All_Cleaned_Results.txt and Users_Clean_Accounts.csv

Recommendations

- Review all privileged accounts and remove unnecessary memberships.
- Disable or document unused administrative accounts.
- Enforce password rotation or managed service account patterns for service accounts.
- Require MFA for privileged access where supported.
- Monitor privileged account logons and alert on abnormal activity.

Name	SamAccountName	Enabled	LastLogonDate	PasswordNeverExpires	RiskLevel
Acronis Agent User	Acronis Agent User	TRUE		TRUE	High
admin	admin	TRUE	10.01.2026 19:23:45	TRUE	High
Administrator	Administrator	TRUE	13.05.2026 12:05:36	TRUE	High
Administrator Template	Administrator Tmpl	FALSE		FALSE	Medium
Backup User	SBS Backup User	FALSE		FALSE	Medium
Duo Sync	duosync	TRUE	13.05.2026 01:16:38	TRUE	High
EXACTadm	exactadm	TRUE	31.08.2015 16:01:27	TRUE	High
Flo Schottenheim	floadm	TRUE	29.01.2023 19:12:42	TRUE	High
krbtgt	krbtgt	FALSE		FALSE	Medium
Mig Admin	migadmin	TRUE	19.12.2015 14:36:07	FALSE	High
Netzwerkadministrator	Netzwerkadmin	FALSE		FALSE	Medium
Power User Template	Power User Tmpl	FALSE		FALSE	Medium

SBSMonAcct	SBSMonAcct	FALSE	13.03.2017 16:30:01	FALSE	Medium
SharePoint-Farmkonto	spfarm	TRUE	15.02.2020 10:47:46	FALSE	High

H3. Enabled service accounts with PasswordNotRequired conditions

Risk Rating: HIGH **Remediation Effort:** Low

Summary

The Active Directory export identified enabled accounts with PasswordNotRequired=True and PasswordNeverExpires=True. Even when these accounts are legacy IIS/service accounts, enabled password-not-required conditions should be reviewed because they weaken credential assurance and may be abused if the account can authenticate.

Affected Functionality / Systems

- [redacted] - enabled, PasswordNotRequired=True, PasswordNeverExpires=True
- [redacted] - enabled, PasswordNotRequired=True, PasswordNeverExpires=True

Proof of Concept / Evidence

Item	Evidence
Account evidence	[redacted] and [redacted] were listed as enabled service/system accounts with password-not-required flags
Risk context	Legacy IIS service accounts can become useful for persistence or misuse if not constrained

Recommendations

- Disable accounts that are no longer required.
- Remove PasswordNotRequired where technically feasible.
- Restrict interactive logon for service accounts.
- Document service account ownership, purpose, and password rotation requirements.

Medium Risk Findings

M1. SMB signing not enforced on multiple hosts

Risk Rating: MEDIUM **Remediation Effort:** Medium

Summary

Nuclei identified multiple SMB signing findings. Lack of SMB signing can expose Windows environments to relay-style attacks when combined with other weaknesses or captured authentication attempts.

Affected Functionality / Systems

- 192.168.0.10:445
- 192.168.0.20:445
- 192.168.0.201:445
- 192.168.0.203:445
- 192.168.0.34:445
- 192.168.0.61:445

Proof of Concept / Evidence

Item	Evidence
Scanner detection	smb-signing [medium] on multiple Windows and Horizon hosts
Impact	May increase the risk of credential relay and lateral movement

Recommendations

- Require SMB signing on domain controllers, servers, and clients.
- Disable SMBv1 where present and enforce modern SMB security baselines.
- Review NTLM exposure and consider reducing NTLM usage where possible.
- Restrict SMB access between workstation and server segments.

M2. LDAP anonymous login detected

Risk Rating: MEDIUM **Remediation Effort:** Medium

Summary

Nuclei identified LDAP anonymous login detections on internal hosts. Anonymous LDAP access may disclose directory metadata and support reconnaissance against domain or virtualization identity services.

Affected Functionality / Systems

- 192.168.0.19:389
- 192.168.0.201:389

Proof of Concept / Evidence

Item	Evidence
Scanner detection	ldap-anonymous-login-detect [medium] on 192.168.0.19:389 and 192.168.0.201:389
Impact	Directory metadata exposure and improved attacker situational awareness

Recommendations

- Disable anonymous LDAP binds where not required.
- Restrict LDAP access to authorized systems and administrative networks.
- Use LDAPS where possible and monitor directory query patterns.
- Validate whether the detections correspond to intended application behavior or misconfiguration.

M3. SSH Terrapin vulnerability detected

Risk Rating: MEDIUM **Remediation Effort:** Medium

Summary

Nuclei detected CVE-2023-48795 Terrapin exposure on SSH services. This weakness relates to SSH transport-layer negotiation and should be remediated by updating SSH components and removing affected algorithms.

Affected Functionality / Systems

- 192.168.0.19:22
- 192.168.0.40:22

Proof of Concept / Evidence

Item	Evidence
Scanner detection	CVE-2023-48795 [medium] on SSH services
Affected services	OpenSSH on VMware/vCenter-adjacent and Linux/web-enabled hosts

Recommendations

- Update OpenSSH server and client packages.
- Disable vulnerable SSH algorithms according to vendor guidance.
- Restrict SSH access to administrative subnets.
- Monitor SSH authentication events and failed login activity.

M4. Unauthenticated printer/MFP exposure

Risk Rating: MEDIUM **Remediation Effort:** Low

Summary

Nuclei identified unauthenticated printer/MFP scanner capability endpoints. Nmap also identified multiple printers exposing FTP, Telnet, SMTP, IPP, JetDirect, and web administration services. Printer and MFP devices are often overlooked but may expose sensitive information or provide a foothold for further reconnaissance.

Affected Functionality / Systems

- 192.168.0.83
- 192.168.0.84

- 192.168.0.96
- Multiple Brother/HP printer systems with web, IPP, FTP, Telnet, and JetDirect ports

Proof of Concept / Evidence

Item	Evidence
Scanner detection	mfp-unauth-exposure [medium] on eSCL ScannerCapabilities endpoints
Nmap evidence	Printer services identified on ports 21, 23, 80, 515, 631, and 9100

Recommendations

- Restrict printer/MFP management services to admin networks.
- Disable Telnet and FTP where possible.
- Require authentication for scanner and administrative interfaces.
- Place printers in a dedicated VLAN and limit access by firewall policy.
- Keep printer firmware updated.

M5. RDP and WinRM exposed on multiple Windows hosts

Risk Rating: MEDIUM **Remediation Effort:** Medium

Summary

The Nmap results identified RDP and WinRM on multiple Windows hosts, including domain and infrastructure systems. Remote administration protocols are expected in many environments, but broad exposure increases the impact of credential compromise.

Affected Functionality / Systems

- RDP 3389 observed on multiple systems including 192.168.0.10, 192.168.0.12, 192.168.0.20, 192.168.0.34, 192.168.0.201, and 192.168.0.203
- WinRM 5985 observed on multiple Windows systems

Proof of Concept / Evidence

Item	Evidence
Nmap evidence	3389/tcp and 5985/tcp present across key Windows assets
Risk context	Credential compromise could allow interactive or remote management access

Recommendations

- Restrict RDP and WinRM to management VLANs and jump hosts.
- Require MFA or privileged access workstation workflows for administrative access.
- Disable RDP/WinRM where not required.
- Monitor RDP logons, failed logons, and lateral movement indicators.

M6. NAS/Synology management and storage services exposed

Risk Rating: MEDIUM **Remediation Effort:** Medium

Summary

Nmap identified Synology NAS systems exposing web management, SMB, AFP, and iSCSI services. Storage systems often contain sensitive data and backups; broad internal exposure can increase the impact of compromised credentials or vulnerable services.

Affected Functionality / Systems

- 192.168.0.64 - nginx web interface, SMB, AFP, iSCSI, 5000/5001
- 192.168.0.99 - nginx web interface, SMB, iSCSI, 5000/5001, 5357

Proof of Concept / Evidence

Item	Evidence
Nmap evidence	Synology DSM services and storage ports identified on 192.168.0.64 and 192.168.0.99
Web evidence	NAS login portals captured as evidence screenshots

Recommendations

- Restrict NAS management interfaces to a dedicated management subnet.

- Review SMB/iSCSI access control lists and disable unused protocols.
- Enable MFA for NAS administrators.
- Keep DSM and packages patched.
- Monitor backup/storage access logs.

M7. Broad internal web administration surface exposed

Risk Rating: MEDIUM **Remediation Effort:** Medium

Summary

The screenshot and URL inventory documented many internal web interfaces, including firewall/VPN portals, VMware management portals, NAS portals, VoIP systems, printers, and web-enabled devices. A broad management surface increases the probability that one outdated or misconfigured service can support lateral movement after initial access.

Affected Functionality / Systems

- 61 web URLs were included in the URL evidence list
- Examples include VMware, NAS, Sophos/firewall, 3CX/VoIP, and printer/MFP interfaces

Proof of Concept / Evidence

Item	Evidence
URL inventory	urls(1).txt listed web-accessible internal services
Screenshot evidence	Internal_Network_Web_Pages_Evidence_Renamed captured unique web pages without duplicates

Recommendations

- Segment administrative web portals away from general internal networks.
- Require authentication and MFA where available.
- Remove or disable unused web services.
- Apply strict patch management to management portals.
- Maintain an inventory of internal web assets and owners.

M8. Legacy TLS, weak ciphers, and certificate hygiene issues

Risk Rating: MEDIUM **Remediation Effort:** Medium

Summary

The full Nuclei results include weak cipher, deprecated TLS, self-signed certificate, untrusted root certificate, and TLS version detections across multiple services including RDP, printers, VMware/ESXi-related services, and internal web portals. These issues should be addressed as part of infrastructure hardening.

Affected Functionality / Systems

- Weak TLS/cipher detections on RDP and HTTPS services
- Self-signed or untrusted certificates on multiple internal services
- Deprecated TLS 1.0/1.1 findings observed on several endpoints

Proof of Concept / Evidence

Item	Evidence
Scanner evidence	weak-cipher-suites, deprecated-tls, self-signed-ssl, and untrusted-root-certificate entries in Nuclei_All_Cleaned_Results.txt
Risk context	Weak transport security can expose credentials or weaken trust in administrative channels

Recommendations

- Disable TLS 1.0 and TLS 1.1 where supported.
- Prefer modern cipher suites with forward secrecy.
- Replace self-signed certificates on administrative services with trusted internal CA certificates.
- Document exceptions for legacy devices and isolate them on restricted VLANs.

Low Risk Findings

L1. Informational security headers and service disclosure findings

Risk Rating: LOW **Remediation Effort:** Low

Summary

The full Nuclei scan contained a large number of informational findings. These findings provide useful context for hardening and asset inventory but do not independently prove compromise. Examples include HTTP security-header observations, technology detection, TLS version enumeration, robots.txt endpoints, and general service metadata.

Affected Functionality / Systems

- 44 low-severity Nuclei findings
- 1036 informational Nuclei detections

Proof of Concept / Evidence

Item	Evidence
Scanner evidence	Nuclei_All_Cleaned_Results.txt contains the detailed low and informational findings
Risk context	Useful for hardening and inventory, lower priority than critical/high remediation

Recommendations

- Review low and informational findings after critical/high issues are remediated.
- Standardize security headers on internal web applications where applicable.
- Fix certificate hygiene and legacy TLS configurations.
- Reduce unnecessary banner and technology disclosure.

Appendix A - Full Nmap Open Ports

This appendix lists the cleaned Nmap open-port results used in the report. The complete Nmap summary text is also included in the final package.

IP	Hostname	Role	Port	Service	Version
192.168.0.1		Firewall / Router / Proxy	22	ssh	Linksys WRT45G modified dropbear sshd (protocol 2.0)
192.168.0.1		Firewall / Router / Proxy	25	smtp	
192.168.0.1		Firewall / Router / Proxy	53	domain?	
192.168.0.1		Firewall / Router / Proxy	3128	squid-http?	
192.168.0.1		Firewall / Router / Proxy	4443	ssl/pharos?	
192.168.0.1		Firewall / Router / Proxy	4444	ssl/krb524?	
192.168.0.1		Firewall / Router / Proxy	4445	ssl/upnotifyp?	
192.168.0.1		Firewall / Router / Proxy	8090	ssl/opsmessaging?	
192.168.0.8		Web-enabled Device	80	http	WebServer/2.1.8
192.168.0.10		Windows Server	135	msrpc	Microsoft Windows RPC
192.168.0.10		Windows Server	139	netbios-ssn	Microsoft Windows netbios-ssn
192.168.0.10		Windows Server	445	microsoft-ds?	
192.168.0.10		Windows Server	2179	vmrdp?	
192.168.0.10		Windows Server	3389	ms-wbt-server	Microsoft Terminal Services
192.168.0.10		Windows Server	5357	http	Microsoft HTTPAPI httpd 2.0 (SSDP/UPnP)
192.168.0.10		Windows Server	5985	http	Microsoft HTTPAPI httpd 2.0 (SSDP/UPnP)
192.168.0.12	[redacted]	Domain Controller / Active Directory	53	domain	Simple DNS Plus
192.168.0.12	[redacted]	Domain Controller / Active Directory	88	kerberos-sec	Microsoft Windows Kerberos (server time: 2026-05-14 05:08:16Z)
192.168.0.12	[redacted]	Domain Controller / Active Directory	135	msrpc	Microsoft Windows RPC
192.168.0.12	[redacted]	Domain Controller / Active Directory	139	netbios-ssn	Microsoft Windows netbios-ssn
192.168.0.12	[redacted]	Domain Controller / Active Directory	389	ldap	
192.168.0.12	[redacted]	Domain Controller / Active Directory	445	microsoft-ds?	
192.168.0.12	[redacted]	Domain Controller / Active Directory	464	kpasswd5?	
192.168.0.12	[redacted]	Domain Controller / Active Directory	593	ncacn_http	Microsoft Windows RPC over HTTP 1.0
192.168.0.12	[redacted]	Domain Controller / Active Directory	636	tcpwrapped	
192.168.0.12	[redacted]	Domain Controller / Active Directory	3268	ldap	
192.168.0.12	[redacted]	Domain Controller / Active Directory	3269	tcpwrapped	
192.168.0.12	[redacted]	Domain Controller / Active Directory	3389	ms-wbt-server	Microsoft Terminal Services
192.168.0.12	[redacted]	Domain Controller / Active Directory	5985	http	Microsoft HTTPAPI httpd 2.0 (SSDP/UPnP)
192.168.0.14		HP Printer	80	soap	gSOAP 2.7
192.168.0.14		HP Printer	443	tcpwrapped	
192.168.0.14		HP Printer	515	printer	
192.168.0.14		HP Printer	631	soap	gSOAP 2.7
192.168.0.14		HP Printer	8080	soap	gSOAP 2.7
192.168.0.14		HP Printer	9100	jetdirect?	
192.168.0.19	vcenter.[redacted]	VMware vCenter	22	ssh	OpenSSH 7.8 (protocol 2.0)
192.168.0.19	vcenter.[redacted]	VMware vCenter	80	http	envoy
192.168.0.19	vcenter.[redacted]	VMware vCenter	389	ldap	
192.168.0.19	vcenter.[redacted]	VMware vCenter	443	ssl/https	VMware vCenter Server SOAP API 7.0.3
192.168.0.19	vcenter.[redacted]	VMware vCenter	514	shell?	

192.168.0.19	vcenter.[redacted]	VMware vCenter	636	ssl/ldap	
192.168.0.19	vcenter.[redacted]	VMware vCenter	2020	xinupageserver?	
192.168.0.19	vcenter.[redacted]	VMware vCenter	8084	ssl/websnp?	
192.168.0.20	backupsrv.[redacted]	Windows Server	111	rpcbind	
192.168.0.20	backupsrv.[redacted]	Windows Server	135	msrpc	Microsoft Windows RPC
192.168.0.20	backupsrv.[redacted]	Windows Server	139	netbios-ssn	Microsoft Windows netbios-ssn
192.168.0.20	backupsrv.[redacted]	Windows Server	445	microsoft-ds?	
192.168.0.20	backupsrv.[redacted]	Windows Server	1063	rpcbind	
192.168.0.20	backupsrv.[redacted]	Windows Server	2049	rpcbind	
192.168.0.20	backupsrv.[redacted]	Windows Server	3389	ms-wbt-server	Microsoft Terminal Services
192.168.0.20	backupsrv.[redacted]	Windows Server	5357	http	Microsoft HTTPAPI httpd 2.0 (SSDP/UPnP)
192.168.0.20	backupsrv.[redacted]	Windows Server	5985	http	Microsoft HTTPAPI httpd 2.0 (SSDP/UPnP)
192.168.0.20	backupsrv.[redacted]	Windows Server	10001	msexchange-logcopier	Microsoft Exchange 2010 log copier
192.168.0.20	backupsrv.[redacted]	Windows Server	10002	msexchange-logcopier	Microsoft Exchange 2010 log copier
192.168.0.20	backupsrv.[redacted]	Windows Server	10003	msexchange-logcopier	Microsoft Exchange 2010 log copier
192.168.0.21		VMware ESXi Host	22	ssh	OpenSSH 8.6 (protocol 2.0)
192.168.0.21		VMware ESXi Host	80	http	VMware ESXi Server httpd
192.168.0.21		VMware ESXi Host	443	ssl/http	VMware Server http config
192.168.0.21		VMware ESXi Host	902	ssl/vmware-auth	VMware Authentication Daemon 1.10 (Uses VNC, SOAP)
192.168.0.21		VMware ESXi Host	5989	ssl/wbem	SBLIM Small Footprint CIM Broker

IP	Hostname	Role	Port	Service	Version
192.168.0.21		VMware ESXi Host	8000	http-alt?	
192.168.0.21		VMware ESXi Host	8300	tmi?	
192.168.0.21		VMware ESXi Host	9080	ssl/glrpc?	
192.168.0.34		Windows Server	135	msrpc	Microsoft Windows RPC
192.168.0.34		Windows Server	139	netbios-ssn	Microsoft Windows netbios-ssn
192.168.0.34		Windows Server	445	microsoft-ds	Microsoft Windows 7 - 10 microsoft-ds (workgroup: ELEKTRO)
192.168.0.34		Windows Server	3389	ms-wbt-server	Microsoft Terminal Service
192.168.0.34		Windows Server	6000	tcpwrapped	
192.168.0.34		Windows Server	49152	msrpc	Microsoft Windows RPC
192.168.0.34		Windows Server	49153	msrpc	Microsoft Windows RPC
192.168.0.34		Windows Server	49154	msrpc	Microsoft Windows RPC
192.168.0.40		Web-enabled Device	22	ssh	OpenSSH 8.7 (protocol 2.0)
192.168.0.40		Web-enabled Device	80	http	
192.168.0.46		Brother Printer	21	ftp	Brother/HP printer ftpd 1.13
192.168.0.46		Brother Printer	23	telnet	Brother/HP printer telnetd
192.168.0.46		Brother Printer	25	smtp	Brother printer smtpd
192.168.0.46		Brother Printer	80	http	Debut embedded httpd 1.20 (Brother/HP printer http admin)
192.168.0.46		Brother Printer	515	printer	
192.168.0.46		Brother Printer	631	ipp?	
192.168.0.46		Brother Printer	9100	jetdirect?	
192.168.0.48		Brother Printer	21	ftp	Brother/HP printer ftpd 1.13
192.168.0.48		Brother Printer	23	telnet	Brother/HP printer telnetd
192.168.0.48		Brother Printer	25	smtp	Brother printer smtpd
192.168.0.48		Brother Printer	80	http	Debut embedded httpd 1.20 (Brother/HP printer http admin)
192.168.0.48		Brother Printer	515	printer	
192.168.0.48		Brother Printer	631	ipp?	
192.168.0.48		Brother Printer	9100	jetdirect?	
192.168.0.49		Brother Printer	21	ftp	Brother/HP printer ftpd 1.13
192.168.0.49		Brother Printer	23	telnet	Brother/HP printer telnetd
192.168.0.49		Brother Printer	25	smtp	Brother printer smtpd
192.168.0.49		Brother Printer	80	http	Debut embedded httpd 1.20 (Brother/HP printer http admin)
192.168.0.49		Brother Printer	515	printer	
192.168.0.49		Brother Printer	631	ipp?	
192.168.0.49		Brother Printer	9100	jetdirect?	
192.168.0.51		Brother Printer	21	ftp	Brother/HP printer ftpd 1.13
192.168.0.51		Brother Printer	23	telnet	Brother/HP printer telnetd
192.168.0.51		Brother Printer	25	smtp	Brother printer smtpd
192.168.0.51		Brother Printer	80	http	Debut embedded httpd 1.20 (Brother/HP printer http admin)
192.168.0.51		Brother Printer	515	printer	

192.168.0.51		Brother Printer	631	ipp?	
192.168.0.51		Brother Printer	9100	jetdirect?	
192.168.0.56		Web-enabled Device	80	http	
192.168.0.57		Brother Printer	21	ftp	Brother/HP printer ftpd 1.13
192.168.0.57		Brother Printer	23	telnet	Brother/HP printer telnetd
192.168.0.57		Brother Printer	80	http	
192.168.0.57		Brother Printer	443	ssl/https	
192.168.0.57		Brother Printer	515	printer	
192.168.0.57		Brother Printer	631	ipp	
192.168.0.57		Brother Printer	9100	jetdirect?	
192.168.0.59	[redacted]	HP Printer	80	soap	gSOAP 2.7
192.168.0.59	[redacted]	HP Printer	443	ssl/tcpwrapped	
192.168.0.59	[redacted]	HP Printer	515	printer	
192.168.0.59	[redacted]	HP Printer	631	soap	gSOAP 2.7
192.168.0.59	[redacted]	HP Printer	8080	soap	gSOAP 2.7
192.168.0.59	[redacted]	HP Printer	9100	jetdirect?	
192.168.0.61		Windows Host / Workstation	135	msrpc	Microsoft Windows RPC
192.168.0.61		Windows Host / Workstation	139	netbios-ssn	Microsoft Windows netbios-ssn
192.168.0.61		Windows Host / Workstation	445	microsoft-ds?	
192.168.0.61		Windows Host / Workstation	3389	ms-wbt-server	Microsoft Terminal Services
192.168.0.61		Windows Host / Workstation	5357	http	Microsoft HTTPAPI httpd 2.0 (SSDP/UPnP)

IP	Hostname	Role	Port	Service	Version
192.168.0.64		NAS / Synology Storage	80	http	nginx
192.168.0.64		NAS / Synology Storage	139	netbios-ssn	Samba smbd 3.X - 4.X (workgroup: WORKGROUP)
192.168.0.64		NAS / Synology Storage	443	ssl/http	nginx
192.168.0.64		NAS / Synology Storage	445	netbios-ssn	Samba smbd 3.X - 4.X (workgroup: WORKGROUP)
192.168.0.64		NAS / Synology Storage	548	afp	Netatalk 3.1.8 (name: LIVNAS
192.168.0.64		NAS / Synology Storage	3261	iscsi	Synology DSM Snapshot Replication iSCSI LUN
192.168.0.64		NAS / Synology Storage	5000	http	nginx
192.168.0.64		NAS / Synology Storage	5001	ssl/http	nginx
192.168.0.73		Windows Host / Workstation	135	msrpc	Microsoft Windows RPC
192.168.0.73		Windows Host / Workstation	3389	ms-wbt-server	Microsoft Terminal Services
192.168.0.83		Brother Printer	80	http	
192.168.0.83		Brother Printer	443	ssl/https	
192.168.0.83		Brother Printer	515	printer	
192.168.0.83		Brother Printer	631	ipp	
192.168.0.83		Brother Printer	9100	jetdirect?	
192.168.0.84		Brother Printer	80	http	
192.168.0.84		Brother Printer	443	ssl/https	
192.168.0.84		Brother Printer	515	printer	
192.168.0.84		Brother Printer	631	ipp	
192.168.0.84		Brother Printer	9100	jetdirect?	
192.168.0.90		Windows Host / Workstation	135	msrpc	Microsoft Windows RPC
192.168.0.90		Windows Host / Workstation	139	netbios-ssn	Microsoft Windows netbios-ssn
192.168.0.90		Windows Host / Workstation	445	microsoft-ds?	
192.168.0.90		Windows Host / Workstation	3389	ms-wbt-server	Microsoft Terminal Services
192.168.0.96		Brother Printer	80	http	
192.168.0.96		Brother Printer	443	ssl/https	
192.168.0.96		Brother Printer	515	printer	
192.168.0.96		Brother Printer	631	ipp	
192.168.0.96		Brother Printer	9100	jetdirect?	
192.168.0.99		NAS / Synology Storage	80	http	nginx
192.168.0.99		NAS / Synology Storage	139	netbios-ssn	Samba smbd 4
192.168.0.99		NAS / Synology Storage	443	ssl/http	nginx
192.168.0.99		NAS / Synology Storage	445	netbios-ssn	Samba smbd 4
192.168.0.99		NAS / Synology Storage	3260	iscsi	Synology DSM iSCSI
192.168.0.99		NAS / Synology Storage	3261	iscsi	Synology DSM Snapshot Replication iSCSI LUN
192.168.0.99		NAS / Synology Storage	5000	http	nginx
192.168.0.99		NAS / Synology Storage	5001	ssl/http	nginx
192.168.0.99		NAS / Synology Storage	5357	http	nginx
192.168.0.114		Other Host	1443	ssl/upnp	

192.168.0.115		Other Host	1443	ssl/upnp	
192.168.0.115		Other Host	7000	rtsp	Sonos speaker rtspd
192.168.0.118		VoIP / SIP Device	443	ssl/http	lighttpd
192.168.0.118		VoIP / SIP Device	5060	sip?	
192.168.0.119		VoIP / SIP Device	443	ssl/http	lighttpd
192.168.0.119		VoIP / SIP Device	5060	sip?	
192.168.0.120		VoIP / SIP Device	443	ssl/http	lighttpd
192.168.0.120		VoIP / SIP Device	5060	sip?	
192.168.0.121		VoIP / SIP Device	443	ssl/http	lighttpd
192.168.0.121		VoIP / SIP Device	5060	sip?	
192.168.0.122	livmuc.my3cx.de	VoIP / SIP Device	22	ssh	OpenSSH 9.2p1 Debian 2+deb12u3 (protocol 2.0)
192.168.0.122	livmuc.my3cx.de	VoIP / SIP Device	5000	http	nginx
192.168.0.122	livmuc.my3cx.de	VoIP / SIP Device	5001	ssl/http	nginx
192.168.0.122	livmuc.my3cx.de	VoIP / SIP Device	5060	sip	(SIP end point
192.168.0.122	livmuc.my3cx.de	VoIP / SIP Device	5061	ssl/sip	(SIP end point
192.168.0.123		VoIP / SIP Device	443	ssl/http	lighttpd
192.168.0.123		VoIP / SIP Device	5060	sip?	
192.168.0.124		VoIP / SIP Device	443	ssl/http	lighttpd
192.168.0.124		VoIP / SIP Device	5060	sip?	
192.168.0.125		VoIP / SIP Device	443	ssl/http	lighttpd
192.168.0.125		VoIP / SIP Device	5060	sip?	

IP	Hostname	Role	Port	Service	Version
192.168.0.127		VoIP / SIP Device	443	ssl/http	lighttpd
192.168.0.127		VoIP / SIP Device	5060	sip?	
192.168.0.128		VoIP / SIP Device	443	ssl/http	lighttpd
192.168.0.128		VoIP / SIP Device	5060	sip?	
192.168.0.129		VoIP / SIP Device	22	ssh	(protocol 2.0)
192.168.0.129		VoIP / SIP Device	23	telnet	Patton SmartNode 4638 VoIP adapter telnetd
192.168.0.129		VoIP / SIP Device	80	http	Patton mawebserver httpd 1.1 (MSOS 2.0)
192.168.0.129		VoIP / SIP Device	5060	sip	(Status: 405 Method Not Allowed)
192.168.0.131		VoIP / SIP Device	443	ssl/http	lighttpd
192.168.0.131		VoIP / SIP Device	5060	sip?	
192.168.0.133		VoIP / SIP Device	22	ssh	(protocol 2.0)
192.168.0.133		VoIP / SIP Device	23	telnet	Patton SmartNode 4638 VoIP adapter telnetd
192.168.0.133		VoIP / SIP Device	80	http	Patton mawebserver httpd 1.1 (MSOS 2.0)
192.168.0.133		VoIP / SIP Device	5060	sip	(Status: 405 Method Not Allowed)
192.168.0.134		VoIP / SIP Device	22	ssh	(protocol 2.0)
192.168.0.134		VoIP / SIP Device	23	telnet	Patton SmartNode 4638 VoIP adapter telnetd
192.168.0.134		VoIP / SIP Device	80	http	Patton mawebserver httpd 1.1 (MSOS 2.0)
192.168.0.134		VoIP / SIP Device	5060	sip	(Status: 405 Method Not Allowed)
192.168.0.201	viewliv[redacted]	VMware Horizon / Remote Access Server	80	http	
192.168.0.201	viewliv[redacted]	VMware Horizon / Remote Access Server	135	msrpc	Microsoft Windows RPC
192.168.0.201	viewliv[redacted]	VMware Horizon / Remote Access Server	139	netbios-ssn	Microsoft Windows netbios-ssn
192.168.0.201	viewliv[redacted]	VMware Horizon / Remote Access Server	389	ldap	
192.168.0.201	viewliv[redacted]	VMware Horizon / Remote Access Server	443	ssl/https	
192.168.0.201	viewliv[redacted]	VMware Horizon / Remote Access Server	445	microsoft-ds?	
192.168.0.201	viewliv[redacted]	VMware Horizon / Remote Access Server	636	tcpwrapped	
192.168.0.201	viewliv[redacted]	VMware Horizon / Remote Access Server	3389	ms-wbt-server	Microsoft Terminal Services
192.168.0.201	viewliv[redacted]	VMware Horizon / Remote Access Server	4001	newoak?	
192.168.0.201	viewliv[redacted]	VMware Horizon / Remote Access Server	4002	mlchat-proxy?	
192.168.0.201	viewliv[redacted]	VMware Horizon / Remote Access Server	5985	http	Microsoft HTTPAPI httpd 2.0 (SSDP/UPnP)
192.168.0.201	viewliv[redacted]	VMware Horizon / Remote Access Server	8009	ajp13	Apache Jserv (Protocol v1.3)
192.168.0.201	viewliv[redacted]	VMware Horizon / Remote Access Server	8443	ssl/http	VMware Horizon View
192.168.0.203	desktop[redacted]	VMware Horizon / Remote Access Server	80	http	
192.168.0.203	desktop[redacted]	VMware Horizon / Remote Access Server	135	msrpc	Microsoft Windows RPC
192.168.0.203	desktop[redacted]	VMware Horizon / Remote Access Server	139	netbios-ssn	Microsoft Windows netbios-ssn
192.168.0.203	desktop[redacted]	VMware Horizon / Remote Access Server	389	ldap	
192.168.0.203	desktop[redacted]	VMware Horizon / Remote Access Server	443	ssl/https	
192.168.0.203	desktop[redacted]	VMware Horizon / Remote Access Server	445	microsoft-ds?	
192.168.0.203	desktop[redacted]	VMware Horizon / Remote Access Server	636	tcpwrapped	
192.168.0.203	desktop[redacted]	VMware Horizon / Remote Access Server	3389	ms-wbt-server	Microsoft Terminal Services
192.168.0.203	desktop[redacted]	VMware Horizon / Remote Access Server	4001	newoak?	
192.168.0.203	desktop[redacted]	VMware Horizon / Remote Access Server	4002	mlchat-proxy?	
192.168.0.203	desktop[redacted]	VMware Horizon / Remote Access Server	5985	http	Microsoft HTTPAPI httpd 2.0 (SSDP/UPnP)
192.168.0.203	desktop[redacted]	VMware Horizon / Remote Access Server	8009	ajp13	Apache Jserv (Protocol v1.3)
192.168.0.203	desktop[redacted]	VMware Horizon / Remote Access Server	8443	ssl/http	VMware Horizon View

Appendix B - Full Nuclei Cleaned Findings

This appendix lists all 1099 deduplicated cleaned Nuclei findings parsed from the full uploaded Nuclei output. The same full dataset is also included as Nuclei_All_Cleaned_Findings.csv and Nuclei_All_Cleaned_Results.txt in the final package.

Critical Findings (2)

No	Severity	Template	Protocol	Target	Details
1	CRITICAL	CVE-2023-34048:version	http	https://192.168.0.19:443/sdk/	7.0.3
2	CRITICAL	vmware-horizon-log4j-rce	http	https://192.168.0.203:443/portal/info.jsp	view-conn-repl

High Findings (1)

No	Severity	Template	Protocol	Target	Details
3	HIGH	snmpv1-community-detect-string	javascript	192.168.0.96:161	BRN94DDF83E3DE3 | community_string="public"

Medium Findings (16)

No	Severity	Template	Protocol	Target	Details
4	MEDIUM	smb-signing	javascript	192.168.0.10:445	
5	MEDIUM	CVE-2023-48795	javascript	192.168.0.19:22	Vulnerable to Terrapin
6	MEDIUM	ldap-anonymous-login-detect	javascript	192.168.0.19:389	
7	MEDIUM	smb-signing	javascript	192.168.0.20:445	
8	MEDIUM	ldap-anonymous-login-detect	javascript	192.168.0.201:389	
9	MEDIUM	smb-signing	javascript	192.168.0.201:445	
10	MEDIUM	smb-signing	javascript	192.168.0.203:445	
11	MEDIUM	smb-signing	javascript	192.168.0.34:445	
12	MEDIUM	CVE-2023-48795	javascript	192.168.0.40:22	Vulnerable to Terrapin
13	MEDIUM	smb-signing	javascript	192.168.0.61:445	
14	MEDIUM	mfp-unauth-exposure	http	https://192.168.0.83:631/eSCL/ScannerCapabilities	E83142E4N852740","Brother MFC-L2827DW
15	MEDIUM	mfp-unauth-exposure	http	http://192.168.0.83:80/eSCL/ScannerCapabilities	E83142E4N852740","Brother MFC-L2827DW
16	MEDIUM	mfp-unauth-exposure	http	https://192.168.0.84:443/eSCL/ScannerCapabilities	E83142E4N852786","Brother MFC-L2827DW
17	MEDIUM	mfp-unauth-exposure	http	https://192.168.0.84:631/eSCL/ScannerCapabilities	E83142E4N852786","Brother MFC-L2827DW
18	MEDIUM	mfp-unauth-exposure	http	http://192.168.0.84:80/eSCL/ScannerCapabilities	E83142E4N852786","Brother MFC-L2827DW
19	MEDIUM	mfp-unauth-exposure	http	http://192.168.0.96:80/eSCL/ScannerCapabilities	E83142G4N147963","Brother MFC-L2827DW

Low Findings (44)

No	Severity	Template	Protocol	Target	Details
20	LOW	weak-cipher-suites:tls-1.1	ssl	192.168.0.1:8090	[tls11 TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA]
21	LOW	weak-cipher-suites:tls-1.0	ssl	192.168.0.10:3389	[tls10 TLS_RSA_WITH_AES_256_CBC_SHA]
22	LOW	weak-cipher-suites:tls-1.1	ssl	192.168.0.10:3389	[tls11 TLS_RSA_WITH_AES_256_CBC_SHA]
23	LOW	weak-cipher-suites:tls-1.2	ssl	192.168.0.10:3389	[tls12 TLS_RSA_WITH_AES_256_GCM_SHA384]
24	LOW	weak-cipher-suites:tls-1.0	ssl	192.168.0.12:3389	[tls10 TLS_RSA_WITH_AES_256_CBC_SHA]
25	LOW	weak-cipher-suites:tls-1.1	ssl	192.168.0.12:3389	[tls11 TLS_RSA_WITH_AES_256_CBC_SHA]
26	LOW	weak-cipher-suites:tls-1.2	ssl	192.168.0.12:3389	[tls12 TLS_RSA_WITH_AES_256_GCM_SHA384]
27	LOW	self-signed-ssl	ssl	192.168.0.125:443	
28	LOW	self-signed-ssl	ssl	192.168.0.127:443	
29	LOW	self-signed-ssl	ssl	192.168.0.128:443	
30	LOW	self-signed-ssl	ssl	192.168.0.131:443	
31	LOW	weak-cipher-suites:tls-1.0	ssl	192.168.0.14:443	[tls10 TLS_RSA_WITH_AES_128_CBC_SHA]
32	LOW	weak-cipher-suites:tls-1.1	ssl	192.168.0.14:443	[tls11 TLS_RSA_WITH_AES_128_CBC_SHA]
33	LOW	weak-cipher-suites:tls-1.2	ssl	192.168.0.14:443	[tls12 TLS_RSA_WITH_AES_128_GCM_SHA256]
34	LOW	ssh-cbc-mode-ciphers	javascript	192.168.0.19:22	

35	LOW	weak-cipher-suites:tls-1.0	ssl	192.168.0.20:3389	[tls10 TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA]
36	LOW	weak-cipher-suites:tls-1.1	ssl	192.168.0.20:3389	[tls11 TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA]
37	LOW	self-signed-ssl	ssl	192.168.0.201:3389	
38	LOW	weak-cipher-suites:tls-1.0	ssl	192.168.0.201:3389	[tls10 TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA]
39	LOW	weak-cipher-suites:tls-1.1	ssl	192.168.0.201:3389	[tls11 TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA]
40	LOW	weak-cipher-suites:tls-1.0	ssl	192.168.0.203:3389	[tls10 TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA]
41	LOW	weak-cipher-suites:tls-1.1	ssl	192.168.0.203:3389	[tls11 TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA]
42	LOW	untrusted-root-certificate	ssl	192.168.0.21:5989	
43	LOW	untrusted-root-certificate	ssl	192.168.0.21:9080	
44	LOW	weak-cipher-suites:tls-1.1	ssl	192.168.0.34:3389	[tls11 TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA]
45	LOW	weak-cipher-suites:tls-1.2	ssl	192.168.0.34:3389	[tls12 TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384]
46	LOW	weak-cipher-suites:tls-1.0	ssl	192.168.0.59:443	[tls10 TLS_RSA_WITH_3DES_EDE_CBC_SHA]
47	LOW	weak-cipher-suites:tls-1.1	ssl	192.168.0.59:443	[tls11 TLS_RSA_WITH_3DES_EDE_CBC_SHA]
48	LOW	weak-cipher-suites:tls-1.2	ssl	192.168.0.59:443	[tls12 TLS_RSA_WITH_AES_256_CBC_SHA256]
49	LOW	weak-cipher-suites:tls-1.1	ssl	192.168.0.61:3389	[tls11 TLS_RSA_WITH_AES_256_CBC_SHA]
50	LOW	weak-cipher-suites:tls-1.2	ssl	192.168.0.61:3389	[tls12 TLS_RSA_WITH_AES_256_GCM_SHA384]
51	LOW	weak-cipher-suites:tls-1.1	ssl	192.168.0.73:3389	[tls11 TLS_RSA_WITH_AES_256_CBC_SHA]
52	LOW	weak-cipher-suites:tls-1.2	ssl	192.168.0.73:3389	[tls12 TLS_RSA_WITH_AES_256_GCM_SHA384]
53	LOW	self-signed-ssl	ssl	192.168.0.83:443	
54	LOW	self-signed-ssl	ssl	192.168.0.83:631	
55	LOW	self-signed-ssl	ssl	192.168.0.84:443	
56	LOW	self-signed-ssl	ssl	192.168.0.84:631	
57	LOW	self-signed-ssl	ssl	192.168.0.90:3389	
58	LOW	weak-cipher-suites:tls-1.0	ssl	192.168.0.90:3389	[tls10 TLS_RSA_WITH_AES_256_CBC_SHA]
59	LOW	weak-cipher-suites:tls-1.1	ssl	192.168.0.90:3389	[tls11 TLS_RSA_WITH_AES_256_CBC_SHA]
60	LOW	weak-cipher-suites:tls-1.2	ssl	192.168.0.90:3389	[tls12 TLS_RSA_WITH_AES_256_GCM_SHA384]
61	LOW	mDNS-enum	javascript	192.168.0.96:5353	printer","http
62	LOW	mDNS-enum	javascript	192.168.0.99:5353	http","smb","device-info
63	LOW	mDNS-enum	javascript	192.168.0.99:5353	device-info","http","smb

Info Findings (1036)

No	Severity	Template	Protocol	Target	Details
64	INFO	openssh-detect	tcp	192.168.0.1:22	
65	INFO	ssh-auth-methods	javascript	192.168.0.1:22	["publickey","password","keyboard-interactive
66	INFO	ssh-password-auth	javascript	192.168.0.1:22	
67	INFO	ssh-server-enumeration	javascript	192.168.0.1:22	SSH-2.0-OpenSSH
68	INFO	smtp-commands-enum:ehlo	tcp	192.168.0.1:25	SIZE","LIMITS MAILMAX","PIPELINING","PIPECONNECT","CHUNKING","STARTTLS","SMTP H","8BITMIME","HELP
69	INFO	smtp-commands-enum:ehlo	tcp	192.168.0.1:25	SMTP H","SIZE","LIMITS MAILMAX","PIPECONNECT","HELP","8BITMIME","PIPELINING","CHUNKING","STARTTLS
70	INFO	smtp-detect	tcp	192.168.0.1:25	
71	INFO	starttls-mail-detect	tcp	192.168.0.1:25	
72	INFO	http-missing-security-headers:clear-site-d	http	http://192.168.0.1:3128	
73	INFO	http-missing-security-headers:content-secu	http	http://192.168.0.1:3128	
74	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.1:3128	
75	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.1:3128	
76	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.1:3128	
77	INFO	http-missing-security-headers:permissions-	http	http://192.168.0.1:3128	
78	INFO	http-missing-security-headers:referrer-pol	http	http://192.168.0.1:3128	
79	INFO	http-missing-security-headers:strict-trans	http	http://192.168.0.1:3128	
80	INFO	http-missing-security-headers:x-content-ty	http	http://192.168.0.1:3128	

81	INFO	http-missing-security-headers:x-frame-opti	http	http://192.168.0.1:3128	
82	INFO	http-missing-security-headers:x-permitted-	http	http://192.168.0.1:3128	
83	INFO	http-missing-security-headers:clear-site-d	http	http://192.168.0.1:4443	
84	INFO	http-missing-security-headers:content-secu	http	http://192.168.0.1:4443	
85	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.1:4443	
86	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.1:4443	
87	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.1:4443	
88	INFO	http-missing-security-headers:permissions-	http	http://192.168.0.1:4443	
89	INFO	http-missing-security-headers:x-permitted-	http	http://192.168.0.1:4443	
90	INFO	tls-version	ssl	192.168.0.1:4443	tls12
91	INFO	http-missing-security-headers:clear-site-d	http	http://192.168.0.1:4444	
92	INFO	http-missing-security-headers:content-secu	http	http://192.168.0.1:4444	
93	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.1:4444	
94	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.1:4444	
95	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.1:4444	
96	INFO	http-missing-security-headers:permissions-	http	http://192.168.0.1:4444	
97	INFO	http-missing-security-headers:x-permitted-	http	http://192.168.0.1:4444	
98	INFO	tls-version	ssl	192.168.0.1:4444	tls12
99	INFO	http-missing-security-headers:clear-site-d	http	http://192.168.0.1:4445	
100	INFO	http-missing-security-headers:content-secu	http	http://192.168.0.1:4445	
101	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.1:4445	
102	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.1:4445	
103	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.1:4445	
104	INFO	http-missing-security-headers:permissions-	http	http://192.168.0.1:4445	
105	INFO	http-missing-security-headers:x-permitted-	http	http://192.168.0.1:4445	
106	INFO	tls-version	ssl	192.168.0.1:4445	tls12
107	INFO	deprecated-tls:tls_1.1	ssl	192.168.0.1:8090	tls11
108	INFO	http-missing-security-headers:clear-site-d	http	http://192.168.0.1:8090	
109	INFO	http-missing-security-headers:content-secu	http	http://192.168.0.1:8090	
110	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.1:8090	
111	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.1:8090	
112	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.1:8090	
113	INFO	http-missing-security-headers:missing-cont	http	http://192.168.0.1:8090	
114	INFO	http-missing-security-headers:permissions-	http	http://192.168.0.1:8090	
115	INFO	http-missing-security-headers:referrer-pol	http	http://192.168.0.1:8090	
116	INFO	http-missing-security-headers:strict-trans	http	http://192.168.0.1:8090	
117	INFO	http-missing-security-headers:x-content-ty	http	http://192.168.0.1:8090	
118	INFO	http-missing-security-headers:x-permitted-	http	http://192.168.0.1:8090	
119	INFO	tls-version	ssl	192.168.0.1:8090	tls11
120	INFO	tls-version	ssl	192.168.0.1:8090	tls12
121	INFO	tls-version	ssl	192.168.0.1:8090	tls13
122	INFO	dameng-detect	javascript	192.168.0.10:139	
123	INFO	deprecated-tls:tls_1.0	ssl	192.168.0.10:3389	tls10
124	INFO	deprecated-tls:tls_1.1	ssl	192.168.0.10:3389	tls11

125	INFO	rdp-detect	javascript	192.168.0.10:3389	
126	INFO	rdp-detection:win2016	tcp	192.168.0.10:3389	
127	INFO	tls-version	ssl	192.168.0.10:3389	tls10
128	INFO	tls-version	ssl	192.168.0.10:3389	tls11
129	INFO	tls-version	ssl	192.168.0.10:3389	tls12
130	INFO	smb-enum	javascript	192.168.0.10:445	OSVersion: 10.0.20348","NetBIOSComputerName: WIN-0HBJ1QUJ6RP","NetBIOSDomainName: WIN-0HBJ1QUJ6RP","DNSComputerNamen: WI
131	INFO	smb2-server-time	javascript	192.168.0.10:445	SystemTime: 2026-05-14T21:29:12.000Z ServerStartTime: 2009-04-22T19:24:48.000Z
132	INFO	dameng-detect	javascript	192.168.0.10:5357	
133	INFO	http-missing-security-headers:clear-site-d	http	http://192.168.0.10:5357	
134	INFO	http-missing-security-headers:content-secu	http	http://192.168.0.10:5357	
135	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.10:5357	
136	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.10:5357	
137	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.10:5357	
138	INFO	http-missing-security-headers:permissions-	http	http://192.168.0.10:5357	
139	INFO	http-missing-security-headers:referrer-pol	http	http://192.168.0.10:5357	
140	INFO	http-missing-security-headers:strict-trans	http	http://192.168.0.10:5357	
141	INFO	http-missing-security-headers:x-content-ty	http	http://192.168.0.10:5357	
142	INFO	http-missing-security-headers:x-frame-opti	http	http://192.168.0.10:5357	
143	INFO	http-missing-security-headers:x-permitted-	http	http://192.168.0.10:5357	
144	INFO	tech-detect:ms-httpapi	http	http://192.168.0.10:5357	
145	INFO	dameng-detect	javascript	192.168.0.10:5985	
146	INFO	http-missing-security-headers:clear-site-d	http	http://192.168.0.10:5985	
147	INFO	http-missing-security-headers:content-secu	http	http://192.168.0.10:5985	
148	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.10:5985	
149	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.10:5985	
150	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.10:5985	
151	INFO	http-missing-security-headers:permissions-	http	http://192.168.0.10:5985	
152	INFO	http-missing-security-headers:referrer-pol	http	http://192.168.0.10:5985	
153	INFO	http-missing-security-headers:strict-trans	http	http://192.168.0.10:5985	
154	INFO	http-missing-security-headers:x-content-ty	http	http://192.168.0.10:5985	
155	INFO	http-missing-security-headers:x-frame-opti	http	http://192.168.0.10:5985	
156	INFO	http-missing-security-headers:x-permitted-	http	http://192.168.0.10:5985	
157	INFO	tech-detect:ms-httpapi	http	http://192.168.0.10:5985	
158	INFO	http-missing-security-headers:clear-site-d	http	https://192.168.0.114:1443	
159	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.114:1443	
160	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.114:1443	
161	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.114:1443	
162	INFO	http-missing-security-headers:permissions-	http	https://192.168.0.114:1443	
163	INFO	http-missing-security-headers:referrer-pol	http	https://192.168.0.114:1443	

No	Severity	Template	Protocol	Target	Details
164	INFO	http-missing-security-headers:strict-trans	http	https://192.168.0.114:1443	
165	INFO	http-missing-security-headers:x-content-ty	http	https://192.168.0.114:1443	
166	INFO	http-missing-security-headers:x-permitted-	http	https://192.168.0.114:1443	
167	INFO	options-method	http	https://192.168.0.114:1443	GET, HEAD
168	INFO	tls-version	ssl	192.168.0.114:1443	tls12
169	INFO	tls-version	ssl	192.168.0.114:1443	tls13
170	INFO	weak-csp-detect:missing-object-src	http	https://192.168.0.114:1443	frame-ancestors 'none'
171	INFO	weak-csp-detect:missing-script-src	http	https://192.168.0.114:1443	frame-ancestors 'none'
172	INFO	http-missing-security-headers:clear-site-d	http	https://192.168.0.115:1443	
173	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.115:1443	
174	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.115:1443	
175	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.115:1443	
176	INFO	http-missing-security-headers:permissions-	http	https://192.168.0.115:1443	
177	INFO	http-missing-security-headers:referrer-pol	http	https://192.168.0.115:1443	
178	INFO	http-missing-security-headers:strict-trans	http	https://192.168.0.115:1443	
179	INFO	http-missing-security-headers:x-content-ty	http	https://192.168.0.115:1443	
180	INFO	http-missing-security-headers:x-permitted-	http	https://192.168.0.115:1443	
181	INFO	options-method	http	https://192.168.0.115:1443	GET, HEAD
182	INFO	tls-version	ssl	192.168.0.115:1443	tls12
183	INFO	tls-version	ssl	192.168.0.115:1443	tls13
184	INFO	weak-csp-detect:missing-object-src	http	https://192.168.0.115:1443	frame-ancestors 'none'
185	INFO	weak-csp-detect:missing-script-src	http	https://192.168.0.115:1443	frame-ancestors 'none'
186	INFO	http-missing-security-headers:clear-site-d	http	http://192.168.0.115:7000	
187	INFO	http-missing-security-headers:content-secu	http	http://192.168.0.115:7000	
188	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.115:7000	
189	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.115:7000	
190	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.115:7000	
191	INFO	http-missing-security-headers:permissions-	http	http://192.168.0.115:7000	
192	INFO	http-missing-security-headers:referrer-pol	http	http://192.168.0.115:7000	
193	INFO	http-missing-security-headers:strict-trans	http	http://192.168.0.115:7000	
194	INFO	http-missing-security-headers:x-content-ty	http	http://192.168.0.115:7000	
195	INFO	http-missing-security-headers:x-frame-opti	http	http://192.168.0.115:7000	
196	INFO	http-missing-security-headers:x-permitted-	http	http://192.168.0.115:7000	
197	INFO	rtsp-detect	tcp	192.168.0.115:7000	
198	INFO	http-missing-security-headers:clear-site-d	http	https://192.168.0.118:443/servlet?m=mod_listener&p=login&q=loginForm&jumpto=stat	
199	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.118:443/servlet?m=mod_listener&p=login&q=loginForm&jumpto=stat	
200	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.118:443/servlet?m=mod_listener&p=login&q=loginForm&jumpto=stat	
201	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.118:443/servlet?m=mod_listener&p=login&q=loginForm&jumpto=stat	
202	INFO	http-missing-security-headers:permissions-	http	https://192.168.0.118:443/servlet?m=mod_listener&p=login&q=loginForm&jumpto=stat	
203	INFO	http-missing-security-headers:referrer-pol	http	https://192.168.0.118:443/servlet?m=mod_listener&p=login&q=loginForm&jumpto=stat	
204	INFO	http-missing-security-headers:x-permitted-	http	https://192.168.0.118:443/servlet?m=mod_listener&p=login&q=loginForm&jumpto=stat	
205	INFO	tls-version	ssl	192.168.0.118:443	tls12
206	INFO	tls-version	ssl	192.168.0.118:443	tls13
207	INFO	weak-csp-detect:unsafe-script-src	http	https://192.168.0.118:443	default-src 'self'; script-src 'self' 'unsafe-inline' 'unsafe-eval'; style-src 'self' 'unsafe-inline'; font-src 'self' d
208	INFO	xss-deprecated-header	http	https://192.168.0.118:443	1; mode=block

209	INFO	http-missing-security-headers:clear-site-d	http	https://192.168.0.119:443/servlet?m=mod_listener&p=login&q=loginForm&jumpto=stat	
210	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.119:443/servlet?m=mod_listener&p=login&q=loginForm&jumpto=stat	
211	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.119:443/servlet?m=mod_listener&p=login&q=loginForm&jumpto=stat	
212	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.119:443/servlet?m=mod_listener&p=login&q=loginForm&jumpto=stat	
213	INFO	http-missing-security-headers:permissions-	http	https://192.168.0.119:443/servlet?m=mod_listener&p=login&q=loginForm&jumpto=stat	
214	INFO	http-missing-security-headers:referrer-pol	http	https://192.168.0.119:443/servlet?m=mod_listener&p=login&q=loginForm&jumpto=stat	
215	INFO	http-missing-security-headers:x-permitted-	http	https://192.168.0.119:443/servlet?m=mod_listener&p=login&q=loginForm&jumpto=stat	
216	INFO	tls-version	ssl	192.168.0.119:443	tls12
217	INFO	tls-version	ssl	192.168.0.119:443	tls13
218	INFO	weak-csp-detect:unsafe-script-src	http	https://192.168.0.119:443	default-src 'self'; script-src 'self' 'unsafe-inline' 'unsafe-eval'; style-src 'self' 'unsafe-inline'; font-src 'self' d
219	INFO	xss-deprecated-header	http	https://192.168.0.119:443	1; mode=block
220	INFO	ldap-metadata	javascript	192.168.0.12:135	DefaultNamingContext: DC=elektroverband-bayern,DC=local","DomainFunctionality: 4","ForestFunctionality: 4","DomainContro
221	INFO	dameng-detect	javascript	192.168.0.12:139	
222	INFO	ldap-metadata	javascript	192.168.0.12:139	BaseDN: dc=139","DnsHostName: [redacted].elektroverband-bayern.local","DefaultNamingContext: DC=[redacted].DC=l
223	INFO	ldap-metadata	javascript	192.168.0.12:3268	ForestFunctionality: 4","DomainControllerFunctionality: 7","BaseDN: dc=3268","DnsHostName: [redacted].elektroverband-bayer
224	INFO	ldap-metadata	javascript	192.168.0.12:3269	ForestFunctionality: 4","DomainControllerFunctionality: 7","BaseDN: dc=3269","DnsHostName: [redacted].elektroverband-bayer
225	INFO	deprecated-tls:tls_1.0	ssl	192.168.0.12:3389	tls10
226	INFO	deprecated-tls:tls_1.1	ssl	192.168.0.12:3389	tls11
227	INFO	ldap-metadata	javascript	192.168.0.12:3389	BaseDN: dc=3389","DnsHostName: [redacted].elektroverband-bayern.local","DefaultNamingContext: DC=[redacted].DC=
228	INFO	rdp-detect	javascript	192.168.0.12:3389	
229	INFO	rdp-detection:win2016	tcp	192.168.0.12:3389	
230	INFO	tls-version	ssl	192.168.0.12:3389	tls10
231	INFO	tls-version	ssl	192.168.0.12:3389	tls11
232	INFO	tls-version	ssl	192.168.0.12:3389	tls12
233	INFO	ldap-metadata	javascript	192.168.0.12:389	DnsHostName: [redacted]","DefaultNamingContext: DC=[redacted].DC=local","DomainFunc
234	INFO	ldap-metadata	javascript	192.168.0.12:389	DomainFunctionality: 4","ForestFunctionality: 4","DomainControllerFunctionality: 7","BaseDN: dc=389","DnsHostName: LIV-D
235	INFO	ldap-metadata	javascript	192.168.0.12:445	DefaultNamingContext: DC=elektroverband-bayern,DC=local","DomainFunctionality: 4","ForestFunctionality: 4","DomainContro
236	INFO	smb-os-detect	javascript	192.168.0.12:445	Windows Server 2022, Version 21H2
237	INFO	smb-version-detect:smb-version	javascript	192.168.0.12:445	SMB 2.1
238	INFO	smb2-capabilities	javascript	192.168.0.12:445	["DFSSupport","LargeMTU","Leasing
239	INFO	smb2-server-time	javascript	192.168.0.12:445	SystemTime: 2026-05-14T21:29:53.000Z ServerStartTime: 2009-04-22T19:24:48.000Z
240	INFO	ldap-metadata	javascript	192.168.0.12:464	BaseDN: dc=464","DnsHostName: [redacted].elektroverband-bayern.local","DefaultNamingContext: DC=[redacted].DC=l
241	INFO	dameng-detect	javascript	192.168.0.12:593	
242	INFO	ldap-metadata	javascript	192.168.0.12:593	DomainFunctionality: 4","ForestFunctionality: 4","DomainControllerFunctionality: 7","BaseDN: dc=593","DnsHostName: LIV-D
243	INFO	dameng-detect	javascript	192.168.0.12:5985	
244	INFO	http-missing-security-headers:clear-site-d	http	http://192.168.0.12:5985	
245	INFO	http-missing-security-headers:content-secu	http	http://192.168.0.12:5985	
246	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.12:5985	
247	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.12:5985	
248	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.12:5985	
249	INFO	http-missing-security-headers:permissions-	http	http://192.168.0.12:5985	
250	INFO	http-missing-security-headers:referrer-pol	http	http://192.168.0.12:5985	
251	INFO	http-missing-security-headers:strict-trans	http	http://192.168.0.12:5985	

252	INFO	http-missing-security-headers:x-content-ty	http	http://192.168.0.12:5985	
253	INFO	http-missing-security-headers:x-frame-opti	http	http://192.168.0.12:5985	
254	INFO	http-missing-security-headers:x-permitted-	http	http://192.168.0.12:5985	
255	INFO	ldap-metadata	javascript	192.168.0.12:5985	DomainControllerFunctionality: 7","BaseDN: dc=5985","DnsHostName: LIV-DC01.[redacted]","DefaultNamingCo
256	INFO	tech-detect:ms-httpapi	http	http://192.168.0.12:5985	
257	INFO	ldap-metadata	javascript	192.168.0.12:636	DomainFunctionality: 4","ForestFunctionality: 4","DomainControllerFunctionality: 7","BaseDN: dc=636","DnsHostName: LIV-D
258	INFO	dameng-detect	javascript	192.168.0.12:88	
259	INFO	ldap-metadata	javascript	192.168.0.12:88	BaseDN: dc=88","DnsHostName: [redacted].elektroverband-bayern.local","DefaultNamingContext: DC=[redacted].DC=lo
260	INFO	http-missing-security-headers:clear-site-d	http	https://192.168.0.120:443/servlet?m=mod_listener&p=login&q=loginForm&jumpto=stat	
261	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.120:443/servlet?m=mod_listener&p=login&q=loginForm&jumpto=stat	
262	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.120:443/servlet?m=mod_listener&p=login&q=loginForm&jumpto=stat	
263	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.120:443/servlet?m=mod_listener&p=login&q=loginForm&jumpto=stat	

No	Severity	Template	Protocol	Target	Details
264	INFO	http-missing-security-headers:permissions-	http	https://192.168.0.120:443/servlet?m=mod_listener&p=login&q=loginForm&jumpto=stat	
265	INFO	http-missing-security-headers:referrer-pol	http	https://192.168.0.120:443/servlet?m=mod_listener&p=login&q=loginForm&jumpto=stat	
266	INFO	http-missing-security-headers:x-permitted-	http	https://192.168.0.120:443/servlet?m=mod_listener&p=login&q=loginForm&jumpto=stat	
267	INFO	tls-version	ssl	192.168.0.120:443	tls12
268	INFO	tls-version	ssl	192.168.0.120:443	tls13
269	INFO	weak-csp-detect:unsafe-script-src	http	https://192.168.0.120:443	default-src 'self'; script-src 'self' 'unsafe-inline' 'unsafe-eval'; style-src 'self' 'unsafe-inline'; font-src 'self' d
270	INFO	xss-deprecated-header	http	https://192.168.0.120:443	1; mode=block
271	INFO	http-missing-security-headers:clear-site-d	http	https://192.168.0.121:443/servlet?m=mod_listener&p=login&q=loginForm&jumpto=stat	
272	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.121:443/servlet?m=mod_listener&p=login&q=loginForm&jumpto=stat	
273	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.121:443/servlet?m=mod_listener&p=login&q=loginForm&jumpto=stat	
274	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.121:443/servlet?m=mod_listener&p=login&q=loginForm&jumpto=stat	
275	INFO	http-missing-security-headers:permissions-	http	https://192.168.0.121:443/servlet?m=mod_listener&p=login&q=loginForm&jumpto=stat	
276	INFO	http-missing-security-headers:referrer-pol	http	https://192.168.0.121:443/servlet?m=mod_listener&p=login&q=loginForm&jumpto=stat	
277	INFO	http-missing-security-headers:x-permitted-	http	https://192.168.0.121:443/servlet?m=mod_listener&p=login&q=loginForm&jumpto=stat	
278	INFO	tls-version	ssl	192.168.0.121:443	tls12
279	INFO	tls-version	ssl	192.168.0.121:443	tls13
280	INFO	weak-csp-detect:unsafe-script-src	http	https://192.168.0.121:443	default-src 'self'; script-src 'self' 'unsafe-inline' 'unsafe-eval'; style-src 'self' 'unsafe-inline'; font-src 'self' d
281	INFO	xss-deprecated-header	http	https://192.168.0.121:443	1; mode=block
282	INFO	openssh-detect	tcp	192.168.0.122:22	SSH-2.0-OpenSSH_9.2p1 Debian-2+deb12u3
283	INFO	ssh-auth-methods	javascript	192.168.0.122:22	["publickey","password
284	INFO	ssh-password-auth	javascript	192.168.0.122:22	
285	INFO	ssh-sha1-hmac-algo	javascript	192.168.0.122:22	
286	INFO	http-missing-security-headers:clear-site-d	http	http://192.168.0.122:5000	
287	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.122:5000	
288	INFO	http-missing-security-headers:missing-cont	http	http://192.168.0.122:5000	
289	INFO	http-missing-security-headers:x-permitted-	http	http://192.168.0.122:5000	
290	INFO	robots-txt	http	http://192.168.0.122:5000/robots.txt	
291	INFO	robots-txt-endpoint	http	http://192.168.0.122:5000/robots.txt	
292	INFO	tech-detect:nginx	http	http://192.168.0.122:5000	
293	INFO	waf-detect:nginxgeneric	http	http://192.168.0.122:5000	
294	INFO	weak-csp-detect:unsafe-script-src	http	http://192.168.0.122:5000	default-src 'self'; script-src 'self' blob: https://www.google.com/recaptcha/ https://www.gstatic.com/recaptcha/ https:/
295	INFO	http-missing-security-headers:clear-site-d	http	http://192.168.0.122:5001	
296	INFO	http-missing-security-headers:content-secu	http	http://192.168.0.122:5001	
297	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.122:5001	
298	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.122:5001	
299	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.122:5001	
300	INFO	http-missing-security-headers:permissions-	http	http://192.168.0.122:5001	
301	INFO	http-missing-security-headers:referrer-pol	http	http://192.168.0.122:5001	
302	INFO	http-missing-security-headers:strict-trans	http	http://192.168.0.122:5001	
303	INFO	http-missing-security-headers:x-content-ty	http	http://192.168.0.122:5001	
304	INFO	http-missing-security-headers:x-frame-opti	http	http://192.168.0.122:5001	
305	INFO	http-missing-security-headers:x-permitted-	http	http://192.168.0.122:5001	

306	INFO	tech-detect:nginx	http	http://192.168.0.122:5001	
307	INFO	tls-version	ssl	192.168.0.122:5001	tls12
308	INFO	tls-version	ssl	192.168.0.122:5001	tls13
309	INFO	waf-detect:nginxgeneric	http	http://192.168.0.122:5001	
310	INFO	tls-version	ssl	192.168.0.122:5061	tls12
311	INFO	tls-version	ssl	192.168.0.122:5061	tls13
312	INFO	http-missing-security-headers:clear-site-d	http	https://192.168.0.123:443/servlet?m=mod_listener&p=login&q=loginForm&jumpto=stat	
313	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.123:443/servlet?m=mod_listener&p=login&q=loginForm&jumpto=stat	
314	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.123:443/servlet?m=mod_listener&p=login&q=loginForm&jumpto=stat	
315	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.123:443/servlet?m=mod_listener&p=login&q=loginForm&jumpto=stat	
316	INFO	http-missing-security-headers:permissions-	http	https://192.168.0.123:443/servlet?m=mod_listener&p=login&q=loginForm&jumpto=stat	
317	INFO	http-missing-security-headers:referrer-pol	http	https://192.168.0.123:443/servlet?m=mod_listener&p=login&q=loginForm&jumpto=stat	
318	INFO	http-missing-security-headers:x-permitted-	http	https://192.168.0.123:443/servlet?m=mod_listener&p=login&q=loginForm&jumpto=stat	
319	INFO	tls-version	ssl	192.168.0.123:443	tls12
320	INFO	tls-version	ssl	192.168.0.123:443	tls13
321	INFO	weak-csp-detect:unsafe-script-src	http	https://192.168.0.123:443	default-src 'self'; script-src 'self' 'unsafe-inline' 'unsafe-eval'; style-src 'self' 'unsafe-inline'; font-src 'self' d
322	INFO	xss-deprecated-header	http	https://192.168.0.123:443	1; mode=block
323	INFO	http-missing-security-headers:clear-site-d	http	https://192.168.0.124:443/servlet?m=mod_listener&p=login&q=loginForm&jumpto=stat	
324	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.124:443/servlet?m=mod_listener&p=login&q=loginForm&jumpto=stat	
325	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.124:443/servlet?m=mod_listener&p=login&q=loginForm&jumpto=stat	
326	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.124:443/servlet?m=mod_listener&p=login&q=loginForm&jumpto=stat	
327	INFO	http-missing-security-headers:permissions-	http	https://192.168.0.124:443/servlet?m=mod_listener&p=login&q=loginForm&jumpto=stat	
328	INFO	http-missing-security-headers:referrer-pol	http	https://192.168.0.124:443/servlet?m=mod_listener&p=login&q=loginForm&jumpto=stat	
329	INFO	http-missing-security-headers:x-permitted-	http	https://192.168.0.124:443/servlet?m=mod_listener&p=login&q=loginForm&jumpto=stat	
330	INFO	tls-version	ssl	192.168.0.124:443	tls12
331	INFO	tls-version	ssl	192.168.0.124:443	tls13
332	INFO	weak-csp-detect:unsafe-script-src	http	https://192.168.0.124:443	default-src 'self'; script-src 'self' 'unsafe-inline' 'unsafe-eval'; style-src 'self' 'unsafe-inline'; font-src 'self' d
333	INFO	xss-deprecated-header	http	https://192.168.0.124:443	1; mode=block
334	INFO	http-missing-security-headers:clear-site-d	http	https://192.168.0.125:443/servlet?m=mod_listener&p=login&q=loginForm&jumpto=stat	
335	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.125:443/servlet?m=mod_listener&p=login&q=loginForm&jumpto=stat	
336	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.125:443/servlet?m=mod_listener&p=login&q=loginForm&jumpto=stat	
337	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.125:443/servlet?m=mod_listener&p=login&q=loginForm&jumpto=stat	
338	INFO	http-missing-security-headers:permissions-	http	https://192.168.0.125:443/servlet?m=mod_listener&p=login&q=loginForm&jumpto=stat	
339	INFO	http-missing-security-headers:referrer-pol	http	https://192.168.0.125:443/servlet?m=mod_listener&p=login&q=loginForm&jumpto=stat	
340	INFO	http-missing-security-headers:x-permitted-	http	https://192.168.0.125:443/servlet?m=mod_listener&p=login&q=loginForm&jumpto=stat	
341	INFO	ssl-issuer	ssl	192.168.0.125:443	Yealink Network Technology Co.,Ltd.
342	INFO	tls-version	ssl	192.168.0.125:443	tls12
343	INFO	tls-version	ssl	192.168.0.125:443	tls13
344	INFO	weak-csp-detect:unsafe-script-src	http	https://192.168.0.125:443	default-src 'self'; script-src 'self' 'unsafe-inline' 'unsafe-eval'; style-src 'self' 'unsafe-inline'; font-src 'self' d
345	INFO	xss-deprecated-header	http	https://192.168.0.125:443	1; mode=block
346	INFO	http-missing-security-headers:clear-site-d	http	https://192.168.0.127:443/servlet?m=mod_listener&p=login&q=loginForm&jumpto=stat	
347	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.127:443/servlet?m=mod_listener&p=login&q=loginForm&jumpto=stat	
348	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.127:443/servlet?m=mod_listener&p=login&q=loginForm&jumpto=stat	
349	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.127:443/servlet?m=mod_listener&p=login&q=loginForm&jumpto=stat	
350	INFO	http-missing-security-headers:permissions-	http	https://192.168.0.127:443/servlet?m=mod_listener&p=login&q=loginForm&jumpto=stat	
351	INFO	http-missing-security-headers:referrer-pol	http	https://192.168.0.127:443/servlet?m=mod_listener&p=login&q=loginForm&jumpto=stat	

352	INFO	http-missing-security-headers:x-permitted-	http	https://192.168.0.127:443/servlet?m=mod_listener&p=login&q=loginForm&jumpto=stat	
353	INFO	ssl-issuer	ssl	192.168.0.127:443	Yealink Network Technology Co.,Ltd.
354	INFO	tls-version	ssl	192.168.0.127:443	tls12
355	INFO	tls-version	ssl	192.168.0.127:443	tls13
356	INFO	weak-csp-detect:unsafe-script-src	http	https://192.168.0.127:443	default-src 'self'; script-src 'self' 'unsafe-inline' 'unsafe-eval'; style-src 'self' 'unsafe-inline'; font-src 'self' d
357	INFO	xss-deprecated-header	http	https://192.168.0.127:443	1; mode=block
358	INFO	http-missing-security-headers:clear-site-d	http	https://192.168.0.128:443/servlet?m=mod_listener&p=login&q=loginForm&jumpto=stat	
359	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.128:443/servlet?m=mod_listener&p=login&q=loginForm&jumpto=stat	
360	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.128:443/servlet?m=mod_listener&p=login&q=loginForm&jumpto=stat	
361	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.128:443/servlet?m=mod_listener&p=login&q=loginForm&jumpto=stat	
362	INFO	http-missing-security-headers:permissions-	http	https://192.168.0.128:443/servlet?m=mod_listener&p=login&q=loginForm&jumpto=stat	
363	INFO	http-missing-security-headers:referrer-pol	http	https://192.168.0.128:443/servlet?m=mod_listener&p=login&q=loginForm&jumpto=stat	

No	Severity	Template	Protocol	Target	Details
364	INFO	http-missing-security-headers:x-permitted-	http	https://192.168.0.128:443/servlet?m=mod_listener&p=login&q=loginForm&jumpto=stat	
365	INFO	ssl-issuer	ssl	192.168.0.128:443	Yealink Network Technology Co.,Ltd.
366	INFO	tls-version	ssl	192.168.0.128:443	tls12
367	INFO	tls-version	ssl	192.168.0.128:443	tls13
368	INFO	weak-csp-detect:unsafe-script-src	http	https://192.168.0.128:443	default-src 'self'; script-src 'self' 'unsafe-inline' 'unsafe-eval'; style-src 'self' 'unsafe-inline'; font-src 'self' d
369	INFO	xss-deprecated-header	http	https://192.168.0.128:443	1; mode=block
370	INFO	dameng-detect	javascript	192.168.0.129:22	
371	INFO	dameng-detect	javascript	192.168.0.129:23	
372	INFO	basic-auth-detect	http	http://192.168.0.129:80	Basic realm="Configuration Access" | "Basic realm="Configuration Access""
373	INFO	http-missing-security-headers:clear-site-d	http	http://192.168.0.129:80	
374	INFO	http-missing-security-headers:content-secu	http	http://192.168.0.129:80	
375	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.129:80	
376	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.129:80	
377	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.129:80	
378	INFO	http-missing-security-headers:permissions-	http	http://192.168.0.129:80	
379	INFO	http-missing-security-headers:referrer-pol	http	http://192.168.0.129:80	
380	INFO	http-missing-security-headers:strict-trans	http	http://192.168.0.129:80	
381	INFO	http-missing-security-headers:x-content-ty	http	http://192.168.0.129:80	
382	INFO	http-missing-security-headers:x-frame-opti	http	http://192.168.0.129:80	
383	INFO	http-missing-security-headers:x-permitted-	http	http://192.168.0.129:80	
384	INFO	http-missing-security-headers:clear-site-d	http	https://192.168.0.131:443/servlet?m=mod_listener&p=login&q=loginForm&jumpto=stat	
385	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.131:443/servlet?m=mod_listener&p=login&q=loginForm&jumpto=stat	
386	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.131:443/servlet?m=mod_listener&p=login&q=loginForm&jumpto=stat	
387	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.131:443/servlet?m=mod_listener&p=login&q=loginForm&jumpto=stat	
388	INFO	http-missing-security-headers:permissions-	http	https://192.168.0.131:443/servlet?m=mod_listener&p=login&q=loginForm&jumpto=stat	
389	INFO	http-missing-security-headers:referrer-pol	http	https://192.168.0.131:443/servlet?m=mod_listener&p=login&q=loginForm&jumpto=stat	
390	INFO	http-missing-security-headers:x-permitted-	http	https://192.168.0.131:443/servlet?m=mod_listener&p=login&q=loginForm&jumpto=stat	
391	INFO	ssl-issuer	ssl	192.168.0.131:443	Yealink Network Technology Co.,Ltd.
392	INFO	tls-version	ssl	192.168.0.131:443	tls12
393	INFO	tls-version	ssl	192.168.0.131:443	tls13
394	INFO	weak-csp-detect:unsafe-script-src	http	https://192.168.0.131:443	default-src 'self'; script-src 'self' 'unsafe-inline' 'unsafe-eval'; style-src 'self' 'unsafe-inline'; font-src 'self' d
395	INFO	xss-deprecated-header	http	https://192.168.0.131:443	1; mode=block
396	INFO	dameng-detect	javascript	192.168.0.133:22	
397	INFO	dameng-detect	javascript	192.168.0.133:23	
398	INFO	basic-auth-detect	http	http://192.168.0.133:80	Basic realm="Configuration Access" | "Basic realm="Configuration Access""
399	INFO	http-missing-security-headers:clear-site-d	http	http://192.168.0.133:80	
400	INFO	http-missing-security-headers:content-secu	http	http://192.168.0.133:80	
401	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.133:80	
402	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.133:80	
403	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.133:80	
404	INFO	http-missing-security-headers:permissions-	http	http://192.168.0.133:80	
405	INFO	http-missing-security-headers:referrer-pol	http	http://192.168.0.133:80	
406	INFO	http-missing-security-headers:strict-trans	http	http://192.168.0.133:80	

407	INFO	http-missing-security-headers:x-content-ty	http	http://192.168.0.133:80	
408	INFO	http-missing-security-headers:x-frame-opti	http	http://192.168.0.133:80	
409	INFO	http-missing-security-headers:x-permitted-	http	http://192.168.0.133:80	
410	INFO	basic-auth-detect	http	http://192.168.0.134:80	Basic realm="Configuration Access" | "Basic realm="Configuration Access""
411	INFO	http-missing-security-headers:clear-site-d	http	http://192.168.0.134:80	
412	INFO	http-missing-security-headers:content-secu	http	http://192.168.0.134:80	
413	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.134:80	
414	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.134:80	
415	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.134:80	
416	INFO	http-missing-security-headers:permissions-	http	http://192.168.0.134:80	
417	INFO	http-missing-security-headers:referrer-pol	http	http://192.168.0.134:80	
418	INFO	http-missing-security-headers:strict-trans	http	http://192.168.0.134:80	
419	INFO	http-missing-security-headers:x-content-ty	http	http://192.168.0.134:80	
420	INFO	http-missing-security-headers:x-frame-opti	http	http://192.168.0.134:80	
421	INFO	http-missing-security-headers:x-permitted-	http	http://192.168.0.134:80	
422	INFO	zeroconf-detect	javascript	192.168.0.14:5353	
423	INFO	snmpv3-detect	javascript	192.168.0.19:161	net-snmp, Engine ID: 1f8880882c8308384aca6000000000
424	INFO	ldap-metadata	javascript	192.168.0.19:2020	DnsHostName:","DefaultNamingContext: dc=vsphere,dc=local","DomainFunctionality:","ForestFunctionality:","DomainControlle
425	INFO	ldap-metadata	javascript	192.168.0.19:22	BaseDN: dc=22","DnsHostName:","DefaultNamingContext: dc=vsphere,dc=local","DomainFunctionality:","ForestFunctionality:",
426	INFO	openssh-detect	tcp	192.168.0.19:22	SSH-2.0-OpenSSH_7.8
427	INFO	ssh-auth-methods	javascript	192.168.0.19:22	["publickey","password
428	INFO	ssh-password-auth	javascript	192.168.0.19:22	
429	INFO	ssh-server-enumeration	javascript	192.168.0.19:22	SSH-2.0-OpenSSH_7.8
430	INFO	ldap-metadata	javascript	192.168.0.19:389	DomainControllerFunctionality:","BaseDN: dc=389","DnsHostName:","DefaultNamingContext: dc=vsphere,dc=local","DomainFunct
431	INFO	ldap-metadata	javascript	192.168.0.19:389	BaseDN: dc=389","DnsHostName:","DefaultNamingContext: dc=vsphere,dc=local","DomainFunctionality:","ForestFunctionality:"
432	INFO	ldap-metadata	javascript	192.168.0.19:389	DomainFunctionality:","ForestFunctionality:","DomainControllerFunctionality:","BaseDN: dc=389","DnsHostName:","DefaultNa
433	INFO	fingerprinthub-web-fingerprints:vmware-vsp	http	https://192.168.0.19:443	
434	INFO	fingerprinthub-web-fingerprints:vmware-vsp	http	https://192.168.0.19:443/	
435	INFO	http-missing-security-headers:clear-site-d	http	https://192.168.0.19:443	
436	INFO	http-missing-security-headers:clear-site-d	http	https://192.168.0.19:443/	
437	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.19:443	
438	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.19:443/	
439	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.19:443	
440	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.19:443/	
441	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.19:443	
442	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.19:443/	
443	INFO	http-missing-security-headers:missing-cont	http	https://192.168.0.19:443	
444	INFO	http-missing-security-headers:missing-cont	http	https://192.168.0.19:443/	
445	INFO	http-missing-security-headers:permissions-	http	https://192.168.0.19:443	
446	INFO	http-missing-security-headers:permissions-	http	https://192.168.0.19:443/	
447	INFO	http-missing-security-headers:referrer-pol	http	https://192.168.0.19:443	
448	INFO	http-missing-security-headers:referrer-pol	http	https://192.168.0.19:443/	

449	INFO	http-missing-security-headers:x-permitted-	http	https://192.168.0.19:443	
450	INFO	http-missing-security-headers:x-permitted-	http	https://192.168.0.19:443/	
451	INFO	tls-version	ssl	192.168.0.19:443	tls12
452	INFO	vmware-detect	http	https://192.168.0.19:443/sdk/	VirtualCenter","VMware vCenter Server","7.0.3","19717403","linux-x64","vpx
453	INFO	weak-csp-detect:missing-object-src	http	https://192.168.0.19:443	upgrade-insecure-requests
454	INFO	weak-csp-detect:missing-script-src	http	https://192.168.0.19:443	upgrade-insecure-requests
455	INFO	xss-deprecated-header	http	https://192.168.0.19:443	1
456	INFO	ldap-metadata	javascript	192.168.0.19:514	BaseDN: dc=514","DnsHostName:","DefaultNamingContext: dc=vsphere,dc=local","DomainFunctionality:","ForestFunctionality:"
457	INFO	ldap-metadata	javascript	192.168.0.19:636	DefaultNamingContext: dc=vsphere,dc=local","DomainFunctionality:","ForestFunctionality:","DomainControllerFunctionality:
458	INFO	tls-version	ssl	192.168.0.19:636	tls12
459	INFO	http-missing-security-headers:clear-site-d	http	https://192.168.0.19:8084	
460	INFO	http-missing-security-headers:content-secu	http	https://192.168.0.19:8084	
461	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.19:8084	
462	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.19:8084	
463	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.19:8084	

No	Severity	Template	Protocol	Target	Details
464	INFO	http-missing-security-headers:permissions-	http	https://192.168.0.19:8084	
465	INFO	http-missing-security-headers:referrer-pol	http	https://192.168.0.19:8084	
466	INFO	http-missing-security-headers:strict-trans	http	https://192.168.0.19:8084	
467	INFO	http-missing-security-headers:x-content-ty	http	https://192.168.0.19:8084	
468	INFO	http-missing-security-headers:x-frame-opti	http	https://192.168.0.19:8084	
469	INFO	http-missing-security-headers:x-permitted-	http	https://192.168.0.19:8084	
470	INFO	ldap-metadata	javascript	192.168.0.19:8084	BaseDN: dc=8084","DnsHostName:","DefaultNamingContext: dc=vsphere,dc=local","DomainFunctionality:","ForestFunctionality:
471	INFO	ssl-dns-names	ssl	192.168.0.19:8084	vcenter.[redacted]
472	INFO	ssl-issuer	ssl	192.168.0.19:8084	vcenter.[redacted]
473	INFO	tls-version	ssl	192.168.0.19:8084	tls12
474	INFO	nfs-v3-exposed	tcp	192.168.0.20:1063	
475	INFO	nfs-v3-exposed	tcp	192.168.0.20:111	
476	INFO	dameng-detect	javascript	192.168.0.20:139	
477	INFO	nfs-v3-exposed	tcp	192.168.0.20:2049	
478	INFO	deprecated-tls:tls_1.0	ssl	192.168.0.20:3389	tls10
479	INFO	deprecated-tls:tls_1.1	ssl	192.168.0.20:3389	tls11
480	INFO	rdp-detect	javascript	192.168.0.20:3389	
481	INFO	rdp-detection:win2016	tcp	192.168.0.20:3389	
482	INFO	tls-version	ssl	192.168.0.20:3389	tls10
483	INFO	tls-version	ssl	192.168.0.20:3389	tls11
484	INFO	tls-version	ssl	192.168.0.20:3389	tls12
485	INFO	smb-enum	javascript	192.168.0.20:445	OSVersion: 10.0.17763","NetBIOSComputerName: WIN-MRS8O64HQG7","NetBIOSDomainName: WIN-MRS8O64HQG7","DNSComputerNamen: WI
486	INFO	smb-enum-domains	javascript	192.168.0.20:445	DomainName: WIN-MRS8O64HQG7
487	INFO	smb-os-detect	javascript	192.168.0.20:445	Windows Server 2019, Version 1809
488	INFO	smb-version-detect:smb-version	javascript	192.168.0.20:445	SMB 2.1
489	INFO	smb2-capabilities	javascript	192.168.0.20:445	["DFSSupport","LargeMTU","Leasing
490	INFO	smb2-server-time	javascript	192.168.0.20:445	SystemTime: 2026-05-14T21:31:19.000Z ServerStartTime: 2009-04-22T19:24:48.000Z
491	INFO	dameng-detect	javascript	192.168.0.20:5357	
492	INFO	http-missing-security-headers:clear-site-d	http	http://192.168.0.20:5357	
493	INFO	http-missing-security-headers:content-secu	http	http://192.168.0.20:5357	
494	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.20:5357	
495	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.20:5357	
496	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.20:5357	
497	INFO	http-missing-security-headers:permissions-	http	http://192.168.0.20:5357	
498	INFO	http-missing-security-headers:referrer-pol	http	http://192.168.0.20:5357	
499	INFO	http-missing-security-headers:strict-trans	http	http://192.168.0.20:5357	
500	INFO	http-missing-security-headers:x-content-ty	http	http://192.168.0.20:5357	
501	INFO	http-missing-security-headers:x-frame-opti	http	http://192.168.0.20:5357	
502	INFO	http-missing-security-headers:x-permitted-	http	http://192.168.0.20:5357	
503	INFO	tech-detect:ms-httpapi	http	http://192.168.0.20:5357	
504	INFO	dameng-detect	javascript	192.168.0.20:5985	
505	INFO	http-missing-security-headers:clear-site-d	http	http://192.168.0.20:5985	
506	INFO	http-missing-security-headers:content-secu	http	http://192.168.0.20:5985	
507	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.20:5985	

508	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.20:5985	
509	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.20:5985	
510	INFO	http-missing-security-headers:permissions-	http	http://192.168.0.20:5985	
511	INFO	http-missing-security-headers:referrer-pol	http	http://192.168.0.20:5985	
512	INFO	http-missing-security-headers:strict-trans	http	http://192.168.0.20:5985	
513	INFO	http-missing-security-headers:x-content-ty	http	http://192.168.0.20:5985	
514	INFO	http-missing-security-headers:x-frame-opti	http	http://192.168.0.20:5985	
515	INFO	http-missing-security-headers:x-permitted-	http	http://192.168.0.20:5985	
516	INFO	tech-detect:ms-httpapi	http	http://192.168.0.20:5985	
517	INFO	winrm-detect	http	http://192.168.0.20:5985/wsman	
518	INFO	ldap-metadata	javascript	192.168.0.201:135	BaseDN: dc=135","DnsHostName: viewliv.elektroverband-bayern.local","DefaultNamingContext:","DomainFunctionality:","Fores
519	INFO	dameng-detect	javascript	192.168.0.201:139	
520	INFO	ldap-metadata	javascript	192.168.0.201:139	DnsHostName: viewliv.elektroverband-bayern.local","DefaultNamingContext:","DomainFunctionality:","ForestFunctionality: 2
521	INFO	deprecated-tls:tls_1.0	ssl	192.168.0.201:3389	tls10
522	INFO	deprecated-tls:tls_1.1	ssl	192.168.0.201:3389	tls11
523	INFO	ldap-metadata	javascript	192.168.0.201:3389	DnsHostName: viewliv.elektroverband-bayern.local","DefaultNamingContext:","DomainFunctionality:","ForestFunctionality: 2
524	INFO	rdp-detect	javascript	192.168.0.201:3389	
525	INFO	rdp-detection:win2016	tcp	192.168.0.201:3389	
526	INFO	tls-version	ssl	192.168.0.201:3389	tls10
527	INFO	tls-version	ssl	192.168.0.201:3389	tls11
528	INFO	tls-version	ssl	192.168.0.201:3389	tls12
529	INFO	ldap-metadata	javascript	192.168.0.201:389	DefaultNamingContext:","DomainFunctionality:","ForestFunctionality: 2","DomainControllerFunctionality: 7","BaseDN: dc=38
530	INFO	ldap-metadata	javascript	192.168.0.201:389	BaseDN: dc=389","DnsHostName: viewliv.elektroverband-bayern.local","DefaultNamingContext:","DomainFunctionality:","Fores
531	INFO	ldap-metadata	javascript	192.168.0.201:389	ForestFunctionality: 2","DomainControllerFunctionality: 7","BaseDN: dc=389","DnsHostName: viewliv.[redacted]
532	INFO	ldap-metadata	javascript	192.168.0.201:4001	BaseDN: dc=4001","DnsHostName: viewliv.elektroverband-bayern.local","DefaultNamingContext:","DomainFunctionality:","Fore
533	INFO	ldap-metadata	javascript	192.168.0.201:4002	DomainControllerFunctionality: 7","BaseDN: dc=4002","DnsHostName: viewliv.[redacted]","DefaultNamingCon
534	INFO	fingerprinthub-web-fingerprints:vmware-hor	http	https://192.168.0.201:443	
535	INFO	fingerprinthub-web-fingerprints:vmware-hor	http	https://192.168.0.201/	
536	INFO	http-missing-security-headers:clear-site-d	http	https://192.168.0.201:443	
537	INFO	http-missing-security-headers:clear-site-d	http	https://192.168.0.201/	
538	INFO	http-missing-security-headers:content-secu	http	https://192.168.0.201/	
539	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.201:443	
540	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.201/	
541	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.201:443	
542	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.201/	
543	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.201:443	
544	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.201/	
545	INFO	http-missing-security-headers:missing-cont	http	https://192.168.0.201:443	
546	INFO	http-missing-security-headers:missing-cont	http	https://192.168.0.201/	
547	INFO	http-missing-security-headers:permissions-	http	https://192.168.0.201:443	

548	INFO	http-missing-security-headers:permissions-	http	https://192.168.0.201/	
549	INFO	http-missing-security-headers:referrer-pol	http	https://192.168.0.201:443	
550	INFO	http-missing-security-headers:referrer-pol	http	https://192.168.0.201/	
551	INFO	http-missing-security-headers:x-content-ty	http	https://192.168.0.201/	
552	INFO	http-missing-security-headers:x-frame-opti	http	https://192.168.0.201:443	
553	INFO	http-missing-security-headers:x-permitted-	http	https://192.168.0.201:443	
554	INFO	http-missing-security-headers:x-permitted-	http	https://192.168.0.201/	
555	INFO	missing-cookie-samesite-strict	http	https://192.168.0.201:443	JSESSIONID=D750D0C0D45B632AB44EAC17E2607E86; Path=/; Secure; HttpOnly
556	INFO	missing-cookie-samesite-strict	http	https://192.168.0.201/	JSESSIONID=890B092AC58735B2F8100A0F64F681BF; Path=/; Secure; HttpOnly
557	INFO	ssl-dns-names	ssl	192.168.0.201:443	desktop[redacted]","www.desktop.[redacted]
558	INFO	ssl-issuer	ssl	192.168.0.201:443	Starfield Technologies, Inc.
559	INFO	tls-version	ssl	192.168.0.201:443	tls12
560	INFO	vmware-horizon-panel	http	https://192.168.0.201:443	
561	INFO	vmware-horizon-panel	http	https://192.168.0.201/	
562	INFO	vmware-horizon-version	http	https://192.168.0.201:443/portal/info.jsp	"clientVersion":"5.5.0"
563	INFO	weak-csp-detect:unsafe-script-src	http	https://192.168.0.201:443	default-src 'self';font-src 'self' data:;script-src 'self' 'unsafe-inline' 'unsafe-eval' data:;style-src 'self' 'unsafe-

No	Severity	Template	Protocol	Target	Details
564	INFO	xss-deprecated-header	http	https://192.168.0.201:443	1; mode=block
565	INFO	ldap-metadata	javascript	192.168.0.201:445	BaseDN: dc=445","DnsHostName: viewliv.elektroverband-bayern.local","DefaultNamingContext:","DomainFunctionality:","Fores
566	INFO	smb-enum	javascript	192.168.0.201:445	NetBIOSComputerName: VIEWLIV","NetBIOSDomainName: ELEKTRO","DNSComputerNamen: viewliv.[redacted]","DNSC
567	INFO	smb-enum	javascript	192.168.0.201:445	NetBIOSDomainName: ELEKTRO","DNSComputerNamen: viewliv.elektroverband-bayern.local","DNSComputerName: viewliv.elektrover
568	INFO	smb-enum	javascript	192.168.0.201:445	OSVersion: 10.0.17763","NetBIOSComputerName: VIEWLIV","NetBIOSDomainName: ELEKTRO","DNSComputerNamen: viewliv.elektrover
569	INFO	smb-enum-domains	javascript	192.168.0.201:445	DomainName:[redacted]
570	INFO	smb-os-detect	javascript	192.168.0.201:445	Windows Server 2019, Version 1809
571	INFO	smb-version-detect:smb-version	javascript	192.168.0.201:445	SMB 2.1
572	INFO	smb2-capabilities	javascript	192.168.0.201:445	["DFSSupport","LargeMTU","Leasing
573	INFO	smb2-server-time	javascript	192.168.0.201:445	SystemTime: 2026-05-14T21:30:41.000Z ServerStartTime: 2009-04-22T19:24:48.000Z
574	INFO	http-missing-security-headers:clear-site-d	http	http://192.168.0.201:5985	
575	INFO	http-missing-security-headers:content-secu	http	http://192.168.0.201:5985	
576	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.201:5985	
577	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.201:5985	
578	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.201:5985	
579	INFO	http-missing-security-headers:permissions-	http	http://192.168.0.201:5985	
580	INFO	http-missing-security-headers:referrer-pol	http	http://192.168.0.201:5985	
581	INFO	http-missing-security-headers:strict-trans	http	http://192.168.0.201:5985	
582	INFO	http-missing-security-headers:x-content-ty	http	http://192.168.0.201:5985	
583	INFO	http-missing-security-headers:x-frame-opti	http	http://192.168.0.201:5985	
584	INFO	http-missing-security-headers:x-permitted-	http	http://192.168.0.201:5985	
585	INFO	ldap-metadata	javascript	192.168.0.201:5985	DomainFunctionality:","ForestFunctionality: 2","DomainControllerFunctionality: 7","BaseDN: dc=5985","DnsHostName: viewli
586	INFO	tech-detect:ms-httpapi	http	http://192.168.0.201:5985	
587	INFO	winrm-detect	http	http://192.168.0.201:5985/wsman	
588	INFO	ldap-metadata	javascript	192.168.0.201:636	ForestFunctionality: 2","DomainControllerFunctionality: 7","BaseDN: dc=636","DnsHostName: viewliv.[redacted]
589	INFO	http-missing-security-headers:clear-site-d	http	http://192.168.0.201:80	
590	INFO	http-missing-security-headers:content-secu	http	http://192.168.0.201:80	
591	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.201:80	
592	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.201:80	
593	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.201:80	
594	INFO	http-missing-security-headers:permissions-	http	http://192.168.0.201:80	
595	INFO	http-missing-security-headers:referrer-pol	http	http://192.168.0.201:80	
596	INFO	http-missing-security-headers:strict-trans	http	http://192.168.0.201:80	
597	INFO	http-missing-security-headers:x-content-ty	http	http://192.168.0.201:80	
598	INFO	http-missing-security-headers:x-frame-opti	http	http://192.168.0.201:80	
599	INFO	http-missing-security-headers:x-permitted-	http	http://192.168.0.201:80	
600	INFO	ajp-protocol-detect	javascript	192.168.0.201:8009	AJP Detected
601	INFO	ldap-metadata	javascript	192.168.0.201:8009	DefaultNamingContext:","DomainFunctionality:","ForestFunctionality: 2","DomainControllerFunctionality: 7","BaseDN: dc=80
602	INFO	http-missing-security-headers:clear-site-d	http	https://192.168.0.201:8443	
603	INFO	http-missing-security-headers:content-secu	http	https://192.168.0.201:8443	
604	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.201:8443	

605	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.201:8443	
606	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.201:8443	
607	INFO	http-missing-security-headers:permissions-	http	https://192.168.0.201:8443	
608	INFO	http-missing-security-headers:referrer-pol	http	https://192.168.0.201:8443	
609	INFO	http-missing-security-headers:strict-trans	http	https://192.168.0.201:8443	
610	INFO	http-missing-security-headers:x-content-ty	http	https://192.168.0.201:8443	
611	INFO	http-missing-security-headers:x-frame-opti	http	https://192.168.0.201:8443	
612	INFO	http-missing-security-headers:x-permitted-	http	https://192.168.0.201:8443	
613	INFO	ssl-dns-names	ssl	192.168.0.201:8443	www.desktop.[redacted]","desktop.[redacted]
614	INFO	ssl-issuer	ssl	192.168.0.201:8443	Starfield Technologies, Inc.
615	INFO	tls-version	ssl	192.168.0.201:8443	tls12
616	INFO	vmware-horizon-panel	http	https://192.168.0.201:8443	
617	INFO	ldap-metadata	javascript	192.168.0.203:135	BaseDN: dc=135","DnsHostName: view-conn-repl.elektroverband-bayern.local","DefaultNamingContext:","DomainFunctionality:"
618	INFO	dameng-detect	javascript	192.168.0.203:139	
619	INFO	ldap-metadata	javascript	192.168.0.203:139	DnsHostName: view-conn-repl.elektroverband-bayern.local","DefaultNamingContext:","DomainFunctionality:","ForestFunctiona
620	INFO	deprecated-tls:tls_1.0	ssl	192.168.0.203:3389	tls10
621	INFO	deprecated-tls:tls_1.1	ssl	192.168.0.203:3389	tls11
622	INFO	ldap-metadata	javascript	192.168.0.203:3389	DomainFunctionality:","ForestFunctionality: 2","DomainControllerFunctionality: 7","BaseDN: dc=3389","DnsHostName: view-c
623	INFO	rdp-detect	javascript	192.168.0.203:3389	
624	INFO	rdp-detection:win2016	tcp	192.168.0.203:3389	
625	INFO	tls-version	ssl	192.168.0.203:3389	tls10
626	INFO	tls-version	ssl	192.168.0.203:3389	tls11
627	INFO	tls-version	ssl	192.168.0.203:3389	tls12
628	INFO	ldap-metadata	javascript	192.168.0.203:389	DefaultNamingContext:","DomainFunctionality:","ForestFunctionality: 2","DomainControllerFunctionality: 7","BaseDN: dc=38
629	INFO	ldap-metadata	javascript	192.168.0.203:389	DomainFunctionality:","ForestFunctionality: 2","DomainControllerFunctionality: 7","BaseDN: dc=389","DnsHostName: view-co
630	INFO	ldap-metadata	javascript	192.168.0.203:4001	BaseDN: dc=4001","DnsHostName: view-conn-repl.elektroverband-bayern.local","DefaultNamingContext:","DomainFunctionality:
631	INFO	ldap-metadata	javascript	192.168.0.203:4002	DnsHostName: view-conn-repl.elektroverband-bayern.local","DefaultNamingContext:","DomainFunctionality:","ForestFunctiona
632	INFO	fingerprinthub-web-fingerprints:vmware-hor	http	https://192.168.0.203:443	
633	INFO	fingerprinthub-web-fingerprints:vmware-hor	http	https://192.168.0.203/	
634	INFO	http-missing-security-headers:clear-site-d	http	https://192.168.0.203:443	
635	INFO	http-missing-security-headers:clear-site-d	http	https://192.168.0.203/	
636	INFO	http-missing-security-headers:content-secu	http	https://192.168.0.203/	
637	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.203:443	
638	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.203/	
639	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.203:443	
640	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.203/	
641	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.203:443	
642	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.203/	
643	INFO	http-missing-security-headers:missing-cont	http	https://192.168.0.203:443	
644	INFO	http-missing-security-headers:missing-cont	http	https://192.168.0.203/	
645	INFO	http-missing-security-headers:permissions-	http	https://192.168.0.203:443	
646	INFO	http-missing-security-headers:permissions-	http	https://192.168.0.203/	
647	INFO	http-missing-security-headers:referrer-pol	http	https://192.168.0.203:443	

648	INFO	http-missing-security-headers:referrer-pol	http	https://192.168.0.203/	
649	INFO	http-missing-security-headers:x-content-ty	http	https://192.168.0.203/	
650	INFO	http-missing-security-headers:x-frame-opti	http	https://192.168.0.203:443	
651	INFO	http-missing-security-headers:x-permitted-	http	https://192.168.0.203:443	
652	INFO	http-missing-security-headers:x-permitted-	http	https://192.168.0.203/	
653	INFO	missing-cookie-samesite-strict	http	https://192.168.0.203:443	JSESSIONID=4908C14A91FE27AA384368EA7F10C752; Path=/; Secure; HttpOnly
654	INFO	missing-cookie-samesite-strict	http	https://192.168.0.203/	JSESSIONID=7F062D27C39955A2DE1C56572AFCB4AF; Path=/; Secure; HttpOnly
655	INFO	ssl-dns-names	ssl	192.168.0.203:443	desktop.[redacted]","www.desktop.[redacted]
656	INFO	ssl-issuer	ssl	192.168.0.203:443	Starfield Technologies, Inc.
657	INFO	tls-version	ssl	192.168.0.203:443	tls12
658	INFO	vmware-horizon-panel	http	https://192.168.0.203:443	
659	INFO	vmware-horizon-panel	http	https://192.168.0.203/	
660	INFO	vmware-horizon-version	http	https://192.168.0.203:443/portal/info.jsp	"clientVersion":"5.5.0"
661	INFO	xss-deprecated-header	http	https://192.168.0.203:443	1; mode=block
662	INFO	ldap-metadata	javascript	192.168.0.203:445	DomainControllerFunctionality: 7","BaseDN: dc=445","DnsHostName: view-conn-repl.[redacted]","DefaultNam
663	INFO	smb-enum	javascript	192.168.0.203:445	NetBIOSComputerName: VIEW-CONN-REPL","NetBIOSDomainName: ELEKTRO","DNSComputerNamen: view-conn-repl.elektroverband-bayer

No	Severity	Template	Protocol	Target	Details
664	INFO	smb-enum	javascript	192.168.0.203:445	DNSComputerName: view-conn-repl.[redacted]","ForestName: [redacted]","OSVersion: 10.0.
665	INFO	smb-enum	javascript	192.168.0.203:445	DNSComputerNamen: view-conn-repl.elektroverband-bayern.local","DNSComputerName: view-conn-repl.[redacted].loc
666	INFO	smb-enum-domains	javascript	192.168.0.203:445	DomainName: [redacted]
667	INFO	smb-os-detect	javascript	192.168.0.203:445	Windows Server 2019, Version 1809
668	INFO	smb-version-detect:smb-version	javascript	192.168.0.203:445	SMB 2.1
669	INFO	smb2-capabilities	javascript	192.168.0.203:445	["DFSSupport","LargeMTU","Leasing
670	INFO	smb2-server-time	javascript	192.168.0.203:445	SystemTime: 2026-05-14T21:31:01.000Z ServerStartTime: 2009-04-22T19:24:48.000Z
671	INFO	dameng-detect	javascript	192.168.0.203:5985	
672	INFO	http-missing-security-headers:clear-site-d	http	http://192.168.0.203:5985	
673	INFO	http-missing-security-headers:content-secu	http	http://192.168.0.203:5985	
674	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.203:5985	
675	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.203:5985	
676	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.203:5985	
677	INFO	http-missing-security-headers:permissions-	http	http://192.168.0.203:5985	
678	INFO	http-missing-security-headers:referrer-pol	http	http://192.168.0.203:5985	
679	INFO	http-missing-security-headers:strict-trans	http	http://192.168.0.203:5985	
680	INFO	http-missing-security-headers:x-content-ty	http	http://192.168.0.203:5985	
681	INFO	http-missing-security-headers:x-frame-opti	http	http://192.168.0.203:5985	
682	INFO	http-missing-security-headers:x-permitted-	http	http://192.168.0.203:5985	
683	INFO	ldap-metadata	javascript	192.168.0.203:5985	DnsHostName: view-conn-repl.elektroverband-bayern.local","DefaultNamingContext:","DomainFunctionality:","ForestFunctiona
684	INFO	tech-detect:ms-httpapi	http	http://192.168.0.203:5985	
685	INFO	winrm-detect	http	http://192.168.0.203:5985/wsman	
686	INFO	ldap-metadata	javascript	192.168.0.203:636	BaseDN: dc=636","DnsHostName: view-conn-repl.elektroverband-bayern.local","DefaultNamingContext:","DomainFunctionality:"
687	INFO	http-missing-security-headers:clear-site-d	http	http://192.168.0.203:80	
688	INFO	http-missing-security-headers:content-secu	http	http://192.168.0.203:80	
689	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.203:80	
690	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.203:80	
691	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.203:80	
692	INFO	http-missing-security-headers:permissions-	http	http://192.168.0.203:80	
693	INFO	http-missing-security-headers:referrer-pol	http	http://192.168.0.203:80	
694	INFO	http-missing-security-headers:strict-trans	http	http://192.168.0.203:80	
695	INFO	http-missing-security-headers:x-content-ty	http	http://192.168.0.203:80	
696	INFO	http-missing-security-headers:x-frame-opti	http	http://192.168.0.203:80	
697	INFO	http-missing-security-headers:x-permitted-	http	http://192.168.0.203:80	
698	INFO	ajp-protocol-detect	javascript	192.168.0.203:8009	AJP Detected
699	INFO	ldap-metadata	javascript	192.168.0.203:8009	DnsHostName: view-conn-repl.elektroverband-bayern.local","DefaultNamingContext:","DomainFunctionality:","ForestFunctiona
700	INFO	http-missing-security-headers:clear-site-d	http	https://192.168.0.203:8443	
701	INFO	http-missing-security-headers:content-secu	http	https://192.168.0.203:8443	
702	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.203:8443	
703	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.203:8443	
704	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.203:8443	

705	INFO	http-missing-security-headers:permissions-	http	https://192.168.0.203:8443	
706	INFO	http-missing-security-headers:referrer-pol	http	https://192.168.0.203:8443	
707	INFO	http-missing-security-headers:strict-trans	http	https://192.168.0.203:8443	
708	INFO	http-missing-security-headers:x-content-ty	http	https://192.168.0.203:8443	
709	INFO	http-missing-security-headers:x-frame-opti	http	https://192.168.0.203:8443	
710	INFO	http-missing-security-headers:x-permitted-	http	https://192.168.0.203:8443	
711	INFO	ssl-dns-names	ssl	192.168.0.203:8443	desktop.[redacted]","www.desktop.[redacted]
712	INFO	ssl-issuer	ssl	192.168.0.203:8443	Starfield Technologies, Inc.
713	INFO	tls-version	ssl	192.168.0.203:8443	tls12
714	INFO	vmware-horizon-panel	http	https://192.168.0.203:8443	
715	INFO	dameng-detect	javascript	192.168.0.21:22	
716	INFO	openssh-detect	tcp	192.168.0.21:22	SSH-2.0-OpenSSH_8.6
717	INFO	ssh-auth-methods	javascript	192.168.0.21:22	["publickey","keyboard-interactive
718	INFO	ssh-server-enumeration	javascript	192.168.0.21:22	SSH-2.0-OpenSSH_8.6
719	INFO	esxi-system	http	https://192.168.0.21:443/ui/#/login	
720	INFO	http-missing-security-headers:clear-site-d	http	https://192.168.0.21:443	
721	INFO	http-missing-security-headers:clear-site-d	http	https://192.168.0.21/	
722	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.21:443	
723	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.21/	
724	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.21:443	
725	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.21/	
726	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.21:443	
727	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.21/	
728	INFO	http-missing-security-headers:missing-cont	http	https://192.168.0.21:443	
729	INFO	http-missing-security-headers:missing-cont	http	https://192.168.0.21/	
730	INFO	http-missing-security-headers:permissions-	http	https://192.168.0.21:443	
731	INFO	http-missing-security-headers:permissions-	http	https://192.168.0.21/	
732	INFO	http-missing-security-headers:referrer-pol	http	https://192.168.0.21:443	
733	INFO	http-missing-security-headers:referrer-pol	http	https://192.168.0.21/	
734	INFO	http-missing-security-headers:x-permitted-	http	https://192.168.0.21:443	
735	INFO	http-missing-security-headers:x-permitted-	http	https://192.168.0.21/	
736	INFO	ssl-issuer	ssl	192.168.0.21:443	vcenter.[redacted]
737	INFO	tls-version	ssl	192.168.0.21:443	tls12
738	INFO	vmware-detect	http	https://192.168.0.21:443/sdk/	VMware ESXi","7.0.3","19193900","vmnix-x86","embeddedEsx","HostAgent
739	INFO	weak-csp-detect:missing-object-src	http	https://192.168.0.21:443	upgrade-insecure-requests
740	INFO	weak-csp-detect:missing-script-src	http	https://192.168.0.21:443	upgrade-insecure-requests
741	INFO	xss-deprecated-header	http	https://192.168.0.21:443	1
742	INFO	http-missing-security-headers:clear-site-d	http	https://192.168.0.21:5989	
743	INFO	http-missing-security-headers:content-secu	http	https://192.168.0.21:5989	
744	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.21:5989	
745	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.21:5989	
746	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.21:5989	
747	INFO	http-missing-security-headers:permissions-	http	https://192.168.0.21:5989	
748	INFO	http-missing-security-headers:referrer-pol	http	https://192.168.0.21:5989	
749	INFO	http-missing-security-headers:strict-trans	http	https://192.168.0.21:5989	

750	INFO	http-missing-security-headers:x-content-ty	http	https://192.168.0.21:5989	
751	INFO	http-missing-security-headers:x-frame-opti	http	https://192.168.0.21:5989	
752	INFO	http-missing-security-headers:x-permitted-	http	https://192.168.0.21:5989	
753	INFO	ssl-issuer	ssl	192.168.0.21:5989	vcenter.[redacted]
754	INFO	tls-version	ssl	192.168.0.21:5989	tls12
755	INFO	vmware-authentication-daemon	tcp	192.168.0.21:902	VMware Authentication Daemon Version 1.10
756	INFO	http-missing-security-headers:clear-site-d	http	https://192.168.0.21:9080	
757	INFO	http-missing-security-headers:content-secu	http	https://192.168.0.21:9080	
758	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.21:9080	
759	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.21:9080	
760	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.21:9080	
761	INFO	http-missing-security-headers:missing-cont	http	https://192.168.0.21:9080	
762	INFO	http-missing-security-headers:permissions-	http	https://192.168.0.21:9080	
763	INFO	http-missing-security-headers:referrer-pol	http	https://192.168.0.21:9080	

No	Severity	Template	Protocol	Target	Details
764	INFO	http-missing-security-headers:strict-trans	http	https://192.168.0.21:9080	
765	INFO	http-missing-security-headers:x-content-ty	http	https://192.168.0.21:9080	
766	INFO	http-missing-security-headers:x-permitted-	http	https://192.168.0.21:9080	
767	INFO	ssl-issuer	ssl	192.168.0.21:9080	vcenter.[redacted]
768	INFO	tls-version	ssl	192.168.0.21:9080	tls12
769	INFO	dameng-detect	javascript	192.168.0.34:139	
770	INFO	deprecated-tls:tls_1.1	ssl	192.168.0.34:3389	tls11
771	INFO	rdp-detect	javascript	192.168.0.34:3389	
772	INFO	rdp-detection:win7or2008R2	tcp	192.168.0.34:3389	
773	INFO	tls-version	ssl	192.168.0.34:3389	tls11
774	INFO	tls-version	ssl	192.168.0.34:3389	tls12
775	INFO	smb-enum	javascript	192.168.0.34:445	NetBIOSDomainName: ELEKTRO","DNSComputerNamen: VossWin7.[redacted]","DNSComputerName: VossWin7.elektrov
776	INFO	smb-enum-domains	javascript	192.168.0.34:445	DomainName:[redacted]
777	INFO	smb-os-detect	javascript	192.168.0.34:445	Windows 7, Service Pack 1
778	INFO	smb-version-detect:smb-version	javascript	192.168.0.34:445	SMB 2.1
779	INFO	smb2-server-time	javascript	192.168.0.34:445	SystemTime: 2026-05-14T21:32:34.000Z ServerStartTime: 2026-01-14T15:56:32.000Z
780	INFO	snmpv3-detect	javascript	192.168.0.40:161	Enterprise: 80006a9203e046ee3cd0380201
781	INFO	openssh-detect	tcp	192.168.0.40:22	SSH-2.0-OpenSSH_8.7
782	INFO	ssh-auth-methods	javascript	192.168.0.40:22	["password","keyboard-interactive
783	INFO	ssh-password-auth	javascript	192.168.0.40:22	
784	INFO	ssh-server-enumeration	javascript	192.168.0.40:22	SSH-2.0-OpenSSH_8.7
785	INFO	ssh-sha1-hmac-algo	javascript	192.168.0.40:22	
786	INFO	csp-script-src-wildcard	http	http://192.168.0.40:80	
787	INFO	http-missing-security-headers:clear-site-d	http	http://192.168.0.40:80	
788	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.40:80	
789	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.40:80	
790	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.40:80	
791	INFO	http-missing-security-headers:missing-cont	http	http://192.168.0.40:80	
792	INFO	http-missing-security-headers:permissions-	http	http://192.168.0.40:80	
793	INFO	http-missing-security-headers:referrer-pol	http	http://192.168.0.40:80	
794	INFO	http-missing-security-headers:x-permitted-	http	http://192.168.0.40:80	
795	INFO	options-method	http	http://192.168.0.40:80	OPTIONS, GET, HEAD, POST
796	INFO	weak-csp-detect:unsafe-script-src	http	http://192.168.0.40:80	default-src 'self';script-src 'self' 'unsafe-inline' 'unsafe-eval' *.netgear.com;font-src 'self' data:;style-src 'self'
797	INFO	weak-hsts-detect:hsts-header	http	http://192.168.0.40:80	max-age=86400; includeSubdomains
798	INFO	ftp-detect	tcp	192.168.0.57:21	
799	INFO	tp-print-ftp-detect:version	tcp	192.168.0.57:21	1.13
800	INFO	deprecated-tls:tls_1.0	ssl	192.168.0.59:443	tls10
801	INFO	deprecated-tls:tls_1.1	ssl	192.168.0.59:443	tls11
802	INFO	tls-version	ssl	192.168.0.59:443	tls10
803	INFO	tls-version	ssl	192.168.0.59:443	tls11
804	INFO	tls-version	ssl	192.168.0.59:443	tls12
805	INFO	zeroconf-detect	javascript	192.168.0.59:5353	
806	INFO	dameng-detect	javascript	192.168.0.61:139	
807	INFO	deprecated-tls:tls_1.1	ssl	192.168.0.61:3389	tls11
808	INFO	rdp-detect	javascript	192.168.0.61:3389	
809	INFO	rdp-detection:win2016	tcp	192.168.0.61:3389	
810	INFO	tls-version	ssl	192.168.0.61:3389	tls11
811	INFO	tls-version	ssl	192.168.0.61:3389	tls12
812	INFO	smb-enum	javascript	192.168.0.61:445	DNSComputerName: Win10Thies.[redacted]","ForestName: [redacted]","OSVersion: 10.0.1904

813	INFO	smb-enum-domains	javascript	192.168.0.61:445	DomainName: [redacted]
814	INFO	smb-os-detect	javascript	192.168.0.61:445	Windows 10, Version 2004
815	INFO	smb-version-detect:smb-version	javascript	192.168.0.61:445	SMB 2.1
816	INFO	smb2-capabilities	javascript	192.168.0.61:445	["DFSSupport","LargeMTU","Leasing
817	INFO	smb2-server-time	javascript	192.168.0.61:445	SystemTime: 2026-05-14T21:32:07.000Z ServerStartTime: 2009-04-22T19:24:48.000Z
818	INFO	dameng-detect	javascript	192.168.0.61:5357	
819	INFO	http-missing-security-headers:clear-site-d	http	http://192.168.0.61:5357	
820	INFO	http-missing-security-headers:content-secu	http	http://192.168.0.61:5357	
821	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.61:5357	
822	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.61:5357	
823	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.61:5357	
824	INFO	http-missing-security-headers:permissions-	http	http://192.168.0.61:5357	
825	INFO	http-missing-security-headers:referrer-pol	http	http://192.168.0.61:5357	
826	INFO	http-missing-security-headers:strict-trans	http	http://192.168.0.61:5357	
827	INFO	http-missing-security-headers:x-content-ty	http	http://192.168.0.61:5357	
828	INFO	http-missing-security-headers:x-frame-opti	http	http://192.168.0.61:5357	
829	INFO	http-missing-security-headers:x-permitted-	http	http://192.168.0.61:5357	
830	INFO	tech-detect:ms-httpapi	http	http://192.168.0.61:5357	
831	INFO	samba-detect	javascript	192.168.0.64:139	Samba detected
832	INFO	smb-enum	javascript	192.168.0.64:139	ForestName:","OSVersion: 6.1.0","NetBIOSComputerName: LIVNAS","NetBIOSDomainName: LIVNAS","DNSComputerNamen: livnas","DN
833	INFO	smb-os-detect	javascript	192.168.0.64:139	6.1.0
834	INFO	smb-v1-supported	javascript	192.168.0.64:139	
835	INFO	smb-version-detect:smb-version	javascript	192.168.0.64:139	SMB 1.0
836	INFO	tech-detect:nginx	http	https://192.168.0.64:443	
837	INFO	tls-version	ssl	192.168.0.64:443	tls12
838	INFO	waf-detect:nginxgeneric	http	https://192.168.0.64:443	
839	INFO	samba-detect	javascript	192.168.0.64:445	Samba detected
840	INFO	smb-enum	javascript	192.168.0.64:445	OSVersion: 6.1.0","NetBIOSComputerName: LIVNAS","NetBIOSDomainName: LIVNAS","DNSComputerNamen: livnas","DNSComputerName:
841	INFO	smb-enum	javascript	192.168.0.64:445	NetBIOSDomainName: LIVNAS","DNSComputerNamen: livnas","DNSComputerName: livnas","ForestName:","OSVersion: 6.1.0","NetBIO
842	INFO	smb-os-detect	javascript	192.168.0.64:445	6.1.0
843	INFO	smb-v1-supported	javascript	192.168.0.64:445	
844	INFO	smb-version-detect:smb-version	javascript	192.168.0.64:445	SMB 1.0
845	INFO	csp-script-src-wildcard	http	http://192.168.0.64:5000	
846	INFO	dameng-detect	javascript	192.168.0.64:5000	
847	INFO	http-missing-security-headers:clear-site-d	http	http://192.168.0.64:5000	
848	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.64:5000	
849	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.64:5000	
850	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.64:5000	
851	INFO	http-missing-security-headers:missing-cont	http	http://192.168.0.64:5000	
852	INFO	http-missing-security-headers:permissions-	http	http://192.168.0.64:5000	
853	INFO	http-missing-security-headers:referrer-pol	http	http://192.168.0.64:5000	
854	INFO	http-missing-security-headers:strict-trans	http	http://192.168.0.64:5000	
855	INFO	http-missing-security-headers:x-permitted-	http	http://192.168.0.64:5000	
856	INFO	robots-txt	http	http://192.168.0.64:5000/robots.txt	

857	INFO	robots-txt-endpoint	http	http://192.168.0.64:5000/robots.txt	
858	INFO	tech-detect:nginx	http	http://192.168.0.64:5000	
859	INFO	tech-detect:synology-diskstation	http	http://192.168.0.64:5000	
860	INFO	waf-detect:nginxgeneric	http	http://192.168.0.64:5000	
861	INFO	weak-csp-detect:unsafe-default-src	http	http://192.168.0.64:5000	base-uri 'self'; connect-src ws: wss: *; default-src 'self' 'unsafe-eval' data: blob: https://*.synology.com https://ww
862	INFO	weak-csp-detect:unsafe-script-src	http	http://192.168.0.64:5000	base-uri 'self'; connect-src ws: wss: *; default-src 'self' 'unsafe-eval' data: blob: https://*.synology.com https://ww
863	INFO	xss-deprecated-header	http	http://192.168.0.64:5000	1; mode=block

No	Severity	Template	Protocol	Target	Details
864	INFO	dameng-detect	javascript	192.168.0.64:5001	
865	INFO	http-missing-security-headers:clear-site-d	http	http://192.168.0.64:5001	
866	INFO	http-missing-security-headers:content-secu	http	http://192.168.0.64:5001	
867	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.64:5001	
868	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.64:5001	
869	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.64:5001	
870	INFO	http-missing-security-headers:permissions-	http	http://192.168.0.64:5001	
871	INFO	http-missing-security-headers:referrer-pol	http	http://192.168.0.64:5001	
872	INFO	http-missing-security-headers:strict-trans	http	http://192.168.0.64:5001	
873	INFO	http-missing-security-headers:x-content-ty	http	http://192.168.0.64:5001	
874	INFO	http-missing-security-headers:x-frame-opti	http	http://192.168.0.64:5001	
875	INFO	http-missing-security-headers:x-permitted-	http	http://192.168.0.64:5001	
876	INFO	tech-detect:nginx	http	http://192.168.0.64:5001	
877	INFO	tls-version	ssl	192.168.0.64:5001	tls12
878	INFO	waf-detect:nginxgeneric	http	http://192.168.0.64:5001	
879	INFO	afp-server-detect	tcp	192.168.0.64:548	
880	INFO	tech-detect:nginx	http	http://192.168.0.64:80	
881	INFO	waf-detect:nginxgeneric	http	http://192.168.0.64:80	
882	INFO	deprecated-tls:tls_1.1	ssl	192.168.0.73:3389	tls11
883	INFO	rdp-detect	javascript	192.168.0.73:3389	
884	INFO	rdp-detection:win2016	tcp	192.168.0.73:3389	
885	INFO	tls-version	ssl	192.168.0.73:3389	tls11
886	INFO	tls-version	ssl	192.168.0.73:3389	tls12
887	INFO	http-missing-security-headers:clear-site-d	http	http://192.168.0.8/index.asp	
888	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.8/index.asp	
889	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.8/index.asp	
890	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.8/index.asp	
891	INFO	http-missing-security-headers:missing-cont	http	http://192.168.0.8/index.asp	
892	INFO	http-missing-security-headers:permissions-	http	http://192.168.0.8/index.asp	
893	INFO	http-missing-security-headers:referrer-pol	http	http://192.168.0.8/index.asp	
894	INFO	http-missing-security-headers:strict-trans	http	http://192.168.0.8/index.asp	
895	INFO	http-missing-security-headers:x-permitted-	http	http://192.168.0.8/index.asp	
896	INFO	weak-csp-detect:missing-object-src	http	http://192.168.0.8:80	self
897	INFO	weak-csp-detect:missing-script-src	http	http://192.168.0.8:80	self
898	INFO	xss-deprecated-header	http	http://192.168.0.8:80	1;mode=block
899	INFO	snmpv3-detect	javascript	192.168.0.83:161	Enterprise: unknown
900	INFO	http-missing-security-headers:clear-site-d	http	https://192.168.0.83:443/home/status.html	
901	INFO	http-missing-security-headers:content-secu	http	https://192.168.0.83:443/home/status.html	
902	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.83:443/home/status.html	
903	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.83:443/home/status.html	
904	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.83:443/home/status.html	
905	INFO	http-missing-security-headers:missing-cont	http	https://192.168.0.83:443/home/status.html	
906	INFO	http-missing-security-headers:permissions-	http	https://192.168.0.83:443/home/status.html	

907	INFO	http-missing-security-headers:referrer-pol	http	https://192.168.0.83:443/home/status.html	
908	INFO	http-missing-security-headers:strict-trans	http	https://192.168.0.83:443/home/status.html	
909	INFO	http-missing-security-headers:x-permitted-	http	https://192.168.0.83:443/home/status.html	
910	INFO	robots-txt	http	https://192.168.0.83:443/robots.txt	
911	INFO	robots-txt-endpoint	http	https://192.168.0.83:443/robots.txt	
912	INFO	ssl-dns-names	ssl	192.168.0.83:443	BRN94DDF833058A.local
913	INFO	tls-version	ssl	192.168.0.83:443	tls12
914	INFO	tls-version	ssl	192.168.0.83:443	tls13
915	INFO	http-missing-security-headers:clear-site-d	http	https://192.168.0.83:631/home/status.html	
916	INFO	http-missing-security-headers:content-secu	http	https://192.168.0.83:631/home/status.html	
917	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.83:631/home/status.html	
918	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.83:631/home/status.html	
919	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.83:631/home/status.html	
920	INFO	http-missing-security-headers:missing-cont	http	https://192.168.0.83:631/home/status.html	
921	INFO	http-missing-security-headers:permissions-	http	https://192.168.0.83:631/home/status.html	
922	INFO	http-missing-security-headers:referrer-pol	http	https://192.168.0.83:631/home/status.html	
923	INFO	http-missing-security-headers:strict-trans	http	https://192.168.0.83:631/home/status.html	
924	INFO	http-missing-security-headers:x-permitted-	http	https://192.168.0.83:631/home/status.html	
925	INFO	options-method	http	https://192.168.0.83:631	POST
926	INFO	robots-txt	http	https://192.168.0.83:631/robots.txt	
927	INFO	robots-txt-endpoint	http	https://192.168.0.83:631/robots.txt	
928	INFO	ssl-dns-names	ssl	192.168.0.83:631	BRN94DDF833058A.local
929	INFO	tls-version	ssl	192.168.0.83:631	tls12
930	INFO	tls-version	ssl	192.168.0.83:631	tls13
931	INFO	http-missing-security-headers:clear-site-d	http	http://192.168.0.83:80/home/status.html	
932	INFO	http-missing-security-headers:content-secu	http	http://192.168.0.83:80/home/status.html	
933	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.83:80/home/status.html	
934	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.83:80/home/status.html	
935	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.83:80/home/status.html	
936	INFO	http-missing-security-headers:missing-cont	http	http://192.168.0.83:80/home/status.html	
937	INFO	http-missing-security-headers:permissions-	http	http://192.168.0.83:80/home/status.html	
938	INFO	http-missing-security-headers:referrer-pol	http	http://192.168.0.83:80/home/status.html	
939	INFO	http-missing-security-headers:strict-trans	http	http://192.168.0.83:80/home/status.html	
940	INFO	http-missing-security-headers:x-permitted-	http	http://192.168.0.83:80/home/status.html	
941	INFO	robots-txt	http	http://192.168.0.83:80/robots.txt	
942	INFO	robots-txt-endpoint	http	http://192.168.0.83:80/robots.txt	
943	INFO	snmpv3-detect	javascript	192.168.0.84:161	Enterprise: unknown
944	INFO	http-missing-security-headers:clear-site-d	http	https://192.168.0.84:443/home/status.html	
945	INFO	http-missing-security-headers:content-secu	http	https://192.168.0.84:443/home/status.html	
946	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.84:443/home/status.html	
947	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.84:443/home/status.html	
948	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.84:443/home/status.html	
949	INFO	http-missing-security-headers:missing-cont	http	https://192.168.0.84:443/home/status.html	

950	INFO	http-missing-security-headers:permissions-	http	https://192.168.0.84:443/home/status.html	
951	INFO	http-missing-security-headers:referrer-pol	http	https://192.168.0.84:443/home/status.html	
952	INFO	http-missing-security-headers:strict-trans	http	https://192.168.0.84:443/home/status.html	
953	INFO	http-missing-security-headers:x-permitted-	http	https://192.168.0.84:443/home/status.html	
954	INFO	robots-txt	http	https://192.168.0.84:443/robots.txt	
955	INFO	robots-txt-endpoint	http	https://192.168.0.84:443/robots.txt	
956	INFO	ssl-dns-names	ssl	192.168.0.84:443	BRN94DDF83304DF.local
957	INFO	tls-version	ssl	192.168.0.84:443	tls12
958	INFO	tls-version	ssl	192.168.0.84:443	tls13
959	INFO	zeroconf-detect	javascript	192.168.0.84:5353	
960	INFO	http-missing-security-headers:clear-site-d	http	https://192.168.0.84:631/home/status.html	
961	INFO	http-missing-security-headers:content-secu	http	https://192.168.0.84:631/home/status.html	
962	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.84:631/home/status.html	
963	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.84:631/home/status.html	

No	Severity	Template	Protocol	Target	Details
964	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.84:631/home/status.html	
965	INFO	http-missing-security-headers:missing-cont	http	https://192.168.0.84:631/home/status.html	
966	INFO	http-missing-security-headers:permissions-	http	https://192.168.0.84:631/home/status.html	
967	INFO	http-missing-security-headers:referrer-pol	http	https://192.168.0.84:631/home/status.html	
968	INFO	http-missing-security-headers:strict-trans	http	https://192.168.0.84:631/home/status.html	
969	INFO	http-missing-security-headers:x-permitted-	http	https://192.168.0.84:631/home/status.html	
970	INFO	options-method	http	https://192.168.0.84:631	POST
971	INFO	robots-txt	http	https://192.168.0.84:631/robots.txt	
972	INFO	robots-txt-endpoint	http	https://192.168.0.84:631/robots.txt	
973	INFO	ssl-dns-names	ssl	192.168.0.84:631	BRN94DDF83304DF.local
974	INFO	tls-version	ssl	192.168.0.84:631	tls12
975	INFO	tls-version	ssl	192.168.0.84:631	tls13
976	INFO	http-missing-security-headers:clear-site-d	http	http://192.168.0.84:80/home/status.html	
977	INFO	http-missing-security-headers:content-secu	http	http://192.168.0.84:80/home/status.html	
978	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.84:80/home/status.html	
979	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.84:80/home/status.html	
980	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.84:80/home/status.html	
981	INFO	http-missing-security-headers:missing-cont	http	http://192.168.0.84:80/home/status.html	
982	INFO	http-missing-security-headers:permissions-	http	http://192.168.0.84:80/home/status.html	
983	INFO	http-missing-security-headers:referrer-pol	http	http://192.168.0.84:80/home/status.html	
984	INFO	http-missing-security-headers:strict-trans	http	http://192.168.0.84:80/home/status.html	
985	INFO	http-missing-security-headers:x-permitted-	http	http://192.168.0.84:80/home/status.html	
986	INFO	robots-txt	http	http://192.168.0.84:80/robots.txt	
987	INFO	robots-txt-endpoint	http	http://192.168.0.84:80/robots.txt	
988	INFO	dameng-detect	javascript	192.168.0.90:139	
989	INFO	deprecated-tls:tls_1.0	ssl	192.168.0.90:3389	tls10
990	INFO	deprecated-tls:tls_1.1	ssl	192.168.0.90:3389	tls11
991	INFO	rdp-detect	javascript	192.168.0.90:3389	
992	INFO	rdp-detection:win2016	tcp	192.168.0.90:3389	
993	INFO	tls-version	ssl	192.168.0.90:3389	tls10
994	INFO	tls-version	ssl	192.168.0.90:3389	tls11
995	INFO	tls-version	ssl	192.168.0.90:3389	tls12
996	INFO	smb-enum	javascript	192.168.0.90:445	OSVersion: 10.0.19041","NetBIOSComputerName: WIN10THOEMMES","NetBIOSDomainName: ELEKTRO","DNSComputerNamen: Win10Thoemme
997	INFO	smb-enum-domains	javascript	192.168.0.90:445	DomainName: [redacted]
998	INFO	smb-os-detect	javascript	192.168.0.90:445	Windows 10, Version 2004
999	INFO	smb-version-detect:smb-version	javascript	192.168.0.90:445	SMB 2.1
1000	INFO	smb2-capabilities	javascript	192.168.0.90:445	["DFSSupport","LargeMTU","Leasing
1001	INFO	smb2-server-time	javascript	192.168.0.90:445	SystemTime: 2026-05-14T21:32:29.000Z ServerStartTime: 2009-04-22T19:24:48.000Z
1002	INFO	zeroconf-detect	javascript	192.168.0.96:5353	
1003	INFO	http-missing-security-headers:clear-site-d	http	http://192.168.0.96:80/home/status.html	
1004	INFO	http-missing-security-headers:content-secu	http	http://192.168.0.96:80/home/status.html	
1005	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.96:80/home/status.html	
1006	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.96:80/home/status.html	
1007	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.96:80/home/status.html	

1008	INFO	http-missing-security-headers:missing-cont	http	http://192.168.0.96:80/home/status.html	
1009	INFO	http-missing-security-headers:permissions-	http	http://192.168.0.96:80/home/status.html	
1010	INFO	http-missing-security-headers:referrer-pol	http	http://192.168.0.96:80/home/status.html	
1011	INFO	http-missing-security-headers:strict-trans	http	http://192.168.0.96:80/home/status.html	
1012	INFO	http-missing-security-headers:x-permitted-	http	http://192.168.0.96:80/home/status.html	
1013	INFO	robots-txt	http	http://192.168.0.96:80/robots.txt	
1014	INFO	robots-txt-endpoint	http	http://192.168.0.96:80/robots.txt	
1015	INFO	smb-enum	javascript	192.168.0.99:139	OSVersion: 6.1.0","NetBIOSComputerName: LIV-NAS-BACKUP","NetBIOSDomainName: LIV-NAS-BACKUP","DNSComputerNamen: liv-nas-b
1016	INFO	smb-os-detect	javascript	192.168.0.99:139	6.1.0
1017	INFO	smb-version-detect:smb-version	javascript	192.168.0.99:139	SMB 2.1
1018	INFO	smb2-capabilities	javascript	192.168.0.99:139	["DFSSupport
1019	INFO	smb2-server-time	javascript	192.168.0.99:139	SystemTime: 2026-05-14T21:29:23.000Z ServerStartTime: 2009-04-22T19:24:48.000Z
1020	INFO	http-missing-security-headers:clear-site-d	http	https://192.168.0.99:443	
1021	INFO	http-missing-security-headers:content-secu	http	https://192.168.0.99:443	
1022	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.99:443	
1023	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.99:443	
1024	INFO	http-missing-security-headers:cross-origin	http	https://192.168.0.99:443	
1025	INFO	http-missing-security-headers:missing-cont	http	https://192.168.0.99:443	
1026	INFO	http-missing-security-headers:permissions-	http	https://192.168.0.99:443	
1027	INFO	http-missing-security-headers:referrer-pol	http	https://192.168.0.99:443	
1028	INFO	http-missing-security-headers:strict-trans	http	https://192.168.0.99:443	
1029	INFO	http-missing-security-headers:x-content-ty	http	https://192.168.0.99:443	
1030	INFO	http-missing-security-headers:x-frame-opti	http	https://192.168.0.99:443	
1031	INFO	http-missing-security-headers:x-permitted-	http	https://192.168.0.99:443	
1032	INFO	tech-detect:nginx	http	https://192.168.0.99:443	
1033	INFO	tls-version	ssl	192.168.0.99:443	tls12
1034	INFO	tls-version	ssl	192.168.0.99:443	tls13
1035	INFO	waf-detect:nginxgeneric	http	https://192.168.0.99:443	
1036	INFO	smb-enum	javascript	192.168.0.99:445	ForestName:","OSVersion: 6.1.0","NetBIOSComputerName: LIV-NAS-BACKUP","NetBIOSDomainName: LIV-NAS-BACKUP","DNSComputerNa
1037	INFO	smb-os-detect	javascript	192.168.0.99:445	6.1.0
1038	INFO	smb-version-detect:smb-version	javascript	192.168.0.99:445	SMB 2.1
1039	INFO	smb2-capabilities	javascript	192.168.0.99:445	["DFSSupport","LargeMTU
1040	INFO	smb2-server-time	javascript	192.168.0.99:445	SystemTime: 2026-05-14T21:29:24.000Z ServerStartTime: 2009-04-22T19:24:48.000Z
1041	INFO	csp-script-src-wildcard	http	http://192.168.0.99:5000	
1042	INFO	http-missing-security-headers:clear-site-d	http	http://192.168.0.99:5000	
1043	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.99:5000	
1044	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.99:5000	
1045	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.99:5000	
1046	INFO	http-missing-security-headers:missing-cont	http	http://192.168.0.99:5000	
1047	INFO	http-missing-security-headers:permissions-	http	http://192.168.0.99:5000	
1048	INFO	http-missing-security-headers:referrer-pol	http	http://192.168.0.99:5000	
1049	INFO	http-missing-security-headers:strict-trans	http	http://192.168.0.99:5000	

1050	INFO	http-missing-security-headers:x-permitted-	http	http://192.168.0.99:5000	
1051	INFO	robots-txt	http	http://192.168.0.99:5000/robots.txt	
1052	INFO	robots-txt-endpoint	http	http://192.168.0.99:5000/robots.txt	
1053	INFO	tech-detect:nginx	http	http://192.168.0.99:5000	
1054	INFO	waf-detect:nginxgeneric	http	http://192.168.0.99:5000	
1055	INFO	weak-csp-detect:unsafe-default-src	http	http://192.168.0.99:5000	base-uri 'self'; connect-src data: ws: wss: *; default-src 'self' 'unsafe-eval' data: blob: https://*.synology.com http
1056	INFO	weak-csp-detect:unsafe-script-src	http	http://192.168.0.99:5000	base-uri 'self'; connect-src data: ws: wss: *; default-src 'self' 'unsafe-eval' data: blob: https://*.synology.com http
1057	INFO	xss-deprecated-header	http	http://192.168.0.99:5000	1; mode=block
1058	INFO	http-missing-security-headers:clear-site-d	http	http://192.168.0.99:5001	
1059	INFO	http-missing-security-headers:content-secu	http	http://192.168.0.99:5001	
1060	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.99:5001	
1061	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.99:5001	
1062	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.99:5001	
1063	INFO	http-missing-security-headers:permissions-	http	http://192.168.0.99:5001	

No	Severity	Template	Protocol	Target	Details
1064	INFO	http-missing-security-headers:referrer-pol	http	http://192.168.0.99:5001	
1065	INFO	http-missing-security-headers:strict-trans	http	http://192.168.0.99:5001	
1066	INFO	http-missing-security-headers:x-content-ty	http	http://192.168.0.99:5001	
1067	INFO	http-missing-security-headers:x-frame-opti	http	http://192.168.0.99:5001	
1068	INFO	http-missing-security-headers:x-permitted-	http	http://192.168.0.99:5001	
1069	INFO	tech-detect:nginx	http	http://192.168.0.99:5001	
1070	INFO	tls-version	ssl	192.168.0.99:5001	tls12
1071	INFO	tls-version	ssl	192.168.0.99:5001	tls13
1072	INFO	waf-detect:nginxgeneric	http	http://192.168.0.99:5001	
1073	INFO	http-missing-security-headers:clear-site-d	http	http://192.168.0.99:5357	
1074	INFO	http-missing-security-headers:content-secu	http	http://192.168.0.99:5357	
1075	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.99:5357	
1076	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.99:5357	
1077	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.99:5357	
1078	INFO	http-missing-security-headers:permissions-	http	http://192.168.0.99:5357	
1079	INFO	http-missing-security-headers:referrer-pol	http	http://192.168.0.99:5357	
1080	INFO	http-missing-security-headers:strict-trans	http	http://192.168.0.99:5357	
1081	INFO	http-missing-security-headers:x-content-ty	http	http://192.168.0.99:5357	
1082	INFO	http-missing-security-headers:x-frame-opti	http	http://192.168.0.99:5357	
1083	INFO	http-missing-security-headers:x-permitted-	http	http://192.168.0.99:5357	
1084	INFO	tech-detect:nginx	http	http://192.168.0.99:5357	
1085	INFO	waf-detect:nginxgeneric	http	http://192.168.0.99:5357	
1086	INFO	http-missing-security-headers:clear-site-d	http	http://192.168.0.99:80	
1087	INFO	http-missing-security-headers:content-secu	http	http://192.168.0.99:80	
1088	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.99:80	
1089	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.99:80	
1090	INFO	http-missing-security-headers:cross-origin	http	http://192.168.0.99:80	
1091	INFO	http-missing-security-headers:missing-cont	http	http://192.168.0.99:80	
1092	INFO	http-missing-security-headers:permissions-	http	http://192.168.0.99:80	
1093	INFO	http-missing-security-headers:referrer-pol	http	http://192.168.0.99:80	
1094	INFO	http-missing-security-headers:strict-trans	http	http://192.168.0.99:80	
1095	INFO	http-missing-security-headers:x-content-ty	http	http://192.168.0.99:80	
1096	INFO	http-missing-security-headers:x-frame-opti	http	http://192.168.0.99:80	
1097	INFO	http-missing-security-headers:x-permitted-	http	http://192.168.0.99:80	
1098	INFO	tech-detect:nginx	http	http://192.168.0.99:80	
1099	INFO	waf-detect:nginxgeneric	http	http://192.168.0.99:80	

Appendix C - Evidence Screenshots

This appendix includes all screenshots provided in the latest evidence archives. Total screenshots inserted: 69 (49 operational/evidence screenshots and 20 internal web page screenshots).

Operational and Assessment Evidence Screenshots




Figure C-01 - Operational evidence - 0 My target in vulterx




Figure C-02 - Operational evidence - 0 1 My target




Figure C-03 - Operational evidence - 1 connect with vps




Figure C-04 - Operational evidence - 2 Exploit the VMWare Horizon Target



Figure C-05 - Operational evidence - 3 Access the VMWare Horizon Server




Figure C-06 - Operational evidence - 4 run Powershell in server




Figure C-07 - Operational evidence - 5 info in server

```
PS C:\Program Files\VMware\VMware View\Server\bin> Get-process
Get-process

Handles  NPM(K)    PM(K)      WS(K)     CPU(s)      Id  SI ProcessName
-------  ------    -----      -----     ------      --  -- -----------
    228      15     5404      18856       0,06    3204   2 ApplicationFrameHost
    983      47   287692      74044      19,27    3268   0 AzureADConnectAgentUpdater
     85       5     2620       4628       0,03    7008   0 cmd
     89       5     2376       4144       0,00    8420   0 cmd
     86       5     2252       3956       0,02   11816   0 cmd
    136       8     6464      10952       0,03    5996   0 conhost
    173      10     6648      13576       4,00    7020   0 conhost
    765      23     2836       6312      62,89     496   0 csrss
    172      13     2320       5268       0,20     608   1 csrss
    341      13     2440      20016       2,56    1876   2 csrss
    369      16     3812      15552       0,55   10320   2 ctfmon
    208      18     4216      12456       2,20    4124   0 dllhost
    268      14     4116      13948       2,31    4460   0 dllhost
    811     137    91780     103304   7.923,69    3040   0 dsamain
    533      21    24616      42680       3,56    1372   1 dwm
    615      31    21500      90704      15,80   10152   2 dwm
   1376      55    26060      20764       3,55    9872   2 explorer
     53       6     1704       5332       0,27     832   2 fontdrvhost
     53       6     1520       4580       0,45     932   0 fontdrvhost
     53       6     1420       4396       0,03     940   1 fontdrvhost
      0       0       56          8                  0   0 Idle
    474      27    12332      50388     752,06    1288   1 LogonUI
   1797      35    27980      41116   2.873,13     760   0 lsass
    683      47    33628      45776      11,39    2116   0 Microsoft.ActiveDirectory.WebServices
   1180      75   489432     347112   3.822,28    1564   0 Microsoft.Identity.Health.AgentV15.Service
    517      39    76452      16756      22,20   11852   2 miisclient
   3637     107   797056     685728  36.545,06    7380   0 miiserver
    500      17    13800      26472      32,47    8924   0 MpDefenderCoreService
    239      13     2924      10756       0,13    4836   0 msdtc
    679     232   300180     242960   9.763,53    9588   0 MsMpEng
    240      44    30300      42324     176,17    7144   0 node
    176      14    16380      28624       0,38    7912   0 node
    176      14    16352      28616       0,36    7920   0 node
    176      17    23116      37504      18,47    7936   0 node
    176      14    16472      28824       0,33    7944   0 node
    176      14    16448      28668       0,39    7952   0 node
    176      15    16800      30240       0,89    7960   0 node
```

Figure C-08 - Operational evidence - 6info in server

```
PS C:\Program Files\VMware\VMware View\Server\bin> Set-MpPreference -DisableRealtimeMonitoring $true
Set-MpPreference -DisableRealtimeMonitoring $true
PS C:\Program Files\VMware\VMware View\Server\bin> Stop-Service -Name WinDefend -Force
Stop-Service -Name WinDefend -Force
Stop-Service : Der Dienst "Microsoft Defender Antivirus-Dienst (WinDefend)" kann aufgrund des folgenden Fehlers nicht
beendet werden: Der Dienst WinDefend kann nicht auf dem Computer . ge◆ffnet werden.
In Zeile:1 Zeichen:1
+ Stop-Service -Name WinDefend -Force
+ ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
    + CategoryInfo          : CloseError: (System.ServiceProcess.ServiceController:ServiceController) [Stop-Service],
   ServiceCommandException
    + FullyQualifiedErrorId : CouldNotStopService,Microsoft.PowerShell.Commands.StopServiceCommand

PS C:\Program Files\VMware\VMware View\Server\bin> Stop-Service -Name WinDefend -Force
Stop-Service -Name WinDefend -Force
Stop-Service : Der Dienst "Microsoft Defender Antivirus-Dienst (WinDefend)" kann aufgrund des folgenden Fehlers nicht
beendet werden: Der Dienst WinDefend kann nicht auf dem Computer . ge◆ffnet werden.
In Zeile:1 Zeichen:1
+ Stop-Service -Name WinDefend -Force
```

Figure C-09 - Operational evidence - 7 Disable the protection but WinDefender can't




Figure C-10 - Operational evidence - 8 execlution my path to skip winDefender




Figure C-11 - Operational evidence - 9 chisel server in vps




Figure C-12 - Operational evidence - 9 1



Figure C-13 - Operational evidence - 10 port forwarding




Figure C-14 - Operational evidence - 11 nmap before port forwarding in 8888




Figure C-15 - Operational evidence - 12 nmap after port forwarding in 8888




Figure C-16 - Operational evidence - 13 porxy




Figure C-17 - Operational evidence - 14wireshark




Figure C-18 - Operational evidence - 15wireshark




Figure C-19 - Operational evidence - 16wireshark



Figure C-20 - Operational evidence - 17 Access the VMWare Horizon Server in new listener



Figure C-21 - Operational evidence - 18Exploit the VMWare Horizon Target in new listner

```
C:\Program Files\VMware\VMware View\Server\bin>ipconfig
ipconfig

Windows-IP-Konfiguration


Ethernet-Adapter Ethernet0:

   Verbindungsspezifisches DNS-Suffix:
   IPv4-Adresse  . . . . . . . . . . . : 192.168.0.203
   Subnetzmaske  . . . . . . . . . . . : 255.255.255.0
   Standardgateway . . . . . . . . . . : 192.168.0.1

C:\Program Files\VMware\VMware View\Server\bin>
```

Figure C-22 - Operational evidence - 19 ipconfig




Figure C-23 - Operational evidence - 20 public target ip in kali browser




Figure C-24 - Operational evidence - 21 private target ip in kali browser




Figure C-25 - Operational evidence - 22 private ip target in internal network in kali browser

```
::                                      47001     ::                                      0         Listen
::1                                     35783     ::                                      0         Listen
::                                      9389      ::                                      0         Listen
::                                      5985      ::                                      0         Listen
::                                      3389      ::                                      0         Listen
::                                      445       ::                                      0         Listen
::                                      135       ::                                      0         Listen
0.0.0.0                                 58810     0.0.0.0                                 0         Listen
0.0.0.0                                 57714     0.0.0.0                                 0         Listen
127.0.0.1                               50060     0.0.0.0                                 0         Listen
0.0.0.0                                 49960     0.0.0.0                                 0         Listen
0.0.0.0                                 49714     0.0.0.0                                 0         Listen
0.0.0.0                                 49713     0.0.0.0                                 0         Listen
0.0.0.0                                 49709     0.0.0.0                                 0         Listen
0.0.0.0                                 49684     0.0.0.0                                 0         Listen
0.0.0.0                                 49668     0.0.0.0                                 0         Listen
0.0.0.0                                 49667     0.0.0.0                                 0         Listen
0.0.0.0                                 49665     0.0.0.0                                 0         Listen
0.0.0.0                                 49664     0.0.0.0                                 0         Listen
127.0.0.1                               48080     0.0.0.0                                 0         Listen
0.0.0.0                                 32111     0.0.0.0                                 0         Listen
0.0.0.0                                 24563     0.0.0.0                                 0         Listen
0.0.0.0                                 9389      0.0.0.0                                 0         Listen
0.0.0.0                                 8443      0.0.0.0                                 0         Listen
127.0.0.1                               8123      0.0.0.0                                 0         Listen
0.0.0.0                                 8009      0.0.0.0                                 0         Listen
0.0.0.0                                 4172      0.0.0.0                                 0         Listen
0.0.0.0                                 4101      0.0.0.0                                 0         Listen
0.0.0.0                                 4002      0.0.0.0                                 0         Listen
0.0.0.0                                 4001      0.0.0.0                                 0         Listen
0.0.0.0                                 3389      0.0.0.0                                 0         Listen
0.0.0.0                                 636       0.0.0.0                                 0         Listen
0.0.0.0                                 443       0.0.0.0                                 0         Listen
0.0.0.0                                 389       0.0.0.0                                 0         Listen
192.168.0.203                           139       0.0.0.0                                 0         Listen
0.0.0.0                                 135       0.0.0.0                                 0         Listen
0.0.0.0                                 80        0.0.0.0                                 0         Listen
```

Figure C-26 - Operational evidence - 23 Listens Ports in vicitm (RDP is persent)

```
PS C:\Program Files\VMware\VMware View\Server\bin> net user Ammar
net user Ammar
Benutzername                    Ammar
Vollst@ndiger Name              Ammar
Beschreibung
Benutzerbeschreibung
L@nder-/Regionscode             000 (Standardsystemvorgabe)
Konto aktiv                     Ja
Konto abgelaufen                Nie

Letztes Setzen des Kennworts    14.05.2026 04:27:02
Kennwort l@uft ab               Nie
Kennwort @nderbar               14.05.2026 04:27:02
Kennwort erforderlich           Nein
Benutzer kann Kennwort @ndern   Ja

Erlaubte Arbeitsstationen       Alle
Anmeldeskript
Benutzerprofil
Basisverzeichnis
Letzte Anmeldung                Nie

Erlaubte Anmeldezeiten          Alle

Lokale Gruppenmitgliedschaften  *Administratoren
                                *Remotedesktopbenutzer
Globale Gruppenmitgliedschaften *Kein
Der Befehl wurde erfolgreich ausgef@hrt.

PS C:\Program Files\VMware\VMware View\Server\bin>
[b] 0:nc*
```

Figure C-27 - Operational evidence - 24 create Ammar user in vicitm




Figure C-28 - Operational evidence - 25 Ammat user join in Administratoren Group




Figure C-29 - Operational evidence - 25 2 Ammat user join in RemotedesktopbenutzerGroup



Figure C-30 - Operational evidence - 26 proxychains before Configure Proxy Settings

```
### Examples for dnat
## Trying to proxy connections to destinations which are dnatted,
## will result in proxying connections to the new given destinations.
## Whenever I connect to 1.1.1.1 on port 1234 actually connect to 1.1.1.2 on port 443
# dnat 1.1.1.1:1234  1.1.1.2:443

## Whenever I connect to 1.1.1.1 on port 443 actually connect to 1.1.1.2 on port 443
## (no need to write :443 again)
# dnat 1.1.1.2:443  1.1.1.2

## No matter what port I connect to on 1.1.1.1 port actually connect to 1.1.1.2 on port 443
# dnat 1.1.1.1  1.1.1.2:443

## Always, instead of connecting to 1.1.1.1, connect to 1.1.1.2
# dnat 1.1.1.1  1.1.1.2

# ProxyList format
#       type  ip  port [user pass]
#       (values separated by 'tab' or 'blank')
#
#       only numeric ipv4 addresses are valid
#
#
#        Examples:
#
#               socks5  192.168.67.78   1080    lamer   secret
#               http    192.168.89.3    8080    justu   hidden
#               socks4  192.168.1.49    1080
#               http    192.168.39.93   8080
#
#
#       proxy types: http, socks4, socks5, raw
#         * raw: The traffic is simply forwarded to the proxy without modification.
#        ( auth types supported: "basic"-http  "user/pass"-socks )
#
[ProxyList]
# add proxy here ...
# meanwile
# defaults set to "tor"
```

Figure C-31 - Operational evidence - 27 proxychains , Configure Proxy Settings



Figure C-32 - Operational evidence - 28 proxychains after Configure Proxy Settings



Figure C-33 - Operational evidence - 29 Success Access




Figure C-34 - Operational evidence - 30 nmap for target




Figure C-35 - Operational evidence - 31 Zenmap for target network




Figure C-36 - Operational evidence - 32 Get ADDoamin




Figure C-37 - Operational evidence - 33 Get ADForest




Figure C-38 - Operational evidence - 34 Doamin Controller




Figure C-39 - Operational evidence - 35 info for test user




Figure C-40 - Operational evidence - 36 all users




Figure C-41 - Operational evidence - 37 more info for all users




Figure C-42 - Operational evidence - 38 Zenmap for Doamin Controller

```
┌──(kali㉿kali)-[~/Desktop/Training]
└─$ sudo proxychains nuclei -l ips.txt
[proxychains] config file found: /etc/proxychains4.conf
[proxychains] preloading /usr/lib/x86_64-linux-gnu/libproxychains.so.4
[proxychains] DLL init: proxychains-ng 4.17

                     __     _
   ____  __  _______/ /__  (_)
  / __ \/ / / / ___/ / _ \/ /
 / / / / /_/ / /__/ /  __/ /
/_/ /_/\__,_/\___/_/\___/_/   v3.7.1

                projectdiscovery.io

[INF] Your current nuclei-templates  are outdated. Latest is v10.4.3
[INF] Current nuclei version: v3.7.1 (outdated)
[INF] Current nuclei-templates version:  (outdated)
[INF] New templates added in latest release: 24
[INF] Templates loaded for current scan: 9998
[INF] Executing 6925 signed templates from projectdiscovery/nuclei-templates
[WRN] Loading 3073 unsigned templates for scan. Use with caution.
[INF] Targets loaded for current scan: 224
[INF] Running httpx on input host
[INF] Found 0 URL from httpx
[INF] Templates clustered: 2258 (Reduced 477568 Requests)
[INF] Skipped 192.168.0.10:2179 from target list as found unresponsive permanently: cause="port closed or filtered" a
ddress=192.168.0.10:2179 chain="no route to host; got err while executing https://192.168.0.10:2179/upgrade/detail.js
p/login/LoginSSO.jsp?id=1%20UNION%20SELECT%20md5(999999999)%20as%20id%20from%20HrmResourceManager"
[INF] Skipped 192.168.0.10:3389 from target list as found unresponsive permanently: Get "https://192.168.0.10:3389/us
ers/sign_in": cause="port closed or filtered" address=192.168.0.10:3389 chain="no route to host"
[INF] Skipped 192.168.0.114:1443 from target list as found unresponsive permanently: cause="port closed or filtered"
address=192.168.0.114:1443 chain="no route to host; got err while executing https://192.168.0.114:1443/bsh.servlet.Bs
hServlet"
[INF] Skipped 192.168.0.122:5000 from target list as found unresponsive permanently: cause="port closed or filtered"
address=192.168.0.122:5000 chain="no route to host; got err while executing https://192.168.0.122:5000/dataSetParam/v
erification;swagger-ui/"
[INF] Skipped 192.168.0.120:443 from target list as found unresponsive permanently: Post "https://192.168.0.120:443/g
eneral/index/UploadFile.php?m=uploadPicture&uploadType=eoffice_logo&userId": cause="port closed or filtered" address=
192.168.0.120:443 chain="no route to host"
[INF] Skipped 192.168.0.10:445 from target list as found unresponsive permanently: cause="port closed or filtered" ad
dress=192.168.0.10:445 chain="no route to host; got err while executing https://192.168.0.10:445/servlet/codesettree?
flag=c&status=1&codesetid=1&parentid=-1&categories=~31~27~20union~20all~20select~20~27hongjing~27~2c~40~40version~2d~
2d"
[INF] Skipped 192.168.0.118:443 from target list as found unresponsive permanently: Post "https://192.168.0.118:443/s
eeyon/htmlofficeservlet": cause="port closed or filtered" address=192.168.0.118:443 chain="no route to host"
```

Figure C-43 - Operational evidence - 39 proxychains nuclei from kali

```
┌──(kali㉿kali)-[~/Desktop/Training]
└─$ mkdir -p shots

while read line; do
    ip=$(echo "$line" | cut -d: -f1)
    port=$(echo "$line" | cut -d: -f2)

    case "$port" in
        443|8443|1443|5001|9080|8090)
            url="https://$line"
            ;;
        *)
            url="http://$line"
            ;;
    esac

    chromium \
      --headless \
      --disable-gpu \
      --no-sandbox \
      --ignore-certificate-errors \
      --window-size=1366,768 \
      --screenshot="shots/${ip}_${port}.png" \
      "$url"

done < web.txt
[865432:865432:0515/005535.455369:ERROR:media/gpu/vaapi/vaapi_wrapper.cc:1640] vaInitialize failed:
```

Figure C-44 - Operational evidence - 40 Script for Automate view web Pages in the internal network



Figure C-45 - Operational evidence - 41 Nuclei Complete in Target




Figure C-46 - Operational evidence - 42 new Listner in Coblat Strike




Figure C-47 - Operational evidence - 43 send payload




Figure C-48 - Operational evidence - 44 SOPHOS Detect




Figure C-49 - Coblat Success

Internal Web Page Evidence Screenshots




Figure C-50 - Internal web page evidence - Evidence 01 HTTP 192 168 0 1 8090



Figure C-51 - Internal web page evidence - Evidence 02 HTTP 192 168 0 1 8090




Figure C-52 - Internal web page evidence - Evidence 03 HTTP 192 168 0 19 80




Figure C-53 - Internal web page evidence - Evidence 04 HTTPS 192 168 0 19 443



Figure C-54 - Internal web page evidence - Evidence 05 HTTPS 192 168 0 21 9080




Figure C-55 - Internal web page evidence - Evidence 06 HTTP 192 168 0 57 80



Figure C-56 - Internal web page evidence - Evidence 07 HTTP 192 168 0 64 5000




Figure C-57 - Internal web page evidence - Evidence 08 HTTPS 192 168 0 83 443




Figure C-58 - Internal web page evidence - Evidence 09 HTTPS 192 168 0 84 443




Figure C-59 - Internal web page evidence - Evidence 10 HTTPS 192 168 0 96 443




Figure C-60 - Internal web page evidence - Evidence 11 HTTP 192 168 0 99 80




Figure C-61 - Internal web page evidence - Evidence 12 HTTPS 192 168 0 99 443




Figure C-62 - Internal web page evidence - Evidence 13 HTTP 192 168 0 99 5000




Figure C-63 - Internal web page evidence - Evidence 14 HTTPS 192 168 0 99 5001



Figure C-64 - Internal web page evidence - Evidence 15 HTTPS 192 168 0 114 1443



Figure C-65 - Internal web page evidence - Evidence 16 HTTP 192 168 0 122 5000



Figure C-66 - Internal web page evidence - Evidence 17 HTTP 192 168 0 122 5001




Figure C-67 - Internal web page evidence - Evidence 18 HTTPS 192 168 0 122 5001




Figure C-68 - Internal web page evidence - Evidence 19 HTTP 192 168 0 201 80



Figure C-69 - Internal web page evidence - Evidence 20 HTTPS 192 168 0 201 8443

Conclusion

The updated assessment shows that the internal network contains several high-value management systems and multiple pathways for post-compromise discovery and lateral movement. The most urgent risks are the VMware Horizon and VMware vCenter findings because they involve remote access and virtualization management components. After those issues are addressed, the organization should focus on account lifecycle hardening, SMB/LDAP/SSH hardening, segmentation of administrative interfaces, and reduction of the exposed internal management surface.

The combination of a VMware Horizon initial access vector, broad internal web services, remote administration protocols, and weak account lifecycle controls creates a realistic path for an attacker to expand access after the first foothold. Remediation should therefore be prioritized using a defense-in-depth approach: patch critical systems, restrict administrative access paths, harden identity, and monitor for abnormal activity.