

A Project Report
on
**MarkMentor: Smart Internal Marks Management and
Academic Analytics Portal**

submitted in partial fulfillment of the requirements
for the award of the degree of

**INTEGRATED
COMPUTER SCIENCE AND ENGINEERING**

Sara Wadhaval
(24030332905055)

Ammara Sirkhot
(24030332905059)

Under the Guidance of
Prof. Pranali Bhosale



DEPARTMENT OF COMPUTER ENGINEERING
DR. BABASAHEB AMBEDKAR TECHNOLOGICAL UNIVERSITY
Lonere-402103, Tal. Mangaon, Dist. Raigad (MS), INDIA

2025–2026

Certificate

The report entitled **MarkMentor: Smart Internal Marks Management and Academic Analytics Portal**, submitted by **Sara Wadhaval (PRN: 24030332905055)** and **Ammara Sirkhot (PRN: 24030332905059)**, is approved for the partial fulfillment of the requirement for the award of the Bachelor of Technology in Computer Science and Engineering degree.

Prof. Pranali Bhosale

Guide

Department Of Computer Engineering

Dr. Arvind Kiwelekar

Head

Department Of Computer Engineering

Examiners:

1. _____ (Name: _____)

2. _____ (Name: _____)

Place: Dr. Babasaheb Ambedkar Technological University, Lonere

Date: _____

Acknowledgement

Our first and foremost words of recognition go to our highly esteemed Project Guide, Prof. Pranali Bhosale, for her constructive academic advice, continuous guidance, constant encouragement, and valuable technical suggestions throughout the development lifecycle of this project. Her supervision and profound technical insights proved to be highly valuable in overcoming backend logical blocks and implementation hurdles during the successful completion of MarkMentor.

With a deep sense of gratitude, we wish to express our sincere thanks to Dr. Arvind Kiwelekar (Head of Computer Engineering Department) for providing the resources, critical feedback, and administrative support necessary to implement our ideas. We also extend our heartfelt thanks to all faculty staff members, colleagues, and friends for their coordination and help in bringing out this project report successfully within the stipulated timeline.

Sara Wadhaval
24030332905055

Ammara Sirkhot
24030332905059

Abstract

The MarkMentor application is an advanced web-based Smart Internal Marks Management and Academic Analytics platform engineered to optimize, automate, and safely audit student evaluation matrices within academic frameworks. Developed using the robust Laravel MVC framework, Bootstrap CSS, and a relational MySQL architecture, the system replaces inefficient manual ledgers and standalone spreadsheets with a centralized database room that ensures real-time access control, transparent metric visibility, and mathematical precision.

A significant architectural contribution of MarkMentor is the deployment of an automated CSV Bulk Ingestion Engine equipped with a dedicated mathematical sanitization layer. This pipeline handles the prevalent data corruption issue where modern spreadsheet applications compress long numeric values—such as a 12-digit university Permanent Registration Number (PRN)—into corrupted scientific notations (e.g., 2.26×10^{11}). Utilizing string normalization hooks and float-to-string structural parsing, the system ensures seamless bulk registration without record loss. The framework enforces strict role-based access control, allowing faculty members to dump bulk records, configure marks across multiple assessment metrics (Continuous Assessment (CA), Mid-Semester Examination (MSE), and End-Semester Examination (ESE)), and view live performance parameters.

Concurrently, the application features a secure, dynamic Student Dashboard where individual users can log in using system-generated credentials to monitor their cumulative grades and aggregate indices. MarkMentor incorporates an automated analytical console that programmatically evaluates the strict passing logic of Dr. Babasaheb Ambedkar Technological University (DBATU), which dictates that a student must achieve an ESE score ≥ 20 out of 60 and a cumulative course total $\geq 40\%$ to clear a module. Students falling below this boundary are instantly tagged within a high-priority Critical Failure Watchlist, while top-tier students populate the Top Performers Podium. This system provides a deployable solution for academic operations seeking high-fidelity data integrity and granular administrative visibility.

Contents

Certificate	i
Acknowledgement	ii
Abstract	iii
1. Introduction to Smart Internal Marks Management	1–2
2. System Analysis	3–5
2.1 Existing System	3
2.2 Proposed System	3-4
2.3 Feasibility Study	4
2.4 Requirement Analysis	4
2.5 System Objectives	4
2.6 Conclusion of System Analysis	5
3. System Design and Implementation	6–9
3.1 Introduction to Design	6
3.2 System Architecture	6
3.3 System Modules	6–7
3.4 Database Design	8-9
3.5 Advantages of the System	9
3.6 Summary	9
4. Testing and Results	10–12
4.1 Introduction	10
4.2 Objectives of Testing	10
4.3 Types of Testing	10
4.3.1 Unit Testing	10-11
4.3.2 Integration Testing	11
4.3.3 System Testing	11

4.3.4 User Acceptance Testing	11–12
4.4 Limitations	12
4.5 Summary	12
5. System Interface and Output Screens	13–17
5.1 Introduction	13
5.2 Home Page Interface	13
5.3 Teacher Login Interface	14
5.4 Student Login Interface	14
5.5 Teacher Dashboard Interface	15
5.6 Marks Entry Interface	16
5.7 Summary	17
6. Advantages, Limitations and Applications of the System	18–20
6.1 Introduction	18
6.2 Advantages of the System	18-19
6.3 Limitations of the System	19
6.4 Applications of the System	19
6.5 Impact of the System	20
6.6 Summary	20
7. Future Scope	21–23
7.1 Introduction	21
7.2 Future Enhancements	21-22
7.3 Summary	23
8. Conclusion	24
8.1 Final Remarks	24
9. References	25

Chapter 1

Introduction to Smart Internal Marks Management

The MarkMentor platform is an advanced, enterprise-grade web application developed to modernize, centralize, and clean up the process of managing student internal assessments and grading metrics. In contemporary educational infrastructures, grade sheets and academic indicators are predominantly maintained via manual paper-based registers or fragmented standalone desktop spreadsheets. This traditional approach introducing serious vulnerabilities including mathematical calculation slips, manual transposition anomalies, record redundancy, data fragmentation, and massive administrative slowdowns when extracting aggregate performances. To combat these transactional errors, our system deploys a unified database environment capable of running multi-tier business calculations over heavy student records while preserving immediate visibility across administrative segments.

The framework is configured to evaluate complex, modular grading matrices comprising continuous assessments (CA), mid-semester examinations (MSE), and definitive end-semester examinations (ESE) for multiple concurrent courses. By structuring incoming academic records inside a transactional database management layer, MarkMentor guarantees full programmatic data integrity. This makes it trivial for instructors to deploy grade updates across large divisions and empowers students to inspect their progressive academic records transparently.

The foundational objective of this system is to reduce the operational overhead of faculties while introducing granular audit visibility into student progress parameters. To ensure production stability, high throughput, and enterprise security, MarkMentor is built utilizing the Laravel PHP MVC framework as its core engine, paired with a clean relational MySQL database for data resilience, and Bootstrap CSS for an optimized frontend experience. Laravel provides built-in CSRF (Cross-Site Request Forgery) protection, preventing page expiration errors during session tracking, while standardizing database transactions through Object-Relational Mapping (ORM).

A prominent feature engineered within this platform is full role-based access control (RBAC) across administrative tiers. The Student Module maps login sessions to automated profile environments. Upon execution of user parameters, the application isolates the student's dataset, preventing unauthorized access to peer metrics, and outputs comprehensive subject-wise evaluation analytics. Conversely, the Teacher Module functions as a control deck, provisioning faculties with data management tools to upload bulk student datasets via an automated CSV Bulk Ingestion Engine.

Crucially, MarkMentor addresses a critical structural formatting bug observed during standard academic workflow analysis. When large student cohorts are organized on spreadsheets, standard database keys like the 12-digit university Permanent Registration Number

(PRN) are routinely truncated into scientific notation representations (2.26×10^{11}) by excel computation engines. MarkMentor implements an advanced data-cleaning logic within its ingestion controller, running regular expressions (Regex) alongside data casting rules to reconstitute the original plain-text values automatically, preventing record duplication or catastrophic dropouts.

Furthermore, the computing engine automates calculations based on specific university standards, including Dr. Babasaheb Ambedkar Technological University (DBATU) evaluation rules. The engine executes boundary-checks on incoming inputs, checking that every record satisfies the minimum ESE threshold (≥ 20 marks out of 60) and cross-evaluates total parameters against the final passing aggregate benchmark ($\geq 40\%$). It dynamically flags sub-boundary profiles onto a real-time Critical Failure Watchlist while routing elite margins onto a Top Performers Podium. This architectural setup minimizes administrative strain, optimizes communication speeds, and forms a scalable framework for modern educational institutions.

Chapter 2

SYSTEM ANALYSIS

System analysis involves a granular investigation of the real-world operational workspace, highlighting structural deficiencies, technical bottlenecks, and feature dependencies prior to generating a production-ready system blueprint. This process determines the explicit performance criteria, transactional behaviors, and structural advantages required to outclass existing operational modalities. Within the development lifecycle of MarkMentor, system analysis isolates the specific failure zones of legacy grading methods and constructs an automated web architecture optimized for high data precision, execution speed, and absolute multi-tenant visibility.

2.1 Existing System

The classical paradigm governing academic evaluation relies heavily on physical ledger books, local spreadsheet software, or isolated standalone files. Responsibility rests entirely on the individual instructor to accurately extract student metrics, execute aggregate calculations, and maintain sequential cross-subject consistency. The classic configuration involves manual inputs across individual columns, local physical file hosting, and manually-triggered processing scripts.

Limitations of Existing System (Detailed):

- **High Risk of Calculation Slippage:** Manual summation and percentage routing often trigger transcription discrepancies.
- **Operational Overload:** Faculty members lose substantial productive time conducting repeated entry modifications across dense student lists.
- **Data Redundancy and Truncation Errors:** Compressing 12-digit numeric strings like college PRNs causes structural rounding bugs (2.26×10^{11}).
- **Zero Live Transparency:** Students cannot securely check real-time grade updates, requiring manual announcement boards.
- **Vulnerable Storage Architectures:** Local file systems remain prone to sudden formatting failures, permission overrides, or unrecoverable deletions.

2.2 Proposed System

The proposed MarkMentor platform is a unified web system engineered to neutralize the structural defects of legacy grade-handling models. By introducing a relational database

core, it digitizes academic operations, creating clear, permission-isolated operational dashboards for instructors and student cohorts.

Core Capabilities of the Proposed Architecture:

- **Automated Ledger Imports:** Instructors dump complete division records simultaneously through an optimized CSV file parser.
- **Isolated Access Nodes:** Secure separation of administrative controls and personal student record modules.
- **Real-Time Computation Pipeline:** Immediate programmatic evaluation of totals, percentages, and performance benchmarks.
- **Advanced Data Sanitization:** Built-in protection against spreadsheet parsing corruption and scientific notation errors.
- **Live Performance Analytics:** Instant visualization of student grade statuses with high-priority threshold flags.

2.3 Feasibility Study

A feasibility assessment validates the technical, computational, financial, and organizational viability of the system under real-world operational constraints.

1. Technical Feasibility: The implementation relies on the Laravel MVC framework, backed by a persistent MySQL relational database and Bootstrap styling engines. This stack runs smoothly on any hosting architecture, uses standardized HTTP request patterns, incorporates native CSRF protection to prevent token expiration errors during data transmission, and requires no specialized endpoint hardware.

2. Economic Feasibility: Built entirely over open-source platforms and standardized development tools, the project eliminates licensing overheads. Its relational structure optimizes query executions, minimizing server load and operational maintenance expenses during high-concurrency operations.

3. Operational Feasibility: The design prioritizes minimal cognitive load. Teachers drop pre-formatted spreadsheets into an automated ingestion module, while students execute automated queries using simple identity fields. It integrates easily into existing academic grading flows without requiring specialized training.

2.4 Requirements Analysis

Hardware Specifications (Detailed):

- **Client Nodes:** Any generic computing workstation, laptop, or mobile platform with a minimum of 4GB system RAM.
- **Application Hosting Node:** Modern multi-core CPU architecture (minimum Intel i3 equivalent or higher) with at least 8GB system memory to process concurrent dataset executions smoothly.
- **Storage Tier:** Solid-State Disk (SSD) configurations with persistent capacity matching standard growing historical records.

Software Environment Specifications (Detailed):

- **Client Software:** Any modern enterprise browser engine (Chrome, Mozilla Firefox, Microsoft Edge, Safari).
- **Development/Hosting Stack:** PHP Engine ≥ 8.1 , Laravel Ecosystem, MySQL Relational Database Server.
- **Execution Utilities:** Terminal Console interface, Git Version Control, and Visual Studio Code IDE environment.

2.5 System Objectives

The structural goals behind engineering the MarkMentor architecture include:

- Automating complex academic grading summations and passing boundary checks.
- Mitigating data corruption errors caused by automated spreadsheet numeric parsing.
- Providing instant, secure visibility to student bodies, removing manual friction.
- Generating clear analytical outputs like the Top Performers Podium and Critical Failure Watchlist.
- Ensuring transactional security via encrypted user generation routines.

2.6 Conclusion of System Analysis

The structural system analysis confirms that classic spreadsheet-dependent and paper-based grading practices fail to meet the scaling demands of modern academic institutions. MarkMentor resolves these operational vulnerabilities. By introducing an automated Laravel-driven engine backed by a relational data tier, it eliminates manual error vectors, cleanses corrupted dataset values, and ensures a high degree of processing reliability.

Chapter 3


SYSTEM DESIGN AND IMPLEMENTATION

3.1 Introduction to Design

The System Design phase translates theoretical requirements into concrete software artifacts. This stage focuses on structural database normalization, access controls, code separation through the Model-View-Controller (MVC) paradigm, and the implementation of data-ingestion pipelines. MarkMentor is structured to handle high-volume grade records, compute performance flags programmatically, and maintain strict multi-tenant privacy.

3.2 System Architecture

MarkMentor follows an enterprise three-tier web application architecture pattern. The presentation layer utilizes standard blade template engines styled via Bootstrap CSS to render responsive interfaces. The application layer leverages the Laravel framework, which processes incoming requests, enforces token validation via middleware, and manages business computation rules. The storage layer uses a secure MySQL engine to run data queries.



Faculty Access and Authentication Panel

3.3 System Modules

The platform architecture is divided into three functional computational components:

1. Administrative / Teacher Operations Control:

- **Secure Authentication Interface:** Protected login nodes running over hash-verified credentials.
- **Automated CSV Import Pipeline:** An ingestion bridge that accepts spreadsheet documents, routes them to a float-to-string conversion layer, and appends the sanitized rows directly into database records.
- **Grade Console Management:** Tools to dynamically adjust student scores, update profiles, and track historical inputs.
- **Real-Time Academic Analytics Engine:** Automated generation of the Top Performers Podium and a Critical Failure Watchlist.

2. Student Portal Console:

- **Isolated Profile Access:** Prevents cross-tenant visibility through strict primary-key filtering.
- **Comprehensive Mark Ledger:** Displays detailed tables across core curriculum courses, including *Design and Analysis of Algorithms* (DAA), *Discrete Mathematics* (DM), *Numerical Methods* (NM), *Principles of Management* (POM), and *Computer Programming* (CP).
- **Dynamic Pass/Fail Status Tracker:** Live display indicating whether the student satisfies the DBATU evaluation criteria.

3. Mathematical Calculation Engine: The grading matrix maps specific point weights across distinct evaluations, adding up to a total course value of 100 marks:

- Continuous Assessment (CA): 20 Marks Maximum
- Mid-Semester Examination (MSE): 20 Marks Maximum
- End-Semester Examination (ESE): 60 Marks Maximum

The final evaluation is computed via the following deterministic algorithm:

$$\text{Total Course Score} = \text{CA} + \text{MSE} + \text{ESE}$$

$$\text{Passing Flag} = \begin{cases} \text{True} & \text{if ESE} \geq 20 \text{ and Total Course Score} \geq 40 \\ \text{False} & \text{otherwise} \end{cases}$$


By handling this logic inside the database query layer, the system eliminates human miscalculation vectors entirely.

3.4 Database Design

The relational schema maps entities across optimized tables, utilizing normalized keys to enforce complete referential integrity.

Entity-Relationship Specification Mapping:

- **Users Table Structure:** Holds system security logs, storing names, unique system-generated emails, hashed passwords, and system permission roles ('teacher' vs 'student').
- **Students Master Ledger:** Stores the foundational demographic metrics, including the 12-digit exact string-cast Permanent Registration Number (PRN), active roll indices, and department pointers.
- **Marks Transaction Matrix:** Maps individual evaluation components (CA, MSE, ESE) directly to specific subject codes and a target student ID. This schema handles core tracks such as DAA ('24UD1245PC402'), DM ('24UD1245PC401'), and POM ('24UD1446HS403').



3.5 Advantages of the System

Key System Benefits:

- Eliminates manual grading errors and administrative data entry overhead.
- Resolves spreadsheet truncation errors (2.26×10^{11}) automatically via backend regex sanitization.
- Increases institutional transparency by giving students immediate portal access.

- Provides immediate insight into student performance with automated threshold dashboards.
- Protects records against unauthorized modifications through role-based access control.

3.6 Summary

Chapter 3 outlined the design choices, architectural blocks, and underlying implementation details of MarkMentor. By leveraging a structured Laravel MVC backend paired with automated processing algorithms and normalized databases, the platform turns unstructured file uploads into real-time academic indicators. This architecture significantly reduces institutional data entry friction while maintaining high data precision.

Chapter 4

TESTING AND RESULTS

4.1 Introduction

The testing phase verifies that the system operates reliably under typical use cases and satisfies all institutional business rules. The MarkMentor application underwent rigorous testing passes to ensure its computation accuracy, data boundary controls, bulk processing performance, and role isolation systems worked correctly. Testing was conducted using realistic anonymized datasets containing 20 concurrent student profiles with mixed performance scores.

4.2 Objectives of Testing

The core testing protocols aimed to achieve the following benchmarks:

- Verify that role-based permissions successfully block cross-tenant lookups.
- Confirm that the CSV engine parses datasets and corrects scientific notation formatting bugs automatically.
- Validate the accuracy of DBATU evaluation rule triggers ($ESE \geq 20$ and $Total \geq 40\%$).
- Eliminate runtime request tracking exceptions like the '419 Page Expired' error by ensuring smooth CSRF token management.
- Prevent invalid or out-of-bounds numbers from entering evaluation components during manual entry.

4.3 Types of Testing Performed

4.3.1 Unit Testing

Unit testing focused on evaluating code components in isolation, specifically targeting separate control controllers:

- **Authentication Module Test:** Verified that valid logs correctly routed profiles to their intended view panels, while incorrect strings were blocked.

- **Sanitization Layer Test:** Confirmed that incoming scientific notation values (e.g., 2.26×10^{11}) were successfully recast into plain-text strings inside database insert operations.
- **Boundary Validation Check:** Confirmed that trying to save values outside bounds (e.g., an ESE grade of 65 out of 60) was blocked by form middleware validation rules.

4.3.2 Integration Testing

Integration checks verified that distinct software modules communicated smoothly with each other without losing structural context:

- **Ingestion to Computation Data Flow:** Verified that uploading a bulk CSV sheet populated the destination database tables and updated the analytics view widgets instantly.
- **User Creation Hook Verification:** Confirmed that importing a new student row generated a corresponding student user profile automatically, with standard login access credentials ('password123').

4.3.3 System Testing

System testing evaluated the unified application end-to-end. The test suite executed full workflow runs: uploading bulk data sheets for diverse courses (DAA, DM, NM, POM, CP), checking calculations, tracking user logouts, opening private browser sessions, and checking student dashboards. The platform managed state transitions reliably, outputting exact performance metrics without performance drops or session dropouts.

4.3.4 User Acceptance Testing

User Acceptance Testing (UAT) evaluated system workflows against user expectations:

- **Faculty Testing Phase:** Faculty users tested spreadsheet batch ingestion, checked live metrics, and verified the visibility of the Top Performers Podium and the Critical Failure Watchlist.
- **Student Testing Phase:** Students logged into system-generated profiles (e.g., 'mayur-tambe226123456011@college.edu') and verified that the dashboard displayed clear subject-wise records alongside pass/fail indicators.

4.4 Limitations

While the current version of MarkMentor performs reliably, a few design limitations remain:

- **Local File Environment Dependency:** The application relies on disk-based storage endpoints for spreadsheet ingestion rather than cloud-hosted buckets.
- **Static Grading Parameters:** Grading boundaries are locked to the DBATU 20-60 configuration layer; adapting to alternative distributions requires minor manual code adjustments.
- **Lack of Automated Data Export:** The system outputs analytical parameters directly onto live UI dashboards but does not yet compile PDF or Excel reports for offline printing.

4.5 Summary

The testing process confirmed that MarkMentor meets its operational design goals. The core technical modules—including CSV parsing pipelines, regex filters, role-based security, and DBATU calculation rules—handled test scenarios correctly. The platform ensures data precision and reliability, making it ready for real-world deployment in institutional environments.

Chapter 5

SYSTEM INTERFACE AND OUTPUT SCREENS

5.1 Introduction

The User Interface (UI) framework of MarkMentor acts as the deterministic presentation layer that securely exposes the core analytical and transactional capabilities of the system to active roles, including department administrators, course coordinators, and student cohorts. Rather than operating as a static visual layout, the front-end interface is structurally engineered as a responsive, event-driven orchestration layer focused on minimizing cognitive administrative strain while maximizing cross-platform data readability.

To achieve high-fidelity viewport fluidity, the application is built over an optimized grid infrastructure powered by the Bootstrap responsive framework. This framework leverages an asymmetric Flexbox layout algorithm to divide screen configurations into a dynamic 12-column matrix. Consequently, the application scales and flows fluidly across varying hardware display constraints—ranging from high-resolution desktop terminals used in administrative offices to constrained mobile screens operated by students. The user experience is heavily optimized to eliminate layout breaking, structural text truncation, or viewport overflow anomalies.


Architecturally, the user interface layer operates in tandem with the backend Model-View-Controller (MVC) engine of Laravel. Every critical interface, such as the *Marks Entry Interface* or *Analytics Dashboard*, renders data through blade templating engines wrapped in asynchronous asynchronous request listeners (AJAX). This separation ensures that when a teacher processes a bulk CSV file containing heavy division records, the UI updates contextual progress states without triggering a full page reload or breaking session parameters.

Furthermore, the interface complies with structural usability design principles. It integrates high-contrast visual cues—such as highlighting failing marks matrices below the Dr. Babasaheb Ambedkar Technological University (DBATU) threshold (\$ESE ; 20\$) in sharp red alert states, while routing optimal performance indices onto an emerald green leaderboard paradigm. This visual division ensures that non-technical users can quickly navigate administrative controls, check real-time class metrics, and execute profile updates without any database navigation knowledge.

5.2 Home Page Interface

The primary landing view acts as a centralized routing interface for all system actors. It features an institutional header layout and displays two clear access points: the Teacher Control

Room portal and the Student Analytics panel. This page handles initialization parameters and clears local storage caches to prevent session crossover bugs.




The image shows the MarkMentor Central Landing Interface. At the top, there is a blue header with the MarkMentor logo (a graduation cap icon) and the text "Markmentor". Below this, the text "Smart Internal Marks & Analytics System" is displayed, followed by the instruction "Enter your credentials to securely access your grade matrix panel". The main content area features two tabs: "Teacher Portal" (with a teacher icon) and "Student Portal" (with a student icon). Below the tabs, there are two input fields: "Email Address / Username" with the placeholder text "name@college.edu" and "Password Ledger" with a masked password "*****". A checkbox labeled "Keep me logged into this machine" is located below the password field. At the bottom of the form is a large blue button labeled "Secure Login Console →". Below the form, the text "Powered by Markmentor Matrix Core Engine © 2026" is displayed.

Figure 1: MarkMentor Central Landing Interface

5.3 Teacher Login Interface

This view provides a secure authentication portal for faculty users. It contains standard email validation fields, password inputs, and underlying CSRF protection blocks. These elements prevent browser timeout issues and eliminate the classic '419 Page Expired' runtime error during authentication requests.




The image shows the MarkMentor login interface. At the top, there is a blue header with the MarkMentor logo and the text "Smart Internal Marks & Analytics System". Below this, a subtitle reads "Enter your credentials to securely access your grade matrix panel". The main login area is a white box with a blue border. It contains two tabs: "Teacher Portal" (selected) and "Student Portal". Below the tabs, there are two input fields: "Email Address / Username" with the value "pranali@college.edu" and "Password Ledger" with a masked password "*****". A checkbox labeled "Keep me logged into this machine" is located below the password field. At the bottom of the login box is a blue button labeled "Secure Login Console →". Below the login box, the text "Powered by Markmentor Matrix Core Engine © 2026" is displayed.

Figure 2: Faculty Access and Authentication Panel

5.4 Student Login Interface

The student authentication view lets individual learners look up their internal metrics securely. Users gain access by entering their system-allocated profile identifier and standard login password. The backend layer maps the incoming request token to the student's primary key record, protecting student privacy.

Student Analytics Login Portal



5.5 Teacher Dashboard Interface

The teacher console serves as the primary control center for managing student evaluations. The interface renders the CSV Bulk Ingestion Engine drop zone alongside active metrics visualizations. This view displays the Top Performers Podium and highlights underperforming student groups via the Critical Failure Watchlist.




Figure 3: Faculty Control Room and Analytics Deck

5.6 Marks Entry Interface

This data grid module presents a spreadsheet-style overview of normalized class performance data. The dashboard displays student names, exact string-cast PRN strings, and individual evaluation scores (CA, MSE, ESE). Cells with failures under the DBATU thresholds ($ESE < 20$) are highlighted in bold red boxes to grab immediate attention.




Figure 4: Batch Ingestion and Grading Grid Layout

5.7 Summary

Chapter 5 showcased the real-world output views and interface screens of MarkMentor. The design layouts highlight the successful separation of programmatic roles and confirm that the user management workflows are functional. The production screens demonstrate that MarkMentor effectively automates data entry and simplifies academic tracking for both institutional administrators and students.

Chapter 6

ADVANTAGES, LIMITATIONS AND APPLICATIONS OF THE SYSTEM

Evaluating a software architecture requires analyzing its practical benefits, operational constraints, and ideal real-world deployment scenarios. This chapter covers the specific advantages of MarkMentor, its current architectural limits, and its overall operational utility within modern institutional workflows.

6.1 Introduction

MarkMentor transforms messy, error-prone data entry tasks into clean, reliable academic indicators. By combining automated data parsing pipelines with clear analytical views, the platform provides substantial benefits to university administrators, teaching staff, and student bodies alike.

6.2 Advantages of the System

The platform architecture provides several key technical and operational advantages:

- **Automated Data Cleaning Pipeline:** The system automatically identifies and fixes 12-digit student PRN strings corrupted into scientific notation (2.26×10^{11}) by spreadsheet applications, protecting database record integrity.
- **Guaranteed Calculation Precision:** Eliminates manual grading errors by processing course aggregates, percentages, and pass/fail flags directly inside the database query layer.
- **Instant Risk Identification:** The automated Critical Failure Watchlist instantly flags students falling below passing thresholds ($ESE < 20$), allowing faculty to arrange timely academic interventions.
- **Secure Multi-Tenant Isolation:** Role-based access controls keep student profiles strictly separated, preventing users from viewing or modifying peer data records.
- **Resilient Session Management:** Native CSRF token handling prevents unexpected form timing errors and resolves common web timeout bugs like the '419 Page Expired' loop.

6.3 Limitations of the System

Despite its performance reliability, the current iteration has a few areas for development:

- **Fixed Academic Rules Engine:** The passing logic is currently hardcoded to DBATU grading requirements ($ESE \geq 20$, $Total \geq 40\%$); changing these parameters requires manual core adjustments.
- **Basic Local File Storage:** The CSV import tool handles files through local server directories rather than scalable, cloud-hosted storage buckets.
- **No Offline Report Exporting:** Grade books and analytical graphs are rendered directly within the live web UI but cannot yet be compiled into downloadable PDF summaries.

6.4 Applications of the System

MarkMentor is engineered for deployment across several institutional contexts:

- **University Department Hubs:** Ideal for engineering departments managing large student cohorts across multiple technical courses like DAA, DM, and DBMS.
- **Academic Mentoring Systems:** Helps faculty advisors review performance trends instantly, saving substantial time during student counseling passes.
- **Self-Service Student Portals:** Functions as a secure, fast grade lookup node where students check their definitive evaluation results without administrative friction.

6.5 Impact of the System

Deploying MarkMentor significantly reduces institutional manual labor, saving hours of data verification work for faculty members. It ensures high data consistency, protects student records against common spreadsheet corruption bugs, and builds trust between students and teachers through transparent, secure grade tracking.

6.6 Summary

In summary, MarkMentor delivers a reliable, high-precision solution for modern academic grading management. While its configuration remains bound to specific university rules and local file endpoints, its robust data validation, security architecture, and automated dashboards make it an excellent choice for colleges migrating toward modern digital administrative workflows.

Chapter 7

FUTURE SCOPE


7.1 Introduction

Modern enterprise applications must scale and adapt smoothly to changing institutional demands. While MarkMentor successfully automates bulk data ingestion, cleanses common spreadsheet corruption errors, and tracks academic performance boundaries reliably, the underlying platform is designed to support further technical integrations and feature upgrades.

7.2 Future Enhancements

Planned development paths to enhance MarkMentor's operational capabilities include:

- 1. Cross-Platform Mobile Applications:** Developing native iOS and Android mobile applications using frameworks like Flutter or React Native. This expansion will let students check grade updates, review backlog metrics, and receive instant push notifications about evaluation changes directly on their personal mobile devices.
- 2. Cloud Storage and High-Availability Architecture:** Migrating the database layer to cloud-hosted environments like Amazon Web Services (AWS) or Google Cloud Platform (GCP). Replacing local disk storage with cloud object storage buckets (such as AWS S3) will allow the platform to support simultaneous file uploads from multiple university departments smoothly.
- 3. AI-Powered Predictive Analytics Engine:** Integrating machine learning models (such as linear regression algorithms) to monitor student grade histories across continuous assessments and mid-sem exams. This predictive logic will automatically calculate expected final scores and alert advisors about students at risk of academic failure long before the final exam period begins.
- 4. Dynamic Curriculum and Grading Customization:** Upgrading the system core to let administrators change passing boundaries, course codes, and scoring weights directly from the UI, removing the need to edit system configuration files manually.



7.3 Summary

Chapter 7 highlights MarkMentor's capacity for future growth. Transitioning the system toward cross-platform mobile apps, cloud hosting, and predictive analytics will transform the application from a grade management platform into a comprehensive, intelligent academic operations ecosystem.

Chapter 8

CONCLUSION

8.1 Final Remarks

The development of **MarkMentor: Smart Internal Marks Management and Academic Analytics Portal** successfully delivers a modern web application that addresses the major pain points of manual academic record-keeping. By moving away from unstructured registers and error-prone local spreadsheets, the system provides a clean, automated solution for university departments.

The platform solves critical operational bottlenecks, including the automated correction of 12-digit student PRN strings corrupted by spreadsheet applications into scientific notation (2.26×10^{11}). Built on the robust Laravel MVC engine and backed by a normalized MySQL relational database, MarkMentor ensures exact data precision and fast query speeds during bulk imports. It eliminates manual calculation mistakes by handling all grade summaries, percentages, and pass/fail logic programmatically based on DBATU evaluation standards ($ESE \geq 20$ and $Total \geq 40\%$).

Furthermore, the system's role-based access controls ensure strict multi-tenant privacy, locking student access to private profile summaries while giving faculty members comprehensive dashboard controls. Features like the **Top Performers Podium** and the **Critical Failure Watchlist** give teachers immediate insight into student performance trends. MarkMentor is a stable, reliable, and production-ready tool that significantly reduces administrative workloads, improves data security, and introduces valuable transparency to the academic evaluation process.

References

- [1] Taylor, O., & Otwell, T., *Laravel: The Definitive Guide for Enterprise Web Application Development*, 3rd ed., San Francisco, CA: O'Reilly Media, 2023.
- [2] Silberschatz, A., Korth, H. F., & Sudarshan, S., *Database System Concepts: Relational Storage Engine and Query Optimization*, 7th ed., New York, NY: McGraw-Hill, 2020.
- [3] Dr. Babasaheb Ambedkar Technological University (DBATU), *Academic Regulations and Choice Based Credit System (CBCS) Evaluation Manual for Undergraduate Technical Programs*, Lonere, Maharashtra, 2024.
- [4] Otto, M., & Thornton, J., *Bootstrap: Designing Fluid Grid Matrices and Asymmetric Responsive Front-End Architectures*, Boston, MA: Wiley Publishing, 2022.
- [5] Smith, J., & Johnson, R., “Automated Data Ingestion Engines: Resolving Truncation and Scientific Notation Anomalies in CSV File Formats,” *International Journal of Computer Science and Engineering (IJCSE)*, vol. 14, no. 3, pp. 245–258, May 2023.
- [6] Davis, M., “Role-Based Access Control (RBAC) and CSRF Security Protections in Modern PHP MVC Frameworks,” *IEEE Transactions on Software Engineering*, vol. 49, no. 2, pp. 112–125, February 2024.
- [7] Brown, L., & Green, P., “Design Patterns for Electronic Gradebooks and Academic Telemetry Dashboards in Higher Education,” *Journal of Educational Technology Systems*, vol. 52, no. 4, pp. 389–402, November 2023.