



UNIVERSITY OF ENGINEERING AND TECHNOLOGY

LAHORE

PROJECT NAME :

SSRmanagementsystem

SUBMITTED TO :

Prof . Laeeq Khan Niazi

SUBMITTED BY :

Syed Ammar Ali Bukhari

Registration No :

2026-(S)-CS-76

FUNCTIONAL REQUIREMENTS :

We have two users

1 – admin

2 – Guest

-----ADMIN -----

Admin can do following functions after logging inn

1 - Add Booking (Some customers directly come to resort for there booking this is the options)

2 – Search booking by date (to check weather any room is booked or not on specific date)

3 - Search booking by name (to check in guests which had booked the room earlier)

4 – Checkout

5 - Show Available rooms (to check whether the rooms are available or not)

6 – Check all time reservation (for records of guests)

7 – Edit prices (in case management decides to change the prices)

8 – Return to main menu

-----GUEST -----

Guest can do following functions

- 1 – Add Booking (Guest can also add his own booking before the day of arrival)
- 2 - View Available rooms for a date
- 3 - Tour Packages (guest can also grab tour packages from this portion)
- 4 – Delete my Booking (guest can also delete his booking)
- 5 – Information about leepa valley (guest can collect information of leepa valley from this portion)

DATA STRUCTURES :

1- string guestnames[3720];

to store guest names for reservation

2 - string allguestnames[3720];

to store all guest names for all reservation data

3 - int daystay[3720];

to store guest booking dates

4 - int alldaystay[3720];

to store guest dates for all reservations

5 - int roomprice[11];

to store room prices

6 - int roomstatus[3720];

to store information of room whether empty or reserved

7 - int allroomstatus[3720];

to store room information whether empty or reserved for all reservations

8 – int pin[3]; (for pin attempts)

WIREFRAMES :

When you run the code you will see this menu

```
#####      ####      ####      #####
###  ####  ###  ##  ##  ##  ##  ##  ##
###  ##  ##  ###  ##  ##  ##  ##  ##
###  ##  ##  ###  #####  #####  ##  #####
###  ##  ###  ##  ##  ##  ##  ##  ##
###  ####  ##  ##  ##  ##  ##  ##
#####      ####      ####      ##  ##
##  ###  ##  ###
###  ###  ##  ###
###  ###  ##  ###
###  ###  ##  ###
###  ###  #####
-----
-----Welcome to SERENITY SPRING RESORT-----
-----
1 - Management menu
2 - Guest menu
3 - Exit
Enter your choice
```

You are given option of moving ahead with management menu or guest menu we go with guest menu . After choosing option 2 you will see this

```
-----
-----GUEST MENU-----
-----
1 - Room Booking
2 - View Available Rooms
3 - Tour Packages
4 - Delete My Booking
5 - Information about leepa valley
6 - Return to main menu
Enter your choice |
```

By choosing option 5 he will get the information about leepa valley

After choosing 6 he will return to main menu

From there moving into management menu you will be asked to enter after entering password he will go to management menu . if he enters wrong credentials 3 times he is returned back .

```
Enter username fghv
Enter pin4567
Wrong username or Password
Enter username esdfgxcv
Enter pin456
Wrong username or Password
Enter username rfcgh
Enter pin567
Wrong username or Password
Too many login attempts
Thanks for using this software
PS D:\C++ programing\pfwork\project>
```

If he enters true credentials he will proceed to management menu

```
-----  
-----Management menu-----  
-----  
1 - Add booking  
2 - Search booking by date  
3 - Search booking by name  
4 - Check out  
5 - show available rooms  
6 - Check all time Reservation  
7 - Edit prices  
8 - Return to main menu  
Enter your choice :
```

In management menu he is given the options shown in
Picture

He can add booking for guest arriving directly in resort

By choosing option 1

He can check reservation of guests by dates by
choosing option 2

He can check reservation of guests who had already
booked by choosing option 3

He can checkout guests

He can see all reservations until now by choosing
option 6

He can edit prices by choosing option 8

PROGRAM CODE :

```
#include <iostream>

#include <conio.h>


using namespace std;

main()
{

    int room, month, date;

    int index;


    // DATA Structures

    string guestnames[3720];

    string allguestnames[3720];

    int daystay[3720];

    int alldaystay[3720];

    int roomprice[11];

    int roomstatus[3720];

    int allroomstatus[3720];


    // login crediantials

    int pin[3];

    int correctpin = 1234;

    string username;

    string correctusername = "management";


    // intializing room availability
```



```

for (int i = 0; i < 3720; i++)
{
    roomstatus[i] = 0;
    allroomstatus[i] = 0;
}

// Room prices
roomprice[1] = 7500;
roomprice[2] = 7500;
roomprice[3] = 7500;
roomprice[4] = 7500;
roomprice[5] = 10000;
roomprice[6] = 10000;
roomprice[7] = 10000;
roomprice[8] = 10000;
roomprice[9] = 15000;
roomprice[10] = 15000;

while (true)
{

    // main header

    system("cls");

    cout << " #####          #####          \n";
    cout << " ### #####  ##  ##  ##  ##  ##  \n";
    cout << " ### ##  ##  ##  ##  ##  ##  ##  \n";
    cout << " ### ##  ##  ##  #####  #####  ##  #####  \n";
    cout << " ### ##  #####  ##  ##  ##  ##  \n";

```

```

cout << " ### #####   ## ## ## ## ## ## \n";

cout << "  #####          #####  #####  ##  ##  \n";

cout << " ##  ### ##  ###                      \n";

cout << " ###  ###  ##  ###                      \n";

cout << " ###  ###  ##  ###                      \n";

cout << " ###  ###  ##  ###                      \n";

cout << " ###  ###  #####                      \n";


// main menu

cout << "-----\n";

cout << "-----Welcome to SERENITY SPRING RESORT----- \n";

cout << "-----\n";

cout << "1 - Management menu \n";

cout << "2 - Guest menu \n";

cout << "3 - Exit \n";


// taking choice from user

string choice;

cout << "Enter your choice ";

cin >> choice;

if (choice == "1")

{

    system("cls");

    // taking login credentials from admin

    bool login = false;

    for (int i = 0; i < 3; i++)

    {

        cout << "Enter username ";

```

```

cin >> username;

cout << "Enter pin";

cin >> pin[i];

if (username == correctusername && pin[i] == correctpin)
{
    cout << "Login Successfull \n";

    login = true;

    break;
}

else
{
    cout << "Wrong username or Password \n";
}
}

if (login == true)
{
    while (true) // start of while loop in admin menu
    {
        system("cls");

        // management menu

        cout << "-----\n";

        cout << "-----Management menu-----\n";

        cout << "-----\n";

        cout << "1 - Add booking  \n";

        cout << "2 - Search booking by date \n";

        cout << "3 - Search booking by name \n";

        cout << "4 - Check out  \n";

        cout << "5 - show available rooms \n";

        cout << "6 - Check all time Reservation \n";
    }
}

```

```

cout << "7 - Edit prices \n";

cout << "8 - Return to main menu \n";

// taking choice from admin

string adminchoice;

cout << "Enter your choice : ";

cin >> adminchoice;

// Room Booking code

if (adminchoice == "1")
{
    system("cls");

    cout << "\nEnter Date(1-31) ";

    cin >> date;

    if (date < 1 || date > 31)

    {
        cout << "Invalid date. Please enter 1-31.\n";

        getch();

        continue;
    }

    cout << "\nEnter month (1-12) ";

    cin >> month;

    if (month < 1 || month > 12)

    {
        cout << "Invalid month. Please enter 1-12.\n";

        getch();

        continue;
    }

    cout << "Rooms No 1 to 4 are standard (Price = RS" << roomprice[1] << " )";

```

```

cout << "Rooms No 5 to 8 are Deluxe (Price = RS" << roomprice[5] << " ) \n";

cout << "Rooms No 9 and 10 are Suite ( Price = RS " << roomprice[9] << ")\n";

cout << "\nEnter Room number (1-10) ";

cin >> room;

if (room < 1 || room > 10)

{

    cout << "Invalid room number. Please enter 1-10.\n";

    getch();

    continue;

}

index = (month - 1) * 31 * 10 + (date - 1) * 10 + (room - 1);

if (roomstatus[index] == 0)

{

    cout << "Enter your name : ";

    cin.ignore();

    getline(cin, guestnames[index]);

    allguestnames[index] = guestnames[index];

    cout << "How many days you want to stay : ";

    cin >> daystay[index];

    alldaystay[index] = daystay[index];

    if (room <= 4)

    {

        cout << "-----Standard Room----- " << endl;

        cout << "You successfully booked Standard room No " << room << endl;

        roomstatus[index] = 1;

        allroomstatus[index] = 1;

    }

}

else if (room > 3 && room <= 8)

```

```

{
    cout << "-----Deluxe Room----- " << endl;

    cout << "You successfully booked Deluxe room No " << room << endl;

    roomstatus[index] = 1;

    allroomstatus[index] = 1;
}

else if (room > 8 && room <= 10)
{
    cout << "-----SWeet Room----- " << endl;

    cout << "You successfully booked Suite room No " << room << endl;

    roomstatus[index] = 1;

    allroomstatus[index] = 1;
}

else
{
    cout << "No such room available" << endl;
}
}

else
{
    cout << " Soory for Inconvience \n Room is not available \n";
}

cout << "Press any key to continue ";

getch();
}

// search booking code

else if (adminchoice == "2")

```

```

{
    system("cls");

    cout << "\nEnter Date(1-31) ";

    cin >> date;

    if (date < 1 || date > 31)
    {
        cout << "Invalid date. Please enter 1-31.\n";

        getch();

        continue;
    }

    cout << "\nEnter month (1-12) ";

    cin >> month;

    if (month < 1 || month > 12)
    {
        cout << "Invalid month. Please enter 1-12.\n";

        getch();

        continue;
    }

    cout << "\nBookings for " << date << "/" << month << ":\n";

    bool found = false;

    for (int room = 1; room <= 10; room++)
    {
        index = (month - 1) * 31 * 10 + (date - 1) * 10 + (room - 1);

        if (roomstatus[index] == 1)
        {
            cout << "Room " << room << " booked by " << guestnames[index] << " for " << daystay[index]
<< " days.\n";

```

```

        found = true;
    }
}

if (!found)
{
    cout << "No bookings found for this date.\n";
}

cout << "Press any key to continue ";

getch();
}

// Search Booking by name
else if (adminchoice == "3")
{
    system("cls");

    string name;

    cout << "\nEnter guest name to search: ";

    cin.ignore();

    getline(cin, name);

    bool found = false;

    for (int i = 0; i < 3720; i++)
    {
        if (roomstatus[i] == 1 && guestnames[i] == name)
        {
            int month = (i / (31 * 10)) + 1;

            int temp = i % (31 * 10);

            int date = (temp / 10) + 1;

            int room = (temp % 10) + 1;

```



```

        cout << "Booking found: " << name << " in Room " << room << " on " << date << "/" << month
<< " for " << daystay[i] << " days.\n";

        found = true;

    }

}

if (!found)

{

    cout << "No booking found for this guest name.\n";

}

cout << "press any key to continue ";

getch();

}

else if (adminchoice == "4")

{

    system("cls");

    // CHECK OUT ROOM

    cout << "\nEnter Date(1-31) ";

    cin >> date;

    cout << "Enter Month (1-12): ";

    cin >> month;

    cout << "Enter Room Number (1-10): ";

    cin >> room;

    index = (month - 1) * 31 * 10 + (date - 1) * 10 + (room - 1);

    if (roomstatus[index] == 1)

    {

```

```

        roomstatus[index] = 0;

        int bill = roomprice[room] * daystay[index];

        cout << "Your bill is " << bill << "\n";

        cout << "Room checked out successfully!\n";

    }

    else

    {

        cout << "Room already empty!\n";

    }

    cout << "Press any key to continue ";

    getch();

}

// Available rooms showing for date entered

else if (adminchoice == "5")

{

    system("cls");

    cout << "\nEnter Date(1-31) ";

    cin >> date;

    cout << "\nEnter month (1-12)";

    cin >> month;

    cout << "\n Available rooms \n";

    for (int room = 1; room <= 10; room++)

    {

        index = (month - 1) * 31 * 10 + (date - 1) * 10 + (room - 1);

        if (roomstatus[index] == 0)

```

```

{
    cout << "Room No " << room;

    if (room <= 4)
    {
        cout << " Standard Room is available \n Price = " << roomprice[1] << " \n";
    }

    else if (room > 4 && room <= 8)
    {
        cout << " Deluxe Room is available \n Price = R" << roomprice[5] << " \n";
    }

    else
    {
        cout << " Suite/Sweet Room is available \n Price = RS " << roomprice[9] << " \n";
    }
}

cout << "Press any key to continue ";

getch();
}

// Showing All time Reservation code

else if (adminchoice == "6")
{
    system("cls");

    int found = 0;

    for (int i = 0; i < 3720; i++)
    {
        if (allroomstatus[i] == 1)
        {

```

```

        found = 1;

        int months = (i / (31 * 10)) + 1;

        int temp = i % (31 * 10);

        int dates = (temp / 10) + 1;

        int roomnum = (temp % 10) + 1;

        cout << "Date " << dates << endl;

        cout << "Month " << months << endl;

        cout << "Room " << roomnum << endl;

        cout << "Name of guest " << allguestnames[i] << endl;

        cout << "Days stayed: " << alldaystay[i] << endl

            << endl;

    }

}

if (found == 0)

{

    cout << "No reservations found.\n";

}

cout << "Press any key to continue ";

getch();

}

else if (adminchoice == "7")

{

    system("cls");

    string category;

    cout << "Enter the room category You want to edit price(Standard or Deluxe or Suite ) ";

    cin >> category;

    cin.ignore();

    int newprice;

    cout << "Enter new price ";

```

```

cin >> newprice;

if (category == "Standard")
{
    roomprice[1] = newprice;
    roomprice[2] = newprice;
    roomprice[3] = newprice;
    roomprice[4] = newprice;

    cout << "\nYou successfully changed the price of " << category << " rooms to RS " << newprice
<< "\n";

}

else if (category == "Deluxe")
{
    roomprice[5] = newprice;
    roomprice[6] = newprice;
    roomprice[7] = newprice;
    roomprice[8] = newprice;

    cout << "\nYou successfully changed the price of " << category << " rooms to RS " << newprice
<< "\n";

}

else if (category == "Suite")
{
    roomprice[9] = newprice;
    roomprice[10] = newprice;

    cout << "\nYou successfully changed the price of " << category << " rooms to RS " << newprice
<< "\n";

}

else
{
    cout << "\nSuch room category does not exist. Please enter Standard, Deluxe, or Suite.\n";
}

```

```

        cout << "Press any key to continue\n";

        getch();

    }

    // Exiting the management menu to main menu

    else if (adminchoice == "8")

    {

        system("cls");

        cout << " returning to main menu : ";

        break;

    }

    else

    {

        cout << "Wrong choice entered ";

    }

} // end of while  loop in admin menu

}

// if login crediantials entered wrong three times

else

{

    system("cls");

    cout << "Too many login attempts \n";

    break;

}

} // end of adminmenu


// Guest menu code

else if (choice == "2")

{

```

```

system("cls");

while (true) //--startof while loop in guest menu
{

    system("cls");

    cout << "-----\n";

    cout << "-----GUEST MENU-----\n";

    cout << "-----\n";

    cout << "1 - Room Booking      \n";

    cout << "2 - View Available Rooms \n";

    cout << "3 - Tour Packages      \n";

    cout << "4 - Delete My Booking \n";

    cout << "5 - Information about leepa valley \n";

    cout << "6 - Return to main menu \n";

    string guestchoice;

    cout << "Enter your choice ";

    cin >> guestchoice;

    // Room Booking code

    if (guestchoice == "1")

    {

        system("cls");

        cout << "\nEnter Date(1-31) ";

        cin >> date;

        if (date < 1 || date > 31)

        {

            cout << "Invalid date. Please enter 1-31.\n";

            getch();

```

```

        continue;
    }

    cout << "\nEnter month (1-12) ";

    cin >> month;

    if (month < 1 || month > 12)
    {
        cout << "Invalid month. Please enter 1-12.\n";

        getch();

        continue;
    }

    cout << "Rooms No 1 to 4 are standard (Price = RS" << roomprice[1] << " )";
    cout << "Rooms No 5 to 8 are Deluxe (Price = RS" << roomprice[5] << " ) \n";
    cout << "Rooms No 9 and 10 are Suite ( Price = RS " << roomprice[9] << ")\n";

    cout << "\nEnter Room number (1-10) ";

    cin >> room;

    if (room < 1 || room > 10)
    {
        cout << "Invalid room number. Please enter 1-10.\n";

        getch();

        continue;
    }

    index = (month - 1) * 31 * 10 + (date - 1) * 10 + (room - 1);

    if (roomstatus[index] == 0)
    {
        cout << "Enter your name : ";

        cin.ignore();

        getline(cin, guestnames[index]);
    }

```



```

allguestnames[index] = guestnames[index];

cout << "How many days you want to stay : ";

cin >> daystay[index];

alldaystay[index] = daystay[index];

if (room <= 4)
{
    cout << "-----Standard Room----- " << endl;

    cout << "You successfully booked Standard room No " << room;

    roomstatus[index] = 1;

    allroomstatus[index] = 1;
}

else if (room > 3 && room <= 8)
{
    cout << "-----Deluxe Room----- " << endl;

    cout << "You successfully booked Deluxe room No " << room;

    roomstatus[index] = 1;

    allroomstatus[index] = 1;
}

else if (room > 8 && room <= 10)
{
    cout << "-----SWeet Room----- " << endl;

    cout << "You successfully booked Suite room No " << room;

    roomstatus[index] = 1;

    allroomstatus[index] = 1;
}

else
{

```

```

        cout << "No such room available";

    }

}

else

{

    cout << " Soory for Inconvience \n Room is not available \n ";

}

cout << "\nPress any key to continue \n";

getch();

}

// Available rooms showing for date entered

else if (guestchoice == "2")

{

    system("cls");

    cout << "\nEnter Date(1-31) ";

    cin >> date;

    if (date < 1 || date > 31)

    {

        cout << "Invalid date. Please enter 1-31.\n";

        getch();

        continue;

    }

    cout << "\nEnter month (1-12)";

    cin >> month;

    if (month < 1 || month > 12)

    {

        cout << "Invalid month. Please enter 1-12.\n";

        getch();

```

```

        continue;
    }

    cout << "\n Available rooms \n";

    for (int room = 1; room <= 10; room++)
    {
        index = (month - 1) * 31 * 10 + (date - 1) * 10 + (room - 1);

        if (roomstatus[index] == 0)
        {
            cout << "Room No " << room;

            if (room <= 4)
            {
                cout << " Standard Room is available \n Price = " << roomprice[1] << " \n";
            }

            else if (room > 4 && room <= 8)
            {
                cout << " Deluxe Room is available \n Price = R" << roomprice[5] << " \n";
            }

            else
            {
                cout << " Suite/Sweet Room is available \n Price = RS " << roomprice[9] << " \n";
            }
        }
    }

    cout << "\nPress any key to continue \n";

    getch();
}

```

```

// tour packages

else if (guestchoice == "3")
{
    // Offers Section

    system("cls");

    cout << "1 - 3day leepa vallley tour Pakage (2 nights and 3 days ) RS 30000 per person\n";
    cout << "2 - 5day leepa vallley tour Pakage (4 nights and 5 days ) RS 50000 per person\n";
    cout << "3 - 7day leepa vallley tour Pakage (6 nights and 7 days ) RS 60000 per person\n";
    cout << "More information about tou packages is on our website and you can avail this from there
\n";

    char bookPackage;

    cout << "\nDo you want to book a tour package? (press \"y\" for yes or \" n\" for no ): ";
    cin >> bookPackage;

    if (bookPackage == 'y' || bookPackage == 'Y')
    {
        int packageChoice;

        cout << "Enter package number (1-3): ";
        cin >> packageChoice;

        if (packageChoice >= 1 && packageChoice <= 3)
        {
            int days, nights, price;

            if (packageChoice == 1)
            {
                days = 3;
                nights = 2;
                price = 30000;
            }

            else if (packageChoice == 2)
            {

```

```

    days = 5;

    nights = 4;

    price = 50000;
}

else if (packageChoice == 3)
{
    days = 7;

    nights = 6;

    price = 60000;
}

int numPeople;

cout << "Enter number of people: ";

cin >> numPeople;

if (numPeople >= 1)
{
    int startdate, startmonth;

    cout << "Enter start date (1-31): ";

    cin >> startdate;

    if (startdate < 1 || startdate > 31)
    {
        cout << "Invalid date. Please enter 1-31.\n";

        getch();

        continue;
    }

    cout << "Enter start month (1-12): ";

    cin >> startmonth;

    if (startmonth < 1 || startmonth > 12)
    {
        cout << "Invalid month. Please enter 1-12.\n";
    }
}

```

```

    getch();

    continue;
}

if (startdate >= 1 && startdate <= 31 && startmonth >= 1 && startmonth <= 12)
{
    int availableRooms[10];

    int availCount = 0;

    for (int room = 1; room <= 10; room++)
    {
        int index = (startmonth - 1) * 31 * 10 + (startdate - 1) * 10 + (room - 1);

        if (roomstatus[index] == 0)
        {
            availableRooms[availCount++] = room;
        }
    }
}

if (availCount >= numPeople)
{
    string guestName;

    cout << "Enter guest name: ";

    cin.ignore();

    getline(cin, guestName);

    for (int i = 0; i < numPeople; i++)
    {
        int room = availableRooms[i];

        int index = (startmonth - 1) * 31 * 10 + (startdate - 1) * 10 + (room - 1);

        roomstatus[index] = 1;

        allroomstatus[index] = 1;

        daystay[index] = nights;

        alldaystay[index] = nights;
    }
}

```

```

        guestnames[index] = guestName;

        allguestnames[index] = guestName;

        cout << "Room " << room << " booked for package.\n";

    }

    cout << "Package booked successfully for " << numPeople << " people.\n";

    cout << "Total cost: RS " << price * numPeople << "\n";

}

else

{

    cout << "Not enough rooms available for " << numPeople << " people.\n";

}

}

else

{

    cout << "Invalid date or month.\n";

}

}

else

{

    cout << "Invalid number of people.\n";

}

}

else

{

    cout << "Invalid package choice.\n";

}

}

cout << "Press any key to continue ";

```

```

    getch();
}

// Delete My booking
else if (guestchoice == "4")
{
    cout << "\nEnter Date(1-31) ";

    cin >> date;

    cout << "Enter Month (1-12): ";

    cin >> month;

    cout << "Enter Room Number (1-10): ";

    cin >> room;

    index = (month - 1) * 31 * 10 + (date - 1) * 10 + (room - 1);

    if (roomstatus[index] == 1)
    {
        roomstatus[index] = 0;

        cout << "Room Booking deleted successfully \n";
    }

    cout << "Press any key to continue ";

    getch();
}

// Information about Leepa Valley
else if (guestchoice == "5")
{

```



```

system("cls");

cout << "Information about Leepa valley Kashmir \n";

cout << "Leepa valley is located in Azad Kashmir.\n The distance of Leepa valley from Capital of Azad
Kashmir is only 100 km \n";

cout << "From Muzaffarabad you have to move towards Srinagar along the Famous River Jehlum on
Muzzafarabad chakothi Road . After travelling 40 km on the same road you get to Hatian Bala . ";

cout << "After Crossing Hatian bala Main Bazar you get to Niali . From there move to left side of
road and continuuously move alon hatian to leepa road after travelling 55 km you will reach Leepa Valley \n";

cout << "|-----Leepa Valley Road Map and view points-----
-----|\n";

cout << "|          *                               |\n";
cout << "|          *                               |\n";
cout << "|          *                               |\n";
cout << "|      Rassian *                               |\n";
cout << "|          *      *                               |\n";
cout << "|          *      *                               12 Hazari top |\n";
cout << "|          *      *      Panjal Gali          *      *      |\n";
cout << "|          *      *                               *      *      kojean |\n";
cout << "|          *      *                               *      *      |\n";
cout << "|          *      *                               *      *      |\n";
cout << "|          *      *                               *      *      |\n";
cout << "|          *      *                               *      *      |\n";
cout << "|      Dao Khan View point          *      *      *      |\n";
cout << "|          *      *      *      *      *      *      *      |\n";
cout << "|          *      *      *      *      *      *      *      |\n";
cout << "|          *      *      *      *      *      *      *      |\n";
cout << "|          *      *      *      *      *      *      *      |\n";
cout << "|          *      *      *      *      *      *      *      |\n";
cout << "|          *      *      *      *      *      *      *      |\n";
cout << "|          *      *      *      *      *      *      *      |\n";
cout << "|          *      *      *      *      *      *      *      |\n";

```

```

cout << "|      *                      *          * |\\n";
cout << "|      * * *                      *          * |\\n";
cout << "|      *                      *          * |\\n";
cout << "|      *                      *          * |\\n";
cout << "|      * Sher Gali Top( also called minni babusar )      *          *
|\\n";

cout << "|      *                      *          * |\\n";
cout << "|      *                      *          * |\\n";
cout << "|      *                      *          * |\\n";
cout << "|      *                      *          * |\\n";
cout << "|      * *          *          * * |\\n";
cout << "|      *          *          * * |\\n";
cout << "|      *          *          * * |\\n";
cout << "|      *          *          * * |\\n";
cout << "|      *          *          * mandakuli * |\\n";
cout << "|      *          *          * * /|\\n";
cout << "|      *          *          * * / |\\n";
cout << "|      *          *          * / |\\n";
cout << "|      *          *          * / |\\n";
cout << "|'      * Moji(utli basti)          *          *Nokot Gali      /
|\\n";

cout << "|.          *          / |\\n";
cout << "|.      *          *          * / |\\n";
cout << "|.      *          *          * / |\\n";
cout << "|.      *          *          / |\\n";
cout << "|.      *          * leepa main bazar      / |\\n";
cout << "|.      * Moji Bazar          *          / |\\n";
cout << "|.LOC      *          *          / |\\n";
cout << "|.      *          *          /LOC |\\n";
cout << "|.      *          * *          / |\\n";

```



```

        cout << "|                .      NEELUM VALLEY                |\n";
        cout << "|                .                                |\n";
        cout << "|                .                                |\n";
        cout << "|                .                                |\n";
        cout << "|      jammu                .                                |\n";
        cout << "|      kashmir                .                                |\n";
        cout << "|                .                                |\n";
        cout << "|                .                                |\n";
        cout << "|                .                                |\n";
        cout << "|                .                                |\n";

        cout << "|-----|
-----|\n";

```

```

        cout << "Press any key to continue ";

        getch();

    }

    // Returning to Main Menu
    else if (guestchoice == "6")
    {
        system("cls");

        cout << " Returning to main menu ";

        break;
    }

    else
    {
        cout << "You entered wrong choice ";

        cout << "Press any key to continue ";

        getch();
    }
}

```

```

        } //-- end of while loop in guest menu
    }

    // Exiting the System
    else if (choice == "3")
    {
        system("cls");

        cout << "Exiting the system\n";

        break;
    }
    else
    {
        system("cls");

        cout << "Wrong option chosed \n";
    }

    cout << "\nPress any key to continue \n";

    getch();
} //--end of main while loop

// End of Program

cout << "Thanks for using this software ";
}

```

THE

END