

CuraLink — System Setup Guide

Installation Requirements & Step-by-Step Configuration

Section 1 — System Requirements

Node / NPM	Install Node.js with npm
ApacheDS	Used to run the LDAP server
Apache Directory Studio	Used to import LDAP (.ldif) files
PostgreSQL	Version 17
Java JDK	Version 21 — must be installed at: C:\Program Files\Java\jdk-21
MSVC110	Visual C++ Redistributable 2012 x64 (vcredist_x64_2012)
Keycloak	Version 26.6.1 — must be located at: C:\keycloak-26.6.1
WildFly	After extracting the WildFly ZIP, take both top-level folders/files and place them directly in C:\

Section 2 — Configuration Steps

Step 1 — Connect PostgreSQL to Keycloak & OpenLDAP

Create a PostgreSQL database named **curalink** with password **curalink**, then restore the two backup files provided:

Keycloak DB backup	keycloak_db_backup.dump
CuraLink DB backup	curalink_db_backup.dump

Step 2 — OpenLDAP Configuration

Create **two** separate connections in Apache Directory Studio using the parameters below.

Network Parameters

Connection name	e.g. "CuraLink" (any label you prefer)
Hostname	localhost
Port	389
Encryption	No encryption

Authentication

Auth method	Simple Authentication
-------------	-----------------------

Bind DN	cn=admin,dc=curalink,dc=org
Bind password	secret
Base DN	dc=curalink,dc=org

LDIF Import Instructions

Perform the following imports for each connection:

Connection	LDIF File	Action
Connection 1	cura.ldif	Import at root dc=curalink,dc=org
Connection 2	opencura.ldif	Import at root dc=curalink,dc=org

Additional LDIF Imports (DICOM)

Navigate to the path below and import the corresponding file:

LDIF File	Target Path
imageReader.ldif	dc=curalink,dc=org → cn=DICOM Configuration → cn=Devices → dicomDeviceName=curalink-arc → [0..100] → cn=Image Reader Factory
imagewriter.ldif	dc=curalink,dc=org → cn=DICOM Configuration → cn=Devices → dicomDeviceName=curalink-arc → [0..100] → cn=Image Writer Factory

Note: After both imports, each image entry should contain 9 DICOM Transfer Syntax entries.

Section 3 — Running the Application

Execute the following three steps **in order** each time you start the system.

Step 1 — Start OpenLDAP

```
cd C:\OpenLDAP
start "OpenLDAP" slaped.exe -f slapd.conf -d 1
```

Step 2 — Start WildFly

```
set JAVA_HOME=C:\Program Files\Java\jdk-21
cd C:\wildfly\wildfly-37.0.0.Final\bin
standalone.bat
```

Step 3 — Start Keycloak

```
set JAVA_HOME=C:\Program Files\Java\jdk-21
set KEYCLOAK_ADMIN=admin
set KEYCLOAK_ADMIN_PASSWORD=admin
C:\keycloak-26.6.1\bin\kc.bat start-dev --http-port=8843
```

Application Access

URL 1: <http://localhost:8080/curalink/ui2/en/index.html>

URL 2: <http://localhost:8080/curalink>

Username: admin

Password: admin