Reviewer Response Workflow Library

Expert Workflow Library

Ultimate AI Research Toolkit 2026 - Premium Edition

Designed for PhD students, professors, graduate researchers, engineers, and data scientists.

[Idea]	Research prompts and ideation systems
[Review]	Literature synthesis and gap detection
[Write]	Paper writing and revision workflows
[Plan]	Publication and productivity operations

Table of Contents

Introduction

This Reviewer Response collection provides 200 expert research workflows engineered for high-rigor academic and technical delivery. Each workflow includes practical fields to help users move from strategy to publication-ready output.

Instructions

- Select workflows by category and difficulty to match project maturity.
- Replace variables in each workflow with your discipline, data, and resource constraints.
- Use Expected Output as the acceptance criteria for quality control.
- Store outputs in versioned folders to preserve decision history.

Workflow Library

1. Handle Reviewer #2 Professionally: editor negotiation framework for limited-resource response strategy (Springer major revision) - practical deployment framing

Objective: Rewrite methods for reproducibility and procedural transparency. Prioritize rigor and produce publication-grade decisions for Evidence-backed Rebuttal.

Prompt: Rewrite the methodology around Evidence-backed Rebuttal for limited-resource response strategy so another lab can reproduce it without author contact. Include variable definitions, preprocessing chronology, model hyperparameters, instrumentation assumptions, and reproducibility checklist required for Springer major revision. Project profile: discipline=computational social science; dataset=open government policy data; preferred method=causal inference pipeline; reviewer persona=benchmarking specialist; output schema=compliance checklist; risk scenario=unexpected reviewer disagreement; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=computational social science; dataset=open government policy data; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Springer major revision; reviewer persona=benchmarking specialist. Example outcome: comment-response matrix with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Name every tool/version and include randomness-control policy. Ensure the compliance checklist explicitly addresses unexpected reviewer disagreement and anticipated concerns from a benchmarking specialist.

Expected Output: A publication-ready comment-response matrix that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Evidence-backed Rebuttal.

Difficulty: Beginner

Category: Strategy

2. Write a Persuasive Rebuttal: line-mapped revision protocol for methodological criticism rebuttal (IEEE minor revision) - method comparison clarity

Objective: Craft concise, high-impact abstracts aligned with selective journal standards. Prioritize reproducibility and produce publication-grade decisions for Revision Traceability.

Prompt: Write a Nature-style abstract for a study on Revision Traceability in methodological criticism rebuttal. Constrain to problem, approach, principal quantitative finding, boundary condition, and broader implication. Provide a weaker draft and then a stronger revised draft with rationale. Project profile: discipline=materials informatics; dataset=federated hospital dataset; preferred method=Bayesian hierarchical model; reviewer persona=theory-oriented reviewer; output schema=citation repair map; risk scenario=high class imbalance; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=materials informatics; dataset=federated hospital dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=IEEE minor revision; reviewer persona=theory-oriented reviewer. Example outcome: revision evidence table with risk controls, reviewer-facing rationale, and milestone gates.

Tips: One central claim per sentence keeps abstract logic clean and persuasive. Ensure the citation repair map explicitly addresses high class imbalance and anticipated concerns from a theory-oriented reviewer.

Expected Output: A publication-ready revision evidence table that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Revision Traceability.

Difficulty: Intermediate

Category: Analysis

3. Transform Criticism into Acceptance: tone-safe rebuttal workflow for editor requests additional clarity (ACM rebuttal stage) - editorial risk reduction

Objective: Transform visuals into evidence-rich storytelling assets. Prioritize clarity and produce publication-grade decisions for Decision Negotiation.

Prompt: Generate a figure strategy for Decision Negotiation with publication-grade caption drafts. For each figure, define purpose, metric, axis design, uncertainty communication, and interpretation sentence expected by ACM rebuttal stage. Add one caption rewrite for non-expert readers. Project profile: discipline=computational neuroscience; dataset=crowdsourced annotation dataset; preferred method=graph neural workflow; reviewer persona=methodology purist; output schema=figure-caption protocol; risk scenario=inter-annotator disagreement; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=computational neuroscience; dataset=crowdsourced annotation dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=ACM rebuttal stage; reviewer persona=methodology purist. Example outcome: response letter with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Good captions stand alone and state what changed, by how much, and why it matters. Ensure the figure-caption protocol explicitly addresses inter-annotator disagreement and anticipated concerns from a methodology purist.

Expected Output: A publication-ready response letter that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Decision Negotiation.

Difficulty: Advanced

Category: Writing

4. Improve Reviewer Response Letter: comment-response workflow for major revision after mixed reviews (Elsevier journal review) - venue-specific optimization

Objective: Embed ethics and compliance checks into the technical workflow. Prioritize statistical power and produce publication-grade decisions for Tone Calibration.

Prompt: Build an ethics checklist and mitigation plan for Tone Calibration in major revision after mixed reviews. Include fairness risks, privacy boundaries, human-subject concerns, reporting transparency, and audit evidence expected for Elsevier journal review review. Project profile: discipline=human-computer interaction; dataset=industrial telemetry stream; preferred method=mixed-methods protocol; reviewer persona=interdisciplinary committee member; output schema=statistical decision tree; risk scenario=small sample size constraints; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=human-computer interaction; dataset=industrial telemetry stream; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Elsevier journal review; reviewer persona=interdisciplinary committee member. Example outcome: comment-response matrix with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Translate ethical risks into actionable controls with owner and verification evidence. Ensure the statistical decision tree explicitly addresses small sample size constraints and anticipated concerns from a interdisciplinary committee member.

Expected Output: A publication-ready comment-response matrix that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Tone Calibration.

Difficulty: Expert

Category: Publication

5. Handle Reviewer #2 Professionally: editor negotiation framework for limited-resource response strategy (Springer major revision) - decision traceability

Objective: Choose venue strategy, narrative framing, and revision sequencing. Prioritize transferability and produce publication-grade decisions for Evidence-backed Rebuttal.

Prompt: Design a publication strategy for Evidence-backed Rebuttal: venue ladder (A-plan/B-plan), novelty framing options, deadline-aligned writing sprints, and reviewer-risk scenarios. Include a branch for conference-first then journal-extension path for Springer major revision. Project profile: discipline=robotics; dataset=city-scale mobility records; preferred method=time-series anomaly framework; reviewer persona=ethics compliance reviewer; output schema=ablation plan sheet; risk scenario=compute budget reduction; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=robotics; dataset=city-scale mobility records; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Springer major revision; reviewer persona=ethics compliance reviewer. Example outcome: revision evidence table with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Plan fallback venue narratives early to reduce resubmission cycle time. Ensure the ablation plan sheet explicitly addresses compute budget reduction and anticipated concerns from a ethics compliance reviewer.

Expected Output: A publication-ready revision evidence table that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Evidence-backed Rebuttal.

Difficulty: Beginner

Category: Methodology

---

6. Write a Persuasive Rebuttal: line-mapped revision protocol for methodological criticism rebuttal (IEEE minor revision) - citation-strength positioning

Objective: Turn skeptical reviewer criticism into a persuasive, evidence-linked response workflow. Prioritize ethical compliance and produce publication-grade decisions for Revision Traceability.

Prompt: Assume Reviewer #2 challenges Revision Traceability for IEEE minor revision. Draft a response package with: acknowledgement sentence, technical clarification, direct manuscript change, optional added experiment, and fallback wording if resources are limited. Provide line-level mapping format for revision tracking. Project profile: discipline=digital health; dataset=public genomics panel; preferred method=hybrid rule-neural model; reviewer persona=reproducibility auditor; output schema=rebuttal response grid; risk scenario=time-limited resubmission window; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=digital health; dataset=public genomics panel; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=IEEE minor revision; reviewer persona=reproducibility auditor. Example outcome: response letter with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Use respectful tone and separate explanation, action, and manuscript delta into distinct bullets. Ensure the rebuttal response grid explicitly addresses time-limited resubmission window and anticipated concerns from a reproducibility auditor.

Expected Output: A publication-ready response letter that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Revision Traceability.

Difficulty: Intermediate

Category: Execution

7. Transform Criticism into Acceptance: tone-safe rebuttal workflow for editor requests additional clarity (ACM rebuttal stage) - defense-ready reasoning

Objective: Plan a high-confidence major revision package for journal resubmission. Prioritize computational efficiency and produce publication-grade decisions for Decision Negotiation.

Prompt: Create a major revision plan for an Elsevier-style decision letter focused on Decision Negotiation. Include comment clustering, evidence plan, timeline by dependency, added-analysis options, and response-letter structure that anticipates editor priorities for ACM rebuttal stage. Project profile: discipline=machine learning; dataset=benchmark tabular risk dataset; preferred method=multi-objective optimizer; reviewer persona=applied domain expert; output schema=section rewrite pack; risk scenario=ethics board clarification request; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=machine learning; dataset=benchmark tabular risk dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=ACM rebuttal stage; reviewer persona=applied domain expert. Example outcome: comment-response matrix with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Group reviewer comments by technical dependency to prevent contradictory edits. Ensure the section rewrite pack explicitly addresses ethics board clarification request and anticipated concerns from a applied domain expert.

Expected Output: A publication-ready comment-response matrix that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Decision Negotiation.

Difficulty: Advanced

Category: Compliance

8. Improve Reviewer Response Letter: comment-response workflow for major revision after mixed reviews (Elsevier journal review) - high-confidence statistical reporting

Objective: Select robust statistical strategy and interpretation logic. Prioritize clinical relevance and produce publication-grade decisions for Tone Calibration.

Prompt: Design a statistical analysis workflow for Tone Calibration with assumptions, test-selection logic, effect-size reporting, multiplicity correction, and uncertainty interpretation. Output a decision tree that maps data conditions to recommended tests for Elsevier journal review. Project profile: discipline=climate informatics; dataset=multi-modal image-text corpus; preferred method=semi-supervised training setup; reviewer persona=systems performance reviewer; output schema=action timeline; risk scenario=conflicting baseline outcomes; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=climate informatics; dataset=multi-modal image-text corpus; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Elsevier journal review; reviewer persona=systems performance reviewer. Example outcome: revision evidence table with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Pair p-values with effect sizes and confidence intervals in every result claim. Ensure the action timeline explicitly addresses conflicting baseline outcomes and anticipated concerns from a systems performance reviewer.

Expected Output: A publication-ready revision evidence table that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Tone Calibration.

Difficulty: Expert

Category: Reasoning

9. Handle Reviewer #2 Professionally: editor negotiation framework for limited-resource response strategy (Springer major revision) - evidence-first writing

Objective: Detect weak citation support and strengthen scholarly positioning. Prioritize publication readiness and produce publication-grade decisions for Evidence-backed Rebuttal.

Prompt: Analyze a draft on Evidence-backed Rebuttal and identify citation gaps by claim type: foundational, comparative, methodological, and limitation-related. Return a prioritized fill plan with query phrases, likely source types, and insertion points tailored to Springer major revision. Project profile: discipline=cybersecurity; dataset=longitudinal sensor dataset; preferred method=counterfactual evaluation approach; reviewer persona=industry impact reviewer; output schema=risk register; risk scenario=missing metadata in source data; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=cybersecurity; dataset=longitudinal sensor dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Springer major revision; reviewer persona=industry impact reviewer. Example outcome: response letter with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Flag unsupported superlatives first; they trigger avoidable reviewer criticism. Ensure the risk register explicitly addresses missing metadata in source data and anticipated concerns from a industry impact reviewer.

Expected Output: A publication-ready response letter that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Evidence-backed Rebuttal.

Difficulty: Beginner

Category: Analysis

10. Write a Persuasive Rebuttal: line-mapped revision protocol for methodological criticism rebuttal (IEEE minor revision) - hypothesis stress testing

Objective: Convert raw metrics into defensible scientific interpretation. Prioritize novelty and produce publication-grade decisions for Revision Traceability.

Prompt: Interpret results for Revision Traceability using a claim-evidence map: primary findings, uncertainty envelope, competing explanations, boundary conditions, and implications for future work in IEEE minor revision. Add one paragraph that preempts overclaiming. Project profile: discipline=biomedical engineering; dataset=multi-site clinical cohort; preferred method=transformer baseline; reviewer persona=editor focused on clarity; output schema=claim-evidence table; risk scenario=incomplete ablation coverage; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=biomedical engineering; dataset=multi-site clinical cohort; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=IEEE minor revision; reviewer persona=editor focused on clarity. Example outcome: comment-response matrix with risk controls, reviewer-facing rationale, and milestone gates.

Tips: State what the results do not prove as clearly as what they do prove. Ensure the claim-evidence table explicitly addresses incomplete ablation coverage and anticipated concerns from a editor focused on clarity.

Expected Output: A publication-ready comment-response matrix that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Revision Traceability.

Difficulty: Intermediate

Category: Writing

11. Transform Criticism into Acceptance: tone-safe rebuttal workflow for editor requests additional clarity (ACM rebuttal stage) - results-to-insight translation

Objective: Detect non-obvious research gaps and convert them into testable opportunities. Prioritize rigor and produce publication-grade decisions for Decision Negotiation.

Prompt: You are a literature forensics specialist. From the context below, identify unresolved contradictions in Decision Negotiation and rank them by impact and tractability. Then design three testable gap statements, each with required datasets, threat-to-validity notes, and likely reviewer objections for ACM rebuttal stage. Project profile: discipline=computational social science; dataset=open government policy data; preferred method=causal inference pipeline; reviewer persona=skeptical statistician; output schema=decision matrix; risk scenario=dataset shift at deployment; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=computational social science; dataset=open government policy data; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=ACM rebuttal stage; reviewer persona=skeptical statistician. Example outcome: revision evidence table with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Distinguish 'no evidence exists' from 'evidence exists but conflicts' to avoid weak gap claims. Ensure the decision matrix explicitly addresses dataset shift at deployment and anticipated concerns from a skeptical statistician.

Expected Output: A publication-ready revision evidence table that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Decision Negotiation.

Difficulty: Advanced

Category: Publication

12. Improve Reviewer Response Letter: comment-response workflow for major revision after mixed reviews (Elsevier journal review) - major-revision readiness

Objective: Produce section drafts compliant with high-impact conference and journal conventions. Prioritize reproducibility and produce publication-grade decisions for Tone Calibration.

Prompt: Generate a publication-ready section for Tone Calibration tuned for Elsevier journal review. Enforce concise technical style, explicit contributions, and strong figure/table callouts. Provide two style variants: IEEE Transactions tone and ACM conference tone with sentence-level rewrites. Project profile: discipline=materials informatics; dataset=federated hospital dataset; preferred method=Bayesian hierarchical model; reviewer persona=benchmarking specialist; output schema=compliance checklist; risk scenario=unexpected reviewer disagreement; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=materials informatics; dataset=federated hospital dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Elsevier journal review; reviewer persona=benchmarking specialist. Example outcome: response letter with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Avoid generic claims; anchor every paragraph with result-oriented language. Ensure the compliance checklist explicitly addresses unexpected reviewer disagreement and anticipated concerns from a benchmarking specialist.

Expected Output: A publication-ready response letter that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Tone Calibration.

Difficulty: Expert

Category: Methodology

13. Handle Reviewer #2 Professionally: editor negotiation framework for limited-resource response strategy (Springer major revision) - replication-grade documentation

Objective: Pressure-test experimental design before expensive execution. Prioritize clarity and produce publication-grade decisions for Evidence-backed Rebuttal.

Prompt: Audit the experimental design for Evidence-backed Rebuttal. Produce control/ablation matrix, confound analysis, data leakage checks, minimum sample strategy, and statistical power guardrails suitable for Springer major revision reviewers. Include a stop/go decision protocol. Project profile: discipline=computational neuroscience; dataset=crowdsourced annotation dataset; preferred method=graph neural workflow; reviewer persona=theory-oriented reviewer; output schema=citation repair map; risk scenario=high class imbalance; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=computational neuroscience; dataset=crowdsourced annotation dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Springer major revision; reviewer persona=theory-oriented reviewer. Example outcome: comment-response matrix with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Design ablations to isolate one causal factor at a time. Ensure the citation repair map explicitly addresses high class imbalance and anticipated concerns from a theory-oriented reviewer.

Expected Output: A publication-ready comment-response matrix that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Evidence-backed Rebuttal.

Difficulty: Beginner

Category: Execution

14. Write a Persuasive Rebuttal: line-mapped revision protocol for methodological criticism rebuttal (IEEE minor revision) - reviewer-resilient argumentation

Objective: Convert technical narrative into clean, production-ready LaTeX structure. Prioritize statistical power and produce publication-grade decisions for Revision Traceability.

Prompt: Create a LaTeX writing workflow for Revision Traceability: section skeleton, theorem/algorithm formatting guidance, table conventions, citation macros, and cross-reference hygiene. Include common formatting errors and fixes for IEEE minor revision submission checks. Project profile: discipline=human-computer interaction; dataset=industrial telemetry stream; preferred method=mixed-methods protocol; reviewer persona=methodology purist; output schema=figure-caption protocol; risk scenario=inter-annotator disagreement; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=human-computer interaction; dataset=industrial telemetry stream; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=IEEE minor revision; reviewer persona=methodology purist. Example outcome: revision evidence table with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Draft content in semantic chunks before polishing visual layout. Ensure the figure-caption protocol explicitly addresses inter-annotator disagreement and anticipated concerns from a methodology purist.

Expected Output: A publication-ready revision evidence table that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Revision Traceability.

Difficulty: Intermediate

Category: Compliance

15. Transform Criticism into Acceptance: tone-safe rebuttal workflow for editor requests additional clarity (ACM rebuttal stage) - ethics-by-design reporting

Objective: Prepare rigorous responses for committee or reviewer questioning. Prioritize transferability and produce publication-grade decisions for Decision Negotiation.

Prompt: Simulate a high-pressure Q&A; on Decision Negotiation. Generate 15 hard questions (methods, validity, novelty, limitations, impact) and produce concise, evidence-backed responses with fallback answers for uncertain data points. Include one slide cue per answer. Project profile: discipline=robotics; dataset=city-scale mobility records; preferred method=time-series anomaly framework; reviewer persona=interdisciplinary committee member; output schema=statistical decision tree; risk scenario=small sample size constraints; timeline={timeline};

resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=robotics; dataset=city-scale mobility records; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=ACM rebuttal stage; reviewer persona=interdisciplinary committee member. Example outcome: response letter with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Structure answers as claim -> evidence -> limitation -> next action. Ensure the statistical decision tree explicitly addresses small sample size constraints and anticipated concerns from a interdisciplinary committee member.

Expected Output: A publication-ready response letter that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Decision Negotiation.

Difficulty: Advanced

Category: Reasoning

---

16. Improve Reviewer Response Letter: comment-response workflow for major revision after mixed reviews (Elsevier journal review) - limitations-first transparency

Objective: Create a contribution map that defends novelty against closest prior work and defines what is publishable. Prioritize ethical compliance and produce publication-grade decisions for Tone Calibration.

Prompt: Act as a senior research editor. Build a contribution architecture for Tone Calibration in major revision after mixed reviews targeting Elsevier journal review. Output sections: contribution claim stack, nearest-neighbor prior work comparison, differentiator evidence plan, failure-risk matrix, and a 30/60/90-day execution plan. Project profile: discipline=digital health; dataset=public genomics panel; preferred method=hybrid rule-neural model; reviewer persona=ethics compliance reviewer; output schema=ablation plan sheet; risk scenario=compute budget reduction; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=digital health; dataset=public genomics panel; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Elsevier journal review; reviewer persona=ethics compliance reviewer. Example outcome: comment-response matrix with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Force each claim to link to one measurable piece of evidence and one comparison baseline. Ensure the ablation plan sheet explicitly addresses compute budget reduction and anticipated concerns from a ethics compliance reviewer.

Expected Output: A publication-ready comment-response matrix that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Tone Calibration.

Difficulty: Expert

Category: Rebuttal

17. Handle Reviewer #2 Professionally: editor negotiation framework for limited-resource response strategy (Springer major revision) - cross-domain readability

Objective: Rewrite methods for reproducibility and procedural transparency. Prioritize computational efficiency and produce publication-grade decisions for Evidence-backed Rebuttal.

Prompt: Rewrite the methodology around Evidence-backed Rebuttal for limited-resource response strategy so another lab can reproduce it without author contact. Include variable definitions, preprocessing chronology, model hyperparameters, instrumentation assumptions, and reproducibility checklist required for Springer major revision. Project profile: discipline=machine learning; dataset=benchmark tabular risk dataset; preferred method=multi-objective optimizer; reviewer persona=reproducibility auditor; output schema=rebuttal response grid;

risk scenario=time-limited resubmission window; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=machine learning; dataset=benchmark tabular risk dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Springer major revision; reviewer persona=reproducibility auditor. Example outcome: revision evidence table with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Name every tool/version and include randomness-control policy. Ensure the rebuttal response grid explicitly addresses time-limited resubmission window and anticipated concerns from a reproducibility auditor.

Expected Output: A publication-ready revision evidence table that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Evidence-backed Rebuttal.

Difficulty: Beginner

Category: Validation

18. Write a Persuasive Rebuttal: line-mapped revision protocol for methodological criticism rebuttal (IEEE minor revision) - impact-focused communication

Objective: Craft concise, high-impact abstracts aligned with selective journal standards. Prioritize clinical relevance and produce publication-grade decisions for Revision Traceability.

Prompt: Write a Nature-style abstract for a study on Revision Traceability in methodological criticism rebuttal. Constrain to problem, approach, principal quantitative finding, boundary condition, and broader implication. Provide a weaker draft and then a stronger revised draft with rationale. Project profile: discipline=climate informatics; dataset=multi-modal image-text corpus; preferred method=semi-supervised training setup; reviewer persona=applied domain expert; output schema=section rewrite pack; risk scenario=ethics board clarification request; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=climate informatics; dataset=multi-modal image-text corpus; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=IEEE minor revision; reviewer persona=applied domain expert. Example outcome: response letter with risk controls, reviewer-facing rationale, and milestone gates.

Tips: One central claim per sentence keeps abstract logic clean and persuasive. Ensure the section rewrite pack explicitly addresses ethics board clarification request and anticipated concerns from a applied domain expert.

Expected Output: A publication-ready response letter that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Revision Traceability.

Difficulty: Intermediate

Category: Publication

19. Transform Criticism into Acceptance: tone-safe rebuttal workflow for editor requests additional clarity (ACM rebuttal stage) - publishable novelty framing

Objective: Transform visuals into evidence-rich storytelling assets. Prioritize publication readiness and produce publication-grade decisions for Decision Negotiation.

Prompt: Generate a figure strategy for Decision Negotiation with publication-grade caption drafts. For each figure, define purpose, metric, axis design, uncertainty communication, and interpretation sentence expected by ACM rebuttal stage. Add one caption rewrite for non-expert readers. Project profile: discipline=cybersecurity; dataset=longitudinal sensor dataset; preferred method=counterfactual evaluation approach; reviewer persona=systems performance reviewer; output schema=action timeline; risk scenario=conflicting baseline outcomes; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=cybersecurity; dataset=longitudinal sensor dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=ACM rebuttal stage; reviewer persona=systems performance reviewer. Example outcome: comment-response matrix with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Good captions stand alone and state what changed, by how much, and why it matters. Ensure the action timeline explicitly addresses conflicting baseline outcomes and anticipated concerns from a systems performance reviewer.

Expected Output: A publication-ready comment-response matrix that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Decision Negotiation.

Difficulty: Advanced

Category: Methodology

20. Improve Reviewer Response Letter: comment-response workflow for major revision after mixed reviews (Elsevier journal review) - practical deployment framing

Objective: Embed ethics and compliance checks into the technical workflow. Prioritize novelty and produce publication-grade decisions for Tone Calibration.

Prompt: Build an ethics checklist and mitigation plan for Tone Calibration in major revision after mixed reviews. Include fairness risks, privacy boundaries, human-subject concerns, reporting transparency, and audit evidence expected for Elsevier journal review review. Project profile: discipline=biomedical engineering; dataset=multi-site clinical cohort; preferred method=transformer baseline; reviewer persona=industry impact reviewer; output schema=risk register; risk scenario=missing metadata in source data; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=biomedical engineering; dataset=multi-site clinical cohort; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Elsevier journal review; reviewer persona=industry impact reviewer. Example outcome: revision evidence table with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Translate ethical risks into actionable controls with owner and verification evidence. Ensure the risk register explicitly addresses missing metadata in source data and anticipated concerns from a industry impact reviewer.

Expected Output: A publication-ready revision evidence table that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Tone Calibration.

Difficulty: Expert

Category: Execution

---

21. Handle Reviewer #2 Professionally: editor negotiation framework for limited-resource response strategy (Springer major revision) - method comparison clarity

Objective: Choose venue strategy, narrative framing, and revision sequencing. Prioritize rigor and produce publication-grade decisions for Evidence-backed Rebuttal.

Prompt: Design a publication strategy for Evidence-backed Rebuttal: venue ladder (A-plan/B-plan), novelty framing options, deadline-aligned writing sprints, and reviewer-risk scenarios. Include a branch for conference-first then journal-extension path for Springer major revision. Project profile: discipline=computational social science; dataset=open government policy data; preferred method=causal inference pipeline; reviewer persona=editor focused on clarity; output schema=claim-evidence table; risk scenario=incomplete ablation coverage; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=computational social science; dataset=open government policy data; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Springer major revision; reviewer persona=editor focused on clarity. Example outcome: response letter with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Plan fallback venue narratives early to reduce resubmission cycle time. Ensure the claim-evidence table explicitly addresses incomplete ablation coverage and anticipated concerns from a editor focused on clarity.

Expected Output: A publication-ready response letter that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Evidence-backed Rebuttal.

Difficulty: Beginner

Category: Compliance

22. Write a Persuasive Rebuttal: line-mapped revision protocol for methodological criticism rebuttal (IEEE minor revision) - editorial risk reduction

Objective: Turn skeptical reviewer criticism into a persuasive, evidence-linked response workflow. Prioritize reproducibility and produce publication-grade decisions for Revision Traceability.

Prompt: Assume Reviewer #2 challenges Revision Traceability for IEEE minor revision. Draft a response package with: acknowledgement sentence, technical clarification, direct manuscript change, optional added experiment, and fallback wording if resources are limited. Provide line-level mapping format for revision tracking. Project profile: discipline=materials informatics; dataset=federated hospital dataset; preferred method=Bayesian hierarchical model; reviewer persona=skeptical statistician; output schema=decision matrix; risk scenario=dataset shift at deployment; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=materials informatics; dataset=federated hospital dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=IEEE minor revision; reviewer persona=skeptical statistician. Example outcome: comment-response matrix with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Use respectful tone and separate explanation, action, and manuscript delta into distinct bullets. Ensure the decision matrix explicitly addresses dataset shift at deployment and anticipated concerns from a skeptical statistician.

Expected Output: A publication-ready comment-response matrix that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Revision Traceability.

Difficulty: Intermediate

Category: Reasoning

23. Transform Criticism into Acceptance: tone-safe rebuttal workflow for editor requests additional clarity (ACM rebuttal stage) - venue-specific optimization

Objective: Plan a high-confidence major revision package for journal resubmission. Prioritize clarity and produce publication-grade decisions for Decision Negotiation.

Prompt: Create a major revision plan for an Elsevier-style decision letter focused on Decision Negotiation. Include comment clustering, evidence plan, timeline by dependency, added-analysis options, and response-letter structure that anticipates editor priorities for ACM rebuttal stage. Project profile: discipline=computational neuroscience; dataset=crowdsourced annotation dataset; preferred method=graph neural workflow; reviewer persona=benchmarking specialist; output schema=compliance checklist; risk scenario=unexpected reviewer disagreement; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=computational neuroscience; dataset=crowdsourced annotation dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=ACM rebuttal stage; reviewer persona=benchmarking specialist. Example outcome: revision evidence table with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Group reviewer comments by technical dependency to prevent contradictory edits. Ensure the compliance checklist explicitly addresses unexpected reviewer disagreement and anticipated concerns from a benchmarking specialist.

Expected Output: A publication-ready revision evidence table that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Decision Negotiation.

Difficulty: Advanced

Category: Rebuttal

24. Improve Reviewer Response Letter: comment-response workflow for major revision after mixed reviews (Elsevier journal review) - decision traceability

Objective: Select robust statistical strategy and interpretation logic. Prioritize statistical power and produce publication-grade decisions for Tone Calibration.

Prompt: Design a statistical analysis workflow for Tone Calibration with assumptions, test-selection logic, effect-size reporting, multiplicity correction, and uncertainty interpretation. Output a decision tree that maps data conditions to recommended tests for Elsevier journal review. Project profile: discipline=human-computer interaction; dataset=industrial telemetry stream; preferred method=mixed-methods protocol; reviewer persona=theory-oriented reviewer; output schema=citation repair map; risk scenario=high class imbalance; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=human-computer interaction; dataset=industrial telemetry stream; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Elsevier journal review; reviewer persona=theory-oriented reviewer. Example outcome: response letter with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Pair p-values with effect sizes and confidence intervals in every result claim. Ensure the citation repair map explicitly addresses high class imbalance and anticipated concerns from a theory-oriented reviewer.

Expected Output: A publication-ready response letter that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Tone Calibration.

Difficulty: Expert

Category: Validation

25. Handle Reviewer #2 Professionally: editor negotiation framework for limited-resource response strategy (Springer major revision) - citation-strength positioning

Objective: Detect weak citation support and strengthen scholarly positioning. Prioritize transferability and produce publication-grade decisions for Evidence-backed Rebuttal.

Prompt: Analyze a draft on Evidence-backed Rebuttal and identify citation gaps by claim type: foundational, comparative, methodological, and limitation-related. Return a prioritized fill plan with query phrases, likely source types, and insertion points tailored to Springer major revision. Project profile: discipline=robotics; dataset=city-scale mobility records; preferred method=time-series anomaly framework; reviewer persona=methodology purist; output schema=figure-caption protocol; risk scenario=inter-annotator disagreement; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=robotics; dataset=city-scale mobility records; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Springer major revision; reviewer persona=methodology purist. Example outcome: comment-response matrix with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Flag unsupported superlatives first; they trigger avoidable reviewer criticism. Ensure the figure-caption protocol explicitly addresses inter-annotator disagreement and anticipated concerns from a methodology purist.

Expected Output: A publication-ready comment-response matrix that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Evidence-backed Rebuttal.

Difficulty: Beginner

Category: Optimization

---

26. Write a Persuasive Rebuttal: line-mapped revision protocol for methodological criticism rebuttal (IEEE minor revision) - defense-ready reasoning

Objective: Convert raw metrics into defensible scientific interpretation. Prioritize ethical compliance and produce publication-grade decisions for Revision Traceability.

Prompt: Interpret results for Revision Traceability using a claim-evidence map: primary findings, uncertainty envelope, competing explanations, boundary conditions, and implications for future work in IEEE minor revision. Add one paragraph that preempts overclaiming. Project profile: discipline=digital health; dataset=public genomics panel; preferred method=hybrid rule-neural model; reviewer persona=interdisciplinary committee member; output schema=statistical decision tree; risk scenario=small sample size constraints; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=digital health; dataset=public genomics panel; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=IEEE minor revision; reviewer persona=interdisciplinary committee member. Example outcome: revision evidence table with risk controls, reviewer-facing rationale, and milestone gates.

Tips: State what the results do not prove as clearly as what they do prove. Ensure the statistical decision tree explicitly addresses small sample size constraints and anticipated concerns from a interdisciplinary committee member.

Expected Output: A publication-ready revision evidence table that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Revision Traceability.

Difficulty: Intermediate

Category: Planning

27. Transform Criticism into Acceptance: tone-safe rebuttal workflow for editor requests additional clarity (ACM rebuttal stage) - high-confidence statistical reporting

Objective: Detect non-obvious research gaps and convert them into testable opportunities. Prioritize computational efficiency and produce publication-grade decisions for Decision Negotiation.

Prompt: You are a literature forensics specialist. From the context below, identify unresolved contradictions in Decision Negotiation and rank them by impact and tractability. Then design three testable gap statements, each with required datasets, threat-to-validity notes, and likely reviewer objections for ACM rebuttal stage. Project profile: discipline=machine learning; dataset=benchmark tabular risk dataset; preferred method=multi-objective optimizer; reviewer persona=ethics compliance reviewer; output schema=ablation plan sheet; risk scenario=compute budget reduction; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=machine learning; dataset=benchmark tabular risk dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=ACM rebuttal stage; reviewer persona=ethics compliance reviewer. Example outcome: response letter with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Distinguish 'no evidence exists' from 'evidence exists but conflicts' to avoid weak gap claims. Ensure the ablation plan sheet explicitly addresses compute budget reduction and anticipated concerns from a ethics compliance reviewer.

Expected Output: A publication-ready response letter that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Decision Negotiation.

Difficulty: Advanced

Category: Execution

28. Improve Reviewer Response Letter: comment-response workflow for major revision after mixed reviews (Elsevier journal review) - evidence-first writing

Objective: Produce section drafts compliant with high-impact conference and journal conventions. Prioritize clinical relevance and produce publication-grade decisions for Tone Calibration.

Prompt: Generate a publication-ready section for Tone Calibration tuned for Elsevier journal review. Enforce concise technical style, explicit contributions, and strong figure/table callouts. Provide two style variants: IEEE Transactions tone and ACM conference tone with sentence-level rewrites. Project profile: discipline=climate informatics; dataset=multi-modal image-text corpus; preferred method=semi-supervised training setup; reviewer persona=reproducibility auditor; output schema=rebuttal response grid; risk scenario=time-limited resubmission window; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=climate informatics; dataset=multi-modal image-text corpus; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Elsevier journal review; reviewer persona=reproducibility auditor. Example outcome: comment-response matrix with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Avoid generic claims; anchor every paragraph with result-oriented language. Ensure the rebuttal response grid explicitly addresses time-limited resubmission window and anticipated concerns from a reproducibility auditor.

Expected Output: A publication-ready comment-response matrix that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Tone Calibration.

Difficulty: Expert

Category: Compliance

29. Handle Reviewer #2 Professionally: editor negotiation framework for limited-resource response strategy (Springer major revision) - hypothesis stress testing

Objective: Pressure-test experimental design before expensive execution. Prioritize publication readiness and produce publication-grade decisions for Evidence-backed Rebuttal.

Prompt: Audit the experimental design for Evidence-backed Rebuttal. Produce control/ablation matrix, confound analysis, data leakage checks, minimum sample strategy, and statistical power guardrails suitable for Springer major revision reviewers. Include a stop/go decision protocol. Project profile: discipline=cybersecurity; dataset=longitudinal sensor dataset; preferred method=counterfactual evaluation approach; reviewer persona=applied domain expert; output schema=section rewrite pack; risk scenario=ethics board clarification request; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=cybersecurity; dataset=longitudinal sensor dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Springer major revision; reviewer persona=applied domain expert. Example outcome: revision evidence table with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Design ablations to isolate one causal factor at a time. Ensure the section rewrite pack explicitly addresses ethics board clarification request and anticipated concerns from a applied domain expert.

Expected Output: A publication-ready revision evidence table that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Evidence-backed Rebuttal.

Difficulty: Beginner

Category: Reasoning

30. Write a Persuasive Rebuttal: line-mapped revision protocol for methodological criticism rebuttal (IEEE minor revision) - results-to-insight translation

Objective: Convert technical narrative into clean, production-ready LaTeX structure. Prioritize novelty and produce publication-grade decisions for Revision Traceability.

Prompt: Create a LaTeX writing workflow for Revision Traceability: section skeleton, theorem/algorithm formatting guidance, table conventions, citation macros, and cross-reference hygiene. Include common formatting errors and fixes for IEEE minor revision submission checks. Project profile: discipline=biomedical engineering; dataset=multi-site clinical cohort; preferred method=transformer baseline; reviewer persona=systems performance reviewer; output schema=action timeline; risk scenario=conflicting baseline outcomes; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=biomedical engineering; dataset=multi-site clinical cohort; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=IEEE minor revision; reviewer persona=systems performance reviewer. Example outcome: response letter with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Draft content in semantic chunks before polishing visual layout. Ensure the action timeline explicitly addresses conflicting baseline outcomes and anticipated concerns from a systems performance reviewer.

Expected Output: A publication-ready response letter that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Revision Traceability.

Difficulty: Intermediate

Category: Rebuttal

31. Transform Criticism into Acceptance: tone-safe rebuttal workflow for editor requests additional clarity (ACM rebuttal stage) - major-revision readiness

Objective: Prepare rigorous responses for committee or reviewer questioning. Prioritize rigor and produce publication-grade decisions for Decision Negotiation.

Prompt: Simulate a high-pressure Q&A; on Decision Negotiation. Generate 15 hard questions (methods, validity, novelty, limitations, impact) and produce concise, evidence-backed responses with fallback answers for uncertain data points. Include one slide cue per answer. Project profile: discipline=computational social science; dataset=open government policy data; preferred method=causal inference pipeline; reviewer persona=industry impact reviewer; output schema=risk register; risk scenario=missing metadata in source data; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=computational social science; dataset=open government policy data; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=ACM rebuttal stage; reviewer persona=industry impact reviewer. Example outcome: comment-response matrix with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Structure answers as claim -> evidence -> limitation -> next action. Ensure the risk register explicitly addresses missing metadata in source data and anticipated concerns from a industry impact reviewer.

Expected Output: A publication-ready comment-response matrix that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Decision Negotiation.

Difficulty: Advanced

Category: Validation

32. Improve Reviewer Response Letter: comment-response workflow for major revision after mixed reviews (Elsevier journal review) - replication-grade documentation

Objective: Create a contribution map that defends novelty against closest prior work and defines what is publishable. Prioritize reproducibility and produce publication-grade decisions for Tone Calibration.

Prompt: Act as a senior research editor. Build a contribution architecture for Tone Calibration in major revision after mixed reviews targeting Elsevier journal review. Output sections: contribution claim stack, nearest-neighbor prior work comparison, differentiator evidence plan, failure-risk matrix, and a 30/60/90-day execution plan. Project profile: discipline=materials informatics; dataset=federated hospital dataset; preferred method=Bayesian hierarchical model; reviewer persona=editor focused on clarity; output schema=claim-evidence table; risk scenario=incomplete ablation coverage; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=materials informatics; dataset=federated hospital dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Elsevier journal review; reviewer persona=editor focused on clarity. Example outcome: revision evidence table with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Force each claim to link to one measurable piece of evidence and one comparison baseline. Ensure the claim-evidence table explicitly addresses incomplete ablation coverage and anticipated concerns from a editor focused on clarity.

Expected Output: A publication-ready revision evidence table that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Tone Calibration.

Difficulty: Expert

Category: Optimization

33. Handle Reviewer #2 Professionally: editor negotiation framework for limited-resource response strategy (Springer major revision) - reviewer-resilient argumentation

Objective: Rewrite methods for reproducibility and procedural transparency. Prioritize clarity and produce publication-grade decisions for Evidence-backed Rebuttal.

Prompt: Rewrite the methodology around Evidence-backed Rebuttal for limited-resource response strategy so another lab can reproduce it without author contact. Include variable definitions, preprocessing chronology, model hyperparameters, instrumentation assumptions, and reproducibility checklist required for Springer major revision. Project profile: discipline=computational neuroscience; dataset=crowdsourced annotation dataset; preferred method=graph neural workflow; reviewer persona=skeptical statistician; output schema=decision matrix; risk scenario=dataset shift at deployment; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=computational neuroscience; dataset=crowdsourced annotation dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Springer major revision; reviewer persona=skeptical statistician. Example outcome: response letter with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Name every tool/version and include randomness-control policy. Ensure the decision matrix explicitly addresses dataset shift at deployment and anticipated concerns from a skeptical statistician.

Expected Output: A publication-ready response letter that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Evidence-backed Rebuttal.

Difficulty: Beginner

Category: Planning

34. Write a Persuasive Rebuttal: line-mapped revision protocol for methodological criticism rebuttal (IEEE minor revision) - ethics-by-design reporting

Objective: Craft concise, high-impact abstracts aligned with selective journal standards. Prioritize statistical power and produce publication-grade decisions for Revision Traceability.

Prompt: Write a Nature-style abstract for a study on Revision Traceability in methodological criticism rebuttal. Constrain to problem, approach, principal quantitative finding, boundary condition, and broader implication. Provide a weaker draft and then a stronger revised draft with rationale. Project profile: discipline=human-computer interaction; dataset=industrial telemetry stream; preferred method=mixed-methods protocol; reviewer persona=benchmarking specialist; output schema=compliance checklist; risk scenario=unexpected reviewer disagreement; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=human-computer interaction; dataset=industrial telemetry stream; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=IEEE minor revision; reviewer persona=benchmarking specialist. Example outcome: comment-response matrix with risk controls, reviewer-facing rationale, and milestone gates.

Tips: One central claim per sentence keeps abstract logic clean and persuasive. Ensure the compliance checklist explicitly addresses unexpected reviewer disagreement and anticipated concerns from a benchmarking specialist.

Expected Output: A publication-ready comment-response matrix that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Revision Traceability.

Difficulty: Intermediate

Category: Strategy

35. Transform Criticism into Acceptance: tone-safe rebuttal workflow for editor requests additional clarity (ACM rebuttal stage) - limitations-first transparency

Objective: Transform visuals into evidence-rich storytelling assets. Prioritize transferability and produce publication-grade decisions for Decision Negotiation.

Prompt: Generate a figure strategy for Decision Negotiation with publication-grade caption drafts. For each figure, define purpose, metric, axis design, uncertainty communication, and interpretation sentence expected by ACM rebuttal stage. Add one caption rewrite for non-expert readers. Project profile: discipline=robotics; dataset=city-scale mobility records; preferred method=time-series anomaly framework; reviewer persona=theory-oriented reviewer; output schema=citation repair map; risk scenario=high class imbalance; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=robotics; dataset=city-scale mobility records; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=ACM rebuttal stage; reviewer persona=theory-oriented reviewer. Example outcome: revision evidence table with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Good captions stand alone and state what changed, by how much, and why it matters. Ensure the citation repair map explicitly addresses high class imbalance and anticipated concerns from a theory-oriented reviewer.

Expected Output: A publication-ready revision evidence table that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Decision Negotiation.

Difficulty: Advanced

Category: Analysis

36. Improve Reviewer Response Letter: comment-response workflow for major revision after mixed reviews (Elsevier journal review) - cross-domain readability

Objective: Embed ethics and compliance checks into the technical workflow. Prioritize ethical compliance and produce publication-grade decisions for Tone Calibration.

Prompt: Build an ethics checklist and mitigation plan for Tone Calibration in major revision after mixed reviews. Include fairness risks, privacy boundaries, human-subject concerns, reporting transparency, and audit evidence expected for Elsevier journal review review. Project profile: discipline=digital health; dataset=public genomics panel; preferred method=hybrid rule-neural model; reviewer persona=methodology purist; output schema=figure-caption protocol; risk scenario=inter-annotator disagreement; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=digital health; dataset=public genomics panel; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Elsevier journal review; reviewer persona=methodology purist. Example outcome: response letter with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Translate ethical risks into actionable controls with owner and verification evidence. Ensure the figure-caption protocol explicitly addresses inter-annotator disagreement and anticipated concerns from a methodology purist.

Expected Output: A publication-ready response letter that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Tone Calibration.

Difficulty: Expert

Category: Reasoning

37. Handle Reviewer #2 Professionally: editor negotiation framework for limited-resource response strategy (Springer major revision) - impact-focused communication

Objective: Choose venue strategy, narrative framing, and revision sequencing. Prioritize computational efficiency and produce publication-grade decisions for Evidence-backed Rebuttal.

Prompt: Design a publication strategy for Evidence-backed Rebuttal: venue ladder (A-plan/B-plan), novelty framing options, deadline-aligned writing sprints, and reviewer-risk scenarios. Include a branch for conference-first then journal-extension path for Springer major revision. Project profile: discipline=machine learning; dataset=benchmark tabular risk dataset; preferred method=multi-objective optimizer; reviewer persona=interdisciplinary committee member; output schema=statistical decision tree; risk scenario=small sample size constraints; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=machine learning; dataset=benchmark tabular risk dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Springer major revision; reviewer persona=interdisciplinary committee member. Example outcome: comment-response matrix with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Plan fallback venue narratives early to reduce resubmission cycle time. Ensure the statistical decision tree explicitly addresses small sample size constraints and anticipated concerns from a interdisciplinary committee member.

Expected Output: A publication-ready comment-response matrix that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Evidence-backed Rebuttal.

Difficulty: Beginner

Category: Rebuttal

38. Write a Persuasive Rebuttal: line-mapped revision protocol for methodological criticism rebuttal (IEEE minor revision) - publishable novelty framing

Objective: Turn skeptical reviewer criticism into a persuasive, evidence-linked response workflow. Prioritize clinical relevance and produce publication-grade decisions for Revision Traceability.

Prompt: Assume Reviewer #2 challenges Revision Traceability for IEEE minor revision. Draft a response package with: acknowledgement sentence, technical clarification, direct manuscript change, optional added experiment, and fallback wording if resources are limited. Provide line-level mapping format for revision tracking. Project profile: discipline=climate informatics; dataset=multi-modal image-text corpus; preferred method=semi-supervised training setup; reviewer persona=ethics compliance reviewer; output schema=ablation plan sheet; risk scenario=compute budget reduction; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=climate informatics; dataset=multi-modal image-text corpus; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=IEEE minor revision; reviewer persona=ethics compliance reviewer. Example outcome: revision evidence table with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Use respectful tone and separate explanation, action, and manuscript delta into distinct bullets. Ensure the ablation plan sheet explicitly addresses compute budget reduction and anticipated concerns from a ethics compliance reviewer.

Expected Output: A publication-ready revision evidence table that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Revision Traceability.

Difficulty: Intermediate

Category: Validation

39. Transform Criticism into Acceptance: tone-safe rebuttal workflow for editor requests additional clarity (ACM rebuttal stage) - practical deployment framing

Objective: Plan a high-confidence major revision package for journal resubmission. Prioritize publication readiness and produce publication-grade decisions for Decision Negotiation.

Prompt: Create a major revision plan for an Elsevier-style decision letter focused on Decision Negotiation. Include comment clustering, evidence plan, timeline by dependency, added-analysis options, and response-letter structure that anticipates editor priorities for ACM rebuttal stage. Project profile: discipline=cybersecurity; dataset=longitudinal sensor dataset; preferred method=counterfactual evaluation approach; reviewer persona=reproducibility auditor; output schema=rebuttal response grid; risk scenario=time-limited resubmission window; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=cybersecurity; dataset=longitudinal sensor dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=ACM rebuttal stage; reviewer persona=reproducibility auditor. Example outcome: response letter with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Group reviewer comments by technical dependency to prevent contradictory edits. Ensure the rebuttal response grid explicitly addresses time-limited resubmission window and anticipated concerns from a reproducibility auditor.

Expected Output: A publication-ready response letter that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Decision Negotiation.

Difficulty: Advanced

Category: Optimization

40. Improve Reviewer Response Letter: comment-response workflow for major revision after mixed reviews (Elsevier journal review) - method comparison clarity

Objective: Select robust statistical strategy and interpretation logic. Prioritize novelty and produce publication-grade decisions for Tone Calibration.

Prompt: Design a statistical analysis workflow for Tone Calibration with assumptions, test-selection logic, effect-size reporting, multiplicity correction, and uncertainty interpretation. Output a decision tree that maps data conditions to recommended tests for Elsevier journal review. Project profile: discipline=biomedical engineering; dataset=multi-site clinical cohort; preferred method=transformer baseline; reviewer persona=applied domain expert; output schema=section rewrite pack; risk scenario=ethics board clarification request; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=biomedical engineering; dataset=multi-site clinical cohort; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Elsevier journal review; reviewer persona=applied domain expert. Example outcome: comment-response matrix with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Pair p-values with effect sizes and confidence intervals in every result claim. Ensure the section rewrite pack explicitly addresses ethics board clarification request and anticipated concerns from a applied domain expert.

Expected Output: A publication-ready comment-response matrix that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Tone Calibration.

Difficulty: Expert

Category: Planning

---

41. Handle Reviewer #2 Professionally: editor negotiation framework for limited-resource response strategy (Springer major revision) - editorial risk reduction

Objective: Detect weak citation support and strengthen scholarly positioning. Prioritize rigor and produce publication-grade decisions for Evidence-backed Rebuttal.

Prompt: Analyze a draft on Evidence-backed Rebuttal and identify citation gaps by claim type: foundational, comparative, methodological, and limitation-related. Return a prioritized fill plan with query phrases, likely source types, and insertion points tailored to Springer major revision. Project profile: discipline=computational social science; dataset=open government policy data; preferred method=causal inference pipeline; reviewer persona=systems performance reviewer; output schema=action timeline; risk scenario=conflicting baseline outcomes; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=computational social science; dataset=open government policy data; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Springer major revision; reviewer persona=systems performance reviewer. Example outcome: revision evidence table with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Flag unsupported superlatives first; they trigger avoidable reviewer criticism. Ensure the action timeline explicitly addresses conflicting baseline outcomes and anticipated concerns from a systems performance reviewer.

Expected Output: A publication-ready revision evidence table that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Evidence-backed Rebuttal.

Difficulty: Beginner

Category: Strategy

42. Write a Persuasive Rebuttal: line-mapped revision protocol for methodological criticism rebuttal (IEEE minor revision) - venue-specific optimization

Objective: Convert raw metrics into defensible scientific interpretation. Prioritize reproducibility and produce publication-grade decisions for Revision Traceability.

Prompt: Interpret results for Revision Traceability using a claim-evidence map: primary findings, uncertainty envelope, competing explanations, boundary conditions, and implications for future work in IEEE minor revision. Add one paragraph that preempts overclaiming. Project profile: discipline=materials informatics; dataset=federated hospital dataset; preferred method=Bayesian hierarchical model; reviewer persona=industry impact reviewer; output schema=risk register; risk scenario=missing metadata in source data; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=materials informatics; dataset=federated hospital dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=IEEE minor revision; reviewer persona=industry impact reviewer. Example outcome: response letter with risk controls, reviewer-facing rationale, and milestone gates.

Tips: State what the results do not prove as clearly as what they do prove. Ensure the risk register explicitly addresses missing metadata in source data and anticipated concerns from a industry impact reviewer.

Expected Output: A publication-ready response letter that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Revision Traceability.

Difficulty: Intermediate

Category: Analysis

43. Transform Criticism into Acceptance: tone-safe rebuttal workflow for editor requests additional clarity (ACM rebuttal stage) - decision traceability

Objective: Detect non-obvious research gaps and convert them into testable opportunities. Prioritize clarity and produce publication-grade decisions for Decision Negotiation.

Prompt: You are a literature forensics specialist. From the context below, identify unresolved contradictions in Decision Negotiation and rank them by impact and tractability. Then design three testable gap statements, each with required datasets, threat-to-validity notes, and likely reviewer objections for ACM rebuttal stage. Project profile: discipline=computational neuroscience; dataset=crowdsourced annotation dataset; preferred method=graph neural workflow; reviewer persona=editor focused on clarity; output schema=claim-evidence table; risk scenario=incomplete ablation coverage; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=computational neuroscience; dataset=crowdsourced annotation dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=ACM rebuttal stage; reviewer persona=editor focused on clarity. Example outcome: comment-response matrix with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Distinguish 'no evidence exists' from 'evidence exists but conflicts' to avoid weak gap claims. Ensure the claim-evidence table explicitly addresses incomplete ablation coverage and anticipated concerns from a editor focused on clarity.

Expected Output: A publication-ready comment-response matrix that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Decision Negotiation.

Difficulty: Advanced

Category: Writing

44. Improve Reviewer Response Letter: comment-response workflow for major revision after mixed reviews (Elsevier journal review) - citation-strength positioning

Objective: Produce section drafts compliant with high-impact conference and journal conventions. Prioritize statistical power and produce publication-grade decisions for Tone Calibration.

Prompt: Generate a publication-ready section for Tone Calibration tuned for Elsevier journal review. Enforce concise technical style, explicit contributions, and strong figure/table callouts. Provide two style variants: IEEE Transactions tone and ACM conference tone with sentence-level rewrites. Project profile: discipline=human-computer interaction; dataset=industrial telemetry stream; preferred method=mixed-methods protocol; reviewer persona=skeptical statistician; output schema=decision matrix; risk scenario=dataset shift at deployment; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=human-computer interaction; dataset=industrial telemetry stream; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Elsevier journal review; reviewer persona=skeptical statistician. Example outcome: revision evidence table with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Avoid generic claims; anchor every paragraph with result-oriented language. Ensure the decision matrix explicitly addresses dataset shift at deployment and anticipated concerns from a skeptical statistician.

Expected Output: A publication-ready revision evidence table that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Tone Calibration.

Difficulty: Expert

Category: Publication

45. Handle Reviewer #2 Professionally: editor negotiation framework for limited-resource response strategy (Springer major revision) - defense-ready reasoning

Objective: Pressure-test experimental design before expensive execution. Prioritize transferability and produce publication-grade decisions for Evidence-backed Rebuttal.

Prompt: Audit the experimental design for Evidence-backed Rebuttal. Produce control/ablation matrix, confound analysis, data leakage checks, minimum sample strategy, and statistical power guardrails suitable for Springer major revision reviewers. Include a stop/go decision protocol. Project profile: discipline=robotics; dataset=city-scale mobility records; preferred method=time-series anomaly framework; reviewer persona=benchmarking specialist; output schema=compliance checklist; risk scenario=unexpected reviewer disagreement; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=robotics; dataset=city-scale mobility records; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Springer major revision; reviewer persona=benchmarking specialist. Example outcome: response letter with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Design ablations to isolate one causal factor at a time. Ensure the compliance checklist explicitly addresses unexpected reviewer disagreement and anticipated concerns from a benchmarking specialist.

Expected Output: A publication-ready response letter that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Evidence-backed Rebuttal.

Difficulty: Beginner

Category: Validation

---

46. Write a Persuasive Rebuttal: line-mapped revision protocol for methodological criticism rebuttal (IEEE minor revision) - high-confidence statistical reporting

Objective: Convert technical narrative into clean, production-ready LaTeX structure. Prioritize ethical compliance and produce publication-grade decisions for Revision Traceability.

Prompt: Create a LaTeX writing workflow for Revision Traceability: section skeleton, theorem/algorithm formatting guidance, table conventions, citation macros, and cross-reference hygiene. Include common formatting errors and fixes for IEEE minor revision submission checks. Project profile: discipline=digital health; dataset=public genomics panel; preferred method=hybrid rule-neural model; reviewer persona=theory-oriented reviewer; output schema=citation repair map; risk scenario=high class imbalance; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=digital health; dataset=public genomics panel; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=IEEE minor revision; reviewer persona=theory-oriented reviewer. Example outcome: comment-response matrix with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Draft content in semantic chunks before polishing visual layout. Ensure the citation repair map explicitly addresses high class imbalance and anticipated concerns from a theory-oriented reviewer.

Expected Output: A publication-ready comment-response matrix that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Revision Traceability.

Difficulty: Intermediate

Category: Optimization

47. Transform Criticism into Acceptance: tone-safe rebuttal workflow for editor requests additional clarity (ACM rebuttal stage) - evidence-first writing

Objective: Prepare rigorous responses for committee or reviewer questioning. Prioritize computational efficiency and produce publication-grade decisions for Decision Negotiation.

Prompt: Simulate a high-pressure Q&A; on Decision Negotiation. Generate 15 hard questions (methods, validity, novelty, limitations, impact) and produce concise, evidence-backed responses with fallback answers for uncertain data points. Include one slide cue per answer. Project profile: discipline=machine learning; dataset=benchmark tabular risk dataset; preferred method=multi-objective optimizer; reviewer persona=methodology purist; output schema=figure-caption protocol; risk scenario=inter-annotator disagreement; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=machine learning; dataset=benchmark tabular risk dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=ACM rebuttal stage; reviewer persona=methodology purist. Example outcome: revision evidence table with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Structure answers as claim -> evidence -> limitation -> next action. Ensure the figure-caption protocol explicitly addresses inter-annotator disagreement and anticipated concerns from a methodology purist.

Expected Output: A publication-ready revision evidence table that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Decision Negotiation.

Difficulty: Advanced

Category: Planning

48. Improve Reviewer Response Letter: comment-response workflow for major revision after mixed reviews (Elsevier journal review) - hypothesis stress testing

Objective: Create a contribution map that defends novelty against closest prior work and defines what is publishable. Prioritize clinical relevance and produce publication-grade decisions for Tone Calibration.

Prompt: Act as a senior research editor. Build a contribution architecture for Tone Calibration in major revision after mixed reviews targeting Elsevier journal review. Output sections: contribution claim stack, nearest-neighbor prior work comparison, differentiator evidence plan, failure-risk matrix, and a 30/60/90-day execution plan. Project profile: discipline=climate informatics; dataset=multi-modal image-text corpus; preferred method=semi-supervised training setup; reviewer persona=interdisciplinary committee member; output schema=statistical decision tree; risk scenario=small sample size constraints; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=climate informatics; dataset=multi-modal image-text corpus; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Elsevier journal review; reviewer persona=interdisciplinary committee member. Example outcome: response letter with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Force each claim to link to one measurable piece of evidence and one comparison baseline. Ensure the statistical decision tree explicitly addresses small sample size constraints and anticipated concerns from a interdisciplinary committee member.

Expected Output: A publication-ready response letter that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Tone Calibration.

Difficulty: Expert

Category: Strategy

49. Handle Reviewer #2 Professionally: editor negotiation framework for limited-resource response strategy (Springer major revision) - results-to-insight translation

Objective: Rewrite methods for reproducibility and procedural transparency. Prioritize publication readiness and produce publication-grade decisions for Evidence-backed Rebuttal.

Prompt: Rewrite the methodology around Evidence-backed Rebuttal for limited-resource response strategy so another lab can reproduce it without author contact. Include variable definitions, preprocessing chronology, model hyperparameters, instrumentation assumptions, and reproducibility checklist required for Springer major revision. Project profile: discipline=cybersecurity; dataset=longitudinal sensor dataset; preferred method=counterfactual evaluation approach; reviewer persona=ethics compliance reviewer; output schema=ablation plan sheet; risk scenario=compute budget reduction; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=cybersecurity; dataset=longitudinal sensor dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Springer major revision; reviewer persona=ethics compliance reviewer. Example outcome: comment-response matrix with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Name every tool/version and include randomness-control policy. Ensure the ablation plan sheet explicitly addresses compute budget reduction and anticipated concerns from a ethics compliance reviewer.

Expected Output: A publication-ready comment-response matrix that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Evidence-backed Rebuttal.

Difficulty: Beginner

Category: Analysis

50. Write a Persuasive Rebuttal: line-mapped revision protocol for methodological criticism rebuttal (IEEE minor revision) - major-revision readiness

Objective: Craft concise, high-impact abstracts aligned with selective journal standards. Prioritize novelty and produce publication-grade decisions for Revision Traceability.

Prompt: Write a Nature-style abstract for a study on Revision Traceability in methodological criticism rebuttal. Constrain to problem, approach, principal quantitative finding, boundary condition, and broader implication. Provide a weaker draft and then a stronger revised draft with rationale. Project profile: discipline=biomedical engineering; dataset=multi-site clinical cohort; preferred method=transformer baseline; reviewer persona=reproducibility auditor; output schema=rebuttal response grid; risk scenario=time-limited resubmission window; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=biomedical engineering; dataset=multi-site clinical cohort; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=IEEE minor revision; reviewer persona=reproducibility auditor. Example outcome: revision evidence table with risk controls, reviewer-facing rationale, and milestone gates.

Tips: One central claim per sentence keeps abstract logic clean and persuasive. Ensure the rebuttal response grid explicitly addresses time-limited resubmission window and anticipated concerns from a reproducibility auditor.

Expected Output: A publication-ready revision evidence table that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Revision Traceability.

Difficulty: Intermediate

Category: Writing

51. Transform Criticism into Acceptance: tone-safe rebuttal workflow for editor requests additional clarity (ACM rebuttal stage) - replication-grade documentation

Objective: Transform visuals into evidence-rich storytelling assets. Prioritize rigor and produce publication-grade decisions for Decision Negotiation.

Prompt: Generate a figure strategy for Decision Negotiation with publication-grade caption drafts. For each figure, define purpose, metric, axis design, uncertainty communication, and interpretation sentence expected by ACM rebuttal stage. Add one caption rewrite for non-expert readers. Project profile: discipline=computational social science; dataset=open government policy data; preferred method=causal inference pipeline; reviewer persona=applied domain expert; output schema=section rewrite pack; risk scenario=ethics board clarification request; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=computational social science; dataset=open government policy data; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=ACM rebuttal stage; reviewer persona=applied domain expert. Example outcome: response letter with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Good captions stand alone and state what changed, by how much, and why it matters. Ensure the section rewrite pack explicitly addresses ethics board clarification request and anticipated concerns from a applied domain expert.

Expected Output: A publication-ready response letter that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Decision Negotiation.

Difficulty: Advanced

Category: Publication

52. Improve Reviewer Response Letter: comment-response workflow for major revision after mixed reviews (Elsevier journal review) - reviewer-resilient argumentation

Objective: Embed ethics and compliance checks into the technical workflow. Prioritize reproducibility and produce publication-grade decisions for Tone Calibration.

Prompt: Build an ethics checklist and mitigation plan for Tone Calibration in major revision after mixed reviews. Include fairness risks, privacy boundaries, human-subject concerns, reporting transparency, and audit evidence expected for Elsevier journal review review. Project profile: discipline=materials informatics; dataset=federated hospital dataset; preferred method=Bayesian hierarchical model; reviewer persona=systems performance reviewer; output schema=action timeline; risk scenario=conflicting baseline outcomes; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=materials informatics; dataset=federated hospital dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Elsevier journal review; reviewer persona=systems performance reviewer. Example outcome: comment-response matrix with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Translate ethical risks into actionable controls with owner and verification evidence. Ensure the action timeline explicitly addresses conflicting baseline outcomes and anticipated concerns from a systems performance reviewer.

Expected Output: A publication-ready comment-response matrix that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Tone Calibration.

Difficulty: Expert

Category: Methodology

53. Handle Reviewer #2 Professionally: editor negotiation framework for limited-resource response strategy (Springer major revision) - ethics-by-design reporting

Objective: Choose venue strategy, narrative framing, and revision sequencing. Prioritize clarity and produce publication-grade decisions for Evidence-backed Rebuttal.

Prompt: Design a publication strategy for Evidence-backed Rebuttal: venue ladder (A-plan/B-plan), novelty framing options, deadline-aligned writing sprints, and reviewer-risk scenarios. Include a branch for conference-first then journal-extension path for Springer major revision. Project profile: discipline=computational neuroscience; dataset=crowdsourced annotation dataset; preferred method=graph neural workflow; reviewer persona=industry impact reviewer; output schema=risk register; risk scenario=missing metadata in source data; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=computational neuroscience; dataset=crowdsourced annotation dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Springer major revision; reviewer persona=industry impact reviewer. Example outcome: revision evidence table with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Plan fallback venue narratives early to reduce resubmission cycle time. Ensure the risk register explicitly addresses missing metadata in source data and anticipated concerns from a industry impact reviewer.

Expected Output: A publication-ready revision evidence table that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Evidence-backed Rebuttal.

Difficulty: Beginner

Category: Execution

54. Write a Persuasive Rebuttal: line-mapped revision protocol for methodological criticism rebuttal (IEEE minor revision) - limitations-first transparency

Objective: Turn skeptical reviewer criticism into a persuasive, evidence-linked response workflow. Prioritize statistical power and produce publication-grade decisions for Revision Traceability.

Prompt: Assume Reviewer #2 challenges Revision Traceability for IEEE minor revision. Draft a response package with: acknowledgement sentence, technical clarification, direct manuscript change, optional added experiment, and fallback wording if resources are limited. Provide line-level mapping format for revision tracking. Project profile: discipline=human-computer interaction; dataset=industrial telemetry stream; preferred method=mixed-methods protocol; reviewer persona=editor focused on clarity; output schema=claim-evidence table; risk scenario=incomplete ablation coverage; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=human-computer interaction; dataset=industrial telemetry stream; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=IEEE minor revision; reviewer persona=editor focused on clarity. Example outcome: response letter with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Use respectful tone and separate explanation, action, and manuscript delta into distinct bullets. Ensure the claim-evidence table explicitly addresses incomplete ablation coverage and anticipated concerns from a editor focused on clarity.

Expected Output: A publication-ready response letter that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Revision Traceability.

Difficulty: Intermediate

Category: Planning

55. Transform Criticism into Acceptance: tone-safe rebuttal workflow for editor requests additional clarity (ACM rebuttal stage) - cross-domain readability

Objective: Plan a high-confidence major revision package for journal resubmission. Prioritize transferability and produce publication-grade decisions for Decision Negotiation.

Prompt: Create a major revision plan for an Elsevier-style decision letter focused on Decision Negotiation. Include comment clustering, evidence plan, timeline by dependency, added-analysis options, and response-letter structure that anticipates editor priorities for ACM rebuttal stage. Project profile: discipline=robotics; dataset=city-scale mobility records; preferred method=time-series anomaly framework; reviewer persona=skeptical statistician; output schema=decision matrix; risk scenario=dataset shift at deployment; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=robotics; dataset=city-scale mobility records; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=ACM rebuttal stage; reviewer persona=skeptical statistician. Example outcome: comment-response matrix with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Group reviewer comments by technical dependency to prevent contradictory edits. Ensure the decision matrix explicitly addresses dataset shift at deployment and anticipated concerns from a skeptical statistician.

Expected Output: A publication-ready comment-response matrix that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Decision Negotiation.

Difficulty: Advanced

Category: Strategy

---

56. Improve Reviewer Response Letter: comment-response workflow for major revision after mixed reviews (Elsevier journal review) - impact-focused communication

Objective: Select robust statistical strategy and interpretation logic. Prioritize ethical compliance and produce publication-grade decisions for Tone Calibration.

Prompt: Design a statistical analysis workflow for Tone Calibration with assumptions, test-selection logic, effect-size reporting, multiplicity correction, and uncertainty interpretation. Output a decision tree that maps data conditions to recommended tests for Elsevier journal review. Project profile: discipline=digital health; dataset=public genomics panel; preferred method=hybrid rule-neural model; reviewer persona=benchmarking specialist; output schema=compliance checklist; risk scenario=unexpected reviewer disagreement; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=digital health; dataset=public genomics panel; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Elsevier journal review; reviewer persona=benchmarking specialist. Example outcome: revision evidence table with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Pair p-values with effect sizes and confidence intervals in every result claim. Ensure the compliance checklist explicitly addresses unexpected reviewer disagreement and anticipated concerns from a benchmarking specialist.

Expected Output: A publication-ready revision evidence table that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Tone Calibration.

Difficulty: Expert

Category: Analysis

57. Handle Reviewer #2 Professionally: editor negotiation framework for limited-resource response strategy (Springer major revision) - publishable novelty framing

Objective: Detect weak citation support and strengthen scholarly positioning. Prioritize computational efficiency and produce publication-grade decisions for Evidence-backed Rebuttal.

Prompt: Analyze a draft on Evidence-backed Rebuttal and identify citation gaps by claim type: foundational, comparative, methodological, and limitation-related. Return a prioritized fill plan with query phrases, likely source types, and insertion points tailored to Springer major revision. Project profile: discipline=machine learning; dataset=benchmark tabular risk dataset; preferred method=multi-objective optimizer; reviewer persona=theory-oriented reviewer; output schema=citation repair map; risk scenario=high class imbalance; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=machine learning; dataset=benchmark tabular risk dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Springer major revision; reviewer persona=theory-oriented reviewer. Example outcome: response letter with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Flag unsupported superlatives first; they trigger avoidable reviewer criticism. Ensure the citation repair map explicitly addresses high class imbalance and anticipated concerns from a theory-oriented reviewer.

Expected Output: A publication-ready response letter that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Evidence-backed Rebuttal.

Difficulty: Beginner

Category: Writing

58. Write a Persuasive Rebuttal: line-mapped revision protocol for methodological criticism rebuttal (IEEE minor revision) - practical deployment framing

Objective: Convert raw metrics into defensible scientific interpretation. Prioritize clinical relevance and produce publication-grade decisions for Revision Traceability.

Prompt: Interpret results for Revision Traceability using a claim-evidence map: primary findings, uncertainty envelope, competing explanations, boundary conditions, and implications for future work in IEEE minor revision. Add one paragraph that preempts overclaiming. Project profile: discipline=climate informatics; dataset=multi-modal image-text corpus; preferred method=semi-supervised training setup; reviewer persona=methodology purist; output schema=figure-caption protocol; risk scenario=inter-annotator disagreement; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=climate informatics; dataset=multi-modal image-text corpus; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=IEEE minor revision; reviewer persona=methodology purist. Example outcome: comment-response matrix with risk controls, reviewer-facing rationale, and milestone gates.

Tips: State what the results do not prove as clearly as what they do prove. Ensure the figure-caption protocol explicitly addresses inter-annotator disagreement and anticipated concerns from a methodology purist.

Expected Output: A publication-ready comment-response matrix that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Revision Traceability.

Difficulty: Intermediate

Category: Publication

59. Transform Criticism into Acceptance: tone-safe rebuttal workflow for editor requests additional clarity (ACM rebuttal stage) - method comparison clarity

Objective: Detect non-obvious research gaps and convert them into testable opportunities. Prioritize publication readiness and produce publication-grade decisions for Decision Negotiation.

Prompt: You are a literature forensics specialist. From the context below, identify unresolved contradictions in Decision Negotiation and rank them by impact and tractability. Then design three testable gap statements, each with required datasets, threat-to-validity notes, and likely reviewer objections for ACM rebuttal stage. Project profile: discipline=cybersecurity; dataset=longitudinal sensor dataset; preferred method=counterfactual evaluation approach; reviewer persona=interdisciplinary committee member; output schema=statistical decision tree; risk scenario=small sample size constraints; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=cybersecurity; dataset=longitudinal sensor dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=ACM rebuttal stage; reviewer persona=interdisciplinary committee member. Example outcome: revision evidence table with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Distinguish 'no evidence exists' from 'evidence exists but conflicts' to avoid weak gap claims. Ensure the statistical decision tree explicitly addresses small sample size constraints and anticipated concerns from a interdisciplinary committee member.

Expected Output: A publication-ready revision evidence table that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Decision Negotiation.

Difficulty: Advanced

Category: Methodology

60. Improve Reviewer Response Letter: comment-response workflow for major revision after mixed reviews (Elsevier journal review) - editorial risk reduction

Objective: Produce section drafts compliant with high-impact conference and journal conventions. Prioritize novelty and produce publication-grade decisions for Tone Calibration.

Prompt: Generate a publication-ready section for Tone Calibration tuned for Elsevier journal review. Enforce concise technical style, explicit contributions, and strong figure/table callouts. Provide two style variants: IEEE Transactions tone and ACM conference tone with sentence-level rewrites. Project profile: discipline=biomedical engineering; dataset=multi-site clinical cohort; preferred method=transformer baseline; reviewer persona=ethics compliance reviewer; output schema=ablation plan sheet; risk scenario=compute budget reduction; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=biomedical engineering; dataset=multi-site clinical cohort; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Elsevier journal review; reviewer persona=ethics compliance reviewer. Example outcome: response letter with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Avoid generic claims; anchor every paragraph with result-oriented language. Ensure the ablation plan sheet explicitly addresses compute budget reduction and anticipated concerns from a ethics compliance reviewer.

Expected Output: A publication-ready response letter that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Tone Calibration.

Difficulty: Expert

Category: Execution

---

61. Handle Reviewer #2 Professionally: editor negotiation framework for limited-resource response strategy (Springer major revision) - venue-specific optimization

Objective: Pressure-test experimental design before expensive execution. Prioritize rigor and produce publication-grade decisions for Evidence-backed Rebuttal.

Prompt: Audit the experimental design for Evidence-backed Rebuttal. Produce control/ablation matrix, confound analysis, data leakage checks, minimum sample strategy, and statistical power guardrails suitable for Springer major revision reviewers. Include a stop/go decision protocol. Project profile: discipline=computational social science; dataset=open government policy data; preferred method=causal inference pipeline; reviewer persona=reproducibility auditor; output schema=rebuttal response grid; risk scenario=time-limited resubmission window; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=computational social science; dataset=open government policy data; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Springer major revision; reviewer persona=reproducibility auditor. Example outcome: comment-response matrix with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Design ablations to isolate one causal factor at a time. Ensure the rebuttal response grid explicitly addresses time-limited resubmission window and anticipated concerns from a reproducibility auditor.

Expected Output: A publication-ready comment-response matrix that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Evidence-backed Rebuttal.

Difficulty: Beginner

Category: Compliance

62. Write a Persuasive Rebuttal: line-mapped revision protocol for methodological criticism rebuttal (IEEE minor revision) - decision traceability

Objective: Convert technical narrative into clean, production-ready LaTeX structure. Prioritize reproducibility and produce publication-grade decisions for Revision Traceability.

Prompt: Create a LaTeX writing workflow for Revision Traceability: section skeleton, theorem/algorithm formatting guidance, table conventions, citation macros, and cross-reference hygiene. Include common formatting errors and fixes for IEEE minor revision submission checks. Project profile: discipline=materials informatics; dataset=federated hospital dataset; preferred method=Bayesian hierarchical model; reviewer persona=applied domain expert; output schema=section rewrite pack; risk scenario=ethics board clarification request; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=materials informatics; dataset=federated hospital dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=IEEE minor revision; reviewer persona=applied domain expert. Example outcome: revision evidence table with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Draft content in semantic chunks before polishing visual layout. Ensure the section rewrite pack explicitly addresses ethics board clarification request and anticipated concerns from a applied domain expert.

Expected Output: A publication-ready revision evidence table that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Revision Traceability.

Difficulty: Intermediate

Category: Reasoning

63. Transform Criticism into Acceptance: tone-safe rebuttal workflow for editor requests additional clarity (ACM rebuttal stage) - citation-strength positioning

Objective: Prepare rigorous responses for committee or reviewer questioning. Prioritize clarity and produce publication-grade decisions for Decision Negotiation.

Prompt: Simulate a high-pressure Q&A; on Decision Negotiation. Generate 15 hard questions (methods, validity, novelty, limitations, impact) and produce concise, evidence-backed responses with fallback answers for uncertain data points. Include one slide cue per answer. Project profile: discipline=computational neuroscience; dataset=crowdsourced annotation dataset; preferred method=graph neural workflow; reviewer persona=systems performance reviewer; output schema=action timeline; risk scenario=conflicting baseline outcomes; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=computational neuroscience; dataset=crowdsourced annotation dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=ACM rebuttal stage; reviewer persona=systems performance reviewer. Example outcome: response letter with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Structure answers as claim -> evidence -> limitation -> next action. Ensure the action timeline explicitly addresses conflicting baseline outcomes and anticipated concerns from a systems performance reviewer.

Expected Output: A publication-ready response letter that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Decision Negotiation.

Difficulty: Advanced

Category: Analysis

64. Improve Reviewer Response Letter: comment-response workflow for major revision after mixed reviews (Elsevier journal review) - defense-ready reasoning

Objective: Create a contribution map that defends novelty against closest prior work and defines what is publishable. Prioritize statistical power and produce publication-grade decisions for Tone Calibration.

Prompt: Act as a senior research editor. Build a contribution architecture for Tone Calibration in major revision after mixed reviews targeting Elsevier journal review. Output sections: contribution claim stack, nearest-neighbor prior work comparison, differentiator evidence plan, failure-risk matrix, and a 30/60/90-day execution plan. Project profile: discipline=human-computer interaction; dataset=industrial telemetry stream; preferred method=mixed-methods protocol; reviewer persona=industry impact reviewer; output schema=risk register; risk scenario=missing metadata in source data; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=human-computer interaction; dataset=industrial telemetry stream; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Elsevier journal review; reviewer persona=industry impact reviewer. Example outcome: comment-response matrix with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Force each claim to link to one measurable piece of evidence and one comparison baseline. Ensure the risk register explicitly addresses missing metadata in source data and anticipated concerns from a industry impact reviewer.

Expected Output: A publication-ready comment-response matrix that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Tone Calibration.

Difficulty: Expert

Category: Writing

65. Handle Reviewer #2 Professionally: editor negotiation framework for limited-resource response strategy (Springer major revision) - high-confidence statistical reporting

Objective: Rewrite methods for reproducibility and procedural transparency. Prioritize transferability and produce publication-grade decisions for Evidence-backed Rebuttal.

Prompt: Rewrite the methodology around Evidence-backed Rebuttal for limited-resource response strategy so another lab can reproduce it without author contact. Include variable definitions, preprocessing chronology, model hyperparameters, instrumentation assumptions, and reproducibility checklist required for Springer major revision. Project profile: discipline=robotics; dataset=city-scale mobility records; preferred method=time-series anomaly framework; reviewer persona=editor focused on clarity; output schema=claim-evidence table; risk scenario=incomplete ablation coverage; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=robotics; dataset=city-scale mobility records; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Springer major revision; reviewer persona=editor focused on clarity. Example outcome: revision evidence table with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Name every tool/version and include randomness-control policy. Ensure the claim-evidence table explicitly addresses incomplete ablation coverage and anticipated concerns from a editor focused on clarity.

Expected Output: A publication-ready revision evidence table that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Evidence-backed Rebuttal.

Difficulty: Beginner

Category: Publication

---

66. Write a Persuasive Rebuttal: line-mapped revision protocol for methodological criticism rebuttal (IEEE minor revision) - evidence-first writing

Objective: Craft concise, high-impact abstracts aligned with selective journal standards. Prioritize ethical compliance and produce publication-grade decisions for Revision Traceability.

Prompt: Write a Nature-style abstract for a study on Revision Traceability in methodological criticism rebuttal. Constrain to problem, approach, principal quantitative finding, boundary condition, and broader implication. Provide a weaker draft and then a stronger revised draft with rationale. Project profile: discipline=digital health; dataset=public genomics panel; preferred method=hybrid rule-neural model; reviewer persona=skeptical statistician; output schema=decision matrix; risk scenario=dataset shift at deployment; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=digital health; dataset=public genomics panel; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=IEEE minor revision; reviewer persona=skeptical statistician. Example outcome: response letter with risk controls, reviewer-facing rationale, and milestone gates.

Tips: One central claim per sentence keeps abstract logic clean and persuasive. Ensure the decision matrix explicitly addresses dataset shift at deployment and anticipated concerns from a skeptical statistician.

Expected Output: A publication-ready response letter that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Revision Traceability.

Difficulty: Intermediate

Category: Methodology

67. Transform Criticism into Acceptance: tone-safe rebuttal workflow for editor requests additional clarity (ACM rebuttal stage) - hypothesis stress testing

Objective: Transform visuals into evidence-rich storytelling assets. Prioritize computational efficiency and produce publication-grade decisions for Decision Negotiation.

Prompt: Generate a figure strategy for Decision Negotiation with publication-grade caption drafts. For each figure, define purpose, metric, axis design, uncertainty communication, and interpretation sentence expected by ACM rebuttal stage. Add one caption rewrite for non-expert readers. Project profile: discipline=machine learning; dataset=benchmark tabular risk dataset; preferred method=multi-objective optimizer; reviewer persona=benchmarking specialist; output schema=compliance checklist; risk scenario=unexpected reviewer disagreement; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=machine learning; dataset=benchmark tabular risk dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=ACM rebuttal stage; reviewer persona=benchmarking specialist. Example outcome: comment-response matrix with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Good captions stand alone and state what changed, by how much, and why it matters. Ensure the compliance checklist explicitly addresses unexpected reviewer disagreement and anticipated concerns from a benchmarking specialist.

Expected Output: A publication-ready comment-response matrix that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Decision Negotiation.

Difficulty: Advanced

Category: Execution

68. Improve Reviewer Response Letter: comment-response workflow for major revision after mixed reviews (Elsevier journal review) - results-to-insight translation

Objective: Embed ethics and compliance checks into the technical workflow. Prioritize clinical relevance and produce publication-grade decisions for Tone Calibration.

Prompt: Build an ethics checklist and mitigation plan for Tone Calibration in major revision after mixed reviews. Include fairness risks, privacy boundaries, human-subject concerns, reporting transparency, and audit evidence expected for Elsevier journal review review. Project profile: discipline=climate informatics; dataset=multi-modal image-text corpus; preferred method=semi-supervised training setup; reviewer persona=theory-oriented reviewer; output schema=citation repair map; risk scenario=high class imbalance; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=climate informatics; dataset=multi-modal image-text corpus; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Elsevier journal review; reviewer persona=theory-oriented reviewer. Example outcome: revision evidence table with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Translate ethical risks into actionable controls with owner and verification evidence. Ensure the citation repair map explicitly addresses high class imbalance and anticipated concerns from a theory-oriented reviewer.

Expected Output: A publication-ready revision evidence table that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Tone Calibration.

Difficulty: Expert

Category: Compliance

69. Handle Reviewer #2 Professionally: editor negotiation framework for limited-resource response strategy (Springer major revision) - major-revision

readiness

Objective: Choose venue strategy, narrative framing, and revision sequencing. Prioritize publication readiness and produce publication-grade decisions for Evidence-backed Rebuttal.

Prompt: Design a publication strategy for Evidence-backed Rebuttal: venue ladder (A-plan/B-plan), novelty framing options, deadline-aligned writing sprints, and reviewer-risk scenarios. Include a branch for conference-first then journal-extension path for Springer major revision. Project profile: discipline=cybersecurity; dataset=longitudinal sensor dataset; preferred method=counterfactual evaluation approach; reviewer persona=methodology purist; output schema=figure-caption protocol; risk scenario=inter-annotator disagreement; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=cybersecurity; dataset=longitudinal sensor dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Springer major revision; reviewer persona=methodology purist. Example outcome: response letter with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Plan fallback venue narratives early to reduce resubmission cycle time. Ensure the figure-caption protocol explicitly addresses inter-annotator disagreement and anticipated concerns from a methodology purist.

Expected Output: A publication-ready response letter that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Evidence-backed Rebuttal.

Difficulty: Beginner

Category: Reasoning

70. Write a Persuasive Rebuttal: line-mapped revision protocol for methodological criticism rebuttal (IEEE minor revision) - replication-grade documentation

Objective: Turn skeptical reviewer criticism into a persuasive, evidence-linked response workflow. Prioritize novelty and produce publication-grade decisions for Revision Traceability.

Prompt: Assume Reviewer #2 challenges Revision Traceability for IEEE minor revision. Draft a response package with: acknowledgement sentence, technical clarification, direct manuscript change, optional added experiment, and fallback wording if resources are limited. Provide line-level mapping format for revision tracking. Project profile: discipline=biomedical engineering; dataset=multi-site clinical cohort; preferred method=transformer baseline; reviewer persona=interdisciplinary committee member; output schema=statistical decision tree; risk scenario=small sample size constraints; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=biomedical engineering; dataset=multi-site clinical cohort; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=IEEE minor revision; reviewer persona=interdisciplinary committee member. Example outcome: comment-response matrix with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Use respectful tone and separate explanation, action, and manuscript delta into distinct bullets. Ensure the statistical decision tree explicitly addresses small sample size constraints and anticipated concerns from a interdisciplinary committee member.

Expected Output: A publication-ready comment-response matrix that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Revision Traceability.

Difficulty: Intermediate

Category: Rebuttal

71. Transform Criticism into Acceptance: tone-safe rebuttal workflow for editor requests additional clarity (ACM rebuttal stage) - reviewer-resilient argumentation

Objective: Plan a high-confidence major revision package for journal resubmission. Prioritize rigor and produce publication-grade decisions for Decision Negotiation.

Prompt: Create a major revision plan for an Elsevier-style decision letter focused on Decision Negotiation. Include comment clustering, evidence plan, timeline by dependency, added-analysis options, and response-letter structure that anticipates editor priorities for ACM rebuttal stage. Project profile: discipline=computational social science; dataset=open government policy data; preferred method=causal inference pipeline; reviewer persona=ethics compliance reviewer; output schema=ablation plan sheet; risk scenario=compute budget reduction; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=computational social science; dataset=open government policy data; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=ACM rebuttal stage; reviewer persona=ethics compliance reviewer. Example outcome: revision evidence table with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Group reviewer comments by technical dependency to prevent contradictory edits. Ensure the ablation plan sheet explicitly addresses compute budget reduction and anticipated concerns from a ethics compliance reviewer.

Expected Output: A publication-ready revision evidence table that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Decision Negotiation.

Difficulty: Advanced

Category: Validation

72. Improve Reviewer Response Letter: comment-response workflow for major revision after mixed reviews (Elsevier journal review) - ethics-by-design reporting

Objective: Select robust statistical strategy and interpretation logic. Prioritize reproducibility and produce publication-grade decisions for Tone Calibration.

Prompt: Design a statistical analysis workflow for Tone Calibration with assumptions, test-selection logic, effect-size reporting, multiplicity correction, and uncertainty interpretation. Output a decision tree that maps data conditions to recommended tests for Elsevier journal review. Project profile: discipline=materials informatics; dataset=federated hospital dataset; preferred method=Bayesian hierarchical model; reviewer persona=reproducibility auditor; output schema=rebuttal response grid; risk scenario=time-limited resubmission window; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=materials informatics; dataset=federated hospital dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Elsevier journal review; reviewer persona=reproducibility auditor. Example outcome: response letter with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Pair p-values with effect sizes and confidence intervals in every result claim. Ensure the rebuttal response grid explicitly addresses time-limited resubmission window and anticipated concerns from a reproducibility auditor.

Expected Output: A publication-ready response letter that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Tone Calibration.

Difficulty: Expert

Category: Publication

73. Handle Reviewer #2 Professionally: editor negotiation framework for limited-resource response strategy (Springer major revision) - limitations-first transparency

Objective: Detect weak citation support and strengthen scholarly positioning. Prioritize clarity and produce publication-grade decisions for Evidence-backed Rebuttal.

Prompt: Analyze a draft on Evidence-backed Rebuttal and identify citation gaps by claim type: foundational, comparative, methodological, and limitation-related. Return a prioritized fill plan with query phrases, likely source types, and insertion points tailored to Springer major revision. Project profile: discipline=computational neuroscience; dataset=crowdsourced annotation dataset; preferred method=graph neural workflow; reviewer persona=applied domain expert; output schema=section rewrite pack; risk scenario=ethics board clarification request; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=computational neuroscience; dataset=crowdsourced annotation dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Springer major revision; reviewer persona=applied domain expert. Example outcome: comment-response matrix with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Flag unsupported superlatives first; they trigger avoidable reviewer criticism. Ensure the section rewrite pack explicitly addresses ethics board clarification request and anticipated concerns from a applied domain expert.

Expected Output: A publication-ready comment-response matrix that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Evidence-backed Rebuttal.

Difficulty: Beginner

Category: Methodology

74. Write a Persuasive Rebuttal: line-mapped revision protocol for methodological criticism rebuttal (IEEE minor revision) - cross-domain readability

Objective: Convert raw metrics into defensible scientific interpretation. Prioritize statistical power and produce publication-grade decisions for Revision Traceability.

Prompt: Interpret results for Revision Traceability using a claim-evidence map: primary findings, uncertainty envelope, competing explanations, boundary conditions, and implications for future work in IEEE minor revision. Add one paragraph that preempts overclaiming. Project profile: discipline=human-computer interaction; dataset=industrial telemetry stream; preferred method=mixed-methods protocol; reviewer persona=systems performance reviewer; output schema=action timeline; risk scenario=conflicting baseline outcomes; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=human-computer interaction; dataset=industrial telemetry stream; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=IEEE minor revision; reviewer persona=systems performance reviewer. Example outcome: revision evidence table with risk controls, reviewer-facing rationale, and milestone gates.

Tips: State what the results do not prove as clearly as what they do prove. Ensure the action timeline explicitly addresses conflicting baseline outcomes and anticipated concerns from a systems performance reviewer.

Expected Output: A publication-ready revision evidence table that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Revision Traceability.

Difficulty: Intermediate

Category: Execution

75. Transform Criticism into Acceptance: tone-safe rebuttal workflow for editor requests additional clarity (ACM rebuttal stage) - impact-focused communication

Objective: Detect non-obvious research gaps and convert them into testable opportunities. Prioritize transferability and produce publication-grade decisions for Decision Negotiation.

Prompt: You are a literature forensics specialist. From the context below, identify unresolved contradictions in Decision Negotiation and rank them by impact and tractability. Then design three testable gap statements, each with required datasets, threat-to-validity notes, and likely reviewer objections for ACM rebuttal stage. Project profile: discipline=robotics; dataset=city-scale mobility records; preferred method=time-series anomaly framework; reviewer persona=industry impact reviewer; output schema=risk register; risk scenario=missing metadata in source data; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=robotics; dataset=city-scale mobility records; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=ACM rebuttal stage; reviewer persona=industry impact reviewer. Example outcome: response letter with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Distinguish 'no evidence exists' from 'evidence exists but conflicts' to avoid weak gap claims. Ensure the risk register explicitly addresses missing metadata in source data and anticipated concerns from a industry impact reviewer.

Expected Output: A publication-ready response letter that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Decision Negotiation.

Difficulty: Advanced

Category: Compliance

76. Improve Reviewer Response Letter: comment-response workflow for major revision after mixed reviews (Elsevier journal review) - publishable novelty framing

Objective: Produce section drafts compliant with high-impact conference and journal conventions. Prioritize ethical compliance and produce publication-grade decisions for Tone Calibration.

Prompt: Generate a publication-ready section for Tone Calibration tuned for Elsevier journal review. Enforce concise technical style, explicit contributions, and strong figure/table callouts. Provide two style variants: IEEE Transactions tone and ACM conference tone with sentence-level rewrites. Project profile: discipline=digital health; dataset=public genomics panel; preferred method=hybrid rule-neural model; reviewer persona=editor focused on clarity; output schema=claim-evidence table; risk scenario=incomplete ablation coverage; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=digital health; dataset=public genomics panel; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Elsevier journal review; reviewer persona=editor focused on clarity. Example outcome: comment-response matrix with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Avoid generic claims; anchor every paragraph with result-oriented language. Ensure the claim-evidence table explicitly addresses incomplete ablation coverage and anticipated concerns from a editor focused on clarity.

Expected Output: A publication-ready comment-response matrix that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Tone Calibration.

Difficulty: Expert

Category: Reasoning

77. Handle Reviewer #2 Professionally: editor negotiation framework for limited-resource response strategy (Springer major revision) - practical deployment framing - Variant 077

Objective: Pressure-test experimental design before expensive execution. Prioritize computational efficiency and produce publication-grade decisions for Evidence-backed Rebuttal.

Prompt: Audit the experimental design for Evidence-backed Rebuttal. Produce control/ablation matrix, confound analysis, data leakage checks, minimum sample strategy, and statistical power guardrails suitable for Springer major revision reviewers. Include a stop/go decision protocol. Project profile: discipline=machine learning; dataset=benchmark tabular risk dataset; preferred method=multi-objective optimizer; reviewer persona=skeptical statistician; output schema=decision matrix; risk scenario=dataset shift at deployment; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=machine learning; dataset=benchmark tabular risk dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Springer major revision; reviewer persona=skeptical statistician. Example outcome: revision evidence table with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Design ablations to isolate one causal factor at a time. Ensure the decision matrix explicitly addresses dataset shift at deployment and anticipated concerns from a skeptical statistician.

Expected Output: A publication-ready revision evidence table that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Evidence-backed Rebuttal.

Difficulty: Beginner

Category: Rebuttal

78. Write a Persuasive Rebuttal: line-mapped revision protocol for methodological criticism rebuttal (IEEE minor revision) - method comparison clarity - Variant 078

Objective: Convert technical narrative into clean, production-ready LaTeX structure. Prioritize clinical relevance and produce publication-grade decisions for Revision Traceability.

Prompt: Create a LaTeX writing workflow for Revision Traceability: section skeleton, theorem/algorithm formatting guidance, table conventions, citation macros, and cross-reference hygiene. Include common formatting errors and fixes for IEEE minor revision submission checks. Project profile: discipline=climate informatics; dataset=multi-modal image-text corpus; preferred method=semi-supervised training setup; reviewer persona=benchmarking specialist; output schema=compliance checklist; risk scenario=unexpected reviewer disagreement; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=climate informatics; dataset=multi-modal image-text corpus; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=IEEE minor revision; reviewer persona=benchmarking specialist. Example outcome: response letter with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Draft content in semantic chunks before polishing visual layout. Ensure the compliance checklist explicitly addresses unexpected reviewer disagreement and anticipated concerns from a benchmarking specialist.

Expected Output: A publication-ready response letter that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Revision Traceability.

Difficulty: Intermediate

Category: Validation

79. Transform Criticism into Acceptance: tone-safe rebuttal workflow for editor requests additional clarity (ACM rebuttal stage) - editorial risk reduction - Variant 079

Objective: Prepare rigorous responses for committee or reviewer questioning. Prioritize publication readiness and produce publication-grade decisions for Decision Negotiation.

Prompt: Simulate a high-pressure Q&A; on Decision Negotiation. Generate 15 hard questions (methods, validity, novelty, limitations, impact) and produce concise, evidence-backed responses with fallback answers for uncertain data points. Include one slide cue per answer. Project profile: discipline=cybersecurity; dataset=longitudinal sensor dataset; preferred method=counterfactual evaluation approach; reviewer persona=theory-oriented reviewer; output schema=citation repair map; risk scenario=high class imbalance; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=cybersecurity; dataset=longitudinal sensor dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=ACM rebuttal stage; reviewer persona=theory-oriented reviewer. Example outcome: comment-response matrix with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Structure answers as claim -> evidence -> limitation -> next action. Ensure the citation repair map explicitly addresses high class imbalance and anticipated concerns from a theory-oriented reviewer.

Expected Output: A publication-ready comment-response matrix that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Decision Negotiation.

Difficulty: Advanced

Category: Optimization

80. Improve Reviewer Response Letter: comment-response workflow for major revision after mixed reviews (Elsevier journal review) - venue-specific optimization - Variant 080

Objective: Create a contribution map that defends novelty against closest prior work and defines what is publishable. Prioritize novelty and produce publication-grade decisions for Tone Calibration.

Prompt: Act as a senior research editor. Build a contribution architecture for Tone Calibration in major revision after mixed reviews targeting Elsevier journal review. Output sections: contribution claim stack, nearest-neighbor prior work comparison, differentiator evidence plan, failure-risk matrix, and a 30/60/90-day execution plan. Project profile: discipline=biomedical engineering; dataset=multi-site clinical cohort; preferred method=transformer baseline; reviewer persona=methodology purist; output schema=figure-caption protocol; risk scenario=inter-annotator disagreement; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=biomedical engineering; dataset=multi-site clinical cohort; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Elsevier journal review; reviewer persona=methodology purist. Example outcome: revision evidence table with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Force each claim to link to one measurable piece of evidence and one comparison baseline. Ensure the figure-caption protocol explicitly addresses inter-annotator disagreement and anticipated concerns from a methodology purist.

Expected Output: A publication-ready revision evidence table that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Tone Calibration.

Difficulty: Expert

Category: Planning

81. Handle Reviewer #2 Professionally: editor negotiation framework for limited-resource response strategy (Springer major revision) - decision traceability - Variant 081

Objective: Rewrite methods for reproducibility and procedural transparency. Prioritize rigor and produce publication-grade decisions for Evidence-backed Rebuttal.

Prompt: Rewrite the methodology around Evidence-backed Rebuttal for limited-resource response strategy so another lab can reproduce it without author contact. Include variable definitions, preprocessing chronology, model hyperparameters, instrumentation assumptions, and reproducibility checklist required for Springer major revision. Project profile: discipline=computational social science; dataset=open government policy data; preferred method=causal inference pipeline; reviewer persona=interdisciplinary committee member; output schema=statistical decision tree; risk scenario=small sample size constraints; timeline={timeline};

resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=computational social science; dataset=open government policy data; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Springer major revision; reviewer persona=interdisciplinary committee member. Example outcome: response letter with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Name every tool/version and include randomness-control policy. Ensure the statistical decision tree explicitly addresses small sample size constraints and anticipated concerns from a interdisciplinary committee member.

Expected Output: A publication-ready response letter that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Evidence-backed Rebuttal.

Difficulty: Beginner

Category: Execution

82. Write a Persuasive Rebuttal: line-mapped revision protocol for methodological criticism rebuttal (IEEE minor revision) - citation-strength positioning - Variant 082

Objective: Craft concise, high-impact abstracts aligned with selective journal standards. Prioritize reproducibility and produce publication-grade decisions for Revision Traceability.

Prompt: Write a Nature-style abstract for a study on Revision Traceability in methodological criticism rebuttal. Constrain to problem, approach, principal quantitative finding, boundary condition, and broader implication. Provide a weaker draft and then a stronger revised draft with rationale. Project profile: discipline=materials informatics; dataset=federated hospital dataset; preferred method=Bayesian hierarchical model; reviewer persona=ethics compliance reviewer; output schema=ablation plan sheet; risk scenario=compute budget reduction; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=materials informatics; dataset=federated hospital dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=IEEE minor revision; reviewer persona=ethics compliance reviewer. Example outcome: comment-response matrix with risk controls, reviewer-facing rationale, and milestone gates.

Tips: One central claim per sentence keeps abstract logic clean and persuasive. Ensure the ablation plan sheet explicitly addresses compute budget reduction and anticipated concerns from a ethics compliance reviewer.

Expected Output: A publication-ready comment-response matrix that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Revision Traceability.

Difficulty: Intermediate

Category: Compliance

83. Transform Criticism into Acceptance: tone-safe rebuttal workflow for editor requests additional clarity (ACM rebuttal stage) - defense-ready reasoning - Variant 083

Objective: Transform visuals into evidence-rich storytelling assets. Prioritize clarity and produce publication-grade decisions for Decision Negotiation.

Prompt: Generate a figure strategy for Decision Negotiation with publication-grade caption drafts. For each figure, define purpose, metric, axis design, uncertainty communication, and interpretation sentence expected by ACM rebuttal stage. Add one caption rewrite for non-expert readers. Project profile: discipline=computational neuroscience; dataset=crowdsourced annotation dataset; preferred method=graph neural workflow; reviewer persona=reproducibility auditor; output schema=rebuttal response grid; risk scenario=time-limited resubmission window; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=computational neuroscience; dataset=crowdsourced annotation dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=ACM rebuttal stage; reviewer persona=reproducibility auditor. Example outcome: revision evidence table with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Good captions stand alone and state what changed, by how much, and why it matters. Ensure the rebuttal response grid explicitly addresses time-limited resubmission window and anticipated concerns from a reproducibility auditor.

Expected Output: A publication-ready revision evidence table that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Decision Negotiation.

Difficulty: Advanced

Category: Reasoning

84. Improve Reviewer Response Letter: comment-response workflow for major revision after mixed reviews (Elsevier journal review) - high-confidence statistical reporting - Variant 084

Objective: Embed ethics and compliance checks into the technical workflow. Prioritize statistical power and produce publication-grade decisions for Tone Calibration.

Prompt: Build an ethics checklist and mitigation plan for Tone Calibration in major revision after mixed reviews. Include fairness risks, privacy boundaries, human-subject concerns, reporting transparency, and audit evidence expected for Elsevier journal review review. Project profile: discipline=human-computer interaction; dataset=industrial telemetry stream; preferred method=mixed-methods protocol; reviewer persona=applied domain expert; output schema=section rewrite pack; risk scenario=ethics board clarification request; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=human-computer interaction; dataset=industrial telemetry stream; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Elsevier journal review; reviewer persona=applied domain expert. Example outcome: response letter with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Translate ethical risks into actionable controls with owner and verification evidence. Ensure the section rewrite pack explicitly addresses ethics board clarification request and anticipated concerns from a applied domain expert.

Expected Output: A publication-ready response letter that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Tone Calibration.

Difficulty: Expert

Category: Rebuttal

85. Handle Reviewer #2 Professionally: editor negotiation framework for limited-resource response strategy (Springer major revision) - evidence-first writing - Variant 085

Objective: Choose venue strategy, narrative framing, and revision sequencing. Prioritize transferability and produce publication-grade decisions for Evidence-backed Rebuttal.

Prompt: Design a publication strategy for Evidence-backed Rebuttal: venue ladder (A-plan/B-plan), novelty framing options, deadline-aligned writing sprints, and reviewer-risk scenarios. Include a branch for conference-first then journal-extension path for Springer major revision. Project profile: discipline=robotics; dataset=city-scale mobility records; preferred method=time-series anomaly framework; reviewer persona=systems performance reviewer; output schema=action timeline; risk scenario=conflicting baseline outcomes; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=robotics; dataset=city-scale mobility records; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Springer major revision; reviewer persona=systems performance reviewer. Example outcome: comment-response matrix with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Plan fallback venue narratives early to reduce resubmission cycle time. Ensure the action timeline explicitly addresses conflicting baseline outcomes and anticipated concerns from a systems performance reviewer.

Expected Output: A publication-ready comment-response matrix that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Evidence-backed Rebuttal.

Difficulty: Beginner

Category: Validation

86. Write a Persuasive Rebuttal: line-mapped revision protocol for methodological criticism rebuttal (IEEE minor revision) - hypothesis stress testing - Variant 086

Objective: Turn skeptical reviewer criticism into a persuasive, evidence-linked response workflow. Prioritize ethical compliance and produce publication-grade decisions for Revision Traceability.

Prompt: Assume Reviewer #2 challenges Revision Traceability for IEEE minor revision. Draft a response package with: acknowledgement sentence, technical clarification, direct manuscript change, optional added experiment, and fallback wording if resources are limited. Provide line-level mapping format for revision tracking. Project profile: discipline=digital health; dataset=public genomics panel; preferred method=hybrid rule-neural model; reviewer persona=industry impact reviewer; output schema=risk register; risk scenario=missing metadata in source data; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=digital health; dataset=public genomics panel; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=IEEE minor revision; reviewer persona=industry impact reviewer. Example outcome: revision evidence table with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Use respectful tone and separate explanation, action, and manuscript delta into distinct bullets. Ensure the risk register explicitly addresses missing metadata in source data and anticipated concerns from a industry impact reviewer.

Expected Output: A publication-ready revision evidence table that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Revision Traceability.

Difficulty: Intermediate

Category: Optimization

87. Transform Criticism into Acceptance: tone-safe rebuttal workflow for editor requests additional clarity (ACM rebuttal stage) - results-to-insight translation - Variant 087

Objective: Plan a high-confidence major revision package for journal resubmission. Prioritize computational efficiency and produce publication-grade decisions for Decision Negotiation.

Prompt: Create a major revision plan for an Elsevier-style decision letter focused on Decision Negotiation. Include comment clustering, evidence plan, timeline by dependency, added-analysis options, and response-letter structure that anticipates editor priorities for ACM rebuttal stage. Project profile: discipline=machine learning; dataset=benchmark tabular risk dataset; preferred method=multi-objective optimizer; reviewer persona=editor focused on clarity; output schema=claim-evidence table; risk scenario=incomplete ablation coverage; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=machine learning; dataset=benchmark tabular risk dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=ACM rebuttal stage; reviewer persona=editor focused on clarity. Example outcome: response letter with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Group reviewer comments by technical dependency to prevent contradictory edits. Ensure the claim-evidence table explicitly addresses incomplete ablation coverage and anticipated concerns from a editor focused on clarity.

Expected Output: A publication-ready response letter that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Decision Negotiation.

Difficulty: Advanced

Category: Planning

88. Improve Reviewer Response Letter: comment-response workflow for major revision after mixed reviews (Elsevier journal review) - major-revision readiness - Variant 088

Objective: Select robust statistical strategy and interpretation logic. Prioritize clinical relevance and produce publication-grade decisions for Tone Calibration.

Prompt: Design a statistical analysis workflow for Tone Calibration with assumptions, test-selection logic, effect-size reporting, multiplicity correction, and uncertainty interpretation. Output a decision tree that maps data conditions to recommended tests for Elsevier journal review. Project profile: discipline=climate informatics; dataset=multi-modal image-text corpus; preferred method=semi-supervised training setup; reviewer persona=skeptical statistician; output schema=decision matrix; risk scenario=dataset shift at deployment; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=climate informatics; dataset=multi-modal image-text corpus; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Elsevier journal review; reviewer persona=skeptical statistician. Example outcome: comment-response matrix with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Pair p-values with effect sizes and confidence intervals in every result claim. Ensure the decision matrix explicitly addresses dataset shift at deployment and anticipated concerns from a skeptical statistician.

Expected Output: A publication-ready comment-response matrix that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Tone Calibration.

Difficulty: Expert

Category: Strategy

89. Handle Reviewer #2 Professionally: editor negotiation framework for limited-resource response strategy (Springer major revision) - replication-grade documentation - Variant 089

Objective: Detect weak citation support and strengthen scholarly positioning. Prioritize publication readiness and produce publication-grade decisions for Evidence-backed Rebuttal.

Prompt: Analyze a draft on Evidence-backed Rebuttal and identify citation gaps by claim type: foundational, comparative, methodological, and limitation-related. Return a prioritized fill plan with query phrases, likely source types, and insertion points tailored to Springer major revision. Project profile: discipline=cybersecurity; dataset=longitudinal sensor dataset; preferred method=counterfactual evaluation approach; reviewer persona=benchmarking specialist; output schema=compliance checklist; risk scenario=unexpected reviewer disagreement; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=cybersecurity; dataset=longitudinal sensor dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Springer major revision; reviewer persona=benchmarking specialist. Example outcome: revision evidence table with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Flag unsupported superlatives first; they trigger avoidable reviewer criticism. Ensure the compliance checklist explicitly addresses unexpected reviewer disagreement and anticipated concerns from a benchmarking specialist.

Expected Output: A publication-ready revision evidence table that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Evidence-backed Rebuttal.

Difficulty: Beginner

Category: Analysis

90. Write a Persuasive Rebuttal: line-mapped revision protocol for methodological criticism rebuttal (IEEE minor revision) - reviewer-resilient argumentation - Variant 090

Objective: Convert raw metrics into defensible scientific interpretation. Prioritize novelty and produce publication-grade decisions for Revision Traceability.

Prompt: Interpret results for Revision Traceability using a claim-evidence map: primary findings, uncertainty envelope, competing explanations, boundary conditions, and implications for future work in IEEE minor revision. Add one paragraph that preempts overclaiming. Project profile: discipline=biomedical engineering; dataset=multi-site clinical cohort; preferred method=transformer baseline; reviewer persona=theory-oriented reviewer; output schema=citation repair map; risk scenario=high class imbalance; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=biomedical engineering; dataset=multi-site clinical cohort; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=IEEE minor revision; reviewer persona=theory-oriented reviewer. Example outcome: response letter with risk controls, reviewer-facing rationale, and milestone gates.

Tips: State what the results do not prove as clearly as what they do prove. Ensure the citation repair map explicitly addresses high class imbalance and anticipated concerns from a theory-oriented reviewer.

Expected Output: A publication-ready response letter that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Revision Traceability.

Difficulty: Intermediate

Category: Reasoning

91. Transform Criticism into Acceptance: tone-safe rebuttal workflow for editor requests additional clarity (ACM rebuttal stage) - ethics-by-design reporting - Variant 091

Objective: Detect non-obvious research gaps and convert them into testable opportunities. Prioritize rigor and produce publication-grade decisions for Decision Negotiation.

Prompt: You are a literature forensics specialist. From the context below, identify unresolved contradictions in Decision Negotiation and rank them by impact and tractability. Then design three testable gap statements, each with required datasets, threat-to-validity notes, and likely reviewer objections for ACM rebuttal stage. Project profile: discipline=computational social science; dataset=open government policy data; preferred method=causal inference pipeline; reviewer persona=methodology purist; output schema=figure-caption protocol; risk scenario=inter-annotator disagreement; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=computational social science; dataset=open government policy data; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=ACM rebuttal stage; reviewer persona=methodology purist. Example outcome: comment-response matrix with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Distinguish 'no evidence exists' from 'evidence exists but conflicts' to avoid weak gap claims. Ensure the figure-caption protocol explicitly addresses inter-annotator disagreement and anticipated concerns from a methodology purist.

Expected Output: A publication-ready comment-response matrix that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Decision Negotiation.

Difficulty: Advanced

Category: Rebuttal

92. Improve Reviewer Response Letter: comment-response workflow for major revision after mixed reviews (Elsevier journal review) - limitations-first transparency - Variant 092

Objective: Produce section drafts compliant with high-impact conference and journal conventions. Prioritize reproducibility and produce publication-grade decisions for Tone Calibration.

Prompt: Generate a publication-ready section for Tone Calibration tuned for Elsevier journal review. Enforce concise technical style, explicit contributions, and strong figure/table callouts. Provide two style variants: IEEE Transactions tone and ACM conference tone with sentence-level rewrites. Project profile: discipline=materials informatics; dataset=federated hospital dataset; preferred method=Bayesian hierarchical model; reviewer persona=interdisciplinary committee member; output schema=statistical decision tree; risk scenario=small sample size constraints; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=materials informatics; dataset=federated hospital dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Elsevier journal review; reviewer persona=interdisciplinary committee member. Example outcome: revision evidence table with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Avoid generic claims; anchor every paragraph with result-oriented language. Ensure the statistical decision tree explicitly addresses small sample size constraints and anticipated concerns from a interdisciplinary committee member.

Expected Output: A publication-ready revision evidence table that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Tone Calibration.

Difficulty: Expert

Category: Validation

93. Handle Reviewer #2 Professionally: editor negotiation framework for limited-resource response strategy (Springer major revision) - cross-domain readability - Variant 093

Objective: Pressure-test experimental design before expensive execution. Prioritize clarity and produce publication-grade decisions for Evidence-backed Rebuttal.

Prompt: Audit the experimental design for Evidence-backed Rebuttal. Produce control/ablation matrix, confound analysis, data leakage checks, minimum sample strategy, and statistical power guardrails suitable for Springer major revision reviewers. Include a stop/go decision protocol. Project profile: discipline=computational neuroscience; dataset=crowdsourced annotation dataset; preferred method=graph neural workflow; reviewer persona=ethics compliance reviewer; output schema=ablation plan sheet; risk scenario=compute budget reduction; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=computational neuroscience; dataset=crowdsourced annotation dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Springer major revision; reviewer persona=ethics compliance reviewer. Example outcome: response letter with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Design ablations to isolate one causal factor at a time. Ensure the ablation plan sheet explicitly addresses compute budget reduction and anticipated concerns from a ethics compliance reviewer.

Expected Output: A publication-ready response letter that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Evidence-backed Rebuttal.

Difficulty: Beginner

Category: Optimization

94. Write a Persuasive Rebuttal: line-mapped revision protocol for methodological criticism rebuttal (IEEE minor revision) - impact-focused communication - Variant 094

Objective: Convert technical narrative into clean, production-ready LaTeX structure. Prioritize statistical power and produce publication-grade decisions for Revision Traceability.

Prompt: Create a LaTeX writing workflow for Revision Traceability: section skeleton, theorem/algorithm formatting guidance, table conventions, citation macros, and cross-reference hygiene. Include common formatting errors and fixes for IEEE minor revision submission checks. Project profile: discipline=human-computer interaction; dataset=industrial telemetry stream; preferred method=mixed-methods protocol; reviewer persona=reproducibility auditor; output schema=rebuttal response grid; risk scenario=time-limited resubmission window; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=human-computer interaction; dataset=industrial telemetry stream; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=IEEE minor revision; reviewer persona=reproducibility auditor. Example outcome: comment-response matrix with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Draft content in semantic chunks before polishing visual layout. Ensure the rebuttal response grid explicitly addresses time-limited resubmission window and anticipated concerns from a reproducibility auditor.

Expected Output: A publication-ready comment-response matrix that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Revision Traceability.

Difficulty: Intermediate

Category: Planning

95. Transform Criticism into Acceptance: tone-safe rebuttal workflow for editor requests additional clarity (ACM rebuttal stage) - publishable novelty framing - Variant 095

Objective: Prepare rigorous responses for committee or reviewer questioning. Prioritize transferability and produce publication-grade decisions for Decision Negotiation.

Prompt: Simulate a high-pressure Q&A; on Decision Negotiation. Generate 15 hard questions (methods, validity, novelty, limitations, impact) and produce concise, evidence-backed responses with fallback answers for uncertain data points. Include one slide cue per answer. Project profile: discipline=robotics; dataset=city-scale mobility records; preferred method=time-series anomaly framework; reviewer persona=applied domain expert; output schema=section rewrite pack; risk scenario=ethics board clarification request; timeline={timeline};

resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=robotics; dataset=city-scale mobility records; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=ACM rebuttal stage; reviewer persona=applied domain expert. Example outcome: revision evidence table with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Structure answers as claim -> evidence -> limitation -> next action. Ensure the section rewrite pack explicitly addresses ethics board clarification request and anticipated concerns from a applied domain expert.

Expected Output: A publication-ready revision evidence table that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Decision Negotiation.

Difficulty: Advanced

Category: Strategy

96. Improve Reviewer Response Letter: comment-response workflow for major revision after mixed reviews (Elsevier journal review) - practical deployment framing - Variant 096

Objective: Create a contribution map that defends novelty against closest prior work and defines what is publishable. Prioritize ethical compliance and produce publication-grade decisions for Tone Calibration.

Prompt: Act as a senior research editor. Build a contribution architecture for Tone Calibration in major revision after mixed reviews targeting Elsevier journal review. Output sections: contribution claim stack, nearest-neighbor prior work comparison, differentiator evidence plan, failure-risk matrix, and a 30/60/90-day execution plan. Project profile: discipline=digital health; dataset=public genomics panel; preferred method=hybrid rule-neural model; reviewer persona=systems performance reviewer; output schema=action timeline; risk scenario=conflicting baseline outcomes; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=digital health; dataset=public genomics panel; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Elsevier journal review; reviewer persona=systems performance reviewer. Example outcome: response letter with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Force each claim to link to one measurable piece of evidence and one comparison baseline. Ensure the action timeline explicitly addresses conflicting baseline outcomes and anticipated concerns from a systems performance reviewer.

Expected Output: A publication-ready response letter that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Tone Calibration.

Difficulty: Expert

Category: Analysis

97. Handle Reviewer #2 Professionally: editor negotiation framework for limited-resource response strategy (Springer major revision) - method comparison clarity - Variant 097

Objective: Rewrite methods for reproducibility and procedural transparency. Prioritize computational efficiency and produce publication-grade decisions for Evidence-backed Rebuttal.

Prompt: Rewrite the methodology around Evidence-backed Rebuttal for limited-resource response strategy so another lab can reproduce it without author contact. Include variable definitions, preprocessing chronology, model hyperparameters, instrumentation assumptions, and reproducibility checklist required for Springer major revision. Project profile: discipline=machine learning; dataset=benchmark tabular risk dataset; preferred method=multi-objective optimizer; reviewer persona=industry impact reviewer; output schema=risk register; risk scenario=missing metadata in source data; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=machine learning; dataset=benchmark tabular risk dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Springer major revision; reviewer persona=industry impact reviewer. Example outcome: comment-response matrix with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Name every tool/version and include randomness-control policy. Ensure the risk register explicitly addresses missing metadata in source data and anticipated concerns from a industry impact reviewer.

Expected Output: A publication-ready comment-response matrix that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Evidence-backed Rebuttal.

Difficulty: Beginner

Category: Writing

98. Write a Persuasive Rebuttal: line-mapped revision protocol for methodological criticism rebuttal (IEEE minor revision) - editorial risk reduction - Variant 098

Objective: Craft concise, high-impact abstracts aligned with selective journal standards. Prioritize clinical relevance and produce publication-grade decisions for Revision Traceability.

Prompt: Write a Nature-style abstract for a study on Revision Traceability in methodological criticism rebuttal. Constrain to problem, approach, principal quantitative finding, boundary condition, and broader implication. Provide a weaker draft and then a stronger revised draft with rationale. Project profile: discipline=climate informatics; dataset=multi-modal image-text corpus; preferred method=semi-supervised training setup; reviewer persona=editor focused on clarity; output schema=claim-evidence table; risk scenario=incomplete ablation coverage; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=climate informatics; dataset=multi-modal image-text corpus; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=IEEE minor revision; reviewer persona=editor focused on clarity. Example outcome: revision evidence table with risk controls, reviewer-facing rationale, and milestone gates.

Tips: One central claim per sentence keeps abstract logic clean and persuasive. Ensure the claim-evidence table explicitly addresses incomplete ablation coverage and anticipated concerns from a editor focused on clarity.

Expected Output: A publication-ready revision evidence table that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Revision Traceability.

Difficulty: Intermediate

Category: Publication

99. Transform Criticism into Acceptance: tone-safe rebuttal workflow for editor requests additional clarity (ACM rebuttal stage) - venue-specific optimization - Variant 099

Objective: Transform visuals into evidence-rich storytelling assets. Prioritize publication readiness and produce publication-grade decisions for Decision Negotiation.

Prompt: Generate a figure strategy for Decision Negotiation with publication-grade caption drafts. For each figure, define purpose, metric, axis design, uncertainty communication, and interpretation sentence expected by ACM rebuttal stage. Add one caption rewrite for non-expert readers. Project profile: discipline=cybersecurity; dataset=longitudinal sensor dataset; preferred method=counterfactual evaluation approach; reviewer persona=skeptical statistician; output schema=decision matrix; risk scenario=dataset shift at deployment; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution

checklist.

Example: Example input: discipline=cybersecurity; dataset=longitudinal sensor dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=ACM rebuttal stage; reviewer persona=skeptical statistician. Example outcome: response letter with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Good captions stand alone and state what changed, by how much, and why it matters. Ensure the decision matrix explicitly addresses dataset shift at deployment and anticipated concerns from a skeptical statistician.

Expected Output: A publication-ready response letter that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Decision Negotiation.

Difficulty: Advanced

Category: Validation

100. Improve Reviewer Response Letter: comment-response workflow for major revision after mixed reviews (Elsevier journal review) - decision traceability - Variant 100

Objective: Embed ethics and compliance checks into the technical workflow. Prioritize novelty and produce publication-grade decisions for Tone Calibration.

Prompt: Build an ethics checklist and mitigation plan for Tone Calibration in major revision after mixed reviews. Include fairness risks, privacy boundaries, human-subject concerns, reporting transparency, and audit evidence expected for Elsevier journal review review. Project profile: discipline=biomedical engineering; dataset=multi-site clinical cohort; preferred method=transformer baseline; reviewer persona=benchmarking specialist; output schema=compliance checklist; risk scenario=unexpected reviewer disagreement; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=biomedical engineering; dataset=multi-site clinical cohort; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Elsevier journal review; reviewer persona=benchmarking specialist. Example outcome: comment-response matrix with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Translate ethical risks into actionable controls with owner and verification evidence. Ensure the compliance checklist explicitly addresses unexpected reviewer disagreement and anticipated concerns from a benchmarking specialist.

Expected Output: A publication-ready comment-response matrix that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Tone Calibration.

Difficulty: Expert

Category: Optimization

---

101. Handle Reviewer #2 Professionally: editor negotiation framework for limited-resource response strategy (Springer major revision) - citation-strength positioning - Variant 101

Objective: Choose venue strategy, narrative framing, and revision sequencing. Prioritize rigor and produce publication-grade decisions for Evidence-backed Rebuttal.

Prompt: Design a publication strategy for Evidence-backed Rebuttal: venue ladder (A-plan/B-plan), novelty framing options, deadline-aligned writing sprints, and reviewer-risk scenarios. Include a branch for conference-first then journal-extension path for Springer major revision. Project profile: discipline=computational social science; dataset=open government policy data; preferred method=causal inference pipeline; reviewer persona=theory-oriented reviewer; output schema=citation repair map; risk scenario=high class imbalance;

timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=computational social science; dataset=open government policy data; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Springer major revision; reviewer persona=theory-oriented reviewer. Example outcome: revision evidence table with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Plan fallback venue narratives early to reduce resubmission cycle time. Ensure the citation repair map explicitly addresses high class imbalance and anticipated concerns from a theory-oriented reviewer.

Expected Output: A publication-ready revision evidence table that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Evidence-backed Rebuttal.

Difficulty: Beginner

Category: Planning

102. Write a Persuasive Rebuttal: line-mapped revision protocol for methodological criticism rebuttal (IEEE minor revision) - defense-ready reasoning - Variant 102

Objective: Turn skeptical reviewer criticism into a persuasive, evidence-linked response workflow. Prioritize reproducibility and produce publication-grade decisions for Revision Traceability.

Prompt: Assume Reviewer #2 challenges Revision Traceability for IEEE minor revision. Draft a response package with: acknowledgement sentence, technical clarification, direct manuscript change, optional added experiment, and fallback wording if resources are limited. Provide line-level mapping format for revision tracking. Project profile: discipline=materials informatics; dataset=federated hospital dataset; preferred method=Bayesian hierarchical model; reviewer persona=methodology purist; output schema=figure-caption protocol; risk scenario=inter-annotator disagreement; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=materials informatics; dataset=federated hospital dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=IEEE minor revision; reviewer persona=methodology purist. Example outcome: response letter with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Use respectful tone and separate explanation, action, and manuscript delta into distinct bullets. Ensure the figure-caption protocol explicitly addresses inter-annotator disagreement and anticipated concerns from a methodology purist.

Expected Output: A publication-ready response letter that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Revision Traceability.

Difficulty: Intermediate

Category: Strategy

103. Transform Criticism into Acceptance: tone-safe rebuttal workflow for editor requests additional clarity (ACM rebuttal stage) - high-confidence statistical reporting - Variant 103

Objective: Plan a high-confidence major revision package for journal resubmission. Prioritize clarity and produce publication-grade decisions for Decision Negotiation.

Prompt: Create a major revision plan for an Elsevier-style decision letter focused on Decision Negotiation. Include comment clustering, evidence plan, timeline by dependency, added-analysis options, and response-letter structure that anticipates editor priorities for ACM rebuttal stage. Project profile: discipline=computational neuroscience; dataset=crowdsourced annotation dataset; preferred method=graph neural workflow; reviewer persona=interdisciplinary committee member; output schema=statistical decision tree; risk scenario=small sample size constraints; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=computational neuroscience; dataset=crowdsourced annotation dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=ACM rebuttal stage; reviewer persona=interdisciplinary committee member. Example outcome: comment-response matrix with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Group reviewer comments by technical dependency to prevent contradictory edits. Ensure the statistical decision tree explicitly addresses small sample size constraints and anticipated concerns from a interdisciplinary committee member.

Expected Output: A publication-ready comment-response matrix that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Decision Negotiation.

Difficulty: Advanced

Category: Analysis

104. Improve Reviewer Response Letter: comment-response workflow for major revision after mixed reviews (Elsevier journal review) - evidence-first writing - Variant 104

Objective: Select robust statistical strategy and interpretation logic. Prioritize statistical power and produce publication-grade decisions for Tone Calibration.

Prompt: Design a statistical analysis workflow for Tone Calibration with assumptions, test-selection logic, effect-size reporting, multiplicity correction, and uncertainty interpretation. Output a decision tree that maps data conditions to recommended tests for Elsevier journal review. Project profile: discipline=human-computer interaction; dataset=industrial telemetry stream; preferred method=mixed-methods protocol; reviewer persona=ethics compliance reviewer; output schema=ablation plan sheet; risk scenario=compute budget reduction; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=human-computer interaction; dataset=industrial telemetry stream; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Elsevier journal review; reviewer persona=ethics compliance reviewer. Example outcome: revision evidence table with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Pair p-values with effect sizes and confidence intervals in every result claim. Ensure the ablation plan sheet explicitly addresses compute budget reduction and anticipated concerns from a ethics compliance reviewer.

Expected Output: A publication-ready revision evidence table that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Tone Calibration.

Difficulty: Expert

Category: Writing

105. Handle Reviewer #2 Professionally: editor negotiation framework for limited-resource response strategy (Springer major revision) - hypothesis stress testing - Variant 105

Objective: Detect weak citation support and strengthen scholarly positioning. Prioritize transferability and produce publication-grade decisions for Evidence-backed Rebuttal.

Prompt: Analyze a draft on Evidence-backed Rebuttal and identify citation gaps by claim type: foundational, comparative, methodological, and limitation-related. Return a prioritized fill plan with query phrases, likely source types, and insertion points tailored to Springer major revision. Project profile: discipline=robotics; dataset=city-scale mobility records; preferred method=time-series anomaly framework; reviewer persona=reproducibility auditor; output schema=rebuttal response grid; risk scenario=time-limited resubmission window; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=robotics; dataset=city-scale mobility records; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Springer major revision; reviewer persona=reproducibility auditor. Example outcome: response letter with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Flag unsupported superlatives first; they trigger avoidable reviewer criticism. Ensure the rebuttal response grid explicitly addresses time-limited resubmission window and anticipated concerns from a reproducibility auditor.

Expected Output: A publication-ready response letter that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Evidence-backed Rebuttal.

Difficulty: Beginner

Category: Publication

106. Write a Persuasive Rebuttal: line-mapped revision protocol for methodological criticism rebuttal (IEEE minor revision) - results-to-insight translation - Variant 106

Objective: Convert raw metrics into defensible scientific interpretation. Prioritize ethical compliance and produce publication-grade decisions for Revision Traceability.

Prompt: Interpret results for Revision Traceability using a claim-evidence map: primary findings, uncertainty envelope, competing explanations, boundary conditions, and implications for future work in IEEE minor revision. Add one paragraph that preempts overclaiming. Project profile: discipline=digital health; dataset=public genomics panel; preferred method=hybrid rule-neural model; reviewer persona=applied domain expert; output schema=section rewrite pack; risk scenario=ethics board clarification request; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=digital health; dataset=public genomics panel; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=IEEE minor revision; reviewer persona=applied domain expert. Example outcome: comment-response matrix with risk controls, reviewer-facing rationale, and milestone gates.

Tips: State what the results do not prove as clearly as what they do prove. Ensure the section rewrite pack explicitly addresses ethics board clarification request and anticipated concerns from a applied domain expert.

Expected Output: A publication-ready comment-response matrix that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Revision Traceability.

Difficulty: Intermediate

Category: Methodology

107. Transform Criticism into Acceptance: tone-safe rebuttal workflow for editor requests additional clarity (ACM rebuttal stage) - major-revision readiness - Variant 107

Objective: Detect non-obvious research gaps and convert them into testable opportunities. Prioritize computational efficiency and produce publication-grade decisions for Decision Negotiation.

Prompt: You are a literature forensics specialist. From the context below, identify unresolved contradictions in Decision Negotiation and rank them by impact and tractability. Then design three testable gap statements, each with required datasets, threat-to-validity notes, and likely reviewer objections for ACM rebuttal stage. Project profile: discipline=machine learning; dataset=benchmark tabular risk dataset; preferred method=multi-objective optimizer; reviewer persona=systems performance reviewer; output schema=action timeline; risk scenario=conflicting baseline outcomes; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=machine learning; dataset=benchmark tabular risk dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=ACM rebuttal stage; reviewer persona=systems performance reviewer. Example outcome: revision evidence table with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Distinguish 'no evidence exists' from 'evidence exists but conflicts' to avoid weak gap claims. Ensure the action timeline explicitly addresses conflicting baseline outcomes and anticipated concerns from a systems performance reviewer.

Expected Output: A publication-ready revision evidence table that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Decision Negotiation.

Difficulty: Advanced

Category: Execution

108. Improve Reviewer Response Letter: comment-response workflow for major revision after mixed reviews (Elsevier journal review) - replication-grade documentation - Variant 108

Objective: Produce section drafts compliant with high-impact conference and journal conventions. Prioritize clinical relevance and produce publication-grade decisions for Tone Calibration.

Prompt: Generate a publication-ready section for Tone Calibration tuned for Elsevier journal review. Enforce concise technical style, explicit contributions, and strong figure/table callouts. Provide two style variants: IEEE Transactions tone and ACM conference tone with sentence-level rewrites. Project profile: discipline=climate informatics; dataset=multi-modal image-text corpus; preferred method=semi-supervised training setup; reviewer persona=industry impact reviewer; output schema=risk register; risk scenario=missing metadata in source data; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=climate informatics; dataset=multi-modal image-text corpus; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Elsevier journal review; reviewer persona=industry impact reviewer. Example outcome: response letter with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Avoid generic claims; anchor every paragraph with result-oriented language. Ensure the risk register explicitly addresses missing metadata in source data and anticipated concerns from a industry impact reviewer.

Expected Output: A publication-ready response letter that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Tone Calibration.

Difficulty: Expert

Category: Planning

109. Handle Reviewer #2 Professionally: editor negotiation framework for limited-resource response strategy (Springer major revision) - reviewer-resilient argumentation - Variant 109

Objective: Pressure-test experimental design before expensive execution. Prioritize publication readiness and produce publication-grade decisions for Evidence-backed Rebuttal.

Prompt: Audit the experimental design for Evidence-backed Rebuttal. Produce control/ablation matrix, confound analysis, data leakage checks, minimum sample strategy, and statistical power guardrails suitable for Springer major revision reviewers. Include a stop/go decision protocol. Project profile: discipline=cybersecurity; dataset=longitudinal sensor dataset; preferred method=counterfactual evaluation approach; reviewer persona=editor focused on clarity; output schema=claim-evidence table; risk scenario=incomplete ablation coverage; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=cybersecurity; dataset=longitudinal sensor dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Springer major revision; reviewer persona=editor focused on clarity. Example outcome: comment-response matrix with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Design ablations to isolate one causal factor at a time. Ensure the claim-evidence table explicitly addresses incomplete ablation coverage and anticipated concerns from a editor focused on clarity.

Expected Output: A publication-ready comment-response matrix that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Evidence-backed Rebuttal.

Difficulty: Beginner

Category: Strategy

110. Write a Persuasive Rebuttal: line-mapped revision protocol for methodological criticism rebuttal (IEEE minor revision) - ethics-by-design reporting - Variant 110

Objective: Convert technical narrative into clean, production-ready LaTeX structure. Prioritize novelty and produce publication-grade decisions for Revision Traceability.

Prompt: Create a LaTeX writing workflow for Revision Traceability: section skeleton, theorem/algorithm formatting guidance, table conventions, citation macros, and cross-reference hygiene. Include common formatting errors and fixes for IEEE minor revision submission checks. Project profile: discipline=biomedical engineering; dataset=multi-site clinical cohort; preferred method=transformer baseline; reviewer persona=skeptical statistician; output schema=decision matrix; risk scenario=dataset shift at deployment; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=biomedical engineering; dataset=multi-site clinical cohort; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=IEEE minor revision; reviewer persona=skeptical statistician. Example outcome: revision evidence table with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Draft content in semantic chunks before polishing visual layout. Ensure the decision matrix explicitly addresses dataset shift at deployment and anticipated concerns from a skeptical statistician.

Expected Output: A publication-ready revision evidence table that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Revision Traceability.

Difficulty: Intermediate

Category: Analysis

111. Transform Criticism into Acceptance: tone-safe rebuttal workflow for editor requests additional clarity (ACM rebuttal stage) - limitations-first transparency - Variant 111

Objective: Prepare rigorous responses for committee or reviewer questioning. Prioritize rigor and produce publication-grade decisions for Decision Negotiation.

Prompt: Simulate a high-pressure Q&A; on Decision Negotiation. Generate 15 hard questions (methods, validity, novelty, limitations, impact) and produce concise, evidence-backed responses with fallback answers for uncertain data points. Include one slide cue per answer. Project profile: discipline=computational social science; dataset=open government policy data; preferred method=causal inference pipeline; reviewer persona=benchmarking specialist; output schema=compliance checklist; risk scenario=unexpected reviewer disagreement; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=computational social science; dataset=open government policy data; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=ACM rebuttal stage; reviewer persona=benchmarking specialist. Example outcome: response letter with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Structure answers as claim -> evidence -> limitation -> next action. Ensure the compliance checklist explicitly addresses unexpected reviewer disagreement and anticipated concerns from a benchmarking specialist.

Expected Output: A publication-ready response letter that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Decision Negotiation.

Difficulty: Advanced

Category: Writing

112. Improve Reviewer Response Letter: comment-response workflow for major revision after mixed reviews (Elsevier journal review) - cross-domain readability - Variant 112

Objective: Create a contribution map that defends novelty against closest prior work and defines what is publishable. Prioritize reproducibility and produce publication-grade decisions for Tone Calibration.

Prompt: Act as a senior research editor. Build a contribution architecture for Tone Calibration in major revision after mixed reviews targeting Elsevier journal review. Output sections: contribution claim stack, nearest-neighbor prior work comparison, differentiator evidence plan, failure-risk matrix, and a 30/60/90-day execution plan. Project profile: discipline=materials informatics; dataset=federated hospital dataset; preferred method=Bayesian hierarchical model; reviewer persona=theory-oriented reviewer; output schema=citation repair map; risk scenario=high class imbalance; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=materials informatics; dataset=federated hospital dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Elsevier journal review; reviewer persona=theory-oriented reviewer. Example outcome: comment-response matrix with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Force each claim to link to one measurable piece of evidence and one comparison baseline. Ensure the citation repair map explicitly addresses high class imbalance and anticipated concerns from a theory-oriented reviewer.

Expected Output: A publication-ready comment-response matrix that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Tone Calibration.

Difficulty: Expert

Category: Publication

113. Handle Reviewer #2 Professionally: editor negotiation framework for limited-resource response strategy (Springer major revision) - impact-focused communication - Variant 113

Objective: Rewrite methods for reproducibility and procedural transparency. Prioritize clarity and produce publication-grade decisions for Evidence-backed Rebuttal.

Prompt: Rewrite the methodology around Evidence-backed Rebuttal for limited-resource response strategy so another lab can reproduce it without author contact. Include variable definitions, preprocessing chronology, model hyperparameters, instrumentation assumptions, and reproducibility checklist required for Springer major revision. Project profile: discipline=computational neuroscience; dataset=crowdsourced annotation dataset; preferred method=graph neural workflow; reviewer persona=methodology purist; output schema=figure-caption protocol; risk scenario=inter-annotator disagreement; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=computational neuroscience; dataset=crowdsourced annotation dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Springer major revision; reviewer persona=methodology purist. Example outcome: revision evidence table with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Name every tool/version and include randomness-control policy. Ensure the figure-caption protocol explicitly addresses inter-annotator disagreement and anticipated concerns from a methodology purist.

Expected Output: A publication-ready revision evidence table that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Evidence-backed Rebuttal.

Difficulty: Beginner

Category: Methodology

114. Write a Persuasive Rebuttal: line-mapped revision protocol for methodological criticism rebuttal (IEEE minor revision) - publishable novelty framing - Variant 114

Objective: Craft concise, high-impact abstracts aligned with selective journal standards. Prioritize statistical power and produce publication-grade decisions for Revision Traceability.

Prompt: Write a Nature-style abstract for a study on Revision Traceability in methodological criticism rebuttal. Constrain to problem, approach, principal quantitative finding, boundary condition, and broader implication. Provide a weaker draft and then a stronger revised draft with rationale. Project profile: discipline=human-computer interaction; dataset=industrial telemetry stream; preferred method=mixed-methods protocol; reviewer persona=interdisciplinary committee member; output schema=statistical decision tree; risk scenario=small sample size constraints; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=human-computer interaction; dataset=industrial telemetry stream; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=IEEE minor revision; reviewer persona=interdisciplinary committee member. Example outcome: response letter with risk controls, reviewer-facing rationale, and milestone gates.

Tips: One central claim per sentence keeps abstract logic clean and persuasive. Ensure the statistical decision tree explicitly addresses small sample size constraints and anticipated concerns from a interdisciplinary committee member.

Expected Output: A publication-ready response letter that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Revision Traceability.

Difficulty: Intermediate

Category: Execution

115. Transform Criticism into Acceptance: tone-safe rebuttal workflow for editor requests additional clarity (ACM rebuttal stage) - practical deployment framing - Variant 115

Objective: Transform visuals into evidence-rich storytelling assets. Prioritize transferability and produce publication-grade decisions for Decision Negotiation.

Prompt: Generate a figure strategy for Decision Negotiation with publication-grade caption drafts. For each figure, define purpose, metric, axis design, uncertainty communication, and interpretation sentence expected by ACM rebuttal stage. Add one caption rewrite for non-expert readers. Project profile: discipline=robotics; dataset=city-scale mobility records; preferred method=time-series anomaly framework; reviewer persona=ethics compliance reviewer; output schema=ablation plan sheet; risk scenario=compute budget reduction; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution

checklist.

Example: Example input: discipline=robotics; dataset=city-scale mobility records; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=ACM rebuttal stage; reviewer persona=ethics compliance reviewer. Example outcome: comment-response matrix with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Good captions stand alone and state what changed, by how much, and why it matters. Ensure the ablation plan sheet explicitly addresses compute budget reduction and anticipated concerns from a ethics compliance reviewer.

Expected Output: A publication-ready comment-response matrix that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Decision Negotiation.

Difficulty: Advanced

Category: Compliance

116. Improve Reviewer Response Letter: comment-response workflow for major revision after mixed reviews (Elsevier journal review) - method comparison clarity - Variant 116

Objective: Embed ethics and compliance checks into the technical workflow. Prioritize ethical compliance and produce publication-grade decisions for Tone Calibration.

Prompt: Build an ethics checklist and mitigation plan for Tone Calibration in major revision after mixed reviews. Include fairness risks, privacy boundaries, human-subject concerns, reporting transparency, and audit evidence expected for Elsevier journal review review. Project profile: discipline=digital health; dataset=public genomics panel; preferred method=hybrid rule-neural model; reviewer persona=reproducibility auditor; output schema=rebuttal response grid; risk scenario=time-limited resubmission window; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=digital health; dataset=public genomics panel; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Elsevier journal review; reviewer persona=reproducibility auditor. Example outcome: revision evidence table with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Translate ethical risks into actionable controls with owner and verification evidence. Ensure the rebuttal response grid explicitly addresses time-limited resubmission window and anticipated concerns from a reproducibility auditor.

Expected Output: A publication-ready revision evidence table that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Tone Calibration.

Difficulty: Expert

Category: Reasoning

117. Handle Reviewer #2 Professionally: editor negotiation framework for limited-resource response strategy (Springer major revision) - editorial risk reduction - Variant 117

Objective: Choose venue strategy, narrative framing, and revision sequencing. Prioritize computational efficiency and produce publication-grade decisions for Evidence-backed Rebuttal.

Prompt: Design a publication strategy for Evidence-backed Rebuttal: venue ladder (A-plan/B-plan), novelty framing options, deadline-aligned writing sprints, and reviewer-risk scenarios. Include a branch for conference-first then journal-extension path for Springer major revision. Project profile: discipline=machine learning; dataset=benchmark tabular risk dataset; preferred method=multi-objective optimizer; reviewer persona=applied domain expert; output schema=section rewrite pack; risk scenario=ethics board clarification request; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=machine learning; dataset=benchmark tabular risk dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Springer major revision; reviewer persona=applied domain expert. Example outcome: response letter with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Plan fallback venue narratives early to reduce resubmission cycle time. Ensure the section rewrite pack explicitly addresses ethics board clarification request and anticipated concerns from a applied domain expert.

Expected Output: A publication-ready response letter that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Evidence-backed Rebuttal.

Difficulty: Beginner

Category: Analysis

118. Write a Persuasive Rebuttal: line-mapped revision protocol for methodological criticism rebuttal (IEEE minor revision) - venue-specific optimization - Variant 118

Objective: Turn skeptical reviewer criticism into a persuasive, evidence-linked response workflow. Prioritize clinical relevance and produce publication-grade decisions for Revision Traceability.

Prompt: Assume Reviewer #2 challenges Revision Traceability for IEEE minor revision. Draft a response package with: acknowledgement sentence, technical clarification, direct manuscript change, optional added experiment, and fallback wording if resources are limited. Provide line-level mapping format for revision tracking. Project profile: discipline=climate informatics; dataset=multi-modal image-text corpus; preferred method=semi-supervised training setup; reviewer persona=systems performance reviewer; output schema=action timeline; risk scenario=conflicting baseline outcomes; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=climate informatics; dataset=multi-modal image-text corpus; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=IEEE minor revision; reviewer persona=systems performance reviewer. Example outcome: comment-response matrix with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Use respectful tone and separate explanation, action, and manuscript delta into distinct bullets. Ensure the action timeline explicitly addresses conflicting baseline outcomes and anticipated concerns from a systems performance reviewer.

Expected Output: A publication-ready comment-response matrix that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Revision Traceability.

Difficulty: Intermediate

Category: Writing

119. Transform Criticism into Acceptance: tone-safe rebuttal workflow for editor requests additional clarity (ACM rebuttal stage) - decision traceability - Variant 119

Objective: Plan a high-confidence major revision package for journal resubmission. Prioritize publication readiness and produce publication-grade decisions for Decision Negotiation.

Prompt: Create a major revision plan for an Elsevier-style decision letter focused on Decision Negotiation. Include comment clustering, evidence plan, timeline by dependency, added-analysis options, and response-letter structure that anticipates editor priorities for ACM rebuttal stage. Project profile: discipline=cybersecurity; dataset=longitudinal sensor dataset; preferred method=counterfactual evaluation approach; reviewer persona=industry impact reviewer; output schema=risk register; risk scenario=missing metadata in source data; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution

checklist.

Example: Example input: discipline=cybersecurity; dataset=longitudinal sensor dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=ACM rebuttal stage; reviewer persona=industry impact reviewer. Example outcome: revision evidence table with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Group reviewer comments by technical dependency to prevent contradictory edits. Ensure the risk register explicitly addresses missing metadata in source data and anticipated concerns from a industry impact reviewer.

Expected Output: A publication-ready revision evidence table that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Decision Negotiation.

Difficulty: Advanced

Category: Publication

120. Improve Reviewer Response Letter: comment-response workflow for major revision after mixed reviews (Elsevier journal review) - citation-strength positioning - Variant 120

Objective: Select robust statistical strategy and interpretation logic. Prioritize novelty and produce publication-grade decisions for Tone Calibration.

Prompt: Design a statistical analysis workflow for Tone Calibration with assumptions, test-selection logic, effect-size reporting, multiplicity correction, and uncertainty interpretation. Output a decision tree that maps data conditions to recommended tests for Elsevier journal review. Project profile: discipline=biomedical engineering; dataset=multi-site clinical cohort; preferred method=transformer baseline; reviewer persona=editor focused on clarity; output schema=claim-evidence table; risk scenario=incomplete ablation coverage; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=biomedical engineering; dataset=multi-site clinical cohort; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Elsevier journal review; reviewer persona=editor focused on clarity. Example outcome: response letter with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Pair p-values with effect sizes and confidence intervals in every result claim. Ensure the claim-evidence table explicitly addresses incomplete ablation coverage and anticipated concerns from a editor focused on clarity.

Expected Output: A publication-ready response letter that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Tone Calibration.

Difficulty: Expert

Category: Methodology

---

121. Handle Reviewer #2 Professionally: editor negotiation framework for limited-resource response strategy (Springer major revision) - defense-ready reasoning - Variant 121

Objective: Detect weak citation support and strengthen scholarly positioning. Prioritize rigor and produce publication-grade decisions for Evidence-backed Rebuttal.

Prompt: Analyze a draft on Evidence-backed Rebuttal and identify citation gaps by claim type: foundational, comparative, methodological, and limitation-related. Return a prioritized fill plan with query phrases, likely source types, and insertion points tailored to Springer major revision. Project profile: discipline=computational social science; dataset=open government policy data; preferred method=causal inference pipeline; reviewer persona=skeptical statistician; output schema=decision matrix; risk scenario=dataset shift at deployment; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution

checklist.

Example: Example input: discipline=computational social science; dataset=open government policy data; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Springer major revision; reviewer persona=skeptical statistician. Example outcome: comment-response matrix with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Flag unsupported superlatives first; they trigger avoidable reviewer criticism. Ensure the decision matrix explicitly addresses dataset shift at deployment and anticipated concerns from a skeptical statistician.

Expected Output: A publication-ready comment-response matrix that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Evidence-backed Rebuttal.

Difficulty: Beginner

Category: Execution

122. Write a Persuasive Rebuttal: line-mapped revision protocol for methodological criticism rebuttal (IEEE minor revision) - high-confidence statistical reporting - Variant 122

Objective: Convert raw metrics into defensible scientific interpretation. Prioritize reproducibility and produce publication-grade decisions for Revision Traceability.

Prompt: Interpret results for Revision Traceability using a claim-evidence map: primary findings, uncertainty envelope, competing explanations, boundary conditions, and implications for future work in IEEE minor revision. Add one paragraph that preempts overclaiming. Project profile: discipline=materials informatics; dataset=federated hospital dataset; preferred method=Bayesian hierarchical model; reviewer persona=benchmarking specialist; output schema=compliance checklist; risk scenario=unexpected reviewer disagreement; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=materials informatics; dataset=federated hospital dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=IEEE minor revision; reviewer persona=benchmarking specialist. Example outcome: revision evidence table with risk controls, reviewer-facing rationale, and milestone gates.

Tips: State what the results do not prove as clearly as what they do prove. Ensure the compliance checklist explicitly addresses unexpected reviewer disagreement and anticipated concerns from a benchmarking specialist.

Expected Output: A publication-ready revision evidence table that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Revision Traceability.

Difficulty: Intermediate

Category: Compliance

123. Transform Criticism into Acceptance: tone-safe rebuttal workflow for editor requests additional clarity (ACM rebuttal stage) - evidence-first writing - Variant 123

Objective: Detect non-obvious research gaps and convert them into testable opportunities. Prioritize clarity and produce publication-grade decisions for Decision Negotiation.

Prompt: You are a literature forensics specialist. From the context below, identify unresolved contradictions in Decision Negotiation and rank them by impact and tractability. Then design three testable gap statements, each with required datasets, threat-to-validity notes, and likely reviewer objections for ACM rebuttal stage. Project profile: discipline=computational neuroscience; dataset=crowdsourced annotation dataset; preferred method=graph neural workflow; reviewer persona=theory-oriented reviewer; output schema=citation repair map; risk scenario=high class imbalance; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=computational neuroscience; dataset=crowdsourced annotation dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=ACM rebuttal stage; reviewer persona=theory-oriented reviewer. Example outcome: response letter with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Distinguish 'no evidence exists' from 'evidence exists but conflicts' to avoid weak gap claims. Ensure the citation repair map explicitly addresses high class imbalance and anticipated concerns from a theory-oriented reviewer.

Expected Output: A publication-ready response letter that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Decision Negotiation.

Difficulty: Advanced

Category: Reasoning

124. Improve Reviewer Response Letter: comment-response workflow for major revision after mixed reviews (Elsevier journal review) - hypothesis stress testing - Variant 124

Objective: Produce section drafts compliant with high-impact conference and journal conventions. Prioritize statistical power and produce publication-grade decisions for Tone Calibration.

Prompt: Generate a publication-ready section for Tone Calibration tuned for Elsevier journal review. Enforce concise technical style, explicit contributions, and strong figure/table callouts. Provide two style variants: IEEE Transactions tone and ACM conference tone with sentence-level rewrites. Project profile: discipline=human-computer interaction; dataset=industrial telemetry stream; preferred method=mixed-methods protocol; reviewer persona=methodology purist; output schema=figure-caption protocol; risk scenario=inter-annotator disagreement; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=human-computer interaction; dataset=industrial telemetry stream; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Elsevier journal review; reviewer persona=methodology purist. Example outcome: comment-response matrix with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Avoid generic claims; anchor every paragraph with result-oriented language. Ensure the figure-caption protocol explicitly addresses inter-annotator disagreement and anticipated concerns from a methodology purist.

Expected Output: A publication-ready comment-response matrix that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Tone Calibration.

Difficulty: Expert

Category: Rebuttal

125. Handle Reviewer #2 Professionally: editor negotiation framework for limited-resource response strategy (Springer major revision) - results-to-insight translation - Variant 125

Objective: Pressure-test experimental design before expensive execution. Prioritize transferability and produce publication-grade decisions for Evidence-backed Rebuttal.

Prompt: Audit the experimental design for Evidence-backed Rebuttal. Produce control/ablation matrix, confound analysis, data leakage checks, minimum sample strategy, and statistical power guardrails suitable for Springer major revision reviewers. Include a stop/go decision protocol. Project profile: discipline=robotics; dataset=city-scale mobility records; preferred method=time-series anomaly framework; reviewer persona=interdisciplinary committee member; output schema=statistical decision tree; risk scenario=small sample size constraints; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=robotics; dataset=city-scale mobility records; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Springer major revision; reviewer persona=interdisciplinary committee member. Example outcome: revision evidence table with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Design ablations to isolate one causal factor at a time. Ensure the statistical decision tree explicitly addresses small sample size constraints and anticipated concerns from a interdisciplinary committee member.

Expected Output: A publication-ready revision evidence table that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Evidence-backed Rebuttal.

Difficulty: Beginner

Category: Validation

---

126. Write a Persuasive Rebuttal: line-mapped revision protocol for methodological criticism rebuttal (IEEE minor revision) - major-revision readiness - Variant 126

Objective: Convert technical narrative into clean, production-ready LaTeX structure. Prioritize ethical compliance and produce publication-grade decisions for Revision Traceability.

Prompt: Create a LaTeX writing workflow for Revision Traceability: section skeleton, theorem/algorithm formatting guidance, table conventions, citation macros, and cross-reference hygiene. Include common formatting errors and fixes for IEEE minor revision submission checks. Project profile: discipline=digital health; dataset=public genomics panel; preferred method=hybrid rule-neural model; reviewer persona=ethics compliance reviewer; output schema=ablation plan sheet; risk scenario=compute budget reduction; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=digital health; dataset=public genomics panel; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=IEEE minor revision; reviewer persona=ethics compliance reviewer. Example outcome: response letter with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Draft content in semantic chunks before polishing visual layout. Ensure the ablation plan sheet explicitly addresses compute budget reduction and anticipated concerns from a ethics compliance reviewer.

Expected Output: A publication-ready response letter that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Revision Traceability.

Difficulty: Intermediate

Category: Publication

127. Transform Criticism into Acceptance: tone-safe rebuttal workflow for editor requests additional clarity (ACM rebuttal stage) - replication-grade documentation - Variant 127

Objective: Prepare rigorous responses for committee or reviewer questioning. Prioritize computational efficiency and produce publication-grade decisions for Decision Negotiation.

Prompt: Simulate a high-pressure Q&A; on Decision Negotiation. Generate 15 hard questions (methods, validity, novelty, limitations, impact) and produce concise, evidence-backed responses with fallback answers for uncertain data points. Include one slide cue per answer. Project profile: discipline=machine learning; dataset=benchmark tabular risk dataset; preferred method=multi-objective optimizer; reviewer persona=reproducibility auditor; output schema=rebuttal response grid; risk scenario=time-limited resubmission window; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=machine learning; dataset=benchmark tabular risk dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=ACM rebuttal stage; reviewer persona=reproducibility auditor. Example outcome: comment-response matrix with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Structure answers as claim -> evidence -> limitation -> next action. Ensure the rebuttal response grid explicitly addresses time-limited resubmission window and anticipated concerns from a reproducibility auditor.

Expected Output: A publication-ready comment-response matrix that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Decision Negotiation.

Difficulty: Advanced

Category: Methodology

128. Improve Reviewer Response Letter: comment-response workflow for major revision after mixed reviews (Elsevier journal review) - reviewer-resilient argumentation - Variant 128

Objective: Create a contribution map that defends novelty against closest prior work and defines what is publishable. Prioritize clinical relevance and produce publication-grade decisions for Tone Calibration.

Prompt: Act as a senior research editor. Build a contribution architecture for Tone Calibration in major revision after mixed reviews targeting Elsevier journal review. Output sections: contribution claim stack, nearest-neighbor prior work comparison, differentiator evidence plan, failure-risk matrix, and a 30/60/90-day execution plan. Project profile: discipline=climate informatics; dataset=multi-modal image-text corpus; preferred method=semi-supervised training setup; reviewer persona=applied domain expert; output schema=section rewrite pack; risk scenario=ethics board clarification request; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=climate informatics; dataset=multi-modal image-text corpus; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Elsevier journal review; reviewer persona=applied domain expert. Example outcome: revision evidence table with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Force each claim to link to one measurable piece of evidence and one comparison baseline. Ensure the section rewrite pack explicitly addresses ethics board clarification request and anticipated concerns from a applied domain expert.

Expected Output: A publication-ready revision evidence table that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Tone Calibration.

Difficulty: Expert

Category: Execution

129. Handle Reviewer #2 Professionally: editor negotiation framework for limited-resource response strategy (Springer major revision) - ethics-by-design reporting - Variant 129

Objective: Rewrite methods for reproducibility and procedural transparency. Prioritize publication readiness and produce publication-grade decisions for Evidence-backed Rebuttal.

Prompt: Rewrite the methodology around Evidence-backed Rebuttal for limited-resource response strategy so another lab can reproduce it without author contact. Include variable definitions, preprocessing chronology, model hyperparameters, instrumentation assumptions, and reproducibility checklist required for Springer major revision. Project profile: discipline=cybersecurity; dataset=longitudinal sensor dataset; preferred method=counterfactual evaluation approach; reviewer persona=systems performance reviewer; output schema=action timeline; risk scenario=conflicting baseline outcomes; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=cybersecurity; dataset=longitudinal sensor dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Springer major revision; reviewer persona=systems performance reviewer. Example outcome: response letter with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Name every tool/version and include randomness-control policy. Ensure the action timeline explicitly addresses conflicting baseline outcomes and anticipated concerns from a systems performance reviewer.

Expected Output: A publication-ready response letter that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Evidence-backed Rebuttal.

Difficulty: Beginner

Category: Compliance

130. Write a Persuasive Rebuttal: line-mapped revision protocol for methodological criticism rebuttal (IEEE minor revision) - limitations-first transparency - Variant 130

Objective: Craft concise, high-impact abstracts aligned with selective journal standards. Prioritize novelty and produce publication-grade decisions for Revision Traceability.

Prompt: Write a Nature-style abstract for a study on Revision Traceability in methodological criticism rebuttal. Constrain to problem, approach, principal quantitative finding, boundary condition, and broader implication. Provide a weaker draft and then a stronger revised draft with rationale. Project profile: discipline=biomedical engineering; dataset=multi-site clinical cohort; preferred method=transformer baseline; reviewer persona=industry impact reviewer; output schema=risk register; risk scenario=missing metadata in source data; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=biomedical engineering; dataset=multi-site clinical cohort; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=IEEE minor revision; reviewer persona=industry impact reviewer. Example outcome: comment-response matrix with risk controls, reviewer-facing rationale, and milestone gates.

Tips: One central claim per sentence keeps abstract logic clean and persuasive. Ensure the risk register explicitly addresses missing metadata in source data and anticipated concerns from a industry impact reviewer.

Expected Output: A publication-ready comment-response matrix that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Revision Traceability.

Difficulty: Intermediate

Category: Reasoning

131. Transform Criticism into Acceptance: tone-safe rebuttal workflow for editor requests additional clarity (ACM rebuttal stage) - cross-domain readability - Variant 131

Objective: Transform visuals into evidence-rich storytelling assets. Prioritize rigor and produce publication-grade decisions for Decision Negotiation.

Prompt: Generate a figure strategy for Decision Negotiation with publication-grade caption drafts. For each figure, define purpose, metric, axis design, uncertainty communication, and interpretation sentence expected by ACM rebuttal stage. Add one caption rewrite for non-expert readers. Project profile: discipline=computational social science; dataset=open government policy data; preferred method=causal inference pipeline; reviewer persona=editor focused on clarity; output schema=claim-evidence table; risk scenario=incomplete ablation coverage; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=computational social science; dataset=open government policy data; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=ACM rebuttal stage; reviewer persona=editor focused on clarity. Example outcome: revision evidence table with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Good captions stand alone and state what changed, by how much, and why it matters. Ensure the claim-evidence table explicitly addresses incomplete ablation coverage and anticipated concerns from a editor focused on clarity.

Expected Output: A publication-ready revision evidence table that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Decision Negotiation.

Difficulty: Advanced

Category: Rebuttal

132. Improve Reviewer Response Letter: comment-response workflow for major revision after mixed reviews (Elsevier journal review) - impact-focused communication - Variant 132

Objective: Embed ethics and compliance checks into the technical workflow. Prioritize reproducibility and produce publication-grade decisions for Tone Calibration.

Prompt: Build an ethics checklist and mitigation plan for Tone Calibration in major revision after mixed reviews. Include fairness risks, privacy boundaries, human-subject concerns, reporting transparency, and audit evidence expected for Elsevier journal review review. Project profile: discipline=materials informatics; dataset=federated hospital dataset; preferred method=Bayesian hierarchical model; reviewer persona=skeptical statistician; output schema=decision matrix; risk scenario=dataset shift at deployment; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=materials informatics; dataset=federated hospital dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Elsevier journal review; reviewer persona=skeptical statistician. Example outcome: response letter with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Translate ethical risks into actionable controls with owner and verification evidence. Ensure the decision matrix explicitly addresses dataset shift at deployment and anticipated concerns from a skeptical statistician.

Expected Output: A publication-ready response letter that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Tone Calibration.

Difficulty: Expert

Category: Validation

133. Handle Reviewer #2 Professionally: editor negotiation framework for limited-resource response strategy (Springer major revision) - publishable novelty framing - Variant 133

Objective: Choose venue strategy, narrative framing, and revision sequencing. Prioritize clarity and produce publication-grade decisions for Evidence-backed Rebuttal.

Prompt: Design a publication strategy for Evidence-backed Rebuttal: venue ladder (A-plan/B-plan), novelty framing options, deadline-aligned writing sprints, and reviewer-risk scenarios. Include a branch for conference-first then journal-extension path for Springer major revision. Project profile: discipline=computational neuroscience; dataset=crowdsourced annotation dataset; preferred method=graph neural workflow; reviewer persona=benchmarking specialist; output schema=compliance checklist; risk scenario=unexpected reviewer disagreement; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=computational neuroscience; dataset=crowdsourced annotation dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Springer major revision; reviewer persona=benchmarking specialist. Example outcome: comment-response matrix with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Plan fallback venue narratives early to reduce resubmission cycle time. Ensure the compliance checklist explicitly addresses unexpected reviewer disagreement and anticipated concerns from a benchmarking specialist.

Expected Output: A publication-ready comment-response matrix that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Evidence-backed Rebuttal.

Difficulty: Beginner

Category: Optimization

134. Write a Persuasive Rebuttal: line-mapped revision protocol for methodological criticism rebuttal (IEEE minor revision) - practical deployment framing - Variant 134

Objective: Turn skeptical reviewer criticism into a persuasive, evidence-linked response workflow. Prioritize statistical power and produce publication-grade decisions for Revision Traceability.

Prompt: Assume Reviewer #2 challenges Revision Traceability for IEEE minor revision. Draft a response package with: acknowledgement sentence, technical clarification, direct manuscript change, optional added experiment, and fallback wording if resources are limited. Provide line-level mapping format for revision tracking. Project profile: discipline=human-computer interaction; dataset=industrial telemetry stream; preferred method=mixed-methods protocol; reviewer persona=theory-oriented reviewer; output schema=citation repair map; risk scenario=high class imbalance; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=human-computer interaction; dataset=industrial telemetry stream; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=IEEE minor revision; reviewer persona=theory-oriented reviewer. Example outcome: revision evidence table with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Use respectful tone and separate explanation, action, and manuscript delta into distinct bullets. Ensure the citation repair map explicitly addresses high class imbalance and anticipated concerns from a theory-oriented reviewer.

Expected Output: A publication-ready revision evidence table that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Revision Traceability.

Difficulty: Intermediate

Category: Planning

135. Transform Criticism into Acceptance: tone-safe rebuttal workflow for editor requests additional clarity (ACM rebuttal stage) - method comparison clarity - Variant 135

Objective: Plan a high-confidence major revision package for journal resubmission. Prioritize transferability and produce publication-grade decisions for Decision Negotiation.

Prompt: Create a major revision plan for an Elsevier-style decision letter focused on Decision Negotiation. Include comment clustering, evidence plan, timeline by dependency, added-analysis options, and response-letter structure that anticipates editor priorities for ACM rebuttal stage. Project profile: discipline=robotics; dataset=city-scale mobility records; preferred method=time-series anomaly framework; reviewer persona=methodology purist; output schema=figure-caption protocol; risk scenario=inter-annotator disagreement; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=robotics; dataset=city-scale mobility records; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=ACM rebuttal stage; reviewer persona=methodology purist. Example outcome: response letter with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Group reviewer comments by technical dependency to prevent contradictory edits. Ensure the figure-caption protocol explicitly addresses inter-annotator disagreement and anticipated concerns from a methodology purist.

Expected Output: A publication-ready response letter that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Decision Negotiation.

Difficulty: Advanced

Category: Execution

---

136. Improve Reviewer Response Letter: comment-response workflow for major revision after mixed reviews (Elsevier journal review) - editorial risk reduction - Variant 136

Objective: Select robust statistical strategy and interpretation logic. Prioritize ethical compliance and produce publication-grade decisions for Tone Calibration.

Prompt: Design a statistical analysis workflow for Tone Calibration with assumptions, test-selection logic, effect-size reporting, multiplicity correction, and uncertainty interpretation. Output a decision tree that maps data conditions to recommended tests for Elsevier journal review. Project profile: discipline=digital health; dataset=public genomics panel; preferred method=hybrid rule-neural model; reviewer persona=interdisciplinary committee member; output schema=statistical decision tree; risk scenario=small sample size constraints; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=digital health; dataset=public genomics panel; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Elsevier journal review; reviewer persona=interdisciplinary committee member. Example outcome: comment-response matrix with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Pair p-values with effect sizes and confidence intervals in every result claim. Ensure the statistical decision tree explicitly addresses small sample size constraints and anticipated concerns from a interdisciplinary committee member.

Expected Output: A publication-ready comment-response matrix that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Tone Calibration.

Difficulty: Expert

Category: Compliance

137. Handle Reviewer #2 Professionally: editor negotiation framework for limited-resource response strategy (Springer major revision) - venue-specific optimization - Variant 137

Objective: Detect weak citation support and strengthen scholarly positioning. Prioritize computational efficiency and produce publication-grade decisions for Evidence-backed Rebuttal.

Prompt: Analyze a draft on Evidence-backed Rebuttal and identify citation gaps by claim type: foundational, comparative, methodological, and limitation-related. Return a prioritized fill plan with query phrases, likely source types, and insertion points tailored to Springer major revision. Project profile: discipline=machine learning; dataset=benchmark tabular risk dataset; preferred method=multi-objective optimizer; reviewer persona=ethics compliance reviewer; output schema=ablation plan sheet; risk scenario=compute budget reduction; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=machine learning; dataset=benchmark tabular risk dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Springer major revision; reviewer persona=ethics compliance reviewer. Example outcome: revision evidence table with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Flag unsupported superlatives first; they trigger avoidable reviewer criticism. Ensure the ablation plan sheet explicitly addresses compute budget reduction and anticipated concerns from a ethics compliance reviewer.

Expected Output: A publication-ready revision evidence table that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Evidence-backed Rebuttal.

Difficulty: Beginner

Category: Reasoning

138. Write a Persuasive Rebuttal: line-mapped revision protocol for methodological criticism rebuttal (IEEE minor revision) - decision traceability - Variant 138

Objective: Convert raw metrics into defensible scientific interpretation. Prioritize clinical relevance and produce publication-grade decisions for Revision Traceability.

Prompt: Interpret results for Revision Traceability using a claim-evidence map: primary findings, uncertainty envelope, competing explanations, boundary conditions, and implications for future work in IEEE minor revision. Add one paragraph that preempts overclaiming. Project profile: discipline=climate informatics; dataset=multi-modal image-text corpus; preferred method=semi-supervised training setup; reviewer persona=reproducibility auditor; output schema=rebuttal response grid; risk scenario=time-limited resubmission window; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=climate informatics; dataset=multi-modal image-text corpus; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=IEEE minor revision; reviewer persona=reproducibility auditor. Example outcome: response letter with risk controls, reviewer-facing rationale, and milestone gates.

Tips: State what the results do not prove as clearly as what they do prove. Ensure the rebuttal response grid explicitly addresses time-limited resubmission window and anticipated concerns from a reproducibility auditor.

Expected Output: A publication-ready response letter that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Revision Traceability.

Difficulty: Intermediate

Category: Rebuttal

139. Transform Criticism into Acceptance: tone-safe rebuttal workflow for editor requests additional clarity (ACM rebuttal stage) - citation-strength positioning - Variant 139

Objective: Detect non-obvious research gaps and convert them into testable opportunities. Prioritize publication readiness and produce publication-grade decisions for Decision Negotiation.

Prompt: You are a literature forensics specialist. From the context below, identify unresolved contradictions in Decision Negotiation and rank them by impact and tractability. Then design three testable gap statements, each with required datasets, threat-to-validity notes, and likely reviewer objections for ACM rebuttal stage. Project profile: discipline=cybersecurity; dataset=longitudinal sensor dataset; preferred method=counterfactual evaluation approach; reviewer persona=applied domain expert; output schema=section rewrite pack; risk scenario=ethics board clarification request; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=cybersecurity; dataset=longitudinal sensor dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=ACM rebuttal stage; reviewer persona=applied domain expert. Example outcome: comment-response matrix with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Distinguish 'no evidence exists' from 'evidence exists but conflicts' to avoid weak gap claims. Ensure the section rewrite pack explicitly addresses ethics board clarification request and anticipated concerns from a applied domain expert.

Expected Output: A publication-ready comment-response matrix that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Decision Negotiation.

Difficulty: Advanced

Category: Validation

140. Improve Reviewer Response Letter: comment-response workflow for major revision after mixed reviews (Elsevier journal review) - defense-ready reasoning - Variant 140

Objective: Produce section drafts compliant with high-impact conference and journal conventions. Prioritize novelty and produce publication-grade decisions for Tone Calibration.

Prompt: Generate a publication-ready section for Tone Calibration tuned for Elsevier journal review. Enforce concise technical style, explicit contributions, and strong figure/table callouts. Provide two style variants: IEEE Transactions tone and ACM conference tone with sentence-level rewrites. Project profile: discipline=biomedical engineering; dataset=multi-site clinical cohort; preferred method=transformer baseline; reviewer persona=systems performance reviewer; output schema=action timeline; risk scenario=conflicting baseline outcomes; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=biomedical engineering; dataset=multi-site clinical cohort; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Elsevier journal review; reviewer persona=systems performance reviewer. Example outcome: revision evidence table with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Avoid generic claims; anchor every paragraph with result-oriented language. Ensure the action timeline explicitly addresses conflicting baseline outcomes and anticipated concerns from a systems performance reviewer.

Expected Output: A publication-ready revision evidence table that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Tone Calibration.

Difficulty: Expert

Category: Optimization

---

141. Handle Reviewer #2 Professionally: editor negotiation framework for limited-resource response strategy (Springer major revision) - high-confidence statistical reporting - Variant 141

Objective: Pressure-test experimental design before expensive execution. Prioritize rigor and produce publication-grade decisions for Evidence-backed Rebuttal.

Prompt: Audit the experimental design for Evidence-backed Rebuttal. Produce control/ablation matrix, confound analysis, data leakage checks, minimum sample strategy, and statistical power guardrails suitable for Springer major revision reviewers. Include a stop/go decision protocol. Project profile: discipline=computational social science; dataset=open government policy data; preferred method=causal inference pipeline; reviewer persona=industry impact reviewer; output schema=risk register; risk scenario=missing metadata in source data; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=computational social science; dataset=open government policy data; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Springer major revision; reviewer persona=industry impact reviewer. Example outcome: response letter with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Design ablations to isolate one causal factor at a time. Ensure the risk register explicitly addresses missing metadata in source data and anticipated concerns from a industry impact reviewer.

Expected Output: A publication-ready response letter that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Evidence-backed Rebuttal.

Difficulty: Beginner

Category: Planning

142. Write a Persuasive Rebuttal: line-mapped revision protocol for methodological criticism rebuttal (IEEE minor revision) - evidence-first writing - Variant 142

Objective: Convert technical narrative into clean, production-ready LaTeX structure. Prioritize reproducibility and produce publication-grade decisions for Revision Traceability.

Prompt: Create a LaTeX writing workflow for Revision Traceability: section skeleton, theorem/algorithm formatting guidance, table conventions, citation macros, and cross-reference hygiene. Include common formatting errors and fixes for IEEE minor revision submission checks. Project profile: discipline=materials informatics; dataset=federated hospital dataset; preferred method=Bayesian hierarchical model; reviewer persona=editor focused on clarity; output schema=claim-evidence table; risk scenario=incomplete ablation coverage; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=materials informatics; dataset=federated hospital dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=IEEE minor revision; reviewer persona=editor focused on clarity. Example outcome: comment-response matrix with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Draft content in semantic chunks before polishing visual layout. Ensure the claim-evidence table explicitly addresses incomplete ablation coverage and anticipated concerns from a editor focused on clarity.

Expected Output: A publication-ready comment-response matrix that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Revision Traceability.

Difficulty: Intermediate

Category: Strategy

143. Transform Criticism into Acceptance: tone-safe rebuttal workflow for editor requests additional clarity (ACM rebuttal stage) - hypothesis stress testing - Variant 143

Objective: Prepare rigorous responses for committee or reviewer questioning. Prioritize clarity and produce publication-grade decisions for Decision Negotiation.

Prompt: Simulate a high-pressure Q&A; on Decision Negotiation. Generate 15 hard questions (methods, validity, novelty, limitations, impact) and produce concise, evidence-backed responses with fallback answers for uncertain data points. Include one slide cue per answer. Project profile: discipline=computational neuroscience; dataset=crowdsourced annotation dataset; preferred method=graph neural workflow; reviewer persona=skeptical statistician; output schema=decision matrix; risk scenario=dataset shift at deployment; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=computational neuroscience; dataset=crowdsourced annotation dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=ACM rebuttal stage; reviewer persona=skeptical statistician. Example outcome: revision evidence table with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Structure answers as claim -> evidence -> limitation -> next action. Ensure the decision matrix explicitly addresses dataset shift at deployment and anticipated concerns from a skeptical statistician.

Expected Output: A publication-ready revision evidence table that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Decision Negotiation.

Difficulty: Advanced

Category: Analysis

144. Improve Reviewer Response Letter: comment-response workflow for major revision after mixed reviews (Elsevier journal review) - results-to-insight translation - Variant 144

Objective: Create a contribution map that defends novelty against closest prior work and defines what is publishable. Prioritize statistical power and produce publication-grade decisions for Tone Calibration.

Prompt: Act as a senior research editor. Build a contribution architecture for Tone Calibration in major revision after mixed reviews targeting Elsevier journal review. Output sections: contribution claim stack, nearest-neighbor prior work comparison, differentiator evidence plan, failure-risk matrix, and a 30/60/90-day execution plan. Project profile: discipline=human-computer interaction; dataset=industrial telemetry stream; preferred method=mixed-methods protocol; reviewer persona=benchmarking specialist; output schema=compliance checklist; risk scenario=unexpected reviewer disagreement; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=human-computer interaction; dataset=industrial telemetry stream; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Elsevier journal review; reviewer persona=benchmarking specialist. Example outcome: response letter with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Force each claim to link to one measurable piece of evidence and one comparison baseline. Ensure the compliance checklist explicitly addresses unexpected reviewer disagreement and anticipated concerns from a benchmarking specialist.

Expected Output: A publication-ready response letter that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Tone Calibration.

Difficulty: Expert

Category: Reasoning

145. Handle Reviewer #2 Professionally: editor negotiation framework for limited-resource response strategy (Springer major revision) - major-revision readiness - Variant 145

Objective: Rewrite methods for reproducibility and procedural transparency. Prioritize transferability and produce publication-grade decisions for Evidence-backed Rebuttal.

Prompt: Rewrite the methodology around Evidence-backed Rebuttal for limited-resource response strategy so another lab can reproduce it without author contact. Include variable definitions, preprocessing chronology, model hyperparameters, instrumentation assumptions, and reproducibility checklist required for Springer major revision. Project profile: discipline=robotics; dataset=city-scale mobility records; preferred method=time-series anomaly framework; reviewer persona=theory-oriented reviewer; output schema=citation repair map; risk scenario=high class imbalance; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=robotics; dataset=city-scale mobility records; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Springer major revision; reviewer persona=theory-oriented reviewer. Example outcome: comment-response matrix with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Name every tool/version and include randomness-control policy. Ensure the citation repair map explicitly addresses high class imbalance and anticipated concerns from a theory-oriented reviewer.

Expected Output: A publication-ready comment-response matrix that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Evidence-backed Rebuttal.

Difficulty: Beginner

Category: Rebuttal

---

146. Write a Persuasive Rebuttal: line-mapped revision protocol for methodological criticism rebuttal (IEEE minor revision) - replication-grade documentation - Variant 146

Objective: Craft concise, high-impact abstracts aligned with selective journal standards. Prioritize ethical compliance and produce publication-grade decisions for Revision Traceability.

Prompt: Write a Nature-style abstract for a study on Revision Traceability in methodological criticism rebuttal. Constrain to problem, approach, principal quantitative finding, boundary condition, and broader implication. Provide a weaker draft and then a stronger revised draft with rationale. Project profile: discipline=digital health; dataset=public genomics panel; preferred method=hybrid rule-neural model; reviewer persona=methodology purist; output schema=figure-caption protocol; risk scenario=inter-annotator disagreement; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=digital health; dataset=public genomics panel; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=IEEE minor revision; reviewer persona=methodology purist. Example outcome: revision evidence table with risk controls, reviewer-facing rationale, and milestone gates.

Tips: One central claim per sentence keeps abstract logic clean and persuasive. Ensure the figure-caption protocol explicitly addresses inter-annotator disagreement and anticipated concerns from a methodology purist.

Expected Output: A publication-ready revision evidence table that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Revision Traceability.

Difficulty: Intermediate

Category: Validation

147. Transform Criticism into Acceptance: tone-safe rebuttal workflow for editor requests additional clarity (ACM rebuttal stage) - reviewer-resilient argumentation - Variant 147

Objective: Transform visuals into evidence-rich storytelling assets. Prioritize computational efficiency and produce publication-grade decisions for Decision Negotiation.

Prompt: Generate a figure strategy for Decision Negotiation with publication-grade caption drafts. For each figure, define purpose, metric, axis design, uncertainty communication, and interpretation sentence expected by ACM rebuttal stage. Add one caption rewrite for non-expert readers. Project profile: discipline=machine learning; dataset=benchmark tabular risk dataset; preferred method=multi-objective optimizer; reviewer persona=interdisciplinary committee member; output schema=statistical decision tree; risk scenario=small sample size constraints; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=machine learning; dataset=benchmark tabular risk dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=ACM rebuttal stage; reviewer persona=interdisciplinary committee member. Example outcome: response letter with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Good captions stand alone and state what changed, by how much, and why it matters. Ensure the statistical decision tree explicitly addresses small sample size constraints and anticipated concerns from a interdisciplinary committee member.

Expected Output: A publication-ready response letter that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Decision Negotiation.

Difficulty: Advanced

Category: Optimization

148. Improve Reviewer Response Letter: comment-response workflow for major revision after mixed reviews (Elsevier journal review) - ethics-by-design reporting - Variant 148

Objective: Embed ethics and compliance checks into the technical workflow. Prioritize clinical relevance and produce publication-grade decisions for Tone Calibration.

Prompt: Build an ethics checklist and mitigation plan for Tone Calibration in major revision after mixed reviews. Include fairness risks, privacy boundaries, human-subject concerns, reporting transparency, and audit evidence expected for Elsevier journal review review. Project profile: discipline=climate informatics; dataset=multi-modal image-text corpus; preferred method=semi-supervised training setup; reviewer persona=ethics compliance reviewer; output schema=ablation plan sheet; risk scenario=compute budget reduction; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=climate informatics; dataset=multi-modal image-text corpus; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Elsevier journal review; reviewer persona=ethics compliance reviewer. Example outcome: comment-response matrix with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Translate ethical risks into actionable controls with owner and verification evidence. Ensure the ablation plan sheet explicitly addresses compute budget reduction and anticipated concerns from a ethics compliance reviewer.

Expected Output: A publication-ready comment-response matrix that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Tone Calibration.

Difficulty: Expert

Category: Planning

149. Handle Reviewer #2 Professionally: editor negotiation framework for limited-resource response strategy (Springer major revision) - limitations-first transparency - Variant 149

Objective: Choose venue strategy, narrative framing, and revision sequencing. Prioritize publication readiness and produce publication-grade decisions for Evidence-backed Rebuttal.

Prompt: Design a publication strategy for Evidence-backed Rebuttal: venue ladder (A-plan/B-plan), novelty framing options, deadline-aligned writing sprints, and reviewer-risk scenarios. Include a branch for conference-first then journal-extension path for Springer major revision. Project profile: discipline=cybersecurity; dataset=longitudinal sensor dataset; preferred method=counterfactual evaluation approach; reviewer persona=reproducibility auditor; output schema=rebuttal response grid; risk scenario=time-limited resubmission window; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=cybersecurity; dataset=longitudinal sensor dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Springer major revision; reviewer persona=reproducibility auditor. Example outcome: revision evidence table with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Plan fallback venue narratives early to reduce resubmission cycle time. Ensure the rebuttal response grid explicitly addresses time-limited resubmission window and anticipated concerns from a reproducibility auditor.

Expected Output: A publication-ready revision evidence table that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Evidence-backed Rebuttal.

Difficulty: Beginner

Category: Strategy

150. Write a Persuasive Rebuttal: line-mapped revision protocol for methodological criticism rebuttal (IEEE minor revision) - cross-domain readability - Variant 150

Objective: Turn skeptical reviewer criticism into a persuasive, evidence-linked response workflow. Prioritize novelty and produce publication-grade decisions for Revision Traceability.

Prompt: Assume Reviewer #2 challenges Revision Traceability for IEEE minor revision. Draft a response package with: acknowledgement sentence, technical clarification, direct manuscript change, optional added experiment, and fallback wording if resources are limited. Provide line-level mapping format for revision tracking. Project profile: discipline=biomedical engineering; dataset=multi-site clinical cohort; preferred method=transformer baseline; reviewer persona=applied domain expert; output schema=section rewrite pack; risk scenario=ethics board clarification request; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=biomedical engineering; dataset=multi-site clinical cohort; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=IEEE minor revision; reviewer persona=applied domain expert. Example outcome: response letter with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Use respectful tone and separate explanation, action, and manuscript delta into distinct bullets. Ensure the section rewrite pack explicitly addresses ethics board clarification request and anticipated concerns from a applied domain expert.

Expected Output: A publication-ready response letter that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Revision Traceability.

Difficulty: Intermediate

Category: Analysis

151. Transform Criticism into Acceptance: tone-safe rebuttal workflow for editor requests additional clarity (ACM rebuttal stage) - impact-focused communication - Variant 151

Objective: Plan a high-confidence major revision package for journal resubmission. Prioritize rigor and produce publication-grade decisions for Decision Negotiation.

Prompt: Create a major revision plan for an Elsevier-style decision letter focused on Decision Negotiation. Include comment clustering, evidence plan, timeline by dependency, added-analysis options, and response-letter structure that anticipates editor priorities for ACM rebuttal stage. Project profile: discipline=computational social science; dataset=open government policy data; preferred method=causal inference pipeline; reviewer persona=systems performance reviewer; output schema=action timeline; risk scenario=conflicting baseline outcomes; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=computational social science; dataset=open government policy data; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=ACM rebuttal stage; reviewer persona=systems performance reviewer. Example outcome: comment-response matrix with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Group reviewer comments by technical dependency to prevent contradictory edits. Ensure the action timeline explicitly addresses conflicting baseline outcomes and anticipated concerns from a systems performance reviewer.

Expected Output: A publication-ready comment-response matrix that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Decision Negotiation.

Difficulty: Advanced

Category: Writing

152. Improve Reviewer Response Letter: comment-response workflow for major revision after mixed reviews (Elsevier journal review) - publishable novelty framing - Variant 152

Objective: Select robust statistical strategy and interpretation logic. Prioritize reproducibility and produce publication-grade decisions for Tone Calibration.

Prompt: Design a statistical analysis workflow for Tone Calibration with assumptions, test-selection logic, effect-size reporting, multiplicity correction, and uncertainty interpretation. Output a decision tree that maps data conditions to recommended tests for Elsevier journal review. Project profile: discipline=materials informatics; dataset=federated hospital dataset; preferred method=Bayesian hierarchical model; reviewer persona=industry impact reviewer; output schema=risk register; risk scenario=missing metadata in source data; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=materials informatics; dataset=federated hospital dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Elsevier journal review; reviewer persona=industry impact reviewer. Example outcome: revision evidence table with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Pair p-values with effect sizes and confidence intervals in every result claim. Ensure the risk register explicitly addresses missing metadata in source data and anticipated concerns from a industry impact reviewer.

Expected Output: A publication-ready revision evidence table that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Tone Calibration.

Difficulty: Expert

Category: Publication

153. Handle Reviewer #2 Professionally: editor negotiation framework for limited-resource response strategy (Springer major revision) - practical deployment framing - Variant 153

Objective: Detect weak citation support and strengthen scholarly positioning. Prioritize clarity and produce publication-grade decisions for Evidence-backed Rebuttal.

Prompt: Analyze a draft on Evidence-backed Rebuttal and identify citation gaps by claim type: foundational, comparative, methodological, and limitation-related. Return a prioritized fill plan with query phrases, likely source types, and insertion points tailored to Springer major revision. Project profile: discipline=computational neuroscience; dataset=crowdsourced annotation dataset; preferred method=graph neural workflow; reviewer persona=editor focused on clarity; output schema=claim-evidence table; risk scenario=incomplete ablation coverage; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=computational neuroscience; dataset=crowdsourced annotation dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Springer major revision; reviewer persona=editor focused on clarity. Example outcome: response letter with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Flag unsupported superlatives first; they trigger avoidable reviewer criticism. Ensure the claim-evidence table explicitly addresses incomplete ablation coverage and anticipated concerns from a editor focused on clarity.

Expected Output: A publication-ready response letter that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Evidence-backed Rebuttal.

Difficulty: Beginner

Category: Validation

154. Write a Persuasive Rebuttal: line-mapped revision protocol for methodological criticism rebuttal (IEEE minor revision) - method comparison clarity - Variant 154

Objective: Convert raw metrics into defensible scientific interpretation. Prioritize statistical power and produce publication-grade decisions for Revision Traceability.

Prompt: Interpret results for Revision Traceability using a claim-evidence map: primary findings, uncertainty envelope, competing explanations, boundary conditions, and implications for future work in IEEE minor revision. Add one paragraph that preempts overclaiming. Project profile: discipline=human-computer interaction; dataset=industrial telemetry stream; preferred method=mixed-methods protocol; reviewer persona=skeptical statistician; output schema=decision matrix; risk scenario=dataset shift at deployment; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=human-computer interaction; dataset=industrial telemetry stream; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=IEEE minor revision; reviewer persona=skeptical statistician. Example outcome: comment-response matrix with risk controls, reviewer-facing rationale, and milestone gates.

Tips: State what the results do not prove as clearly as what they do prove. Ensure the decision matrix explicitly addresses dataset shift at deployment and anticipated concerns from a skeptical statistician.

Expected Output: A publication-ready comment-response matrix that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Revision Traceability.

Difficulty: Intermediate

Category: Optimization

155. Transform Criticism into Acceptance: tone-safe rebuttal workflow for editor requests additional clarity (ACM rebuttal stage) - editorial risk reduction - Variant 155

Objective: Detect non-obvious research gaps and convert them into testable opportunities. Prioritize transferability and produce publication-grade decisions for Decision Negotiation.

Prompt: You are a literature forensics specialist. From the context below, identify unresolved contradictions in Decision Negotiation and rank them by impact and tractability. Then design three testable gap statements, each with required datasets, threat-to-validity notes, and likely reviewer objections for ACM rebuttal stage. Project profile: discipline=robotics; dataset=city-scale mobility records; preferred method=time-series anomaly framework; reviewer persona=benchmarking specialist; output schema=compliance checklist; risk scenario=unexpected reviewer disagreement; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=robotics; dataset=city-scale mobility records; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=ACM rebuttal stage; reviewer persona=benchmarking specialist. Example outcome: revision evidence table with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Distinguish 'no evidence exists' from 'evidence exists but conflicts' to avoid weak gap claims. Ensure the compliance checklist explicitly addresses unexpected reviewer disagreement and anticipated concerns from a benchmarking specialist.

Expected Output: A publication-ready revision evidence table that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Decision Negotiation.

Difficulty: Advanced

Category: Planning

156. Improve Reviewer Response Letter: comment-response workflow for major revision after mixed reviews (Elsevier journal review) - venue-specific optimization - Variant 156

Objective: Produce section drafts compliant with high-impact conference and journal conventions. Prioritize ethical compliance and produce publication-grade decisions for Tone Calibration.

Prompt: Generate a publication-ready section for Tone Calibration tuned for Elsevier journal review. Enforce concise technical style, explicit contributions, and strong figure/table callouts. Provide two style variants: IEEE Transactions tone and ACM conference tone with sentence-level rewrites. Project profile: discipline=digital health; dataset=public genomics panel; preferred method=hybrid rule-neural model; reviewer persona=theory-oriented reviewer; output schema=citation repair map; risk scenario=high class imbalance; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=digital health; dataset=public genomics panel; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Elsevier journal review; reviewer persona=theory-oriented reviewer. Example outcome: response letter with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Avoid generic claims; anchor every paragraph with result-oriented language. Ensure the citation repair map explicitly addresses high class imbalance and anticipated concerns from a theory-oriented reviewer.

Expected Output: A publication-ready response letter that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Tone Calibration.

Difficulty: Expert

Category: Strategy

157. Handle Reviewer #2 Professionally: editor negotiation framework for limited-resource response strategy (Springer major revision) - decision traceability - Variant 157

Objective: Pressure-test experimental design before expensive execution. Prioritize computational efficiency and produce publication-grade decisions for Evidence-backed Rebuttal.

Prompt: Audit the experimental design for Evidence-backed Rebuttal. Produce control/ablation matrix, confound analysis, data leakage checks, minimum sample strategy, and statistical power guardrails suitable for Springer major revision reviewers. Include a stop/go decision protocol. Project profile: discipline=machine learning; dataset=benchmark tabular risk dataset; preferred method=multi-objective optimizer; reviewer persona=methodology purist; output schema=figure-caption protocol; risk scenario=inter-annotator disagreement; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=machine learning; dataset=benchmark tabular risk dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Springer major revision; reviewer persona=methodology purist. Example outcome: comment-response matrix with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Design ablations to isolate one causal factor at a time. Ensure the figure-caption protocol explicitly addresses inter-annotator disagreement and anticipated concerns from a methodology purist.

Expected Output: A publication-ready comment-response matrix that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Evidence-backed Rebuttal.

Difficulty: Beginner

Category: Analysis

158. Write a Persuasive Rebuttal: line-mapped revision protocol for methodological criticism rebuttal (IEEE minor revision) - citation-strength positioning - Variant 158

Objective: Convert technical narrative into clean, production-ready LaTeX structure. Prioritize clinical relevance and produce publication-grade decisions for Revision Traceability.

Prompt: Create a LaTeX writing workflow for Revision Traceability: section skeleton, theorem/algorithm formatting guidance, table conventions, citation macros, and cross-reference hygiene. Include common formatting errors and fixes for IEEE minor revision submission checks. Project profile: discipline=climate informatics; dataset=multi-modal image-text corpus; preferred method=semi-supervised training setup; reviewer persona=interdisciplinary committee member; output schema=statistical decision tree; risk scenario=small sample size constraints; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=climate informatics; dataset=multi-modal image-text corpus; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=IEEE minor revision; reviewer persona=interdisciplinary committee member. Example outcome: revision evidence table with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Draft content in semantic chunks before polishing visual layout. Ensure the statistical decision tree explicitly addresses small sample size constraints and anticipated concerns from a interdisciplinary committee member.

Expected Output: A publication-ready revision evidence table that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Revision Traceability.

Difficulty: Intermediate

Category: Writing

159. Transform Criticism into Acceptance: tone-safe rebuttal workflow for editor requests additional clarity (ACM rebuttal stage) - defense-ready reasoning - Variant 159

Objective: Prepare rigorous responses for committee or reviewer questioning. Prioritize publication readiness and produce publication-grade decisions for Decision Negotiation.

Prompt: Simulate a high-pressure Q&A; on Decision Negotiation. Generate 15 hard questions (methods, validity, novelty, limitations, impact) and produce concise, evidence-backed responses with fallback answers for uncertain data points. Include one slide cue per answer. Project profile: discipline=cybersecurity; dataset=longitudinal sensor dataset; preferred method=counterfactual evaluation approach; reviewer persona=ethics compliance reviewer; output schema=ablation plan sheet; risk scenario=compute budget reduction; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=cybersecurity; dataset=longitudinal sensor dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=ACM rebuttal stage; reviewer persona=ethics compliance reviewer. Example outcome: response letter with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Structure answers as claim -> evidence -> limitation -> next action. Ensure the ablation plan sheet explicitly addresses compute budget reduction and anticipated concerns from a ethics compliance reviewer.

Expected Output: A publication-ready response letter that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Decision Negotiation.

Difficulty: Advanced

Category: Publication

160. Improve Reviewer Response Letter: comment-response workflow for major revision after mixed reviews (Elsevier journal review) - high-confidence statistical reporting - Variant 160

Objective: Create a contribution map that defends novelty against closest prior work and defines what is publishable. Prioritize novelty and produce publication-grade decisions for Tone Calibration.

Prompt: Act as a senior research editor. Build a contribution architecture for Tone Calibration in major revision after mixed reviews targeting Elsevier journal review. Output sections: contribution claim stack, nearest-neighbor prior work comparison, differentiator evidence plan, failure-risk matrix, and a 30/60/90-day execution plan. Project profile: discipline=biomedical engineering; dataset=multi-site clinical cohort; preferred method=transformer baseline; reviewer persona=reproducibility auditor; output schema=rebuttal response grid; risk scenario=time-limited resubmission window; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=biomedical engineering; dataset=multi-site clinical cohort; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Elsevier journal review; reviewer persona=reproducibility auditor. Example outcome: comment-response matrix with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Force each claim to link to one measurable piece of evidence and one comparison baseline. Ensure the rebuttal response grid explicitly addresses time-limited resubmission window and anticipated concerns from a reproducibility auditor.

Expected Output: A publication-ready comment-response matrix that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Tone Calibration.

Difficulty: Expert

Category: Methodology

---

161. Handle Reviewer #2 Professionally: editor negotiation framework for limited-resource response strategy (Springer major revision) - evidence-first writing - Variant 161

Objective: Rewrite methods for reproducibility and procedural transparency. Prioritize rigor and produce publication-grade decisions for Evidence-backed Rebuttal.

Prompt: Rewrite the methodology around Evidence-backed Rebuttal for limited-resource response strategy so another lab can reproduce it without author contact. Include variable definitions, preprocessing chronology, model hyperparameters, instrumentation assumptions, and reproducibility checklist required for Springer major revision. Project profile: discipline=computational social science; dataset=open government policy data; preferred method=causal inference pipeline; reviewer persona=applied domain expert; output schema=section rewrite pack; risk scenario=ethics board clarification request; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=computational social science; dataset=open government policy data; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Springer major revision; reviewer persona=applied domain expert. Example outcome: revision evidence table with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Name every tool/version and include randomness-control policy. Ensure the section rewrite pack explicitly addresses ethics board clarification request and anticipated concerns from a applied domain expert.

Expected Output: A publication-ready revision evidence table that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Evidence-backed Rebuttal.

Difficulty: Beginner

Category: Execution

162. Write a Persuasive Rebuttal: line-mapped revision protocol for methodological criticism rebuttal (IEEE minor revision) - hypothesis stress testing - Variant 162

Objective: Craft concise, high-impact abstracts aligned with selective journal standards. Prioritize reproducibility and produce publication-grade decisions for Revision Traceability.

Prompt: Write a Nature-style abstract for a study on Revision Traceability in methodological criticism rebuttal. Constrain to problem, approach, principal quantitative finding, boundary condition, and broader implication. Provide a weaker draft and then a stronger revised draft with rationale. Project profile: discipline=materials informatics; dataset=federated hospital dataset; preferred method=Bayesian hierarchical model; reviewer persona=systems performance reviewer; output schema=action timeline; risk scenario=conflicting baseline outcomes; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=materials informatics; dataset=federated hospital dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=IEEE minor revision; reviewer persona=systems performance reviewer. Example outcome: response letter with risk controls, reviewer-facing rationale, and milestone gates.

Tips: One central claim per sentence keeps abstract logic clean and persuasive. Ensure the action timeline explicitly addresses conflicting baseline outcomes and anticipated concerns from a systems performance reviewer.

Expected Output: A publication-ready response letter that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Revision Traceability.

Difficulty: Intermediate

Category: Planning

163. Transform Criticism into Acceptance: tone-safe rebuttal workflow for editor requests additional clarity (ACM rebuttal stage) - results-to-insight translation - Variant 163

Objective: Transform visuals into evidence-rich storytelling assets. Prioritize clarity and produce publication-grade decisions for Decision Negotiation.

Prompt: Generate a figure strategy for Decision Negotiation with publication-grade caption drafts. For each figure, define purpose, metric, axis design, uncertainty communication, and interpretation sentence expected by ACM rebuttal stage. Add one caption rewrite for non-expert readers. Project profile: discipline=computational neuroscience; dataset=crowdsourced annotation dataset; preferred method=graph neural workflow; reviewer persona=industry impact reviewer; output schema=risk register; risk scenario=missing metadata in source data; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=computational neuroscience; dataset=crowdsourced annotation dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=ACM rebuttal stage; reviewer persona=industry impact reviewer. Example outcome: comment-response matrix with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Good captions stand alone and state what changed, by how much, and why it matters. Ensure the risk register explicitly addresses missing metadata in source data and anticipated concerns from a industry impact reviewer.

Expected Output: A publication-ready comment-response matrix that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Decision Negotiation.

Difficulty: Advanced

Category: Strategy

164. Improve Reviewer Response Letter: comment-response workflow for major revision after mixed reviews (Elsevier journal review) - major-revision readiness - Variant 164

Objective: Embed ethics and compliance checks into the technical workflow. Prioritize statistical power and produce publication-grade decisions for Tone Calibration.

Prompt: Build an ethics checklist and mitigation plan for Tone Calibration in major revision after mixed reviews. Include fairness risks, privacy boundaries, human-subject concerns, reporting transparency, and audit evidence expected for Elsevier journal review review. Project profile: discipline=human-computer interaction; dataset=industrial telemetry stream; preferred method=mixed-methods protocol; reviewer persona=editor focused on clarity; output schema=claim-evidence table; risk scenario=incomplete ablation coverage; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=human-computer interaction; dataset=industrial telemetry stream; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Elsevier journal review; reviewer persona=editor focused on clarity. Example outcome: revision evidence table with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Translate ethical risks into actionable controls with owner and verification evidence. Ensure the claim-evidence table explicitly addresses incomplete ablation coverage and anticipated concerns from a editor focused on clarity.

Expected Output: A publication-ready revision evidence table that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Tone Calibration.

Difficulty: Expert

Category: Analysis

165. Handle Reviewer #2 Professionally: editor negotiation framework for limited-resource response strategy (Springer major revision) - replication-grade documentation - Variant 165

Objective: Choose venue strategy, narrative framing, and revision sequencing. Prioritize transferability and produce publication-grade decisions for Evidence-backed Rebuttal.

Prompt: Design a publication strategy for Evidence-backed Rebuttal: venue ladder (A-plan/B-plan), novelty framing options, deadline-aligned writing sprints, and reviewer-risk scenarios. Include a branch for conference-first then journal-extension path for Springer major revision. Project profile: discipline=robotics; dataset=city-scale mobility records; preferred method=time-series anomaly framework; reviewer persona=skeptical statistician; output schema=decision matrix; risk scenario=dataset shift at deployment; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=robotics; dataset=city-scale mobility records; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Springer major revision; reviewer persona=skeptical statistician. Example outcome: response letter with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Plan fallback venue narratives early to reduce resubmission cycle time. Ensure the decision matrix explicitly addresses dataset shift at deployment and anticipated concerns from a skeptical statistician.

Expected Output: A publication-ready response letter that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Evidence-backed Rebuttal.

Difficulty: Beginner

Category: Writing

166. Write a Persuasive Rebuttal: line-mapped revision protocol for methodological criticism rebuttal (IEEE minor revision) - reviewer-resilient argumentation - Variant 166

Objective: Turn skeptical reviewer criticism into a persuasive, evidence-linked response workflow. Prioritize ethical compliance and produce publication-grade decisions for Revision Traceability.

Prompt: Assume Reviewer #2 challenges Revision Traceability for IEEE minor revision. Draft a response package with: acknowledgement sentence, technical clarification, direct manuscript change, optional added experiment, and fallback wording if resources are limited. Provide line-level mapping format for revision tracking. Project profile: discipline=digital health; dataset=public genomics panel; preferred method=hybrid rule-neural model; reviewer persona=benchmarking specialist; output schema=compliance checklist; risk scenario=unexpected reviewer disagreement; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=digital health; dataset=public genomics panel; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=IEEE minor revision; reviewer persona=benchmarking specialist. Example outcome: comment-response matrix with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Use respectful tone and separate explanation, action, and manuscript delta into distinct bullets. Ensure the compliance checklist explicitly addresses unexpected reviewer disagreement and anticipated concerns from a benchmarking specialist.

Expected Output: A publication-ready comment-response matrix that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Revision Traceability.

Difficulty: Intermediate

Category: Publication

167. Transform Criticism into Acceptance: tone-safe rebuttal workflow for editor requests additional clarity (ACM rebuttal stage) - ethics-by-design reporting - Variant 167

Objective: Plan a high-confidence major revision package for journal resubmission. Prioritize computational efficiency and produce publication-grade decisions for Decision Negotiation.

Prompt: Create a major revision plan for an Elsevier-style decision letter focused on Decision Negotiation. Include comment clustering, evidence plan, timeline by dependency, added-analysis options, and response-letter structure that anticipates editor priorities for ACM rebuttal stage. Project profile: discipline=machine learning; dataset=benchmark tabular risk dataset; preferred method=multi-objective optimizer; reviewer persona=theory-oriented reviewer; output schema=citation repair map; risk scenario=high class imbalance; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=machine learning; dataset=benchmark tabular risk dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=ACM rebuttal stage; reviewer persona=theory-oriented reviewer. Example outcome: revision evidence table with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Group reviewer comments by technical dependency to prevent contradictory edits. Ensure the citation repair map explicitly addresses high class imbalance and anticipated concerns from a theory-oriented reviewer.

Expected Output: A publication-ready revision evidence table that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Decision Negotiation.

Difficulty: Advanced

Category: Methodology

168. Improve Reviewer Response Letter: comment-response workflow for major revision after mixed reviews (Elsevier journal review) - limitations-first transparency - Variant 168

Objective: Select robust statistical strategy and interpretation logic. Prioritize clinical relevance and produce publication-grade decisions for Tone Calibration.

Prompt: Design a statistical analysis workflow for Tone Calibration with assumptions, test-selection logic, effect-size reporting, multiplicity correction, and uncertainty interpretation. Output a decision tree that maps data conditions to recommended tests for Elsevier journal review. Project profile: discipline=climate informatics; dataset=multi-modal image-text corpus; preferred method=semi-supervised training setup; reviewer persona=methodology purist; output schema=figure-caption protocol; risk scenario=inter-annotator disagreement; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=climate informatics; dataset=multi-modal image-text corpus; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Elsevier journal review; reviewer persona=methodology purist. Example outcome: response letter with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Pair p-values with effect sizes and confidence intervals in every result claim. Ensure the figure-caption protocol explicitly addresses inter-annotator disagreement and anticipated concerns from a methodology purist.

Expected Output: A publication-ready response letter that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Tone Calibration.

Difficulty: Expert

Category: Execution

169. Handle Reviewer #2 Professionally: editor negotiation framework for limited-resource response strategy (Springer major revision) - cross-domain readability - Variant 169

Objective: Detect weak citation support and strengthen scholarly positioning. Prioritize publication readiness and produce publication-grade decisions for Evidence-backed Rebuttal.

Prompt: Analyze a draft on Evidence-backed Rebuttal and identify citation gaps by claim type: foundational, comparative, methodological, and limitation-related. Return a prioritized fill plan with query phrases, likely source types, and insertion points tailored to Springer major revision. Project profile: discipline=cybersecurity; dataset=longitudinal sensor dataset; preferred method=counterfactual evaluation approach; reviewer persona=interdisciplinary committee member; output schema=statistical decision tree; risk scenario=small sample size constraints; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=cybersecurity; dataset=longitudinal sensor dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Springer major revision; reviewer persona=interdisciplinary committee member. Example outcome: comment-response matrix with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Flag unsupported superlatives first; they trigger avoidable reviewer criticism. Ensure the statistical decision tree explicitly addresses small sample size constraints and anticipated concerns from a interdisciplinary committee member.

Expected Output: A publication-ready comment-response matrix that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Evidence-backed Rebuttal.

Difficulty: Beginner

Category: Compliance

170. Write a Persuasive Rebuttal: line-mapped revision protocol for methodological criticism rebuttal (IEEE minor revision) - impact-focused communication - Variant 170

Objective: Convert raw metrics into defensible scientific interpretation. Prioritize novelty and produce publication-grade decisions for Revision Traceability.

Prompt: Interpret results for Revision Traceability using a claim-evidence map: primary findings, uncertainty envelope, competing explanations, boundary conditions, and implications for future work in IEEE minor revision. Add one paragraph that preempts overclaiming. Project profile: discipline=biomedical engineering; dataset=multi-site clinical cohort; preferred method=transformer baseline; reviewer persona=ethics compliance reviewer; output schema=ablation plan sheet; risk scenario=compute budget reduction; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=biomedical engineering; dataset=multi-site clinical cohort; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=IEEE minor revision; reviewer persona=ethics compliance reviewer. Example outcome: revision evidence table with risk controls, reviewer-facing rationale, and milestone gates.

Tips: State what the results do not prove as clearly as what they do prove. Ensure the ablation plan sheet explicitly addresses compute budget reduction and anticipated concerns from a ethics compliance reviewer.

Expected Output: A publication-ready revision evidence table that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Revision Traceability.

Difficulty: Intermediate

Category: Reasoning

171. Transform Criticism into Acceptance: tone-safe rebuttal workflow for editor requests additional clarity (ACM rebuttal stage) - publishable novelty framing - Variant 171

Objective: Detect non-obvious research gaps and convert them into testable opportunities. Prioritize rigor and produce publication-grade decisions for Decision Negotiation.

Prompt: You are a literature forensics specialist. From the context below, identify unresolved contradictions in Decision Negotiation and rank them by impact and tractability. Then design three testable gap statements, each with required datasets, threat-to-validity notes, and likely reviewer objections for ACM rebuttal stage. Project profile: discipline=computational social science; dataset=open government policy data; preferred method=causal inference pipeline; reviewer persona=reproducibility auditor; output schema=rebuttal response grid; risk scenario=time-limited resubmission window; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=computational social science; dataset=open government policy data; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=ACM rebuttal stage; reviewer persona=reproducibility auditor. Example outcome: response letter with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Distinguish 'no evidence exists' from 'evidence exists but conflicts' to avoid weak gap claims. Ensure the rebuttal response grid explicitly addresses time-limited resubmission window and anticipated concerns from a reproducibility auditor.

Expected Output: A publication-ready response letter that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Decision Negotiation.

Difficulty: Advanced

Category: Analysis

172. Improve Reviewer Response Letter: comment-response workflow for major revision after mixed reviews (Elsevier journal review) - practical deployment framing - Variant 172

Objective: Produce section drafts compliant with high-impact conference and journal conventions. Prioritize reproducibility and produce publication-grade decisions for Tone Calibration.

Prompt: Generate a publication-ready section for Tone Calibration tuned for Elsevier journal review. Enforce concise technical style, explicit contributions, and strong figure/table callouts. Provide two style variants: IEEE Transactions tone and ACM conference tone with sentence-level rewrites. Project profile: discipline=materials informatics; dataset=federated hospital dataset; preferred method=Bayesian hierarchical model; reviewer persona=applied domain expert; output schema=section rewrite pack; risk scenario=ethics board clarification request; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=materials informatics; dataset=federated hospital dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Elsevier journal review; reviewer persona=applied domain expert. Example outcome: comment-response matrix with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Avoid generic claims; anchor every paragraph with result-oriented language. Ensure the section rewrite pack explicitly addresses ethics board clarification request and anticipated concerns from a applied domain expert.

Expected Output: A publication-ready comment-response matrix that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Tone Calibration.

Difficulty: Expert

Category: Writing

173. Handle Reviewer #2 Professionally: editor negotiation framework for limited-resource response strategy (Springer major revision) - method comparison clarity - Variant 173

Objective: Pressure-test experimental design before expensive execution. Prioritize clarity and produce publication-grade decisions for Evidence-backed Rebuttal.

Prompt: Audit the experimental design for Evidence-backed Rebuttal. Produce control/ablation matrix, confound analysis, data leakage checks, minimum sample strategy, and statistical power guardrails suitable for Springer major revision reviewers. Include a stop/go decision protocol. Project profile: discipline=computational neuroscience; dataset=crowdsourced annotation dataset; preferred method=graph neural workflow; reviewer persona=systems performance reviewer; output schema=action timeline; risk scenario=conflicting baseline outcomes; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=computational neuroscience; dataset=crowdsourced annotation dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Springer major revision; reviewer persona=systems performance reviewer. Example outcome: revision evidence table with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Design ablations to isolate one causal factor at a time. Ensure the action timeline explicitly addresses conflicting baseline outcomes and anticipated concerns from a systems performance reviewer.

Expected Output: A publication-ready revision evidence table that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Evidence-backed Rebuttal.

Difficulty: Beginner

Category: Publication

174. Write a Persuasive Rebuttal: line-mapped revision protocol for methodological criticism rebuttal (IEEE minor revision) - editorial risk reduction - Variant 174

Objective: Convert technical narrative into clean, production-ready LaTeX structure. Prioritize statistical power and produce publication-grade decisions for Revision Traceability.

Prompt: Create a LaTeX writing workflow for Revision Traceability: section skeleton, theorem/algorithm formatting guidance, table conventions, citation macros, and cross-reference hygiene. Include common formatting errors and fixes for IEEE minor revision submission checks. Project profile: discipline=human-computer interaction; dataset=industrial telemetry stream; preferred method=mixed-methods protocol; reviewer persona=industry impact reviewer; output schema=risk register; risk scenario=missing metadata in source data; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=human-computer interaction; dataset=industrial telemetry stream; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=IEEE minor revision; reviewer persona=industry impact reviewer. Example outcome: response letter with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Draft content in semantic chunks before polishing visual layout. Ensure the risk register explicitly addresses missing metadata in source data and anticipated concerns from a industry impact reviewer.

Expected Output: A publication-ready response letter that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Revision Traceability.

Difficulty: Intermediate

Category: Methodology

175. Transform Criticism into Acceptance: tone-safe rebuttal workflow for editor requests additional clarity (ACM rebuttal stage) - venue-specific optimization - Variant 175

Objective: Prepare rigorous responses for committee or reviewer questioning. Prioritize transferability and produce publication-grade decisions for Decision Negotiation.

Prompt: Simulate a high-pressure Q&A; on Decision Negotiation. Generate 15 hard questions (methods, validity, novelty, limitations, impact) and produce concise, evidence-backed responses with fallback answers for uncertain data points. Include one slide cue per answer. Project profile: discipline=robotics; dataset=city-scale mobility records; preferred method=time-series anomaly framework; reviewer persona=editor focused on clarity; output schema=claim-evidence table; risk scenario=incomplete ablation coverage; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=robotics; dataset=city-scale mobility records; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=ACM rebuttal stage; reviewer persona=editor focused on clarity. Example outcome: comment-response matrix with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Structure answers as claim -> evidence -> limitation -> next action. Ensure the claim-evidence table explicitly addresses incomplete ablation coverage and anticipated concerns from a editor focused on clarity.

Expected Output: A publication-ready comment-response matrix that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Decision Negotiation.

Difficulty: Advanced

Category: Execution

176. Improve Reviewer Response Letter: comment-response workflow for major revision after mixed reviews (Elsevier journal review) - decision traceability - Variant 176

Objective: Create a contribution map that defends novelty against closest prior work and defines what is publishable. Prioritize ethical compliance and produce publication-grade decisions for Tone Calibration.

Prompt: Act as a senior research editor. Build a contribution architecture for Tone Calibration in major revision after mixed reviews targeting Elsevier journal review. Output sections: contribution claim stack, nearest-neighbor prior work comparison, differentiator evidence plan, failure-risk matrix, and a 30/60/90-day execution plan. Project profile: discipline=digital health; dataset=public genomics panel; preferred method=hybrid rule-neural model; reviewer persona=skeptical statistician; output schema=decision matrix; risk scenario=dataset shift at deployment; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=digital health; dataset=public genomics panel; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Elsevier journal review; reviewer persona=skeptical statistician. Example outcome: revision evidence table with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Force each claim to link to one measurable piece of evidence and one comparison baseline. Ensure the decision matrix explicitly addresses dataset shift at deployment and anticipated concerns from a skeptical statistician.

Expected Output: A publication-ready revision evidence table that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Tone Calibration.

Difficulty: Expert

Category: Compliance

177. Handle Reviewer #2 Professionally: editor negotiation framework for limited-resource response strategy (Springer major revision) - citation-strength positioning - Variant 177

Objective: Rewrite methods for reproducibility and procedural transparency. Prioritize computational efficiency and produce publication-grade decisions for Evidence-backed Rebuttal.

Prompt: Rewrite the methodology around Evidence-backed Rebuttal for limited-resource response strategy so another lab can reproduce it without author contact. Include variable definitions, preprocessing chronology, model hyperparameters, instrumentation assumptions, and reproducibility checklist required for Springer major revision. Project profile: discipline=machine learning; dataset=benchmark tabular risk dataset; preferred method=multi-objective optimizer; reviewer persona=benchmarking specialist; output schema=compliance checklist; risk scenario=unexpected reviewer disagreement; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=machine learning; dataset=benchmark tabular risk dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Springer major revision; reviewer persona=benchmarking specialist. Example outcome: response letter with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Name every tool/version and include randomness-control policy. Ensure the compliance checklist explicitly addresses unexpected reviewer disagreement and anticipated concerns from a benchmarking specialist.

Expected Output: A publication-ready response letter that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Evidence-backed Rebuttal.

Difficulty: Beginner

Category: Reasoning

178. Write a Persuasive Rebuttal: line-mapped revision protocol for methodological criticism rebuttal (IEEE minor revision) - defense-ready reasoning - Variant 178

Objective: Craft concise, high-impact abstracts aligned with selective journal standards. Prioritize clinical relevance and produce publication-grade decisions for Revision Traceability.

Prompt: Write a Nature-style abstract for a study on Revision Traceability in methodological criticism rebuttal. Constrain to problem, approach, principal quantitative finding, boundary condition, and broader implication. Provide a weaker draft and then a stronger revised draft with rationale. Project profile: discipline=climate informatics; dataset=multi-modal image-text corpus; preferred method=semi-supervised training setup; reviewer persona=theory-oriented reviewer; output schema=citation repair map; risk scenario=high class imbalance; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=climate informatics; dataset=multi-modal image-text corpus; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=IEEE minor revision; reviewer persona=theory-oriented reviewer. Example outcome: comment-response matrix with risk controls, reviewer-facing rationale, and milestone gates.

Tips: One central claim per sentence keeps abstract logic clean and persuasive. Ensure the citation repair map explicitly addresses high class imbalance and anticipated concerns from a theory-oriented reviewer.

Expected Output: A publication-ready comment-response matrix that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Revision Traceability.

Difficulty: Intermediate

Category: Rebuttal

179. Transform Criticism into Acceptance: tone-safe rebuttal workflow for editor requests additional clarity (ACM rebuttal stage) - high-confidence statistical reporting - Variant 179

Objective: Transform visuals into evidence-rich storytelling assets. Prioritize publication readiness and produce publication-grade decisions for Decision Negotiation.

Prompt: Generate a figure strategy for Decision Negotiation with publication-grade caption drafts. For each figure, define purpose, metric, axis design, uncertainty communication, and interpretation sentence expected by ACM rebuttal stage. Add one caption rewrite for non-expert readers. Project profile: discipline=cybersecurity; dataset=longitudinal sensor dataset; preferred method=counterfactual evaluation approach; reviewer persona=methodology purist; output schema=figure-caption protocol; risk scenario=inter-annotator disagreement; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=cybersecurity; dataset=longitudinal sensor dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=ACM rebuttal stage; reviewer persona=methodology purist. Example outcome: revision evidence table with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Good captions stand alone and state what changed, by how much, and why it matters. Ensure the figure-caption protocol explicitly addresses inter-annotator disagreement and anticipated concerns from a methodology purist.

Expected Output: A publication-ready revision evidence table that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Decision Negotiation.

Difficulty: Advanced

Category: Validation

180. Improve Reviewer Response Letter: comment-response workflow for major revision after mixed reviews (Elsevier journal review) - evidence-first writing - Variant 180

Objective: Embed ethics and compliance checks into the technical workflow. Prioritize novelty and produce publication-grade decisions for Tone Calibration.

Prompt: Build an ethics checklist and mitigation plan for Tone Calibration in major revision after mixed reviews. Include fairness risks, privacy boundaries, human-subject concerns, reporting transparency, and audit evidence expected for Elsevier journal review review. Project profile: discipline=biomedical engineering; dataset=multi-site clinical cohort; preferred method=transformer baseline; reviewer persona=interdisciplinary committee member; output schema=statistical decision tree; risk scenario=small sample size constraints; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=biomedical engineering; dataset=multi-site clinical cohort; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Elsevier journal review; reviewer persona=interdisciplinary committee member. Example outcome: response letter with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Translate ethical risks into actionable controls with owner and verification evidence. Ensure the statistical decision tree explicitly addresses small sample size constraints and anticipated concerns from a interdisciplinary committee member.

Expected Output: A publication-ready response letter that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Tone Calibration.

Difficulty: Expert

Category: Publication

---

181. Handle Reviewer #2 Professionally: editor negotiation framework for limited-resource response strategy (Springer major revision) - hypothesis stress testing - Variant 181

Objective: Choose venue strategy, narrative framing, and revision sequencing. Prioritize rigor and produce publication-grade decisions for Evidence-backed Rebuttal.

Prompt: Design a publication strategy for Evidence-backed Rebuttal: venue ladder (A-plan/B-plan), novelty framing options, deadline-aligned writing sprints, and reviewer-risk scenarios. Include a branch for conference-first then journal-extension path for Springer major revision. Project profile: discipline=computational social science; dataset=open government policy data; preferred method=causal inference pipeline; reviewer persona=ethics compliance reviewer; output schema=ablation plan sheet; risk scenario=compute budget reduction; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=computational social science; dataset=open government policy data; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Springer major revision; reviewer persona=ethics compliance reviewer. Example outcome: comment-response matrix with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Plan fallback venue narratives early to reduce resubmission cycle time. Ensure the ablation plan sheet explicitly addresses compute budget reduction and anticipated concerns from a ethics compliance reviewer.

Expected Output: A publication-ready comment-response matrix that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Evidence-backed Rebuttal.

Difficulty: Beginner

Category: Methodology

182. Write a Persuasive Rebuttal: line-mapped revision protocol for methodological criticism rebuttal (IEEE minor revision) - results-to-insight translation - Variant 182

Objective: Turn skeptical reviewer criticism into a persuasive, evidence-linked response workflow. Prioritize reproducibility and produce publication-grade decisions for Revision Traceability.

Prompt: Assume Reviewer #2 challenges Revision Traceability for IEEE minor revision. Draft a response package with: acknowledgement sentence, technical clarification, direct manuscript change, optional added experiment, and fallback wording if resources are limited. Provide line-level mapping format for revision tracking. Project profile: discipline=materials informatics; dataset=federated hospital dataset; preferred method=Bayesian hierarchical model; reviewer persona=reproducibility auditor; output schema=rebuttal response grid; risk scenario=time-limited resubmission window; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=materials informatics; dataset=federated hospital dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=IEEE minor revision; reviewer persona=reproducibility auditor. Example outcome: revision evidence table with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Use respectful tone and separate explanation, action, and manuscript delta into distinct bullets. Ensure the rebuttal response grid explicitly addresses time-limited resubmission window and anticipated concerns from a reproducibility auditor.

Expected Output: A publication-ready revision evidence table that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Revision Traceability.

Difficulty: Intermediate

Category: Execution

183. Transform Criticism into Acceptance: tone-safe rebuttal workflow for editor requests additional clarity (ACM rebuttal stage) - major-revision readiness - Variant 183

Objective: Plan a high-confidence major revision package for journal resubmission. Prioritize clarity and produce publication-grade decisions for Decision Negotiation.

Prompt: Create a major revision plan for an Elsevier-style decision letter focused on Decision Negotiation. Include comment clustering, evidence plan, timeline by dependency, added-analysis options, and response-letter structure that anticipates editor priorities for ACM rebuttal stage. Project profile: discipline=computational neuroscience; dataset=crowdsourced annotation dataset; preferred method=graph neural workflow; reviewer persona=applied domain expert; output schema=section rewrite pack; risk scenario=ethics board clarification request; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=computational neuroscience; dataset=crowdsourced annotation dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=ACM rebuttal stage; reviewer persona=applied domain expert. Example outcome: response letter with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Group reviewer comments by technical dependency to prevent contradictory edits. Ensure the section rewrite pack explicitly addresses ethics board clarification request and anticipated concerns from a applied domain expert.

Expected Output: A publication-ready response letter that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Decision Negotiation.

Difficulty: Advanced

Category: Compliance

184. Improve Reviewer Response Letter: comment-response workflow for major revision after mixed reviews (Elsevier journal review) - replication-grade documentation - Variant 184

Objective: Select robust statistical strategy and interpretation logic. Prioritize statistical power and produce publication-grade decisions for Tone Calibration.

Prompt: Design a statistical analysis workflow for Tone Calibration with assumptions, test-selection logic, effect-size reporting, multiplicity correction, and uncertainty interpretation. Output a decision tree that maps data conditions to recommended tests for Elsevier journal review. Project profile: discipline=human-computer interaction; dataset=industrial telemetry stream; preferred method=mixed-methods protocol; reviewer persona=systems performance reviewer; output schema=action timeline; risk scenario=conflicting baseline outcomes; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=human-computer interaction; dataset=industrial telemetry stream; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Elsevier journal review; reviewer persona=systems performance reviewer. Example outcome: comment-response matrix with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Pair p-values with effect sizes and confidence intervals in every result claim. Ensure the action timeline explicitly addresses conflicting baseline outcomes and anticipated concerns from a systems performance reviewer.

Expected Output: A publication-ready comment-response matrix that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Tone Calibration.

Difficulty: Expert

Category: Reasoning

185. Handle Reviewer #2 Professionally: editor negotiation framework for limited-resource response strategy (Springer major revision) - reviewer-resilient argumentation - Variant 185

Objective: Detect weak citation support and strengthen scholarly positioning. Prioritize transferability and produce publication-grade decisions for Evidence-backed Rebuttal.

Prompt: Analyze a draft on Evidence-backed Rebuttal and identify citation gaps by claim type: foundational, comparative, methodological, and limitation-related. Return a prioritized fill plan with query phrases, likely source types, and insertion points tailored to Springer major revision. Project profile: discipline=robotics; dataset=city-scale mobility records; preferred method=time-series anomaly framework; reviewer persona=industry impact reviewer; output schema=risk register; risk scenario=missing metadata in source data; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=robotics; dataset=city-scale mobility records; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Springer major revision; reviewer persona=industry impact reviewer. Example outcome: revision evidence table with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Flag unsupported superlatives first; they trigger avoidable reviewer criticism. Ensure the risk register explicitly addresses missing metadata in source data and anticipated concerns from a industry impact reviewer.

Expected Output: A publication-ready revision evidence table that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Evidence-backed Rebuttal.

Difficulty: Beginner

Category: Rebuttal

186. Write a Persuasive Rebuttal: line-mapped revision protocol for methodological criticism rebuttal (IEEE minor revision) - ethics-by-design reporting - Variant 186

Objective: Convert raw metrics into defensible scientific interpretation. Prioritize ethical compliance and produce publication-grade decisions for Revision Traceability.

Prompt: Interpret results for Revision Traceability using a claim-evidence map: primary findings, uncertainty envelope, competing explanations, boundary conditions, and implications for future work in IEEE minor revision. Add one paragraph that preempts overclaiming. Project profile: discipline=digital health; dataset=public genomics panel; preferred method=hybrid rule-neural model; reviewer persona=editor focused on clarity; output schema=claim-evidence table; risk scenario=incomplete ablation coverage; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=digital health; dataset=public genomics panel; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=IEEE minor revision; reviewer persona=editor focused on clarity. Example outcome: response letter with risk controls, reviewer-facing rationale, and milestone gates.

Tips: State what the results do not prove as clearly as what they do prove. Ensure the claim-evidence table explicitly addresses incomplete ablation coverage and anticipated concerns from a editor focused on clarity.

Expected Output: A publication-ready response letter that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Revision Traceability.

Difficulty: Intermediate

Category: Validation

187. Transform Criticism into Acceptance: tone-safe rebuttal workflow for editor requests additional clarity (ACM rebuttal stage) - limitations-first transparency - Variant 187

Objective: Detect non-obvious research gaps and convert them into testable opportunities. Prioritize computational efficiency and produce publication-grade decisions for Decision Negotiation.

Prompt: You are a literature forensics specialist. From the context below, identify unresolved contradictions in Decision Negotiation and rank them by impact and tractability. Then design three testable gap statements, each with required datasets, threat-to-validity notes, and likely reviewer objections for ACM rebuttal stage. Project profile: discipline=machine learning; dataset=benchmark tabular risk dataset; preferred method=multi-objective optimizer; reviewer persona=skeptical statistician; output schema=decision matrix; risk scenario=dataset shift at deployment; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=machine learning; dataset=benchmark tabular risk dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=ACM rebuttal stage; reviewer persona=skeptical statistician. Example outcome: comment-response matrix with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Distinguish 'no evidence exists' from 'evidence exists but conflicts' to avoid weak gap claims. Ensure the decision matrix explicitly addresses dataset shift at deployment and anticipated concerns from a skeptical statistician.

Expected Output: A publication-ready comment-response matrix that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Decision Negotiation.

Difficulty: Advanced

Category: Optimization

188. Improve Reviewer Response Letter: comment-response workflow for major revision after mixed reviews (Elsevier journal review) - cross-domain readability - Variant 188

Objective: Produce section drafts compliant with high-impact conference and journal conventions. Prioritize clinical relevance and produce publication-grade decisions for Tone Calibration.

Prompt: Generate a publication-ready section for Tone Calibration tuned for Elsevier journal review. Enforce concise technical style, explicit contributions, and strong figure/table callouts. Provide two style variants: IEEE Transactions tone and ACM conference tone with sentence-level rewrites. Project profile: discipline=climate informatics; dataset=multi-modal image-text corpus; preferred method=semi-supervised training setup; reviewer persona=benchmarking specialist; output schema=compliance checklist; risk scenario=unexpected reviewer disagreement; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=climate informatics; dataset=multi-modal image-text corpus; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Elsevier journal review; reviewer persona=benchmarking specialist. Example outcome: revision evidence table with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Avoid generic claims; anchor every paragraph with result-oriented language. Ensure the compliance checklist explicitly addresses unexpected reviewer disagreement and anticipated concerns from a benchmarking specialist.

Expected Output: A publication-ready revision evidence table that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Tone Calibration.

Difficulty: Expert

Category: Planning

189. Handle Reviewer #2 Professionally: editor negotiation framework for limited-resource response strategy (Springer major revision) - impact-focused communication - Variant 189

Objective: Pressure-test experimental design before expensive execution. Prioritize publication readiness and produce publication-grade decisions for Evidence-backed Rebuttal.

Prompt: Audit the experimental design for Evidence-backed Rebuttal. Produce control/ablation matrix, confound analysis, data leakage checks, minimum sample strategy, and statistical power guardrails suitable for Springer major revision reviewers. Include a stop/go decision protocol. Project profile: discipline=cybersecurity; dataset=longitudinal sensor dataset; preferred method=counterfactual evaluation approach; reviewer persona=theory-oriented reviewer; output schema=citation repair map; risk scenario=high class imbalance; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=cybersecurity; dataset=longitudinal sensor dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Springer major revision; reviewer persona=theory-oriented reviewer. Example outcome: response letter with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Design ablations to isolate one causal factor at a time. Ensure the citation repair map explicitly addresses high class imbalance and anticipated concerns from a theory-oriented reviewer.

Expected Output: A publication-ready response letter that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Evidence-backed Rebuttal.

Difficulty: Beginner

Category: Execution

190. Write a Persuasive Rebuttal: line-mapped revision protocol for methodological criticism rebuttal (IEEE minor revision) - publishable novelty framing - Variant 190

Objective: Convert technical narrative into clean, production-ready LaTeX structure. Prioritize novelty and produce publication-grade decisions for Revision Traceability.

Prompt: Create a LaTeX writing workflow for Revision Traceability: section skeleton, theorem/algorithm formatting guidance, table conventions, citation macros, and cross-reference hygiene. Include common formatting errors and fixes for IEEE minor revision submission checks. Project profile: discipline=biomedical engineering; dataset=multi-site clinical cohort; preferred method=transformer baseline; reviewer persona=methodology purist; output schema=figure-caption protocol; risk scenario=inter-annotator disagreement; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=biomedical engineering; dataset=multi-site clinical cohort; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=IEEE minor revision; reviewer persona=methodology purist. Example outcome: comment-response matrix with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Draft content in semantic chunks before polishing visual layout. Ensure the figure-caption protocol explicitly addresses inter-annotator disagreement and anticipated concerns from a methodology purist.

Expected Output: A publication-ready comment-response matrix that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Revision Traceability.

Difficulty: Intermediate

Category: Compliance

191. Transform Criticism into Acceptance: tone-safe rebuttal workflow for editor requests additional clarity (ACM rebuttal stage) - practical deployment framing - Variant 191

Objective: Prepare rigorous responses for committee or reviewer questioning. Prioritize rigor and produce publication-grade decisions for Decision Negotiation.

Prompt: Simulate a high-pressure Q&A; on Decision Negotiation. Generate 15 hard questions (methods, validity, novelty, limitations, impact) and produce concise, evidence-backed responses with fallback answers for uncertain data points. Include one slide cue per answer. Project profile: discipline=computational social science; dataset=open government policy data; preferred method=causal inference pipeline; reviewer persona=interdisciplinary committee member; output schema=statistical decision tree; risk scenario=small sample size constraints; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=computational social science; dataset=open government policy data; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=ACM rebuttal stage; reviewer persona=interdisciplinary committee member. Example outcome: revision evidence table with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Structure answers as claim -> evidence -> limitation -> next action. Ensure the statistical decision tree explicitly addresses small sample size constraints and anticipated concerns from a interdisciplinary committee member.

Expected Output: A publication-ready revision evidence table that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Decision Negotiation.

Difficulty: Advanced

Category: Reasoning

192. Improve Reviewer Response Letter: comment-response workflow for major revision after mixed reviews (Elsevier journal review) - method comparison clarity - Variant 192

Objective: Create a contribution map that defends novelty against closest prior work and defines what is publishable. Prioritize reproducibility and produce publication-grade decisions for Tone Calibration.

Prompt: Act as a senior research editor. Build a contribution architecture for Tone Calibration in major revision after mixed reviews targeting Elsevier journal review. Output sections: contribution claim stack, nearest-neighbor prior work comparison, differentiator evidence plan, failure-risk matrix, and a 30/60/90-day execution plan. Project profile: discipline=materials informatics; dataset=federated hospital dataset; preferred method=Bayesian hierarchical model; reviewer persona=ethics compliance reviewer; output schema=ablation plan sheet; risk scenario=compute budget reduction; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=materials informatics; dataset=federated hospital dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Elsevier journal review; reviewer persona=ethics compliance reviewer. Example outcome: response letter with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Force each claim to link to one measurable piece of evidence and one comparison baseline. Ensure the ablation plan sheet explicitly addresses compute budget reduction and anticipated concerns from a ethics compliance reviewer.

Expected Output: A publication-ready response letter that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Tone Calibration.

Difficulty: Expert

Category: Rebuttal

193. Handle Reviewer #2 Professionally: editor negotiation framework for limited-resource response strategy (Springer major revision) - editorial risk reduction - Variant 193

Objective: Rewrite methods for reproducibility and procedural transparency. Prioritize clarity and produce publication-grade decisions for Evidence-backed Rebuttal.

Prompt: Rewrite the methodology around Evidence-backed Rebuttal for limited-resource response strategy so another lab can reproduce it without author contact. Include variable definitions, preprocessing chronology, model hyperparameters, instrumentation assumptions, and reproducibility checklist required for Springer major revision. Project profile: discipline=computational neuroscience; dataset=crowdsourced annotation dataset; preferred method=graph neural workflow; reviewer persona=reproducibility auditor; output schema=rebuttal response grid; risk scenario=time-limited resubmission window; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=computational neuroscience; dataset=crowdsourced annotation dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Springer major revision; reviewer persona=reproducibility auditor. Example outcome: comment-response matrix with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Name every tool/version and include randomness-control policy. Ensure the rebuttal response grid explicitly addresses time-limited resubmission window and anticipated concerns from a reproducibility auditor.

Expected Output: A publication-ready comment-response matrix that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Evidence-backed Rebuttal.

Difficulty: Beginner

Category: Validation

194. Write a Persuasive Rebuttal: line-mapped revision protocol for methodological criticism rebuttal (IEEE minor revision) - venue-specific optimization - Variant 194

Objective: Craft concise, high-impact abstracts aligned with selective journal standards. Prioritize statistical power and produce publication-grade decisions for Revision Traceability.

Prompt: Write a Nature-style abstract for a study on Revision Traceability in methodological criticism rebuttal. Constrain to problem, approach, principal quantitative finding, boundary condition, and broader implication. Provide a weaker draft and then a stronger revised draft with rationale. Project profile: discipline=human-computer interaction; dataset=industrial telemetry stream; preferred method=mixed-methods protocol; reviewer persona=applied domain expert; output schema=section rewrite pack; risk scenario=ethics board clarification request; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=human-computer interaction; dataset=industrial telemetry stream; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=IEEE minor revision; reviewer persona=applied domain expert. Example outcome: revision evidence table with risk controls, reviewer-facing rationale, and milestone gates.

Tips: One central claim per sentence keeps abstract logic clean and persuasive. Ensure the section rewrite pack explicitly addresses ethics board clarification request and anticipated concerns from a applied domain expert.

Expected Output: A publication-ready revision evidence table that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Revision Traceability.

Difficulty: Intermediate

Category: Optimization

195. Transform Criticism into Acceptance: tone-safe rebuttal workflow for editor requests additional clarity (ACM rebuttal stage) - decision traceability - Variant 195

Objective: Transform visuals into evidence-rich storytelling assets. Prioritize transferability and produce publication-grade decisions for Decision Negotiation.

Prompt: Generate a figure strategy for Decision Negotiation with publication-grade caption drafts. For each figure, define purpose, metric, axis design, uncertainty communication, and interpretation sentence expected by ACM rebuttal stage. Add one caption rewrite for non-expert readers. Project profile: discipline=robotics; dataset=city-scale mobility records; preferred method=time-series anomaly framework; reviewer persona=systems performance reviewer; output schema=action timeline; risk scenario=conflicting baseline outcomes; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=robotics; dataset=city-scale mobility records; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=ACM rebuttal stage; reviewer persona=systems performance reviewer. Example outcome: response letter with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Good captions stand alone and state what changed, by how much, and why it matters. Ensure the action timeline explicitly addresses conflicting baseline outcomes and anticipated concerns from a systems performance reviewer.

Expected Output: A publication-ready response letter that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Decision Negotiation.

Difficulty: Advanced

Category: Planning

196. Improve Reviewer Response Letter: comment-response workflow for major revision after mixed reviews (Elsevier journal review) - citation-strength positioning - Variant 196

Objective: Embed ethics and compliance checks into the technical workflow. Prioritize ethical compliance and produce publication-grade decisions for Tone Calibration.

Prompt: Build an ethics checklist and mitigation plan for Tone Calibration in major revision after mixed reviews. Include fairness risks, privacy boundaries, human-subject concerns, reporting transparency, and audit evidence expected for Elsevier journal review review. Project profile: discipline=digital health; dataset=public genomics panel; preferred method=hybrid rule-neural model; reviewer persona=industry impact reviewer; output schema=risk register; risk scenario=missing metadata in source data; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=digital health; dataset=public genomics panel; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Elsevier journal review; reviewer persona=industry impact reviewer. Example outcome: comment-response matrix with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Translate ethical risks into actionable controls with owner and verification evidence. Ensure the risk register explicitly addresses missing metadata in source data and anticipated concerns from a industry impact reviewer.

Expected Output: A publication-ready comment-response matrix that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Tone Calibration.

Difficulty: Expert

Category: Strategy

197. Handle Reviewer #2 Professionally: editor negotiation framework for limited-resource response strategy (Springer major revision) - defense-ready reasoning - Variant 197

Objective: Choose venue strategy, narrative framing, and revision sequencing. Prioritize computational efficiency and produce publication-grade decisions for Evidence-backed Rebuttal.

Prompt: Design a publication strategy for Evidence-backed Rebuttal: venue ladder (A-plan/B-plan), novelty framing options, deadline-aligned writing sprints, and reviewer-risk scenarios. Include a branch for conference-first then journal-extension path for Springer major revision. Project profile: discipline=machine learning; dataset=benchmark tabular risk dataset; preferred method=multi-objective optimizer; reviewer persona=editor focused on clarity; output schema=claim-evidence table; risk scenario=incomplete ablation coverage; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=machine learning; dataset=benchmark tabular risk dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Springer major revision; reviewer persona=editor focused on clarity. Example outcome: revision evidence table with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Plan fallback venue narratives early to reduce resubmission cycle time. Ensure the claim-evidence table explicitly addresses incomplete ablation coverage and anticipated concerns from a editor focused on clarity.

Expected Output: A publication-ready revision evidence table that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Evidence-backed Rebuttal.

Difficulty: Beginner

Category: Analysis

198. Write a Persuasive Rebuttal: line-mapped revision protocol for methodological criticism rebuttal (IEEE minor revision) - high-confidence statistical reporting - Variant 198

Objective: Turn skeptical reviewer criticism into a persuasive, evidence-linked response workflow. Prioritize clinical relevance and produce publication-grade decisions for Revision Traceability.

Prompt: Assume Reviewer #2 challenges Revision Traceability for IEEE minor revision. Draft a response package with: acknowledgement sentence, technical clarification, direct manuscript change, optional added experiment, and fallback wording if resources are limited. Provide line-level mapping format for revision tracking. Project profile: discipline=climate informatics; dataset=multi-modal image-text corpus; preferred method=semi-supervised training setup; reviewer persona=skeptical statistician; output schema=decision matrix; risk scenario=dataset shift at deployment; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=climate informatics; dataset=multi-modal image-text corpus; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=IEEE minor revision; reviewer persona=skeptical statistician. Example outcome: response letter with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Use respectful tone and separate explanation, action, and manuscript delta into distinct bullets. Ensure the decision matrix explicitly addresses dataset shift at deployment and anticipated concerns from a skeptical statistician.

Expected Output: A publication-ready response letter that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Revision Traceability.

Difficulty: Intermediate

Category: Reasoning

199. Transform Criticism into Acceptance: tone-safe rebuttal workflow for editor requests additional clarity (ACM rebuttal stage) - evidence-first writing - Variant 199

Objective: Plan a high-confidence major revision package for journal resubmission. Prioritize publication readiness and produce publication-grade decisions for Decision Negotiation.

Prompt: Create a major revision plan for an Elsevier-style decision letter focused on Decision Negotiation. Include comment clustering, evidence plan, timeline by dependency, added-analysis options, and response-letter structure that anticipates editor priorities for ACM rebuttal stage. Project profile: discipline=cybersecurity; dataset=longitudinal sensor dataset; preferred method=counterfactual evaluation approach; reviewer persona=benchmarking specialist; output schema=compliance checklist; risk scenario=unexpected reviewer disagreement; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=cybersecurity; dataset=longitudinal sensor dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=ACM rebuttal stage; reviewer persona=benchmarking specialist. Example outcome: comment-response matrix with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Group reviewer comments by technical dependency to prevent contradictory edits. Ensure the compliance checklist explicitly addresses unexpected reviewer disagreement and anticipated concerns from a benchmarking specialist.

Expected Output: A publication-ready comment-response matrix that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Decision Negotiation.

Difficulty: Advanced

Category: Rebuttal

200. Improve Reviewer Response Letter: comment-response workflow for major revision after mixed reviews (Elsevier journal review) - hypothesis stress testing - Variant 200

Objective: Select robust statistical strategy and interpretation logic. Prioritize novelty and produce publication-grade decisions for Tone Calibration.

Prompt: Design a statistical analysis workflow for Tone Calibration with assumptions, test-selection logic, effect-size reporting, multiplicity correction, and uncertainty interpretation. Output a decision tree that maps data conditions to recommended tests for Elsevier journal review. Project profile: discipline=biomedical engineering; dataset=multi-site clinical cohort; preferred method=transformer baseline; reviewer persona=theory-oriented reviewer; output schema=citation repair map; risk scenario=high class imbalance; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=biomedical engineering; dataset=multi-site clinical cohort; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Elsevier journal review; reviewer persona=theory-oriented reviewer. Example outcome: revision evidence table with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Pair p-values with effect sizes and confidence intervals in every result claim. Ensure the citation repair map explicitly addresses high class imbalance and anticipated concerns from a theory-oriented reviewer.

Expected Output: A publication-ready revision evidence table that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Tone Calibration.

Difficulty: Expert

Category: Validation

Summary

Applying these 200 workflows systematically improves decision quality, writing clarity, and publication readiness across research cycles.