Literature Review Prompt Library

Prompt Library

Ultimate AI Research Toolkit 2026 - Premium Edition

Designed for PhD students, professors, graduate researchers, engineers, and data scientists.

[Idea]	**Research prompts and ideation systems**
[Review]	**Literature synthesis and gap detection**
[Write]	**Paper writing and revision workflows**
[Plan]	**Publication and productivity operations**

Table of Contents

Introduction

This Literature Review library provides 300 original prompts engineered for high-rigor academic and technical workflows. Each prompt includes practical fields to help users move from ideation to reproducible output.

Instructions

- Select prompts by category and difficulty to match project maturity.
- Replace variables in the prompt with your specific discipline, data, and constraints.
- Use Expected Output as the acceptance criteria for quality control.
- Store outputs in versioned folders to preserve decision history.

Prompt Library

1. Literature Review 001: Refine Critical Appraisal for a method benchmarking campaign

Objective: Build a high-clarity strategy for Critical Appraisal by improving feasibility, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Critical Appraisal. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to feasibility, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Critical Appraisal.

Difficulty: Beginner

Category: Methodology

2. Literature Review 002: Synthesize Gap Identification for a reproducibility-sensitive investigation

Objective: Build a high-clarity strategy for Gap Identification by improving rigor, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Gap Identification. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to rigor, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Gap Identification.

Difficulty: Intermediate

Category: Validation

3. Literature Review 003: Translate Synthesis Design for a cross-disciplinary study

Objective: Build a high-clarity strategy for Synthesis Design by improving generalizability, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Synthesis Design. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to generalizability, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Synthesis Design.

Difficulty: Advanced

Category: Writing

4. Literature Review 004: Model Search Strategy for an ethics-aware deployment study

Objective: Build a high-clarity strategy for Search Strategy by improving reproducibility, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Search Strategy. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to reproducibility, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Search Strategy.

Difficulty: Expert

Category: Reasoning

5. Literature Review 005: Reframe Critical Appraisal for a longitudinal dataset

Objective: Build a high-clarity strategy for Critical Appraisal by improving ethical compliance, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Critical Appraisal. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to ethical compliance, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Critical Appraisal.

Difficulty: Beginner

Category: Strategy

---

6. Literature Review 006: Evaluate Gap Identification for a high-impact conference submission

Objective: Build a high-clarity strategy for Gap Identification by improving cost efficiency, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Gap Identification. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to cost efficiency, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Gap Identification.

Difficulty: Intermediate

Category: Execution

7. Literature Review 007: Validate Synthesis Design for an emerging technology review

Objective: Build a high-clarity strategy for Synthesis Design by improving computational efficiency, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Synthesis Design. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to computational efficiency, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Synthesis Design.

Difficulty: Advanced

Category: Optimization

8. Literature Review 008: Map Search Strategy for a policy-oriented manuscript

Objective: Build a high-clarity strategy for Search Strategy by improving publication readiness, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Search Strategy. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to publication readiness, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Search Strategy.

Difficulty: Expert

Category: Planning

9. Literature Review 009: Prioritize Critical Appraisal for an industry-backed experiment

Objective: Build a high-clarity strategy for Critical Appraisal by improving stakeholder clarity, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Critical Appraisal. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to stakeholder clarity, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Critical Appraisal.

Difficulty: Beginner

Category: Methodology

10. Literature Review 010: Forecast Gap Identification for a multi-phase project

Objective: Build a high-clarity strategy for Gap Identification by improving novelty, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Gap Identification. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to novelty, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis

with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Gap Identification.

Difficulty: Intermediate

Category: Validation

11. Literature Review 011: Operationalize Synthesis Design for a method benchmarking campaign

Objective: Build a high-clarity strategy for Synthesis Design by improving feasibility, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Synthesis Design. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to feasibility, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Synthesis Design.

Difficulty: Advanced

Category: Writing

12. Literature Review 012: Compare Search Strategy for a reproducibility-sensitive investigation

Objective: Build a high-clarity strategy for Search Strategy by improving rigor, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Search Strategy. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to rigor, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Search Strategy.

Difficulty: Expert

Category: Reasoning

13. Literature Review 013: Optimize Critical Appraisal for a cross-disciplinary study

Objective: Build a high-clarity strategy for Critical Appraisal by improving generalizability, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Critical Appraisal. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to generalizability, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Critical Appraisal.

Difficulty: Beginner

Category: Strategy

14. Literature Review 014: Diagnose Gap Identification for an ethics-aware deployment study

Objective: Build a high-clarity strategy for Gap Identification by improving reproducibility, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Gap Identification. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to reproducibility, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Gap Identification.

Difficulty: Intermediate

Category: Execution

15. Literature Review 015: Structure Synthesis Design for a longitudinal dataset

Objective: Build a high-clarity strategy for Synthesis Design by improving ethical compliance, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Synthesis Design. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to ethical compliance, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Synthesis Design.

Difficulty: Advanced

Category: Optimization

16. Literature Review 016: Interrogate Search Strategy for a high-impact conference submission

Objective: Build a high-clarity strategy for Search Strategy by improving cost efficiency, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Search Strategy. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to cost efficiency, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Search Strategy.

Difficulty: Expert

Category: Planning

17. Literature Review 017: Design Critical Appraisal for an emerging technology review

Objective: Build a high-clarity strategy for Critical Appraisal by improving computational efficiency, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Critical Appraisal. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to computational efficiency, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Critical Appraisal.

Difficulty: Beginner

Category: Methodology

18. Literature Review 018: Refine Gap Identification for a policy-oriented manuscript

Objective: Build a high-clarity strategy for Gap Identification by improving publication readiness, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Gap Identification. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to publication readiness, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Gap Identification.

Difficulty: Intermediate

Category: Validation

19. Literature Review 019: Synthesize Synthesis Design for an industry-backed experiment

Objective: Build a high-clarity strategy for Synthesis Design by improving stakeholder clarity, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Synthesis Design. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to stakeholder clarity, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Synthesis Design.

Difficulty: Advanced

Category: Writing

20. Literature Review 020: Translate Search Strategy for a multi-phase project

Objective: Build a high-clarity strategy for Search Strategy by improving novelty, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Search Strategy. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to novelty, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Search Strategy.

Difficulty: Expert

Category: Reasoning

21. Literature Review 021: Model Critical Appraisal for a method benchmarking campaign

Objective: Build a high-clarity strategy for Critical Appraisal by improving feasibility, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Critical Appraisal. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to feasibility, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Critical Appraisal.

Difficulty: Beginner

Category: Strategy

22. Literature Review 022: Reframe Gap Identification for a reproducibility-sensitive investigation

Objective: Build a high-clarity strategy for Gap Identification by improving rigor, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Gap Identification. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to rigor, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis

with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Gap Identification.

Difficulty: Intermediate

Category: Execution

23. Literature Review 023: Evaluate Synthesis Design for a cross-disciplinary study

Objective: Build a high-clarity strategy for Synthesis Design by improving generalizability, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Synthesis Design. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to generalizability, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Synthesis Design.

Difficulty: Advanced

Category: Optimization

24. Literature Review 024: Validate Search Strategy for an ethics-aware deployment study

Objective: Build a high-clarity strategy for Search Strategy by improving reproducibility, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Search Strategy. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to reproducibility, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Search Strategy.

Difficulty: Expert

Category: Planning

25. Literature Review 025: Map Critical Appraisal for a longitudinal dataset

Objective: Build a high-clarity strategy for Critical Appraisal by improving ethical compliance, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Critical Appraisal. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to ethical compliance, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Critical Appraisal.

Difficulty: Beginner

Category: Methodology

---

26. Literature Review 026: Prioritize Gap Identification for a high-impact conference submission

Objective: Build a high-clarity strategy for Gap Identification by improving cost efficiency, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Gap Identification. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to cost efficiency, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Gap Identification.

Difficulty: Intermediate

Category: Validation

27. Literature Review 027: Forecast Synthesis Design for an emerging technology review

Objective: Build a high-clarity strategy for Synthesis Design by improving computational efficiency, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Synthesis Design. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to computational efficiency, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Synthesis Design.

Difficulty: Advanced

Category: Writing

28. Literature Review 028: Operationalize Search Strategy for a policy-oriented manuscript

Objective: Build a high-clarity strategy for Search Strategy by improving publication readiness, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Search Strategy. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to publication readiness, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Search Strategy.

Difficulty: Expert

Category: Reasoning

29. Literature Review 029: Compare Critical Appraisal for an industry-backed experiment

Objective: Build a high-clarity strategy for Critical Appraisal by improving stakeholder clarity, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Critical Appraisal. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to stakeholder clarity, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Critical Appraisal.

Difficulty: Beginner

Category: Strategy

30. Literature Review 030: Optimize Gap Identification for a multi-phase project

Objective: Build a high-clarity strategy for Gap Identification by improving novelty, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Gap Identification. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to novelty, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Gap Identification.

Difficulty: Intermediate

Category: Execution

---

31. Literature Review 031: Diagnose Synthesis Design for a method benchmarking campaign

Objective: Build a high-clarity strategy for Synthesis Design by improving feasibility, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Synthesis Design. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to feasibility, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Synthesis Design.

Difficulty: Advanced

Category: Optimization

32. Literature Review 032: Structure Search Strategy for a reproducibility-sensitive investigation

Objective: Build a high-clarity strategy for Search Strategy by improving rigor, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Search Strategy. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to rigor, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Search Strategy.

Difficulty: Expert

Category: Planning

33. Literature Review 033: Interrogate Critical Appraisal for a cross-disciplinary study

Objective: Build a high-clarity strategy for Critical Appraisal by improving generalizability, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Critical Appraisal. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to generalizability, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Critical Appraisal.

Difficulty: Beginner

Category: Methodology

34. Literature Review 034: Design Gap Identification for an ethics-aware deployment study

Objective: Build a high-clarity strategy for Gap Identification by improving reproducibility, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Gap Identification. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to reproducibility, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Gap Identification.

Difficulty: Intermediate

Category: Validation

35. Literature Review 035: Refine Synthesis Design for a longitudinal dataset

Objective: Build a high-clarity strategy for Synthesis Design by improving ethical compliance, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Synthesis Design. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to ethical compliance, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Synthesis Design.

Difficulty: Advanced

Category: Writing

36. Literature Review 036: Synthesize Search Strategy for a high-impact conference submission

Objective: Build a high-clarity strategy for Search Strategy by improving cost efficiency, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Search Strategy. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to cost efficiency, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Search Strategy.

Difficulty: Expert

Category: Reasoning

37. Literature Review 037: Translate Critical Appraisal for an emerging technology review

Objective: Build a high-clarity strategy for Critical Appraisal by improving computational efficiency, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Critical Appraisal. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to computational efficiency, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Critical Appraisal.

Difficulty: Beginner

Category: Strategy

38. Literature Review 038: Model Gap Identification for a policy-oriented manuscript

Objective: Build a high-clarity strategy for Gap Identification by improving publication readiness, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Gap Identification. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to publication readiness, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Gap Identification.

Difficulty: Intermediate

Category: Execution

39. Literature Review 039: Reframe Synthesis Design for an industry-backed experiment

Objective: Build a high-clarity strategy for Synthesis Design by improving stakeholder clarity, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Synthesis Design. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to stakeholder clarity, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Synthesis Design.

Difficulty: Advanced

Category: Optimization

40. Literature Review 040: Evaluate Search Strategy for a multi-phase project

Objective: Build a high-clarity strategy for Search Strategy by improving novelty, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Search Strategy. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to novelty, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Search Strategy.

Difficulty: Expert

Category: Planning

---

41. Literature Review 041: Validate Critical Appraisal for a method benchmarking campaign

Objective: Build a high-clarity strategy for Critical Appraisal by improving feasibility, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Critical Appraisal. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to feasibility, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Critical Appraisal.

Difficulty: Beginner

Category: Methodology

42. Literature Review 042: Map Gap Identification for a reproducibility-sensitive investigation

Objective: Build a high-clarity strategy for Gap Identification by improving rigor, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Gap Identification. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to rigor, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Gap Identification.

Difficulty: Intermediate

Category: Validation

43. Literature Review 043: Prioritize Synthesis Design for a cross-disciplinary study

Objective: Build a high-clarity strategy for Synthesis Design by improving generalizability, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Synthesis Design. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to generalizability, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Synthesis Design.

Difficulty: Advanced

Category: Writing

44. Literature Review 044: Forecast Search Strategy for an ethics-aware deployment study

Objective: Build a high-clarity strategy for Search Strategy by improving reproducibility, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Search Strategy. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to reproducibility, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Search Strategy.

Difficulty: Expert

Category: Reasoning

45. Literature Review 045: Operationalize Critical Appraisal for a longitudinal dataset

Objective: Build a high-clarity strategy for Critical Appraisal by improving ethical compliance, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Critical Appraisal. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to ethical compliance, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Critical Appraisal.

Difficulty: Beginner

Category: Strategy

---

46. Literature Review 046: Compare Gap Identification for a high-impact conference submission

Objective: Build a high-clarity strategy for Gap Identification by improving cost efficiency, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Gap Identification. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to cost efficiency,

(4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Gap Identification.

Difficulty: Intermediate

Category: Execution

47. Literature Review 047: Optimize Synthesis Design for an emerging technology review

Objective: Build a high-clarity strategy for Synthesis Design by improving computational efficiency, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Synthesis Design. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to computational efficiency, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Synthesis Design.

Difficulty: Advanced

Category: Optimization

48. Literature Review 048: Diagnose Search Strategy for a policy-oriented manuscript

Objective: Build a high-clarity strategy for Search Strategy by improving publication readiness, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Search Strategy. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to publication readiness, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Search Strategy.

Difficulty: Expert

Category: Planning

49. Literature Review 049: Structure Critical Appraisal for an industry-backed experiment

Objective: Build a high-clarity strategy for Critical Appraisal by improving stakeholder clarity, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Critical Appraisal. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to stakeholder clarity, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Critical Appraisal.

Difficulty: Beginner

Category: Methodology

50. Literature Review 050: Interrogate Gap Identification for a multi-phase project

Objective: Build a high-clarity strategy for Gap Identification by improving novelty, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Gap Identification. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to novelty, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Gap Identification.

Difficulty: Intermediate

Category: Validation

---

51. Literature Review 051: Design Synthesis Design for a method benchmarking campaign

Objective: Build a high-clarity strategy for Synthesis Design by improving feasibility, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Synthesis Design. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to feasibility, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Synthesis Design.

Difficulty: Advanced

Category: Writing

52. Literature Review 052: Refine Search Strategy for a reproducibility-sensitive investigation

Objective: Build a high-clarity strategy for Search Strategy by improving rigor, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Search Strategy. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to rigor, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Search Strategy.

Difficulty: Expert

Category: Reasoning

53. Literature Review 053: Synthesize Critical Appraisal for a cross-disciplinary study

Objective: Build a high-clarity strategy for Critical Appraisal by improving generalizability, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Critical Appraisal. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to generalizability, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Critical Appraisal.

Difficulty: Beginner

Category: Strategy

54. Literature Review 054: Translate Gap Identification for an ethics-aware deployment study

Objective: Build a high-clarity strategy for Gap Identification by improving reproducibility, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Gap Identification. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to reproducibility, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Gap Identification.

Difficulty: Intermediate

Category: Execution

55. Literature Review 055: Model Synthesis Design for a longitudinal dataset

Objective: Build a high-clarity strategy for Synthesis Design by improving ethical compliance, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Synthesis Design. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to ethical compliance, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Synthesis Design.

Difficulty: Advanced

Category: Optimization

56. Literature Review 056: Reframe Search Strategy for a high-impact conference submission

Objective: Build a high-clarity strategy for Search Strategy by improving cost efficiency, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Search Strategy. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to cost efficiency, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Search Strategy.

Difficulty: Expert

Category: Planning

57. Literature Review 057: Evaluate Critical Appraisal for an emerging technology review

Objective: Build a high-clarity strategy for Critical Appraisal by improving computational efficiency, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Critical Appraisal. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to computational efficiency, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Critical Appraisal.

Difficulty: Beginner

Category: Methodology

58. Literature Review 058: Validate Gap Identification for a policy-oriented manuscript

Objective: Build a high-clarity strategy for Gap Identification by improving publication readiness, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Gap Identification. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to publication readiness, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Gap Identification.

Difficulty: Intermediate

Category: Validation

59. Literature Review 059: Map Synthesis Design for an industry-backed experiment

Objective: Build a high-clarity strategy for Synthesis Design by improving stakeholder clarity, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Synthesis Design. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to stakeholder clarity, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Synthesis Design.

Difficulty: Advanced

Category: Writing

60. Literature Review 060: Prioritize Search Strategy for a multi-phase project

Objective: Build a high-clarity strategy for Search Strategy by improving novelty, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Search Strategy. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to novelty, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Search Strategy.

Difficulty: Expert

Category: Reasoning

---

61. Literature Review 061: Forecast Critical Appraisal for a method benchmarking campaign

Objective: Build a high-clarity strategy for Critical Appraisal by improving feasibility, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Critical Appraisal. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to feasibility, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Critical Appraisal.

Difficulty: Beginner

Category: Strategy

62. Literature Review 062: Operationalize Gap Identification for a reproducibility-sensitive investigation

Objective: Build a high-clarity strategy for Gap Identification by improving rigor, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Gap Identification. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to rigor, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Gap Identification.

Difficulty: Intermediate

Category: Execution

63. Literature Review 063: Compare Synthesis Design for a cross-disciplinary study

Objective: Build a high-clarity strategy for Synthesis Design by improving generalizability, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Synthesis Design. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to generalizability, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Synthesis Design.

Difficulty: Advanced

Category: Optimization

64. Literature Review 064: Optimize Search Strategy for an ethics-aware deployment study

Objective: Build a high-clarity strategy for Search Strategy by improving reproducibility, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Search Strategy. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to reproducibility, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Search Strategy.

Difficulty: Expert

Category: Planning

65. Literature Review 065: Diagnose Critical Appraisal for a longitudinal dataset

Objective: Build a high-clarity strategy for Critical Appraisal by improving ethical compliance, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Critical Appraisal. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to ethical compliance, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix

with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Critical Appraisal.

Difficulty: Beginner

Category: Methodology

66. Literature Review 066: Structure Gap Identification for a high-impact conference submission

Objective: Build a high-clarity strategy for Gap Identification by improving cost efficiency, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Gap Identification. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to cost efficiency, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Gap Identification.

Difficulty: Intermediate

Category: Validation

67. Literature Review 067: Interrogate Synthesis Design for an emerging technology review

Objective: Build a high-clarity strategy for Synthesis Design by improving computational efficiency, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Synthesis Design. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to computational efficiency, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Synthesis Design.

Difficulty: Advanced

Category: Writing

68. Literature Review 068: Design Search Strategy for a policy-oriented manuscript

Objective: Build a high-clarity strategy for Search Strategy by improving publication readiness, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Search Strategy. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to publication readiness, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Search Strategy.

Difficulty: Expert

Category: Reasoning

69. Literature Review 069: Refine Critical Appraisal for an industry-backed experiment

Objective: Build a high-clarity strategy for Critical Appraisal by improving stakeholder clarity, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Critical Appraisal. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to stakeholder clarity, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Critical Appraisal.

Difficulty: Beginner

Category: Strategy

70. Literature Review 070: Synthesize Gap Identification for a multi-phase project

Objective: Build a high-clarity strategy for Gap Identification by improving novelty, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Gap Identification. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to novelty, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality

checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Gap Identification.

Difficulty: Intermediate

Category: Execution

71. Literature Review 071: Translate Synthesis Design for a method benchmarking campaign

Objective: Build a high-clarity strategy for Synthesis Design by improving feasibility, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Synthesis Design. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to feasibility, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Synthesis Design.

Difficulty: Advanced

Category: Optimization

72. Literature Review 072: Model Search Strategy for a reproducibility-sensitive investigation

Objective: Build a high-clarity strategy for Search Strategy by improving rigor, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Search Strategy. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to rigor, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Search Strategy.

Difficulty: Expert

Category: Planning

73. Literature Review 073: Reframe Critical Appraisal for a cross-disciplinary study

Objective: Build a high-clarity strategy for Critical Appraisal by improving generalizability, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Critical Appraisal. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to generalizability, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Critical Appraisal.

Difficulty: Beginner

Category: Methodology

74. Literature Review 074: Evaluate Gap Identification for an ethics-aware deployment study

Objective: Build a high-clarity strategy for Gap Identification by improving reproducibility, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Gap Identification. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to reproducibility, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Gap Identification.

Difficulty: Intermediate

Category: Validation

75. Literature Review 075: Validate Synthesis Design for a longitudinal dataset

Objective: Build a high-clarity strategy for Synthesis Design by improving ethical compliance, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Synthesis Design. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to ethical compliance, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Synthesis Design.

Difficulty: Advanced

Category: Writing

76. Literature Review 076: Map Search Strategy for a high-impact conference submission

Objective: Build a high-clarity strategy for Search Strategy by improving cost efficiency, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Search Strategy. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to cost efficiency, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Search Strategy.

Difficulty: Expert

Category: Reasoning

77. Literature Review 077: Prioritize Critical Appraisal for an emerging technology review

Objective: Build a high-clarity strategy for Critical Appraisal by improving computational efficiency, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Critical Appraisal. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to computational efficiency, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix

with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Critical Appraisal.

Difficulty: Beginner

Category: Strategy

78. Literature Review 078: Forecast Gap Identification for a policy-oriented manuscript

Objective: Build a high-clarity strategy for Gap Identification by improving publication readiness, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Gap Identification. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to publication readiness, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Gap Identification.

Difficulty: Intermediate

Category: Execution

79. Literature Review 079: Operationalize Synthesis Design for an industry-backed experiment

Objective: Build a high-clarity strategy for Synthesis Design by improving stakeholder clarity, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Synthesis Design. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to stakeholder clarity, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Synthesis Design.

Difficulty: Advanced

Category: Optimization

80. Literature Review 080: Compare Search Strategy for a multi-phase project

Objective: Build a high-clarity strategy for Search Strategy by improving novelty, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Search Strategy. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to novelty, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Search Strategy.

Difficulty: Expert

Category: Planning

---

81. Literature Review 081: Optimize Critical Appraisal for a method benchmarking campaign

Objective: Build a high-clarity strategy for Critical Appraisal by improving feasibility, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Critical Appraisal. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to feasibility, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Critical Appraisal.

Difficulty: Beginner

Category: Methodology

82. Literature Review 082: Diagnose Gap Identification for a reproducibility-sensitive investigation

Objective: Build a high-clarity strategy for Gap Identification by improving rigor, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Gap Identification. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to rigor, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Gap Identification.

Difficulty: Intermediate

Category: Validation

83. Literature Review 083: Structure Synthesis Design for a cross-disciplinary study

Objective: Build a high-clarity strategy for Synthesis Design by improving generalizability, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Synthesis Design. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to generalizability, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Synthesis Design.

Difficulty: Advanced

Category: Writing

84. Literature Review 084: Interrogate Search Strategy for an ethics-aware deployment study

Objective: Build a high-clarity strategy for Search Strategy by improving reproducibility, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Search Strategy. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to reproducibility, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Search Strategy.

Difficulty: Expert

Category: Reasoning

85. Literature Review 085: Design Critical Appraisal for a longitudinal dataset

Objective: Build a high-clarity strategy for Critical Appraisal by improving ethical compliance, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Critical Appraisal. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to ethical compliance, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Critical Appraisal.

Difficulty: Beginner

Category: Strategy

---

86. Literature Review 086: Refine Gap Identification for a high-impact conference submission

Objective: Build a high-clarity strategy for Gap Identification by improving cost efficiency, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Gap Identification. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to cost efficiency, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Gap Identification.

Difficulty: Intermediate

Category: Execution

87. Literature Review 087: Synthesize Synthesis Design for an emerging technology review

Objective: Build a high-clarity strategy for Synthesis Design by improving computational efficiency, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Synthesis Design. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to computational efficiency, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Synthesis Design.

Difficulty: Advanced

Category: Optimization

88. Literature Review 088: Translate Search Strategy for a policy-oriented manuscript

Objective: Build a high-clarity strategy for Search Strategy by improving publication readiness, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Search Strategy. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to publication readiness, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Search Strategy.

Difficulty: Expert

Category: Planning

89. Literature Review 089: Model Critical Appraisal for an industry-backed experiment

Objective: Build a high-clarity strategy for Critical Appraisal by improving stakeholder clarity, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Critical Appraisal. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to stakeholder clarity, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Critical Appraisal.

Difficulty: Beginner

Category: Methodology

90. Literature Review 090: Reframe Gap Identification for a multi-phase project

Objective: Build a high-clarity strategy for Gap Identification by improving novelty, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Gap Identification. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to novelty, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Gap Identification.

Difficulty: Intermediate

Category: Validation

91. Literature Review 091: Evaluate Synthesis Design for a method benchmarking campaign

Objective: Build a high-clarity strategy for Synthesis Design by improving feasibility, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Synthesis Design. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to feasibility, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Synthesis Design.

Difficulty: Advanced

Category: Writing

92. Literature Review 092: Validate Search Strategy for a reproducibility-sensitive investigation

Objective: Build a high-clarity strategy for Search Strategy by improving rigor, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Search Strategy. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to rigor, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Search Strategy.

Difficulty: Expert

Category: Reasoning

93. Literature Review 093: Map Critical Appraisal for a cross-disciplinary study

Objective: Build a high-clarity strategy for Critical Appraisal by improving generalizability, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Critical Appraisal. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to generalizability, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Critical Appraisal.

Difficulty: Beginner

Category: Strategy

94. Literature Review 094: Prioritize Gap Identification for an ethics-aware deployment study

Objective: Build a high-clarity strategy for Gap Identification by improving reproducibility, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Gap Identification. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to reproducibility, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Gap Identification.

Difficulty: Intermediate

Category: Execution

95. Literature Review 095: Forecast Synthesis Design for a longitudinal dataset

Objective: Build a high-clarity strategy for Synthesis Design by improving ethical compliance, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Synthesis Design. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to ethical compliance, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Synthesis Design.

Difficulty: Advanced

Category: Optimization

---

96. Literature Review 096: Operationalize Search Strategy for a high-impact conference submission

Objective: Build a high-clarity strategy for Search Strategy by improving cost efficiency, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Search Strategy. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to cost efficiency, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Search Strategy.

Difficulty: Expert

Category: Planning

97. Literature Review 097: Compare Critical Appraisal for an emerging technology review

Objective: Build a high-clarity strategy for Critical Appraisal by improving computational efficiency, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Critical Appraisal. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to computational efficiency, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Critical Appraisal.

Difficulty: Beginner

Category: Methodology

98. Literature Review 098: Optimize Gap Identification for a policy-oriented manuscript

Objective: Build a high-clarity strategy for Gap Identification by improving publication readiness, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Gap Identification. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to publication readiness, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Gap Identification.

Difficulty: Intermediate

Category: Validation

99. Literature Review 099: Diagnose Synthesis Design for an industry-backed experiment

Objective: Build a high-clarity strategy for Synthesis Design by improving stakeholder clarity, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Synthesis Design. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to stakeholder clarity, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Synthesis Design.

Difficulty: Advanced

Category: Writing

100. Literature Review 100: Structure Search Strategy for a multi-phase project

Objective: Build a high-clarity strategy for Search Strategy by improving novelty, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Search Strategy. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to novelty, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Search Strategy.

Difficulty: Expert

Category: Reasoning

---

101. Literature Review 101: Interrogate Critical Appraisal for a method benchmarking campaign

Objective: Build a high-clarity strategy for Critical Appraisal by improving feasibility, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Critical Appraisal. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to feasibility, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Critical Appraisal.

Difficulty: Beginner

Category: Strategy

102. Literature Review 102: Design Gap Identification for a reproducibility-sensitive investigation

Objective: Build a high-clarity strategy for Gap Identification by improving rigor, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Gap Identification. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to rigor, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Gap Identification.

Difficulty: Intermediate

Category: Execution

103. Literature Review 103: Refine Synthesis Design for a cross-disciplinary study

Objective: Build a high-clarity strategy for Synthesis Design by improving generalizability, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Synthesis Design. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to generalizability, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Synthesis Design.

Difficulty: Advanced

Category: Optimization

104. Literature Review 104: Synthesize Search Strategy for an ethics-aware deployment study

Objective: Build a high-clarity strategy for Search Strategy by improving reproducibility, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Search Strategy. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to reproducibility, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Search Strategy.

Difficulty: Expert

Category: Planning

105. Literature Review 105: Translate Critical Appraisal for a longitudinal dataset

Objective: Build a high-clarity strategy for Critical Appraisal by improving ethical compliance, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Critical Appraisal. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to ethical compliance, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Critical Appraisal.

Difficulty: Beginner

Category: Methodology

---

106. Literature Review 106: Model Gap Identification for a high-impact conference submission

Objective: Build a high-clarity strategy for Gap Identification by improving cost efficiency, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Gap Identification. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to cost efficiency, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Gap Identification.

Difficulty: Intermediate

Category: Validation

107. Literature Review 107: Reframe Synthesis Design for an emerging technology review

Objective: Build a high-clarity strategy for Synthesis Design by improving computational efficiency, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Synthesis Design. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to computational efficiency, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Synthesis Design.

Difficulty: Advanced

Category: Writing

108. Literature Review 108: Evaluate Search Strategy for a policy-oriented manuscript

Objective: Build a high-clarity strategy for Search Strategy by improving publication readiness, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Search Strategy. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to publication readiness, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Search Strategy.

Difficulty: Expert

Category: Reasoning

109. Literature Review 109: Validate Critical Appraisal for an industry-backed experiment

Objective: Build a high-clarity strategy for Critical Appraisal by improving stakeholder clarity, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Critical Appraisal. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to stakeholder clarity, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Critical Appraisal.

Difficulty: Beginner

Category: Strategy

110. Literature Review 110: Map Gap Identification for a multi-phase project

Objective: Build a high-clarity strategy for Gap Identification by improving novelty, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Gap Identification. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to novelty, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Gap Identification.

Difficulty: Intermediate

Category: Execution

111. Literature Review 111: Prioritize Synthesis Design for a method benchmarking campaign

Objective: Build a high-clarity strategy for Synthesis Design by improving feasibility, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Synthesis Design. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to feasibility, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Synthesis Design.

Difficulty: Advanced

Category: Optimization

112. Literature Review 112: Forecast Search Strategy for a reproducibility-sensitive investigation

Objective: Build a high-clarity strategy for Search Strategy by improving rigor, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Search Strategy. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to rigor, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Search Strategy.

Difficulty: Expert

Category: Planning

113. Literature Review 113: Operationalize Critical Appraisal for a cross-disciplinary study

Objective: Build a high-clarity strategy for Critical Appraisal by improving generalizability, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Critical Appraisal. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to generalizability,

(4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Critical Appraisal.

Difficulty: Beginner

Category: Methodology

114. Literature Review 114: Compare Gap Identification for an ethics-aware deployment study

Objective: Build a high-clarity strategy for Gap Identification by improving reproducibility, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Gap Identification. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to reproducibility, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Gap Identification.

Difficulty: Intermediate

Category: Validation

115. Literature Review 115: Optimize Synthesis Design for a longitudinal dataset

Objective: Build a high-clarity strategy for Synthesis Design by improving ethical compliance, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Synthesis Design. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to ethical compliance, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Synthesis Design.

Difficulty: Advanced

Category: Writing

---

116. Literature Review 116: Diagnose Search Strategy for a high-impact conference submission

Objective: Build a high-clarity strategy for Search Strategy by improving cost efficiency, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Search Strategy. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to cost efficiency, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Search Strategy.

Difficulty: Expert

Category: Reasoning

117. Literature Review 117: Structure Critical Appraisal for an emerging technology review

Objective: Build a high-clarity strategy for Critical Appraisal by improving computational efficiency, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Critical Appraisal. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to computational efficiency, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Critical Appraisal.

Difficulty: Beginner

Category: Strategy

118. Literature Review 118: Interrogate Gap Identification for a policy-oriented manuscript

Objective: Build a high-clarity strategy for Gap Identification by improving publication readiness, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Gap Identification. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to publication readiness, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Gap Identification.

Difficulty: Intermediate

Category: Execution

119. Literature Review 119: Design Synthesis Design for an industry-backed experiment

Objective: Build a high-clarity strategy for Synthesis Design by improving stakeholder clarity, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Synthesis Design. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to stakeholder clarity, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Synthesis Design.

Difficulty: Advanced

Category: Optimization

120. Literature Review 120: Refine Search Strategy for a multi-phase project

Objective: Build a high-clarity strategy for Search Strategy by improving novelty, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Search Strategy. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to novelty, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Search Strategy.

Difficulty: Expert

Category: Planning

---

121. Literature Review 121: Synthesize Critical Appraisal for a method benchmarking campaign

Objective: Build a high-clarity strategy for Critical Appraisal by improving feasibility, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Critical Appraisal. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to feasibility, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Critical Appraisal.

Difficulty: Beginner

Category: Methodology

122. Literature Review 122: Translate Gap Identification for a reproducibility-sensitive investigation

Objective: Build a high-clarity strategy for Gap Identification by improving rigor, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Gap Identification. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to rigor, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Gap Identification.

Difficulty: Intermediate

Category: Validation

123. Literature Review 123: Model Synthesis Design for a cross-disciplinary study

Objective: Build a high-clarity strategy for Synthesis Design by improving generalizability, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Synthesis Design. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to generalizability, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Synthesis Design.

Difficulty: Advanced

Category: Writing

124. Literature Review 124: Reframe Search Strategy for an ethics-aware deployment study

Objective: Build a high-clarity strategy for Search Strategy by improving reproducibility, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Search Strategy. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to reproducibility, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Search Strategy.

Difficulty: Expert

Category: Reasoning

125. Literature Review 125: Evaluate Critical Appraisal for a longitudinal dataset

Objective: Build a high-clarity strategy for Critical Appraisal by improving ethical compliance, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Critical Appraisal. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to ethical compliance, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Critical Appraisal.

Difficulty: Beginner

Category: Strategy

126. Literature Review 126: Validate Gap Identification for a high-impact conference submission

Objective: Build a high-clarity strategy for Gap Identification by improving cost efficiency, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Gap Identification. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to cost efficiency, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Gap Identification.

Difficulty: Intermediate

Category: Execution

127. Literature Review 127: Map Synthesis Design for an emerging technology review

Objective: Build a high-clarity strategy for Synthesis Design by improving computational efficiency, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Synthesis Design. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to computational efficiency, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Synthesis Design.

Difficulty: Advanced

Category: Optimization

128. Literature Review 128: Prioritize Search Strategy for a policy-oriented manuscript

Objective: Build a high-clarity strategy for Search Strategy by improving publication readiness, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Search Strategy. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to publication readiness, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Search Strategy.

Difficulty: Expert

Category: Planning

129. Literature Review 129: Forecast Critical Appraisal for an industry-backed experiment

Objective: Build a high-clarity strategy for Critical Appraisal by improving stakeholder clarity, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Critical Appraisal. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to stakeholder clarity, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Critical Appraisal.

Difficulty: Beginner

Category: Methodology

130. Literature Review 130: Operationalize Gap Identification for a multi-phase project

Objective: Build a high-clarity strategy for Gap Identification by improving novelty, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Gap Identification. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to novelty, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Gap Identification.

Difficulty: Intermediate

Category: Validation

131. Literature Review 131: Compare Synthesis Design for a method benchmarking campaign

Objective: Build a high-clarity strategy for Synthesis Design by improving feasibility, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Synthesis Design. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to feasibility, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Synthesis Design.

Difficulty: Advanced

Category: Writing

132. Literature Review 132: Optimize Search Strategy for a reproducibility-sensitive investigation

Objective: Build a high-clarity strategy for Search Strategy by improving rigor, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Search Strategy. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to rigor, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Search Strategy.

Difficulty: Expert

Category: Reasoning

133. Literature Review 133: Diagnose Critical Appraisal for a cross-disciplinary study

Objective: Build a high-clarity strategy for Critical Appraisal by improving generalizability, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Critical Appraisal. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to generalizability, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Critical Appraisal.

Difficulty: Beginner

Category: Strategy

134. Literature Review 134: Structure Gap Identification for an ethics-aware deployment study

Objective: Build a high-clarity strategy for Gap Identification by improving reproducibility, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Gap Identification. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to reproducibility, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Gap Identification.

Difficulty: Intermediate

Category: Execution

135. Literature Review 135: Interrogate Synthesis Design for a longitudinal dataset

Objective: Build a high-clarity strategy for Synthesis Design by improving ethical compliance, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Synthesis Design. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to ethical compliance, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Synthesis Design.

Difficulty: Advanced

Category: Optimization

---

136. Literature Review 136: Design Search Strategy for a high-impact conference submission

Objective: Build a high-clarity strategy for Search Strategy by improving cost efficiency, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Search Strategy. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to cost efficiency, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Search Strategy.

Difficulty: Expert

Category: Planning

137. Literature Review 137: Refine Critical Appraisal for an emerging technology review

Objective: Build a high-clarity strategy for Critical Appraisal by improving computational efficiency, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Critical Appraisal. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to computational efficiency, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Critical Appraisal.

Difficulty: Beginner

Category: Methodology

138. Literature Review 138: Synthesize Gap Identification for a policy-oriented manuscript

Objective: Build a high-clarity strategy for Gap Identification by improving publication readiness, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Gap Identification. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to publication readiness, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Gap Identification.

Difficulty: Intermediate

Category: Validation

139. Literature Review 139: Translate Synthesis Design for an industry-backed experiment

Objective: Build a high-clarity strategy for Synthesis Design by improving stakeholder clarity, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Synthesis Design. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to stakeholder clarity, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Synthesis Design.

Difficulty: Advanced

Category: Writing

140. Literature Review 140: Model Search Strategy for a multi-phase project

Objective: Build a high-clarity strategy for Search Strategy by improving novelty, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Search Strategy. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to novelty, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Search Strategy.

Difficulty: Expert

Category: Reasoning

---

141. Literature Review 141: Reframe Critical Appraisal for a method benchmarking campaign

Objective: Build a high-clarity strategy for Critical Appraisal by improving feasibility, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Critical Appraisal. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to feasibility, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Critical Appraisal.

Difficulty: Beginner

Category: Strategy

142. Literature Review 142: Evaluate Gap Identification for a reproducibility-sensitive investigation

Objective: Build a high-clarity strategy for Gap Identification by improving rigor, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Gap Identification. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to rigor, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Gap Identification.

Difficulty: Intermediate

Category: Execution

143. Literature Review 143: Validate Synthesis Design for a cross-disciplinary study

Objective: Build a high-clarity strategy for Synthesis Design by improving generalizability, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Synthesis Design. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to generalizability, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Synthesis Design.

Difficulty: Advanced

Category: Optimization

144. Literature Review 144: Map Search Strategy for an ethics-aware deployment study

Objective: Build a high-clarity strategy for Search Strategy by improving reproducibility, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Search Strategy. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to reproducibility, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise

quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Search Strategy.

Difficulty: Expert

Category: Planning

145. Literature Review 145: Prioritize Critical Appraisal for a longitudinal dataset

Objective: Build a high-clarity strategy for Critical Appraisal by improving ethical compliance, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Critical Appraisal. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to ethical compliance, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Critical Appraisal.

Difficulty: Beginner

Category: Methodology

---

146. Literature Review 146: Forecast Gap Identification for a high-impact conference submission

Objective: Build a high-clarity strategy for Gap Identification by improving cost efficiency, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Gap Identification. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to cost efficiency, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Gap Identification.

Difficulty: Intermediate

Category: Validation

147. Literature Review 147: Operationalize Synthesis Design for an emerging technology review

Objective: Build a high-clarity strategy for Synthesis Design by improving computational efficiency, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Synthesis Design. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to computational efficiency, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Synthesis Design.

Difficulty: Advanced

Category: Writing

148. Literature Review 148: Compare Search Strategy for a policy-oriented manuscript

Objective: Build a high-clarity strategy for Search Strategy by improving publication readiness, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Search Strategy. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to publication readiness, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Search Strategy.

Difficulty: Expert

Category: Reasoning

149. Literature Review 149: Optimize Critical Appraisal for an industry-backed experiment

Objective: Build a high-clarity strategy for Critical Appraisal by improving stakeholder clarity, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Critical Appraisal. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to stakeholder clarity, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Critical Appraisal.

Difficulty: Beginner

Category: Strategy

150. Literature Review 150: Diagnose Gap Identification for a multi-phase project

Objective: Build a high-clarity strategy for Gap Identification by improving novelty, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Gap Identification. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to novelty, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Gap Identification.

Difficulty: Intermediate

Category: Execution

151. Literature Review 151: Structure Synthesis Design for a method benchmarking campaign

Objective: Build a high-clarity strategy for Synthesis Design by improving feasibility, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Synthesis Design. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to feasibility, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Synthesis Design.

Difficulty: Advanced

Category: Optimization

152. Literature Review 152: Interrogate Search Strategy for a reproducibility-sensitive investigation

Objective: Build a high-clarity strategy for Search Strategy by improving rigor, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Search Strategy. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to rigor, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Search Strategy.

Difficulty: Expert

Category: Planning

153. Literature Review 153: Design Critical Appraisal for a cross-disciplinary study

Objective: Build a high-clarity strategy for Critical Appraisal by improving generalizability, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Critical Appraisal. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to generalizability, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Critical Appraisal.

Difficulty: Beginner

Category: Methodology

154. Literature Review 154: Refine Gap Identification for an ethics-aware deployment study

Objective: Build a high-clarity strategy for Gap Identification by improving reproducibility, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Gap Identification. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to reproducibility, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Gap Identification.

Difficulty: Intermediate

Category: Validation

155. Literature Review 155: Synthesize Synthesis Design for a longitudinal dataset

Objective: Build a high-clarity strategy for Synthesis Design by improving ethical compliance, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Synthesis Design. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to ethical compliance, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Synthesis Design.

Difficulty: Advanced

Category: Writing

---

156. Literature Review 156: Translate Search Strategy for a high-impact conference submission

Objective: Build a high-clarity strategy for Search Strategy by improving cost efficiency, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Search Strategy. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to cost efficiency, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Search Strategy.

Difficulty: Expert

Category: Reasoning

157. Literature Review 157: Model Critical Appraisal for an emerging technology review

Objective: Build a high-clarity strategy for Critical Appraisal by improving computational efficiency, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Critical Appraisal. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to computational efficiency, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Critical Appraisal.

Difficulty: Beginner

Category: Strategy

158. Literature Review 158: Reframe Gap Identification for a policy-oriented manuscript

Objective: Build a high-clarity strategy for Gap Identification by improving publication readiness, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Gap Identification. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to publication readiness, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Gap Identification.

Difficulty: Intermediate

Category: Execution

159. Literature Review 159: Evaluate Synthesis Design for an industry-backed experiment

Objective: Build a high-clarity strategy for Synthesis Design by improving stakeholder clarity, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Synthesis Design. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to stakeholder clarity, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Synthesis Design.

Difficulty: Advanced

Category: Optimization

160. Literature Review 160: Validate Search Strategy for a multi-phase project

Objective: Build a high-clarity strategy for Search Strategy by improving novelty, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Search Strategy. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to novelty, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Search Strategy.

Difficulty: Expert

Category: Planning

161. Literature Review 161: Map Critical Appraisal for a method benchmarking campaign

Objective: Build a high-clarity strategy for Critical Appraisal by improving feasibility, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Critical Appraisal. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to feasibility, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Critical Appraisal.

Difficulty: Beginner

Category: Methodology

162. Literature Review 162: Prioritize Gap Identification for a reproducibility-sensitive investigation

Objective: Build a high-clarity strategy for Gap Identification by improving rigor, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Gap Identification. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to rigor, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Gap Identification.

Difficulty: Intermediate

Category: Validation

163. Literature Review 163: Forecast Synthesis Design for a cross-disciplinary study

Objective: Build a high-clarity strategy for Synthesis Design by improving generalizability, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Synthesis Design. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to generalizability, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise

quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Synthesis Design.

Difficulty: Advanced

Category: Writing

164. Literature Review 164: Operationalize Search Strategy for an ethics-aware deployment study

Objective: Build a high-clarity strategy for Search Strategy by improving reproducibility, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Search Strategy. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to reproducibility, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Search Strategy.

Difficulty: Expert

Category: Reasoning

165. Literature Review 165: Compare Critical Appraisal for a longitudinal dataset

Objective: Build a high-clarity strategy for Critical Appraisal by improving ethical compliance, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Critical Appraisal. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to ethical compliance, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Critical Appraisal.

Difficulty: Beginner

Category: Strategy

166. Literature Review 166: Optimize Gap Identification for a high-impact conference submission

Objective: Build a high-clarity strategy for Gap Identification by improving cost efficiency, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Gap Identification. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to cost efficiency, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Gap Identification.

Difficulty: Intermediate

Category: Execution

167. Literature Review 167: Diagnose Synthesis Design for an emerging technology review

Objective: Build a high-clarity strategy for Synthesis Design by improving computational efficiency, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Synthesis Design. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to computational efficiency, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Synthesis Design.

Difficulty: Advanced

Category: Optimization

168. Literature Review 168: Structure Search Strategy for a policy-oriented manuscript

Objective: Build a high-clarity strategy for Search Strategy by improving publication readiness, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Search Strategy. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to publication readiness, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Search Strategy.

Difficulty: Expert

Category: Planning

169. Literature Review 169: Interrogate Critical Appraisal for an industry-backed experiment

Objective: Build a high-clarity strategy for Critical Appraisal by improving stakeholder clarity, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Critical Appraisal. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to stakeholder clarity, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Critical Appraisal.

Difficulty: Beginner

Category: Methodology

170. Literature Review 170: Design Gap Identification for a multi-phase project

Objective: Build a high-clarity strategy for Gap Identification by improving novelty, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Gap Identification. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to novelty, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix

with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Gap Identification.

Difficulty: Intermediate

Category: Validation

171. Literature Review 171: Refine Synthesis Design for a method benchmarking campaign

Objective: Build a high-clarity strategy for Synthesis Design by improving feasibility, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Synthesis Design. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to feasibility, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Synthesis Design.

Difficulty: Advanced

Category: Writing

172. Literature Review 172: Synthesize Search Strategy for a reproducibility-sensitive investigation

Objective: Build a high-clarity strategy for Search Strategy by improving rigor, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Search Strategy. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to rigor, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Search Strategy.

Difficulty: Expert

Category: Reasoning

173. Literature Review 173: Translate Critical Appraisal for a cross-disciplinary study

Objective: Build a high-clarity strategy for Critical Appraisal by improving generalizability, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Critical Appraisal. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to generalizability, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Critical Appraisal.

Difficulty: Beginner

Category: Strategy

174. Literature Review 174: Model Gap Identification for an ethics-aware deployment study

Objective: Build a high-clarity strategy for Gap Identification by improving reproducibility, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Gap Identification. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to reproducibility, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Gap Identification.

Difficulty: Intermediate

Category: Execution

175. Literature Review 175: Reframe Synthesis Design for a longitudinal dataset

Objective: Build a high-clarity strategy for Synthesis Design by improving ethical compliance, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Synthesis Design. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to ethical compliance, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Synthesis Design.

Difficulty: Advanced

Category: Optimization

---

176. Literature Review 176: Evaluate Search Strategy for a high-impact conference submission

Objective: Build a high-clarity strategy for Search Strategy by improving cost efficiency, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Search Strategy. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to cost efficiency, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Search Strategy.

Difficulty: Expert

Category: Planning

177. Literature Review 177: Validate Critical Appraisal for an emerging technology review

Objective: Build a high-clarity strategy for Critical Appraisal by improving computational efficiency, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Critical Appraisal. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to computational efficiency, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Critical Appraisal.

Difficulty: Beginner

Category: Methodology

178. Literature Review 178: Map Gap Identification for a policy-oriented manuscript

Objective: Build a high-clarity strategy for Gap Identification by improving publication readiness, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Gap Identification. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to publication readiness, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Gap Identification.

Difficulty: Intermediate

Category: Validation

179. Literature Review 179: Prioritize Synthesis Design for an industry-backed experiment

Objective: Build a high-clarity strategy for Synthesis Design by improving stakeholder clarity, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Synthesis Design. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to stakeholder clarity, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Synthesis Design.

Difficulty: Advanced

Category: Writing

180. Literature Review 180: Forecast Search Strategy for a multi-phase project

Objective: Build a high-clarity strategy for Search Strategy by improving novelty, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Search Strategy. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to novelty, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Search Strategy.

Difficulty: Expert

Category: Reasoning

181. Literature Review 181: Operationalize Critical Appraisal for a method benchmarking campaign

Objective: Build a high-clarity strategy for Critical Appraisal by improving feasibility, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Critical Appraisal. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to feasibility, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Critical Appraisal.

Difficulty: Beginner

Category: Strategy

182. Literature Review 182: Compare Gap Identification for a reproducibility-sensitive investigation

Objective: Build a high-clarity strategy for Gap Identification by improving rigor, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Gap Identification. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to rigor, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Gap Identification.

Difficulty: Intermediate

Category: Execution

183. Literature Review 183: Optimize Synthesis Design for a cross-disciplinary study

Objective: Build a high-clarity strategy for Synthesis Design by improving generalizability, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Synthesis Design. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to generalizability, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Synthesis Design.

Difficulty: Advanced

Category: Optimization

184. Literature Review 184: Diagnose Search Strategy for an ethics-aware deployment study

Objective: Build a high-clarity strategy for Search Strategy by improving reproducibility, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Search Strategy. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to reproducibility, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Search Strategy.

Difficulty: Expert

Category: Planning

185. Literature Review 185: Structure Critical Appraisal for a longitudinal dataset

Objective: Build a high-clarity strategy for Critical Appraisal by improving ethical compliance, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Critical Appraisal. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to ethical compliance, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Critical Appraisal.

Difficulty: Beginner

Category: Methodology

---

186. Literature Review 186: Interrogate Gap Identification for a high-impact conference submission

Objective: Build a high-clarity strategy for Gap Identification by improving cost efficiency, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Gap Identification. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to cost efficiency, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Gap Identification.

Difficulty: Intermediate

Category: Validation

187. Literature Review 187: Design Synthesis Design for an emerging technology review

Objective: Build a high-clarity strategy for Synthesis Design by improving computational efficiency, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Synthesis Design. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to computational efficiency, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Synthesis Design.

Difficulty: Advanced

Category: Writing

188. Literature Review 188: Refine Search Strategy for a policy-oriented manuscript

Objective: Build a high-clarity strategy for Search Strategy by improving publication readiness, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Search Strategy. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to publication readiness, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Search Strategy.

Difficulty: Expert

Category: Reasoning

189. Literature Review 189: Synthesize Critical Appraisal for an industry-backed experiment

Objective: Build a high-clarity strategy for Critical Appraisal by improving stakeholder clarity, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Critical Appraisal. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to stakeholder clarity, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Critical Appraisal.

Difficulty: Beginner

Category: Strategy

190. Literature Review 190: Translate Gap Identification for a multi-phase project

Objective: Build a high-clarity strategy for Gap Identification by improving novelty, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Gap Identification. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to novelty, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Gap Identification.

Difficulty: Intermediate

Category: Execution

---

191. Literature Review 191: Model Synthesis Design for a method benchmarking campaign

Objective: Build a high-clarity strategy for Synthesis Design by improving feasibility, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Synthesis Design. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to feasibility, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Synthesis Design.

Difficulty: Advanced

Category: Optimization

192. Literature Review 192: Reframe Search Strategy for a reproducibility-sensitive investigation

Objective: Build a high-clarity strategy for Search Strategy by improving rigor, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Search Strategy. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to rigor, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Search Strategy.

Difficulty: Expert

Category: Planning

193. Literature Review 193: Evaluate Critical Appraisal for a cross-disciplinary study

Objective: Build a high-clarity strategy for Critical Appraisal by improving generalizability, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Critical Appraisal. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to generalizability, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Critical Appraisal.

Difficulty: Beginner

Category: Methodology

194. Literature Review 194: Validate Gap Identification for an ethics-aware deployment study

Objective: Build a high-clarity strategy for Gap Identification by improving reproducibility, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Gap Identification. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to reproducibility, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise

quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Gap Identification.

Difficulty: Intermediate

Category: Validation

195. Literature Review 195: Map Synthesis Design for a longitudinal dataset

Objective: Build a high-clarity strategy for Synthesis Design by improving ethical compliance, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Synthesis Design. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to ethical compliance, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Synthesis Design.

Difficulty: Advanced

Category: Writing

---

196. Literature Review 196: Prioritize Search Strategy for a high-impact conference submission

Objective: Build a high-clarity strategy for Search Strategy by improving cost efficiency, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Search Strategy. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to cost efficiency, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Search Strategy.

Difficulty: Expert

Category: Reasoning

197. Literature Review 197: Forecast Critical Appraisal for an emerging technology review

Objective: Build a high-clarity strategy for Critical Appraisal by improving computational efficiency, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Critical Appraisal. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to computational efficiency, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Critical Appraisal.

Difficulty: Beginner

Category: Strategy

198. Literature Review 198: Operationalize Gap Identification for a policy-oriented manuscript

Objective: Build a high-clarity strategy for Gap Identification by improving publication readiness, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Gap Identification. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to publication readiness, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Gap Identification.

Difficulty: Intermediate

Category: Execution

199. Literature Review 199: Compare Synthesis Design for an industry-backed experiment

Objective: Build a high-clarity strategy for Synthesis Design by improving stakeholder clarity, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Synthesis Design. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to stakeholder clarity, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Synthesis Design.

Difficulty: Advanced

Category: Optimization

200. Literature Review 200: Optimize Search Strategy for a multi-phase project

Objective: Build a high-clarity strategy for Search Strategy by improving novelty, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Search Strategy. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to novelty, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Search Strategy.

Difficulty: Expert

Category: Planning

201. Literature Review 201: Diagnose Critical Appraisal for a method benchmarking campaign

Objective: Build a high-clarity strategy for Critical Appraisal by improving feasibility, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Critical Appraisal. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to feasibility, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Critical Appraisal.

Difficulty: Beginner

Category: Methodology

202. Literature Review 202: Structure Gap Identification for a reproducibility-sensitive investigation

Objective: Build a high-clarity strategy for Gap Identification by improving rigor, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Gap Identification. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to rigor, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Gap Identification.

Difficulty: Intermediate

Category: Validation

203. Literature Review 203: Interrogate Synthesis Design for a cross-disciplinary study

Objective: Build a high-clarity strategy for Synthesis Design by improving generalizability, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Synthesis Design. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to generalizability, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Synthesis Design.

Difficulty: Advanced

Category: Writing

204. Literature Review 204: Design Search Strategy for an ethics-aware deployment study

Objective: Build a high-clarity strategy for Search Strategy by improving reproducibility, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Search Strategy. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to reproducibility, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Search Strategy.

Difficulty: Expert

Category: Reasoning

205. Literature Review 205: Refine Critical Appraisal for a longitudinal dataset

Objective: Build a high-clarity strategy for Critical Appraisal by improving ethical compliance, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Critical Appraisal. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to ethical compliance, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Critical Appraisal.

Difficulty: Beginner

Category: Strategy

---

206. Literature Review 206: Synthesize Gap Identification for a high-impact conference submission

Objective: Build a high-clarity strategy for Gap Identification by improving cost efficiency, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Gap Identification. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to cost efficiency, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Gap Identification.

Difficulty: Intermediate

Category: Execution

207. Literature Review 207: Translate Synthesis Design for an emerging technology review

Objective: Build a high-clarity strategy for Synthesis Design by improving computational efficiency, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Synthesis Design. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to computational efficiency, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Synthesis Design.

Difficulty: Advanced

Category: Optimization

208. Literature Review 208: Model Search Strategy for a policy-oriented manuscript

Objective: Build a high-clarity strategy for Search Strategy by improving publication readiness, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Search Strategy. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to publication readiness, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Search Strategy.

Difficulty: Expert

Category: Planning

209. Literature Review 209: Reframe Critical Appraisal for an industry-backed experiment

Objective: Build a high-clarity strategy for Critical Appraisal by improving stakeholder clarity, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Critical Appraisal. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to stakeholder clarity, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Critical Appraisal.

Difficulty: Beginner

Category: Methodology

210. Literature Review 210: Evaluate Gap Identification for a multi-phase project

Objective: Build a high-clarity strategy for Gap Identification by improving novelty, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Gap Identification. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to novelty, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Gap Identification.

Difficulty: Intermediate

Category: Validation

211. Literature Review 211: Validate Synthesis Design for a method benchmarking campaign

Objective: Build a high-clarity strategy for Synthesis Design by improving feasibility, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Synthesis Design. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to feasibility, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Synthesis Design.

Difficulty: Advanced

Category: Writing

212. Literature Review 212: Map Search Strategy for a reproducibility-sensitive investigation

Objective: Build a high-clarity strategy for Search Strategy by improving rigor, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Search Strategy. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to rigor, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Search Strategy.

Difficulty: Expert

Category: Reasoning

213. Literature Review 213: Prioritize Critical Appraisal for a cross-disciplinary study

Objective: Build a high-clarity strategy for Critical Appraisal by improving generalizability, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Critical Appraisal. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to generalizability, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise

quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Critical Appraisal.

Difficulty: Beginner

Category: Strategy

214. Literature Review 214: Forecast Gap Identification for an ethics-aware deployment study

Objective: Build a high-clarity strategy for Gap Identification by improving reproducibility, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Gap Identification. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to reproducibility, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Gap Identification.

Difficulty: Intermediate

Category: Execution

215. Literature Review 215: Operationalize Synthesis Design for a longitudinal dataset

Objective: Build a high-clarity strategy for Synthesis Design by improving ethical compliance, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Synthesis Design. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to ethical compliance, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Synthesis Design.

Difficulty: Advanced

Category: Optimization

216. Literature Review 216: Compare Search Strategy for a high-impact conference submission

Objective: Build a high-clarity strategy for Search Strategy by improving cost efficiency, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Search Strategy. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to cost efficiency, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Search Strategy.

Difficulty: Expert

Category: Planning

217. Literature Review 217: Optimize Critical Appraisal for an emerging technology review

Objective: Build a high-clarity strategy for Critical Appraisal by improving computational efficiency, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Critical Appraisal. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to computational efficiency, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Critical Appraisal.

Difficulty: Beginner

Category: Methodology

218. Literature Review 218: Diagnose Gap Identification for a policy-oriented manuscript

Objective: Build a high-clarity strategy for Gap Identification by improving publication readiness, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Gap Identification. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to publication readiness, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Gap Identification.

Difficulty: Intermediate

Category: Validation

219. Literature Review 219: Structure Synthesis Design for an industry-backed experiment

Objective: Build a high-clarity strategy for Synthesis Design by improving stakeholder clarity, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Synthesis Design. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to stakeholder clarity, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Synthesis Design.

Difficulty: Advanced

Category: Writing

220. Literature Review 220: Interrogate Search Strategy for a multi-phase project

Objective: Build a high-clarity strategy for Search Strategy by improving novelty, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Search Strategy. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to novelty, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality

checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Search Strategy.

Difficulty: Expert

Category: Reasoning

221. Literature Review 221: Design Critical Appraisal for a method benchmarking campaign

Objective: Build a high-clarity strategy for Critical Appraisal by improving feasibility, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Critical Appraisal. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to feasibility, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Critical Appraisal.

Difficulty: Beginner

Category: Strategy

222. Literature Review 222: Refine Gap Identification for a reproducibility-sensitive investigation

Objective: Build a high-clarity strategy for Gap Identification by improving rigor, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Gap Identification. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to rigor, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Gap Identification.

Difficulty: Intermediate

Category: Execution

223. Literature Review 223: Synthesize Synthesis Design for a cross-disciplinary study

Objective: Build a high-clarity strategy for Synthesis Design by improving generalizability, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Synthesis Design. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to generalizability, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Synthesis Design.

Difficulty: Advanced

Category: Optimization

224. Literature Review 224: Translate Search Strategy for an ethics-aware deployment study

Objective: Build a high-clarity strategy for Search Strategy by improving reproducibility, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Search Strategy. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to reproducibility, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Search Strategy.

Difficulty: Expert

Category: Planning

225. Literature Review 225: Model Critical Appraisal for a longitudinal dataset

Objective: Build a high-clarity strategy for Critical Appraisal by improving ethical compliance, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Critical Appraisal. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to ethical compliance, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Critical Appraisal.

Difficulty: Beginner

Category: Methodology

226. Literature Review 226: Reframe Gap Identification for a high-impact conference submission

Objective: Build a high-clarity strategy for Gap Identification by improving cost efficiency, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Gap Identification. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to cost efficiency, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Gap Identification.

Difficulty: Intermediate

Category: Validation

227. Literature Review 227: Evaluate Synthesis Design for an emerging technology review

Objective: Build a high-clarity strategy for Synthesis Design by improving computational efficiency, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Synthesis Design. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to computational efficiency, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Synthesis Design.

Difficulty: Advanced

Category: Writing

228. Literature Review 228: Validate Search Strategy for a policy-oriented manuscript

Objective: Build a high-clarity strategy for Search Strategy by improving publication readiness, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Search Strategy. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to publication readiness, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Search Strategy.

Difficulty: Expert

Category: Reasoning

229. Literature Review 229: Map Critical Appraisal for an industry-backed experiment

Objective: Build a high-clarity strategy for Critical Appraisal by improving stakeholder clarity, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Critical Appraisal. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to stakeholder clarity, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Critical Appraisal.

Difficulty: Beginner

Category: Strategy

230. Literature Review 230: Prioritize Gap Identification for a multi-phase project

Objective: Build a high-clarity strategy for Gap Identification by improving novelty, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Gap Identification. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to novelty, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Gap Identification.

Difficulty: Intermediate

Category: Execution

---

231. Literature Review 231: Forecast Synthesis Design for a method benchmarking campaign

Objective: Build a high-clarity strategy for Synthesis Design by improving feasibility, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Synthesis Design. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to feasibility, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Synthesis Design.

Difficulty: Advanced

Category: Optimization

232. Literature Review 232: Operationalize Search Strategy for a reproducibility-sensitive investigation

Objective: Build a high-clarity strategy for Search Strategy by improving rigor, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Search Strategy. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to rigor, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Search Strategy.

Difficulty: Expert

Category: Planning

233. Literature Review 233: Compare Critical Appraisal for a cross-disciplinary study

Objective: Build a high-clarity strategy for Critical Appraisal by improving generalizability, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Critical Appraisal. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to generalizability, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Critical Appraisal.

Difficulty: Beginner

Category: Methodology

234. Literature Review 234: Optimize Gap Identification for an ethics-aware deployment study

Objective: Build a high-clarity strategy for Gap Identification by improving reproducibility, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Gap Identification. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to reproducibility, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Gap Identification.

Difficulty: Intermediate

Category: Validation

235. Literature Review 235: Diagnose Synthesis Design for a longitudinal dataset

Objective: Build a high-clarity strategy for Synthesis Design by improving ethical compliance, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Synthesis Design. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to ethical compliance, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Synthesis Design.

Difficulty: Advanced

Category: Writing

---

236. Literature Review 236: Structure Search Strategy for a high-impact conference submission

Objective: Build a high-clarity strategy for Search Strategy by improving cost efficiency, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Search Strategy. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to cost efficiency, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Search Strategy.

Difficulty: Expert

Category: Reasoning

237. Literature Review 237: Interrogate Critical Appraisal for an emerging technology review

Objective: Build a high-clarity strategy for Critical Appraisal by improving computational efficiency, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Critical Appraisal. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to computational efficiency, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Critical Appraisal.

Difficulty: Beginner

Category: Strategy

238. Literature Review 238: Design Gap Identification for a policy-oriented manuscript

Objective: Build a high-clarity strategy for Gap Identification by improving publication readiness, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Gap Identification. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to publication readiness, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Gap Identification.

Difficulty: Intermediate

Category: Execution

239. Literature Review 239: Refine Synthesis Design for an industry-backed experiment

Objective: Build a high-clarity strategy for Synthesis Design by improving stakeholder clarity, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Synthesis Design. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to stakeholder clarity, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Synthesis Design.

Difficulty: Advanced

Category: Optimization

240. Literature Review 240: Synthesize Search Strategy for a multi-phase project

Objective: Build a high-clarity strategy for Search Strategy by improving novelty, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Search Strategy. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to novelty, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Search Strategy.

Difficulty: Expert

Category: Planning

241. Literature Review 241: Translate Critical Appraisal for a method benchmarking campaign

Objective: Build a high-clarity strategy for Critical Appraisal by improving feasibility, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Critical Appraisal. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to feasibility, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Critical Appraisal.

Difficulty: Beginner

Category: Methodology

242. Literature Review 242: Model Gap Identification for a reproducibility-sensitive investigation

Objective: Build a high-clarity strategy for Gap Identification by improving rigor, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Gap Identification. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to rigor, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Gap Identification.

Difficulty: Intermediate

Category: Validation

243. Literature Review 243: Reframe Synthesis Design for a cross-disciplinary study

Objective: Build a high-clarity strategy for Synthesis Design by improving generalizability, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Synthesis Design. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to generalizability, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Synthesis Design.

Difficulty: Advanced

Category: Writing

244. Literature Review 244: Evaluate Search Strategy for an ethics-aware deployment study

Objective: Build a high-clarity strategy for Search Strategy by improving reproducibility, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Search Strategy. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to reproducibility, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Search Strategy.

Difficulty: Expert

Category: Reasoning

245. Literature Review 245: Validate Critical Appraisal for a longitudinal dataset

Objective: Build a high-clarity strategy for Critical Appraisal by improving ethical compliance, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Critical Appraisal. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to ethical compliance, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Critical Appraisal.

Difficulty: Beginner

Category: Strategy

---

246. Literature Review 246: Map Gap Identification for a high-impact conference submission

Objective: Build a high-clarity strategy for Gap Identification by improving cost efficiency, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Gap Identification. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to cost efficiency, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Gap Identification.

Difficulty: Intermediate

Category: Execution

247. Literature Review 247: Prioritize Synthesis Design for an emerging technology review

Objective: Build a high-clarity strategy for Synthesis Design by improving computational efficiency, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Synthesis Design. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to computational efficiency, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Synthesis Design.

Difficulty: Advanced

Category: Optimization

248. Literature Review 248: Forecast Search Strategy for a policy-oriented manuscript

Objective: Build a high-clarity strategy for Search Strategy by improving publication readiness, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Search Strategy. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to publication readiness, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Search Strategy.

Difficulty: Expert

Category: Planning

249. Literature Review 249: Operationalize Critical Appraisal for an industry-backed experiment

Objective: Build a high-clarity strategy for Critical Appraisal by improving stakeholder clarity, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Critical Appraisal. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to stakeholder clarity, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Critical Appraisal.

Difficulty: Beginner

Category: Methodology

250. Literature Review 250: Compare Gap Identification for a multi-phase project

Objective: Build a high-clarity strategy for Gap Identification by improving novelty, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Gap Identification. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to novelty, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Gap Identification.

Difficulty: Intermediate

Category: Validation

---

251. Literature Review 251: Optimize Synthesis Design for a method benchmarking campaign

Objective: Build a high-clarity strategy for Synthesis Design by improving feasibility, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Synthesis Design. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to feasibility, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Synthesis Design.

Difficulty: Advanced

Category: Writing

252. Literature Review 252: Diagnose Search Strategy for a reproducibility-sensitive investigation

Objective: Build a high-clarity strategy for Search Strategy by improving rigor, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Search Strategy. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to rigor, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Search Strategy.

Difficulty: Expert

Category: Reasoning

253. Literature Review 253: Structure Critical Appraisal for a cross-disciplinary study

Objective: Build a high-clarity strategy for Critical Appraisal by improving generalizability, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Critical Appraisal. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to generalizability, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Critical Appraisal.

Difficulty: Beginner

Category: Strategy

254. Literature Review 254: Interrogate Gap Identification for an ethics-aware deployment study

Objective: Build a high-clarity strategy for Gap Identification by improving reproducibility, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Gap Identification. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to reproducibility, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Gap Identification.

Difficulty: Intermediate

Category: Execution

255. Literature Review 255: Design Synthesis Design for a longitudinal dataset

Objective: Build a high-clarity strategy for Synthesis Design by improving ethical compliance, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Synthesis Design. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to ethical compliance, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Synthesis Design.

Difficulty: Advanced

Category: Optimization

256. Literature Review 256: Refine Search Strategy for a high-impact conference submission

Objective: Build a high-clarity strategy for Search Strategy by improving cost efficiency, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Search Strategy. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to cost efficiency, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Search Strategy.

Difficulty: Expert

Category: Planning

257. Literature Review 257: Synthesize Critical Appraisal for an emerging technology review

Objective: Build a high-clarity strategy for Critical Appraisal by improving computational efficiency, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Critical Appraisal. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to computational efficiency, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Critical Appraisal.

Difficulty: Beginner

Category: Methodology

258. Literature Review 258: Translate Gap Identification for a policy-oriented manuscript

Objective: Build a high-clarity strategy for Gap Identification by improving publication readiness, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Gap Identification. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to publication readiness, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Gap Identification.

Difficulty: Intermediate

Category: Validation

259. Literature Review 259: Model Synthesis Design for an industry-backed experiment

Objective: Build a high-clarity strategy for Synthesis Design by improving stakeholder clarity, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Synthesis Design. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to stakeholder clarity, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Synthesis Design.

Difficulty: Advanced

Category: Writing

260. Literature Review 260: Reframe Search Strategy for a multi-phase project

Objective: Build a high-clarity strategy for Search Strategy by improving novelty, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Search Strategy. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to novelty, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Search Strategy.

Difficulty: Expert

Category: Reasoning

---

261. Literature Review 261: Evaluate Critical Appraisal for a method benchmarking campaign

Objective: Build a high-clarity strategy for Critical Appraisal by improving feasibility, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Critical Appraisal. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to feasibility, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Critical Appraisal.

Difficulty: Beginner

Category: Strategy

262. Literature Review 262: Validate Gap Identification for a reproducibility-sensitive investigation

Objective: Build a high-clarity strategy for Gap Identification by improving rigor, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Gap Identification. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to rigor, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Gap Identification.

Difficulty: Intermediate

Category: Execution

263. Literature Review 263: Map Synthesis Design for a cross-disciplinary study

Objective: Build a high-clarity strategy for Synthesis Design by improving generalizability, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Synthesis Design. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to generalizability, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Synthesis Design.

Difficulty: Advanced

Category: Optimization

264. Literature Review 264: Prioritize Search Strategy for an ethics-aware deployment study

Objective: Build a high-clarity strategy for Search Strategy by improving reproducibility, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Search Strategy. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to reproducibility, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Search Strategy.

Difficulty: Expert

Category: Planning

265. Literature Review 265: Forecast Critical Appraisal for a longitudinal dataset

Objective: Build a high-clarity strategy for Critical Appraisal by improving ethical compliance, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Critical Appraisal. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to ethical compliance, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Critical Appraisal.

Difficulty: Beginner

Category: Methodology

266. Literature Review 266: Operationalize Gap Identification for a high-impact conference submission

Objective: Build a high-clarity strategy for Gap Identification by improving cost efficiency, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Gap Identification. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to cost efficiency, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Gap Identification.

Difficulty: Intermediate

Category: Validation

267. Literature Review 267: Compare Synthesis Design for an emerging technology review

Objective: Build a high-clarity strategy for Synthesis Design by improving computational efficiency, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Synthesis Design. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to computational efficiency, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Synthesis Design.

Difficulty: Advanced

Category: Writing

268. Literature Review 268: Optimize Search Strategy for a policy-oriented manuscript

Objective: Build a high-clarity strategy for Search Strategy by improving publication readiness, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Search Strategy. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to publication readiness, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Search Strategy.

Difficulty: Expert

Category: Reasoning

269. Literature Review 269: Diagnose Critical Appraisal for an industry-backed experiment

Objective: Build a high-clarity strategy for Critical Appraisal by improving stakeholder clarity, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Critical Appraisal. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to stakeholder clarity, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Critical Appraisal.

Difficulty: Beginner

Category: Strategy

270. Literature Review 270: Structure Gap Identification for a multi-phase project

Objective: Build a high-clarity strategy for Gap Identification by improving novelty, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Gap Identification. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to novelty, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality

checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Gap Identification.

Difficulty: Intermediate

Category: Execution

271. Literature Review 271: Interrogate Synthesis Design for a method benchmarking campaign

Objective: Build a high-clarity strategy for Synthesis Design by improving feasibility, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Synthesis Design. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to feasibility, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Synthesis Design.

Difficulty: Advanced

Category: Optimization

272. Literature Review 272: Design Search Strategy for a reproducibility-sensitive investigation

Objective: Build a high-clarity strategy for Search Strategy by improving rigor, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Search Strategy. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to rigor, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Search Strategy.

Difficulty: Expert

Category: Planning

273. Literature Review 273: Refine Critical Appraisal for a cross-disciplinary study

Objective: Build a high-clarity strategy for Critical Appraisal by improving generalizability, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Critical Appraisal. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to generalizability, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Critical Appraisal.

Difficulty: Beginner

Category: Methodology

274. Literature Review 274: Synthesize Gap Identification for an ethics-aware deployment study

Objective: Build a high-clarity strategy for Gap Identification by improving reproducibility, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Gap Identification. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to reproducibility, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Gap Identification.

Difficulty: Intermediate

Category: Validation

275. Literature Review 275: Translate Synthesis Design for a longitudinal dataset

Objective: Build a high-clarity strategy for Synthesis Design by improving ethical compliance, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Synthesis Design. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to ethical compliance, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Synthesis Design.

Difficulty: Advanced

Category: Writing

276. Literature Review 276: Model Search Strategy for a high-impact conference submission

Objective: Build a high-clarity strategy for Search Strategy by improving cost efficiency, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Search Strategy. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to cost efficiency, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Search Strategy.

Difficulty: Expert

Category: Reasoning

277. Literature Review 277: Reframe Critical Appraisal for an emerging technology review

Objective: Build a high-clarity strategy for Critical Appraisal by improving computational efficiency, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Critical Appraisal. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to computational efficiency, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis

with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Critical Appraisal.

Difficulty: Beginner

Category: Strategy

278. Literature Review 278: Evaluate Gap Identification for a policy-oriented manuscript

Objective: Build a high-clarity strategy for Gap Identification by improving publication readiness, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Gap Identification. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to publication readiness, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Gap Identification.

Difficulty: Intermediate

Category: Execution

279. Literature Review 279: Validate Synthesis Design for an industry-backed experiment

Objective: Build a high-clarity strategy for Synthesis Design by improving stakeholder clarity, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Synthesis Design. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to stakeholder clarity, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Synthesis Design.

Difficulty: Advanced

Category: Optimization

280. Literature Review 280: Map Search Strategy for a multi-phase project

Objective: Build a high-clarity strategy for Search Strategy by improving novelty, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Search Strategy. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to novelty, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Search Strategy.

Difficulty: Expert

Category: Planning

---

281. Literature Review 281: Prioritize Critical Appraisal for a method benchmarking campaign

Objective: Build a high-clarity strategy for Critical Appraisal by improving feasibility, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Critical Appraisal. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to feasibility, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Critical Appraisal.

Difficulty: Beginner

Category: Methodology

282. Literature Review 282: Forecast Gap Identification for a reproducibility-sensitive investigation

Objective: Build a high-clarity strategy for Gap Identification by improving rigor, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Gap Identification. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to rigor, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Gap Identification.

Difficulty: Intermediate

Category: Validation

283. Literature Review 283: Operationalize Synthesis Design for a cross-disciplinary study

Objective: Build a high-clarity strategy for Synthesis Design by improving generalizability, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Synthesis Design. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to generalizability, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Synthesis Design.

Difficulty: Advanced

Category: Writing

284. Literature Review 284: Compare Search Strategy for an ethics-aware deployment study

Objective: Build a high-clarity strategy for Search Strategy by improving reproducibility, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Search Strategy. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to reproducibility, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Search Strategy.

Difficulty: Expert

Category: Reasoning

285. Literature Review 285: Optimize Critical Appraisal for a longitudinal dataset

Objective: Build a high-clarity strategy for Critical Appraisal by improving ethical compliance, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Critical Appraisal. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to ethical compliance, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Critical Appraisal.

Difficulty: Beginner

Category: Strategy

---

286. Literature Review 286: Diagnose Gap Identification for a high-impact conference submission

Objective: Build a high-clarity strategy for Gap Identification by improving cost efficiency, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Gap Identification. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to cost efficiency, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Gap Identification.

Difficulty: Intermediate

Category: Execution

287. Literature Review 287: Structure Synthesis Design for an emerging technology review

Objective: Build a high-clarity strategy for Synthesis Design by improving computational efficiency, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Synthesis Design. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to computational efficiency, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Synthesis Design.

Difficulty: Advanced

Category: Optimization

288. Literature Review 288: Interrogate Search Strategy for a policy-oriented manuscript

Objective: Build a high-clarity strategy for Search Strategy by improving publication readiness, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Search Strategy. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to publication readiness, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Search Strategy.

Difficulty: Expert

Category: Planning

289. Literature Review 289: Design Critical Appraisal for an industry-backed experiment

Objective: Build a high-clarity strategy for Critical Appraisal by improving stakeholder clarity, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Critical Appraisal. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to stakeholder clarity, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Critical Appraisal.

Difficulty: Beginner

Category: Methodology

290. Literature Review 290: Refine Gap Identification for a multi-phase project

Objective: Build a high-clarity strategy for Gap Identification by improving novelty, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Gap Identification. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to novelty, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Gap Identification.

Difficulty: Intermediate

Category: Validation

291. Literature Review 291: Synthesize Synthesis Design for a method benchmarking campaign

Objective: Build a high-clarity strategy for Synthesis Design by improving feasibility, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Synthesis Design. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to feasibility, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Synthesis Design.

Difficulty: Advanced

Category: Writing

292. Literature Review 292: Translate Search Strategy for a reproducibility-sensitive investigation

Objective: Build a high-clarity strategy for Search Strategy by improving rigor, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Search Strategy. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to rigor, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Search Strategy.

Difficulty: Expert

Category: Reasoning

293. Literature Review 293: Model Critical Appraisal for a cross-disciplinary study

Objective: Build a high-clarity strategy for Critical Appraisal by improving generalizability, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Critical Appraisal. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to generalizability, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Critical Appraisal.

Difficulty: Beginner

Category: Strategy

294. Literature Review 294: Reframe Gap Identification for an ethics-aware deployment study

Objective: Build a high-clarity strategy for Gap Identification by improving reproducibility, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Gap Identification. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to reproducibility, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Gap Identification.

Difficulty: Intermediate

Category: Execution

295. Literature Review 295: Evaluate Synthesis Design for a longitudinal dataset

Objective: Build a high-clarity strategy for Synthesis Design by improving ethical compliance, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Synthesis Design. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to ethical compliance, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Synthesis Design.

Difficulty: Advanced

Category: Optimization

---

296. Literature Review 296: Validate Search Strategy for a high-impact conference submission

Objective: Build a high-clarity strategy for Search Strategy by improving cost efficiency, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Search Strategy. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to cost efficiency, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Search Strategy.

Difficulty: Expert

Category: Planning

297. Literature Review 297: Map Critical Appraisal for an emerging technology review

Objective: Build a high-clarity strategy for Critical Appraisal by improving computational efficiency, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Critical Appraisal. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to computational efficiency, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Critical Appraisal.

Difficulty: Beginner

Category: Methodology

298. Literature Review 298: Prioritize Gap Identification for a policy-oriented manuscript

Objective: Build a high-clarity strategy for Gap Identification by improving publication readiness, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Gap Identification. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to publication readiness, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and thematic synthesis with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade thematic synthesis containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Gap Identification.

Difficulty: Intermediate

Category: Validation

299. Literature Review 299: Forecast Synthesis Design for an industry-backed experiment

Objective: Build a high-clarity strategy for Synthesis Design by improving stakeholder clarity, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Synthesis Design. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to stakeholder clarity, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and citation logic matrix with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade citation logic matrix containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Synthesis Design.

Difficulty: Advanced

Category: Writing

300. Literature Review 300: Operationalize Search Strategy for a multi-phase project

Objective: Build a high-clarity strategy for Search Strategy by improving novelty, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Search Strategy. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to novelty, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and evidence map with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade evidence map containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Search Strategy.

Difficulty: Expert

Category: Reasoning

Summary

Applying these 300 prompts systematically improves decision quality, writing clarity, and publication readiness across research cycles.