

Data Analysis Prompt Library

Prompt Library

Ultimate AI Research Toolkit 2026 - Premium Edition

Designed for PhD students, professors, graduate researchers, engineers, and data scientists.

[Idea]	Research prompts and ideation systems
[Review]	Literature synthesis and gap detection
[Write]	Paper writing and revision workflows
[Plan]	Publication and productivity operations

Table of Contents

1. Introduction
2. Instructions
3. Prompt Library
4. Summary

Introduction

This Data Analysis library provides 100 original prompts engineered for high-rigor academic and technical workflows. Each prompt includes practical fields to help users move from ideation to reproducible output.

Instructions

- Select prompts by category and difficulty to match project maturity.
- Replace variables in the prompt with your specific discipline, data, and constraints.
- Use Expected Output as the acceptance criteria for quality control.
- Store outputs in versioned folders to preserve decision history.

Prompt Library

1. Data Analysis 001: Refine Model Diagnostics for a method benchmarking campaign

Objective: Build a high-clarity strategy for Model Diagnostics by improving feasibility, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Model Diagnostics. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to feasibility, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and diagnostic dashboard with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade diagnostic dashboard containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Model Diagnostics.

Difficulty: Beginner

Category: Methodology

2. Data Analysis 002: Synthesize Feature Interpretation for a reproducibility-sensitive investigation

Objective: Build a high-clarity strategy for Feature Interpretation by improving rigor, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Feature Interpretation. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to rigor, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and feature impact memo with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade feature impact memo containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Feature Interpretation.

Difficulty: Intermediate

Category: Validation

3. Data Analysis 003: Translate Error Analysis for a cross-disciplinary study

Objective: Build a high-clarity strategy for Error Analysis by improving generalizability, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Error Analysis. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource

limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to generalizability, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and analysis report with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade analysis report containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Error Analysis.

Difficulty: Advanced

Category: Writing

4. Data Analysis 004: Model Data Profiling for an ethics-aware deployment study

Objective: Build a high-clarity strategy for Data Profiling by improving reproducibility, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Data Profiling. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to reproducibility, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and diagnostic dashboard with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade diagnostic dashboard containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Data Profiling.

Difficulty: Expert

Category: Reasoning

5. Data Analysis 005: Reframe Model Diagnostics for a longitudinal dataset

Objective: Build a high-clarity strategy for Model Diagnostics by improving ethical compliance, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Model Diagnostics. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to ethical compliance, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and feature impact memo with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade feature impact memo containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Model Diagnostics.

Difficulty: Beginner

Category: Strategy

6. Data Analysis 006: Evaluate Feature Interpretation for a high-impact conference submission

Objective: Build a high-clarity strategy for Feature Interpretation by improving cost efficiency, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Feature Interpretation. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to cost efficiency, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and analysis report with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade analysis report containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Feature Interpretation.

Difficulty: Intermediate

Category: Execution

7. Data Analysis 007: Validate Error Analysis for an emerging technology review

Objective: Build a high-clarity strategy for Error Analysis by improving computational efficiency, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Error Analysis. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to computational efficiency, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and diagnostic dashboard with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade diagnostic dashboard containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Error Analysis.

Difficulty: Advanced

Category: Optimization

8. Data Analysis 008: Map Data Profiling for a policy-oriented manuscript

Objective: Build a high-clarity strategy for Data Profiling by improving publication readiness, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Data Profiling. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to publication readiness, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and feature impact memo with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade feature impact memo containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Data Profiling.

Difficulty: Expert

Category: Planning

9. Data Analysis 009: Prioritize Model Diagnostics for an industry-backed experiment

Objective: Build a high-clarity strategy for Model Diagnostics by improving stakeholder clarity, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Model Diagnostics. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to stakeholder clarity, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and analysis report with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade analysis report containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Model Diagnostics.

Difficulty: Beginner

Category: Methodology

10. Data Analysis 010: Forecast Feature Interpretation for a multi-phase project

Objective: Build a high-clarity strategy for Feature Interpretation by improving novelty, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Feature Interpretation. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to novelty, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and diagnostic dashboard with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade diagnostic dashboard containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Feature Interpretation.

Difficulty: Intermediate

Category: Validation

11. Data Analysis 011: Operationalize Error Analysis for a method benchmarking campaign

Objective: Build a high-clarity strategy for Error Analysis by improving feasibility, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Error Analysis. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to feasibility, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and feature impact memo with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade feature impact memo containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Error Analysis.

Difficulty: Advanced

Category: Writing

12. Data Analysis 012: Compare Data Profiling for a reproducibility-sensitive investigation

Objective: Build a high-clarity strategy for Data Profiling by improving rigor, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Data Profiling. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to rigor, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and analysis report with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade analysis report containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Data Profiling.

Difficulty: Expert

Category: Reasoning

13. Data Analysis 013: Optimize Model Diagnostics for a cross-disciplinary study

Objective: Build a high-clarity strategy for Model Diagnostics by improving generalizability, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Model Diagnostics. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to generalizability, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and diagnostic dashboard with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade diagnostic dashboard containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Model Diagnostics.

Difficulty: Beginner

Category: Strategy

14. Data Analysis 014: Diagnose Feature Interpretation for an ethics-aware deployment study

Objective: Build a high-clarity strategy for Feature Interpretation by improving reproducibility, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Feature Interpretation. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to reproducibility, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and feature impact memo with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade feature impact memo containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Feature Interpretation.

Difficulty: Intermediate

Category: Execution

15. Data Analysis 015: Structure Error Analysis for a longitudinal dataset

Objective: Build a high-clarity strategy for Error Analysis by improving ethical compliance, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Error Analysis. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to ethical compliance, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and analysis report with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade analysis report containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Error Analysis.

Difficulty: Advanced

Category: Optimization

16. Data Analysis 016: Interrogate Data Profiling for a high-impact conference submission

Objective: Build a high-clarity strategy for Data Profiling by improving cost efficiency, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Data Profiling. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to cost efficiency, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and diagnostic dashboard with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade diagnostic dashboard containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Data Profiling.

Difficulty: Expert

Category: Planning

17. Data Analysis 017: Design Model Diagnostics for an emerging technology review

Objective: Build a high-clarity strategy for Model Diagnostics by improving computational efficiency, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Model Diagnostics. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to computational efficiency, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and feature impact memo with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade feature impact memo containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Model Diagnostics.

Difficulty: Beginner

Category: Methodology

18. Data Analysis 018: Refine Feature Interpretation for a policy-oriented manuscript

Objective: Build a high-clarity strategy for Feature Interpretation by improving publication readiness, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Feature Interpretation. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to publication readiness, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and analysis report with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade analysis report containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Feature Interpretation.

Difficulty: Intermediate

Category: Validation

19. Data Analysis 019: Synthesize Error Analysis for an industry-backed experiment

Objective: Build a high-clarity strategy for Error Analysis by improving stakeholder clarity, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Error Analysis. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to stakeholder clarity, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and diagnostic dashboard with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade diagnostic dashboard containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Error Analysis.

Difficulty: Advanced

Category: Writing

20. Data Analysis 020: Translate Data Profiling for a multi-phase project

Objective: Build a high-clarity strategy for Data Profiling by improving novelty, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Data Profiling. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to novelty, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality

checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and feature impact memo with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade feature impact memo containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Data Profiling.

Difficulty: Expert

Category: Reasoning

21. Data Analysis 021: Model Model Diagnostics for a method benchmarking campaign

Objective: Build a high-clarity strategy for Model Diagnostics by improving feasibility, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Model Diagnostics. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to feasibility, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and analysis report with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade analysis report containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Model Diagnostics.

Difficulty: Beginner

Category: Strategy

22. Data Analysis 022: Reframe Feature Interpretation for a reproducibility-sensitive investigation

Objective: Build a high-clarity strategy for Feature Interpretation by improving rigor, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Feature Interpretation. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to rigor, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and diagnostic dashboard with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade diagnostic dashboard containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Feature Interpretation.

Difficulty: Intermediate

Category: Execution

23. Data Analysis 023: Evaluate Error Analysis for a cross-disciplinary study

Objective: Build a high-clarity strategy for Error Analysis by improving generalizability, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Error Analysis. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to generalizability, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and feature impact memo with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade feature impact memo containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Error Analysis.

Difficulty: Advanced

Category: Optimization

24. Data Analysis 024: Validate Data Profiling for an ethics-aware deployment study

Objective: Build a high-clarity strategy for Data Profiling by improving reproducibility, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Data Profiling. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to reproducibility, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and analysis report with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade analysis report containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Data Profiling.

Difficulty: Expert

Category: Planning

25. Data Analysis 025: Map Model Diagnostics for a longitudinal dataset

Objective: Build a high-clarity strategy for Model Diagnostics by improving ethical compliance, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Model Diagnostics. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to ethical compliance, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and diagnostic dashboard with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade diagnostic dashboard containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Model Diagnostics.

Difficulty: Beginner

Category: Methodology

26. Data Analysis 026: Prioritize Feature Interpretation for a high-impact conference submission

Objective: Build a high-clarity strategy for Feature Interpretation by improving cost efficiency, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Feature Interpretation. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to cost efficiency, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and feature impact memo with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade feature impact memo containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Feature Interpretation.

Difficulty: Intermediate

Category: Validation

27. Data Analysis 027: Forecast Error Analysis for an emerging technology review

Objective: Build a high-clarity strategy for Error Analysis by improving computational efficiency, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Error Analysis. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to computational efficiency, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and analysis report with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade analysis report containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Error Analysis.

Difficulty: Advanced

Category: Writing

28. Data Analysis 028: Operationalize Data Profiling for a policy-oriented manuscript

Objective: Build a high-clarity strategy for Data Profiling by improving publication readiness, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Data Profiling. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to publication readiness, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and diagnostic dashboard with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade diagnostic dashboard containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Data Profiling.

Difficulty: Expert

Category: Reasoning

29. Data Analysis 029: Compare Model Diagnostics for an industry-backed experiment

Objective: Build a high-clarity strategy for Model Diagnostics by improving stakeholder clarity, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Model Diagnostics. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to stakeholder clarity, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and feature impact memo with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade feature impact memo containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Model Diagnostics.

Difficulty: Beginner

Category: Strategy

30. Data Analysis 030: Optimize Feature Interpretation for a multi-phase project

Objective: Build a high-clarity strategy for Feature Interpretation by improving novelty, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Feature Interpretation. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to novelty, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and analysis report with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade analysis report containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Feature Interpretation.

Difficulty: Intermediate

Category: Execution

31. Data Analysis 031: Diagnose Error Analysis for a method benchmarking campaign

Objective: Build a high-clarity strategy for Error Analysis by improving feasibility, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Error Analysis. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to feasibility, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and diagnostic dashboard with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade diagnostic dashboard containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Error Analysis.

Difficulty: Advanced

Category: Optimization

32. Data Analysis 032: Structure Data Profiling for a reproducibility-sensitive investigation

Objective: Build a high-clarity strategy for Data Profiling by improving rigor, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Data Profiling. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to rigor, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and feature impact memo with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade feature impact memo containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Data Profiling.

Difficulty: Expert

Category: Planning

33. Data Analysis 033: Interrogate Model Diagnostics for a cross-disciplinary study

Objective: Build a high-clarity strategy for Model Diagnostics by improving generalizability, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Model Diagnostics. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to generalizability, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and analysis report with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade analysis report containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Model Diagnostics.

Difficulty: Beginner

Category: Methodology

34. Data Analysis 034: Design Feature Interpretation for an ethics-aware deployment study

Objective: Build a high-clarity strategy for Feature Interpretation by improving reproducibility, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Feature Interpretation. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to reproducibility, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and diagnostic dashboard with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade diagnostic dashboard containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Feature Interpretation.

Difficulty: Intermediate

Category: Validation

35. Data Analysis 035: Refine Error Analysis for a longitudinal dataset

Objective: Build a high-clarity strategy for Error Analysis by improving ethical compliance, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Error Analysis. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to ethical compliance, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and feature impact memo with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade feature impact memo containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Error Analysis.

Difficulty: Advanced

Category: Writing

36. Data Analysis 036: Synthesize Data Profiling for a high-impact conference submission

Objective: Build a high-clarity strategy for Data Profiling by improving cost efficiency, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Data Profiling. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to cost efficiency, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and analysis report with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade analysis report containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Data Profiling.

Difficulty: Expert

Category: Reasoning

37. Data Analysis 037: Translate Model Diagnostics for an emerging technology review

Objective: Build a high-clarity strategy for Model Diagnostics by improving computational efficiency, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Model Diagnostics. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to computational efficiency, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and diagnostic dashboard with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade diagnostic dashboard containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Model Diagnostics.

Difficulty: Beginner

Category: Strategy

38. Data Analysis 038: Model Feature Interpretation for a policy-oriented manuscript

Objective: Build a high-clarity strategy for Feature Interpretation by improving publication readiness, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Feature Interpretation. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to publication readiness, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and feature impact memo with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade feature impact memo containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Feature Interpretation.

Difficulty: Intermediate

Category: Execution

39. Data Analysis 039: Reframe Error Analysis for an industry-backed experiment

Objective: Build a high-clarity strategy for Error Analysis by improving stakeholder clarity, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Error Analysis. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to stakeholder clarity, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and analysis report with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade analysis report containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Error Analysis.

Difficulty: Advanced

Category: Optimization

40. Data Analysis 040: Evaluate Data Profiling for a multi-phase project

Objective: Build a high-clarity strategy for Data Profiling by improving novelty, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Data Profiling. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to novelty, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and diagnostic dashboard with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade diagnostic dashboard containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Data Profiling.

Difficulty: Expert

Category: Planning

41. Data Analysis 041: Validate Model Diagnostics for a method benchmarking campaign

Objective: Build a high-clarity strategy for Model Diagnostics by improving feasibility, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Model Diagnostics. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to feasibility, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and feature impact memo with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade feature impact memo containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Model Diagnostics.

Difficulty: Beginner

Category: Methodology

42. Data Analysis 042: Map Feature Interpretation for a reproducibility-sensitive investigation

Objective: Build a high-clarity strategy for Feature Interpretation by improving rigor, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Feature Interpretation. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to rigor, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and analysis report with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade analysis report containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Feature Interpretation.

Difficulty: Intermediate

Category: Validation

43. Data Analysis 043: Prioritize Error Analysis for a cross-disciplinary study

Objective: Build a high-clarity strategy for Error Analysis by improving generalizability, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Error Analysis. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to generalizability, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and diagnostic dashboard with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade diagnostic dashboard containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Error Analysis.

Difficulty: Advanced

Category: Writing

44. Data Analysis 044: Forecast Data Profiling for an ethics-aware deployment study

Objective: Build a high-clarity strategy for Data Profiling by improving reproducibility, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Data Profiling. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to reproducibility, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and feature impact memo with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade feature impact memo containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Data Profiling.

Difficulty: Expert

Category: Reasoning

45. Data Analysis 045: Operationalize Model Diagnostics for a longitudinal dataset

Objective: Build a high-clarity strategy for Model Diagnostics by improving ethical compliance, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Model Diagnostics. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to ethical compliance, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and analysis report with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade analysis report containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Model Diagnostics.

Difficulty: Beginner

Category: Strategy

46. Data Analysis 046: Compare Feature Interpretation for a high-impact conference submission

Objective: Build a high-clarity strategy for Feature Interpretation by improving cost efficiency, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Feature Interpretation. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to cost efficiency, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and diagnostic dashboard with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade diagnostic dashboard containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Feature Interpretation.

Difficulty: Intermediate

Category: Execution

47. Data Analysis 047: Optimize Error Analysis for an emerging technology review

Objective: Build a high-clarity strategy for Error Analysis by improving computational efficiency, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Error Analysis. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to computational efficiency, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and feature impact memo with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade feature impact memo containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Error Analysis.

Difficulty: Advanced

Category: Optimization

48. Data Analysis 048: Diagnose Data Profiling for a policy-oriented manuscript

Objective: Build a high-clarity strategy for Data Profiling by improving publication readiness, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Data Profiling. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to publication readiness, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and analysis report with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade analysis report containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Data Profiling.

Difficulty: Expert

Category: Planning

49. Data Analysis 049: Structure Model Diagnostics for an industry-backed experiment

Objective: Build a high-clarity strategy for Model Diagnostics by improving stakeholder clarity, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Model Diagnostics. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to stakeholder clarity, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and diagnostic dashboard with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade diagnostic dashboard containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Model Diagnostics.

Difficulty: Beginner

Category: Methodology

50. Data Analysis 050: Interrogate Feature Interpretation for a multi-phase project

Objective: Build a high-clarity strategy for Feature Interpretation by improving novelty, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Feature Interpretation. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to novelty, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and feature impact memo with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade feature impact memo containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Feature Interpretation.

Difficulty: Intermediate

Category: Validation

51. Data Analysis 051: Design Error Analysis for a method benchmarking campaign

Objective: Build a high-clarity strategy for Error Analysis by improving feasibility, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Error Analysis. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to feasibility, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and analysis report with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade analysis report containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Error Analysis.

Difficulty: Advanced

Category: Writing

52. Data Analysis 052: Refine Data Profiling for a reproducibility-sensitive investigation

Objective: Build a high-clarity strategy for Data Profiling by improving rigor, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Data Profiling. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to rigor, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and diagnostic dashboard with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade diagnostic dashboard containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Data Profiling.

Difficulty: Expert

Category: Reasoning

53. Data Analysis 053: Synthesize Model Diagnostics for a cross-disciplinary study

Objective: Build a high-clarity strategy for Model Diagnostics by improving generalizability, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Model Diagnostics. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to generalizability, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and feature impact memo with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade feature impact memo containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Model Diagnostics.

Difficulty: Beginner

Category: Strategy

54. Data Analysis 054: Translate Feature Interpretation for an ethics-aware deployment study

Objective: Build a high-clarity strategy for Feature Interpretation by improving reproducibility, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Feature Interpretation. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline},

resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to reproducibility, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and analysis report with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade analysis report containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Feature Interpretation.

Difficulty: Intermediate

Category: Execution

55. Data Analysis 055: Model Error Analysis for a longitudinal dataset

Objective: Build a high-clarity strategy for Error Analysis by improving ethical compliance, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Error Analysis. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to ethical compliance, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and diagnostic dashboard with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade diagnostic dashboard containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Error Analysis.

Difficulty: Advanced

Category: Optimization

56. Data Analysis 056: Reframe Data Profiling for a high-impact conference submission

Objective: Build a high-clarity strategy for Data Profiling by improving cost efficiency, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Data Profiling. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to cost efficiency, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and feature impact memo with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade feature impact memo containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Data Profiling.

Difficulty: Expert

Category: Planning

57. Data Analysis 057: Evaluate Model Diagnostics for an emerging technology review

Objective: Build a high-clarity strategy for Model Diagnostics by improving computational efficiency, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Model Diagnostics. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to computational efficiency, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and analysis report with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade analysis report containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Model Diagnostics.

Difficulty: Beginner

Category: Methodology

58. Data Analysis 058: Validate Feature Interpretation for a policy-oriented manuscript

Objective: Build a high-clarity strategy for Feature Interpretation by improving publication readiness, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Feature Interpretation. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to publication readiness, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and diagnostic dashboard with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade diagnostic dashboard containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Feature Interpretation.

Difficulty: Intermediate

Category: Validation

59. Data Analysis 059: Map Error Analysis for an industry-backed experiment

Objective: Build a high-clarity strategy for Error Analysis by improving stakeholder clarity, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Error Analysis. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to stakeholder clarity, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and feature impact memo with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade feature impact memo containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Error Analysis.

Difficulty: Advanced

Category: Writing

60. Data Analysis 060: Prioritize Data Profiling for a multi-phase project

Objective: Build a high-clarity strategy for Data Profiling by improving novelty, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Data Profiling. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to novelty, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and analysis report with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade analysis report containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Data Profiling.

Difficulty: Expert

Category: Reasoning

61. Data Analysis 061: Forecast Model Diagnostics for a method benchmarking campaign

Objective: Build a high-clarity strategy for Model Diagnostics by improving feasibility, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Model Diagnostics. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to feasibility, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and

a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and diagnostic dashboard with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade diagnostic dashboard containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Model Diagnostics.

Difficulty: Beginner

Category: Strategy

62. Data Analysis 062: Operationalize Feature Interpretation for a reproducibility-sensitive investigation

Objective: Build a high-clarity strategy for Feature Interpretation by improving rigor, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Feature Interpretation. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to rigor, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and feature impact memo with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade feature impact memo containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Feature Interpretation.

Difficulty: Intermediate

Category: Execution

63. Data Analysis 063: Compare Error Analysis for a cross-disciplinary study

Objective: Build a high-clarity strategy for Error Analysis by improving generalizability, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Error Analysis. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to generalizability, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and analysis report with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade analysis report containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Error Analysis.

Difficulty: Advanced

Category: Optimization

64. Data Analysis 064: Optimize Data Profiling for an ethics-aware deployment study

Objective: Build a high-clarity strategy for Data Profiling by improving reproducibility, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Data Profiling. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to reproducibility, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and diagnostic dashboard with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade diagnostic dashboard containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Data Profiling.

Difficulty: Expert

Category: Planning

65. Data Analysis 065: Diagnose Model Diagnostics for a longitudinal dataset

Objective: Build a high-clarity strategy for Model Diagnostics by improving ethical compliance, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Model Diagnostics. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to ethical compliance, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and feature impact memo with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade feature impact memo containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Model Diagnostics.

Difficulty: Beginner

Category: Methodology

66. Data Analysis 066: Structure Feature Interpretation for a high-impact conference submission

Objective: Build a high-clarity strategy for Feature Interpretation by improving cost efficiency, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Feature Interpretation. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to cost efficiency, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and analysis report with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade analysis report containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Feature Interpretation.

Difficulty: Intermediate

Category: Validation

67. Data Analysis 067: Interrogate Error Analysis for an emerging technology review

Objective: Build a high-clarity strategy for Error Analysis by improving computational efficiency, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Error Analysis. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to computational efficiency, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and diagnostic dashboard with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade diagnostic dashboard containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Error Analysis.

Difficulty: Advanced

Category: Writing

68. Data Analysis 068: Design Data Profiling for a policy-oriented manuscript

Objective: Build a high-clarity strategy for Data Profiling by improving publication readiness, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Data Profiling. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to publication readiness, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and feature impact memo with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade feature impact memo containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Data Profiling.

Difficulty: Expert

Category: Reasoning

69. Data Analysis 069: Refine Model Diagnostics for an industry-backed experiment

Objective: Build a high-clarity strategy for Model Diagnostics by improving stakeholder clarity, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Model Diagnostics. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to stakeholder clarity, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and analysis report with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade analysis report containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Model Diagnostics.

Difficulty: Beginner

Category: Strategy

70. Data Analysis 070: Synthesize Feature Interpretation for a multi-phase project

Objective: Build a high-clarity strategy for Feature Interpretation by improving novelty, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Feature Interpretation. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to novelty, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and diagnostic dashboard with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade diagnostic dashboard containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Feature Interpretation.

Difficulty: Intermediate

Category: Execution

71. Data Analysis 071: Translate Error Analysis for a method benchmarking campaign

Objective: Build a high-clarity strategy for Error Analysis by improving feasibility, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Error Analysis. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to feasibility, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and feature impact memo with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade feature impact memo containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Error Analysis.

Difficulty: Advanced

Category: Optimization

72. Data Analysis 072: Model Data Profiling for a reproducibility-sensitive investigation

Objective: Build a high-clarity strategy for Data Profiling by improving rigor, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Data Profiling. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to rigor, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and analysis report with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade analysis report containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Data Profiling.

Difficulty: Expert

Category: Planning

73. Data Analysis 073: Reframe Model Diagnostics for a cross-disciplinary study

Objective: Build a high-clarity strategy for Model Diagnostics by improving generalizability, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Model Diagnostics. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to generalizability, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and diagnostic dashboard

with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade diagnostic dashboard containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Model Diagnostics.

Difficulty: Beginner

Category: Methodology

74. Data Analysis 074: Evaluate Feature Interpretation for an ethics-aware deployment study

Objective: Build a high-clarity strategy for Feature Interpretation by improving reproducibility, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Feature Interpretation. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to reproducibility, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and feature impact memo with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade feature impact memo containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Feature Interpretation.

Difficulty: Intermediate

Category: Validation

75. Data Analysis 075: Validate Error Analysis for a longitudinal dataset

Objective: Build a high-clarity strategy for Error Analysis by improving ethical compliance, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Error Analysis. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to ethical compliance, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and analysis report with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade analysis report containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Error Analysis.

Difficulty: Advanced

Category: Writing

76. Data Analysis 076: Map Data Profiling for a high-impact conference submission

Objective: Build a high-clarity strategy for Data Profiling by improving cost efficiency, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Data Profiling. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to cost efficiency, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and diagnostic dashboard with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade diagnostic dashboard containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Data Profiling.

Difficulty: Expert

Category: Reasoning

77. Data Analysis 077: Prioritize Model Diagnostics for an emerging technology review

Objective: Build a high-clarity strategy for Model Diagnostics by improving computational efficiency, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Model Diagnostics. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to computational efficiency, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and feature impact memo with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade feature impact memo containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Model Diagnostics.

Difficulty: Beginner

Category: Strategy

78. Data Analysis 078: Forecast Feature Interpretation for a policy-oriented manuscript

Objective: Build a high-clarity strategy for Feature Interpretation by improving publication readiness, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Feature Interpretation. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline},

resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to publication readiness, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and analysis report with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade analysis report containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Feature Interpretation.

Difficulty: Intermediate

Category: Execution

79. Data Analysis 079: Operationalize Error Analysis for an industry-backed experiment

Objective: Build a high-clarity strategy for Error Analysis by improving stakeholder clarity, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Error Analysis. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to stakeholder clarity, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and diagnostic dashboard with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade diagnostic dashboard containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Error Analysis.

Difficulty: Advanced

Category: Optimization

80. Data Analysis 080: Compare Data Profiling for a multi-phase project

Objective: Build a high-clarity strategy for Data Profiling by improving novelty, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Data Profiling. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to novelty, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and feature impact memo with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade feature impact memo containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Data Profiling.

Difficulty: Expert

Category: Planning

81. Data Analysis 081: Optimize Model Diagnostics for a method benchmarking campaign

Objective: Build a high-clarity strategy for Model Diagnostics by improving feasibility, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Model Diagnostics. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to feasibility, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and analysis report with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade analysis report containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Model Diagnostics.

Difficulty: Beginner

Category: Methodology

82. Data Analysis 082: Diagnose Feature Interpretation for a reproducibility-sensitive investigation

Objective: Build a high-clarity strategy for Feature Interpretation by improving rigor, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Feature Interpretation. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to rigor, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and diagnostic dashboard with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade diagnostic dashboard containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Feature Interpretation.

Difficulty: Intermediate

Category: Validation

83. Data Analysis 083: Structure Error Analysis for a cross-disciplinary study

Objective: Build a high-clarity strategy for Error Analysis by improving generalizability, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Error Analysis. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to generalizability, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and feature impact memo with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade feature impact memo containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Error Analysis.

Difficulty: Advanced

Category: Writing

84. Data Analysis 084: Interrogate Data Profiling for an ethics-aware deployment study

Objective: Build a high-clarity strategy for Data Profiling by improving reproducibility, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Data Profiling. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to reproducibility, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and analysis report with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade analysis report containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Data Profiling.

Difficulty: Expert

Category: Reasoning

85. Data Analysis 085: Design Model Diagnostics for a longitudinal dataset

Objective: Build a high-clarity strategy for Model Diagnostics by improving ethical compliance, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Model Diagnostics. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to ethical compliance, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and diagnostic dashboard

with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade diagnostic dashboard containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Model Diagnostics.

Difficulty: Beginner

Category: Strategy

86. Data Analysis 086: Refine Feature Interpretation for a high-impact conference submission

Objective: Build a high-clarity strategy for Feature Interpretation by improving cost efficiency, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Feature Interpretation. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to cost efficiency, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and feature impact memo with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade feature impact memo containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Feature Interpretation.

Difficulty: Intermediate

Category: Execution

87. Data Analysis 087: Synthesize Error Analysis for an emerging technology review

Objective: Build a high-clarity strategy for Error Analysis by improving computational efficiency, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Error Analysis. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to computational efficiency, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and analysis report with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade analysis report containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Error Analysis.

Difficulty: Advanced

Category: Optimization

88. Data Analysis 088: Translate Data Profiling for a policy-oriented manuscript

Objective: Build a high-clarity strategy for Data Profiling by improving publication readiness, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Data Profiling. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to publication readiness, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and diagnostic dashboard with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade diagnostic dashboard containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Data Profiling.

Difficulty: Expert

Category: Planning

89. Data Analysis 089: Model Model Diagnostics for an industry-backed experiment

Objective: Build a high-clarity strategy for Model Diagnostics by improving stakeholder clarity, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Model Diagnostics. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to stakeholder clarity, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and feature impact memo with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade feature impact memo containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Model Diagnostics.

Difficulty: Beginner

Category: Methodology

90. Data Analysis 090: Reframe Feature Interpretation for a multi-phase project

Objective: Build a high-clarity strategy for Feature Interpretation by improving novelty, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Feature Interpretation. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to novelty, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and analysis report with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade analysis report containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Feature Interpretation.

Difficulty: Intermediate

Category: Validation

91. Data Analysis 091: Evaluate Error Analysis for a method benchmarking campaign

Objective: Build a high-clarity strategy for Error Analysis by improving feasibility, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Error Analysis. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to feasibility, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and diagnostic dashboard with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade diagnostic dashboard containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Error Analysis.

Difficulty: Advanced

Category: Writing

92. Data Analysis 092: Validate Data Profiling for a reproducibility-sensitive investigation

Objective: Build a high-clarity strategy for Data Profiling by improving rigor, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Data Profiling. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to rigor, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and feature impact memo with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade feature impact memo containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Data Profiling.

Difficulty: Expert

Category: Reasoning

93. Data Analysis 093: Map Model Diagnostics for a cross-disciplinary study

Objective: Build a high-clarity strategy for Model Diagnostics by improving generalizability, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Model Diagnostics. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to generalizability, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and analysis report with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade analysis report containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Model Diagnostics.

Difficulty: Beginner

Category: Strategy

94. Data Analysis 094: Prioritize Feature Interpretation for an ethics-aware deployment study

Objective: Build a high-clarity strategy for Feature Interpretation by improving reproducibility, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Feature Interpretation. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to reproducibility, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and diagnostic dashboard with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade diagnostic dashboard containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Feature Interpretation.

Difficulty: Intermediate

Category: Execution

95. Data Analysis 095: Forecast Error Analysis for a longitudinal dataset

Objective: Build a high-clarity strategy for Error Analysis by improving ethical compliance, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Error Analysis. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to ethical compliance, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and feature impact memo with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade feature impact memo containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Error Analysis.

Difficulty: Advanced

Category: Optimization

96. Data Analysis 096: Operationalize Data Profiling for a high-impact conference submission

Objective: Build a high-clarity strategy for Data Profiling by improving cost efficiency, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Data Profiling. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to cost efficiency, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and analysis report with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade analysis report containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Data Profiling.

Difficulty: Expert

Category: Planning

97. Data Analysis 097: Compare Model Diagnostics for an emerging technology review

Objective: Build a high-clarity strategy for Model Diagnostics by improving computational efficiency, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Model Diagnostics. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to computational efficiency, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and diagnostic dashboard

with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade diagnostic dashboard containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Model Diagnostics.

Difficulty: Beginner

Category: Methodology

98. Data Analysis 098: Optimize Feature Interpretation for a policy-oriented manuscript

Objective: Build a high-clarity strategy for Feature Interpretation by improving publication readiness, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Feature Interpretation. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to publication readiness, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and feature impact memo with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade feature impact memo containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Feature Interpretation.

Difficulty: Intermediate

Category: Validation

99. Data Analysis 099: Diagnose Error Analysis for an industry-backed experiment

Objective: Build a high-clarity strategy for Error Analysis by improving stakeholder clarity, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Error Analysis. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to stakeholder clarity, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and analysis report with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade analysis report containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Error Analysis.

Difficulty: Advanced

Category: Writing

100. Data Analysis 100: Structure Data Profiling for a multi-phase project

Objective: Build a high-clarity strategy for Data Profiling by improving novelty, reducing ambiguity, and aligning decisions with research objectives.

Prompt: You are an expert research strategist. Analyze the project context below and produce a structured plan focused on Data Profiling. Context: discipline={discipline}, dataset={dataset}, time horizon={timeline}, resource limits={resources}. Deliver: (1) assumptions, (2) stepwise method, (3) evaluation criteria linked to novelty, (4) risk controls, and (5) an implementation schedule. Conclude with measurable success indicators and a concise quality checklist.

Example: Example input: discipline=computational biology; dataset=single-cell RNA-seq cohort; timeline=12 weeks; resources=2 researchers and 1 GPU node. Example outcome: a staged protocol and diagnostic dashboard with milestones.

Tips: State assumptions explicitly; define boundaries before proposing methods; tie every recommendation to a measurable criterion; include one contingency branch for likely failure points.

Expected Output: A publication-grade diagnostic dashboard containing rationale, method choices, decision criteria, risk mitigations, and implementation priorities for Data Profiling.

Difficulty: Expert

Category: Reasoning

Summary

Applying these 100 prompts systematically improves decision quality, writing clarity, and publication readiness across research cycles.