

Publication Strategy Workflow Library

Expert Workflow Library

Ultimate AI Research Toolkit 2026 - Premium Edition
Designed for PhD students, professors, graduate researchers, engineers, and data scientists.

[Idea]	Research prompts and ideation systems
[Review]	Literature synthesis and gap detection
[Write]	Paper writing and revision workflows
[Plan]	Publication and productivity operations

Table of Contents

1. Introduction
2. Instructions
3. Workflow Library
4. Summary

Introduction

This Publication Strategy collection provides 90 expert research workflows engineered for high-rigor academic and technical delivery. Each workflow includes practical fields to help users move from strategy to publication-ready output.

Instructions

- Select workflows by category and difficulty to match project maturity.
- Replace variables in each workflow with your discipline, data, and resource constraints.
- Use Expected Output as the acceptance criteria for quality control.
- Store outputs in versioned folders to preserve decision history.

Workflow Library

1. Plan a High-Probability Submission Path: submission playbook for multi-venue publication roadmap (ACM TOIS) - practical deployment framing

Objective: Rewrite methods for reproducibility and procedural transparency. Prioritize rigor and produce publication-grade decisions for Contribution Positioning.

Prompt: Rewrite the methodology around Contribution Positioning for multi-venue publication roadmap so another lab can reproduce it without author contact. Include variable definitions, preprocessing chronology, model hyperparameters, instrumentation assumptions, and reproducibility checklist required for ACM TOIS. Project profile: discipline=computational social science; dataset=open government policy data; preferred method=causal inference pipeline; reviewer persona=benchmarking specialist; output schema=compliance checklist; risk scenario=unexpected reviewer disagreement; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=computational social science; dataset=open government policy data; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=ACM TOIS; reviewer persona=benchmarking specialist. Example outcome: review-risk map with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Name every tool/version and include randomness-control policy. Ensure the compliance checklist explicitly addresses unexpected reviewer disagreement and anticipated concerns from a benchmarking specialist.

Expected Output: A publication-ready review-risk map that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Contribution Positioning.

Difficulty: Beginner

Category: Strategy

2. Build a Smart Resubmission Ladder: editorial risk mitigation for journal-extension planning cycle (Nature Machine Intelligence) - method comparison clarity

Objective: Craft concise, high-impact abstracts aligned with selective journal standards. Prioritize reproducibility and produce publication-grade decisions for Revision Planning.

Prompt: Write a Nature-style abstract for a study on Revision Planning in journal-extension planning cycle. Constrain to problem, approach, principal quantitative finding, boundary condition, and broader implication. Provide a weaker draft and then a stronger revised draft with rationale. Project profile: discipline=materials informatics; dataset=federated hospital dataset; preferred method=Bayesian hierarchical model; reviewer persona=theory-oriented reviewer; output schema=citation repair map; risk scenario=high class imbalance; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=materials informatics; dataset=federated hospital dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Nature Machine Intelligence; reviewer persona=theory-oriented reviewer. Example outcome: timeline playbook with risk controls, reviewer-facing rationale, and milestone gates.

Tips: One central claim per sentence keeps abstract logic clean and persuasive. Ensure the citation repair map explicitly addresses high class imbalance and anticipated concerns from a theory-oriented reviewer.

Expected Output: A publication-ready timeline playbook that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Revision Planning.

Difficulty: Intermediate

Category: Analysis

3. Design an Editor-Friendly Revision Plan: revision scheduling system for conference rejection recovery path (Elsevier Information Sciences) - editorial risk reduction

Objective: Transform visuals into evidence-rich storytelling assets. Prioritize clarity and produce publication-grade decisions for Response Strategy.

Prompt: Generate a figure strategy for Response Strategy with publication-grade caption drafts. For each figure, define purpose, metric, axis design, uncertainty communication, and interpretation sentence expected by Elsevier Information Sciences. Add one caption rewrite for non-expert readers. Project profile: discipline=computational neuroscience; dataset=crowdsourced annotation dataset; preferred method=graph neural workflow; reviewer persona=methodology purist; output schema=figure-caption protocol; risk scenario=inter-annotator disagreement; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=computational neuroscience; dataset=crowdsourced annotation dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Elsevier Information Sciences; reviewer persona=methodology purist. Example outcome: submission strategy memo with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Good captions stand alone and state what changed, by how much, and why it matters. Ensure the figure-caption protocol explicitly addresses inter-annotator disagreement and anticipated concerns from a methodology purist.

Expected Output: A publication-ready submission strategy memo that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Response Strategy.

Difficulty: Advanced

Category: Writing

4. Choose the Right Venue Strategy: venue ladder workflow for first journal submission cycle (IEEE TNNLS) - venue-specific optimization

Objective: Embed ethics and compliance checks into the technical workflow. Prioritize statistical power and produce publication-grade decisions for Venue Targeting.

Prompt: Build an ethics checklist and mitigation plan for Venue Targeting in first journal submission cycle. Include fairness risks, privacy boundaries, human-subject concerns, reporting transparency, and audit evidence expected for IEEE TNNLS review. Project profile: discipline=human-computer interaction; dataset=industrial telemetry stream; preferred method=mixed-methods protocol; reviewer persona=interdisciplinary committee member; output schema=statistical decision tree; risk scenario=small sample size constraints; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=human-computer interaction; dataset=industrial telemetry stream; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=IEEE TNNLS; reviewer persona=interdisciplinary committee member. Example outcome: review-risk map with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Translate ethical risks into actionable controls with owner and verification evidence. Ensure the statistical decision tree explicitly addresses small sample size constraints and anticipated concerns from a interdisciplinary committee member.

Expected Output: A publication-ready review-risk map that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Venue Targeting.

Difficulty: Expert

Category: Publication

5. Plan a High-Probability Submission Path: submission playbook for multi-venue publication roadmap (ACM TOIS) - decision traceability

Objective: Choose venue strategy, narrative framing, and revision sequencing. Prioritize transferability and produce publication-grade decisions for Contribution Positioning.

Prompt: Design a publication strategy for Contribution Positioning: venue ladder (A-plan/B-plan), novelty framing options, deadline-aligned writing sprints, and reviewer-risk scenarios. Include a branch for conference-first then journal-extension path for ACM TOIS. Project profile: discipline=robotics; dataset=city-scale mobility records; preferred method=time-series anomaly framework; reviewer persona=ethics compliance reviewer; output schema=ablation plan sheet; risk scenario=compute budget reduction; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=robotics; dataset=city-scale mobility records; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=ACM TOIS; reviewer persona=ethics compliance reviewer. Example outcome: timeline playbook with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Plan fallback venue narratives early to reduce resubmission cycle time. Ensure the ablation plan sheet explicitly addresses compute budget reduction and anticipated concerns from a ethics compliance reviewer.

Expected Output: A publication-ready timeline playbook that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Contribution Positioning.

Difficulty: Beginner

Category: Methodology

6. Build a Smart Resubmission Ladder: editorial risk mitigation for journal-extension planning cycle (Nature Machine Intelligence) - citation-strength positioning

Objective: Turn skeptical reviewer criticism into a persuasive, evidence-linked response workflow. Prioritize ethical compliance and produce publication-grade decisions for Revision Planning.

Prompt: Assume Reviewer #2 challenges Revision Planning for Nature Machine Intelligence. Draft a response package with: acknowledgement sentence, technical clarification, direct manuscript change, optional added experiment, and fallback wording if resources are limited. Provide line-level mapping format for revision tracking. Project profile: discipline=digital health; dataset=public genomics panel; preferred method=hybrid rule-neural model; reviewer persona=reproducibility auditor; output schema=rebuttal response grid; risk scenario=time-limited resubmission window; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=digital health; dataset=public genomics panel; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Nature Machine Intelligence; reviewer persona=reproducibility auditor. Example outcome: submission strategy memo with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Use respectful tone and separate explanation, action, and manuscript delta into distinct bullets. Ensure the rebuttal response grid explicitly addresses time-limited resubmission window and anticipated concerns from a reproducibility auditor.

Expected Output: A publication-ready submission strategy memo that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Revision Planning.

Difficulty: Intermediate

Category: Execution

7. Design an Editor-Friendly Revision Plan: revision scheduling system for conference rejection recovery path (Elsevier Information Sciences) - defense-ready reasoning

Objective: Plan a high-confidence major revision package for journal resubmission. Prioritize computational efficiency and produce publication-grade decisions for Response Strategy.

Prompt: Create a major revision plan for an Elsevier-style decision letter focused on Response Strategy. Include comment clustering, evidence plan, timeline by dependency, added-analysis options, and response-letter structure that anticipates editor priorities for Elsevier Information Sciences. Project profile: discipline=machine learning; dataset=benchmark tabular risk dataset; preferred method=multi-objective optimizer; reviewer persona=applied domain expert; output schema=section rewrite pack; risk scenario=ethics board clarification request; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=machine learning; dataset=benchmark tabular risk dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Elsevier Information Sciences; reviewer persona=applied domain expert. Example outcome: review-risk map with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Group reviewer comments by technical dependency to prevent contradictory edits. Ensure the section rewrite pack explicitly addresses ethics board clarification request and anticipated concerns from a applied domain expert.

Expected Output: A publication-ready review-risk map that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Response Strategy.

Difficulty: Advanced

Category: Compliance

8. Choose the Right Venue Strategy: venue ladder workflow for first journal submission cycle (IEEE TNNLS) - high-confidence statistical reporting

Objective: Select robust statistical strategy and interpretation logic. Prioritize clinical relevance and produce publication-grade decisions for Venue Targeting.

Prompt: Design a statistical analysis workflow for Venue Targeting with assumptions, test-selection logic, effect-size reporting, multiplicity correction, and uncertainty interpretation. Output a decision tree that maps data conditions to recommended tests for IEEE TNNLS. Project profile: discipline=climate informatics; dataset=multi-modal image-text corpus; preferred method=semi-supervised training setup; reviewer persona=systems performance reviewer; output schema=action timeline; risk scenario=conflicting baseline outcomes; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=climate informatics; dataset=multi-modal image-text corpus; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=IEEE TNNLS; reviewer persona=systems performance reviewer. Example outcome: timeline playbook with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Pair p-values with effect sizes and confidence intervals in every result claim. Ensure the action timeline explicitly addresses conflicting baseline outcomes and anticipated concerns from a systems performance reviewer.

Expected Output: A publication-ready timeline playbook that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Venue Targeting.

Difficulty: Expert

Category: Reasoning

9. Plan a High-Probability Submission Path: submission playbook for multi-venue publication roadmap (ACM TOIS) - evidence-first writing

Objective: Detect weak citation support and strengthen scholarly positioning. Prioritize publication readiness and produce publication-grade decisions for Contribution Positioning.

Prompt: Analyze a draft on Contribution Positioning and identify citation gaps by claim type: foundational, comparative, methodological, and limitation-related. Return a prioritized fill plan with query phrases, likely source types, and insertion points tailored to ACM TOIS. Project profile: discipline=cybersecurity; dataset=longitudinal sensor dataset; preferred method=counterfactual evaluation approach; reviewer persona=industry impact reviewer; output schema=risk register; risk scenario=missing metadata in source data; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=cybersecurity; dataset=longitudinal sensor dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=ACM TOIS; reviewer persona=industry impact reviewer. Example outcome: submission strategy memo with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Flag unsupported superlatives first; they trigger avoidable reviewer criticism. Ensure the risk register explicitly addresses missing metadata in source data and anticipated concerns from a industry impact reviewer.

Expected Output: A publication-ready submission strategy memo that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Contribution Positioning.

Difficulty: Beginner

Category: Analysis

10. Build a Smart Resubmission Ladder: editorial risk mitigation for journal-extension planning cycle (Nature Machine Intelligence) - hypothesis stress testing

Objective: Convert raw metrics into defensible scientific interpretation. Prioritize novelty and produce publication-grade decisions for Revision Planning.

Prompt: Interpret results for Revision Planning using a claim-evidence map: primary findings, uncertainty envelope, competing explanations, boundary conditions, and implications for future work in Nature Machine Intelligence. Add one paragraph that preempts overclaiming. Project profile: discipline=biomedical engineering; dataset=multi-site clinical cohort; preferred method=transformer baseline; reviewer persona=editor focused on clarity; output schema=claim-evidence table; risk scenario=incomplete ablation coverage; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=biomedical engineering; dataset=multi-site clinical cohort; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Nature Machine Intelligence; reviewer persona=editor focused on clarity. Example outcome: review-risk map with risk controls, reviewer-facing rationale, and milestone gates.

Tips: State what the results do not prove as clearly as what they do prove. Ensure the claim-evidence table explicitly addresses incomplete ablation coverage and anticipated concerns from a editor focused on clarity.

Expected Output: A publication-ready review-risk map that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Revision Planning.

Difficulty: Intermediate

Category: Writing

11. Design an Editor-Friendly Revision Plan: revision scheduling system for conference rejection recovery path (Elsevier Information Sciences) -

results-to-insight translation

Objective: Detect non-obvious research gaps and convert them into testable opportunities. Prioritize rigor and produce publication-grade decisions for Response Strategy.

Prompt: You are a literature forensics specialist. From the context below, identify unresolved contradictions in Response Strategy and rank them by impact and tractability. Then design three testable gap statements, each with required datasets, threat-to-validity notes, and likely reviewer objections for Elsevier Information Sciences. Project profile: discipline=computational social science; dataset=open government policy data; preferred method=causal inference pipeline; reviewer persona=skeptical statistician; output schema=decision matrix; risk scenario=dataset shift at deployment; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=computational social science; dataset=open government policy data; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Elsevier Information Sciences; reviewer persona=skeptical statistician. Example outcome: timeline playbook with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Distinguish 'no evidence exists' from 'evidence exists but conflicts' to avoid weak gap claims. Ensure the decision matrix explicitly addresses dataset shift at deployment and anticipated concerns from a skeptical statistician.

Expected Output: A publication-ready timeline playbook that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Response Strategy.

Difficulty: Advanced

Category: Publication

12. Choose the Right Venue Strategy: venue ladder workflow for first journal submission cycle (IEEE TNNLS) - major-revision readiness

Objective: Produce section drafts compliant with high-impact conference and journal conventions. Prioritize reproducibility and produce publication-grade decisions for Venue Targeting.

Prompt: Generate a publication-ready section for Venue Targeting tuned for IEEE TNNLS. Enforce concise technical style, explicit contributions, and strong figure/table callouts. Provide two style variants: IEEE Transactions tone and ACM conference tone with sentence-level rewrites. Project profile: discipline=materials informatics; dataset=federated hospital dataset; preferred method=Bayesian hierarchical model; reviewer persona=benchmarking specialist; output schema=compliance checklist; risk scenario=unexpected reviewer disagreement; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=materials informatics; dataset=federated hospital dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=IEEE TNNLS; reviewer persona=benchmarking specialist. Example outcome: submission strategy memo with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Avoid generic claims; anchor every paragraph with result-oriented language. Ensure the compliance checklist explicitly addresses unexpected reviewer disagreement and anticipated concerns from a benchmarking specialist.

Expected Output: A publication-ready submission strategy memo that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Venue Targeting.

Difficulty: Expert

Category: Methodology

13. Plan a High-Probability Submission Path: submission playbook for multi-venue publication roadmap (ACM TOIS) - replication-grade documentation

Objective: Pressure-test experimental design before expensive execution. Prioritize clarity and produce publication-grade decisions for Contribution Positioning.

Prompt: Audit the experimental design for Contribution Positioning. Produce control/ablation matrix, confound analysis, data leakage checks, minimum sample strategy, and statistical power guardrails suitable for ACM TOIS reviewers. Include a stop/go decision protocol. Project profile: discipline=computational neuroscience; dataset=crowdsourced annotation dataset; preferred method=graph neural workflow; reviewer persona=theory-oriented reviewer; output schema=citation repair map; risk scenario=high class imbalance; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=computational neuroscience; dataset=crowdsourced annotation dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=ACM TOIS; reviewer persona=theory-oriented reviewer. Example outcome: review-risk map with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Design ablations to isolate one causal factor at a time. Ensure the citation repair map explicitly addresses high class imbalance and anticipated concerns from a theory-oriented reviewer.

Expected Output: A publication-ready review-risk map that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Contribution Positioning.

Difficulty: Beginner

Category: Execution

14. Build a Smart Resubmission Ladder: editorial risk mitigation for journal-extension planning cycle (Nature Machine Intelligence) - reviewer-resilient argumentation

Objective: Convert technical narrative into clean, production-ready LaTeX structure. Prioritize statistical power and produce publication-grade decisions for Revision Planning.

Prompt: Create a LaTeX writing workflow for Revision Planning: section skeleton, theorem/algorithm formatting guidance, table conventions, citation macros, and cross-reference hygiene. Include common formatting errors and fixes for Nature Machine Intelligence submission checks. Project profile: discipline=human-computer interaction; dataset=industrial telemetry stream; preferred method=mixed-methods protocol; reviewer persona=methodology purist; output schema=figure-caption protocol; risk scenario=inter-annotator disagreement; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=human-computer interaction; dataset=industrial telemetry stream; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Nature Machine Intelligence; reviewer persona=methodology purist. Example outcome: timeline playbook with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Draft content in semantic chunks before polishing visual layout. Ensure the figure-caption protocol explicitly addresses inter-annotator disagreement and anticipated concerns from a methodology purist.

Expected Output: A publication-ready timeline playbook that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Revision Planning.

Difficulty: Intermediate

Category: Compliance

15. Design an Editor-Friendly Revision Plan: revision scheduling system for conference rejection recovery path (Elsevier Information Sciences) - ethics-by-design reporting

Objective: Prepare rigorous responses for committee or reviewer questioning. Prioritize transferability and produce publication-grade decisions for Response Strategy.

Prompt: Simulate a high-pressure Q&A; on Response Strategy. Generate 15 hard questions (methods, validity, novelty, limitations, impact) and produce concise, evidence-backed responses with fallback answers for uncertain data points. Include one slide cue per answer. Project profile: discipline=robotics; dataset=city-scale mobility records; preferred method=time-series anomaly framework; reviewer persona=interdisciplinary committee member; output schema=statistical decision tree; risk scenario=small sample size constraints; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=robotics; dataset=city-scale mobility records; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Elsevier Information Sciences; reviewer persona=interdisciplinary committee member. Example outcome: submission strategy memo with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Structure answers as claim -> evidence -> limitation -> next action. Ensure the statistical decision tree explicitly addresses small sample size constraints and anticipated concerns from a interdisciplinary committee member.

Expected Output: A publication-ready submission strategy memo that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Response Strategy.

Difficulty: Advanced

Category: Reasoning

16. Choose the Right Venue Strategy: venue ladder workflow for first journal submission cycle (IEEE TNNLS) - limitations-first transparency

Objective: Create a contribution map that defends novelty against closest prior work and defines what is publishable. Prioritize ethical compliance and produce publication-grade decisions for Venue Targeting.

Prompt: Act as a senior research editor. Build a contribution architecture for Venue Targeting in first journal submission cycle targeting IEEE TNNLS. Output sections: contribution claim stack, nearest-neighbor prior work comparison, differentiator evidence plan, failure-risk matrix, and a 30/60/90-day execution plan. Project profile: discipline=digital health; dataset=public genomics panel; preferred method=hybrid rule-neural model; reviewer persona=ethics compliance reviewer; output schema=ablation plan sheet; risk scenario=compute budget reduction; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=digital health; dataset=public genomics panel; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=IEEE TNNLS; reviewer persona=ethics compliance reviewer. Example outcome: review-risk map with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Force each claim to link to one measurable piece of evidence and one comparison baseline. Ensure the ablation plan sheet explicitly addresses compute budget reduction and anticipated concerns from a ethics compliance reviewer.

Expected Output: A publication-ready review-risk map that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Venue Targeting.

Difficulty: Expert

Category: Rebuttal

17. Plan a High-Probability Submission Path: submission playbook for multi-venue publication roadmap (ACM TOIS) - cross-domain readability

Objective: Rewrite methods for reproducibility and procedural transparency. Prioritize computational efficiency and produce publication-grade decisions for Contribution Positioning.

Prompt: Rewrite the methodology around Contribution Positioning for multi-venue publication roadmap so another lab can reproduce it without author contact. Include variable definitions, preprocessing chronology, model hyperparameters, instrumentation assumptions, and reproducibility checklist required for ACM TOIS. Project profile: discipline=machine learning; dataset=benchmark tabular risk dataset; preferred method=multi-objective optimizer; reviewer persona=reproducibility auditor; output schema=rebuttal response grid; risk scenario=time-limited resubmission window; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=machine learning; dataset=benchmark tabular risk dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=ACM TOIS; reviewer persona=reproducibility auditor. Example outcome: timeline playbook with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Name every tool/version and include randomness-control policy. Ensure the rebuttal response grid explicitly addresses time-limited resubmission window and anticipated concerns from a reproducibility auditor.

Expected Output: A publication-ready timeline playbook that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Contribution Positioning.

Difficulty: Beginner

Category: Validation

18. Build a Smart Resubmission Ladder: editorial risk mitigation for journal-extension planning cycle (Nature Machine Intelligence) - impact-focused communication

Objective: Craft concise, high-impact abstracts aligned with selective journal standards. Prioritize clinical relevance and produce publication-grade decisions for Revision Planning.

Prompt: Write a Nature-style abstract for a study on Revision Planning in journal-extension planning cycle. Constrain to problem, approach, principal quantitative finding, boundary condition, and broader implication. Provide a weaker draft and then a stronger revised draft with rationale. Project profile: discipline=climate informatics; dataset=multi-modal image-text corpus; preferred method=semi-supervised training setup; reviewer persona=applied domain expert; output schema=section rewrite pack; risk scenario=ethics board clarification request; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=climate informatics; dataset=multi-modal image-text corpus; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Nature Machine Intelligence; reviewer persona=applied domain expert. Example outcome: submission strategy memo with risk controls, reviewer-facing rationale, and milestone gates.

Tips: One central claim per sentence keeps abstract logic clean and persuasive. Ensure the section rewrite pack explicitly addresses ethics board clarification request and anticipated concerns from a applied domain expert.

Expected Output: A publication-ready submission strategy memo that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Revision Planning.

Difficulty: Intermediate

Category: Publication

19. Design an Editor-Friendly Revision Plan: revision scheduling system for conference rejection recovery path (Elsevier Information Sciences) - publishable novelty framing

Objective: Transform visuals into evidence-rich storytelling assets. Prioritize publication readiness and produce publication-grade decisions for Response Strategy.

Prompt: Generate a figure strategy for Response Strategy with publication-grade caption drafts. For each figure, define purpose, metric, axis design, uncertainty communication, and interpretation sentence expected by Elsevier Information Sciences. Add one caption rewrite for non-expert readers. Project profile: discipline=cybersecurity; dataset=longitudinal sensor dataset; preferred method=counterfactual evaluation approach; reviewer persona=systems performance reviewer; output schema=action timeline; risk scenario=conflicting baseline outcomes; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=cybersecurity; dataset=longitudinal sensor dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Elsevier Information Sciences; reviewer persona=systems performance reviewer. Example outcome: review-risk map with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Good captions stand alone and state what changed, by how much, and why it matters. Ensure the action timeline explicitly addresses conflicting baseline outcomes and anticipated concerns from a systems performance reviewer.

Expected Output: A publication-ready review-risk map that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Response Strategy.

Difficulty: Advanced

Category: Methodology

20. Choose the Right Venue Strategy: venue ladder workflow for first journal submission cycle (IEEE TNNLS) - practical deployment framing

Objective: Embed ethics and compliance checks into the technical workflow. Prioritize novelty and produce publication-grade decisions for Venue Targeting.

Prompt: Build an ethics checklist and mitigation plan for Venue Targeting in first journal submission cycle. Include fairness risks, privacy boundaries, human-subject concerns, reporting transparency, and audit evidence expected for IEEE TNNLS review. Project profile: discipline=biomedical engineering; dataset=multi-site clinical cohort; preferred method=transformer baseline; reviewer persona=industry impact reviewer; output schema=risk register; risk scenario=missing metadata in source data; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=biomedical engineering; dataset=multi-site clinical cohort; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=IEEE TNNLS; reviewer persona=industry impact reviewer. Example outcome: timeline playbook with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Translate ethical risks into actionable controls with owner and verification evidence. Ensure the risk register explicitly addresses missing metadata in source data and anticipated concerns from a industry impact reviewer.

Expected Output: A publication-ready timeline playbook that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Venue Targeting.

Difficulty: Expert

Category: Execution

21. Plan a High-Probability Submission Path: submission playbook for multi-venue publication roadmap (ACM TOIS) - method comparison clarity

Objective: Choose venue strategy, narrative framing, and revision sequencing. Prioritize rigor and produce publication-grade decisions for Contribution Positioning.

Prompt: Design a publication strategy for Contribution Positioning: venue ladder (A-plan/B-plan), novelty framing options, deadline-aligned writing sprints, and reviewer-risk scenarios. Include a branch for conference-first then journal-extension path for ACM TOIS. Project profile: discipline=computational social science; dataset=open government policy data; preferred method=causal inference pipeline; reviewer persona=editor focused on clarity; output schema=claim-evidence table; risk scenario=incomplete ablation coverage; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=computational social science; dataset=open government policy data; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=ACM TOIS; reviewer persona=editor focused on clarity. Example outcome: submission strategy memo with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Plan fallback venue narratives early to reduce resubmission cycle time. Ensure the claim-evidence table explicitly addresses incomplete ablation coverage and anticipated concerns from a editor focused on clarity.

Expected Output: A publication-ready submission strategy memo that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Contribution Positioning.

Difficulty: Beginner

Category: Compliance

22. Build a Smart Resubmission Ladder: editorial risk mitigation for journal-extension planning cycle (Nature Machine Intelligence) - editorial risk reduction

Objective: Turn skeptical reviewer criticism into a persuasive, evidence-linked response workflow. Prioritize reproducibility and produce publication-grade decisions for Revision Planning.

Prompt: Assume Reviewer #2 challenges Revision Planning for Nature Machine Intelligence. Draft a response package with: acknowledgement sentence, technical clarification, direct manuscript change, optional added experiment, and fallback wording if resources are limited. Provide line-level mapping format for revision tracking. Project profile: discipline=materials informatics; dataset=federated hospital dataset; preferred method=Bayesian hierarchical model; reviewer persona=skeptical statistician; output schema=decision matrix; risk scenario=dataset shift at deployment; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=materials informatics; dataset=federated hospital dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Nature Machine Intelligence; reviewer persona=skeptical statistician. Example outcome: review-risk map with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Use respectful tone and separate explanation, action, and manuscript delta into distinct bullets. Ensure the decision matrix explicitly addresses dataset shift at deployment and anticipated concerns from a skeptical statistician.

Expected Output: A publication-ready review-risk map that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Revision Planning.

Difficulty: Intermediate

Category: Reasoning

23. Design an Editor-Friendly Revision Plan: revision scheduling system for conference rejection recovery path (Elsevier Information Sciences) - venue-specific optimization

Objective: Plan a high-confidence major revision package for journal resubmission. Prioritize clarity and produce publication-grade decisions for Response Strategy.

Prompt: Create a major revision plan for an Elsevier-style decision letter focused on Response Strategy. Include comment clustering, evidence plan, timeline by dependency, added-analysis options, and response-letter structure that anticipates editor priorities for Elsevier Information Sciences. Project profile: discipline=computational neuroscience; dataset=crowdsourced annotation dataset; preferred method=graph neural workflow; reviewer persona=benchmarking specialist; output schema=compliance checklist; risk scenario=unexpected reviewer disagreement; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=computational neuroscience; dataset=crowdsourced annotation dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Elsevier Information Sciences; reviewer persona=benchmarking specialist. Example outcome: timeline playbook with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Group reviewer comments by technical dependency to prevent contradictory edits. Ensure the compliance checklist explicitly addresses unexpected reviewer disagreement and anticipated concerns from a benchmarking specialist.

Expected Output: A publication-ready timeline playbook that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Response Strategy.

Difficulty: Advanced

Category: Rebuttal

24. Choose the Right Venue Strategy: venue ladder workflow for first journal submission cycle (IEEE TNNLS) - decision traceability

Objective: Select robust statistical strategy and interpretation logic. Prioritize statistical power and produce publication-grade decisions for Venue Targeting.

Prompt: Design a statistical analysis workflow for Venue Targeting with assumptions, test-selection logic, effect-size reporting, multiplicity correction, and uncertainty interpretation. Output a decision tree that maps data conditions to recommended tests for IEEE TNNLS. Project profile: discipline=human-computer interaction; dataset=industrial telemetry stream; preferred method=mixed-methods protocol; reviewer persona=theory-oriented reviewer; output schema=citation repair map; risk scenario=high class imbalance; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=human-computer interaction; dataset=industrial telemetry stream; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=IEEE TNNLS; reviewer persona=theory-oriented reviewer. Example outcome: submission strategy memo with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Pair p-values with effect sizes and confidence intervals in every result claim. Ensure the citation repair map explicitly addresses high class imbalance and anticipated concerns from a theory-oriented reviewer.

Expected Output: A publication-ready submission strategy memo that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Venue Targeting.

Difficulty: Expert

Category: Validation

25. Plan a High-Probability Submission Path: submission playbook for multi-venue publication roadmap (ACM TOIS) - citation-strength positioning

Objective: Detect weak citation support and strengthen scholarly positioning. Prioritize transferability and produce publication-grade decisions for Contribution Positioning.

Prompt: Analyze a draft on Contribution Positioning and identify citation gaps by claim type: foundational, comparative, methodological, and limitation-related. Return a prioritized fill plan with query phrases, likely source types, and insertion points tailored to ACM TOIS. Project profile: discipline=robotics; dataset=city-scale mobility

records; preferred method=time-series anomaly framework; reviewer persona=methodology purist; output schema=figure-caption protocol; risk scenario=inter-annotator disagreement; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=robotics; dataset=city-scale mobility records; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=ACM TOIS; reviewer persona=methodology purist. Example outcome: review-risk map with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Flag unsupported superlatives first; they trigger avoidable reviewer criticism. Ensure the figure-caption protocol explicitly addresses inter-annotator disagreement and anticipated concerns from a methodology purist.

Expected Output: A publication-ready review-risk map that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Contribution Positioning.

Difficulty: Beginner

Category: Optimization

26. Build a Smart Resubmission Ladder: editorial risk mitigation for journal-extension planning cycle (Nature Machine Intelligence) - defense-ready reasoning

Objective: Convert raw metrics into defensible scientific interpretation. Prioritize ethical compliance and produce publication-grade decisions for Revision Planning.

Prompt: Interpret results for Revision Planning using a claim-evidence map: primary findings, uncertainty envelope, competing explanations, boundary conditions, and implications for future work in Nature Machine Intelligence. Add one paragraph that preempts overclaiming. Project profile: discipline=digital health; dataset=public genomics panel; preferred method=hybrid rule-neural model; reviewer persona=interdisciplinary committee member; output schema=statistical decision tree; risk scenario=small sample size constraints; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=digital health; dataset=public genomics panel; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Nature Machine Intelligence; reviewer persona=interdisciplinary committee member. Example outcome: timeline playbook with risk controls, reviewer-facing rationale, and milestone gates.

Tips: State what the results do not prove as clearly as what they do prove. Ensure the statistical decision tree explicitly addresses small sample size constraints and anticipated concerns from a interdisciplinary committee member.

Expected Output: A publication-ready timeline playbook that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Revision Planning.

Difficulty: Intermediate

Category: Planning

27. Design an Editor-Friendly Revision Plan: revision scheduling system for conference rejection recovery path (Elsevier Information Sciences) - high-confidence statistical reporting

Objective: Detect non-obvious research gaps and convert them into testable opportunities. Prioritize computational efficiency and produce publication-grade decisions for Response Strategy.

Prompt: You are a literature forensics specialist. From the context below, identify unresolved contradictions in Response Strategy and rank them by impact and tractability. Then design three testable gap statements, each with

required datasets, threat-to-validity notes, and likely reviewer objections for Elsevier Information Sciences. Project profile: discipline=machine learning; dataset=benchmark tabular risk dataset; preferred method=multi-objective optimizer; reviewer persona=ethics compliance reviewer; output schema=ablation plan sheet; risk scenario=compute budget reduction; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=machine learning; dataset=benchmark tabular risk dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Elsevier Information Sciences; reviewer persona=ethics compliance reviewer. Example outcome: submission strategy memo with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Distinguish 'no evidence exists' from 'evidence exists but conflicts' to avoid weak gap claims. Ensure the ablation plan sheet explicitly addresses compute budget reduction and anticipated concerns from a ethics compliance reviewer.

Expected Output: A publication-ready submission strategy memo that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Response Strategy.

Difficulty: Advanced

Category: Execution

28. Choose the Right Venue Strategy: venue ladder workflow for first journal submission cycle (IEEE TNNLS) - evidence-first writing

Objective: Produce section drafts compliant with high-impact conference and journal conventions. Prioritize clinical relevance and produce publication-grade decisions for Venue Targeting.

Prompt: Generate a publication-ready section for Venue Targeting tuned for IEEE TNNLS. Enforce concise technical style, explicit contributions, and strong figure/table callouts. Provide two style variants: IEEE Transactions tone and ACM conference tone with sentence-level rewrites. Project profile: discipline=climate informatics; dataset=multi-modal image-text corpus; preferred method=semi-supervised training setup; reviewer persona=reproducibility auditor; output schema=rebuttal response grid; risk scenario=time-limited resubmission window; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=climate informatics; dataset=multi-modal image-text corpus; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=IEEE TNNLS; reviewer persona=reproducibility auditor. Example outcome: review-risk map with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Avoid generic claims; anchor every paragraph with result-oriented language. Ensure the rebuttal response grid explicitly addresses time-limited resubmission window and anticipated concerns from a reproducibility auditor.

Expected Output: A publication-ready review-risk map that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Venue Targeting.

Difficulty: Expert

Category: Compliance

29. Plan a High-Probability Submission Path: submission playbook for multi-venue publication roadmap (ACM TOIS) - hypothesis stress testing

Objective: Pressure-test experimental design before expensive execution. Prioritize publication readiness and produce publication-grade decisions for Contribution Positioning.

Prompt: Audit the experimental design for Contribution Positioning. Produce control/ablation matrix, confound analysis, data leakage checks, minimum sample strategy, and statistical power guardrails suitable for ACM TOIS reviewers. Include a stop/go decision protocol. Project profile: discipline=cybersecurity; dataset=longitudinal sensor dataset; preferred method=counterfactual evaluation approach; reviewer persona=applied domain expert; output schema=section rewrite pack; risk scenario=ethics board clarification request; timeline={timeline};

resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=cybersecurity; dataset=longitudinal sensor dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=ACM TOIS; reviewer persona=applied domain expert. Example outcome: timeline playbook with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Design ablations to isolate one causal factor at a time. Ensure the section rewrite pack explicitly addresses ethics board clarification request and anticipated concerns from a applied domain expert.

Expected Output: A publication-ready timeline playbook that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Contribution Positioning.

Difficulty: Beginner

Category: Reasoning

30. Build a Smart Resubmission Ladder: editorial risk mitigation for journal-extension planning cycle (Nature Machine Intelligence) - results-to-insight translation

Objective: Convert technical narrative into clean, production-ready LaTeX structure. Prioritize novelty and produce publication-grade decisions for Revision Planning.

Prompt: Create a LaTeX writing workflow for Revision Planning: section skeleton, theorem/algorithm formatting guidance, table conventions, citation macros, and cross-reference hygiene. Include common formatting errors and fixes for Nature Machine Intelligence submission checks. Project profile: discipline=biomedical engineering; dataset=multi-site clinical cohort; preferred method=transformer baseline; reviewer persona=systems performance reviewer; output schema=action timeline; risk scenario=conflicting baseline outcomes; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=biomedical engineering; dataset=multi-site clinical cohort; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Nature Machine Intelligence; reviewer persona=systems performance reviewer. Example outcome: submission strategy memo with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Draft content in semantic chunks before polishing visual layout. Ensure the action timeline explicitly addresses conflicting baseline outcomes and anticipated concerns from a systems performance reviewer.

Expected Output: A publication-ready submission strategy memo that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Revision Planning.

Difficulty: Intermediate

Category: Rebuttal

31. Design an Editor-Friendly Revision Plan: revision scheduling system for conference rejection recovery path (Elsevier Information Sciences) - major-revision readiness

Objective: Prepare rigorous responses for committee or reviewer questioning. Prioritize rigor and produce publication-grade decisions for Response Strategy.

Prompt: Simulate a high-pressure Q&A; on Response Strategy. Generate 15 hard questions (methods, validity, novelty, limitations, impact) and produce concise, evidence-backed responses with fallback answers for uncertain data points. Include one slide cue per answer. Project profile: discipline=computational social science; dataset=open government policy data; preferred method=causal inference pipeline; reviewer persona=industry impact reviewer; output schema=risk register; risk scenario=missing metadata in source data; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=computational social science; dataset=open government policy data; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Elsevier Information Sciences; reviewer persona=industry impact reviewer. Example outcome: review-risk map with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Structure answers as claim -> evidence -> limitation -> next action. Ensure the risk register explicitly addresses missing metadata in source data and anticipated concerns from a industry impact reviewer.

Expected Output: A publication-ready review-risk map that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Response Strategy.

Difficulty: Advanced

Category: Validation

32. Choose the Right Venue Strategy: venue ladder workflow for first journal submission cycle (IEEE TNNLS) - replication-grade documentation

Objective: Create a contribution map that defends novelty against closest prior work and defines what is publishable. Prioritize reproducibility and produce publication-grade decisions for Venue Targeting.

Prompt: Act as a senior research editor. Build a contribution architecture for Venue Targeting in first journal submission cycle targeting IEEE TNNLS. Output sections: contribution claim stack, nearest-neighbor prior work comparison, differentiator evidence plan, failure-risk matrix, and a 30/60/90-day execution plan. Project profile: discipline=materials informatics; dataset=federated hospital dataset; preferred method=Bayesian hierarchical model; reviewer persona=editor focused on clarity; output schema=claim-evidence table; risk scenario=incomplete ablation coverage; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=materials informatics; dataset=federated hospital dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=IEEE TNNLS; reviewer persona=editor focused on clarity. Example outcome: timeline playbook with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Force each claim to link to one measurable piece of evidence and one comparison baseline. Ensure the claim-evidence table explicitly addresses incomplete ablation coverage and anticipated concerns from a editor focused on clarity.

Expected Output: A publication-ready timeline playbook that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Venue Targeting.

Difficulty: Expert

Category: Optimization

33. Plan a High-Probability Submission Path: submission playbook for multi-venue publication roadmap (ACM TOIS) - reviewer-resilient argumentation

Objective: Rewrite methods for reproducibility and procedural transparency. Prioritize clarity and produce publication-grade decisions for Contribution Positioning.

Prompt: Rewrite the methodology around Contribution Positioning for multi-venue publication roadmap so another lab can reproduce it without author contact. Include variable definitions, preprocessing chronology, model hyperparameters, instrumentation assumptions, and reproducibility checklist required for ACM TOIS. Project profile: discipline=computational neuroscience; dataset=crowdsourced annotation dataset; preferred method=graph neural workflow; reviewer persona=skeptical statistician; output schema=decision matrix; risk scenario=dataset shift at deployment; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=computational neuroscience; dataset=crowdsourced annotation dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=ACM TOIS; reviewer persona=skeptical statistician. Example outcome: submission strategy memo with risk controls, reviewer-facing rationale, and

milestone gates.

Tips: Name every tool/version and include randomness-control policy. Ensure the decision matrix explicitly addresses dataset shift at deployment and anticipated concerns from a skeptical statistician.

Expected Output: A publication-ready submission strategy memo that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Contribution Positioning.

Difficulty: Beginner

Category: Planning

34. Build a Smart Resubmission Ladder: editorial risk mitigation for journal-extension planning cycle (Nature Machine Intelligence) - ethics-by-design reporting

Objective: Craft concise, high-impact abstracts aligned with selective journal standards. Prioritize statistical power and produce publication-grade decisions for Revision Planning.

Prompt: Write a Nature-style abstract for a study on Revision Planning in journal-extension planning cycle. Constrain to problem, approach, principal quantitative finding, boundary condition, and broader implication. Provide a weaker draft and then a stronger revised draft with rationale. Project profile: discipline=human-computer interaction; dataset=industrial telemetry stream; preferred method=mixed-methods protocol; reviewer persona=benchmarking specialist; output schema=compliance checklist; risk scenario=unexpected reviewer disagreement; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=human-computer interaction; dataset=industrial telemetry stream; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Nature Machine Intelligence; reviewer persona=benchmarking specialist. Example outcome: review-risk map with risk controls, reviewer-facing rationale, and milestone gates.

Tips: One central claim per sentence keeps abstract logic clean and persuasive. Ensure the compliance checklist explicitly addresses unexpected reviewer disagreement and anticipated concerns from a benchmarking specialist.

Expected Output: A publication-ready review-risk map that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Revision Planning.

Difficulty: Intermediate

Category: Strategy

35. Design an Editor-Friendly Revision Plan: revision scheduling system for conference rejection recovery path (Elsevier Information Sciences) - limitations-first transparency

Objective: Transform visuals into evidence-rich storytelling assets. Prioritize transferability and produce publication-grade decisions for Response Strategy.

Prompt: Generate a figure strategy for Response Strategy with publication-grade caption drafts. For each figure, define purpose, metric, axis design, uncertainty communication, and interpretation sentence expected by Elsevier Information Sciences. Add one caption rewrite for non-expert readers. Project profile: discipline=robotics; dataset=city-scale mobility records; preferred method=time-series anomaly framework; reviewer persona=theory-oriented reviewer; output schema=citation repair map; risk scenario=high class imbalance; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=robotics; dataset=city-scale mobility records; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Elsevier Information Sciences; reviewer persona=theory-oriented reviewer. Example outcome: timeline playbook with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Good captions stand alone and state what changed, by how much, and why it matters. Ensure the citation repair map explicitly addresses high class imbalance and anticipated concerns from a theory-oriented reviewer.

Expected Output: A publication-ready timeline playbook that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Response Strategy.

Difficulty: Advanced

Category: Analysis

36. Choose the Right Venue Strategy: venue ladder workflow for first journal submission cycle (IEEE TNNLS) - cross-domain readability

Objective: Embed ethics and compliance checks into the technical workflow. Prioritize ethical compliance and produce publication-grade decisions for Venue Targeting.

Prompt: Build an ethics checklist and mitigation plan for Venue Targeting in first journal submission cycle. Include fairness risks, privacy boundaries, human-subject concerns, reporting transparency, and audit evidence expected for IEEE TNNLS review. Project profile: discipline=digital health; dataset=public genomics panel; preferred method=hybrid rule-neural model; reviewer persona=methodology purist; output schema=figure-caption protocol; risk scenario=inter-annotator disagreement; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=digital health; dataset=public genomics panel; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=IEEE TNNLS; reviewer persona=methodology purist. Example outcome: submission strategy memo with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Translate ethical risks into actionable controls with owner and verification evidence. Ensure the figure-caption protocol explicitly addresses inter-annotator disagreement and anticipated concerns from a methodology purist.

Expected Output: A publication-ready submission strategy memo that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Venue Targeting.

Difficulty: Expert

Category: Reasoning

37. Plan a High-Probability Submission Path: submission playbook for multi-venue publication roadmap (ACM TOIS) - impact-focused communication

Objective: Choose venue strategy, narrative framing, and revision sequencing. Prioritize computational efficiency and produce publication-grade decisions for Contribution Positioning.

Prompt: Design a publication strategy for Contribution Positioning: venue ladder (A-plan/B-plan), novelty framing options, deadline-aligned writing sprints, and reviewer-risk scenarios. Include a branch for conference-first then journal-extension path for ACM TOIS. Project profile: discipline=machine learning; dataset=benchmark tabular risk dataset; preferred method=multi-objective optimizer; reviewer persona=interdisciplinary committee member; output schema=statistical decision tree; risk scenario=small sample size constraints; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=machine learning; dataset=benchmark tabular risk dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=ACM TOIS; reviewer persona=interdisciplinary committee member. Example outcome: review-risk map with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Plan fallback venue narratives early to reduce resubmission cycle time. Ensure the statistical decision tree explicitly addresses small sample size constraints and anticipated concerns from a interdisciplinary committee member.

Expected Output: A publication-ready review-risk map that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Contribution Positioning.

Difficulty: Beginner

Category: Rebuttal

38. Build a Smart Resubmission Ladder: editorial risk mitigation for journal-extension planning cycle (Nature Machine Intelligence) - publishable novelty framing

Objective: Turn skeptical reviewer criticism into a persuasive, evidence-linked response workflow. Prioritize clinical relevance and produce publication-grade decisions for Revision Planning.

Prompt: Assume Reviewer #2 challenges Revision Planning for Nature Machine Intelligence. Draft a response package with: acknowledgement sentence, technical clarification, direct manuscript change, optional added experiment, and fallback wording if resources are limited. Provide line-level mapping format for revision tracking. Project profile: discipline=climate informatics; dataset=multi-modal image-text corpus; preferred method=semi-supervised training setup; reviewer persona=ethics compliance reviewer; output schema=ablation plan sheet; risk scenario=compute budget reduction; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=climate informatics; dataset=multi-modal image-text corpus; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Nature Machine Intelligence; reviewer persona=ethics compliance reviewer. Example outcome: timeline playbook with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Use respectful tone and separate explanation, action, and manuscript delta into distinct bullets. Ensure the ablation plan sheet explicitly addresses compute budget reduction and anticipated concerns from a ethics compliance reviewer.

Expected Output: A publication-ready timeline playbook that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Revision Planning.

Difficulty: Intermediate

Category: Validation

39. Design an Editor-Friendly Revision Plan: revision scheduling system for conference rejection recovery path (Elsevier Information Sciences) - practical deployment framing

Objective: Plan a high-confidence major revision package for journal resubmission. Prioritize publication readiness and produce publication-grade decisions for Response Strategy.

Prompt: Create a major revision plan for an Elsevier-style decision letter focused on Response Strategy. Include comment clustering, evidence plan, timeline by dependency, added-analysis options, and response-letter structure that anticipates editor priorities for Elsevier Information Sciences. Project profile: discipline=cybersecurity; dataset=longitudinal sensor dataset; preferred method=counterfactual evaluation approach; reviewer persona=reproducibility auditor; output schema=rebuttal response grid; risk scenario=time-limited resubmission window; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=cybersecurity; dataset=longitudinal sensor dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Elsevier Information Sciences; reviewer persona=reproducibility auditor. Example outcome: submission strategy memo with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Group reviewer comments by technical dependency to prevent contradictory edits. Ensure the rebuttal response grid explicitly addresses time-limited resubmission window and anticipated concerns from a reproducibility auditor.

Expected Output: A publication-ready submission strategy memo that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Response Strategy.

Difficulty: Advanced

Category: Optimization

40. Choose the Right Venue Strategy: venue ladder workflow for first journal submission cycle (IEEE TNNLS) - method comparison clarity

Objective: Select robust statistical strategy and interpretation logic. Prioritize novelty and produce publication-grade decisions for Venue Targeting.

Prompt: Design a statistical analysis workflow for Venue Targeting with assumptions, test-selection logic, effect-size reporting, multiplicity correction, and uncertainty interpretation. Output a decision tree that maps data conditions to recommended tests for IEEE TNNLS. Project profile: discipline=biomedical engineering; dataset=multi-site clinical cohort; preferred method=transformer baseline; reviewer persona=applied domain expert; output schema=section rewrite pack; risk scenario=ethics board clarification request; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=biomedical engineering; dataset=multi-site clinical cohort; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=IEEE TNNLS; reviewer persona=applied domain expert. Example outcome: review-risk map with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Pair p-values with effect sizes and confidence intervals in every result claim. Ensure the section rewrite pack explicitly addresses ethics board clarification request and anticipated concerns from an applied domain expert.

Expected Output: A publication-ready review-risk map that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Venue Targeting.

Difficulty: Expert

Category: Planning

41. Plan a High-Probability Submission Path: submission playbook for multi-venue publication roadmap (ACM TOIS) - editorial risk reduction

Objective: Detect weak citation support and strengthen scholarly positioning. Prioritize rigor and produce publication-grade decisions for Contribution Positioning.

Prompt: Analyze a draft on Contribution Positioning and identify citation gaps by claim type: foundational, comparative, methodological, and limitation-related. Return a prioritized fill plan with query phrases, likely source types, and insertion points tailored to ACM TOIS. Project profile: discipline=computational social science; dataset=open government policy data; preferred method=causal inference pipeline; reviewer persona=systems performance reviewer; output schema=action timeline; risk scenario=conflicting baseline outcomes; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=computational social science; dataset=open government policy data; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=ACM TOIS; reviewer persona=systems performance reviewer. Example outcome: timeline playbook with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Flag unsupported superlatives first; they trigger avoidable reviewer criticism. Ensure the action timeline explicitly addresses conflicting baseline outcomes and anticipated concerns from a systems performance reviewer.

Expected Output: A publication-ready timeline playbook that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Contribution Positioning.

Difficulty: Beginner

Category: Strategy

42. Build a Smart Resubmission Ladder: editorial risk mitigation for journal-extension planning cycle (Nature Machine Intelligence) - venue-specific optimization

Objective: Convert raw metrics into defensible scientific interpretation. Prioritize reproducibility and produce publication-grade decisions for Revision Planning.

Prompt: Interpret results for Revision Planning using a claim-evidence map: primary findings, uncertainty envelope, competing explanations, boundary conditions, and implications for future work in Nature Machine Intelligence. Add one paragraph that preempts overclaiming. Project profile: discipline=materials informatics; dataset=federated hospital dataset; preferred method=Bayesian hierarchical model; reviewer persona=industry impact reviewer; output schema=risk register; risk scenario=missing metadata in source data; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=materials informatics; dataset=federated hospital dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Nature Machine Intelligence; reviewer persona=industry impact reviewer. Example outcome: submission strategy memo with risk controls, reviewer-facing rationale, and milestone gates.

Tips: State what the results do not prove as clearly as what they do prove. Ensure the risk register explicitly addresses missing metadata in source data and anticipated concerns from a industry impact reviewer.

Expected Output: A publication-ready submission strategy memo that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Revision Planning.

Difficulty: Intermediate

Category: Analysis

43. Design an Editor-Friendly Revision Plan: revision scheduling system for conference rejection recovery path (Elsevier Information Sciences) - decision traceability

Objective: Detect non-obvious research gaps and convert them into testable opportunities. Prioritize clarity and produce publication-grade decisions for Response Strategy.

Prompt: You are a literature forensics specialist. From the context below, identify unresolved contradictions in Response Strategy and rank them by impact and tractability. Then design three testable gap statements, each with required datasets, threat-to-validity notes, and likely reviewer objections for Elsevier Information Sciences. Project profile: discipline=computational neuroscience; dataset=crowdsourced annotation dataset; preferred method=graph neural workflow; reviewer persona=editor focused on clarity; output schema=claim-evidence table; risk scenario=incomplete ablation coverage; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=computational neuroscience; dataset=crowdsourced annotation dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Elsevier Information Sciences; reviewer persona=editor focused on clarity. Example outcome: review-risk map with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Distinguish 'no evidence exists' from 'evidence exists but conflicts' to avoid weak gap claims. Ensure the claim-evidence table explicitly addresses incomplete ablation coverage and anticipated concerns from a editor focused on clarity.

Expected Output: A publication-ready review-risk map that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Response Strategy.

Difficulty: Advanced

Category: Writing

44. Choose the Right Venue Strategy: venue ladder workflow for first journal submission cycle (IEEE TNNLS) - citation-strength positioning

Objective: Produce section drafts compliant with high-impact conference and journal conventions. Prioritize statistical power and produce publication-grade decisions for Venue Targeting.

Prompt: Generate a publication-ready section for Venue Targeting tuned for IEEE TNNLS. Enforce concise technical style, explicit contributions, and strong figure/table callouts. Provide two style variants: IEEE Transactions tone and ACM conference tone with sentence-level rewrites. Project profile: discipline=human-computer interaction; dataset=industrial telemetry stream; preferred method=mixed-methods protocol; reviewer persona=skeptical statistician; output schema=decision matrix; risk scenario=dataset shift at deployment; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=human-computer interaction; dataset=industrial telemetry stream; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=IEEE TNNLS; reviewer persona=skeptical statistician. Example outcome: timeline playbook with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Avoid generic claims; anchor every paragraph with result-oriented language. Ensure the decision matrix explicitly addresses dataset shift at deployment and anticipated concerns from a skeptical statistician.

Expected Output: A publication-ready timeline playbook that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Venue Targeting.

Difficulty: Expert

Category: Publication

45. Plan a High-Probability Submission Path: submission playbook for multi-venue publication roadmap (ACM TOIS) - defense-ready reasoning

Objective: Pressure-test experimental design before expensive execution. Prioritize transferability and produce publication-grade decisions for Contribution Positioning.

Prompt: Audit the experimental design for Contribution Positioning. Produce control/ablation matrix, confound analysis, data leakage checks, minimum sample strategy, and statistical power guardrails suitable for ACM TOIS reviewers. Include a stop/go decision protocol. Project profile: discipline=robotics; dataset=city-scale mobility records; preferred method=time-series anomaly framework; reviewer persona=benchmarking specialist; output schema=compliance checklist; risk scenario=unexpected reviewer disagreement; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=robotics; dataset=city-scale mobility records; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=ACM TOIS; reviewer persona=benchmarking specialist. Example outcome: submission strategy memo with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Design ablations to isolate one causal factor at a time. Ensure the compliance checklist explicitly addresses unexpected reviewer disagreement and anticipated concerns from a benchmarking specialist.

Expected Output: A publication-ready submission strategy memo that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Contribution Positioning.

Difficulty: Beginner

Category: Validation

46. Build a Smart Resubmission Ladder: editorial risk mitigation for journal-extension planning cycle (Nature Machine Intelligence) - high-confidence statistical reporting

Objective: Convert technical narrative into clean, production-ready LaTeX structure. Prioritize ethical compliance and produce publication-grade decisions for Revision Planning.

Prompt: Create a LaTeX writing workflow for Revision Planning: section skeleton, theorem/algorithm formatting guidance, table conventions, citation macros, and cross-reference hygiene. Include common formatting errors and fixes for Nature Machine Intelligence submission checks. Project profile: discipline=digital health; dataset=public genomics panel; preferred method=hybrid rule-neural model; reviewer persona=theory-oriented reviewer; output schema=citation repair map; risk scenario=high class imbalance; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=digital health; dataset=public genomics panel; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Nature Machine Intelligence; reviewer persona=theory-oriented reviewer. Example outcome: review-risk map with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Draft content in semantic chunks before polishing visual layout. Ensure the citation repair map explicitly addresses high class imbalance and anticipated concerns from a theory-oriented reviewer.

Expected Output: A publication-ready review-risk map that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Revision Planning.

Difficulty: Intermediate

Category: Optimization

47. Design an Editor-Friendly Revision Plan: revision scheduling system for conference rejection recovery path (Elsevier Information Sciences) - evidence-first writing

Objective: Prepare rigorous responses for committee or reviewer questioning. Prioritize computational efficiency and produce publication-grade decisions for Response Strategy.

Prompt: Simulate a high-pressure Q&A; on Response Strategy. Generate 15 hard questions (methods, validity, novelty, limitations, impact) and produce concise, evidence-backed responses with fallback answers for uncertain data points. Include one slide cue per answer. Project profile: discipline=machine learning; dataset=benchmark tabular risk dataset; preferred method=multi-objective optimizer; reviewer persona=methodology purist; output schema=figure-caption protocol; risk scenario=inter-annotator disagreement; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=machine learning; dataset=benchmark tabular risk dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Elsevier Information Sciences; reviewer persona=methodology purist. Example outcome: timeline playbook with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Structure answers as claim -> evidence -> limitation -> next action. Ensure the figure-caption protocol explicitly addresses inter-annotator disagreement and anticipated concerns from a methodology purist.

Expected Output: A publication-ready timeline playbook that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Response Strategy.

Difficulty: Advanced

Category: Planning

48. Choose the Right Venue Strategy: venue ladder workflow for first journal submission cycle (IEEE TNNLS) - hypothesis stress testing

Objective: Create a contribution map that defends novelty against closest prior work and defines what is publishable. Prioritize clinical relevance and produce publication-grade decisions for Venue Targeting.

Prompt: Act as a senior research editor. Build a contribution architecture for Venue Targeting in first journal submission cycle targeting IEEE TNNLS. Output sections: contribution claim stack, nearest-neighbor prior work comparison, differentiator evidence plan, failure-risk matrix, and a 30/60/90-day execution plan. Project profile: discipline=climate informatics; dataset=multi-modal image-text corpus; preferred method=semi-supervised training setup; reviewer persona=interdisciplinary committee member; output schema=statistical decision tree; risk scenario=small sample size constraints; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=climate informatics; dataset=multi-modal image-text corpus; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=IEEE TNNLS; reviewer persona=interdisciplinary committee member. Example outcome: submission strategy memo with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Force each claim to link to one measurable piece of evidence and one comparison baseline. Ensure the statistical decision tree explicitly addresses small sample size constraints and anticipated concerns from a interdisciplinary committee member.

Expected Output: A publication-ready submission strategy memo that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Venue Targeting.

Difficulty: Expert

Category: Strategy

49. Plan a High-Probability Submission Path: submission playbook for multi-venue publication roadmap (ACM TOIS) - results-to-insight translation

Objective: Rewrite methods for reproducibility and procedural transparency. Prioritize publication readiness and produce publication-grade decisions for Contribution Positioning.

Prompt: Rewrite the methodology around Contribution Positioning for multi-venue publication roadmap so another lab can reproduce it without author contact. Include variable definitions, preprocessing chronology, model hyperparameters, instrumentation assumptions, and reproducibility checklist required for ACM TOIS. Project profile: discipline=cybersecurity; dataset=longitudinal sensor dataset; preferred method=counterfactual evaluation approach; reviewer persona=ethics compliance reviewer; output schema=ablation plan sheet; risk scenario=compute budget reduction; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=cybersecurity; dataset=longitudinal sensor dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=ACM TOIS; reviewer persona=ethics compliance reviewer. Example outcome: review-risk map with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Name every tool/version and include randomness-control policy. Ensure the ablation plan sheet explicitly addresses compute budget reduction and anticipated concerns from a ethics compliance reviewer.

Expected Output: A publication-ready review-risk map that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Contribution Positioning.

Difficulty: Beginner

Category: Analysis

50. Build a Smart Resubmission Ladder: editorial risk mitigation for journal-extension planning cycle (Nature Machine Intelligence) - major-revision

readiness

Objective: Craft concise, high-impact abstracts aligned with selective journal standards. Prioritize novelty and produce publication-grade decisions for Revision Planning.

Prompt: Write a Nature-style abstract for a study on Revision Planning in journal-extension planning cycle. Constrain to problem, approach, principal quantitative finding, boundary condition, and broader implication. Provide a weaker draft and then a stronger revised draft with rationale. Project profile: discipline=biomedical engineering; dataset=multi-site clinical cohort; preferred method=transformer baseline; reviewer persona=reproducibility auditor; output schema=rebuttal response grid; risk scenario=time-limited resubmission window; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=biomedical engineering; dataset=multi-site clinical cohort; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Nature Machine Intelligence; reviewer persona=reproducibility auditor. Example outcome: timeline playbook with risk controls, reviewer-facing rationale, and milestone gates.

Tips: One central claim per sentence keeps abstract logic clean and persuasive. Ensure the rebuttal response grid explicitly addresses time-limited resubmission window and anticipated concerns from a reproducibility auditor.

Expected Output: A publication-ready timeline playbook that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Revision Planning.

Difficulty: Intermediate

Category: Writing

51. Design an Editor-Friendly Revision Plan: revision scheduling system for conference rejection recovery path (Elsevier Information Sciences) - replication-grade documentation

Objective: Transform visuals into evidence-rich storytelling assets. Prioritize rigor and produce publication-grade decisions for Response Strategy.

Prompt: Generate a figure strategy for Response Strategy with publication-grade caption drafts. For each figure, define purpose, metric, axis design, uncertainty communication, and interpretation sentence expected by Elsevier Information Sciences. Add one caption rewrite for non-expert readers. Project profile: discipline=computational social science; dataset=open government policy data; preferred method=causal inference pipeline; reviewer persona=applied domain expert; output schema=section rewrite pack; risk scenario=ethics board clarification request; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=computational social science; dataset=open government policy data; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Elsevier Information Sciences; reviewer persona=applied domain expert. Example outcome: submission strategy memo with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Good captions stand alone and state what changed, by how much, and why it matters. Ensure the section rewrite pack explicitly addresses ethics board clarification request and anticipated concerns from an applied domain expert.

Expected Output: A publication-ready submission strategy memo that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Response Strategy.

Difficulty: Advanced

Category: Publication

52. Choose the Right Venue Strategy: venue ladder workflow for first journal submission cycle (IEEE TNNLS) - reviewer-resilient argumentation

Objective: Embed ethics and compliance checks into the technical workflow. Prioritize reproducibility and produce publication-grade decisions for Venue Targeting.

Prompt: Build an ethics checklist and mitigation plan for Venue Targeting in first journal submission cycle. Include fairness risks, privacy boundaries, human-subject concerns, reporting transparency, and audit evidence expected for IEEE TNNLS review. Project profile: discipline=materials informatics; dataset=federated hospital dataset; preferred method=Bayesian hierarchical model; reviewer persona=systems performance reviewer; output schema=action timeline; risk scenario=conflicting baseline outcomes; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=materials informatics; dataset=federated hospital dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=IEEE TNNLS; reviewer persona=systems performance reviewer. Example outcome: review-risk map with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Translate ethical risks into actionable controls with owner and verification evidence. Ensure the action timeline explicitly addresses conflicting baseline outcomes and anticipated concerns from a systems performance reviewer.

Expected Output: A publication-ready review-risk map that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Venue Targeting.

Difficulty: Expert

Category: Methodology

53. Plan a High-Probability Submission Path: submission playbook for multi-venue publication roadmap (ACM TOIS) - ethics-by-design reporting

Objective: Choose venue strategy, narrative framing, and revision sequencing. Prioritize clarity and produce publication-grade decisions for Contribution Positioning.

Prompt: Design a publication strategy for Contribution Positioning: venue ladder (A-plan/B-plan), novelty framing options, deadline-aligned writing sprints, and reviewer-risk scenarios. Include a branch for conference-first then journal-extension path for ACM TOIS. Project profile: discipline=computational neuroscience; dataset=crowdsourced annotation dataset; preferred method=graph neural workflow; reviewer persona=industry impact reviewer; output schema=risk register; risk scenario=missing metadata in source data; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=computational neuroscience; dataset=crowdsourced annotation dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=ACM TOIS; reviewer persona=industry impact reviewer. Example outcome: timeline playbook with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Plan fallback venue narratives early to reduce resubmission cycle time. Ensure the risk register explicitly addresses missing metadata in source data and anticipated concerns from a industry impact reviewer.

Expected Output: A publication-ready timeline playbook that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Contribution Positioning.

Difficulty: Beginner

Category: Execution

54. Build a Smart Resubmission Ladder: editorial risk mitigation for journal-extension planning cycle (Nature Machine Intelligence) - limitations-first transparency

Objective: Turn skeptical reviewer criticism into a persuasive, evidence-linked response workflow. Prioritize statistical power and produce publication-grade decisions for Revision Planning.

Prompt: Assume Reviewer #2 challenges Revision Planning for Nature Machine Intelligence. Draft a response package with: acknowledgement sentence, technical clarification, direct manuscript change, optional added experiment, and fallback wording if resources are limited. Provide line-level mapping format for revision tracking. Project profile: discipline=human-computer interaction; dataset=industrial telemetry stream; preferred method=mixed-methods protocol; reviewer persona=editor focused on clarity; output schema=claim-evidence table; risk scenario=incomplete ablation coverage; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=human-computer interaction; dataset=industrial telemetry stream; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Nature Machine Intelligence; reviewer persona=editor focused on clarity. Example outcome: submission strategy memo with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Use respectful tone and separate explanation, action, and manuscript delta into distinct bullets. Ensure the claim-evidence table explicitly addresses incomplete ablation coverage and anticipated concerns from a editor focused on clarity.

Expected Output: A publication-ready submission strategy memo that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Revision Planning.

Difficulty: Intermediate

Category: Planning

55. Design an Editor-Friendly Revision Plan: revision scheduling system for conference rejection recovery path (Elsevier Information Sciences) - cross-domain readability

Objective: Plan a high-confidence major revision package for journal resubmission. Prioritize transferability and produce publication-grade decisions for Response Strategy.

Prompt: Create a major revision plan for an Elsevier-style decision letter focused on Response Strategy. Include comment clustering, evidence plan, timeline by dependency, added-analysis options, and response-letter structure that anticipates editor priorities for Elsevier Information Sciences. Project profile: discipline=robotics; dataset=city-scale mobility records; preferred method=time-series anomaly framework; reviewer persona=skeptical statistician; output schema=decision matrix; risk scenario=dataset shift at deployment; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=robotics; dataset=city-scale mobility records; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Elsevier Information Sciences; reviewer persona=skeptical statistician. Example outcome: review-risk map with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Group reviewer comments by technical dependency to prevent contradictory edits. Ensure the decision matrix explicitly addresses dataset shift at deployment and anticipated concerns from a skeptical statistician.

Expected Output: A publication-ready review-risk map that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Response Strategy.

Difficulty: Advanced

Category: Strategy

56. Choose the Right Venue Strategy: venue ladder workflow for first journal submission cycle (IEEE TNNLS) - impact-focused communication

Objective: Select robust statistical strategy and interpretation logic. Prioritize ethical compliance and produce publication-grade decisions for Venue Targeting.

Prompt: Design a statistical analysis workflow for Venue Targeting with assumptions, test-selection logic, effect-size reporting, multiplicity correction, and uncertainty interpretation. Output a decision tree that maps data conditions to recommended tests for IEEE TNNLS. Project profile: discipline=digital health; dataset=public genomics panel; preferred method=hybrid rule-neural model; reviewer persona=benchmarking specialist; output schema=compliance checklist; risk scenario=unexpected reviewer disagreement; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=digital health; dataset=public genomics panel; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=IEEE TNNLS; reviewer persona=benchmarking specialist. Example outcome: timeline playbook with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Pair p-values with effect sizes and confidence intervals in every result claim. Ensure the compliance checklist explicitly addresses unexpected reviewer disagreement and anticipated concerns from a benchmarking specialist.

Expected Output: A publication-ready timeline playbook that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Venue Targeting.

Difficulty: Expert

Category: Analysis

57. Plan a High-Probability Submission Path: submission playbook for multi-venue publication roadmap (ACM TOIS) - publishable novelty framing

Objective: Detect weak citation support and strengthen scholarly positioning. Prioritize computational efficiency and produce publication-grade decisions for Contribution Positioning.

Prompt: Analyze a draft on Contribution Positioning and identify citation gaps by claim type: foundational, comparative, methodological, and limitation-related. Return a prioritized fill plan with query phrases, likely source types, and insertion points tailored to ACM TOIS. Project profile: discipline=machine learning; dataset=benchmark tabular risk dataset; preferred method=multi-objective optimizer; reviewer persona=theory-oriented reviewer; output schema=citation repair map; risk scenario=high class imbalance; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=machine learning; dataset=benchmark tabular risk dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=ACM TOIS; reviewer persona=theory-oriented reviewer. Example outcome: submission strategy memo with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Flag unsupported superlatives first; they trigger avoidable reviewer criticism. Ensure the citation repair map explicitly addresses high class imbalance and anticipated concerns from a theory-oriented reviewer.

Expected Output: A publication-ready submission strategy memo that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Contribution Positioning.

Difficulty: Beginner

Category: Writing

58. Build a Smart Resubmission Ladder: editorial risk mitigation for journal-extension planning cycle (Nature Machine Intelligence) - practical deployment framing

Objective: Convert raw metrics into defensible scientific interpretation. Prioritize clinical relevance and produce publication-grade decisions for Revision Planning.

Prompt: Interpret results for Revision Planning using a claim-evidence map: primary findings, uncertainty envelope, competing explanations, boundary conditions, and implications for future work in Nature Machine Intelligence. Add one paragraph that preempts overclaiming. Project profile: discipline=climate informatics;

dataset=multi-modal image-text corpus; preferred method=semi-supervised training setup; reviewer persona=methodology purist; output schema=figure-caption protocol; risk scenario=inter-annotator disagreement; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=climate informatics; dataset=multi-modal image-text corpus; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Nature Machine Intelligence; reviewer persona=methodology purist. Example outcome: review-risk map with risk controls, reviewer-facing rationale, and milestone gates.

Tips: State what the results do not prove as clearly as what they do prove. Ensure the figure-caption protocol explicitly addresses inter-annotator disagreement and anticipated concerns from a methodology purist.

Expected Output: A publication-ready review-risk map that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Revision Planning.

Difficulty: Intermediate

Category: Publication

59. Design an Editor-Friendly Revision Plan: revision scheduling system for conference rejection recovery path (Elsevier Information Sciences) - method comparison clarity

Objective: Detect non-obvious research gaps and convert them into testable opportunities. Prioritize publication readiness and produce publication-grade decisions for Response Strategy.

Prompt: You are a literature forensics specialist. From the context below, identify unresolved contradictions in Response Strategy and rank them by impact and tractability. Then design three testable gap statements, each with required datasets, threat-to-validity notes, and likely reviewer objections for Elsevier Information Sciences. Project profile: discipline=cybersecurity; dataset=longitudinal sensor dataset; preferred method=counterfactual evaluation approach; reviewer persona=interdisciplinary committee member; output schema=statistical decision tree; risk scenario=small sample size constraints; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=cybersecurity; dataset=longitudinal sensor dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Elsevier Information Sciences; reviewer persona=interdisciplinary committee member. Example outcome: timeline playbook with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Distinguish 'no evidence exists' from 'evidence exists but conflicts' to avoid weak gap claims. Ensure the statistical decision tree explicitly addresses small sample size constraints and anticipated concerns from a interdisciplinary committee member.

Expected Output: A publication-ready timeline playbook that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Response Strategy.

Difficulty: Advanced

Category: Methodology

60. Choose the Right Venue Strategy: venue ladder workflow for first journal submission cycle (IEEE TNNLS) - editorial risk reduction

Objective: Produce section drafts compliant with high-impact conference and journal conventions. Prioritize novelty and produce publication-grade decisions for Venue Targeting.

Prompt: Generate a publication-ready section for Venue Targeting tuned for IEEE TNNLS. Enforce concise technical style, explicit contributions, and strong figure/table callouts. Provide two style variants: IEEE Transactions tone and ACM conference tone with sentence-level rewrites. Project profile: discipline=biomedical engineering;

dataset=multi-site clinical cohort; preferred method=transformer baseline; reviewer persona=ethics compliance reviewer; output schema=ablation plan sheet; risk scenario=compute budget reduction; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=biomedical engineering; dataset=multi-site clinical cohort; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=IEEE TNNLS; reviewer persona=ethics compliance reviewer. Example outcome: submission strategy memo with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Avoid generic claims; anchor every paragraph with result-oriented language. Ensure the ablation plan sheet explicitly addresses compute budget reduction and anticipated concerns from a ethics compliance reviewer.

Expected Output: A publication-ready submission strategy memo that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Venue Targeting.

Difficulty: Expert

Category: Execution

61. Plan a High-Probability Submission Path: submission playbook for multi-venue publication roadmap (ACM TOIS) - venue-specific optimization

Objective: Pressure-test experimental design before expensive execution. Prioritize rigor and produce publication-grade decisions for Contribution Positioning.

Prompt: Audit the experimental design for Contribution Positioning. Produce control/ablation matrix, confound analysis, data leakage checks, minimum sample strategy, and statistical power guardrails suitable for ACM TOIS reviewers. Include a stop/go decision protocol. Project profile: discipline=computational social science; dataset=open government policy data; preferred method=causal inference pipeline; reviewer persona=reproducibility auditor; output schema=rebuttal response grid; risk scenario=time-limited resubmission window; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=computational social science; dataset=open government policy data; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=ACM TOIS; reviewer persona=reproducibility auditor. Example outcome: review-risk map with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Design ablations to isolate one causal factor at a time. Ensure the rebuttal response grid explicitly addresses time-limited resubmission window and anticipated concerns from a reproducibility auditor.

Expected Output: A publication-ready review-risk map that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Contribution Positioning.

Difficulty: Beginner

Category: Compliance

62. Build a Smart Resubmission Ladder: editorial risk mitigation for journal-extension planning cycle (Nature Machine Intelligence) - decision traceability

Objective: Convert technical narrative into clean, production-ready LaTeX structure. Prioritize reproducibility and produce publication-grade decisions for Revision Planning.

Prompt: Create a LaTeX writing workflow for Revision Planning: section skeleton, theorem/algorithm formatting guidance, table conventions, citation macros, and cross-reference hygiene. Include common formatting errors and fixes for Nature Machine Intelligence submission checks. Project profile: discipline=materials informatics; dataset=federated hospital dataset; preferred method=Bayesian hierarchical model; reviewer persona=applied domain expert; output schema=section rewrite pack; risk scenario=ethics board clarification request;

timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=materials informatics; dataset=federated hospital dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Nature Machine Intelligence; reviewer persona=applied domain expert. Example outcome: timeline playbook with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Draft content in semantic chunks before polishing visual layout. Ensure the section rewrite pack explicitly addresses ethics board clarification request and anticipated concerns from a applied domain expert.

Expected Output: A publication-ready timeline playbook that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Revision Planning.

Difficulty: Intermediate

Category: Reasoning

63. Design an Editor-Friendly Revision Plan: revision scheduling system for conference rejection recovery path (Elsevier Information Sciences) - citation-strength positioning

Objective: Prepare rigorous responses for committee or reviewer questioning. Prioritize clarity and produce publication-grade decisions for Response Strategy.

Prompt: Simulate a high-pressure Q&A; on Response Strategy. Generate 15 hard questions (methods, validity, novelty, limitations, impact) and produce concise, evidence-backed responses with fallback answers for uncertain data points. Include one slide cue per answer. Project profile: discipline=computational neuroscience; dataset=crowdsourced annotation dataset; preferred method=graph neural workflow; reviewer persona=systems performance reviewer; output schema=action timeline; risk scenario=conflicting baseline outcomes; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=computational neuroscience; dataset=crowdsourced annotation dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Elsevier Information Sciences; reviewer persona=systems performance reviewer. Example outcome: submission strategy memo with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Structure answers as claim -> evidence -> limitation -> next action. Ensure the action timeline explicitly addresses conflicting baseline outcomes and anticipated concerns from a systems performance reviewer.

Expected Output: A publication-ready submission strategy memo that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Response Strategy.

Difficulty: Advanced

Category: Analysis

64. Choose the Right Venue Strategy: venue ladder workflow for first journal submission cycle (IEEE TNNLS) - defense-ready reasoning

Objective: Create a contribution map that defends novelty against closest prior work and defines what is publishable. Prioritize statistical power and produce publication-grade decisions for Venue Targeting.

Prompt: Act as a senior research editor. Build a contribution architecture for Venue Targeting in first journal submission cycle targeting IEEE TNNLS. Output sections: contribution claim stack, nearest-neighbor prior work comparison, differentiator evidence plan, failure-risk matrix, and a 30/60/90-day execution plan. Project profile: discipline=human-computer interaction; dataset=industrial telemetry stream; preferred method=mixed-methods protocol; reviewer persona=industry impact reviewer; output schema=risk register; risk scenario=missing metadata in source data; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=human-computer interaction; dataset=industrial telemetry stream; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=IEEE TNNLS; reviewer persona=industry impact reviewer. Example outcome: review-risk map with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Force each claim to link to one measurable piece of evidence and one comparison baseline. Ensure the risk register explicitly addresses missing metadata in source data and anticipated concerns from a industry impact reviewer.

Expected Output: A publication-ready review-risk map that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Venue Targeting.

Difficulty: Expert

Category: Writing

65. Plan a High-Probability Submission Path: submission playbook for multi-venue publication roadmap (ACM TOIS) - high-confidence statistical reporting

Objective: Rewrite methods for reproducibility and procedural transparency. Prioritize transferability and produce publication-grade decisions for Contribution Positioning.

Prompt: Rewrite the methodology around Contribution Positioning for multi-venue publication roadmap so another lab can reproduce it without author contact. Include variable definitions, preprocessing chronology, model hyperparameters, instrumentation assumptions, and reproducibility checklist required for ACM TOIS. Project profile: discipline=robotics; dataset=city-scale mobility records; preferred method=time-series anomaly framework; reviewer persona=editor focused on clarity; output schema=claim-evidence table; risk scenario=incomplete ablation coverage; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=robotics; dataset=city-scale mobility records; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=ACM TOIS; reviewer persona=editor focused on clarity. Example outcome: timeline playbook with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Name every tool/version and include randomness-control policy. Ensure the claim-evidence table explicitly addresses incomplete ablation coverage and anticipated concerns from a editor focused on clarity.

Expected Output: A publication-ready timeline playbook that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Contribution Positioning.

Difficulty: Beginner

Category: Publication

66. Build a Smart Resubmission Ladder: editorial risk mitigation for journal-extension planning cycle (Nature Machine Intelligence) - evidence-first writing

Objective: Craft concise, high-impact abstracts aligned with selective journal standards. Prioritize ethical compliance and produce publication-grade decisions for Revision Planning.

Prompt: Write a Nature-style abstract for a study on Revision Planning in journal-extension planning cycle. Constrain to problem, approach, principal quantitative finding, boundary condition, and broader implication. Provide a weaker draft and then a stronger revised draft with rationale. Project profile: discipline=digital health; dataset=public genomics panel; preferred method=hybrid rule-neural model; reviewer persona=skeptical statistician; output schema=decision matrix; risk scenario=dataset shift at deployment; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=digital health; dataset=public genomics panel; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Nature Machine Intelligence; reviewer persona=skeptical

statistician. Example outcome: submission strategy memo with risk controls, reviewer-facing rationale, and milestone gates.

Tips: One central claim per sentence keeps abstract logic clean and persuasive. Ensure the decision matrix explicitly addresses dataset shift at deployment and anticipated concerns from a skeptical statistician.

Expected Output: A publication-ready submission strategy memo that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Revision Planning.

Difficulty: Intermediate

Category: Methodology

67. Design an Editor-Friendly Revision Plan: revision scheduling system for conference rejection recovery path (Elsevier Information Sciences) - hypothesis stress testing

Objective: Transform visuals into evidence-rich storytelling assets. Prioritize computational efficiency and produce publication-grade decisions for Response Strategy.

Prompt: Generate a figure strategy for Response Strategy with publication-grade caption drafts. For each figure, define purpose, metric, axis design, uncertainty communication, and interpretation sentence expected by Elsevier Information Sciences. Add one caption rewrite for non-expert readers. Project profile: discipline=machine learning; dataset=benchmark tabular risk dataset; preferred method=multi-objective optimizer; reviewer persona=benchmarking specialist; output schema=compliance checklist; risk scenario=unexpected reviewer disagreement; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=machine learning; dataset=benchmark tabular risk dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Elsevier Information Sciences; reviewer persona=benchmarking specialist. Example outcome: review-risk map with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Good captions stand alone and state what changed, by how much, and why it matters. Ensure the compliance checklist explicitly addresses unexpected reviewer disagreement and anticipated concerns from a benchmarking specialist.

Expected Output: A publication-ready review-risk map that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Response Strategy.

Difficulty: Advanced

Category: Execution

68. Choose the Right Venue Strategy: venue ladder workflow for first journal submission cycle (IEEE TNNLS) - results-to-insight translation

Objective: Embed ethics and compliance checks into the technical workflow. Prioritize clinical relevance and produce publication-grade decisions for Venue Targeting.

Prompt: Build an ethics checklist and mitigation plan for Venue Targeting in first journal submission cycle. Include fairness risks, privacy boundaries, human-subject concerns, reporting transparency, and audit evidence expected for IEEE TNNLS review. Project profile: discipline=climate informatics; dataset=multi-modal image-text corpus; preferred method=semi-supervised training setup; reviewer persona=theory-oriented reviewer; output schema=citation repair map; risk scenario=high class imbalance; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=climate informatics; dataset=multi-modal image-text corpus; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=IEEE TNNLS; reviewer persona=theory-oriented reviewer. Example outcome: timeline playbook with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Translate ethical risks into actionable controls with owner and verification evidence. Ensure the citation repair map explicitly addresses high class imbalance and anticipated concerns from a theory-oriented reviewer.

Expected Output: A publication-ready timeline playbook that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Venue Targeting.

Difficulty: Expert

Category: Compliance

69. Plan a High-Probability Submission Path: submission playbook for multi-venue publication roadmap (ACM TOIS) - major-revision readiness

Objective: Choose venue strategy, narrative framing, and revision sequencing. Prioritize publication readiness and produce publication-grade decisions for Contribution Positioning.

Prompt: Design a publication strategy for Contribution Positioning: venue ladder (A-plan/B-plan), novelty framing options, deadline-aligned writing sprints, and reviewer-risk scenarios. Include a branch for conference-first then journal-extension path for ACM TOIS. Project profile: discipline=cybersecurity; dataset=longitudinal sensor dataset; preferred method=counterfactual evaluation approach; reviewer persona=methodology purist; output schema=figure-caption protocol; risk scenario=inter-annotator disagreement; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=cybersecurity; dataset=longitudinal sensor dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=ACM TOIS; reviewer persona=methodology purist. Example outcome: submission strategy memo with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Plan fallback venue narratives early to reduce resubmission cycle time. Ensure the figure-caption protocol explicitly addresses inter-annotator disagreement and anticipated concerns from a methodology purist.

Expected Output: A publication-ready submission strategy memo that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Contribution Positioning.

Difficulty: Beginner

Category: Reasoning

70. Build a Smart Resubmission Ladder: editorial risk mitigation for journal-extension planning cycle (Nature Machine Intelligence) - replication-grade documentation

Objective: Turn skeptical reviewer criticism into a persuasive, evidence-linked response workflow. Prioritize novelty and produce publication-grade decisions for Revision Planning.

Prompt: Assume Reviewer #2 challenges Revision Planning for Nature Machine Intelligence. Draft a response package with: acknowledgement sentence, technical clarification, direct manuscript change, optional added experiment, and fallback wording if resources are limited. Provide line-level mapping format for revision tracking. Project profile: discipline=biomedical engineering; dataset=multi-site clinical cohort; preferred method=transformer baseline; reviewer persona=interdisciplinary committee member; output schema=statistical decision tree; risk scenario=small sample size constraints; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=biomedical engineering; dataset=multi-site clinical cohort; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Nature Machine Intelligence; reviewer persona=interdisciplinary committee member. Example outcome: review-risk map with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Use respectful tone and separate explanation, action, and manuscript delta into distinct bullets. Ensure the statistical decision tree explicitly addresses small sample size constraints and anticipated concerns from a interdisciplinary committee member.

Expected Output: A publication-ready review-risk map that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Revision Planning.

Difficulty: Intermediate

Category: Rebuttal

71. Design an Editor-Friendly Revision Plan: revision scheduling system for conference rejection recovery path (Elsevier Information Sciences) - reviewer-resilient argumentation

Objective: Plan a high-confidence major revision package for journal resubmission. Prioritize rigor and produce publication-grade decisions for Response Strategy.

Prompt: Create a major revision plan for an Elsevier-style decision letter focused on Response Strategy. Include comment clustering, evidence plan, timeline by dependency, added-analysis options, and response-letter structure that anticipates editor priorities for Elsevier Information Sciences. Project profile: discipline=computational social science; dataset=open government policy data; preferred method=causal inference pipeline; reviewer persona=ethics compliance reviewer; output schema=ablation plan sheet; risk scenario=compute budget reduction; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=computational social science; dataset=open government policy data; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Elsevier Information Sciences; reviewer persona=ethics compliance reviewer. Example outcome: timeline playbook with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Group reviewer comments by technical dependency to prevent contradictory edits. Ensure the ablation plan sheet explicitly addresses compute budget reduction and anticipated concerns from a ethics compliance reviewer.

Expected Output: A publication-ready timeline playbook that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Response Strategy.

Difficulty: Advanced

Category: Validation

72. Choose the Right Venue Strategy: venue ladder workflow for first journal submission cycle (IEEE TNNLS) - ethics-by-design reporting

Objective: Select robust statistical strategy and interpretation logic. Prioritize reproducibility and produce publication-grade decisions for Venue Targeting.

Prompt: Design a statistical analysis workflow for Venue Targeting with assumptions, test-selection logic, effect-size reporting, multiplicity correction, and uncertainty interpretation. Output a decision tree that maps data conditions to recommended tests for IEEE TNNLS. Project profile: discipline=materials informatics; dataset=federated hospital dataset; preferred method=Bayesian hierarchical model; reviewer persona=reproducibility auditor; output schema=rebuttal response grid; risk scenario=time-limited resubmission window; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=materials informatics; dataset=federated hospital dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=IEEE TNNLS; reviewer persona=reproducibility auditor. Example outcome: submission strategy memo with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Pair p-values with effect sizes and confidence intervals in every result claim. Ensure the rebuttal response grid explicitly addresses time-limited resubmission window and anticipated concerns from a reproducibility auditor.

Expected Output: A publication-ready submission strategy memo that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Venue Targeting.

Difficulty: Expert

Category: Publication

73. Plan a High-Probability Submission Path: submission playbook for multi-venue publication roadmap (ACM TOIS) - limitations-first transparency

Objective: Detect weak citation support and strengthen scholarly positioning. Prioritize clarity and produce publication-grade decisions for Contribution Positioning.

Prompt: Analyze a draft on Contribution Positioning and identify citation gaps by claim type: foundational, comparative, methodological, and limitation-related. Return a prioritized fill plan with query phrases, likely source types, and insertion points tailored to ACM TOIS. Project profile: discipline=computational neuroscience; dataset=crowdsourced annotation dataset; preferred method=graph neural workflow; reviewer persona=applied domain expert; output schema=section rewrite pack; risk scenario=ethics board clarification request; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=computational neuroscience; dataset=crowdsourced annotation dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=ACM TOIS; reviewer persona=applied domain expert. Example outcome: review-risk map with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Flag unsupported superlatives first; they trigger avoidable reviewer criticism. Ensure the section rewrite pack explicitly addresses ethics board clarification request and anticipated concerns from a applied domain expert.

Expected Output: A publication-ready review-risk map that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Contribution Positioning.

Difficulty: Beginner

Category: Methodology

74. Build a Smart Resubmission Ladder: editorial risk mitigation for journal-extension planning cycle (Nature Machine Intelligence) - cross-domain readability

Objective: Convert raw metrics into defensible scientific interpretation. Prioritize statistical power and produce publication-grade decisions for Revision Planning.

Prompt: Interpret results for Revision Planning using a claim-evidence map: primary findings, uncertainty envelope, competing explanations, boundary conditions, and implications for future work in Nature Machine Intelligence. Add one paragraph that preempts overclaiming. Project profile: discipline=human-computer interaction; dataset=industrial telemetry stream; preferred method=mixed-methods protocol; reviewer persona=systems performance reviewer; output schema=action timeline; risk scenario=conflicting baseline outcomes; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=human-computer interaction; dataset=industrial telemetry stream; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Nature Machine Intelligence; reviewer persona=systems performance reviewer. Example outcome: timeline playbook with risk controls, reviewer-facing rationale, and milestone gates.

Tips: State what the results do not prove as clearly as what they do prove. Ensure the action timeline explicitly addresses conflicting baseline outcomes and anticipated concerns from a systems performance reviewer.

Expected Output: A publication-ready timeline playbook that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Revision Planning.

Difficulty: Intermediate

Category: Execution

75. Design an Editor-Friendly Revision Plan: revision scheduling system for conference rejection recovery path (Elsevier Information Sciences) - impact-focused communication

Objective: Detect non-obvious research gaps and convert them into testable opportunities. Prioritize transferability and produce publication-grade decisions for Response Strategy.

Prompt: You are a literature forensics specialist. From the context below, identify unresolved contradictions in Response Strategy and rank them by impact and tractability. Then design three testable gap statements, each with required datasets, threat-to-validity notes, and likely reviewer objections for Elsevier Information Sciences. Project profile: discipline=robotics; dataset=city-scale mobility records; preferred method=time-series anomaly framework; reviewer persona=industry impact reviewer; output schema=risk register; risk scenario=missing metadata in source data; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=robotics; dataset=city-scale mobility records; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Elsevier Information Sciences; reviewer persona=industry impact reviewer. Example outcome: submission strategy memo with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Distinguish 'no evidence exists' from 'evidence exists but conflicts' to avoid weak gap claims. Ensure the risk register explicitly addresses missing metadata in source data and anticipated concerns from a industry impact reviewer.

Expected Output: A publication-ready submission strategy memo that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Response Strategy.

Difficulty: Advanced

Category: Compliance

76. Choose the Right Venue Strategy: venue ladder workflow for first journal submission cycle (IEEE TNNLS) - publishable novelty framing

Objective: Produce section drafts compliant with high-impact conference and journal conventions. Prioritize ethical compliance and produce publication-grade decisions for Venue Targeting.

Prompt: Generate a publication-ready section for Venue Targeting tuned for IEEE TNNLS. Enforce concise technical style, explicit contributions, and strong figure/table callouts. Provide two style variants: IEEE Transactions tone and ACM conference tone with sentence-level rewrites. Project profile: discipline=digital health; dataset=public genomics panel; preferred method=hybrid rule-neural model; reviewer persona=editor focused on clarity; output schema=claim-evidence table; risk scenario=incomplete ablation coverage; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=digital health; dataset=public genomics panel; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=IEEE TNNLS; reviewer persona=editor focused on clarity. Example outcome: review-risk map with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Avoid generic claims; anchor every paragraph with result-oriented language. Ensure the claim-evidence table explicitly addresses incomplete ablation coverage and anticipated concerns from a editor focused on clarity.

Expected Output: A publication-ready review-risk map that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Venue Targeting.

Difficulty: Expert

Category: Reasoning

77. Plan a High-Probability Submission Path: submission playbook for multi-venue publication roadmap (ACM TOIS) - practical deployment framing - Variant 077

Objective: Pressure-test experimental design before expensive execution. Prioritize computational efficiency and produce publication-grade decisions for Contribution Positioning.

Prompt: Audit the experimental design for Contribution Positioning. Produce control/ablation matrix, confound analysis, data leakage checks, minimum sample strategy, and statistical power guardrails suitable for ACM TOIS reviewers. Include a stop/go decision protocol. Project profile: discipline=machine learning; dataset=benchmark tabular risk dataset; preferred method=multi-objective optimizer; reviewer persona=skeptical statistician; output schema=decision matrix; risk scenario=dataset shift at deployment; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=machine learning; dataset=benchmark tabular risk dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=ACM TOIS; reviewer persona=skeptical statistician. Example outcome: timeline playbook with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Design ablations to isolate one causal factor at a time. Ensure the decision matrix explicitly addresses dataset shift at deployment and anticipated concerns from a skeptical statistician.

Expected Output: A publication-ready timeline playbook that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Contribution Positioning.

Difficulty: Beginner

Category: Rebuttal

78. Build a Smart Resubmission Ladder: editorial risk mitigation for journal-extension planning cycle (Nature Machine Intelligence) - method comparison clarity - Variant 078

Objective: Convert technical narrative into clean, production-ready LaTeX structure. Prioritize clinical relevance and produce publication-grade decisions for Revision Planning.

Prompt: Create a LaTeX writing workflow for Revision Planning: section skeleton, theorem/algorithm formatting guidance, table conventions, citation macros, and cross-reference hygiene. Include common formatting errors and fixes for Nature Machine Intelligence submission checks. Project profile: discipline=climate informatics; dataset=multi-modal image-text corpus; preferred method=semi-supervised training setup; reviewer persona=benchmarking specialist; output schema=compliance checklist; risk scenario=unexpected reviewer disagreement; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=climate informatics; dataset=multi-modal image-text corpus; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Nature Machine Intelligence; reviewer persona=benchmarking specialist. Example outcome: submission strategy memo with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Draft content in semantic chunks before polishing visual layout. Ensure the compliance checklist explicitly addresses unexpected reviewer disagreement and anticipated concerns from a benchmarking specialist.

Expected Output: A publication-ready submission strategy memo that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Revision Planning.

Difficulty: Intermediate

Category: Validation

79. Design an Editor-Friendly Revision Plan: revision scheduling system for conference rejection recovery path (Elsevier Information Sciences) - editorial risk reduction - Variant 079

Objective: Prepare rigorous responses for committee or reviewer questioning. Prioritize publication readiness and produce publication-grade decisions for Response Strategy.

Prompt: Simulate a high-pressure Q&A; on Response Strategy. Generate 15 hard questions (methods, validity, novelty, limitations, impact) and produce concise, evidence-backed responses with fallback answers for uncertain data points. Include one slide cue per answer. Project profile: discipline=cybersecurity; dataset=longitudinal sensor dataset; preferred method=counterfactual evaluation approach; reviewer persona=theory-oriented reviewer; output schema=citation repair map; risk scenario=high class imbalance; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=cybersecurity; dataset=longitudinal sensor dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Elsevier Information Sciences; reviewer persona=theory-oriented reviewer. Example outcome: review-risk map with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Structure answers as claim -> evidence -> limitation -> next action. Ensure the citation repair map explicitly addresses high class imbalance and anticipated concerns from a theory-oriented reviewer.

Expected Output: A publication-ready review-risk map that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Response Strategy.

Difficulty: Advanced

Category: Optimization

80. Choose the Right Venue Strategy: venue ladder workflow for first journal submission cycle (IEEE TNNLS) - venue-specific optimization - Variant 080

Objective: Create a contribution map that defends novelty against closest prior work and defines what is publishable. Prioritize novelty and produce publication-grade decisions for Venue Targeting.

Prompt: Act as a senior research editor. Build a contribution architecture for Venue Targeting in first journal submission cycle targeting IEEE TNNLS. Output sections: contribution claim stack, nearest-neighbor prior work comparison, differentiator evidence plan, failure-risk matrix, and a 30/60/90-day execution plan. Project profile: discipline=biomedical engineering; dataset=multi-site clinical cohort; preferred method=transformer baseline; reviewer persona=methodology purist; output schema=figure-caption protocol; risk scenario=inter-annotator disagreement; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=biomedical engineering; dataset=multi-site clinical cohort; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=IEEE TNNLS; reviewer persona=methodology purist. Example outcome: timeline playbook with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Force each claim to link to one measurable piece of evidence and one comparison baseline. Ensure the figure-caption protocol explicitly addresses inter-annotator disagreement and anticipated concerns from a methodology purist.

Expected Output: A publication-ready timeline playbook that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Venue Targeting.

Difficulty: Expert

Category: Planning

81. Plan a High-Probability Submission Path: submission playbook for multi-venue publication roadmap (ACM TOIS) - decision traceability - Variant 081

Objective: Rewrite methods for reproducibility and procedural transparency. Prioritize rigor and produce publication-grade decisions for Contribution Positioning.

Prompt: Rewrite the methodology around Contribution Positioning for multi-venue publication roadmap so another lab can reproduce it without author contact. Include variable definitions, preprocessing chronology, model hyperparameters, instrumentation assumptions, and reproducibility checklist required for ACM TOIS. Project profile: discipline=computational social science; dataset=open government policy data; preferred method=causal inference pipeline; reviewer persona=interdisciplinary committee member; output schema=statistical decision tree; risk scenario=small sample size constraints; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=computational social science; dataset=open government policy data; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=ACM TOIS; reviewer persona=interdisciplinary committee member. Example outcome: submission strategy memo with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Name every tool/version and include randomness-control policy. Ensure the statistical decision tree explicitly addresses small sample size constraints and anticipated concerns from a interdisciplinary committee member.

Expected Output: A publication-ready submission strategy memo that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Contribution Positioning.

Difficulty: Beginner

Category: Execution

82. Build a Smart Resubmission Ladder: editorial risk mitigation for journal-extension planning cycle (Nature Machine Intelligence) - citation-strength positioning - Variant 082

Objective: Craft concise, high-impact abstracts aligned with selective journal standards. Prioritize reproducibility and produce publication-grade decisions for Revision Planning.

Prompt: Write a Nature-style abstract for a study on Revision Planning in journal-extension planning cycle. Constrain to problem, approach, principal quantitative finding, boundary condition, and broader implication. Provide a weaker draft and then a stronger revised draft with rationale. Project profile: discipline=materials informatics; dataset=federated hospital dataset; preferred method=Bayesian hierarchical model; reviewer persona=ethics compliance reviewer; output schema=ablation plan sheet; risk scenario=compute budget reduction; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=materials informatics; dataset=federated hospital dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Nature Machine Intelligence; reviewer persona=ethics compliance reviewer. Example outcome: review-risk map with risk controls, reviewer-facing rationale, and milestone gates.

Tips: One central claim per sentence keeps abstract logic clean and persuasive. Ensure the ablation plan sheet explicitly addresses compute budget reduction and anticipated concerns from a ethics compliance reviewer.

Expected Output: A publication-ready review-risk map that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Revision Planning.

Difficulty: Intermediate

Category: Compliance

83. Design an Editor-Friendly Revision Plan: revision scheduling system for conference rejection recovery path (Elsevier Information Sciences) - defense-ready reasoning - Variant 083

Objective: Transform visuals into evidence-rich storytelling assets. Prioritize clarity and produce publication-grade decisions for Response Strategy.

Prompt: Generate a figure strategy for Response Strategy with publication-grade caption drafts. For each figure, define purpose, metric, axis design, uncertainty communication, and interpretation sentence expected by Elsevier Information Sciences. Add one caption rewrite for non-expert readers. Project profile: discipline=computational neuroscience; dataset=crowdsourced annotation dataset; preferred method=graph neural workflow; reviewer persona=reproducibility auditor; output schema=rebuttal response grid; risk scenario=time-limited resubmission window; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=computational neuroscience; dataset=crowdsourced annotation dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Elsevier Information Sciences; reviewer persona=reproducibility auditor. Example outcome: timeline playbook with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Good captions stand alone and state what changed, by how much, and why it matters. Ensure the rebuttal response grid explicitly addresses time-limited resubmission window and anticipated concerns from a reproducibility auditor.

Expected Output: A publication-ready timeline playbook that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Response Strategy.

Difficulty: Advanced

Category: Reasoning

84. Choose the Right Venue Strategy: venue ladder workflow for first journal submission cycle (IEEE TNNLS) - high-confidence statistical reporting - Variant 084

Objective: Embed ethics and compliance checks into the technical workflow. Prioritize statistical power and produce publication-grade decisions for Venue Targeting.

Prompt: Build an ethics checklist and mitigation plan for Venue Targeting in first journal submission cycle. Include fairness risks, privacy boundaries, human-subject concerns, reporting transparency, and audit evidence expected for IEEE TNNLS review. Project profile: discipline=human-computer interaction; dataset=industrial telemetry stream; preferred method=mixed-methods protocol; reviewer persona=applied domain expert; output schema=section rewrite pack; risk scenario=ethics board clarification request; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=human-computer interaction; dataset=industrial telemetry stream; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=IEEE TNNLS; reviewer persona=applied domain expert. Example outcome: submission strategy memo with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Translate ethical risks into actionable controls with owner and verification evidence. Ensure the section rewrite pack explicitly addresses ethics board clarification request and anticipated concerns from an applied domain expert.

Expected Output: A publication-ready submission strategy memo that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Venue Targeting.

Difficulty: Expert

Category: Rebuttal

85. Plan a High-Probability Submission Path: submission playbook for multi-venue publication roadmap (ACM TOIS) - evidence-first writing - Variant 085

Objective: Choose venue strategy, narrative framing, and revision sequencing. Prioritize transferability and produce publication-grade decisions for Contribution Positioning.

Prompt: Design a publication strategy for Contribution Positioning: venue ladder (A-plan/B-plan), novelty framing options, deadline-aligned writing sprints, and reviewer-risk scenarios. Include a branch for conference-first then journal-extension path for ACM TOIS. Project profile: discipline=robotics; dataset=city-scale mobility records; preferred method=time-series anomaly framework; reviewer persona=systems performance reviewer; output schema=action timeline; risk scenario=conflicting baseline outcomes; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=robotics; dataset=city-scale mobility records; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=ACM TOIS; reviewer persona=systems performance reviewer. Example outcome: review-risk map with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Plan fallback venue narratives early to reduce resubmission cycle time. Ensure the action timeline explicitly addresses conflicting baseline outcomes and anticipated concerns from a systems performance reviewer.

Expected Output: A publication-ready review-risk map that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Contribution Positioning.

Difficulty: Beginner

Category: Validation

86. Build a Smart Resubmission Ladder: editorial risk mitigation for journal-extension planning cycle (Nature Machine Intelligence) - hypothesis stress testing - Variant 086

Objective: Turn skeptical reviewer criticism into a persuasive, evidence-linked response workflow. Prioritize ethical compliance and produce publication-grade decisions for Revision Planning.

Prompt: Assume Reviewer #2 challenges Revision Planning for Nature Machine Intelligence. Draft a response package with: acknowledgement sentence, technical clarification, direct manuscript change, optional added experiment, and fallback wording if resources are limited. Provide line-level mapping format for revision tracking. Project profile: discipline=digital health; dataset=public genomics panel; preferred method=hybrid rule-neural model; reviewer persona=industry impact reviewer; output schema=risk register; risk scenario=missing metadata in source data; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=digital health; dataset=public genomics panel; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Nature Machine Intelligence; reviewer persona=industry impact reviewer. Example outcome: timeline playbook with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Use respectful tone and separate explanation, action, and manuscript delta into distinct bullets. Ensure the risk register explicitly addresses missing metadata in source data and anticipated concerns from a industry impact reviewer.

Expected Output: A publication-ready timeline playbook that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Revision Planning.

Difficulty: Intermediate

Category: Optimization

87. Design an Editor-Friendly Revision Plan: revision scheduling system for conference rejection recovery path (Elsevier Information Sciences) - results-to-insight translation - Variant 087

Objective: Plan a high-confidence major revision package for journal resubmission. Prioritize computational efficiency and produce publication-grade decisions for Response Strategy.

Prompt: Create a major revision plan for an Elsevier-style decision letter focused on Response Strategy. Include comment clustering, evidence plan, timeline by dependency, added-analysis options, and response-letter structure that anticipates editor priorities for Elsevier Information Sciences. Project profile: discipline=machine learning; dataset=benchmark tabular risk dataset; preferred method=multi-objective optimizer; reviewer persona=editor focused on clarity; output schema=claim-evidence table; risk scenario=incomplete ablation coverage; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=machine learning; dataset=benchmark tabular risk dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Elsevier Information Sciences; reviewer persona=editor focused on clarity. Example outcome: submission strategy memo with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Group reviewer comments by technical dependency to prevent contradictory edits. Ensure the claim-evidence table explicitly addresses incomplete ablation coverage and anticipated concerns from a editor focused on clarity.

Expected Output: A publication-ready submission strategy memo that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Response Strategy.

Difficulty: Advanced

Category: Planning

88. Choose the Right Venue Strategy: venue ladder workflow for first journal submission cycle (IEEE TNNLS) - major-revision readiness - Variant 088

Objective: Select robust statistical strategy and interpretation logic. Prioritize clinical relevance and produce publication-grade decisions for Venue Targeting.

Prompt: Design a statistical analysis workflow for Venue Targeting with assumptions, test-selection logic, effect-size reporting, multiplicity correction, and uncertainty interpretation. Output a decision tree that maps data conditions to recommended tests for IEEE TNNLS. Project profile: discipline=climate informatics; dataset=multi-modal image-text corpus; preferred method=semi-supervised training setup; reviewer persona=skeptical statistician; output schema=decision matrix; risk scenario=dataset shift at deployment; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=climate informatics; dataset=multi-modal image-text corpus; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=IEEE TNNLS; reviewer persona=skeptical statistician. Example outcome: review-risk map with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Pair p-values with effect sizes and confidence intervals in every result claim. Ensure the decision matrix explicitly addresses dataset shift at deployment and anticipated concerns from a skeptical statistician.

Expected Output: A publication-ready review-risk map that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Venue Targeting.

Difficulty: Expert

Category: Strategy

89. Plan a High-Probability Submission Path: submission playbook for multi-venue publication roadmap (ACM TOIS) - replication-grade documentation - Variant 089

Objective: Detect weak citation support and strengthen scholarly positioning. Prioritize publication readiness and produce publication-grade decisions for Contribution Positioning.

Prompt: Analyze a draft on Contribution Positioning and identify citation gaps by claim type: foundational, comparative, methodological, and limitation-related. Return a prioritized fill plan with query phrases, likely source types, and insertion points tailored to ACM TOIS. Project profile: discipline=cybersecurity; dataset=longitudinal sensor dataset; preferred method=counterfactual evaluation approach; reviewer persona=benchmarking specialist; output schema=compliance checklist; risk scenario=unexpected reviewer disagreement; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=cybersecurity; dataset=longitudinal sensor dataset; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=ACM TOIS; reviewer persona=benchmarking specialist. Example outcome: timeline playbook with risk controls, reviewer-facing rationale, and milestone gates.

Tips: Flag unsupported superlatives first; they trigger avoidable reviewer criticism. Ensure the compliance checklist explicitly addresses unexpected reviewer disagreement and anticipated concerns from a benchmarking specialist.

Expected Output: A publication-ready timeline playbook that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Contribution Positioning.

Difficulty: Beginner

Category: Analysis

90. Build a Smart Resubmission Ladder: editorial risk mitigation for journal-extension planning cycle (Nature Machine Intelligence) - reviewer-resilient argumentation - Variant 090

Objective: Convert raw metrics into defensible scientific interpretation. Prioritize novelty and produce publication-grade decisions for Revision Planning.

Prompt: Interpret results for Revision Planning using a claim-evidence map: primary findings, uncertainty envelope, competing explanations, boundary conditions, and implications for future work in Nature Machine Intelligence. Add one paragraph that preempts overclaiming. Project profile: discipline=biomedical engineering; dataset=multi-site clinical cohort; preferred method=transformer baseline; reviewer persona=theory-oriented reviewer; output schema=citation repair map; risk scenario=high class imbalance; timeline={timeline}; resources={resources}. Return outputs as numbered sections and end with an execution checklist.

Example: Example input: discipline=biomedical engineering; dataset=multi-site clinical cohort; timeline=14 weeks; resources=3 researchers + 2 GPUs; target venue=Nature Machine Intelligence; reviewer persona=theory-oriented reviewer. Example outcome: submission strategy memo with risk controls, reviewer-facing rationale, and milestone gates.

Tips: State what the results do not prove as clearly as what they do prove. Ensure the citation repair map explicitly addresses high class imbalance and anticipated concerns from a theory-oriented reviewer.

Expected Output: A publication-ready submission strategy memo that includes decisions, rationale, measurable criteria, and reviewer-resilient framing for Revision Planning.

Difficulty: Intermediate

Category: Reasoning

Summary

Applying these 90 workflows systematically improves decision quality, writing clarity, and publication readiness across research cycles.