LSR Material Chart and REACH Statement

| Article | Component | Part | Material | Abbreviation |
|------------------------------|----------------------|---|---|--------------|
| Storage Pouch | | | Polyethylene | PE |
| Compact Case | Case | | Polypropylene | PP |
| | Partition wall | | Acrylonitrile Butadiene Styrene | ABS |
| Display Case | Case | | Polypropylene | PP |
| | Window | | Methyl Methacrylate Acrylonitrile Butadiene Styrene | MABS |
| | Tray | | Acrylonitrile Butadiene Styrene | ABS |
| | Lock | | Polyamide | PA |
| Bag | Bag | | Silicone rubber | SI |
| | Valve Connector | | Polysulfone | PSU |
| | O-Ring | | Fluorelastomer | VITON |
| Patient Valve | Upper Housing | | Polysulfone | PSU |
| | Patient side Housing | | Polysulfone | PSU |
| | Lip Valve | | Silicone rubber | SI |
| | Disk Membrane | | Silicone rubber | SI |
| | Pressure ReliefValve | Stem | Polyphenylsulfone | PPSU |
| | | Сар | Polysulfone | PSU |
| | | Spring | Stainless steel | |
| | | Seal | Silicone rubber | SI |
| Intake Valve | Outer part | | Polysulfone | PSU |
| | Inner part | Polyamidal Silicone r Polysulfor Fluorelast Polysulfor Silicone r Silicone r Silicone r Silicone r Stem Polyphen Cap Polysulfor Spring Stainless r Seal Silicone r Polysulfor Polysulfor Spring Stainless r Silicone r Polysulfor Polysulfor Silicone r Polysulfor Silicone r Silicone r Silicone r Silicone r Silicone r | Polysulfone | PSU |
| | Сар | | Polysulfone | PSU |
| | Flap Valve | | Silicone rubber | SI |
| | Intake Membrane | | Silicone rubber | SI |
| O ₂ Reservoir Bag | Reservoir Bag | | Polyvinyl chloride | PVC |
| | Coupling for Bag | | Poly Carbonate | PC |
| Masks | Masks No.00-0/1-2 | | Silicone rubber | SI |
| | No.3-4, 4-5+ | | Silicone rubber | SI |
| | No.0-1-2 | | Silicone rubber | SI |

| Article | Component | Part | Material | Abbreviation |
|--|--------------------------|------------------|--|---------------------|
| Mask Cover | | | Polysulfone | PSU |
| Lock Clip | | | Stainless steel | |
| Head Strap w/Ring | Strap | | Thermoplastic Elastomer | TPE |
| | Attachment Ring | | Polysulfone | PSU |
| Expiration Diverter | Housing | | Polysulfone | PSU |
| | Center gasket | | Silicone rubber | SI |
| | External gasket | | Silicone rubber | SI |
| Extension Tube | Tube | | Silicone rubber | SI |
| | Coupling | | Polysulfone | PSU |
| Manometer Connector | | | Polysulfone | PSU |
| Hanging Loop | | | Silicone rubber | SI |
| Wall Mount | | | Acrylonitrile Butadiene Styrene | ABS |
| Wall Bracket | | | PolyOxyMethylene | POM |
| Laerdal Statement for | r REACH Regulation EC | No 1907/2006 | | |
| Substances of Very H Laerdal Silicone Resus | igh Concern are not used | d in concentrati | ons above 0.1% (w/w) in the production o | f all models of the |
| 87005× | | | | |
| 86005× | | | | |
| 85005× | | | | |
| 87885x | | | | |
| 86885× | | | | |
| 85885x | | | | |
| 87995× | | | | |
| | | | | |
| 86995x | | | | |

Please note that, while compliance with REACH Regulation is controlled through the Laerdal quality system, analysis of the raw material and/or finished goods for presence of the above mentioned substances are not preformed on a routine basis.

Shipping Weights and Dimensions

| Article | Weights | | Dimensions | | |
|---------|---------|------------|-------------------|--------------------|--|
| 850050 | 340 g | 12 oz | 25 × 14.5 × 13 cm | 10 × 5.7 × 5.1 in | |
| 850051 | 380 g | 13 oz | 25 × 14.5 × 13 cm | 10 × 5.7 × 5.1 in | |
| 850053 | 830 g | 1 lb 13 oz | 24 × 15 × 16 cm | 9.4 × 5.9 × 6.3 in | |
| 850055 | 1640 g | 3 lb 10 oz | 37 × 33 × 12 cm | 14.6 × 13 × 4.7 in | |
| 860050 | 370 g | 13 oz | 25 × 14.5 × 13 cm | 10 × 5.7 × 5.1 in | |
| 860051 | 510 g | 1 lb 2 oz | 25 × 14.5 × 13 cm | 10 × 5.7 × 5.1 in | |
| 860052 | 440 g | 16 oz | 25 × 14.5 × 13 cm | 10 × 5.7 × 5.1 in | |
| 860053 | 920 g | 2 lb | 24 × 15 × 16 cm | 9.4 × 5.9 × 6.3 in | |
| 860055 | 1760 g | 3 lb 14 oz | 37 × 33 × 12 cm | 14.6 × 13 × 4.7 in | |
| 860056 | 390 g | 14 oz | 25 × 14.5 × 13 cm | 10 × 5.7 × 5.1 in | |
| 870050 | 520 g | 1 lb 2 oz | 25 × 14.5 × 13 cm | 10 × 5.7 × 5.1 in | |
| 870051 | 700 g | 1 lb 9 oz | 25 × 14.5 × 13 cm | 10 × 5.7 × 5.1 in | |
| 870052 | 625 g | 1 lb 6 oz | 25 × 14.5 × 13 cm | 10 × 5.7 × 5.1 in | |
| 870053 | 1060 g | 2 lb 5 oz | 24 × 15 × 16 cm | 9.4 × 5.9 × 6.3 in | |
| 870055 | 2090 g | 4 lb 10 oz | 37 x 33 x 15 cm | 14.6 × 13 × 4.7 in | |