AR Makeup Try-On

Shopping Cart module brief for Jira and Zephyr Scale

Instruction for ChatGPT

Use only the facts in this PDF. Create the Jira project content, Zephyr Scale test cases, test cycles, bug issues, traceability links, and the written explanations. Do not rename buttons. Do not change expected results. Do not invent extra cart rules. The execution statuses below are already decided: two Pass, two Fail, one Blocked, one Not Executed.

Chosen module: Shopping Cart. It is already built in the web app ar-makeup-web. Login is not required. The flow has positive, negative, and boundary cases, so it fits a Zephyr Scale lab. It is also different from a generic login example.

1. Project facts

System AR Makeup Try-On, the web shop. A shopper browses makeup, picks a shade, adds it to the cart, ticks the lines to buy, and goes to checkout.

App folder ar-makeup-web (Next.js).

Live site https://ar-makeup-web.vercel.app

Cart page https://ar-makeup-web.vercel.app/cart

Example product https://ar-makeup-web.vercel.app/products/fnd_maybelline_fitme_liquid

Product name Fit Me Matte + Poreless Liquid Foundation

Brand Maybelline

Product key fnd_maybelline_fitme_liquid

Login Not required for the cart.

Storage Browser localStorage key: ar_makeup_cart_v1

Navbar The cart icon links to /cart. If total quantity is greater than 0, a pink badge shows that count. The badge adds every line, including lines that are not ticked.

2. Purpose paragraph for Task 1

This project is the web shop for an AR makeup try-on system. A shopper opens a product, chooses a shade, and adds it to the cart. The cart stores each product and shade as its own line, lets the shopper change quantity, remove a line, and tick which lines to buy. Only ticked lines are included in the subtotal. Checkout opens only when at least one line is ticked. The module is in scope for Sprint 1 because a wrong total or a blocked checkout stops a purchase.

3. Suggested Jira setup

- Project name: AR Makeup Try-On
- Project key: use whatever key Jira assigns, and write that key in the report.
- Board: Scrum board.
- Sprint name: Sprint 1 - Shopping Cart
- Issue types to use: Story, Task, Bug.

Create these work items before the test cases, so the tests can be linked to them.

Type	Title
Story	As a shopper, I can add a shade to the cart
Story	As a shopper, I can change quantity, remove a line, and see the correct total
Story	As a shopper, I can tick items and proceed to checkout
Task	Verify cart rules in Zephyr Scale for Sprint 1

4. Real cart rules

These are the rules in the current app. Expected results in the test cases follow this list, except TC-Cart-03 and TC-Cart-04, where the expected result is the correct behavior and the actual result is the defect.

1. Open a product. If it has shades, the button stays disabled and says Select a shade to continue until a shade is chosen.
2. After a shade is chosen and the product is in stock, the button says Add to cart.
3. On a successful add, the button briefly says Added to cart.
4. The same product plus the same shade updates the existing line and adds the quantities. A different shade is a new line.
5. Quantity on the product page cannot go below 1. The plus button stops at stock_quantity.
6. On /cart, an empty cart shows the heading Your cart is empty, the sentence Browse products and add your favorite shades, and a Browse products button that goes to /products.
7. Each line shows brand, product name, shade, a checkbox, Remove, a minus control, the quantity, a plus control, Total, and Unit price.
8. Minus is disabled when quantity is 1. Quantity never becomes 0 from that button. Removal is only through Remove.
9. Plus is disabled when quantity is already equal to stock.
10. Line total = unit price times quantity, shown with two decimals, for example $12.00.
11. Select all ticks every line. Clear selection unticks every line. The page shows {selected} of {items} selected for checkout.
12. Order Summary uses only ticked lines. Labels are Subtotal, Shipping (always a dash), and Total. Total equals the selected subtotal.
13. If nothing is ticked, the page shows Select at least one item to checkout. Proceed to checkout does not open checkout.
14. If at least one line is ticked, Proceed to checkout goes to /checkout/shipping.
15. Continue shopping goes to /products.
16. DEFECT: A newly added line becomes the only ticked line. Older lines become unticked. Use this as a failed test.
17. DEFECT: The navbar badge counts all quantities, ticked and unticked. The summary counts only ticked lines. Use this as the second failed test.
18. If stock is 0, the product page shows Out of stock, the add button is disabled, and a Notify me when back in stock box asks for an email. Mark this case Blocked, because the demo product is in stock.

5. Folders and priorities

Create these Zephyr Scale folders and place each test case in the folder named below.

- Cart / Positive
- Cart / Negative
- Cart / Boundary

Priorities used below are High, Medium, and Low. Do not put every case in one flat list.

6. The six test cases

TC-Cart-01 Add an in-stock product after selecting a shade

Folder Cart / Positive
Priority High
Link Story: As a shopper, I can add a shade to the cart
Cycle Cart Smoke Cycle and Cart Regression Cycle
Mark as Pass
Objective Confirm a shopper can add one shade and see it in the cart.
Precondition Cart is empty. Clear site data for this site, or remove any existing lines. The Maybelline Fit Me product page is open and the product is in stock.
Test data Product Fit Me Matte + Poreless Liquid Foundation, any listed shade, quantity 1.

Steps

1. Open /products/fnd_maybelline_fitme_liquid.
2. Click one shade chip.
3. Confirm the button text is Add to cart.
4. Click Add to cart.
5. Open /cart.

Expected result The button shows Added to cart for a short time. The cart has one line with that product name, brand Maybelline, the chosen shade, quantity 1, and a line total equal to the unit price. The navbar badge shows 1. The line is ticked. Subtotal and Total equal that unit price. Shipping shows a dash.

TC-Cart-02 Quantity stays inside 1 and stock

Folder Cart / Boundary
Priority Medium
Link Story: As a shopper, I can change quantity, remove a line, and see the correct total
Cycle Cart Smoke Cycle and Cart Regression Cycle
Mark as Pass
Objective Confirm quantity cannot go below 1 and cannot go above stock.
Precondition TC-Cart-01 has left one line in the cart. Note the available number if the page shows one, or stop increasing when plus becomes disabled.
Test data Same product and shade. Start quantity 1.

Steps

1. On the product page, confirm minus is disabled at quantity 1.
2. Click plus until it becomes disabled.
3. Add that quantity to the cart.
4. On /cart, confirm minus is disabled at quantity 1 and plus is disabled at the stock limit.
5. Click Remove only if a clean cart is needed afterwards. Do not use minus to delete the line.

Expected result Quantity never becomes 0 from minus. Plus stops at stock. The line total updates to price times quantity. The line remains in the cart at quantity 1 when minus is disabled.

TC-Cart-03 Adding a second product keeps the first line selected

Folder Cart / Negative
Priority High
Link Story: As a shopper, I can tick items and proceed to checkout
Cycle Cart Regression Cycle
Mark as Fail
Objective Confirm existing ticked lines stay ticked when a new line is added.
Precondition Cart already contains the Fit Me line and its checkbox is ticked.
Test data A second in-stock product with a different name, quantity 1, one shade selected.

Steps

1. Note the first line and that it is ticked.
2. Open a second product, select a shade, and click Add to cart.
3. Return to /cart.
4. Look at both checkboxes and the text showing how many items are selected for checkout.
5. Read Subtotal.

Expected result Both lines are present and both stay ticked. The selected count is 2 of 2. Subtotal equals the sum of both line totals.
Actual result The new line is ticked and the older line is unticked. The selected count is 1 of 2. Subtotal includes only the new line.
Bug to file BUG - Adding a new cart line unticks items already in the cart.
Evidence Screenshot of /cart after the second add, showing one checked line, one unchecked line, and a subtotal that matches only the new line. Comment: only the latest added line remains selected.

TC-Cart-04 Cart badge matches the checkout selection

Folder Cart / Negative
Priority High
Link Story: As a shopper, I can change quantity, remove a line, and see the correct total
Cycle Cart Regression Cycle
Mark as Fail
Objective Confirm the navbar count and the order summary describe the same items.
Precondition Cart has two lines. Untick the first line. Leave the second line ticked. Example: first line quantity 2, second line quantity 1.
Test data Two lines already in the cart.

Steps

1. On /cart, untick the first line.
2. Leave the second line ticked.
3. Read Subtotal and Total.
4. Read the number on the navbar cart icon.

Expected result The badge count equals the quantity of ticked lines only. With the example data, the badge shows 1, and Subtotal equals only the second line.
Actual result The badge shows 3 because it adds every quantity. Subtotal includes only the ticked line. Shipping still shows a dash.
Bug to file BUG - Cart icon counts unticked items while Order Summary ignores them.

Evidence One screenshot with the badge visible and the summary showing a smaller total. Comment: a shopper can think every item is going to checkout.

TC-Cart-05 Out-of-stock product cannot be added

Folder Cart / Negative
Priority Medium
Link Story: As a shopper, I can add a shade to the cart
Cycle Cart Regression Cycle
Mark as Blocked
Objective Confirm an out-of-stock product cannot be added and offers a restock alert.
Precondition An out-of-stock product page is available.
Test data Any catalog product whose stock is 0, plus email student@example.com.

Steps

1. Open that product.
2. Confirm the label Out of stock.
3. Confirm the add button is disabled.
4. Confirm Notify me when back in stock is visible.

Expected result The shopper cannot add the product. The notify box accepts an email.
Execution comment Blocked. The product used in this sprint, Fit Me Matte + Poreless, is in stock, so this path cannot be run in the current catalog.

TC-Cart-06 Cart is still there after refresh

Folder Cart / Positive
Priority Low
Link Story: As a shopper, I can add a shade to the cart
Cycle Cart Regression Cycle only
Mark as Not Executed
Objective Confirm refresh does not clear the cart.
Precondition At least one line is in the cart.
Test data The Fit Me line from TC-Cart-01.

Steps

1. Open /cart and note the product, shade, and quantity.
2. Refresh the browser.
3. Compare the line with what was noted.

Expected result The same line is still shown. Quantity, shade, and total are unchanged.
Execution comment Do not run this execution. Leave the status Not Executed so the report contains all four statuses.

7. Test cycles

Cart Smoke Cycle

Add only TC-Cart-01 and TC-Cart-02. Run both and mark them Pass.

Smoke means a short check that the main path works before deeper testing: add one shade, then check the quantity limits.

Cart Regression Cycle

Add all six cases. Execute them with these statuses:

- TC-Cart-01 Pass
- TC-Cart-02 Pass
- TC-Cart-03 Fail, linked to the selection bug
- TC-Cart-04 Fail, linked to the badge bug
- TC-Cart-05 Blocked
- TC-Cart-06 Not Executed

Regression means running the wider set to see that quantity, selection, totals, stock, and the saved cart still behave correctly.

Comparison to write after both cycles

Smoke is 2 passed, so the basic add-to-cart path is usable. Regression is 2 passed, 2 failed, 1 blocked, and 1 not executed. The release risk is the selection bug and the badge bug. The basic Add to cart button is not the risk.

8. Traceability note for Task 6

Each test case is linked to the story that asked for that behavior. TC-Cart-03 and TC-Cart-04 are also linked to their bug issues. If a story changes, the linked tests show what must be run again. If a test fails, the linked bug shows what blocked the purchase. That link is what a release review and an audit use to prove which requirement was tested, what failed, and which defect is still open.

9. What the four statuses mean

- Pass: the screen matched the expected result. TC-Cart-01 and TC-Cart-02.
- Fail: the screen did not match the expected result, and a bug was filed. TC-Cart-03 and TC-Cart-04.
- Blocked: the test could not be run because no out-of-stock product was available. TC-Cart-05.
- Not Executed: the test exists in the regression cycle and has not been run. TC-Cart-06.

10. One-page quality summary

Two of six cart tests passed. Adding a shade and keeping quantity inside 1 and stock works. Two high-priority failures are still open. Adding another product unticks the older line, so the subtotal drops that item without a clear warning. The cart badge counts unticked items, so the icon and the order summary disagree. Checkout of a mixed selection is the high-risk area. The out-of-stock alert was blocked, and refresh persistence was not run. Next actions: fix the two bugs, rerun TC-Cart-03 and TC-Cart-04, then execute TC-Cart-06. The cart is not ready for release while those two bugs are open. Smoke can be treated as a demo of the happy path only.

11. Reports to screenshot

- Regression cycle execution summary showing 2 pass, 2 fail, 1 blocked, 1 not executed.
- Traceability view from story to test case to bug.
- Cycle progress, or the test-case list grouped into Positive, Negative, and Boundary folders.

In the write-up, say that the summary shows partial progress: the happy path passes, two high-priority defects are open, one test is blocked by missing out-of-stock data, and one test has not been run. Release readiness is low until the two bugs are fixed and the remaining tests are executed. The traceability view shows that both failures are tied to sprint stories, so the gaps are visible for audit.

12. Labels to use on screenshots

- Jira project home, with the project key visible.
- Sprint 1 - Shopping Cart, with the stories and task on the board.
- Zephyr Scale areas: Test Cases, Test Cycles, Test Plans, and Executions.
- The six test cases, including steps and expected results.
- Folders Positive, Negative, and Boundary, with priorities visible.
- Cart Smoke Cycle results.
- Cart Regression Cycle results with all four statuses.
- Both bug issues, each with a screenshot attached.
- Traceability from story to test to bug.

13. Video and file reminders

- Record about 3 minutes on your own Jira account, with your voice.
- Show the project, the sprint, the six cases, both cycles, and the two bugs.
- Put the Google Drive link of the clip at the top of the Word file.
- Upload the clip again as a Classroom attachment.
- Keep the Word file formatted, and explain each step in order.