# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☑ source   ☐ outline   ☐ image report

[Options…]

Check by [text input ▾]   ☐ css

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <!-- X-UA-Compatible meta tag, to render web pages in older versions of
Internet Explorer-->
    <meta http-equiv="X-UA-Compatible" content="ie=edge">
    <meta name="description" content="Balloon Pop Maths - a fun, interactive maths
game.">
    <meta name="keywords" content="Maths, Game, Interactive">
    <meta name="author" content="Richard Ash">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <!-- Link to Balloon Favicon -->
    <link rel="shortcut icon" href="assets/images/balloon-favicon.ico"
type="image/x-icon">
```

[Check]

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering]

Document checking completed. No errors or warnings to show.

Source

1. `<!DOCTYPE html>↵`
2. `<html lang="en">↵`
3. `<head>↵`
4. `    <meta charset="UTF-8">↵`
5. `    <!-- X-UA-Compatible meta tag, to render web pages in older versions of`
   `Internet Explorer-->↵`
6. `    <meta http-equiv="X-UA-Compatible" content="ie=edge">↵`
7. `    <meta name="description" content="Balloon Pop Maths - a fun, interactive`
   `maths game.">↵`
8. `    <meta name="keywords" content="Maths, Game, Interactive">↵`
9. `    <meta name="author" content="Richard Ash">↵`
10. `    <meta name="viewport" content="width=device-width, initial-scale=1">↵`
11. `    <!-- Link to Balloon Favicon -->↵`
12. `    <link rel="shortcut icon" href="assets/images/balloon-favicon.ico"`
    `type="image/x-icon">↵`
13. `    <!-- Link to Bootstrap 4.4.1 CDN -->↵`
14. `    <link rel="stylesheet"`
    `href="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.css`

```
      " integrity="sha384-
      Vkoo8x4CGsO3+Hhxv8T/Q5PaXtkKtu6ug5TOeNV6gBiFeWPGFN9MuhOf23Q9Ifjh"
      crossorigin="anonymous">↵
15.      <!-- Link to Google Fonts -->↵
16.      <link rel="preconnect" href="https://fonts.gstatic.com">↵
17.      <!-- Link to Nunito font -->↵
18.      <link href="https://fonts.googleapis.com/css2?
      family=Nunito:wght@400;600;700&display=swap" rel="stylesheet">↵
19.      <!-- Link to Font Awesome Kit -->↵
20.      <script src="https://kit.fontawesome.com/7863bec69d.js"
      crossorigin="anonymous"></script>↵
21.      <!-- Link to Custom CSS -->↵
22.      <link rel="stylesheet" href="assets/css/style.css">↵
23.      <!-- Link to Email JS -->↵
24.      <script src="https://cdn.jsdelivr.net/npm/emailjs-
      com@2/dist/email.min.js"></script>↵
25.      <title>Balloon Pop Maths</title>↵
26.  </head>↵
27.  <body>↵
28.      <!-- Balloon Pop Maths Home Page, Menu -->↵
29.      <section id="heading-section" class="container-sm">↵
30.          <!-- Balloon Pop Maths Heading -->↵
31.          <div class="row">↵
32.              <!-- Screens smaller than md -->↵
33.              <div class="col-12 d-md-none container-heading-main text-
      center">↵
34.                  <a href="index.html">↵
35.                      <h1 class="heading-main">Balloon</h1>↵
36.                      <h1 class="heading-main">Pop↵
37.                          <img src="assets/images/balloon-purple-cropped.png"
      alt="Purple balloon popping"/>↵
38.                      </h1>↵
39.                      <h1 class="heading-main">Maths</h1>↵
40.                  </a>↵
41.              </div>↵
42.              <!-- Screens larger than md -->↵
43.              <div class="col-12 d-none d-md-block container-heading-main-large
      text-center">↵
44.                  <a href="index.html">↵
45.                      <h1 class="heading-main">Balloon Pop<img
      src="assets/images/balloon-purple-cropped.png" alt="Purple balloon popping">
      Maths</h1>↵
46.                  </a>↵
47.              </div>↵
48.          </div>↵
49.      </section>↵
50.      <!-- Options -->↵
51.      <section id="options-section" class="container-sm" aria-label="Options
      Section">↵
52.          <div class="row">↵
53.              <div class="col-md-2"></div>↵
54.              <div class="col-md-8">↵
55.                  <!-- Game Mode Options -->↵
56.                  <div class="btn-group btn-group-toggle d-flex w-100 container-
      button-group" data-toggle="buttons">↵
57.                      <label id="multiply" class="btn btn-xl w-100 btn-info btn-
      text active">↵
58.                          <input type="radio" aria-label="Multiplication"
      name="game-mode" checked> x↵
59.                      </label>↵
60.                      <label id="divide" class="btn btn-xl w-100 btn-info btn-
      text">↵
61.                          <input type="radio" aria-label="Division" name="game-
      mode"> &divide;↵
62.                      </label>↵
63.                      <label id="add" class="btn btn-xl w-100 btn-info btn-
      text">↵
64.                          <input type="radio" aria-label="Addition" name="game-
      mode"> +↵
65.                      </label>↵
```

```
66.                       <label id="subtract" class="btn btn-xl w-100 btn-info btn-
    text">↵
67.                           <input type="radio" aria-label="Subtraction"
    name="game-mode"> -↵
68.                       </label>↵
69.                   </div>↵
70.                   <!-- High Score -->↵
71.                   <div class="container-button-group d-flex w-100">↵
72.                       <span id="highscore" class="btn-xl-nofill w-100 btn-text-
    score">High Score: 0 / 10</span> ↵
73.                   </div>↵
74.                    <!-- Play Button, hidden until window has finished loading --
    >↵
75.                   <div class="container-button-group d-flex w-100">↵
76.                       <button id="play" type="button" class="btn btn-xxl w-100
    btn-info btn-text">PLAY</button>↵
77.                   </div>↵
78.                   <!-- Audio Controls -->↵
79.                   <div class="btn-group btn-group-toggle d-flex w-100 container-
    button-group" data-toggle="buttons">↵
80.                       <label id="audio-on" class="btn btn-xl w-100 btn-info btn-
    text active">↵
81.                           <input type="radio" aria-label="Audio On" name="audio-
    on" checked><i class="fas fa-volume-up"></i>↵
82.                       </label>↵
83.                       <label id="audio-off" class="btn btn-xl w-100 btn-info
    btn-text">↵
84.                           <input type="radio" aria-label="Audio Off"
    name="audio-off"><i class="fas fa-volume-mute"></i>↵
85.                       </label>↵
86.                   </div>↵
87.                   <!-- Options Button -->↵
88.                   <div class="container-button-group d-flex w-100">↵
89.                       <button type="button" data-toggle="collapse" data-
    target="#options" aria-expanded="false" aria-controls="options" class="btn
    btn-xl w-100 btn-info btn-text">Options</button>↵
90.                   </div>↵
91.               </div>↵
92.           </div>↵
93.           <!-- Collapsing Options -->↵
94.           <div class="row collapse" id="options">↵
95.               <div class="col-md-2"></div>↵
96.               <div class="col-md-8">↵
97.                   <!-- Options applicable to all games -->↵
98.                   <div class="btn-group btn-group-toggle d-flex w-100 container-
    button-group" data-toggle="buttons">↵
99.                       <label id="10q" class="btn btn-xl w-100 btn-info btn-text
    active">↵
100.                          <input type="radio" name="questions" checked> 10
    Questions↵
101.                      </label>↵
102.                      <label id="20q" class="btn btn-xl w-100 btn-info btn-
    text">↵
103.                          <input type="radio" name="questions"> 20 Questions↵
104.                      </label>↵
105.                  </div>↵
106.                  <div class="btn-group btn-group-toggle d-flex w-100 container-
    button-group" data-toggle="buttons">↵
107.                      <label id="easy" class="btn btn-xl w-100 btn-info btn-text
    active">↵
108.                          <input type="radio" name="difficulty" checked> Easy↵
109.                      </label>↵
110.                      <label id="medium" class="btn btn-xl w-100 btn-info btn-
    text">↵
111.                          <input type="radio" name="difficulty"> Medium↵
112.                      </label>↵
113.                      <label id="hard" class="btn btn-xl w-100 btn-info btn-
    text">↵
114.                          <input type="radio" name="difficulty"> Hard↵
115.                      </label>↵
```

```
116.                        </div>↵
117.                        <!-- Multiplication and Division game options -->↵
118.                        <div id="options-multiply-divide">↵
119.                            <div class="row">↵
120.                                <div class="col d-flex w-100 container-button">↵
121.                                    <span class="container-button"></span>↵
122.                                    <button id="btn-mul-div-1" type="button" data-
       toggle="button" aria-pressed="true"↵
123.                                        class="btn btn-xl w-100 btn-info btn-text btn-
       xl-focus-none btn-mul-div-toggle active">2x, 5x, 10x</button>↵
124.                                    <span class="container-button"></span>↵
125.                                    <button id="btn-mul-div-2" type="button" data-
       toggle="button"↵
126.                                        class="btn btn-xl w-100 btn-info btn-text btn-
       xl-focus-none btn-mul-div-toggle">Mixed 1 to 12</button>↵
127.                                    <span class="container-button"></span>↵
128.                                </div>↵
129.                            </div>↵
130.                            <div class="row">↵
131.                                <div class="col d-flex w-100 container-button">↵
132.                                    <span class="container-button"></span>↵
133.                                    <button id="btn-mul-div-3" type="button" data-
       toggle="button" ↵
134.                                        class="btn btn-xl w-100 btn-info btn-text btn-
       xl-focus-none btn-mul-div-sticky">1x</button>↵
135.                                    <span class="container-button"></span>↵
136.                                    <button id="btn-mul-div-4" type="button" data-
       toggle="button"↵
137.                                        class="btn btn-xl w-100 btn-info btn-text btn-
       xl-focus-none btn-mul-div-sticky">7x</button>↵
138.                                    <span class="container-button"></span>↵
139.                                </div>↵
140.                            </div>↵
141.                            <div class="row">↵
142.                                <div class="col d-flex w-100 container-button">↵
143.                                    <span class="container-button"></span>↵
144.                                    <button id="btn-mul-div-5" type="button" data-
       toggle="button"↵
145.                                        class="btn btn-xl w-100 btn-info btn-text btn-
       xl-focus-none btn-mul-div-sticky">2x</button>↵
146.                                    <span class="container-button"></span>↵
147.                                    <button id="btn-mul-div-6" type="button" data-
       toggle="button"↵
148.                                        class="btn btn-xl w-100 btn-info btn-text btn-
       xl-focus-none btn-mul-div-sticky">8x</button>↵
149.                                    <span class="container-button"></span>↵
150.                                </div>↵
151.                            </div>↵
152.                            <div class="row">↵
153.                                <div class="col d-flex w-100 container-button">↵
154.                                    <span class="container-button"></span>↵
155.                                    <button id="btn-mul-div-7" type="button" data-
       toggle="button"↵
156.                                        class="btn btn-xl w-100 btn-info btn-text btn-
       xl-focus-none btn-mul-div-sticky">3x</button>↵
157.                                    <span class="container-button"></span>↵
158.                                    <button id="btn-mul-div-8" type="button" data-
       toggle="button"↵
159.                                        class="btn btn-xl w-100 btn-info btn-text btn-
       xl-focus-none btn-mul-div-sticky">9x</button>↵
160.                                    <span class="container-button"></span>↵
161.                                </div>↵
162.                            </div>↵
163.                            <div class="row">↵
164.                                <div class="col d-flex w-100 container-button">↵
165.                                    <span class="container-button"></span>↵
166.                                    <button id="btn-mul-div-9" type="button" data-
       toggle="button"↵
167.                                        class="btn btn-xl w-100 btn-info btn-text btn-
       xl-focus-none btn-mul-div-sticky">4x</button>↵
```

```
168.                        <span class="container-button"></span>↵
169.                        <button id="btn-mul-div-10" type="button" data-
      toggle="button"↵
170.                            class="btn btn-xl w-100 btn-info btn-text btn-
      xl-focus-none btn-mul-div-sticky">10x</button>↵
171.                        <span class="container-button"></span>↵
172.                    </div>↵
173.                </div>↵
174.                <div class="row">↵
175.                    <div class="col d-flex w-100 container-button">↵
176.                        <span class="container-button"></span>↵
177.                        <button id="btn-mul-div-11" type="button" data-
      toggle="button"↵
178.                            class="btn btn-xl w-100 btn-info btn-text btn-
      xl-focus-none btn-mul-div-sticky">5x</button>↵
179.                        <span class="container-button"></span>↵
180.                        <button id="btn-mul-div-12" type="button" data-
      toggle="button"↵
181.                            class="btn btn-xl w-100 btn-info btn-text btn-
      xl-focus-none btn-mul-div-sticky">11x</button>↵
182.                        <span class="container-button"></span>↵
183.                    </div>↵
184.                </div>↵
185.                <div class="row">↵
186.                    <div class="col d-flex w-100 container-button">↵
187.                        <span class="container-button"></span>↵
188.                        <button id="btn-mul-div-13" type="button" data-
      toggle="button" ↵
189.                            class="btn btn-xl w-100 btn-info btn-text btn-
      xl-focus-none btn-mul-div-sticky">6x</button>↵
190.                        <span class="container-button"></span>↵
191.                        <button id="btn-mul-div-14" type="button" data-
      toggle="button" ↵
192.                            class="btn btn-xl w-100 btn-info btn-text btn-
      xl-focus-none btn-mul-div-sticky">12x</button>↵
193.                        <span class="container-button"></span>↵
194.                    </div>↵
195.                </div>↵
196.            </div>↵
197.            <div id="options-add-subtract">↵
198.                <div class="row">↵
199.                    <div class="col d-flex w-100 container-button">↵
200.                        <span class="container-button"></span>↵
201.                        <button id="btn-add-sub-1" type="button" data-
      toggle="button" aria-pressed="true"↵
202.                            class="btn btn-xl w-100 btn-info btn-text btn-
      xl-focus-none btn-add-sub-toggle active">Mixed to 10</button>↵
203.                        <span class="container-button"></span>↵
204.                        <button id="btn-add-sub-2" type="button" data-
      toggle="button" ↵
205.                            class="btn btn-xl w-100 btn-info btn-text btn-
      xl-focus-none btn-add-sub-toggle">Mixed to 20</button>↵
206.                        <span class="container-button"></span>↵
207.                    </div>↵
208.                </div>↵
209.                <div class="row">↵
210.                    <div class="col d-flex w-100 container-button">↵
211.                        <span class="container-button"></span>↵
212.                        <button id="btn-add-sub-3" type="button" data-
      toggle="button" ↵
213.                            class="btn btn-xl w-100 btn-info btn-text btn-
      xl-focus-none btn-add-sub-toggle">Mixed to 50</button>↵
214.                        <span class="container-button"></span>↵
215.                        <button id="btn-add-sub-4" type="button" data-
      toggle="button" ↵
216.                            class="btn btn-xl w-100 btn-info btn-text btn-
      xl-focus-none btn-add-sub-toggle">Mixed to 100</button>↵
217.                        <span class="container-button"></span>↵
218.                    </div>↵
219.                </div>↵
```

```
220.                    </div>↵
221.                </div>↵
222.                <div class="col-md-2"></div>↵
223.            </div>↵
224.        </section>↵
225.        <!-- Information -->↵
226.        <section id="information-section" class="container-sm" aria-
       label="Information Section">↵
227.            <div class="row">↵
228.                <div class="col-md-2"></div>↵
229.                <div class="col-md-8">↵
230.                    <div class="container-button-group d-flex w-100">↵
231.                        <button type="button" data-toggle="collapse" data-
       target="#information" aria-expanded="false" aria-controls="information"
       class="btn btn-xl w-100 btn-info btn-text">How To Play</button>↵
232.                    </div>↵
233.                </div>↵
234.            </div>↵
235.            <!-- Collapsing Information -->↵
236.            <div class="row collapse" id="information">↵
237.                <div class="col-md-2"></div>↵
238.                <div class="col-md-8">↵
239.                    <!-- Information Text -->↵
240.                    <div class="container-text-information">↵
241.                        <p class="text-information">↵
242.                            Balloon Pop Maths is a fun and engaging interactive
       maths game designed to help reinforce maths skills, ↵
243.                            and to encourage independent learning. Select game
       mode (multiply, divide, add or subtract), ↵
244.                            hit play and pop some balloons! ↵
245.                            Number of questions and difficulty level may be
       selected in the game options. ↵
246.                            Specific groups of questions may also be selected to
       assist with targeted learning. Please feel free to ↵
247.                            <a href="#modal-contact" data-toggle="modal" data-
       target="#modal-contact"><strong>contact</strong></a> ↵
248.                            me with suggestions on how I can improve Ballon Pop
       Maths, or if you need a developer to make your ideas reality!            ↵
249.                        </p>↵
250.                    </div>↵
251.                </div>↵
252.                <div class="col-md-2"></div>↵
253.            </div>↵
254.        </section>↵
255.        <!-- Game Section -->↵
256.        <section id="game-section" class="container-xl d-none" aria-label="Game
       Section">↵
257.            <!-- Home Button -->↵
258.            <div id="game-section-home" class="row container-button-game">↵
259.                <div class="col text-left pr-0">↵
260.                    <button id="btn-game-section-home" type="button" data-
       toggle="button" ↵
261.                        class="btn btn-xl btn-info btn-text btn-xl-focus-
       none">Home↵
262.                    </button>↵
263.                </div>↵
264.                <div class="col text-right pl-0">                ↵
265.                    <div id="score" class="btn btn-xl-nofill btn-text-score d-
       none">Score: 0 / 20</div>↵
266.                </div>↵
267.            </div>↵
268.            <!-- Game Loader, shown until window has completed loading -->↵
269.            <div id="game-loader" class="container-xl text-center">↵
270.                <div class="container-loader"></div>↵
271.                <div class="lds-grid"><div></div><div></div><div></div><div></div>
       <div></div><div></div><div></div><div></div><div></div></div>↵
272.                <div class="container-loader"></div>↵
273.            </div>↵
274.            <!-- Game Div, hidden until window has completed loading -->↵
275.            <div id="game-canvas-controls" class="d-none">↵
```

```
276.              <!-- Game Canvas, 2 panels - stacked on medium and small devices -
        ->↵
277.              <div class="row game-section-balloons p-0 m-0">↵
278.                  <div class="col-lg-6 p-0 m-0">↵
279.                      <div class="row canvas-balloon p-0 m-0">↵
280.                          <div class="col d-flex justify-content-center p-0 m-
        0">↵
281.                              <canvas id="canvas-balloon-left-1"></canvas>↵
282.                              <div id="balloon-answer-text-left-1"
        class="balloon-answer-text balloon-answer-text-top">8</div>↵
283.                          </div>↵
284.                          <div class="col d-flex justify-content-center p-0 m-
        0">↵
285.                              <canvas id="canvas-balloon-left-2"></canvas>↵
286.                              <div id="balloon-answer-text-left-2"
        class="balloon-answer-text balloon-answer-text-bottom">10</div>↵
287.                          </div>↵
288.                      </div>↵
289.                      <div class="row canvas-balloon p-0 m-0">↵
290.                          <div class="col d-flex justify-content-center p-0 m-
        0">↵
291.                              <canvas id="canvas-balloon-left-3"></canvas>↵
292.                              <div id="balloon-answer-text-left-3"
        class="balloon-answer-text balloon-answer-text-top">12</div>↵
293.                          </div>↵
294.                      </div>↵
295.                  </div>↵
296.                  <div class="col-lg-6 p-0 m-0">↵
297.                      <div class="row canvas-balloon p-0 m-0">↵
298.                          <div class="col d-flex justify-content-center p-0 m-
        0">↵
299.                              <canvas id="canvas-balloon-right-1"></canvas>↵
300.                              <div id="balloon-answer-text-right-1"
        class="balloon-answer-text balloon-answer-text-top">18</div>↵
301.                          </div>↵
302.                          <div class="col d-flex justify-content-center p-0 m-
        0">↵
303.                              <canvas id="canvas-balloon-right-2"></canvas>↵
304.                              <div id="balloon-answer-text-right-2"
        class="balloon-answer-text balloon-answer-text-bottom">18</div>↵
305.                          </div>↵
306.                      </div>↵
307.                      <div class="row canvas-balloon p-0 m-0">↵
308.                          <div class="col d-flex justify-content-center p-0 m-
        0">↵
309.                              <canvas id="canvas-balloon-right-3"></canvas>↵
310.                              <div id="balloon-answer-text-right-3"
        class="balloon-answer-text balloon-answer-text-top">18</div>↵
311.                          </div>↵
312.                      </div>↵
313.                  </div>↵
314.              </div>↵
315.              <!-- Game Controls - 3 columns, stacked on small and medium
        devices -->↵
316.              <div class="row game-section-controls p-0 m-0">↵
317.                  <div class="col-lg-4">↵
318.                      <div class="row">↵
319.                          <div id="audio-controls" class="col-2">↵
320.                              <i id="mute" class="fas fa-volume-up"></i>↵
321.                          </div>↵
322.                          <div id="health" class="col-8">↵
323.                              <i id="heart1" class="fas fa-heart"></i>↵
324.                              <i id="heart2" class="fas fa-heart"></i>↵
325.                              <i id="heart3" class="fas fa-heart"></i>↵
326.                              <i id="heart4" class="fas fa-heart"></i>↵
327.                              <i id="heart5" class="fas fa-heart"></i>↵
328.                          </div>↵
329.                          <div class="col-2"></div>↵
330.                      </div>↵
331.                  </div>↵
```

```
332.                    <div class="col-lg-4">↵
333.                        <div id="question">10 x 10</div>                    ↵
334.                    </div>↵
335.                    <div class="col-lg-4">↵
336.                    </div>↵
337.                </div>↵
338.            </div>↵
339.        </section>↵
340.        <!-- Feedback modal -->↵
341.        <div id="modal-feedback" class="modal" tabindex="-1" role="dialog">↵
342.            <div class="modal-dialog modal-dialog-centered" role="document">↵
343.                <div class="modal-content">↵
344.                    <div class="modal-header">↵
345.                        <h2 id="modal-feedback-heading-text" class="modal-
      title">Modal Title</h2>↵
346.                        <button type="button" class="close" data-dismiss="modal"
      aria-label="Close">↵
347.                            <span aria-hidden="true">&times;</span>↵
348.                        </button>↵
349.                    </div>↵
350.                    <div class="modal-body">↵
351.                        <p id="modal-feedback-body-text">Modal content.</p>↵
352.                    </div>↵
353.                </div>↵
354.            </div>↵
355.        </div>↵
356.        <!-- Contact modal -->↵
357.        <div id="modal-contact" class="modal" tabindex="-1" role="dialog">↵
358.            <div class="modal-dialog modal-dialog-centered" role="document">↵
359.                <div class="modal-content">↵
360.                    <div class="modal-header">↵
361.                        <h2 id="modal-contact-heading-text" class="modal-
      title">Contact Developer</h2>↵
362.                        <button type="button" class="close" data-dismiss="modal"
      aria-label="Close">↵
363.                            <span aria-hidden="true">&times;</span>↵
364.                        </button>↵
365.                    </div>↵
366.                    <div class="modal-body">↵
367.                        <!-- sendMail javascript function run on submit -->↵
368.                        <form id="contact" onsubmit="return sendMail(this);">↵
369.                            <p>Please feel free to contact me with suggestions on
      how I can improve Balloon Pop Maths, or if you need a developer to make your
      ideas reality! </p>↵
370.                            <div class="form-group">↵
371.                                <input type="text" class="form-control" id="name"
      name="name" placeholder="Enter name" aria-label="Enter name" required>↵
372.                            </div>↵
373.                            <div class="form-group">↵
374.                                <input type="email" class="form-control"
      id="email" name="email" placeholder="Enter email" aria-label="Enter email"
      required>↵
375.                            </div>↵
376.                            <div class="form-group">↵
377.                                <textarea class="form-control" id="message"
      name="message" placeholder="Enter message" aria-label="Enter message"
      maxlength="6000" rows="7" required></textarea>↵
378.                            </div>↵
379.                            <div id="form-buttons" class="text-right">↵
380.                                <button type="button" class="btn btn-lg btn-
      secondary" data-dismiss="modal">Close</button>↵
381.                                <button type="submit" id="form-submit" class="btn
      btn-lg btn-primary">Submit</button>↵
382.                            </div>↵
383.                        </form>↵
384.                    </div>↵
385.                </div>↵
386.            </div>↵
387.        </div>↵
388.        <!-- Footer -->↵
```

```
389.        <footer class="container-sm">↵
390.            <div class="container-footer">↵
391.                <a href="#modal-contact" data-toggle="modal" data-target="#modal-
      contact">Contact Developer</a>↵
392.                <a href="https://github.com/richardhenyash" aria-label="Link to
      developer GitHub page" rel="noreferrer noopener" target="_blank"><i class="fab
      fa-github-square fa-lg"></i></a>↵
393.            </div>↵
394.        </footer>↵
395.        <!-- JavaScript links -->↵
396.        <script src="https://code.jquery.com/jquery-3.2.1.js" integrity="sha256-
      DZAnKJ/6XZ9si04Hgrsxu/8s717jcIzLy3oi35EouyE=" crossorigin="anonymous">
      </script>↵
397.        <script
      src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js"
      integrity="sha384-
      Q6E9RHvbIyZFJoft+2mJbHaEWldlvI9IOYy5n3zV9zzTtmI3UksdQRVvoxMfooAo"
      crossorigin="anonymous"></script>↵
398.        <script
      src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.js"
      integrity="sha384-
      wfSDF2E50Y2D1uUdj0O3uMBJnjuUD4Ih7YwaYd1iqfktj0Uod8GCExl3Og8ifwB6"
      crossorigin="anonymous"></script>↵
399.        <script src="assets/js/initialisation.js"></script>↵
400.        <script src="assets/js/audio.js"></script>↵
401.        <script src="assets/js/animation.js"></script>↵
402.        <script src="assets/js/display.js"></script>↵
403.        <script src="assets/js/game-logic.js"></script>↵
404.        <script src="assets/js/mail.js"></script>↵
405.        <script src="assets/js/maths.js"></script>↵
406.        <script src="assets/js/events.js"></script>↵
407. </body>↵
408. </html>
```

Used the HTML parser.

Total execution time 82 milliseconds.

About this checker • Report an issue • Version: 21.3.21