


CHOOSING AND BUILDING MVPS

AGENDA

- 01 Choosing MVP Scope
- 02 Deriving MVPs from UMLs
- 03 Linking to Next Weeks



section 1

CHOOSING MVP SCOPE


1.1. Feasibility Check


To create an MVP, the first step is identifying a feasible scope in terms of time, skills, and team capability available.

Activity

Given your functional requirements, discuss with your group and tutors:

- Which functional requirements can be implemented standalone without dependencies on others?
- Which programming tools are needed to implement those requirements?
- Does the team have the time and skills to implement those requirements or do you opt for a low-fidelity prototype?





A -----> B

A affects B


1.2. Dependency Check


Once the functional requirements are identified, the next step is to look at relevant dependencies in other D2 sections.

Activity

Given your chosen scope, discuss with your group and tutors:

- In your NFRs and UCD, which actors, use cases and NFRs are relevant to your chosen scope?
- Would those NFRs be partly achievable for a high-fidelity MVP?
- Do the relevant use cases and actors require extra implementation in case you want to go for a high-fidelity MVP?





A -----> B

A affects B

section 2

DERIVING MVPs FROM UMLs

2.1. DERIVING RELEVANT CLASSES

Regardless choice of low or high fidelity prototypes, it is necessary to identify the relevant classes from your class diagram to start building your MVPs

Activity

Given your chosen scope, discuss with your group and tutors:

- Which classes in your class diagram hold attributes/methods about the actors/FRs in scope?
- Are there any classes which do not directly hold relevant attributes/methods but necessary for the logic (e.g. AI engines/databases)?




2.2. FOR LOW-FI MVPs

If you are opting for a low-fi MVP, the next step would be to use your UCD to identify what needs to be shown to the actors in scope to fulfil the use cases in scope.

Activity

Given your chosen scope, discuss with your group and tutors:

- What options should the actors in scope see within the MVP (e.g. do they need a button for reporting an issue if that's in scope or starting a game if that is in scope)?
- If your MVP will be interactive, what is the sequence of wireframes required to fulfil the use case? A use case specification (UCS) can be helpful here if your UCS is within scope.




2.3. FOR HIGH-FI MVPs

If you are opting for a high-fi MVP, once the relevant classes from the class diagram are identified, the implementation can start guided by the class diagram and by sequence diagrams if relevant.

Activity


Given your chosen scope, discuss with your group and tutors:

- Who will be implementing which classes in your MVP?
- How much time are you leaving for testing the MVP is working as a standalone and is consistent with your class diagram and FRs in scope?
- How much time are you leaving for testing the MVP against the NFRs in scope?



section 3

LINKING TO NEXT WEEKS



Thank You!

ANONYMOUS FEEDBACK

