

Object-Oriented Programming in C++

Classes and Objects

A C++ *class* is a user-defined data type that encapsulates information and behavior about an object.

A class can have two types of *class members*:

- *Attributes*, also known as member data, consist of information about an instance of the class.
- *Methods*, also known as member functions, are functions that can be used with an instance of the class.

An *object* is an instance of a class and can be created by specifying the class name.

```
#include <iostream>

class Dog {
public:
    int age;

    void sound() {
        std::cout << "woof\n";
    }
};

int main() {
    Dog buddy;

    buddy.age = 5;

    buddy.sound();           // Outputs: woof
}
```

Access Specifiers

Access specifiers are C++ keywords that determine the scope of class components:

- `public` : Class members are accessible from anywhere in the program.
- `private` : Class members are only accessible from inside the class.

Encapsulation is achieved by declaring class attributes as `private` :

- Accessor functions: return the value of `private` member variables.
- Mutator functions: change the value of `private` member variables.

```
#include <iostream>

class Computer {
private:
    int password;

public:
    int getPassword() {
        return password;
    }

    void setPassword(int new_password) {
        password = new_password;
    }
};
```

```
int main()
{
    Computer dell;

    dell.setPassword(12345);
    std::cout << dell.getPassword();

    return 0;
}
```

Constructors

For a C++ class, a *constructor* is a special kind of method that enables control regarding how the objects of a class should be created. Different class constructors can be specified for the same class, but each constructor signature must be unique.

A constructor can have multiple parameters as well as default parameter values.

In order to initialize `const` or reference type attributes, use *member initializer lists* instead of normal constructors.

```
#include <iostream>

using namespace std;

class House {
private:
    std::string location;
    int rooms;

public:
    // Constructor with default parameters
    House(std::string loc = "New York", int num = 5) {
        location = loc;
        rooms = num;
    }

    // Destructor
    ~House() {
        std::cout << "Moved away from " <<
location << "\n";
    }
};

int main()
{
    House default_house; // Calls
House("New York", 5)

    House texas_house("Texas"); // Calls
House("Texas", 5)
```

```
House big_florida_house("Florida", 10);
// Calls House("Florida", 10)

return 0;
}
```

Inheritance

In C++, a class can inherit attributes and methods from another class. In an inheritance relationship, there are two categories of classes:

- *Base class*: The class being inherited from.
- *Derived class*: The class that inherits from the base class.

It's possible to have multi-level inheritance where classes are constructed in order from the "most base" class to the "most derived" class.

```
#include <iostream>

class Base {
public:
    int base_id;

    Base(int new_base) : base_id(new_base)
    {}
};

class Derived: public Base {
public:
    int derived_id;

    Derived(int new_base, int new_derived)
        : Base(new_base),
        derived_id(new_derived) {}

    void show() {
        std::cout << base_id << " " <<
        derived_id;
    }
};

int main() {
    Derived temp(1, 2);

    temp.show(); // Outputs: 1 2


    return 0;
}
```

Polymorphism

In C++, *polymorphism* occurs when a derived class overrides a method inherited from its base class with the same function signature.

```
#include <iostream>
```

Polymorphism gives a method many “forms”. Which form is executed depends on the type of the caller object.



```
class Employee {
public:
    void salary() {
        std::cout << "Normal salary.\n";
    }
};

class Manager: public Employee {
public:
    void salary() {
        std::cout << "Normal salary and
bonus.\n";
    }
};

int main() {
    Employee newbie;
    Manager boss;

    newbie.salary(); // Outputs: Normal
salary.
    boss.salary(); // Outputs: Normal
salary and bonus.

    return 0;
}
```

Class Members

A class is comprised of class members:

- *Attributes*, also known as member data, consist of information about an instance of the class.
- *Methods*, also known as member functions, are functions that can be used with an instance of the class.

```
class City {

    // Attribute
    int population;

public:
    // Method
    void add_resident() {
        population++;
    }

};
```

Constructor

For a C++ class, a *constructor* is a special kind of method that enables control regarding how the objects of a class should be created. Different class constructors can be specified for the same class, but each constructor signature must be unique.

Objects

In C++, an *object* is an instance of a class that encapsulates data and functionality pertaining to that data.

Class


A C++ class is a user-defined data type that encapsulates information and behavior about an object. It serves as a blueprint for future inherited classes.

Access Control Operators

C++ classes have access control operators that designate the scope of class members:

- `public`
- `private`

`public` members are accessible everywhere; `private` members can only be accessed from within the same instance of the class or from friends classes.



```
#include "city.hpp"

class City {

    std::string name;
    int population;

public:
    City(std::string new_name, int
new_pop);

};
```

```
City nyc;
```

```
class Person {

};
```

```
class City {

    int population;

public:
    void add_resident() {
        population++;
    }

private:
    bool is_capital;

};
```