Name: Amol Pandurang Nisargan
Title: E-Commerce (E-Shop)
1: Home Page

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>E-Commerce Website</title>
    <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css">
    <link rel="stylesheet" href="styles.css">
    <script src="https://code.jquery.com/jquery-3.6.0.min.js"></script>
    <script
src="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/js/bootstrap.bundle.min.js"></script>
    <script src="scripts.js" defer></script>
</head>
<body>
    <!-- Navbar -->
    <nav class="navbar navbar-expand-lg navbar-light bg-light" >
        <a class="navbar-brand" href="#">E-Shop</a>
        <button class="navbar-toggler" type="button" data-toggle="collapse" data-
target="#navbarNav" aria-controls="navbarNav" aria-expanded="false" aria-label="Toggle
navigation">
            <span class="navbar-toggler-icon"></span>
        </button>
        <form action="search-page.html">
            <input type="text">
            <button type="submit" class="btn-warning">Search</button>
        </form>
        <div class="collapse navbar-collapse" id="navbarNav" >
            <ul class="navbar-nav ml-auto" >
                <li class="nav-item"><a class="nav-link" href="index.html" >Home</a></li>
                <li class="nav-item"><a class="nav-link" href="product.html">Products</a></li>
                <li class="nav-item"><a class="nav-link" href="about-us.html">About Us</a></li>
                <li class="nav-item"><a class="nav-link" href="contact-us.html">Contact
Us</a></li>
                <li class="nav-item"><a class="nav-link" href="card.html">Cart</a></li>
            </ul>
        </div>
    </nav>

    <!-- Home Section -->
    <header id="home" class="container-fluid p-0">
        <div id="homeCarousel" class="carousel slide" data-ride="carousel">
            <div class="carousel-inner" >
                <div class="carousel-item active" style="height: 252px;">
                    <img src="images/banner1.jpg" class="d-block w-100" alt="Banner 1"  >
                </div>
                <div class="carousel-item" style="height: 252px;">
                    <img src="images/banner2.jpg" class="d-block w-100" alt="Banner 2" >
                </div>
                <div class="carousel-item" style="height: 252px;">
                    <img src="images/banner3.jpg" class="d-block w-100" alt="Banner 3" >
                </div>
                <div class="carousel-item" style="height: 252px;">
                    <img src="images/banner4.jpg" class="d-block w-100" alt="Banner 4" >
```

```html
                </div><div class="carousel-item" style="height: 252px;">
                    <img src="images/banner5.jpg" class="d-block w-100" alt="Banner 5" >
                </div><div class="carousel-item" style="height: 252px;">
                    <img src="images/banner6.jpg" class="d-block w-100" alt="Banner 6" >
                </div><div class="carousel-item" style="height: 252px;">
                    <img src="images/banner7.jpg" class="d-block w-100" alt="Banner 7" >
                </div><div class="carousel-item" style="height: 252px;">
                    <img src="images/banner8.jpg" class="d-block w-100" alt="Banner 8" >
                </div>
            </div>
            <a class="carousel-control-prev" href="#homeCarousel" role="button" data-
slide="prev" >
                <span class="carousel-control-prev-icon" aria-hidden="true" ></span>
                <span class="sr-only">Previous</span>
            </a>
            <a class="carousel-control-next" href="#homeCarousel" role="button" data-
slide="next">
                <span class="carousel-control-next-icon" aria-hidden="true"></span>
                <span class="sr-only">Next</span>
            </a>
        </div>
    </header>


    <!-- Shop by Category -->
    <section id="categories" class="container my-5">
        <h2 class="text-center mb-4">Shop by Category</h2>
        <div class="row">
            <div class="col-md-4 text-center">
                <div class="card">
                    <img src="images/electronics.jpg" class="card-img-top" alt="Category 1">
                    <div class="card-body">
                        <h5 class="card-title">Electronics</h5>
                        <a href="Category_Page.html" class="btn btn-primary">Explore</a>
                    </div>
                </div>
            </div>
            <div class="col-md-4 text-center">
                <div class="card">
                    <img src="images/mens clothing.jpg" class="card-img-top" alt="Category 2">
                    <div class="card-body">
                        <h5 class="card-title">Men's</h5>
                        <a href="Category_Page.html" class="btn btn-primary">Explore</a>
                    </div>
                </div>
            </div>
            <div class="col-md-4 text-center">
                <div class="card">
                    <img src="images/womens clothing.jpg" class="card-img-top" alt="Category
3">
                    <div class="card-body">
                        <h5 class="card-title">Women's</h5>
                        <a href="Category_Page.html" class="btn btn-primary">Explore</a>
                    </div>
                </div>
            </div>
        </div>
    </section>

    <!-- Latest Products -->
    <section id="latest-products" class="container my-5">
        <h2 class="text-center mb-4">Latest Products</h2>
```

```html
        <div class="row">
            <div class="col-md-3 text-center">
                <div class="card">
                    <img src="images/latest products/p1.jpg" class="card-img-top" alt="Product 1">
                    <div class="card-body">
                        <h5 class="card-title">SmartPhone</h5>
                        <p class="card-text">$20</p>
                        <a href="card.html" class="btn btn-success">Add to Cart</a>
                    </div>
                </div>
            </div>
            <div class="col-md-3 text-center">
                <div class="card">
                    <img src="images/latest products/p2.jpg" class="card-img-top" alt="Product 2">
                    <div class="card-body">
                        <h5 class="card-title">HomeTheatre</h5>
                        <p class="card-text">$30</p>
                        <a href="card.html" class="btn btn-success">Add to Cart</a>
                    </div>
                </div>
            </div>
            <div class="col-md-3 text-center">
                <div class="card">
                    <img src="images/latest products/p3.jpg" class="card-img-top" alt="Product 3">
                    <div class="card-body">
                        <h5 class="card-title">Laptops</h5>
                        <p class="card-text">$40</p>
                        <a href="card.html" class="btn btn-success">Add to Cart</a>
                    </div>
                </div>
            </div>
            <div class="col-md-3 text-center">
                <div class="card">
                    <img src="images/latest products/p4.jpg" class="card-img-top" alt="Product 4">
                    <div class="card-body">
                        <h5 class="card-title">Speakers</h5>
                        <p class="card-text">$50</p>
                        <a href="card.html" class="btn btn-success">Add to Cart</a>
                    </div>
                </div>
            </div>
        </div>
    </section>


    <!-- Features -->
    <section id="features" class="container my-5 ">
        <h2 class="text-center mb-4">Why Shop With Us?</h2>
        <div class="row text-center">
            <div class="col-md-4">
                <i class="fas fa-shipping-fast fa-3x mb-3"></i>
                <h5>Fast Shipping</h5>
                <p>Get your orders delivered quickly and safely.</p>
            </div>
            <div class="col-md-4">
                <i class="fas fa-money-check-alt fa-3x mb-3"></i>
                <h5>Secure Payments</h5>
                <p>Experience safe and secure transactions.</p>
```

```html
            </div>
            <div class="col-md-4">
                <i class="fas fa-headset fa-3x mb-3"></i>
                <h5>24/7 Support</h5>
                <p>Our support team is here to help anytime.</p>
            </div>
        </div>
    </section>

    <!-- Scroll to Top Button -->
    <button id="scrollToTop" class="btn btn-primary" onclick="scrollToTop()" >Scroll to
Top</button>

    <!-- Footer -->
    <footer class="bg-dark text-white text-center py-3">
        <p>&copy; 2024 E-Shop. All rights reserved.</p>
    </footer>

    <script>
        // Scroll to Top Functionality
        function scrollToTop() {
            window.scrollTo({ top: 0, behavior: 'smooth' });
        }

        // Show Button on Scroll
        $(window).scroll(function () {
            if ($(this).scrollTop() > 100) {
                $('#scrollToTop').fadeIn();
            } else {
                $('#scrollToTop').fadeOut();
            }
        });
    </script>
</body>
</html>
```

2: Products Page

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>E-Commerce Website</title>
    <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css">
    <link rel="stylesheet" href="styles.css">
    <script src="https://code.jquery.com/jquery-3.6.0.min.js"></script>
    <script
src="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/js/bootstrap.bundle.min.js"></script>
    <script src="scripts.js" defer></script>
</head>
<body>
    <!-- Navbar -->
    <nav class="navbar navbar-expand-lg navbar-light bg-light" >
    <a class="navbar-brand" href="#">E-Shop</a>
    <form action="search-page.html">
        <input type="text">
        <button type="submit" class="btn-warning">Search</button>
    </form>
```

```html
    <button class="navbar-toggler" type="button" data-toggle="collapse" data-
target="#navbarNav" aria-controls="navbarNav" aria-expanded="false" aria-label="Toggle
navigation">
        <span class="navbar-toggler-icon"></span>
    </button>
    <div class="collapse navbar-collapse" id="navbarNav" >
        <ul class="navbar-nav ml-auto" >
            <li class="nav-item"><a class="nav-link" href="index.html" >Home</a></li>
            <li class="nav-item"><a class="nav-link" href="product.html">Products</a></li>
            <li class="nav-item"><a class="nav-link" href="about-us.html">About Us</a></li>
            <li class="nav-item"><a class="nav-link" href="contact-us.html">Contact Us</a></li>
            <li class="nav-item"><a class="nav-link" href="card.html">Cart</a></li>
        </ul>
    </div>
</nav>


    <!-- Products Section -->
    <section id="products" class="container my-5">
        <h2 class="text-center mb-4">Our Products</h2>
        <!-- Filters -->
        <div class="row mb-4">
            <div class="col-md-4">
                <select id="categoryFilter" class="form-control">
                    <option value="">All Categories</option>
                    <option value="electronics">Electronics</option>
                    <option value="fashion">Fashion</option>
                    <option value="home">Home Appliances</option>
                </select>
            </div>
            <div class="col-md-4">
                <input type="range" id="priceFilter" class="form-control " min="0" max="1000"
step="10">
                <label for="priceFilter">Price: <span id="priceValue">500</span></label>
            </div>
        </div>

        <!-- Products List -->
        <div class="row" id="productList">
            <div class="col-md-3 text-center product" data-category="electronics" data-
price="200">
                <div class="card">
                    <img src="images/latest products/p2.jpg" class="card-img-top" alt="Product
1">
                    <div class="card-body">
                        <h5 class="card-title">Product 1</h5>
                        <p class="card-text">$200</p>
                        <a href="card.html" class="btn btn-success">Add to Cart</a>
                    </div>
                </div>
            </div>
            <div class="col-md-3 text-center product" data-category="fashion" data-price="80">
                <div class="card">
                    <img src="images/latest products/p4.jpg" class="card-img-top" alt="Product
2">
                    <div class="card-body">
                        <h5 class="card-title">Product 2</h5>
                        <p class="card-text">$80</p>
                        <a href="card.html" class="btn btn-success">Add to Cart</a>
                    </div>
                </div>
```

```html
            </div>
            <div class="col-md-3 text-center product" data-category="home" data-price="400">
                <div class="card">
                    <img src="images/latest products/p1.jpg" class="card-img-top" alt="Product
3">
                    <div class="card-body">
                        <h5 class="card-title">Product 3</h5>
                        <p class="card-text">$400</p>
                        <a href="card.html" class="btn btn-success">Add to Cart</a>
                    </div>
                </div>
            </div>
            <div class="col-md-3 text-center product" data-category="electronics" data-
price="700">
                <div class="card">
                    <img src="images/latest products/p3.jpg" class="card-img-top" alt="Product
4">
                    <div class="card-body">
                        <h5 class="card-title">Product 4</h5>
                        <p class="card-text">$700</p>
                        <a href="card.html" class="btn btn-success">Add to Cart</a>
                    </div>
                </div>
            </div>
        </div>
    </section>

    <!-- Scroll to Top Button -->
    <button id="scrollToTop" class="btn btn-primary" onclick="scrollToTop()">Scroll to
Top</button>

    <!-- Footer -->
    <footer class="bg-dark text-white text-center py-3">
        <p>&copy; 2024 E-Shop. All rights reserved.</p>
    </footer>

    <script>
        // Scroll to Top Functionality
        function scrollToTop() {
            window.scrollTo({ top: 0, behavior: 'smooth' });
        }

        // Show Button on Scroll
        $(window).scroll(function () {
            if ($(this).scrollTop() > 100) {
                $('#scrollToTop').fadeIn();
            } else {
                $('#scrollToTop').fadeOut();
            }
        });

        // Filters
        $(document).ready(function () {
            $('#priceFilter').on('input', function () {
                const price = $(this).val();
                $('#priceValue').text(price);
                filterProducts();
            });

            $('#categoryFilter').change(function () {
```

```
            filterProducts();
        });


        function filterProducts() {
            const selectedCategory = $('#categoryFilter').val();
            const maxPrice = $('#priceFilter').val();


            $('.product').each(function () {
                const category = $(this).data('category');
                const price = $(this).data('price');


                if ((selectedCategory === '' || selectedCategory === category) && price <=
maxPrice) {
                    $(this).show();
                } else {
                    $(this).hide();
                }
            });
        }
    });
    </script>
</body>
</html>
```


3: Products View Page

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>E-Commerce Website</title>
    <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css">
    <link rel="stylesheet" href="styles.css">
    <script src="https://code.jquery.com/jquery-3.6.0.min.js"></script>
    <script
src="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/js/bootstrap.bundle.min.js"></script>
    <script src="scripts.js" defer></script>
    <style>
        .carousel-inner img {
            max-height: 400px; /* Adjust this value as needed */
            object-fit: fill;
        }
```

```html
        </style>
</head>
<body>
    <!-- Navbar -->
    <nav class="navbar navbar-expand-lg navbar-light bg-light" >
        <a class="navbar-brand" href="#">E-Shop</a>
        <button class="navbar-toggler" type="button" data-toggle="collapse" data-
target="#navbarNav" aria-controls="navbarNav" aria-expanded="false" aria-label="Toggle
navigation">
            <span class="navbar-toggler-icon"></span>
        </button>
        <form action="search-page.html">
            <input type="text">
            <button type="submit" class="btn-warning">Search</button>
        </form>
        <div class="collapse navbar-collapse" id="navbarNav" >
            <ul class="navbar-nav ml-auto" >
                <li class="nav-item"><a class="nav-link" href="index.html" >Home</a></li>
                <li class="nav-item"><a class="nav-link" href="product.html">Products</a></li>
                <li class="nav-item"><a class="nav-link" href="about-us.html">About Us</a></li>
                <li class="nav-item"><a class="nav-link" href="contact-us.html">Contact
Us</a></li>
                <li class="nav-item"><a class="nav-link" href="card.html">Cart</a></li>
            </ul>
        </div>
    </nav>

    <!-- Product View Page -->
    <section id="product-view" class="container my-5">
        <div class="row">
            <!-- Product Images -->
            <div class="col-md-6">
                <div id="productCarousel" class="carousel slide" data-ride="carousel">
                    <div class="carousel-inner">
                        <div class="carousel-item active">
                            <img src="images/product 1.jpg" class="d-block w-100" alt="Product
Image 1">
                        </div>
                        <div class="carousel-item">
                            <img src="images/product 1.1.jpg" class="d-block w-100"
alt="Product Image 2">
                        </div>
                        <div class="carousel-item">
                            <img src="images/product 1.2.jpg" class="d-block w-100"
alt="Product Image 2">
                        </div>
                        <div class="carousel-item">
                            <img src="images/product 1.3.jpg" class="d-block w-100"
alt="Product Image 2">
                        </div>
                        <div class="carousel-item">
                            <img src="images/product 1.4.jpg" class="d-block w-100"
alt="Product Image 2">
                        </div>
                    </div>
                    <a class="carousel-control-prev" href="#productCarousel" role="button"
data-slide="prev">
                        <span class="carousel-control-prev-icon" aria-hidden="true"></span>
                        <span class="sr-only">Previous</span>
                    </a>
```

```html
                <a class="carousel-control-next" href="#productCarousel" role="button"
data-slide="next">
                    <span class="carousel-control-next-icon" aria-hidden="true"></span>
                    <span class="sr-only">Next</span>
                </a>
            </div>
        </div>

        <!-- Product Details -->
        <div class="col-md-6">
            <h2 class="product-title">Winter Jacket</h2>
            <p class="product-price text-success">$200</p>
            <p class="product-description">This is a detailed description of the product.
It highlights key features and benefits.</p>
            <div class="product-ratings mb-3">
                <span class="text-warning">&#9733; &#9733; &#9733; &#9733; &#9734;</span>
                <span>(25 Ratings)</span>
            </div>
            <a href="card.html" class="btn btn-success" >Add to Cart</a>
        </div>
    </div>

    <!-- Related Products -->
    <div class="related-products mt-5">
        <h3 class="mb-4">Related Products</h3>
        <div class="row">
            <div class="col-md-3">
                <div class="card">
                    <img src="images/latest products/p1.jpg" class="card-img-top"
alt="Related Product 1">
                    <div class="card-body">
                        <h5 class="card-title">SmartPhone</h5>
                        <p class="card-text">$100</p>
                        <a href="product.html" class="btn btn-primary">View Details</a>
                    </div>
                </div>
            </div>
            <div class="col-md-3">
                <div class="card">
                    <img src="images/latest products/p2.jpg" class="card-img-top"
alt="Related Product 2">
                    <div class="card-body">
                        <h5 class="card-title">HomeTheatre</h5>
                        <p class="card-text">$150</p>
                        <a href="product.html" class="btn btn-primary">View Details</a>
                    </div>
                </div>
            </div>
            <div class="col-md-3">
                <div class="card">
                    <img src="images/latest products/p3.jpg" class="card-img-top"
alt="Related Product 3">
                    <div class="card-body">
                        <h5 class="card-title">Laptops</h5>
                        <p class="card-text">$120</p>
                        <a href="product.html" class="btn btn-primary">View Details</a>
                    </div>
                </div>
            </div>
            <div class="col-md-3">
                <div class="card">
```

```html
                                <img src="images/latest products/p4.jpg" class="card-img-top"
alt="Related Product 4">
                                <div class="card-body">
                                    <h5 class="card-title">Speackers</h5>
                                    <p class="card-text">$180</p>
                                    <a href="product.html" class="btn btn-primary">View Details</a>
                                </div>
                            </div>
                        </div>
                </div>
        </section>
```

```html
    <!-- Scroll to Top Button -->
    <button id="scrollToTop" class="btn btn-primary" onclick="scrollToTop()">Scroll to
Top</button>
```

```html
    <!-- Footer -->
    <footer class="bg-dark text-white text-center py-3">
        <p>&copy; 2024 E-Shop. All rights reserved.</p>
    </footer>
```

```html
    <script>
        // Scroll to Top Functionality
        function scrollToTop() {
            window.scrollTo({ top: 0, behavior: 'smooth' });
        }
```

```html
        // Show Button on Scroll
        $(window).scroll(function () {
            if ($(this).scrollTop() > 100) {
                $('#scrollToTop').fadeIn();
            } else {
                $('#scrollToTop').fadeOut();
            }
        });
    </script>
</body>
</html>
```

Related Products

SmartPhone	HomeTheatre	Laptops	Speackers
$100	$150	$120	$180
View Details	View Details	View Details	View Details

Scroll to Top

4: Products/Category View Page

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>E-Commerce Website</title>
    <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css">
    <link rel="stylesheet" href="styles.css">
    <script src="https://code.jquery.com/jquery-3.6.0.min.js"></script>
    <script
src="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/js/bootstrap.bundle.min.js"></script>
    <script src="scripts.js" defer></script>


</head>
<body>
   <!-- Navbar -->
   <nav class="navbar navbar-expand-lg navbar-light bg-light" >
    <a class="navbar-brand" href="#">E-Shop</a>
    <button class="navbar-toggler" type="button" data-toggle="collapse" data-
target="#navbarNav" aria-controls="navbarNav" aria-expanded="false" aria-label="Toggle
navigation">
        <span class="navbar-toggler-icon"></span>
    </button>
    <form action="search-page.html">
        <input type="text">
        <button type="submit" class="btn-warning">Search</button>
    </form>
    <div class="collapse navbar-collapse" id="navbarNav" >
        <ul class="navbar-nav ml-auto" >
            <li class="nav-item"><a class="nav-link" href="index.html" >Home</a></li>
            <li class="nav-item"><a class="nav-link" href="product.html">Products</a></li>
            <li class="nav-item"><a class="nav-link" href="about-us.html">About Us</a></li>
            <li class="nav-item"><a class="nav-link" href="contact-us.html">Contact Us</a></li>
            <li class="nav-item"><a class="nav-link" href="card.html">Cart</a></li>
        </ul>
    </div>
</nav>


    <!-- Category Page -->
```

```html
<section id="category" class="container my-5">
    <h2 class="text-center mb-4">Categories</h2>
    <div class="row">
        <div class="col-md-4">
            <div class="card">
                <img src="images/electronics.jpg" class="card-img-top" alt="Category 1">
                <div class="card-body">
                    <h5 class="card-title">Electronics</h5>
                    <p class="card-text">Explore the latest gadgets and devices.</p>
                    <a href="product.html" class="btn btn-primary">View Products</a>
                </div>
            </div>
        </div>
        <div class="col-md-4">
            <div class="card">
                <img src="images/mens clothing.jpg" class="card-img-top" alt="Category 2">
                <div class="card-body">
                    <h5 class="card-title">Men's Fashion</h5>
                    <p class="card-text">Discover the trendiest apparel and
accessories.</p>
                    <a href="product_view.html" class="btn btn-primary">View Products</a>
                </div>
            </div>
        </div>
        <div class="col-md-4">
            <div class="card">
                <img src="images/womens clothing.jpg" class="card-img-top" alt="Category
3">
                <div class="card-body">
                    <h5 class="card-title">Women's Fashion</h5>
                    <p class="card-text">Discover the trendiest apparel and
accessories.</p>
                    <a href="product_view.html" class="btn btn-primary">View Products</a>
                </div>
            </div>
        </div>
    </div>
</section>
```

```html
<!-- Scroll to Top Button -->
<button id="scrollToTop" class="btn btn-primary" onclick="scrollToTop()">Scroll to
Top</button>
```

```html
<!-- Footer -->
<footer class="bg-dark text-white text-center py-3">
    <p>&copy; 2024 E-Shop. All rights reserved.</p>
</footer>
```

```html
<script>
    // Scroll to Top Functionality
    function scrollToTop() {
        window.scrollTo({ top: 0, behavior: 'smooth' });
    }
```

```javascript
    // Show Button on Scroll
    $(window).scroll(function () {
        if ($(this).scrollTop() > 100) {
            $('#scrollToTop').fadeIn();
        } else {
            $('#scrollToTop').fadeOut();
```

```
                }
            });
        </script>
</body>
</html>
```


5: Cart Page

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>E-Commerce Website</title>
    <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css">
    <link rel="stylesheet" href="styles.css">
    <script src="https://code.jquery.com/jquery-3.6.0.min.js"></script>
    <script
src="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/js/bootstrap.bundle.min.js"></script>
    <script src="scripts.js" defer></script>
</head>
<body>
    <!-- Navbar -->
    <nav class="navbar navbar-expand-lg navbar-light bg-light" >
        <a class="navbar-brand" href="#">E-Shop</a>
        <button class="navbar-toggler" type="button" data-toggle="collapse" data-
target="#navbarNav" aria-controls="navbarNav" aria-expanded="false" aria-label="Toggle
navigation">
            <span class="navbar-toggler-icon"></span>
        </button>
        <form action="search-page.html">
            <input type="text">
            <button type="submit" class="btn-warning">Search</button>
        </form>
        <div class="collapse navbar-collapse" id="navbarNav" >
            <ul class="navbar-nav ml-auto" >
                <li class="nav-item"><a class="nav-link" href="index.html" >Home</a></li>
                <li class="nav-item"><a class="nav-link" href="product.html">Products</a></li>
                <li class="nav-item"><a class="nav-link" href="about-us.html">About Us</a></li>
                <li class="nav-item"><a class="nav-link" href="contact-us.html">Contact
Us</a></li>
                <li class="nav-item"><a class="nav-link" href="card.html">Cart</a></li>
            </ul>
```

```html
        </div>
    </nav>

    <!-- Cart Page -->
    <section id="cart" class="container my-5">
        <h2 class="text-center mb-4">Your Cart</h2>
        <div class="table-responsive">
            <table class="table table-bordered">
                <thead class="thead-light">
                    <tr>
                        <th>Image</th>
                        <th>Product Name</th>
                        <th>Quantity</th>
                        <th>Price</th>
                        <th>Total</th>
                        <th>Actions</th>
                    </tr>
                </thead>
                <tbody>
                    <tr>
                        <td><img src="images/latest products/p1.jpg" alt="Product 1"></td>
                        <td>SmartPhone</td>
                        <td><input type="number" class="form-control" value="1" min="1"></td>
                        <td>$200</td>
                        <td>$200</td>
                        <td><button class="btn btn-danger btn-sm">Remove</button></td>
                    </tr>
                    <tr>
                        <td><img src="images/latest products/p2.jpg" alt="Product 2"></td>
                        <td>HomeTheatre</td>
                        <td><input type="number" class="form-control" value="2" min="1"></td>
                        <td>$150</td>
                        <td>$300</td>
                        <td><button class="btn btn-danger btn-sm">Remove</button></td>
                    </tr>
                </tbody>
                <tfoot>
                    <tr>
                        <th colspan="4" class="text-right">Total Amount</th>
                        <th>$500</th>
                        <th></th>
                    </tr>
                </tfoot>
            </table>
        </div>
        <div class="text-right">
            <a href="checkout.html" class="btn btn-success">Proceed to Checkout</a>
        </div>
    </section>

    <!-- Scroll to Top Button -->
    <button id="scrollToTop" class="btn btn-primary" onclick="scrollToTop()">Scroll to
Top</button>

    <!-- Footer -->
    <footer class="bg-dark text-white text-center py-3">
        <p>&copy; 2024 E-Shop. All rights reserved.</p>
    </footer>

    <script>
        // Scroll to Top Functionality
```

```
        function scrollToTop() {
            window.scrollTo({ top: 0, behavior: 'smooth' });
        }
```

```
        // Show Button on Scroll
        $(window).scroll(function () {
            if ($(this).scrollTop() > 100) {
                $('#scrollToTop').fadeIn();
            } else {
                $('#scrollToTop').fadeOut();
            }
        });
    </script>
</body>
</html>
```


6: Check Out Page

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Checkout Page</title>
    <!-- Bootstrap 5 CSS -->
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-
alpha1/dist/css/bootstrap.min.css" rel="stylesheet">
    <link rel="stylesheet" href="styles.css">
    <script src="https://code.jquery.com/jquery-3.6.0.min.js"></script>
    <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-
alpha1/dist/js/bootstrap.bundle.min.js"></script>
    <link rel="icon" href="favicon.ico">
    <style>
        body {
            font-family: Arial, sans-serif;
            background-color: #f8f9fa;
        }

        .card {
            box-shadow: 0px 4px 10px rgba(0, 0, 0, 0.1);
            border-radius: 10px;
        }
```

```css
h4 {
    color: #007bff;
    margin-bottom: 20px;
}

#orderSummary li {
    display: flex;
    justify-content: space-between;
    padding: 8px 0;
    border-bottom: 1px solid #ddd;
}

#orderSummary li:last-child {
    border-bottom: none;
}

#orderSummary .list-group-item {
    border: none;
}

.form-label {
    font-weight: bold;
}

button {
    width: 100%;
}

#scrollToTop {
    position: fixed;
    bottom: 20px;
    right: 20px;
    background-color: #007bff;
    color: white;
    border: none;
    border-radius: 50%;
    width: 50px;
    height: 50px;
    display: none;
    justify-content: center;
    align-items: center;
    cursor: pointer;
    z-index: 1000;
}

#scrollToTop:hover {
    background-color: #0056b3;
}

footer {
    margin-top: 30px;
}

.navbar-search {
    display: flex;
    align-items: center;
}

.navbar-search input {
    margin-right: 10px;
```

```
            border-radius: 20px;
        }

        .navbar-search button {
            border-radius: 20px;
        }
    </style>
</head>
<body>
    <!-- Navbar -->
    <nav class="navbar navbar-expand-lg navbar-light bg-light">
        <div class="container">
            <a class="navbar-brand" href="#">E-Shop</a>
            <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-
target="#navbarNav" aria-controls="navbarNav" aria-expanded="false" aria-label="Toggle
navigation">
                <span class="navbar-toggler-icon"></span>
            </button>
            <div class="collapse navbar-collapse" id="navbarNav">
                <form class="navbar-search" action="search-page.html">
                    <input class="form-control" type="text" placeholder="Search products">
                    <button type="submit" class="btn btn-warning">Search</button>
                </form>
                <ul class="navbar-nav ms-auto">
                    <li class="nav-item"><a class="nav-link" href="index.html">Home</a></li>
                    <li class="nav-item"><a class="nav-link"
href="product.html">Products</a></li>
                    <li class="nav-item"><a class="nav-link" href="about-us.html">About
Us</a></li>
                    <li class="nav-item"><a class="nav-link" href="contact-us.html">Contact
Us</a></li>
                    <li class="nav-item"><a class="nav-link" href="card.html">Cart</a></li>
                </ul>
            </div>
        </div>
    </nav>
```

```
    <div class="container mt-5">
        <div class="row">
            <!-- Order Summary Section -->
            <div class="col-md-6">
                <div class="card p-3">
                    <h4>Order Summary</h4>
                    <ul class="list-group" id="orderSummary">
                        <!-- Order items will be dynamically inserted here -->
                    </ul>
                    <br><br><br><br><br><br>
                    <div class="d-flex justify-content-between mt-3">
                        <strong>Subtotal:</strong> <span id="subtotal">$0.00</span>
                    </div>
                    <br>
                    <div class="d-flex justify-content-between">
                        <strong>Shipping:</strong> <span id="shipping">$0.00</span>
                    </div>
                    <br>
                    <div class="d-flex justify-content-between">
                        <strong>Taxes:</strong> <span id="taxes">$0.00</span>
                    </div>
                    <br>
                    <div class="d-flex justify-content-between">
                        <strong>Total:</strong> <span id="total">$0.00</span>
```

```html
                    </div>
                </div>
            </div>

            <!-- Shipping Information Form -->
            <div class="col-md-6">
                <div class="card p-3">
                    <h4>Shipping Information</h4>
                    <form id="shippingForm" action="order-confirmation.html">
                        <div class="mb-3">
                            <label for="fullName" class="form-label">Full Name</label>
                            <input type="text" class="form-control" id="fullName" required>
                        </div>
                        <div class="mb-3">
                            <label for="address" class="form-label">Address</label>
                            <input type="text" class="form-control" id="address" required>
                        </div>
                        <div class="mb-3">
                            <label for="city" class="form-label">City</label>
                            <input type="text" class="form-control" id="city" required>
                        </div>
                        <div class="mb-3">
                            <label for="state" class="form-label">State/Province</label>
                            <input type="text" class="form-control" id="state" required>
                        </div>
                        <div class="mb-3">
                            <label for="zip" class="form-label">Zip Code</label>
                            <input type="text" class="form-control" id="zip" required>
                        </div>
                        <div class="mb-3">
                            <label for="phone" class="form-label">Phone Number</label>
                            <input type="tel" class="form-control" id="phone" required>
                        </div>
                        <div class="mb-3">
                            <label for="shippingMethod" class="form-label">Shipping
Method</label>

                            <select class="form-control" id="shippingMethod">
                                <option value="standard">Standard Shipping</option>
                                <option value="expedited">Expedited Shipping</option>
                            </select>
                        </div>
                        <button type="submit" class="btn btn-primary">Place Order</button>
                    </form>
                </div>
            </div>
        </div>
    </div>

<!-- Scroll to Top Button -->
<button id="scrollToTop" onclick="scrollToTop()">&#8593;</button>

<!-- Footer -->
<footer class="bg-dark text-white text-center py-3">
    <p>&copy; 2024 E-Shop. All rights reserved.</p>
</footer>

<script>
    function scrollToTop() {
        window.scrollTo({ top: 0, behavior: 'smooth' });
    }
```

```javascript
$(window).scroll(function () {
    if ($(this).scrollTop() > 100) {
        $('#scrollToTop').fadeIn();
    } else {
        $('#scrollToTop').fadeOut();
    }
});
```

```javascript
$(document).ready(function() {
    const orderNo = Math.floor(Math.random() * 1000000) + 100000000;
    const status = "Processing";
    $("#orderNo").text("#" + orderNo);
    $("#orderStatus").text(status);
```

```javascript
    // Mock order data (this can be replaced with dynamic data)
    const orderItems = [
        { name: "Product 1", quantity: 1, price: 29.99 },
        { name: "Product 2", quantity: 2, price: 19.99 }
    ];
```

```javascript
    const shippingCost = 5.00;
    const taxRate = 0.07;
```

```javascript
    // Function to calculate total price
    function calculateTotal() {
        let subtotal = 0;
        orderItems.forEach(item => {
            subtotal += item.quantity * item.price;
        });
        let taxes = subtotal * taxRate;
        let total = subtotal + shippingCost + taxes;
```

```javascript
        // Update the UI with calculated values
        $("#subtotal").text(`$${subtotal.toFixed(2)}`);
        $("#shipping").text(`$${shippingCost.toFixed(2)}`);
        $("#taxes").text(`$${taxes.toFixed(2)}`);
        $("#total").text(`$${total.toFixed(2)}`);
    }
```

```javascript
    // Function to display order items in the Order Summary
    function displayOrderSummary() {
        orderItems.forEach(item => {
            $("#orderSummary").append(`
                <li class="list-group-item">
                    <span>${item.name} (x${item.quantity})</span>
                    <span>$${(item.quantity * item.price).toFixed(2)}</span>
                </li>
            `);
        });
    }
```

```javascript
    // Event listener for the shipping form submission
    // $("#shippingForm").submit(function(event) {
    //     event.preventDefault();

    //     alert("Order placed successfully!");
    //     // Here you can add the logic to handle form submission
    // });
```

```
        // Initialize the page by displaying order summary and calculating the total
        displayOrderSummary();
        calculateTotal();
    });
</script>
</body>
</html>
```


7: Order Confirmation Page

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Order Confirmation</title>
    <!-- Latest Bootstrap CSS -->
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-
alpha1/dist/css/bootstrap.min.css" rel="stylesheet">
    <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-
alpha1/dist/js/bootstrap.bundle.min.js"></script>
    <link rel="icon" href="favicon.ico">
    <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css">
    <link rel="stylesheet" href="styles.css">
    <script src="https://code.jquery.com/jquery-3.6.0.min.js"></script>
    <script
src="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/js/bootstrap.bundle.min.js"></script>
    <script src="scripts.js" defer></script>
    <style>
        body {
            font-family: Arial, sans-serif;
            background-color: #f8f9fa;
        }

        .confirmation-card {
            box-shadow: 0px 4px 15px rgba(0, 0, 0, 0.2);
            padding: 30px;
            margin-top: 50px;
            border-radius: 10px;
            background: #fff;
        }

        h2 {
```

```css
        color: #007bff;
    }

    .order-details {
        margin-top: 20px;
        background-color: #e9ecef;
        padding: 20px;
        border-radius: 8px;
    }

    .order-details p {
        font-size: 1.1em;
    }

    .btn-back {
        margin-top: 20px;
    }

    #scrollToTop {
        position: fixed;
        bottom: 20px;
        right: 20px;
        display: none;
        z-index: 99;
        border: none;
        outline: none;
        background-color: #007bff;
        color: white;
        cursor: pointer;
        padding: 10px 15px;
        border-radius: 50%;
    } */


    .navbar-nav .nav-link {
        margin-right: 15px;
    }

    form {
        display: flex;
        gap: 10px;
    }
    </style>
</head>
<body>
    <!-- Navbar -->
    <nav class="navbar navbar-expand-lg navbar-light bg-light" >
        <a class="navbar-brand" href="#">E-Shop</a>
        <button class="navbar-toggler" type="button" data-toggle="collapse" data-
target="#navbarNav" aria-controls="navbarNav" aria-expanded="false" aria-label="Toggle
navigation">
            <span class="navbar-toggler-icon"></span>
        </button>
        <form action="search-page.html">
            <input type="text">
            <button type="submit" class="btn-warning">Search</button>
        </form>
        <div class="collapse navbar-collapse" id="navbarNav" >
            <ul class="navbar-nav ml-auto" >
```

```html
                <li class="nav-item"><a class="nav-link" href="index.html" >Home</a></li>
                <li class="nav-item"><a class="nav-link" href="product.html">Products</a></li>
                <li class="nav-item"><a class="nav-link" href="about-us.html">About Us</a></li>
                <li class="nav-item"><a class="nav-link" href="contact-us.html">Contact
Us</a></li>
                <li class="nav-item"><a class="nav-link" href="card.html">Cart</a></li>
            </ul>
        </div>
    </nav>
    <!-- Order Confirmation Section -->
    <div class="container">
        <div class="confirmation-card">
            <h2><i class="bi bi-check-circle-fill text-success"></i> Order Confirmation</h2>
            <p>Thank you for your order! Your order has been successfully placed.</p>

            <div class="order-details">
                <p><strong>Order No:</strong> <span id="orderNo">#123456789</span></p>
                <p><strong>Status:</strong> <span id="orderStatus">Processing</span></p>
            </div>
            <a href="index.html" class="btn btn-primary btn-back">Go to Homepage</a>
        </div>
    </div>


    <!-- Scroll to Top Button -->
    <button id="scrollToTop" onclick="scrollToTop()">&#8593;</button>


    <!-- Footer -->
    <footer class="bg-dark text-white text-center py-3" style="margin-top: 200px;">
        <p>&copy; 2024 E-Shop. All rights reserved.</p>
    </footer>


    <!-- Scroll to Top Button -->
    <button id="scrollToTop" class="btn btn-primary" onclick="scrollToTop()" >Scroll to
Top</button>




    <script>
        // Scroll to Top Functionality
        function scrollToTop() {
            window.scrollTo({ top: 0, behavior: 'smooth' });
        }


        // Show Button on Scroll
        $(window).scroll(function () {
            if ($(this).scrollTop() > 100) {
                $('#scrollToTop').fadeIn();
            } else {
                $('#scrollToTop').fadeOut();
            }
        });
    </script>
</body>
</html>
```

E-Shop [Search]   Home Products About Us Contact Us Cart

Order Confirmation
Thank you for your order! Your order has been successfully placed.

Order No: #123456789

Status: Processing

[Go to Homepage]

8: About Us Page

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>About Us</title>
    <!-- Bootstrap 5 CSS -->
    <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css">
    <link rel="stylesheet" href="styles.css">
    <script src="https://code.jquery.com/jquery-3.6.0.min.js"></script>
    <script
src="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/js/bootstrap.bundle.min.js"></script>
    <script src="scripts.js" defer></script>
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-
alpha1/dist/css/bootstrap.min.css" rel="stylesheet">
    <style>
        body {
            font-family: Arial, sans-serif;
            background-color: #f8f9fa;
        }

        .header-section {
            background-color: #007bff;
            color: white;
            padding: 40px 0;
            text-align: center;
        }
```

```css
        .header-section h1 {
            font-size: 3em;
        }
```

```css
        .about-section, .features-section, .testimonials-section {
            padding: 50px 0;
        }
```

```css
        .about-section img {
            max-width: 100%;
            border-radius: 10px;
        }
```

```css
        .features-list {
            display: flex;
            flex-wrap: wrap;
            gap: 30px;
```

```css
        }

        .feature-card {
            border: 1px solid #ddd;
            padding: 20px;
            border-radius: 10px;
            text-align: center;
            flex: 1;


        }

        .testimonials-carousel {
            display: flex;
            justify-content: center;
            gap: 20px;
        }

        .testimonial-card {
            background-color: #f1f1f1;
            padding: 20px;
            border-radius: 10px;
            max-width: 300px;
            text-align: center;
        }

        .testimonial-card img {
            width: 60px;
            height: 60px;
            border-radius: 50%;
            margin-bottom: 15px;
        }
    </style>
</head>
<body>
<!-- Navbar -->
<nav class="navbar navbar-expand-lg navbar-light bg-light" >
    <a class="navbar-brand" href="#">E-Shop</a>
    <button class="navbar-toggler" type="button" data-toggle="collapse" data-
target="#navbarNav" aria-controls="navbarNav" aria-expanded="false" aria-label="Toggle
navigation">
        <span class="navbar-toggler-icon"></span>
    </button>
    <form action="search-page.html">
        <input type="text">
        <button type="submit" class="btn-warning">Search</button>
    </form>
    <div class="collapse navbar-collapse" id="navbarNav" >
        <ul class="navbar-nav ml-auto" >
            <li class="nav-item"><a class="nav-link" href="index.html" >Home</a></li>
            <li class="nav-item"><a class="nav-link" href="product.html">Products</a></li>
            <li class="nav-item"><a class="nav-link" href="about-us.html">About Us</a></li>
            <li class="nav-item"><a class="nav-link" href="contact-us.html">Contact Us</a></li>
            <li class="nav-item"><a class="nav-link" href="card.html">Cart</a></li>
        </ul>
    </div>
</nav>

    <!-- Header Section -->
    <div class="header-section">
        <h1>About Us</h1>
```

```html
            <p>Learn more about our mission, features, and what our customers have to say.</p>
        </div>

    <!-- About Section -->
    <div class="container about-section">
        <div class="row ">
            <div class="col-md-6">
                <h2 style="text-align: center;">Our Mission<br><br></h2>
                <p>We are dedicated to providing the best online shopping experience for our
customers. Our mission is to make your shopping journey as smooth, fast, and secure as
possible.</p>
            </div>
            <div class="col-md-6">
                <img src="images/aboutus.jpg" alt="Our Team" class="img-fluid">
            </div>
        </div>
    </div>

    <!-- Features Section -->
    <div class="container features-section">
        <h2 class="text-center mb-4">Our Features</h2>
        <div class="features-list">
            <div class="feature-card">
                <h4>Fast Delivery</h4>
                <p>We ensure that your orders reach you in the shortest possible time with
guaranteed on-time delivery.</p>
            </div>
            <div class="feature-card">
                <h4>Secure Payment</h4>
                <p>We provide secure and trusted payment methods to ensure your transactions
are safe.</p>
            </div>
            <div class="feature-card">
                <h4>24/7 Support</h4>
                <p>Our dedicated customer support team is available around the clock to assist
you with any issues.</p>
            </div>
        </div>
    </div>

    <!-- Testimonials Section -->
    <div class="container testimonials-section">
        <h2 class="text-center mb-4">What Our Customers Say</h2>
        <div class="testimonials-carousel">
            <div class="testimonial-card">
                <img src="images/jan deu.jpg" alt="Customer 1">
                <p>"This platform has completely transformed my shopping experience. I love
the fast delivery and secure payments!"</p>
                <strong>Jane Doe</strong>
            </div>
            <div class="testimonial-card">
                <img src="images/join smith.jpg" alt="Customer 2">
                <p>"Great customer support and fantastic range of products. Always a pleasure
to shop here!"</p>
                <strong>John Smith</strong>
            </div>
            <div class="testimonial-card">
                <img src="images/merry jonson.jpg" alt="Customer 3">
                <p>"I am impressed by how quickly my orders arrived and the simplicity of the
entire process!"</p>
                <strong>Mary Johnson</strong>
```

```html
        </div>
      </div>
    </div>

    <!-- jQuery (optional for future enhancements) -->
    <script src="https://code.jquery.com/jquery-3.6.0.min.js"></script>
    <script>
        // Optional script for future enhancements like a carousel or modal
        $(document).ready(function() {
            // Carousel functionality or additional features can be added here in future
        });
    </script>
<!-- Scroll to Top Button -->
<button id="scrollToTop" class="btn btn-primary" onclick="scrollToTop()" >Scroll to
Top</button>

<!-- Footer -->
<footer class="bg-dark text-white text-center py-3">
    <p>&copy; 2024 E-Shop. All rights reserved.</p>
</footer>

<script>
    // Scroll to Top Functionality
    function scrollToTop() {
        window.scrollTo({ top: 0, behavior: 'smooth' });
    }

    // Show Button on Scroll
    $(window).scroll(function () {
        if ($(this).scrollTop() > 100) {
            $('#scrollToTop').fadeIn();
        } else {
            $('#scrollToTop').fadeOut();
        }
    });
</script>
</body>
</html>
```

9: Contact Us

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Contact Us</title>
    <!-- Bootstrap 5 CSS -->
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-alpha1/dist/css/bootstrap.min.css" rel="stylesheet">
    <link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css">
    <link rel="stylesheet" href="styles.css">
    <script src="https://code.jquery.com/jquery-3.6.0.min.js"></script>
    <script src="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/js/bootstrap.bundle.min.js"></script>
    <script src="scripts.js" defer></script>
    <style>
        body {
            font-family: Arial, sans-serif;
            background-color: #f8f9fa;
        }

        .header-section {
            background-color: #007bff;
            color: white;
```

```
            padding: 40px 0;
            text-align: center;
        }

        .header-section h1 {
            font-size: 3em;
        }

        .contact-info-section, .contact-form-section {
            padding: 50px 0;
        }

        .contact-info {
            margin-top: 20px;
        }

        .form-control {
            border-radius: 10px;
        }

        .btn-primary {
            width: 100%;
            border-radius: 10px;
        }

        .error {
            color: red;
            font-size: 0.9em;
        }

        .contact-details p {
            font-size: 1.1em;
        }
    </style>
</head>
<body>
 <!-- Navbar -->
 <nav class="navbar navbar-expand-lg navbar-light bg-light" >
    <a class="navbar-brand" href="#">E-Shop</a>
    <button class="navbar-toggler" type="button" data-toggle="collapse" data-
target="#navbarNav" aria-controls="navbarNav" aria-expanded="false" aria-label="Toggle
navigation">
        <span class="navbar-toggler-icon"></span>
    </button>
    <form action="search-page.html">
        <input type="text">
        <button type="submit" class="btn-warning">Search</button>
    </form>
    <div class="collapse navbar-collapse" id="navbarNav" >
        <ul class="navbar-nav ml-auto" >
            <li class="nav-item"><a class="nav-link" href="index.html" >Home</a></li>
            <li class="nav-item"><a class="nav-link" href="product.html">Products</a></li>
            <li class="nav-item"><a class="nav-link" href="about-us.html">About Us</a></li>
            <li class="nav-item"><a class="nav-link" href="contact-us.html">Contact Us</a></li>
            <li class="nav-item"><a class="nav-link" href="card.html">Cart</a></li>
        </ul>
    </div>
</nav>
    <!-- Header Section -->
    <div class="header-section">
```

```html
        <h1>Contact Us</h1>
        <p>We'd love to hear from you. Please reach out with any questions or comments!</p>
    </div>
```

```html
    <!-- Contact Info Section -->
    <div class="container contact-info-section">
        <h2>Our Contact Information</h2>
        <div class="contact-details">
            <p><strong>Email:</strong> support@example.com</p>
            <p><strong>Phone:</strong> +123 456 7890</p>
            <p><strong>Address:</strong> 123, Main Street, City, Country</p>
        </div>
    </div>
```

```html
    <!-- Contact Form Section -->
    <div class="container contact-form-section">
        <h2>Get In Touch</h2>
        <form id="contactForm">
            <div class="mb-3">
                <label for="name" class="form-label">Full Name</label>
                <input type="text" class="form-control" id="name" required>
                <div class="error" id="nameError"></div>
            </div>
            <div class="mb-3">
                <label for="email" class="form-label">Email Address</label>
                <input type="email" class="form-control" id="email" required>
                <div class="error" id="emailError"></div>
            </div>
            <div class="mb-3">
                <label for="message" class="form-label">Message</label>
                <textarea class="form-control" id="message" rows="4" required></textarea>
                <div class="error" id="messageError"></div>
            </div>
            <button type="submit" class="btn btn-primary">Submit</button>
        </form>
    </div>
<!-- Scroll to Top Button -->
<button id="scrollToTop" class="btn btn-primary" onclick="scrollToTop()" >Scroll to
Top</button>
```

```html
<!-- Footer -->
<footer class="bg-dark text-white text-center py-3">
    <p>&copy; 2024 E-Shop. All rights reserved.</p>
</footer>
```

```html
<script>
    // Scroll to Top Functionality
    function scrollToTop() {
        window.scrollTo({ top: 0, behavior: 'smooth' });
    }
```

```javascript
    // Show Button on Scroll
    $(window).scroll(function () {
        if ($(this).scrollTop() > 100) {
            $('#scrollToTop').fadeIn();
        } else {
            $('#scrollToTop').fadeOut();
        }
    });
</script>
```

```html
<!-- jQuery -->
<script src="https://code.jquery.com/jquery-3.6.0.min.js"></script>
<script>
    $(document).ready(function() {
        // Form Validation on Submit
        $("#contactForm").submit(function(event) {
            event.preventDefault();

            // Clear previous errors
            $(".error").text("");

            // Get values
            var name = $("#name").val().trim();
            var email = $("#email").val().trim();
            var message = $("#message").val().trim();
            var isValid = true;

            // Validate Name
            if (name === "") {
                $("#nameError").text("Name is required.");
                isValid = false;
            }

            // Validate Email
            var emailPattern = /^[a-zA-Z0-9._-]+@[a-zA-Z0-9.-]+\.[a-zA-Z]{2,4}$/;
            if (email === "") {
                $("#emailError").text("Email is required.");
                isValid = false;
            } else if (!emailPattern.test(email)) {
                $("#emailError").text("Please enter a valid email address.");
                isValid = false;
            }

            // Validate Message
            if (message === "") {
                $("#messageError").text("Message is required.");
                isValid = false;
            }

            // If form is valid, show success message
            if (isValid) {
                alert("Your message has been sent successfully!");
                $("#contactForm")[0].reset(); // Reset form after submission
            }
        });
    });
</script>

</body>
</html>
```

Contact Us

We'd love to hear from you. Please reach out with any questions or comments!

Our Contact Information

Email: support@example.com

Phone: +123 456 7890

Address: 123, Main Street, City, Country

Get In Touch

Full Name

Email Address

Message

Submit

Scroll to Top

© 2024 E-Shop. All rights reserved.

10: Search Page

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Search Products</title>
    <!-- Bootstrap 5 CSS -->
     <!-- Latest Bootstrap CSS -->
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-
alpha1/dist/css/bootstrap.min.css" rel="stylesheet">
    <link rel="stylesheet" href="styles.css">
    <script src="https://code.jquery.com/jquery-3.6.0.min.js"></script>
    <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-
alpha1/dist/js/bootstrap.bundle.min.js"></script>
    <link rel="icon" href="favicon.ico">

    <style>

        body {
            font-family: Arial, sans-serif;
            background-color: #f8f9fa;
        }

        .header-section {
            background-color: #007bff;
            color: white;
            padding: 40px 0;
            text-align: center;
        }

        .header-section h1 {
```

```css
        font-size: 3em;
    }

    .search-bar {
        margin-top: 30px;
        text-align: center;
    }

    .search-bar input {
        width: 60%;
        padding: 10px;
        font-size: 1.2em;
        border-radius: 5px;
        border: 1px solid #ddd;
    }

    .search-bar button {
        padding: 10px 20px;
        font-size: 1.2em;
        border-radius: 5px;
        margin-left: 10px;
        background-color: #28a745;
        color: white;
        border: none;
    }

    .product-list {
        margin-top: 50px;
    }

    .product-card {
        border: 1px solid #ddd;
        padding: 20px;
        margin-bottom: 30px;
        border-radius: 10px;
        background-color: white;
        box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);
    }

    .product-card img {
        width: 100%;
        height: 200px;
        object-fit: contain;
        border-radius: 10px;
    }

    .product-card h4 {
        margin-top: 20px;
    }

    .product-card p {
        color: #6c757d;
    }

    .product-card .btn {
        margin-top: 10px;
        background-color: #007bff;
        color: white;
        border-radius: 5px;
        border: none;
```

```
        padding: 10px 20px;
    }

    #scrollToTop {
        position: fixed;
        bottom: 20px;
        right: 20px;
        display: none;
        z-index: 99;
        background-color: #007bff;
        color: white;
        cursor: pointer;
        padding: 10px 15px;
        border-radius: 50%;
        border: none;
    }

    footer {
        margin-top: 50px;
    }
    </style>
</head>
<body>

    <!-- Navbar -->
    <nav class="navbar navbar-expand-lg navbar-light bg-light">
        <div class="container-fluid px-0">
            <a class="navbar-brand ms-3" href="#">E-Shop</a>
            <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-
target="#navbarNav" aria-controls="navbarNav" aria-expanded="false" aria-label="Toggle
navigation">
                <span class="navbar-toggler-icon"></span>
            </button>
            <div class="collapse navbar-collapse" id="navbarNav">
                <ul class="navbar-nav ms-auto me-3">
                    <li class="nav-item"><a class="nav-link" href="index.html">Home</a></li>
                    <li class="nav-item"><a class="nav-link"
href="product.html">Products</a></li>
                    <li class="nav-item"><a class="nav-link" href="about-us.html">About
Us</a></li>
                    <li class="nav-item"><a class="nav-link" href="contact-us.html">Contact
Us</a></li>
                    <li class="nav-item"><a class="nav-link" href="card.html">Cart</a></li>
                </ul>
            </div>
        </div>
    </nav>

    <!-- Header Section -->
    <div class="header-section">
        <h1>Search Products</h1>
        <p>Find your favorite products here</p>
    </div>

    <!-- Search Bar -->
    <div class="container search-bar">
        <input type="text" id="searchInput" placeholder="Search for products...">
        <button id="searchButton">Search</button>
```

```
        </div>

        <!-- Product Listing Section -->
        <div class="container product-list" id="productList">
            <!-- Product cards will be dynamically populated here -->
        </div>

        <!-- Scroll to Top Button -->
        <button id="scrollToTop" onclick="scrollToTop()">&#8593;</button>

        <!-- Footer -->
        <footer class="bg-dark text-white text-center py-3">
            <p>&copy; 2024 E-Shop. All rights reserved.</p>
        </footer>

        <!-- JavaScript -->
        <script src="https://code.jquery.com/jquery-3.6.0.min.js"></script>
        <script>
            function scrollToTop() {
                window.scrollTo({ top: 0, behavior: 'smooth' });
            }

            $(window).scroll(function () {
                if ($(this).scrollTop() > 100) {
                    $('#scrollToTop').fadeIn();
                } else {
                    $('#scrollToTop').fadeOut();
                }
            });

            const products = [
                { id: 1, name: "Home Theatre", description: "Noise-cancelling over-ear headphones",
image: "images/latest products/p2.jpg", price: "$99.99" },
                { id: 2, name: "Smartphone", description: "Latest model with 5G support", image:
"images/latest products/p1.jpg", price: "$799.99" },
                { id: 3, name: "Bluetooth Speaker", description: "Portable waterproof speaker",
image: "images/latest products/p2.jpg", price: "$59.99" },
                { id: 4, name: "Laptop", description: "15-inch laptop with powerful processor",
image: "images/latest products/p3.jpg", price: "$1099.99" },
                { id: 5, name: "Smartwatch", description: "Fitness tracking and notifications",
image: "images/latest products/smart watch.jpg", price: "$199.99" }
            ];

            function displayProducts(filteredProducts) {
                const productList = $("#productList");
                productList.empty();
                filteredProducts.forEach(product => {
                    productList.append(`
                        <div class="col-md-4">
                            <div class="product-card">
                                <img src="${product.image}" alt="${product.name}">
                                <h4>${product.name}</h4>
                                <p>${product.description}</p>
                                <p><strong>${product.price}</strong></p>
                                <button class="btn">Add to Cart</button>
                            </div>
                        </div>
                    `);
                });
            }
```

```
        displayProducts(products);

        $("#searchButton").click(function() {
            const query = $("#searchInput").val().toLowerCase();
            const filteredProducts = products.filter(product =>
                product.name.toLowerCase().includes(query) ||
                product.description.toLowerCase().includes(query)
            );
            displayProducts(filteredProducts);
        });

        $("#searchInput").on("input", function() {
            const query = $(this).val().toLowerCase();
            const filteredProducts = products.filter(product =>
                product.name.toLowerCase().includes(query) ||
                product.description.toLowerCase().includes(query)
            );
            displayProducts(filteredProducts);
        });
    </script>

</body>
</html>
```

E-Shop   Home Products About Us Contact Us Cart

Search Products

Find your favorite products here

smart   Search

Smartphone
Latest model with 5G support
$799.99

home   Search

Home Theatre
Noise-cancelling over-ear headphones
$99.99

Add to Cart