

Cucumber Report

Oct 24, 2024, 8:28:52 PM

Start : Oct 24, 8:28:37.240 PM

End : Oct 24, 8:28:50.647 PM

Duration : 13.407 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 2
FAILED - 1
SKIPPED - 0


PASSED - 9
FAILED - 1
SKIPPED - 2




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>validate diffrent login scenarios</u>	13.407 s	3	2	1	0	12	9	1	2

#	Feature Name	Scenario Name
1	<u>validate diffrent login scenarios</u>	<u>verify login with valid data</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@invalid	1	1	0	0	1	0	1	0
@valid	1	1	0	0	1	0	1	0
@dataTable	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>validate diffrent login scenarios</u>	3	2	1	0	13.407 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>validate different login scenarios</u>	<u>verify login with invalid data</u>	4	4	0	0	7.403 s
2		<u>verify login with valid data</u>	4	4	0	0	7.503 s
3		<u>verify login with valid data</u>	4	1	1	2	5.972 s

validate different login scenarios



FAILED	DURATION - 13.407 s	Scenarios Total - 3 Pass - 2 Fail - 1 Skip - 0		Steps Total - 12 Pass - 9 Fail - 1 Skip - 2	
/ 8:28:37.240 PM // 8:28:50.647 PM /					

verify login with invalid data

PASSED	DURATION - 7.403 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 8:28:37.245 PM // 8:28:44.648 PM /				
validate different login scenarios				
@invalid				



#	Step / Hook Details	Status	Duration
1	Given I'm on the home page.	PASSED	0.173 s
2	When I enter userID as "secret_sauce" and passwor as "secret_sauce"	PASSED	0.345 s
3	And I click on login button	PASSED	0.127 s
4	Then I'm not logged in	PASSED	0.029 s

verify login with valid data

PASSED	DURATION - 7.503 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 8:28:37.250 PM // 8:28:44.753 PM /				
validate different login scenarios				
@valid				

#	Step / Hook Details	Status	Duration
1	Given I'm on the home page.	PASSED	0.039 s
2	When I enter userID as "standard_user" and passwor as "secret_sauce"	PASSED	0.350 s
3	And I click on login button	PASSED	0.149 s
4	Then I'm logged in	PASSED	0.086 s

verify login with valid data

FAILED DURATION - 5.972 s / 8:28:44.675 PM // 8:28:50.647 PM / <i>validate diffrent login scenarios</i> @dataTable		Steps Total - 4 Pass - 1 Fail - 1 Skip - 2	
--	--	--	---

#	Step / Hook Details	Status	Duration				
1	Given I'm on the home page.	PASSED	0.027 s				
2	When I enter userID and password	FAILED	0.285 s				
	<table><tr><td>username</td><td>password</td></tr><tr><td>standard_user</td><td>secret_sauce</td></tr></table>			username	password	standard_user	secret_sauce
username	password						
standard_user	secret_sauce						
	<pre>java.lang.AssertionError: null at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.fail(Assert.java:116) at com.test.stepdef.Test.iEnterUserIDAndPassword(Test.java:59) at ?.I enter userID and password(file:///C:/Users/awangate/git/BDDCucumberFramework/src/test/resources/features/test.feature:20) * Not displayable characters are replaced by '?'. </pre>						
3	And I click on login button	SKIPPED	0.000 s				
4	Then I'm logged in	SKIPPED	0.000 s				
	AFTER - com.test.hooks.CucumberHooks.getScreenshot(io.cucumber.java.Scenario)	PASSED	0.121 s				
	verify login with valid data						
	