# The askinclude package

#### Pablo A. Straub

# Heiko Oberdiek (maintainer) <heiko.oberdiek at googlemail.com>

# 2011/12/02 v2.2

#### Abstract

This package replaces  $\$  includeonly by an interactive user interface.

# Contents

1	$\mathbf{Doc}$	rumentation	<b>2</b>
	1.1	User interface	2
	1.2	Single asking mode	4
	1.3	Regular expressions	4
		1.3.1 Method makematch	4
		1.3.2 Method pdfmatch	5
	1.4	History	6
	1.5	New features of version 2	6
	1.6	Compatibility to version 1	7
2	Imp	lementation	7
	2.1	Header and catcodes	7
	2.2	Delay action after preamble	8
	2.3	Write entry in .aux file	8
	2.4	Remember \include files	8
	2.5	Redefine \include	9
	2.6	Store answer and match method in .aux file	10
	2.7	Support for \@includeonly	10
	2.8	Stop if \includeonly is active	10
	2.9	\includeonly	10
	2.10	Options	11
	2.11	Strings	11
	2.12	Set defaults	12
	2.13	Questions	13
		2.13.1 Generic question header	13
		2.13.2 Display files	13
		2.13.3 Previous answer	14
		2.13.4 Current regular expression support	14
		2.13.5 Main question text	14
		2.13.6 Main question	15
	2.14		15
			19

3	Test	2
	3.1 Included files	
	3.2 Special test setup	
	3.3 Common start	:
	3.4 First run tests	:
	3.5 Second run tests	:
	3.6 Compatibility for changing from old to new	;
	3.7 Regular expressions	;
	3.8 Common end	;
4	Installation	
	4.1 Download	;
	4.2 Bundle installation	;
	4.3 Package installation	
	4.4 Refresh file name databases	
	4.5 Some details for the interested	
5	Catalogue	;
6	Acknowledgement	
7	References	
8	History	
	[1991/11/05 v0.95]	;
	[1991/11/05 v0.99]	;
	[1991/11/07 v1.0]	
	[1991/12/13 v1.1]	;
	[1994/11/02 v1.2e]	
	[2007/10/15 v1.0 (askinc)]	
	[2007/10/23 v2.0]	
	[2008/08/11 v2.1]	
	[2011/12/02 v2.2]	

#### 1 Documentation

#### 1.1 User interface

The  $\include$  feature of IATEX allows the division of the text body in separate compilation units. It is page based and stores counter settings in additional auxiliary files.  $\includeonly$  limits the actually included files to the ones, listed in its argument.

Example:

```
\documentclass{report}
\usepackage{askinclude}

% Don't use \include in the preamble.
% Instead \input can be used or make a package
\begin{document}
\include{title}
\include{introduction}
\include{summary}
\include{index}
\end{document}
```

Package askinclude adds an interactive user interface. The user is asked which files he want to include and sets \includeonly accordingly.

The first time the package is used the question looks like:

```
*** Package askinclude Question ***
**********
Previous answer (noregexp):
     [*]
Regular expressions:
 --> [noregexp] disabled
     [makematch] enabled, using package `makematch'
     [pdfmatch] enabled, using pdfTeX's \pdfmatch
Which files do you want to include?
     [foo,bar]
              comma separated file or pattern list
    [*]
               all files
     [-]
               no files
     [?]
               ask for each file
     []
               use the previous answer
```

Square brackets are used as quotation symbols, they are not part of the answer. The answer by the user follows in the last line after \answer=.

- [foo,bar]: A comma separated file list (also one file only) is passed to macro \includeonly directly. If regular expression support is enabled, the entries in the list are interpreted as file name patterns that will be matched against the file names in \include, see section 1.3.
- [\*]: This is a shortcut for specifying all files.

\answer=chapter2, summary

- [-]: This means *none* of the files is included.
- [?]: The switches in single asking mode. The user will be asked at each \include. See section section 1.2.
- []: Just pressing return (empty string) uses the default answer, that was stored in the auxiliary file (.aux) of the previous LATEXrun with package askinclude. Without previous runs the default is [\*] for all files.

[noregexp]: Turns regular expression support off.

[makematch]: Enables regular expression support package makematch provides.

[pdfmatch]: It is shown, if pdfTEX 1.30 or later is used. It relies on an undocumented feature \pdfmatch that may change in future versions of pdfTEX.

Package askinclude remembers the files of \include in the auxiliary file and the given answer. they are presented at the next run at the start of the question:

```
*********

*** Package askinclude Question ***

*********

Files, found by previous run in \include:

(-) title

(-) introduction

(-) chapter1

(+) chapter2

(-) chapter3
```

```
(+) summary
Previous answer (noregexp):
   [chapter2,summary]
```

(+) and (-) marks files that were and were not included in the previous run. The file list and marks are not always correct. For example, if \include statements are added or removed. If the method of regular expression support is different, then the marks only reflects the mode of the previous answer.

#### 1.2 Single asking mode

The special answer '?' trigger single asking mode, at the next \include the user is asked again:

Use the letter inside the square brackets as answer. An empty string uses the default answer, the letter in parentheses. The answers are:

- [y]: The file is included.
- [n]: The file is excluded.
- [A]: This file and all following files are included.
- [N]: This file and all following files are excluded.
- [D]: Use the default answer for this and all following files.

If the file is known from the previous run, then the default is 'y' or 'n' corresponding to the mark '(+)' or '(-)' in the list of previous files. Otherwise 'y' is used as default.

#### 1.3 Regular expressions

Three methods are available that can also set by package options:

**noregexp:** Regular expression support is disabled.

makematch: Use package makematch.

pdfmatch: Use pdfTEX's \pdfmatch if available.

Without options the value remembered in the auxiliary file is used, otherwise the default is noregexp.

#### 1.3.1 Method makematch

Package makematch (part of qstest), written by David Kastrup provides pattern matching based on wildcards:

- [\*]: The star matches zero or more characters. Thus a lonely star machtes anything.
- [!]: The exclamation mark at the begin of a pattern negates it, thus the matching files are excluded.

The pattern list is evaluated for a file name from left to right. Always a file name must match the whole pattern. The file is included if it is matched by a pattern and not excluded afterwards. Examples:

Pattern list	File names	Result
foobar	foobar, dummy	foobar
foo*	foobar,xfoobar	foobar
*foo*	xfoobar	xfoobar
f*b*r	foobar	foobar
*	any	any
!foobar	foobar, other	other
!foo*	xfoobar	xfoobar
in*,!*dex	intro,index	intro
!index,in*	intro,index	intro,index
*,!chap2	chap1,chap2,chap3	chap1,chap3

The example in the last line shows, how the behaviour of package excludeonly [2] can be simulated.

The documentation of package makematch tells the empty pattern does not match anything. But if you answer the question with an empty string the answer of the previous run is used. Also curly braces are not reliable because the can get stripped during the processing of the answer. Using a pair of empty curly braces or the comma for two empty patterns currently works, but this is specific for the current implementation and may change in future. But the special answer '-' is available.

#### 1.3.2 Method pdfmatch

In pdfTEX 1.30 the new primitive \pdfmatch was introduced. It is not documented yet, because it was not decided if it remains and which implementation of regular expressions should be used. Thus the situation may change in later versions of pdfTeX. Currently (1.30 until 1.40) it uses a library for POSIX 1003.2 regular expressions, see manual page "regex(7)".

If a pattern in the pattern list is invalid, the package prints a warning and removes the pattern from the list. Actually there are two warnings, the other warning is generated by pdfTeX itself.

In opposite to makematch the pattern only needs to match the specified part of the file name. For matching the whole name, the symbols '~' and '\$' for begin and end of string must be included.

Additionally an initial exclamation mark '!' implements the same logic as method makematch. The match result is inverted, the matched file excluded.

Examples:

Pattern list	File names	Result
foobar	foobar,dummy	foobar
foo.*	foobar,xfoobar	foobar,xfoobar
^foo.*	foobar,xfoobar	foobar
foo\$	foo,foobar	foo
fo?bar	fbar,fobar,foobar	fbar,fobar
fo+bar	fbar,fobar,foobar	fobar,foobar
fo*bar	fbar,fobar,foobar	fbar,fobar,foobar
chap3	chap3,chap32	chap1,chap3,chap32
chap[13]	chap1,chap2,chap3	chap1,chap3
chap(1 3)\$	chap1,chap3,chap33	chap1,chap3
.*	any	any
!foobar	foobar, other	other
in.*,!dex	intro, index	intro
!index,in.*	intro, index	intro,index
.*,!chap2	chap1,chap2,chap3	chap1,chap3
.*,!bla	foo,bla,blabla	foo
.*,!^bla\$	foo,bla,blabla	foo,blabla

The example in the last line shows, how the behaviour of package excludeonly [2] can be simulated. As the third last line shows, that sometimes '~' and '\$' can be omitted, but this will not work always, shown in the second last line.

#### 1.4 History

Package askinclude was invented by Pablo A. Straub in 1991 and maintained until 1994.

In October 2007 it was removed from "TeX Live" because of the no-commercial license [1]. Herbert Voß initiated a search for the author in the newsgroup comp. text.tex [3] to ask him to change the license.

It seems that the author could not be reached any more. Joseph Wright suggested a reimplementation that I (HO) have done as package askinc. Soon it was enhanced by feature requests.

Then Ulrike Fischer found email addresses of the original author and Jim Hefferon succeeded in contacting him. He allowed a change of the license to LPPL and the transfer of the maintainership to someone else.

Thus I merged both packages as askinclude in a new major version 2. The license is LPPL.

#### 1.5 New features of version 2

- License is now LPPL.
- A list of \include files that are detected by the previous run is printed before the question.
- If the special answer '?' is given, then the user is asked at each \include.
- Support for regular expressions.
- The remaining stuff in the .aux file does not cause errors, if the package is removed.
- The use of \includeonly before the package loading time is detected and respected by taking precedence. After the package is loaded, \includeonly is disabled and prints a warning.

#### 1.6 Compatibility to version 1

- The user interface of version 1 with its special answers '\*', '-', and '' remain unchanged, but it is extended by version 2 with the special answer '?' and support for regular expressions can be enabled.
- As reimplementation the internal macros have changed of course.
- .aux files that are written by version 1.x will work with version 2.x because \@includeonly is recognized.
- LATEX 2.09: The package works as \documentstyle option in compatibility mode of LATEX 2<sub>ε</sub>. It is possible that it will not work in pure LATEX 2.09.

# 2 Implementation

#### 2.1 Header and catcodes

```
1 (*package)
2 \NeedsTeXFormat{LaTeX2e}
3 \begingroup\catcode61\catcode48\catcode32=10\relax%
    \catcode13=5 % ^^M
    \endlinechar=13 %
    \catcode123=1 % {
    \catcode125=2 % }
    \catcode64=11 % @
9
    \def\x{\endgroup
10
      \expandafter\edef\csname AskInc@AtEnd\endcsname{%
11
        \endlinechar=\the\endlinechar\relax
12
        \catcode13=\the\catcode13\relax
13
        \catcode32=\the\catcode32\relax
        \catcode35=\the\catcode35\relax
14
        \catcode61=\the\catcode61\relax
15
        \catcode64=\the\catcode64\relax
16
17
        \catcode123=\the\catcode123\relax
        \catcode125=\the\catcode125\relax
18
19
20
    }%
21 \x\catcode61\catcode48\catcode32=10\relax%
22 \cdot 3=5 \% ^M
23 \endlinechar=13 %
24 \catcode35=6 % #
25 \catcode64=11 % @
26 \catcode123=1 % {
27 \catcode125=2 % }
28 \def\TMP@EnsureCode#1#2{%
   \edef\AskInc@AtEnd{%
      \AskInc@AtEnd
30
31
      \catcode#1=\the\catcode#1\relax
32
   }%
    \color= 1=#2\relax
33
34 }
35 \TMP@EnsureCode{33}{12}% !
36 \TMP@EnsureCode{39}{12}%
37 \TMP@EnsureCode{40}{12}% (
38 \TMP@EnsureCode{41}{12}%)
39 \TMP@EnsureCode{42}{12}% *
40 \TMP@EnsureCode{43}{12}% +
41 \TMP@EnsureCode{44}{12}%,
42 \TMP@EnsureCode{45}{12}% -
43 \TMP@EnsureCode{46}{12}% .
44 \TMP@EnsureCode{47}{12}% /
```

```
45 \TMP@EnsureCode{58}{12}% :
46 \TMP@EnsureCode{62}{12}% >
47 \TMP@EnsureCode{63}{12}% ?
48 \TMP@EnsureCode{91}{12}% [
49 \TMP@EnsureCode{93}{12}% ]
50 \TMP@EnsureCode{96}{12}% `
51 \edef\AskInc@AtEnd{\AskInc@AtEnd\noexpand\endinput}
52 \ProvidesPackage{askinclude}%
53 [2011/12/02 v2.2 Interactive asking of included files]%
```

#### 2.2 Delay action after preamble

#### \AskInc@AtBeginDocument

Some actions such as .aux file writing cannot be performed in the preamble. \AtBeginDocument delays such action until \begin{document}. However \AtBeginDocument must not be used after that time (\@onlypreamble). Thus \AskInc@AtBeginDocument uses \AtBeginDocument in the preamble and afterwards executes the code immediately.

```
54 \AtBeginDocument{%
55 \let\AskInc@AtBeginDocument\@firstofone
56 }
57 \providecommand*{\AskInc@AtBeginDocument}{\AtBeginDocument}
```

#### 2.3 Write entry in .aux file

#### \AskInc@WriteAux

The first argument is written to the main <code>.aux</code> file and the second argument is executed if writing was possible. Remember <code>\nofiles</code> prevents writing to auxiliary files.

```
58 \def\AskInc@WriteAux#1#2{%
59 \AskInc@AtBeginDocument{%
60 \if@filesw
61 \immediate\write\@mainaux{#1}%
62 #2%
63 \fi
64 }%
65}
```

#### 2.4 Remember \include files

\AskInc@CharHash

 $66 \edgn{AskInc@CharHash{\string\#}}$ 

\AskInc@WriteDefAddList

```
67 \def\AskInc@WriteDefAddList{%
68 \AskInc@WriteAux{%
```

\AskInc@AddList

```
\string\providecommand*\string\AskInc@AddList[2]{%
69
                                                 \string\ifcase\string\ifx\AskInc@CharHash1\string\@undefined
70
71
                                                                                                                                    \string\else
72
                                                                                                                                                \string\ifx\AskInc@CharHash1\string\relax
73
                                                                                                                                               \string\else
                                                                                                                                                           \string\ifx\AskInc@CharHash1\string\@empty
74
                                                                                                                                                           \string\else
75
76
                                                                                                                                                                       1%
                                                                                                                                                           \string\fi
77
                                                                                                                                              \string\fi
78
79
                                                                                                                                    \string\fi
80
                                                                                                                                    0 %
                                                            \string\gdef\AskInc@CharHash1{\AskInc@CharHash2}%
81
82
                                                            \verb|\string\\g@addto@macro\\AskInc@CharHash1{,\\AskInc@CharHash2}||% | (AskInc@CharHash2)||% | (AskInc@Ch
83
```

```
\string\fi
                          84
                          85
                              }{%
                          86
                                 \global\let\AskInc@WriteDefAddList\relax
                          87
                              }%
                          88
                          89 }
\AskInc@WriteDefAddFile
                          90 \def\AskInc@WriteDefAddFile{%
                               \AskInc@WriteDefAddList
                               \AskInc@WriteAux{%
        \AskInc@AddFile
                                 \string\providecommand\string\AskInc@AddFile{%
                          93
                                   \string\AskInc@AddList\string\AskInc@Files
                          94
                                }%
                          95
                              }{%
                          96
                                \global\let\AskInc@WriteDefAddFile\relax
                          97
                              }%
                          98
                          99 }
        \AskInc@AddFile
                          100 \AtBeginDocument{\%}
                              \global\let\AskInc@AddFile\@gobble
                          102 }
   \AskInc@WriteAddFile
                          103 \def\AskInc@WriteAddFile#1{%
                               \AskInc@WriteDefAddFile
                          104
                               \AskInc@WriteAux{%
                          106
                                \string\AskInc@AddFile{#1}%
                          107
                              }{}%
                          108 }
          \AskInc@Files
                          109 \providecommand*{\AskInc@Files}{}
                         Summary: Now \AskInc@Files is always defined and either empty or contains
                         a comma separated list of \include files of previous run.
                            The \include files are remembered by using \AskInc@WriteAddFile at each
                         \include.
                         2.5 Redefine \include
     \AskInc@OrgInclude
                          110 \newcommand{\AskInc@OrgInclude}{}
                          111 \let\AskInc@OrgInclude\include
        \AskInc@AskFile
                          \AskInc@MatchFile
                          113 \let\AskInc@MatchFile\@gobble
               \include
                          114 \renewcommand*{\include}[1]{%
                          115 \AskInc@WriteAddFile{#1}%
                              \AskInc@AskFile{#1}%
                          116
```

\AskInc@MatchFile{#1}%

\AskInc@OrgInclude{#1}%

117

118 119 }

#### 2.6 Store answer and match method in .aux file

```
120 \AtEndOfPackage{%
     \AtBeginDocument{%
121
       \@ifundefined{AskInc@Answer}{}{%
122
123
         \AskInc@WriteAux{%
           \string\gdef\string\AskInc@Answer{\AskInc@Answer}%
124
125
126
       \@ifundefined{AskInc@MatchMethod}{}{%
127
128
         \AskInc@WriteAux{%
           \string\gdef\string\AskInc@MatchMethod{\AskInc@MatchMethod}%
129
         }{}%
130
       ጉ%
131
132
     }%
133 }
```

#### 2.7 Support for \@includeonly

\@includeonly

Macro \@includeonly is defined for compatiblity reasons only, if the .aux file was written by versions before 2 of package askinclude.

```
134 \providecommand*{\@includeonly}[1]{\%
135 \gdef\AskInc@Answer{#1}\%
136 \ifx\AskInc@Answer\@empty
137 \gdef\AskInc@Answer{-}\%
138 \fi
139 \global\let\AskInc@MatchMethod\@empty
140 }
```

# 2.8 Stop if \includeonly is active

If \includeonly is used before, the questions are skipped and the data in the main auxiliary file is preserved.

```
141 \if@partsw
     \PackageWarningNoLine{askinclude}{%
       143
       therefore asking for files is suppressed%
144
     }%
145
Dummy options.
     \DeclareOption{makematch}{}%
147
     \DeclareOption{pdfmatch}{}%
148
     \DeclareOption{noregexp}{}%
     \ProcessOptions*%
149
Preserve \AskInc@MatchFiles.
     \@ifundefined{AskInc@MatchFiles}{%
150
151
152
       \ifx\AskInc@MatchMethod\@empty
153
       \else
         \AskInc@WriteAux{%
154
           \string\gdef\string\AskInc@MatchFiles{\AskInc@MatchFiles}%
155
         }{}%
156
157
       \fi
158
     \expandafter\AskInc@AtEnd
160 \fi%
```

#### 2.9 \includeonly

\AskInc@OrgIncludeOnly

```
161 \newcommand{\AskInc@OrgIncludeOnly}{}%
162 \let\AskInc@OrgIncludeOnly\includeonly
```

```
163 \renewcommand*{\includeonly}[1]{%
                              164 \PackageWarning{askinclude}{%
                                     \string\includeonly\space is managed by package `askinclude',%
                              165
                              166
                                    \MessageBreak
                              167
                                    therefore it is ignored%
                              168
                                 }%
                             169 }
                             2.10 Options
     \AskInc@StringNoRegExp
                              170 \def\AskInc@StringNoRegExp{noregexp}
   \AskInc@StringMakeMatch
                              171 \def\AskInc@StringMakeMatch{makematch}
     \AskInc@StringPdfMatch
                              172 \def\AskInc@StringPdfMatch{pdfmatch}
\ifAskInc@PdfMatchAvailable
                              173 \newif\ifAskInc@PdfMatchAvailable
                              174 \begingroup\expandafter\expandafter\expandafter\endgroup
                              175 \expandafter\ifx\csname pdfmatch\endcsname\relax
                              176 \ensuremath{\setminus} \texttt{else}
                                  \AskInc@PdfMatchAvailabletrue
                              177
                              178 \fi
                              179 \DeclareOption{makematch}{%
                              181 }
                              182 \ifAskInc@PdfMatchAvailable
                              183 \DeclareOption{pdfmatch}{%
                                     184
                              185
                                 }%
                              186 \ensuremath{\setminus} \texttt{else}
                              187
                                  \DeclareOption{pdfmatch}{%
                              188
                                    \PackageWarningNoLine{askinclude}{%
                              189
                                      Option `pdfmatch' is not available because\MessageBreak
                                       your pdfTeX does not provide \string\pdfmatch
                              190
                                    }%
                              191
                                 }%
                              192
                              193 \fi
                              194 \DeclareOption{noregexp}{%
                              195
                                  \let\AskInc@MatchOption\@empty
                             196 }
                              197 \ProcessOptions*
                             2.11
                                    Strings
       \AskInc@CharAsterisk
                              198 \def\AskInc@CharAsterisk{*}
          \AskInc@CharMinus
                              199 \def\AskInc@CharMinus{-}
           \AskInc@CharPlus
                              200 \def\AskInc@CharPlus{+}
       \AskInc@CharQuestion
                              201 \def\AskInc@CharQuestion{?}
```

\includeonly

```
\AskInc@CharExclam
                          202 \def\AskInc@CharExclam{!}
       \AskInc@CharYes
                          203 \def\AskInc@CharYes{y}
        \AskInc@CharNo
                          204 \def\AskInc@CharNo{n}
       \AskInc@CharAll
                          205 \def\AskInc@CharAll{A}
      \AskInc@CharNone
                          206 \def\AskInc@CharNone{N}
   \AskInc@CharDefault
                          207 \def\AskInc@CharDefault{D}
                         2.12 Set defaults
\AskInc@SanitizeAnswer
                          208 \def\AskInc@SanitizeAnswer#1#2{%
                               \begingroup
                                 \escapechar=`\\%
                          210
                                  211
                                 \edef\]{\string\]}%
                          212
                                 \edef\({\string\(}%
                          213
                                 \edef\){\string\)}%
                          214
                          215
                                 \edef\*{\string\*}%
                          216
                                 \edef\+{\string\+}%
                          217
                                  \edef\?{\string\?}%
                          218
                                  \edef\|{\string\|}%
                          219
                                  \edef\^{\string\^}%
                                  \left( \frac{\$}{\star \frac{\$}{\star}} \right)
                          220
                                  \edef\{{\string\{}%
                          221
                                  \left( \frac{}{\left( \frac{1}{2} \right)} \right)
                          222
                                  \edef\.{\string\.}%
                          223
                                  \xdef#1{%}
                          224
                                    \expandafter\expandafter\zap@space
                          225
                          226
                                    \expandafter#2\space\@empty
                                  }%
                          227
                          228
                                \endgroup
                          229 }
                          230 \AtBeginDocument{%
                          231
                               \@ifundefined{AskInc@Answer}{%
                          232
                                  \global\let\AskInc@Answer\AskInc@CharAsterisk
                               }{%
                          233
                                  \AskInc@SanitizeAnswer\AskInc@Answer\AskInc@Answer
                          234
                               ጉ%
                          235
                                \global\let\AskInc@PreviousAnswer\AskInc@Answer
                          236
                               \@ifundefined{AskInc@MatchMethod}{%
                          237
                                  \global\let\AskInc@MatchMethod\@empty
                          238
                          239
                                \global\let\AskInc@PreviousMatchMethod\AskInc@MatchMethod
                          240
                          241
                               \@ifundefined{AskInc@MatchOption}{%
                          242
                                  \let\AskInc@MatchOption\AskInc@MatchMethod
                          243
                               \ifx\AskInc@MatchOption\AskInc@StringPdfMatch
                          244
```

\ifAskInc@PdfMatchAvailable

245 246

\else

```
247 \let\AskInc@MatchOption\@empty
248 \fi
249 \fi
250 \@ifundefined{AskInc@MatchFiles}{%
251 \let\AskInc@MatchFiles\@empty
252 }{}%
253 }
```

#### 2.13 Questions

#### 2.13.1 Generic question header

#### \AskInc@QuestionHeader

#### 2.13.2 Display files

#### \AskInc@TypeoutFiles

```
261 \def\AskInc@TypeoutFiles{%
     \global\let\AskInc@PreviousMatches\@empty
263
     \ifx\AskInc@Files\@empty
264
     \else
       \typeout{Files, found by previous run in \string\include:}%
265
       \@for\AskInc@File:=\AskInc@Files\do{%
266
         \ifx\AskInc@Answer\AskInc@CharAsterisk
267
           \let\AskInc@Mark\AskInc@CharPlus
268
269
         \else
270
           \let\AskInc@Mark\AskInc@CharMinus
271
           \ifx\AskInc@Answer\AskInc@CharMinus
272
           \else
273
             \ifx\AskInc@MatchMethod\@empty
274
                \expandafter\@firstoftwo
275
             \else
                \expandafter\@secondoftwo
276
             \fi
277
             {\@for\AskInc@Temp:=\AskInc@Answer}%
278
             {\@for\AskInc@Temp:=\AskInc@MatchFiles}%
279
280
             \do{\%}
                \ifx\AskInc@File\AskInc@Temp
281
282
                  \let\AskInc@Mark\AskInc@CharPlus
283
             }%
284
           \fi
285
         \fi
286
         \typeout{ \@spaces(\AskInc@Mark) \AskInc@File}%
287
         \ifx\AskInc@Mark\AskInc@CharPlus
288
           \ifx\AskInc@PreviousMatches\@empty
289
             \global\let\AskInc@PreviousMatches\AskInc@File
290
291
             \expandafter\g@addto@macro
292
293
             \expandafter\AskInc@PreviousMatches{%
294
                \expandafter,\AskInc@File
             }%
295
296
           \fi
         \fi
297
       }%
298
```

```
299 \typeout{}%
300 \fi
301 }
```

#### 2.13.3 Previous answer

\AskInc@TypeoutPreviousAnswer

```
302 \def\AskInc@TypeoutPreviousAnswer{%
303
    \typeout{%
       Previous answer (%
304
       \ifx\AskInc@MatchMethod\@empty
305
306
         noregexp%
       \else
307
         \AskInc@MatchMethod
308
309
       \fi
310
       ):%
311
312
     \typeout{ \@spaces[\AskInc@Answer]}%
313
     \typeout{}%
314 }
```

#### 2.13.4 Current regular expression support

\AskInc@TypeoutMatchMethod

```
{\tt 315 \ \ \ } \\ {\tt MskInc@TypeoutMatchMethod \{\%\}}
     \typeout{Regular expressions:}%
316
     \AskInc@TypeoutMethod\@empty{noregexp}{%
317
318
       \space disabled%
319
320
     \AskInc@TypeoutMethod\AskInc@StringMakeMatch{makematch}{%
321
       enabled, using package `makematch'%
322
     \ifAskInc@PdfMatchAvailable
323
       \AskInc@TypeoutMethod\AskInc@StringPdfMatch{pdfmatch}{%
324
          \space enabled, using pdfTeX's \string\pdfmatch
325
       }%
326
     \fi
327
     \typeout{}%
328
329 }
```

\AskInc@TypeoutMethod

```
330 \def\AskInc@TypeoutMethod#1#2#3{%
331 \typeout{%
332 \ifx#1\AskInc@MatchOption \space--> \else\@spaces\space\fi
333 [#2] #3% hash-ok
334 }%
335 }
```

#### 2.13.5 Main question text

\AskInc@TypeoutMainQuestion

#### 2.13.6 Main question

\AskInc@MainQuestion

```
344 \def\AskInc@MainQuestion{%
345
     \AskInc@QuestionHeader
346
     \AskInc@TypeoutFiles
347
     \AskInc@TypeoutPreviousAnswer
     \AskInc@TypeoutMatchMethod
348
     \AskInc@TypeoutMainQuestion
349
     \begingroup
350
351
       \@makeother\*%
       \@makeother\-%
352
       \@makeother\?%
353
354
       \@makeother\,%
355
       \@makeother\!%
356
       \@makeother\^%
       \@makeother\$%
357
       \@makeother\(%
358
       \@makeother\)%
359
       \@makeother\+%
360
       \@makeother\[%
361
362
       \@makeother\]%
       \@makeother\\%
363
364
       \@makeother\|%
365
       \@makeother\:%
366
       \@makeother\.%
       \typein[\answer]%
367
           368
369
370
       \AskInc@SanitizeAnswer\AskInc@@Answer\answer
371
     \endgroup
     \let\AskInc@Next\AskInc@MainQuestion
372
     \ifx\AskInc@@Answer\AskInc@StringNoRegExp
373
       \let\AskInc@MatchOption\@empty
374
375
       \ifx\AskInc@@Answer\AskInc@StringMakeMatch
376
         377
378
         \verb|\ifx\AskInc@QAnswer\AskInc@StringPdfMatch| \\
379
           \ifAskInc@PdfMatchAvailable
380
             \let\AskInc@MatchOption\AskInc@StringPdfMatch
381
           \else
382
             \PackageWarning{askinclude}{%
383
384
               Method `pdfmatch' is not available because\MessageBreak
               your pdfTeX does not provide \string\pdfmatch
             }%
386
387
             \let\AskInc@MatchOption\@empty
           \fi
388
389
         \else
           \ifx\AskInc@@Answer\@empty
390
             \global\let\AskInc@@Answer\AskInc@Answer
391
392
393
           \let\AskInc@Next\AskInc@MainAnswer
         \fi
394
395
       \fi
396
     \fi
397
     \AskInc@Next
398 }
```

#### 2.14 Evaluate answer of main question

\AskInc@MainAnswer

```
399 \def\AskInc@MainAnswer{%
                              \ifx\AskInc@@Answer\AskInc@CharQuestion
                         400
                                 \global\let\AskInc@Answer\@empty
                         401
                                 \global\let\AskInc@MatchMethod\@empty
                         402
                         403
                                 \global\let\AskInc@AskFile\AskInc@DoAskFile
                         404
                                 \AskInc@OrgIncludeOnly{}%
                         405
                              \else
                         406
                                 \global\let\AskInc@Answer\AskInc@@Answer
                         407
                                 \ifx\AskInc@@Answer\AskInc@CharAsterisk
                                   \global\let\AskInc@MatchMethod\@empty
                         408
                                 \else
                         409
                                   \ifx\AskInc@@Answer\AskInc@CharMinus
                         410
                                     \global\let\AskInc@MatchMethod\@empty
                         411
                                     \AskInc@OrgIncludeOnly{}%
                         412
                         413
                         414
                                     \global\let\AskInc@MatchMethod\AskInc@MatchOption
                         415
                                     \ifx\AskInc@MatchOption\@empty
                                       \expandafter\AskInc@OrgIncludeOnly\expandafter{%
                         416
                                         \AskInc@Answer
                         417
                                       }%
                         418
                         419
                                     \else
                                       \AskInc@MatchInit
                         420
                         421
                                       \AskInc@OrgIncludeOnly{}%
                         422
                                   \fi
                         423
                         424
                                 \fi
                         425
                              \fi
                         426
                              \let\AskInc@Include\AskInc@DoInclude
                         427 }
    \AskInc@MatchInit
                         428 \def\AskInc@MatchInit{%
                              \RequirePackage{kvsetkeys}[2007/09/29]%
                         430
                              \expandafter\comma@normalize\expandafter{\AskInc@Answer}%
                         431
                              \global\let\AskInc@MatchList\comma@list
    \AskInc@MatchFile
                              \def\AskInc@MatchFile##1{%
                         432
                                 \AskInc@DoMatch{##1}{%
                         433
                                   \AskInc@WriteAddMatch{##1}%
                         434
                         435
                                   \ifx\@partlist\@empty
                         436
                                     \gdef\@partlist{##1}%
                         437
                                   \else
                                     \g@addto@macro\@partlist{,##1}%
                         438
                                   \fi
                         439
                                }%
                         440
                              }%
                         441
                              \ifx\AskInc@MatchMethod\AskInc@StringMakeMatch
                         442
                         443
                                \AskInc@MakeMatchInit
                         444
                              \else
                         445
                                \AskInc@PdfMatchInit
                         446
                         447
                              \let\AskInc@MatchInit\@undefined
                         448 }
\AskInc@MakeMatchInit
                         449 \def\AskInc@MakeMatchInit{%
                              \RequirePackage{makematch}%
      \AskInc@DoMatch
                              \def\AskInc@DoMatch##1{%
                         451
```

```
\def\AskInc@Temp{%
                          452
                                    \MakeMatcher[,]\AskInc@Temp
                          453
                          454
                                  \expandafter\AskInc@Temp\expandafter{\AskInc@MatchList}%
                          455
                          456
                                  \AskInc@Temp{{##1}}\@firstofone\@gobble
                          457
                               \let\AskInc@MakeMatchInit\@undefined
                          458
                          459 }
  \AskInc@PdfMatchInit
                          460 \def\AskInc@PdfMatchInit{%
       \ifAskInc@Found
                               \newif\ifAskInc@Found
                          461
       \AskInc@DoMatch
                          462
                               \def\AskInc@DoMatch##1{%
                          463
                                  \AskInc@Foundfalse
                          464
                                  \expandafter\comma@parse@normalized\expandafter
                                  {\AskInc@MatchList}{\AskInc@CheckMatch{##1}}%
                          465
                                  \ifAskInc@Found
                          466
                                    \expandafter\@firstofone
                          467
                                  \else
                          468
                          469
                                    \expandafter\@gobble
                          470
                                 \fi
                               }%
                          471
    \AskInc@CheckMatch
                               \def\AskInc@CheckMatch##1##2{%
                          472
                                 \AskInc@@CheckMatch##2\@empty\@nil{##1}%
                          473
                          474
   \AskInc@@CheckMatch
                          475
                               \def\AskInc@@CheckMatch##1##2\@nil##3{%
                          476
                                  \def\AskInc@Temp{##1}%
                                  \ifx\AskInc@Temp\AskInc@CharExclam
                          477
                                    \left( \frac{\#2}{\#3} = 1 \% \right)
                          478
                          479
                                    \or
                                      \AskInc@Foundfalse
                          480
                                    \else
                          481
                          482
                                      \AskInc@InvalidPattern{##2}{##1##2}%
                                    \fi
                          483
                          484
                                  \else
                          485
                                    \ifcase\pdfmatch{##1##2}{##3} %
                          486
                          487
                                      \AskInc@Foundtrue
                          488
                                    \else
                                      \AskInc@InvalidPattern{##1##2}{##1##2}%
                          489
                                    \fi
                          490
                                  \fi
                          491
                               }%
                          492
\AskInc@InvalidPattern Prints a warning with the regular expression and removes it from the list to prevent
                         further warnings for the same expression.
                          493
                               \def\AskInc@InvalidPattern##1##2{%
                          494
                                  \edef\AskInc@Temp{##1}%
                          495
                                  \PackageWarningNoLine{askinclude}{%
                                   Invalid pattern `\AskInc@Temp' for \t
                          496
                          497
                                  \edef\AskInc@Temp{##2}%
                          498
                                  \global\expandafter\let\expandafter\AskInc@MatchList
```

499

```
\expandafter\@empty
                                                                           500
                                                                                               \expandafter\comma@parse@normalized\expandafter
                                                                           501
                                                                                               {\AskInc@MatchList}\AskInc@FilterPattern
                                                                           502
                                                                           503
        \AskInc@FilterPattern
                                                                                         \def\AskInc@FilterPattern##1{%
                                                                           504
                                                                                               \edef\AskInc@Pattern{##1}%
                                                                           505
                                                                           506
                                                                                               \ifx\AskInc@Temp\AskInc@Pattern
                                                                           507
                                                                                              \else
                                                                           508
                                                                                                     \ifx\AskInc@MatchList\@empty
                                                                           509
                                                                                                          \global\let\AskInc@MatchList\AskInc@Pattern
                                                                           510
                                                                                                     \else
                                                                                                          \verb|\expandafter\g@addto@macro\expandafter\AskInc@MatchList{% of the property 
                                                                           511
                                                                           512
                                                                                                                \expandafter,\AskInc@Pattern
                                                                                                         }%
                                                                           513
                                                                                                    \fi
                                                                           514
                                                                                               \fi
                                                                           515
                                                                                        }%
                                                                           516
                                                                                         \let\AskInc@PdfMatchInit\@undefined
                                                                           517
                                                                           518 }
\AskInc@WriteDefAddMatch
                                                                           519 \def\AskInc@WriteDefAddMatch{%
                                                                                        \AskInc@WriteDefAddList
                                                                           520
                                                                                         \AskInc@WriteAux{%
                                                                           521
                      \AskInc@AddMatch
                                                                           522
                                                                                               \string\providecommand\string\AskInc@AddMatch{%
                                                                           523
                                                                                                     \string\AskInc@AddList\string\AskInc@MatchFiles
                                                                           524
                                                                                               }%
                                                                           525
                                                                           526
                                                                                               \global\let\AskInc@WriteDefAddMatch\relax
                                                                                         }%
                                                                           527
                                                                           528 }
                      \AskInc@AddMatch
                                                                           529 \AtBeginDocument{%
                                                                           530 \global\let\AskInc@AddMatch\@gobble
                                                                           531 }
        \AskInc@WriteAddMatch
                                                                           532 \def\AskInc@WriteAddMatch#1{%
                                                                                         \AskInc@WriteDefAddMatch
                                                                           533
                                                                                         \AskInc@WriteAux{%
                                                                           534
                                                                           535
                                                                                               \string\AskInc@AddMatch{#1}%
                                                                           536
                                                                                        }{}%
                                                                           537 }
                \AskInc@SaveAnswer
                                                                           538 \def\AskInc@SaveAnswer{%
                                                                                         \AskInc@WriteAux{%
                                                                           539
                                                                           540
                                                                                                     \string\gdef\string\AskInc@Answer{\AskInc@Answer}%
                                                                           541
                                                                                        }{}%
                                                                           542 }
```

```
2.15 Ask for each file
     \AskInc@PreviousAnswer
                               543 \@ifundefined{AskInc@PreviousAnswer}{%
                               544 \let\AskInc@PreviousAnswer\AskInc@CharAsterisk
                               545 }{}
\AskInc@PreviousMatchMethod
                               546 \@ifundefined{AskInc@PreviousMatchMethod}{%
                               547 \let\AskInc@PreviousMatchMethod\@empty
                               548 }{}
          \AskInc@DoAskFile
                               549 \def\AskInc@DoAskFile#1{%
                               550
                                    \edef\AskInc@File{#1}%
                               551
                                    \ifx\AskInc@PreviousAnswer\AskInc@CharAsterisk
                               552
                                      \let\AskInc@Default\AskInc@CharYes
                               553
                                    \else
                                      \let\AskInc@Default\AskInc@CharNo
                               554
                                       \ifx\AskInc@PreviousAnswer\AskInc@CharMinus
                               555
                               556
                                       \else
                                         \ifx\AskInc@PreviousMatchMethod\@empty
                               557
                                           \expandafter\@firstoftwo
                               558
                                         \else
                               559
                               560
                                           \expandafter\@secondoftwo
                                         \fi
                               561
                                         {\@for\AskInc@Temp:=\AskInc@PreviousAnswer}%
                               562
                                         {\@for\AskInc@Temp:=\AskInc@MatchFiles}%
                               563
                               564
                               565
                                           \ifx\AskInc@Temp\AskInc@File
                               566
                                             \let\AskInc@Default\AskInc@CharYes
                               567
                                           \fi
                                        }%
                               568
                                       \fi
                               569
                                       \ifx\AskInc@Default\AskInc@CharNo
                               570
                                         \let\AskInc@Default\AskInc@CharYes
                               571
                                         \@for\AskInc@Temp:=\AskInc@Files\do{%
                               572
                               573
                                           \ifx\AskInc@Temp\AskInc@File
                               574
                                             \let\AskInc@Default\AskInc@CharNo
                               575
                                           \fi
                                        }%
                               576
                                      \fi
                               577
                                    \fi
                               578
                                    \let\AskInc@@QuestionHeader\AskInc@QuestionHeader
                               579
                                    \AskInc@AskQuestion
                               580
                                    \ifx\AskInc@AskResult\AskInc@CharYes
                               581
                                       \ifx\AskInc@Answer\@empty
                               582
                                         \gdef\AskInc@Answer{#1}%
                               583
                               584
                               585
                                         \g@addto@macro\AskInc@Answer{,#1}%
                                      \fi
                               586
                                      \AskInc@SaveAnswer
                               587
                                      \let\@partlist\AskInc@Answer
                               588
                               589
                                    \fi
                               590 }
        \AskInc@AskQuestion
```

```
591 \def\AskInc@AskQuestion{%
592 \let\AskInc@Temp\answer
593 \AskInc@@QuestionHeader
594 \let\AskInc@@QuestionHeader\relax
595 \typein[\answer]{%
```

```
Include `\AskInc@File'? [y]es, [n]o, [A]ll, [N]one, [D]efault %
596
       (\AskInc@Default):%
597
     }%
598
     \typeout{}%
599
     \let\AskInc@AskResult\answer
600
     \let\answer\AskInc@Temp
602
     \ifx\AskInc@AskResult\@empty
603
       \let\AskInc@AskResult\AskInc@Default
       \let\AskInc@Next\relax
604
     \else
605
       \ifx\AskInc@AskResult\AskInc@CharYes
606
         \let\AskInc@Next\relax
607
608
       \else
          \ifx\AskInc@AskResult\AskInc@CharNo
609
           \let\AskInc@Next\relax
610
611
         \else
           \ifx\AskInc@AskResult\AskInc@CharAll
612
              \gdef\AskInc@AskQuestion{%
613
                \let\AskInc@AskResult\AskInc@CharYes
614
615
              }%
           \else
616
              \ifx\AskInc@AskResult\AskInc@CharNone
617
                \gdef\AskInc@AskQuestion{%
618
                  \let\AskInc@AskResult\AskInc@CharNo
619
620
621
              \else
622
                \ifx\AskInc@AskResult\AskInc@CharDefault
623
                  \gdef\AskInc@AskQuestion{%
624
                    \let\AskInc@AskResult\AskInc@Default
                  }%
625
                \else
626
627
                  \PackageWarningNoLine{askinclude}{%
628
                    Invalid answer [\AskInc@AskResult].\MessageBreak
629
                    Answer must be one letter out of [ynAND]%
                  }%
630
631
                \fi
632
              \fi
633
634
            \let\AskInc@Next\AskInc@AskQuestion
635
          \fi
       \fi
636
     \fi
637
     \AskInc@Next
638
639 }
640 \AtBeginDocument{\AskInc@MainQuestion}
641 \AskInc@AtEnd%
642 (/package)
```

#### 3 Test

### 3.1 Included files

```
643 (*a)
644 \chapter{Chapter A}
645 \let\filea=Y
646 (/a)
647 (*b)
648 \chapter{Chapter B}
649 \let\fileb=Y
650 (/b)
```

```
651 (*c)
652 \chapter{Chapter C}
653 \left| \text{filec=Y} \right|
654 (/c)
      Special test setup
3.2
655 (*test18)
656 \includeonly{askinclude-b}
657 \langle /test18 \rangle
658 (*test20 j test21 j test22)
659 \let\AtBeginDocumentMode=N%
660 (/test20 j test21 j test22)
3.3
     Common start
661 (*test0)
662 \ifx\CompatibilityMode Y%
      \documentstyle[filecontents,qstest,askinclude]{book}%
663
664 \ensuremath{\setminus} \texttt{else}
      \documentclass{book}%
665
      \usepackage{filecontents}%
666
      \usepackage{qstest}%
667
      ^*test1\rangle
668 (
       \makeatletter
669
       \def\RestoreCatcodes{}%
670
671
       \count@=0 %
672
      \100p
         \verb|\edge| RestoreCatcodes{||}|
673
674
           \RestoreCatcodes
           \catcode\the\count@=\the\catcode\count@\relax
675
        }%
676
      \ifnum\count@<255 %
677
678
         \advance\count@\@ne
679
      \repeat
      \def\RangeCatcodeInvalid#1#2{%
680
681
         \count@=#1\relax
682
         \100p
           \catcode\count@=15 %
683
684
         \ifnum\count@<#2\relax
           \advance\count@\@ne
685
686
         \repeat
      3%
687
       \def\Test#1\EndTest{%
688
689
         \RangeCatcodeInvalid{0}{47}%
690
         \RangeCatcodeInvalid{58}{64}%
691
         \RangeCatcodeInvalid{91}{96}%
692
         \RangeCatcodeInvalid{123}{255}%
693
         \catcode`\@=12 %
         \catcode`\\=0 %
694
         \color=1 %
695
         \catcode`\}=2 %
696
         \catcode`\#=6 %
697
         \catcode`\[=12 %
698
         \catcode`\]=12 %
699
         \catcode`\%=14 %
700
701
         \catcode`\ =10 %
702
         \catcode13=5 %
703
         #1\relax
704
         \RestoreCatcodes
         \makeatother
705
      }%
706
      \Test
707
708 \langle / \text{test1} \rangle
```

```
709 (*! test1)
710 \ifx\AtBeginDocumentMode Y%
        \AtBeginDocument{%
711
          \usepackage{askinclude}[2011/12/02]%
712
713
        }%
714
     \else
715 \langle /! \text{ test } 1 \rangle
      \usepackage{askinclude}[2011/12/02]%
717 (*! test1)
     \fi
718
719 (/!test1)
720 (*test1)
721 \EndTest
722 (/test1)
723 \fi
724 \IncludeTests{*}
725 \setminus LogTests\{log\}\{*\}\{*\}
726 \makeatletter
727 \let\org@typein\typein
728 \left[ 1 \right] #2
     \ifx\@Stack\@StackEmpty
729
        \begin{qstest}{StackNonEmpty}{StackNonEmpty}%
730
          \Expect{Error: empty stack}{}%
731
        \end{qstest}%
732
        \org@typein[{#1}]{#2}%
733
734
      \else
735
        \edef#1{%
          \unexpanded\expandafter\expandafter\expandafter{%
736
737
            \expandafter\@car\@Stack\@nil
          }%
738
        }%
739
740
        \xdef\@Stack{%
741
          \unexpanded\expandafter\expandafter\expandafter{%
            \expandafter\@cdr\@Stack\@nil
742
          }%
743
744
        }%
745
        \typeout{}%
        \typeout{\string#1=#1}%
746
747
748 }
749 \def\@StackEmpty{\BOTTOM}
750 \let\@Stack\@StackEmpty
751 \newcommand*{\Stack}[1]{%
752
     \def\@Stack{#1\BOTTOM}%
753 }
754 \AtEndDocument{%
     \begin{qstest}{StackUsed}{StackUsed}%
756
        \Expect*{%
757
          \ifx\@Stack\@StackEmpty
758
          \else
            {\tt Error: \ Unused \ stack \ entries\%}
759
760
          \fi
        }{}%
761
762
     \end{qstest}%
763 }
764 \newcommand*{\CheckInclude}[2]{%
     \include{askinclude-#1}%
766
     \begin{qstest}{CheckInclude-#1}{CheckInclude-#1}%
767
        \Expect*{%
          \expandafter\ifx\csname file#1\endcsname Ytrue\else false\fi
768
        }{#2}%
769
     \end{qstest}%
770
```

```
771 }
772 \def\@EndChecks{}
773 \AtBeginDocument{%
     \AtEndDocument{%
774
       \if@filesw
775
          \immediate\write\@mainaux{\string\@EndChecks}%
776
777
       \fi
778
     }%
779 }
780 \newcommand*{\CheckAnswer}[1]{%
     \gdef\AnswerText{#1}%
781
     \g@addto@macro\@EndChecks{\@CheckAnswer}%
782
783 }
784 \def\@CheckAnswer{%
     \begin{qstest}{CheckAnswer}{CheckAnswer}%
785
786
       \Expect*{\unexpanded\expandafter{\AskInc@Answer}}%
787
               *{\unexpanded\expandafter{\AnswerText}}%
     \end{qstest}%
788
789 F
790 \newcommand*{\CheckMatchMethod}[1]{%
     \gdef\MatchMethodText{#1}%
791
     \g@addto@macro\@EndChecks{\@CheckMatchMethod}%
792
793 }
794 \def\@CheckMatchMethod{%
     \begin{qstest}{CheckMatchMethod}{CheckMatchMethod}%
795
796
        \Expect*{\unexpanded\expandafter{\AskInc@MatchMethod}}%
797
               *{\unexpanded\expandafter{\MatchMethodText}}%
798
     \end{qstest}%
799 }
800 \def\@CheckAux{%
     \begin{qstest}{CheckAux}{CheckAux}%
801
802
       \def\GetFileContents##1{%
         \pdfunescapehex{%
803
            \pdffiledump length\pdffilesize{##1}{##1}%
804
         }%
805
806
       }%
807
       \Expect*{\GetFileContents{\jobname.aux}}%
808
               *{\GetFileContents{\jobname-aux.aux}}%
809
     \end{qstest}%
810 }
811 \g@addto@macro\@EndChecks{\@CheckAux}
812 \let\org@filec@ntents\filec@ntents
813 \def\filec@ntents{%
814
     \catcode`\|=0 %
815
     \org@filec@ntents
816 }
817 \begingroup
818
     \endlinechar=-1 %
819
     \catcode`\|=0 %
820
     \@makeother\#%
     \@makeother\\%
821
     |gdef|AddList{%
822
       \providecommand*\AskInc@AddList[2]{%
823
         \ifcase\ifx#1\@undefined
824
825
                 \else\ifx#1\relax
826
                 \else\ifx#1\@empty
827
                 \else1\fi\fi\fi0 %
828
            \gdef#1{#2}%
829
         \else
            \g@addto@macro#1{,#2}%
830
         \fi
831
       }%
832
```

```
833
      |gdef|AddFile{%
834
        \providecommand\AskInc@AddFile{%
835
          \AskInc@AddList\AskInc@Files
836
837
838
     }%
839
      |gdef|AddMatch{%
        \providecommand\AskInc@AddMatch{%
840
          \AskInc@AddList\AskInc@MatchFiles
841
842
     }%
843
844 | endgroup
845 (/test0)
3.4 First run tests
846 (*test1)
847 \Stack{{}}
848 \CheckAnswer{*}
849 \begin{filecontents*}{\jobname.aux}
850 \relax
851 \end{filecontents*}
852 \begin{filecontents*}{\jobname-aux.aux}
853 \relax|space
854 \gdef\AskInc@Answer{*}
855 \gdef\AskInc@MatchMethod{}
856 | AddList
857 | AddFile
858 \AskInc@AddFile{askinclude-a}
859 \@input{askinclude-a.aux}
860 \AskInc@AddFile{askinclude-b}
861 \@input{askinclude-b.aux}
862 \AskInc@AddFile{askinclude-c}
863 \@input{askinclude-c.aux}
864 \@EndChecks
865 \end{filecontents*}
866 \begin{document}
867 \CheckInclude{a}{true}
868 \CheckInclude{b}{true}
869 \CheckInclude{c}{true}
870 (/test1)
871 (*test2)
872 \Stack{*}
873 \CheckAnswer{*}
874 \begin{filecontents*}{\jobname.aux}
875 \relax
876 \end{filecontents*}
877 \begin{filecontents*}{\jobname-aux.aux}
878 \relax|space
879 \gdef\AskInc@Answer{*}
880 \gdef\AskInc@MatchMethod{}
881 | AddList
882 | AddFile
883 \AskInc@AddFile{askinclude-a}
884 \@input{askinclude-a.aux}
885 \AskInc@AddFile{askinclude-b}
886 \@input{askinclude-b.aux}
887 \AskInc@AddFile{askinclude-c}
888 \@input{askinclude-c.aux}
889 \@EndChecks
890 \end{filecontents*}
891 \begin{document}
892 \CheckInclude{a}{true}
```

```
893 \CheckInclude{b}{true}
894 \CheckInclude{c}{true}
895 (/test2)
896 (*test3)
897 \Stack{-}%
898 \CheckAnswer{-}
899 \begin{filecontents*}{\jobname.aux}
901 \end{filecontents*}
902 \begin{filecontents*}{\jobname-aux.aux}
903 \relax|space
904 \gdef\AskInc@Answer{-}
905 \gdef\AskInc@MatchMethod{}
906 | AddList
907 | AddFile
908 \AskInc@AddFile{askinclude-a}
909 \@input{askinclude-a.aux}
910 \AskInc@AddFile{askinclude-b}
911 \@input{askinclude-b.aux}
912 \AskInc@AddFile{askinclude-c}
913 \@input{askinclude-c.aux}
914 \end{Checks}
915 \end{filecontents*}
916 \begin{document}
917 \CheckInclude{a}{false}
918 \CheckInclude{b}{false}
919 \CheckInclude{c}{false}
920 (/test3)
921 (*test4)
922 \Stack{{askinclude-b}}
923 \CheckAnswer{askinclude-b}
924 \begin{filecontents*}{\jobname.aux}
925 \relax
926 \end{filecontents*}
927 \begin{filecontents*}{\jobname-aux.aux}
928 \relax|space
929 \gdef\AskInc@Answer{askinclude-b}
930 \gdef\AskInc@MatchMethod{}
931 | AddList
932 | AddFile
933 \AskInc@AddFile{askinclude-a}
934 \@input{askinclude-a.aux}
935 \AskInc@AddFile{askinclude-b}
936 \@input{askinclude-b.aux}
937 \AskInc@AddFile{askinclude-c}
938 \@input{askinclude-c.aux}
939 \@EndChecks
940 \end{filecontents*}
941 \begin{document}
942 \CheckInclude{a}{false}
943 \CheckInclude{b}{true}
944 \CheckInclude{c}{false}
945 (/test4)
946 (*test5)
947 \Stack{{askinclude-a,askinclude-c}}
948 \CheckAnswer{askinclude-a,askinclude-c}
949 \begin{filecontents*}{\jobname.aux}
950 \relax
951 \end{filecontents*}
952 \begin{filecontents*}{\jobname-aux.aux}
953 \relax|space
954 \gdef\AskInc@Answer{askinclude-a,askinclude-c}
```

```
955 \gdef\AskInc@MatchMethod{}
956 | AddList
957 | AddFile
958 \AskInc@AddFile{askinclude-a}
959 \@input{askinclude-a.aux}
960 \AskInc@AddFile{askinclude-b}
961 \@input{askinclude-b.aux}
962 \AskInc@AddFile{askinclude-c}
963 \@input{askinclude-c.aux}
964 \@EndChecks
965 \end{filecontents*}
966 \begin{document}
967 \CheckInclude{a}{true}
968 \CheckInclude{b}{false}
969 \CheckInclude{c}{true}
970 (/test5)
971 (*test6)
972 \Stack{?yny}
973 \CheckAnswer{askinclude-a,askinclude-c}
974 \begin{filecontents*}{\jobname.aux}
975 \relax
976 \end{filecontents*}
977 \begin{filecontents*}{\jobname-aux.aux}
978 \relax|space
979 \gdef\AskInc@Answer{}
980 \gdef\AskInc@MatchMethod{}
981 | AddList
982 | AddFile
983 \AskInc@AddFile{askinclude-a}
984 \gdef\AskInc@Answer{askinclude-a}
985 \@input{askinclude-a.aux}
986 \AskInc@AddFile{askinclude-b}
987 \@input{askinclude-b.aux}
988 \AskInc@AddFile{askinclude-c}
989 \gdef\AskInc@Answer{askinclude-a,askinclude-c}
990 \@input{askinclude-c.aux}
991 \@EndChecks
992 \end{filecontents*}
993 \begin{document}
994 \CheckInclude{a}{true}
995 \CheckInclude{b}{false}
996 \CheckInclude{c}{true}
997 (/test6)
998 (*test7)
999 \Stack{?yA}
1000 \ \texttt{\CheckAnswer\{askinclude-a,askinclude-b,askinclude-c\}}
1001 \begin{filecontents*}{\jobname.aux}
1002 \relax
1003 \end{filecontents*}
1004 \begin{filecontents*}{\jobname-aux.aux}
1005 \relax|space
1006 \gdef\AskInc@Answer{}
1007 \gdef\AskInc@MatchMethod{}
1008 | AddList
1009 | AddFile
1010 \AskInc@AddFile{askinclude-a}
1011 \gdef\AskInc@Answer{askinclude-a}
1012 \@input{askinclude-a.aux}
1013 \AskInc@AddFile{askinclude-b}
1014 \gdef\AskInc@Answer{askinclude-a,askinclude-b}
1015 \@input{askinclude-b.aux}
1016 \AskInc@AddFile{askinclude-c}
```

```
1017 \gdef\AskInc@Answer{askinclude-a,askinclude-b,askinclude-c}
1018 \@input{askinclude-c.aux}
1019 \@EndChecks
1020 \end{filecontents*}
1021 \begin{document}
1022 \CheckInclude{a}{true}
1023 \CheckInclude{b}{true}
1024 \CheckInclude{c}{true}
1025 (/test7)
1026 (*test8)
1027 \Stack{?yD}
1028 \CheckAnswer{askinclude-a,askinclude-b,askinclude-c}
1029 \begin{filecontents*}{\jobname.aux}
1030 \relax
1031 \end{filecontents*}
1032 \begin{filecontents*}{\jobname-aux.aux}
1033 \relax|space
1034 \gdef\AskInc@Answer{}
1035 \gdef\AskInc@MatchMethod{}
1036 | AddList
1037 | AddFile
1038 \AskInc@AddFile{askinclude-a}
1039 \gdef\AskInc@Answer{askinclude-a}
1040 \@input{askinclude-a.aux}
1041 \AskInc@AddFile{askinclude-b}
1042 \gdef\AskInc@Answer{askinclude-a,askinclude-b}
1043 \@input{askinclude-b.aux}
1044 \AskInc@AddFile{askinclude-c}
1045 \gdef\AskInc@Answer{askinclude-a,askinclude-b,askinclude-c}
1046 \@input{askinclude-c.aux}
1047 \@EndChecks
1048 \end{filecontents*}
1049 \begin{document}
1050 \CheckInclude{a}{true}
1051 \CheckInclude{b}{true}
1052 \CheckInclude{c}{true}
1053 (/test8)
1054 (*test9)
1055 \Stack{?yN}
1056 \CheckAnswer{askinclude-a}
1057 \begin{filecontents*}{\jobname.aux}
1058 \relax
1059 \end{filecontents*}
1060 \begin{filecontents*}{\jobname-aux.aux}
1061 \relax|space
1062 \gdef\AskInc@Answer{}
1063 \ensuremath{\mbox{\sc MatchMethod}} \{\}
1064 | AddList
1065 | AddFile
1066 \AskInc@AddFile{askinclude-a}
1067 \gdef\AskInc@Answer{askinclude-a}
1068 \@input{askinclude-a.aux}
1069 \AskInc@AddFile{askinclude-b}
1070 \@input{askinclude-b.aux}
1071 \AskInc@AddFile{askinclude-c}
1072 \@input{askinclude-c.aux}
1073 \@EndChecks
1074 \end{filecontents*}
1075 \begin{document}
1076 \CheckInclude{a}{true}
1077 \CheckInclude{b}{false}
1078 \CheckInclude{c}{false}
```

```
1079 (/test9)
1080 (*test10)
1081 \Stack{?{}N}
1082 \CheckAnswer{askinclude-a}
1083 \begin{filecontents*}{\jobname.aux}
1084 \relax
1085 \end{filecontents*}
1086 \begin{filecontents*}{\jobname-aux.aux}
1087 \relax|space
1088 \gdef\AskInc@Answer{}
1089 \gdef\AskInc@MatchMethod{}
1090 | AddList
1091 | AddFile
1092 \AskInc@AddFile{askinclude-a}
1093 \gdef\AskInc@Answer{askinclude-a}
1094 \@input{askinclude-a.aux}
1095 \AskInc@AddFile{askinclude-b}
1096 \@input{askinclude-b.aux}
1097 \AskInc@AddFile{askinclude-c}
1098 \@input{askinclude-c.aux}
1099 \@EndChecks
1100 \end{filecontents*}
1101 \begin{document}
1102 \CheckInclude{a}{true}
1103 \CheckInclude{b}{false}
1104 \CheckInclude{c}{false}
1105 (/test10)
1106 (*test11)
1107 \Stack{?xxyxxN}
1108 \CheckAnswer{askinclude-a}
1109 \begin{filecontents*}{\jobname.aux}
1110 \relax
1111 \end{filecontents*}
1112 \begin{filecontents*}{\jobname-aux.aux}
1113 \relax|space
1114 \gdef\AskInc@Answer{}
1115 \gdef\AskInc@MatchMethod{}
1116 | AddList
1117 | AddFile
1118 \AskInc@AddFile{askinclude-a}
1119 \gdef\AskInc@Answer{askinclude-a}
1120 \@input{askinclude-a.aux}
1121 \AskInc@AddFile{askinclude-b}
1122 \@input{askinclude-b.aux}
1123 \AskInc@AddFile{askinclude-c}
1124 \@input{askinclude-c.aux}
1125 \@EndChecks
1126 \end{filecontents*}
1127 \begin{document}
1128 \CheckInclude{a}{true}
1129 \CheckInclude{b}{false}
1130 \verb|\CheckInclude{c}{false}|
1131 (/test11)
3.5 Second run tests
1132 (*test12)
1133 \Stack{{}}
1134 \CheckAnswer{askinclude-b}
1135 \begin{filecontents*}{\jobname.aux}
1136 \gdef\AskInc@Answer{askinclude-b}
1137 \gdef\AskInc@MatchMethod{}
1138 | AddList
```

```
1139 | AddFile
1140 \AskInc@AddFile{askinclude-a}
1141 \AskInc@AddFile{askinclude-b}
1142 \AskInc@AddFile{askinclude-c}
1143 \end{filecontents*}
1144 \begin{filecontents*}{\jobname-aux.aux}
1145 \relax|space
1146 \gdef\AskInc@Answer{askinclude-b}
1147 \gdef\AskInc@MatchMethod{}
1148 | AddList
1149 | AddFile
1150 \AskInc@AddFile{askinclude-a}
1151 \@input{askinclude-a.aux}
1152 \AskInc@AddFile{askinclude-b}
1153 \@input{askinclude-b.aux}
1154 \AskInc@AddFile{askinclude-c}
1155 \@input{askinclude-c.aux}
1156 \ensuremath{\mbox{\sc MEndChecks}}
1157 \end{filecontents*}
1158 \begin{document}
1159 \CheckInclude{a}{false}
1160 \CheckInclude{b}{true}
1161 \CheckInclude{c}{false}
1162 (/test12)
1163 (*test13)
1164 \Stack{{}}
1165 \CheckAnswer{askinclude-b}
1166 \begin{filecontents*}{\jobname.aux}
1167 \gdef\AskInc@Answer{askinclude-b}
1168 \gdef\AskInc@MatchMethod{}
1169 | AddList
1170 | AddFile
1171 \AskInc@AddFile{askinclude-a}
1172 \AskInc@AddFile{askinclude-b}
1173 \end{filecontents*}
1174 \begin{filecontents*}{\jobname-aux.aux}
1175 \relax|space
1176 \gdef\AskInc@Answer{askinclude-b}
1177 \gdef\AskInc@MatchMethod{}
1178 | AddList
1179 | AddFile
1180 \AskInc@AddFile{askinclude-a}
1181 \@input{askinclude-a.aux}
1182 \AskInc@AddFile{askinclude-b}
1183 \@input{askinclude-b.aux}
1184 \AskInc@AddFile{askinclude-c}
1185 \@input{askinclude-c.aux}
1186 \@EndChecks
1187 \end{filecontents*}
1188 \begin{document}
1189 \CheckInclude{a}{false}
1190 \CheckInclude{b}{true}
1191 \CheckInclude{c}{false}
1192 (/test13)
1193 (*test14)
1194 \Stack{{}}
1195 \CheckAnswer{*}
1196 \begin{filecontents*}{\jobname.aux}
1197 \gdef\AskInc@Answer{*}
1198 \gdef\AskInc@MatchMethod{}
1199 | AddList
1200 | AddFile
```

```
1201 \AskInc@AddFile{askinclude-a}
1202 \AskInc@AddFile{askinclude-b}
1203 \end{filecontents*}
1204 \begin{filecontents*}{\jobname-aux.aux}
1205 \relax|space
1206 \gdef\AskInc@Answer{*}
1207 \gdef\AskInc@MatchMethod{}
1208 | AddList
1209 | AddFile
1210 \AskInc@AddFile{askinclude-a}
1211 \@input{askinclude-a.aux}
1212 \AskInc@AddFile{askinclude-b}
1213 \@input{askinclude-b.aux}
1214 \AskInc@AddFile{askinclude-c}
1215 \@input{askinclude-c.aux}
1216 \@EndChecks
1217 \end{filecontents*}
1218 \begin{document}
1219 \CheckInclude{a}{true}
1220 \CheckInclude{b}{true}
1221 \CheckInclude{c}{true}
1222 (/test14)
1223 (*test15)
1224 \Stack{?D}
1225 \CheckAnswer{askinclude-a,askinclude-c}
1226 \begin{filecontents*}{\jobname.aux}
1227 \gdef\AskInc@Answer{askinclude-a}
1228 \gdef\AskInc@MatchMethod{}
1229 | AddList
1230 | AddFile
1231 \AskInc@AddFile{askinclude-a}
1232 \AskInc@AddFile{askinclude-b}
1233 \end{filecontents*}
1234 \begin{filecontents*}{\jobname-aux.aux}
1235 \relax|space
1236 \gdef\AskInc@Answer{}
1237 \gdef\AskInc@MatchMethod{}
1238 | AddList
1239 | AddFile
1240 \AskInc@AddFile{askinclude-a}
1241 \gdef\AskInc@Answer{askinclude-a}
1242 \@input{askinclude-a.aux}
1243 \AskInc@AddFile{askinclude-b}
1244 \@input{askinclude-b.aux}
1245 \AskInc@AddFile{askinclude-c}
1246 \gdef\AskInc@Answer{askinclude-a,askinclude-c}
1247 \@input{askinclude-c.aux}
1248 \@EndChecks
1249 \end{filecontents*}
1250 \begin{document}
1251 \CheckInclude{a}{true}
1252 \CheckInclude{b}{false}
1253 \CheckInclude{c}{true}
1254 (/test15)
1255 (*test16)
1256 \Stack{?A}
1257 \verb|\CheckAnswer{askinclude-a,askinclude-b,askinclude-c}|
1258 \begin{filecontents*}{\jobname.aux}
1259 \gdef\AskInc@Answer{askinclude-a}
1260 \gdef\AskInc@MatchMethod{}
1261 | AddList
1262 | AddFile
```

```
1263 \AskInc@AddFile{askinclude-a}
1264 \AskInc@AddFile{askinclude-b}
1265 \end{filecontents*}
1266 \begin{filecontents*}{\jobname-aux.aux}
1267 \relax|space
1268 \gdef\AskInc@Answer{}
1269 \gdef\AskInc@MatchMethod{}
1270 | AddList
1271 | AddFile
1272 \AskInc@AddFile{askinclude-a}
1273 \gdef\AskInc@Answer{askinclude-a}
1274 \@input{askinclude-a.aux}
1275 \AskInc@AddFile{askinclude-b}
1276 \gdef\AskInc@Answer{askinclude-a,askinclude-b}
1277 \@input{askinclude-b.aux}
1278 \AskInc@AddFile{askinclude-c}
1279 \gdef\AskInc@Answer{askinclude-a,askinclude-b,askinclude-c}
1280 \@input{askinclude-c.aux}
1281 \@EndChecks
1282 \end{filecontents*}
1283 \begin{document}
1284 \CheckInclude{a}{true}
1285 \CheckInclude{b}{true}
1286 \CheckInclude{c}{true}
1287 (/test16)
1288 (*test17)
1289 \Stack{?N}
1290 \CheckAnswer{}
1291 \begin{filecontents*}{\jobname.aux}
1292 \gdef\AskInc@Answer{askinclude-a}
1293 \gdef\AskInc@MatchMethod{}
1294 | AddList
1295 | AddFile
1296 \AskInc@AddFile{askinclude-a}
1297 \AskInc@AddFile{askinclude-b}
1298 \end{filecontents*}
1299 \begin{filecontents*}{\jobname-aux.aux}
1300 \relax|space
1301 \gdef\AskInc@Answer{}
1302 \gdef\AskInc@MatchMethod{}
1303 | AddList
1304 | AddFile
1305 \AskInc@AddFile{askinclude-a}
1306 \@input{askinclude-a.aux}
1307 \AskInc@AddFile{askinclude-b}
1308 \@input{askinclude-b.aux}
1309 \AskInc@AddFile{askinclude-c}
1310 \@input{askinclude-c.aux}
1311 \@EndChecks
1312 \end{filecontents*}
1313 \begin{document}
1314 \CheckInclude{a}{false}
1315 \CheckInclude{b}{false}
1316 \CheckInclude{c}{false}
1317 (/test17)
1318 (*test18)
1319 \Stack{}
1320 \CheckAnswer{askinclude-a}
1321 \begin{filecontents*}{\jobname.aux}
1322 \gdef\AskInc@Answer{askinclude-a}
1323 \gdef\AskInc@MatchMethod{}
1324 | AddList
```

```
1325 | AddFile
1326 \AskInc@AddFile{askinclude-a}
1327 \AskInc@AddFile{askinclude-b}
1328 \end{filecontents*}
1329 \begin{filecontents*}{\jobname-aux.aux}
1330 \relax|space
1331 \gdef\AskInc@Answer{askinclude-a}
1332 \gdef\AskInc@MatchMethod{}
1333 | AddList
1334 | AddFile
1335 \AskInc@AddFile{askinclude-a}
1336 \@input{askinclude-a.aux}
1337 \AskInc@AddFile{askinclude-b}
1338 \@input{askinclude-b.aux}
1339 \AskInc@AddFile{askinclude-c}
1340 \@input{askinclude-c.aux}
1341 \@EndChecks
1342 \end{filecontents*}
1343 \begin{document}
1344 \CheckInclude{a}{false}
1345 \CheckInclude{b}{true}
1346 \CheckInclude{c}{false}
1347 (/test18)
1348 (*test19)
1349 \text{Stack}?N
1350 \CheckAnswer{}
1351 \begin{filecontents*}{\jobname.aux}
1352 \gdef\AskInc@Answer{askinclude-a}
1353 \gdef\AskInc@MatchMethod{}
1354 | AddList
1355 | AddFile
1356 \AskInc@AddFile{askinclude-a}
1357 \AskInc@AddFile{askinclude-b}
1358 \end{filecontents*}
1359 \begin{filecontents*}{\jobname-aux.aux}
1360 \relax|space
1361 \gdef\AskInc@Answer{}
1362 \gdef\AskInc@MatchMethod{}
1363 | AddList
1364 | AddFile
1365 \AskInc@AddFile{askinclude-a}
1366 \@input{askinclude-a.aux}
1367 \AskInc@AddFile{askinclude-b}
1368 \@input{askinclude-b.aux}
1369 \AskInc@AddFile{askinclude-c}
1370 \@input{askinclude-c.aux}
1371 \@EndChecks
1372 \end{filecontents*}
1373 \ifx\AtBeginDocumentMode Y%
1374 \qquad \texttt{\AtBeginDocument{\includeonly{askinclude-b}}\%}
1375 \else
      \includeonly{askinclude-b}%
1376
1378 \begin{document}
1379 \CheckInclude{a}{false}
1380 \CheckInclude{b}{false}
1381 \CheckInclude{c}{false}
1382 (/test19)
      Compatibility for changing from old to new
1383 (*test20)
```

```
1384 \Stack{{}}
```

```
1385 \CheckAnswer{*}
1386 \begin{filecontents*}{\jobname.aux}
1387 \@includeonly{*}
1388 \end{filecontents*}
1389 \begin{filecontents*}{\jobname-aux.aux}
1390 \relax|space
1391 \gdef\AskInc@Answer{*}
1392 \gdef\AskInc@MatchMethod{}
1393 | AddList
1394 | AddFile
1395 \AskInc@AddFile{askinclude-a}
1396 \@input{askinclude-a.aux}
1397 \AskInc@AddFile{askinclude-b}
1398 \@input{askinclude-b.aux}
1399 \AskInc@AddFile{askinclude-c}
1400 \@input{askinclude-c.aux}
1401 \@EndChecks
1402 \end{filecontents*}
1403 \begin{document}
1404 \CheckInclude{a}{true}
1405 \CheckInclude{b}{true}
1406 \CheckInclude{c}{true}
1407 (/test20)
1408 (*test21)
1409 \Stack{{}}
1410 \CheckAnswer{-}
1411 \begin{filecontents*}{\jobname.aux}
1412 \@includeonly{}
1413 \end{filecontents*}
1414 \begin{filecontents*}{\jobname-aux.aux}
1415 \relax|space
1416 \gdef\AskInc@Answer{-}
1417 \gdef\AskInc@MatchMethod{}
1418 | AddList
1419 | AddFile
1420 \AskInc@AddFile{askinclude-a}
1421 \@input{askinclude-a.aux}
1422 \AskInc@AddFile{askinclude-b}
1423 \@input{askinclude-b.aux}
1424 \AskInc@AddFile{askinclude-c}
1425 \@input{askinclude-c.aux}
1426 \@EndChecks
1427 \end{filecontents*}
1428 \begin{document}
1429 \CheckInclude{a}{false}
1430 \CheckInclude{b}{false}
1431 \CheckInclude{c}{false}
1432 (/test21)
1433 (*test22)
1434 \Stack{{}}
1435 \CheckAnswer{askinclude-a,askinclude-c}
1436 \begin{filecontents*}{\jobname.aux}
1437 \@includeonly{askinclude-a,askinclude-c}
1438 \end{filecontents*}
1439 \begin{filecontents*}{\jobname-aux.aux}
1440 \relax|space
1441 \gdef\AskInc@Answer{askinclude-a,askinclude-c}
1442 \ensuremath{\mbox{\sc MatchMethod}} \{\}
1443 | AddList
1444 | AddFile
1445 \AskInc@AddFile{askinclude-a}
1446 \@input{askinclude-a.aux}
```

```
1447 \AskInc@AddFile{askinclude-b}
```

- 1448 \@input{askinclude-b.aux}
- 1449 \AskInc@AddFile{askinclude-c}
- 1450 \@input{askinclude-c.aux}
- 1451 \@EndChecks
- 1452 \end{filecontents\*}
- 1453 \begin{document}
- $1454 \ \texttt{CheckInclude{a}{true}}$
- $1455 \verb|\CheckInclude{b}{false}|$
- 1456 \CheckInclude{c}{true}
- 1457 (/test22)

#### 3.7 Regular expressions

- 1458 (\*test23)
- 1459 \Stack{{makematch}{\*,!askinclude-b}}
- 1460 \CheckAnswer{\*,!askinclude-b}
- 1461 \CheckMatchMethod{makematch}
- 1462 \begin{filecontents\*}{\jobname.aux}
- $1463 \relax$
- 1464 \end{filecontents\*}
- 1465 \begin{filecontents\*}{\jobname-aux.aux}
- 1466 \relax|space
- 1467 \gdef\AskInc@Answer{\*,!askinclude-b}
- 1468 \gdef\AskInc@MatchMethod{makematch}
- 1469 | AddList
- 1470 | AddFile
- 1471 \AskInc@AddFile{askinclude-a}
- 1472 | AddMatch
- 1473 \AskInc@AddMatch{askinclude-a}
- 1474 \@input{askinclude-a.aux}
- 1475 \AskInc@AddFile{askinclude-b}
- 1476 \@input{askinclude-b.aux}
- 1477 \AskInc@AddFile{askinclude-c}
- $1478 \verb| AskInc@AddMatch{askinclude-c}| \\$
- 1479 \@input{askinclude-c.aux}
- 1480 \@EndChecks
- 1481 \end{filecontents\*}
- 1482 \begin{document}
- 1483 \CheckInclude{a}{true}
- 1484 \CheckInclude{b}{false}
- 1485 \CheckInclude{c}{true}
- 1486 (/test23)
- 1487 (\*test24)
- 1488 \Stack{{pdfmatch}{.,!askinclude-b}}
- 1489 \CheckAnswer{.,!askinclude-b}
- 1490 \CheckMatchMethod{pdfmatch}
- 1491 \begin{filecontents\*}{\jobname.aux}
- 1492 \relax
- 1493 \end{filecontents\*}
- $1494 \verb|\begin{filecontents*}{\jobname-aux.aux}|$
- 1495 \relax|space
- 1496 \gdef\AskInc@Answer{.,!askinclude-b}
- $1497 \ensuremath{\mbox{\sc MatchMethod}\{pdfmatch\}}$
- 1498 | AddList
- 1499 | AddFile
- 1500 \AskInc@AddFile{askinclude-a}
- 1501 | AddMatch
- 1502 \AskInc@AddMatch{askinclude-a}
- 1503 \@input{askinclude-a.aux}
- 1504 \AskInc@AddFile{askinclude-b}
- 1505 \@input{askinclude-b.aux}
- 1506 \AskInc@AddFile{askinclude-c}

```
1507 \AskInc@AddMatch{askinclude-c}
1508 \@input{askinclude-c.aux}
1509 \@EndChecks
1510 \end{filecontents*}
1511 \begin{document}
1512 \CheckInclude{a}{true}
1513 \CheckInclude{b}{false}
1514 \CheckInclude{c}{true}
1515 \( /test24 \)
```

#### 3.8 Common end

```
1516 (*test0)
1517 \end{document}
1518 (/test0)
```

#### 4 Installation

#### 4.1 Download

Package. This package is available on CTAN<sup>1</sup>:

CTAN:macros/latex/contrib/oberdiek/askinclude.dtx The source file.

CTAN:macros/latex/contrib/oberdiek/askinclude.pdf Documentation.

**Bundle.** All the packages of the bundle 'oberdiek' are also available in a TDS compliant ZIP archive. There the packages are already unpacked and the documentation files are generated. The files and directories obey the TDS standard.

CTAN:install/macros/latex/contrib/oberdiek.tds.zip

TDS refers to the standard "A Directory Structure for TEX Files" (CTAN:tds/tds.pdf). Directories with texmf in their name are usually organized this way.

#### 4.2 Bundle installation

Unpacking. Unpack the oberdiek.tds.zip in the TDS tree (also known as texmf tree) of your choice. Example (linux):

```
unzip oberdiek.tds.zip -d ~/texmf
```

Script installation. Check the directory TDS:scripts/oberdiek/ for scripts that need further installation steps. Package attachfile2 comes with the Perl script pdfatfi.pl that should be installed in such a way that it can be called as pdfatfi. Example (linux):

```
chmod +x scripts/oberdiek/pdfatfi.pl
cp scripts/oberdiek/pdfatfi.pl /usr/local/bin/
```

#### 4.3 Package installation

**Unpacking.** The .dtx file is a self-extracting docstrip archive. The files are extracted by running the .dtx through plain TEX:

```
tex askinclude.dtx
```

<sup>1</sup>ftp://ftp.ctan.org/tex-archive/

**TDS.** Now the different files must be moved into the different directories in your installation TDS tree (also known as texmf tree):

```
askinclude.sty
                              → tex/latex/oberdiek/askinclude.sty
askinclude.pdf
                              → doc/latex/oberdiek/askinclude.pdf
test/askinclude-a.tex
                              → doc/latex/oberdiek/test/askinclude-a.tex
test/askinclude-b.tex
                              → doc/latex/oberdiek/test/askinclude-b.tex
test/askinclude-c.tex

ightarrow doc/latex/oberdiek/test/askinclude-c.tex
test/askinclude-test1.tex \rightarrow doc/latex/oberdiek/test/askinclude-test1.tex
test/askinclude-test2.tex \rightarrow doc/latex/oberdiek/test/askinclude-test2.tex
test/askinclude-test3.tex \rightarrow doc/latex/oberdiek/test/askinclude-test3.tex
\texttt{test/askinclude-test4.tex} \ \to \texttt{doc/latex/oberdiek/test/askinclude-test4.tex}
\texttt{test/askinclude-test5.tex} \ \to \texttt{doc/latex/oberdiek/test/askinclude-test5.tex}
\texttt{test/askinclude-test6.tex} \ \to \texttt{doc/latex/oberdiek/test/askinclude-test6.tex}
\texttt{test/askinclude-test7.tex} \ \to \texttt{doc/latex/oberdiek/test/askinclude-test7.tex}
\texttt{test/askinclude-test8.tex} \ \to \texttt{doc/latex/oberdiek/test/askinclude-test8.tex}
test/askinclude-test9.tex \rightarrow doc/latex/oberdiek/test/askinclude-test9.tex
{	t test/askinclude-test10.tex} 
ightarrow {	t doc/latex/oberdiek/test/askinclude-test10.tex}
\texttt{test/askinclude-test11.tex} \rightarrow \texttt{doc/latex/oberdiek/test/askinclude-test11.tex}
test/askinclude-test12.tex \rightarrow doc/latex/oberdiek/test/askinclude-test12.tex
test/askinclude-test13.tex \rightarrow doc/latex/oberdiek/test/askinclude-test13.tex
test/askinclude-test14.tex \rightarrow doc/latex/oberdiek/test/askinclude-test14.tex
test/askinclude-test15.tex \rightarrow doc/latex/oberdiek/test/askinclude-test15.tex
test/askinclude-test16.tex \rightarrow doc/latex/oberdiek/test/askinclude-test16.tex
test/askinclude-test17.tex \rightarrow doc/latex/oberdiek/test/askinclude-test17.tex
test/askinclude-test18.tex \rightarrow doc/latex/oberdiek/test/askinclude-test18.tex
test/askinclude-test19.tex \rightarrow doc/latex/oberdiek/test/askinclude-test19.tex
test/askinclude-test20.tex \rightarrow doc/latex/oberdiek/test/askinclude-test20.tex
test/askinclude-test21.tex \rightarrow doc/latex/oberdiek/test/askinclude-test21.tex
test/askinclude-test22.tex \rightarrow doc/latex/oberdiek/test/askinclude-test22.tex
test/askinclude-test23.tex \rightarrow doc/latex/oberdiek/test/askinclude-test23.tex
test/askinclude-test24.tex \rightarrow doc/latex/oberdiek/test/askinclude-test24.tex
                              \rightarrow source/latex/oberdiek/askinclude.dtx
askinclude.dtx
```

If you have a docstrip.cfg that configures and enables docstrip's TDS installing feature, then some files can already be in the right place, see the documentation of docstrip.

#### 4.4 Refresh file name databases

If your TEX distribution (teTEX, mikTEX, ...) relies on file name databases, you must refresh these. For example, teTEX users run texhash or mktexlsr.

#### 4.5 Some details for the interested

Attached source. The PDF documentation on CTAN also includes the .dtx source file. It can be extracted by AcrobatReader 6 or higher. Another option is pdftk, e.g. unpack the file into the current directory:

```
pdftk askinclude.pdf unpack_files output .
```

Unpacking with LATEX. The .dtx chooses its action depending on the format:

plain T<sub>E</sub>X: Run docstrip and extract the files.

IATEX: Generate the documentation.

If you insist on using  $\LaTeX$  for docstrip (really, docstrip does not need  $\LaTeX$ ), then inform the autodetect routine about your intention:

```
latex \let\install=y\input{askinclude.dtx}
```

Do not forget to quote the argument according to the demands of your shell.

Generating the documentation. You can use both the .dtx or the .drv to generate the documentation. The process can be configured by the configuration file ltxdoc.cfg. For instance, put this line into this file, if you want to have A4 as paper format:

\PassOptionsToClass{a4paper}{article}

An example follows how to generate the documentation with pdfLAT<sub>F</sub>X:

```
pdflatex askinclude.dtx
bibtex askinclude.aux
makeindex -s gind.ist askinclude.idx
pdflatex askinclude.dtx
makeindex -s gind.ist askinclude.idx
pdflatex askinclude.dtx
```

# 5 Catalogue

The following XML file can be used as source for the TeX Catalogue. The elements caption and description are imported from the original XML file from the Catalogue. The name of the XML file in the Catalogue is askinclude.xml.

```
1519 (*catalogue)
1520 <?xml version='1.0' encoding='us-ascii'?>
1521 <! DOCTYPE entry SYSTEM 'catalogue.dtd'>
1522 <entry datestamp='$Date$' modifier='$Author$' id='askinclude'>
1523
     <name>askinclude</name>
      <caption>Interactive use of \includeonly</caption>
1524
      <authorref id='auth:straub'/>
1525
      <authorref id='auth:oberdiek'/>
1526
      <copyright owner="Pablo A. Straub" year='1991-1994'/>
1527
      <copyright owner="Heiko Oberdiek" year='2007,2008,2011'/>
1528
      <license type='lppl1.3'/>
1529
      <version number='2.2'/>
1530
1531
      <description>
1532
        The package asks the user which files to put in a \includeonly
        command. There is provision for answering &\#x201C; same as last
1533
        \label{timelements}  \mbox{time\&\#x201D; or \&\#x201C;all files\&\#x201D;.} 
1534
1535
        <\a>>
        The package is part of the xref refid='oberdiek'>oberdiek bundle.
1536
      </description>
1537
      <documentation details='Package documentation'</pre>
1538
          href='ctan:/macros/latex/contrib/oberdiek/askinclude.pdf'/>
     <ctan file='true' path='/macros/latex/contrib/oberdiek/askinclude.dtx'/>
1540
1541
      <miktex location='oberdiek'/>
1542
     <texlive location='oberdiek'/>
     <install path='/macros/latex/contrib/oberdiek.tds.zip'/>
1543
1544 </entry>
1545 (/catalogue)
```

# 6 Acknowledgement

**Tom Scavo** suggested saving the include file list from the previous run and a simplified user interface.

Joseph Wright suggested questions for each \include.

#### 7 References

[1] Robin Fairbairns. [tex-live] licence on includeonly.sty. 2007-10-13. URL: http://www.tug.org/pipermail/tex-live/2007-October/014928.html (visited on 2011-12-02).

- [2] Daniel H. Luecking and Donald Arseneau. The excludeonly package. 2003-03-14. URL: http://mirror.ctan.org/macros/latex/contrib/excludeonly/excludeonly.pdf (visited on 2011-12-02).
- [3] Herbert Voß. askinclude.sty. Thread in newsgroup comp.text.tex; Message-ID: fev72m\$b35\$02\$2@news.t-online.com. 2007-10-15. URL: http://groups.google.com/group/comp.text.tex/browse\_thread/728a3e73c04c6789/349e31865c40d00c (visited on 2011-12-02).

# 8 History

### [1991/11/05 v0.95]

• First beta-test version (asked two questions).

### [1991/11/05 v0.99]

• Second beta-test version (asks one question; uses '\*' and '-').

### [1991/11/07 v1.0]

 Changed prompts (sent to comp.text.tex): "Interactive inclusion of files in LaTeX"<sup>2</sup>

# [1991/12/13 v1.1]

• Unknown.

#### [1994/11/02 v1.2e]

- Two small changes to run under LaTeX2e [RF].
- Additional documentation [TRS].

### [2007/10/15 v1.0 (askinc)]

- Reimplementation, published as askinc in newsgroup comp.text.tex: "Re: askinclude.sty"<sup>3</sup>
- Listing of included files, collected from the previous run before the question.
- No error message by .aux file if package is removed.

#### [2007/10/23 v2.0]

- The next version of askinc becomes version 2.0 of askinclude.
- '?' added for questioning each file.
- \includeonly has precedence until package loading. Then it is disabled by a warning.
- Documentation rewritten/added.
- Tests added.

 $<sup>^2\</sup>mathrm{Url:\ http://groups.google.com/group/comp.text.tex/msg/34b770a7c277e79c}$ 

 $<sup>^3\</sup>mathrm{Url:\ http://groups.google.com/group/comp.text.tex/msg/2d638b84a858fdc8}$ 

# [2008/08/11 v2.1]

- Code is not changed.
- URLs updated.

# [2011/12/02 v2.2]

• Bibliography rewritten for biblatex.

# 9 Index

Numbers written in italic refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; plain numbers refer to the code lines where the entry is used.

Symbols	1040, 1043, 1046, 1068, 1070,
\! 355	1072, 1094, 1096, 1098, 1120,
\# 697, 820	1122, 1124, 1151, 1153, 1155,
<b>\\$</b> 220, 357	1181, 1183, 1185, 1211, 1213,
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	1215, 1242, 1244, 1247, 1274,
\( \ldots \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	1277, 1280, 1306, 1308, 1310,
\)	1336, 1338, 1340, 1366, 1368,
\*	1370, 1396, 1398, 1400, 1421,
,	1423, 1425, 1446, 1448, 1450,
\+ 216, 360	1474, 1476, 1479, 1503, 1505, 1508
354	\@mainaux
\ 352	\@makeother 351, 352, 353, 354, 355,
\	356, 357, 358, 359, 360, 361,
\: 365	362, 363, 364, 365, 366, 820, 821
\? 217, 353	\One \cdots \cdo
\@ 693	\@nil 473, 475, 737, 742
\@CheckAnswer 782, 784	\\Q\partlist \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
\@CheckAux 800, 811	\\ \text{Qsecondoftwo} \\ \text{ \ 276, 560} \\ \text{Secondoftwo} \\ \text{ \ 276, 560} \\
\@CheckMatchMethod 792, 794	,
\@EndChecks 772,	\Qspaces 287,
776, 782, 792, 811, 864, 889,	312, 332, 338, 340, 341, 342, 368
914, 939, 964, 991, 1019, 1047,	\Quadefined 70, 447, 458, 517, 824
1073, 1099, 1125, 1156, 1186,	\[ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
1216, 1248, 1281, 1311, 1341,	\\ 210, 363, 694, 821
1371, 1401, 1426, 1451, 1480, 1509	\{ 221, 695
\@Stack 729, 737, 740, 742, 750, 752, 757	\} 222, 696
\@StackEmpty 729, 749, 750, 757	\] 212, 362, 699
\@car 737	\^ 219, 356
\@cdr 742	\  \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
\@empty 74,	
136, 139, 152, 195, 226, 238,	N
247, 251, 262, 263, 273, 289,	\ 701
305, 317, 374, 387, 390, 401,	$\mathbf{A}$
402, 408, 411, 415, 435, 473,	
500, 508, 547, 557, 582, 602, 826	\advance
\@firstofone 55, 456, 467	\answer 367, 370, 592, 595, 600, 601
\\(\text{Qfirstoftwo}\) \(Constant of the constant of th	\AnswerText 781, 787
,	\AskInc@@Answer 370, 373, 376,
\\( \text{Qfor} \  \ \ 266, 278, 279, 562, 563, 572 \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	379, 390, 391, 400, 406, 407, 410
\\ \text{Qgobble} \tag{0.00} \\ \text{101}, \text{112}, \text{113}, \text{456}, \text{469}, \text{530} \\ \text{26} \\ \text{127} \\ \text{128} \\ \text{127} \\ \text{128} \\ 128	\AskInc@CheckMatch 473, 475
\@ifundefined 122, 127,	\AskInc@QuestionHeader 579, 593, 594
150, 231, 237, 241, 250, 543, 546	\AskInc@AddFile . 93, 100, 106, 835,
\@includeonly <u>134</u> , 1387, 1412, 1437	858, 860, 862, 883, 885, 887,
\@input 859, 861, 863,	908, 910, 912, 933, 935, 937,
884, 886, 888, 909, 911, 913,	958, 960, 962, 983, 986, 988,
934, 936, 938, 959, 961, 963,	1010, 1013, 1016, 1038, 1041,
985, 987, 990, 1012, 1015, 1018,	$1044, \ 1066, \ 1069, \ 1071, \ 1092,$

1095, 1097, 1118, 1121, 1123,	\AskInc@Foundfalse 463, 480
1140, 1141, 1142, 1150, 1152,	\AskInc@Foundtrue 487
1154, 1171, 1172, 1180, 1182,	\AskInc@Include 426
1184, 1201, 1202, 1210, 1212,	\AskInc@InvalidPattern . 482, 489, 493
1214, 1231, 1232, 1240, 1243,	\AskInc@MainAnswer 393, 399
1245, 1263, 1264, 1272, 1275,	\AskInc@MainQuestion $344$ , $\overline{640}$
1278, 1296, 1297, 1305, 1307,	\AskInc@MakeMatchInit 443, 449
1309, 1326, 1327, 1335, 1337,	\AskInc@Mark 268, 270, 282, 287, 288
1339, 1356, 1357, 1365, 1367,	\AskInc@MatchFile 113, 117, 432
1369, 1395, 1397, 1399, 1420,	
1422, 1424, 1445, 1447, 1449,	\AskInc@MatchFiles
1471, 1475, 1477, 1500, 1504, 1506	155, 251, 279, 523, 563, 841
\AskInc@AddList	\AskInc@MatchInit 420, 428
69, 94, 523, 823, 836, 841	\AskInc@MatchList 431,
\AskInc@AddMatch 522, 529,	455, 465, 499, 502, 508, 509, 511
535, 840, 1473, 1478, 1502, 1507	$\verb \AskInc@MatchMethod  129, 139, 152,$
\AskInc@Answer	238, 240, 242, 273, 305, 308,
124, 135, 136, 137, 232,	402, 408, 411, 414, 442, 796,
234, 236, 267, 271, 278, 312,	855, 880, 905, 930, 955, 980,
391, 401, 406, 417, 430, 540,	1007, 1035, 1063, 1089, 1115,
582, 583, 585, 588, 786, 854,	1137, 1147, 1168, 1177, 1198,
879, 904, 929, 954, 979, 984,	1207, 1228, 1237, 1260, 1269,
989, 1006, 1011, 1014, 1017,	1293, 1302, 1323, 1332, 1353,
	1362, 1392, 1417, 1442, 1468, 1497
1034, 1039, 1042, 1045, 1062,	\AskInc@MatchOption
1067, 1088, 1093, 1114, 1119,	180, 184, 195, 242, 244, 247,
1136, 1146, 1167, 1176, 1197,	332, 374, 377, 381, 387, 414, 415
1206, 1227, 1236, 1241, 1246,	\AskInc@Next 372,
1259, 1268, 1273, 1276, 1279,	393, 397, 604, 607, 610, 634, 638
1292, 1301, 1322, 1331, 1352,	\AskInc@OrgInclude <u>110</u> , 118
1361, 1391, 1416, 1441, 1467, 1496	\AskInc@OrgIncludeOnly
\AskInc@AskFile <u>112</u> , 116, 403	
\AskInc@AskQuestion $\dots 580, \underline{591}$	<u>101,</u> 101, 112, 110, 121
	\AskTnc@Pattorn 505 506 500 519
\AskInc@AskResult	\AskInc@Pattern 505, 506, 509, 512
\AskInc@AskResult	\AskInc@PdfMatchAvailabletrue 177
\AskInc@AskResult	lem:lem:lem:lem:lem:lem:lem:lem:lem:lem:
\AskInc@AskResult	\AskInc@PdfMatchAvailabletrue . 177 \AskInc@PdfMatchInit
\AskInc@AskResult	$\label{eq:lambda} $$ \AskInc@PdfMatchAvailabletrue$
\AskInc@AskResult	\AskInc@PdfMatchAvailabletrue . 177 \AskInc@PdfMatchInit
\AskInc@AskResult	$\begin{tabular}{lllllllllllllllllllllllllllllllllll$
\AskInc@AskResult	\AskInc@PdfMatchAvailabletrue . 177 \AskInc@PdfMatchInit
\AskInc@AskResult	$\begin{tabular}{lllllllllllllllllllllllllllllllllll$
\AskInc@AskResult	\AskInc@PdfMatchAvailabletrue . 177 \AskInc@PdfMatchInit
\AskInc@AskResult \( . 581, 600, 602, 603, 606, 609, 612, 614, 617, 619, 622, 624, 628 \) \AskInc@AtBeginDocument \( . 54, 59 \) \AskInc@CharAtl \( . 29, 30, 51, 159, 641 \) \AskInc@CharAtl \( . 205, 612 \) \AskInc@CharAsterisk \( 198, 232, 267, 407, 544, 551 \) \AskInc@CharDefault \( . 207, 622 \) \AskInc@CharExclam \( . 202, 477 \) \AskInc@CharExclam \( . 202, 477 \) \AskInc@CharHash \( 66, 70, 72, 74, 81, 83 \) \AskInc@CharMinus \(	\AskInc@PdfMatchAvailabletrue . 177 \AskInc@PdfMatchInit
\AskInc@AskResult	\AskInc@PdfMatchAvailabletrue . 177 \AskInc@PdfMatchInit

\AskInc@WriteAux <u>58</u> , 68,	D
92, 105, 123, 128, 154, 521, 534, 539	\DeclareOption
\AskInc@WriteDefAddFile 90, 104	. 146, 147, 148, 179, 183, 187, 194
\AskInc@WriteDefAddList 67, 91, 520 \AskInc@WriteDefAddMatch 519, 533	\do
\AtBeginDocument 54, 57, 100,	\documentstyle
121, 230, 529, 640, 711, 773, 1374	(documents by ite
\AtBeginDocumentMode . 659, 710, 1373	${f E}$
\AtEndDocument 754, 774	\end 732, 762, 770, 788, 798, 809, 851,
\AtEndOfPackage 120	865, 876, 890, 901, 915, 926,
	940, 951, 965, 976, 992, 1003,
В	1020, 1031, 1048, 1059, 1074, 1085, 1100, 1111, 1126, 1143,
\begin	1157, 1173, 1187, 1203, 1217,
785, 795, 801, 849, 852, 866, 874, 877, 891, 899, 902, 916,	1233, 1249, 1265, 1282, 1298,
924, 927, 941, 949, 952, 966,	1312, 1328, 1342, 1358, 1372,
974, 977, 993, 1001, 1004, 1021,	1388, 1402, 1413, 1427, 1438,
1029, 1032, 1049, 1057, 1060,	$1452,\ 1464,\ 1481,\ 1493,\ 1510,\ 1517$
1075, 1083, 1086, 1101, 1109,	\endcsname 10, 175, 768
1112, 1127, 1135, 1144, 1158,	\endinput 51
1166, 1174, 1188, 1196, 1204,	\endlinechar 5, 11, 23, 818
1218, 1226, 1234, 1250, 1258,	\EndTest
1266, 1283, 1291, 1299, 1313,	\Expect 731, 756, 767, 786, 796, 807
1321, 1329, 1343, 1351, 1359, 1378, 1386, 1389, 1403, 1411,	(Empere :
1414, 1428, 1436, 1439, 1453,	${f F}$
1462, 1465, 1482, 1491, 1494, 1511	\filea 645
\BOTTOM 749, 752	\fileb
	\filec 653 \filec@ntents 812, 813
C	(111ecentents
\catcode 3, 4, 6, 7,	${f G}$
8, 12, 13, 14, 15, 16, 17, 18, 21, 22, 24, 25, 26, 27, 31, 33, 675,	\g@addto@macro 83, 292,
683, 693, 694, 695, 696, 697,	438, 511, 585, 782, 792, 811, 830
698, 699, 700, 701, 702, 814, 819	\gdef 81, 124, 129, 135, 137,
\chapter 644, 648, 652	155, 436, 540, 583, 613, 618, 623, 781, 791, 828, 854, 855,
\CheckAnswer 780, 848, 873,	879, 880, 904, 905, 929, 930,
898, 923, 948, 973, 1000, 1028,	954, 955, 979, 980, 984, 989,
1056, 1082, 1108, 1134, 1165,	1006, 1007, 1011, 1014, 1017,
1195, 1225, 1257, 1290, 1320,	$1034, \ 1035, \ 1039, \ 1042, \ 1045,$
1350, 1385, 1410, 1435, 1460, 1489 \CheckInclude 764, 867, 868, 869,	1062, 1063, 1067, 1088, 1089,
892, 893, 894, 917, 918, 919,	1093, 1114, 1115, 1119, 1136,
942, 943, 944, 967, 968, 969,	1137, 1146, 1147, 1167, 1168, 1176, 1177, 1197, 1198, 1206,
994, 995, 996, 1022, 1023, 1024,	1207, 1227, 1228, 1236, 1237,
$1050,\ 1051,\ 1052,\ 1076,\ 1077,$	1241, 1246, 1259, 1260, 1268,
1078, 1102, 1103, 1104, 1128,	1269, 1273, 1276, 1279, 1292,
1129, 1130, 1159, 1160, 1161,	1293, 1301, 1302, 1322, 1323,
1189, 1190, 1191, 1219, 1220,	1331, 1332, 1352, 1353, 1361,
1221, 1251, 1252, 1253, 1284, 1285, 1286, 1314, 1315, 1316,	1362, 1391, 1392, 1416, 1417,
1344, 1345, 1346, 1379, 1380,	1441, 1442, 1467, 1468, 1496, 1497
1381, 1404, 1405, 1406, 1429,	\GetFileContents 802, 807, 808
1430, 1431, 1454, 1455, 1456,	I
$1483,\ 1484,\ 1485,\ 1512,\ 1513,\ 1514$	\if@filesw 60, 775
\CheckMatchMethod 790, 1461, 1490	\if@partsw 141
\comma@list	\ifAskInc@Found
\comma@normalize 430 \comma@parse@normalized 464, 501	\ifAskInc@PdfMatchAvailable
\CompatibilityMode 662	
\count@ 671,	\ifnum
675, 677, 678, 681, 683, 684, 685	\ifx 70, 72,
\csname 10, 175, 768	74, 136, 152, 175, 244, 263, 267,

$\begin{array}{cccccccccccccccccccccccccccccccccccc$	\pdffilesize
$\verb \label{localized}  \verb \labell  143, 162,$	\RangeCatcodeInvalid
163, 656, 1374, 1376, 1524, 1532 \IncludeTests	680, 689, 690, 691, 692 \renewcommand
(Includerests	\repeat
J \jobname 807, 808, 849, 852, 874, 877, 899, 902,	\RequirePackage
924, 927, 949, 952, 974, 977,	$\mathbf{S}$
1001, 1004, 1029, 1032, 1057, 1060, 1083, 1086, 1109, 1112, 1135, 1144, 1166, 1174, 1196, 1204, 1226, 1234, 1258, 1266, 1291, 1299, 1321, 1329, 1351, 1359, 1386, 1389, 1411, 1414, 1436, 1439, 1462, 1465, 1491, 1494	\space
${f L}$	${f T}$
L \LogTests	\Test 688, 707 \the 11, 12, 13, 14, 15, 16, 17, 18, 31, 675
\LogTests	\Test
\LogTests	\Test 688, 707 \the 11, 12, 13, 14, 15, 16, 17, 18, 31, 675
\LogTests	\Test 688, 707 \the 11, 12, 13, 14, 15, 16, 17, 18, 31, 675 \TMP@EnsureCode 28, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50 \typein 367, 595, 727, 728 \typeout 255, 256, 257, 258, 259, 265, 287, 299, 303, 312, 313, 316, 328, 331, 337, 338,
\LogTests	\Test 688, 707 \the 11, 12, 13, 14, 15, 16, 17, 18, 31, 675 \TMP@EnsureCode 28, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50 \typein 255, 256, 257, 258, 259, 265, 287, 299, 303, 312, 313, 316, 328, 331, 337, 338, 340, 341, 342, 369, 599, 745, 746
\LogTests	\Test