


TIME
(SECOND)

-X..... PostgreSQL- int (Delete)
- ▲----- MariaDB- int (Delete)
- SQLite- int (Delete)
- ◆----- Li's Hash- INTEGER (Delete)


45,000
40,000
35,000
30,000
25,000
20,000
15,000
10,000
5,000
0

200,000 400,000 600,000 800,000 1,000,000




TIME
(SECOND)


- PostgreSQL- double (Delete)
- MariaDB- double (Delete)
- SQLite- double (Delete)
- Li's Hash- REAL (Delete)





TIME
(SECOND)


- PostgreSQL - text (Delete)
- MariaDB - text (Delete)
- SQLite - text (Delete)
- Li's Hash - STRING (Delete)
















TIME
(SECOND)

-x..... PostgreSQL- int (Select)
- ▲----- MariaDB- int (Select)
- SQLite- int (Select)
- ◆----- Li's Hash- INTEGER (Select)




TIME
(SECOND)

- PostgreSQL- double (Select)
- MariaDB- double (Select)
- SQLite- double (Select)
- Li's Hash- REAL (Select)




TIME
(SECOND)


- PostgreSQL - text (Select)
- MariaDB - text (Select)
- SQLite - text (Select)
- Li's Hash - STRING (Select)



TIME
(SECOND)


- PostgreSQL- boolean (Update)
- MariaDB- boolean (Update)
- SQLite- boolean (Update)
- Li's Hash- BOOLEAN (Update)





TIME
(SECOND)

- PostgreSQL- double (Update)
- MariaDB- double (Update)
- SQLite- double (Update)
- Li's Hash- REAL (Update)



TIME
(SECOND)

- PostgreSQL - text (Update)
- MariaDB - text (Update)
- SQLite - text (Update)
- Li's Hash - STRING (Update)

