Supplier		
int	id	pk
String	name	
string	email	
int	mobile number	
int	landline number	

address		
int	id	pk
String	Streetname	
int	number	
string	ZipCode	
String	City	
int	supplier_id	Fk

Post box		
int	id	pk
int	number	
string	postcode	
string	city	
int	supplier_id	Fk

Category		
int	id	pk
String	name	

Sub Category		
int	id	pk
String	name	
int	Category_id	Fk

Place of Residence		
int	id	pk
string	name	
int	Municipality_id	Fk

province		
int	id	pk
string	name	
int	country_id	Fk

Municipality		
int	id	pk
string	name	
int	province_id	Fk

Country		
int	id	pk
string	name	

Postal Code		
string	postal code	pk
float	geolocation Lat	
float	geolocationLong	
string	streetname	
int	place_id	Fk

Contact person		
int	id	id
string	name	
string	email	
int	telephone_number	
int	supplier_id	Fk





* The Address, PO Box, and Contact Person tables are dependent on the Supplier table.
* The Sub-category table depends on the Category table.
* The Place of Residence depends on the Municipality table, which in turn depends on the Province table, and the Province table depends on the Country table.
* The Postal Code table depends on the Place of Residence table.
* The Task table depends on the Department table.
* The SupplierCategory and ContactPersonTask tables are junction tables managing many-to-many relationships between their respective entities.