

Stories — Epics 4 to 6 (DS-020 to DS-033)

📌 Draft v0.1 / pre-baseline. Child page of [User Stories and Acceptance Criteria](#), which owns the story format, the Definition of Ready and the Definition of Done. This page is held separately for size and editability only. It is not an independent artifact, carries no approval, and records no UAT acceptance and no release authorisation.

⚠️ No Jira issue has been created. These stories exist as specification text only. Issue creation in project `P5RCM` remains gated behind explicit written authorisation under decision D-BRD-04. The Jira project shell exists and contains zero issues.

This page covers the three delivery-surface epics. **Every story on this page describes a user-facing surface, and no user-facing surface exists at HEAD `8026f57`.** The repository contains no `ui/`, `web/` or `api/` directory and no web framework. Where a backend capability behind a surface *is* implemented and evidenced, that is stated per story and the split is carried in the two status columns rather than being averaged into a single misleading label.

Consequently every story here carries dependency **DEP-05** (no application or interface layer) in its blocking condition. That is a shared, known, recorded dependency; it is not restated as a separate defect per story.

Index — Epics 4 to 6

ID	Epic	Story	MoSCoW	Status — Catalogue / RTM
DS-020	4 — Executive Insight	Executive KPI band	Must	Designed–not implemented / Designed–not implemented
DS-021	4	Governed aggregate question and narrative answer	Must	Designed–not implemented / Designed–not implemented
DS-022	4	Source and evidence affordance on	Must	Designed–not implemented /

		every displayed figure		Designed–not implemented
DS-023	4	Aggregate-only scope enforced on the executive surface	Must	Designed–not implemented / Partly implemented
DS-024	4	KPI filters and period selection	Should	Designed–not implemented / Designed–not implemented
DS-025	4	Insights library with severity, impact and drill-down	Should	Designed–not implemented / Designed–not implemented
DS-026	5 — Analyst Workbench	Governed query surface for the analyst	Must	Designed–not implemented / Partly implemented
DS-027	5	Compliance verdict and evidence review surface	Must	Designed–not implemented / Partly implemented
DS-028	5	Grounding-blocked and access-denied state presentation	Must	Designed–not implemented / Designed–not implemented
DS-029	5	Governed export with scope and lineage stamp	Should	Designed–not implemented / Designed–not implemented
DS-030	6 — Denial Prioritisation and	Recoverable-denial eligibility	Must	Implemented / Designed–not

	Evidence	filtering		implemented
DS-031	6	Ranking by governed inputs	Must	Implemented / Designed-not implemented
DS-032	6	Filing-deadline derivation and reconciliation	Must	Implemented / Designed-not implemented
DS-033	6	Denial queue surface with drill-down to evidence	Should	Designed-not implemented / Partly implemented

Epic 4 — Executive Insight surface

Epic intent. Give an executive or viewer role a governed, aggregate-only view of revenue-cycle performance in which no displayed number is unsupported and every number can be traced back to the tool result and data generation that produced it. Source: FR-07, FR-15, FR-17; SFR-017 to SFR-019, SFR-038, SFR-041; UC-02, UC-03.

DS-020 — Executive KPI band

As an Executive Viewer, **I want** the headline revenue-cycle KPIs presented in a fixed band on entry, **so that** I can see current governed performance without composing a question.

Source	MoSCoW	Status — Catalogue / RTM	Classification
SFR-017; FR-07; UC-03	Must	Designed-not implemented / Designed-not implemented	surface executive blocked-by- dependency:DEP-05

```

1 Scenario: KPI band renders from a governed tool result
2   Given I am authenticated in the viewer role
3   And an accepted data generation is in force
4   When I open the Executive Insight surface
5   Then each KPI tile displays a value produced by a registered typed tool
6   And each tile displays the data generation identifier in force
7   And no tile displays a value computed in the presentation layer
8
9 Scenario: KPI band withholds a tile whose value cannot be grounded

```

```

10 Given the grounding validator blocks the value for one KPI
11 When the Executive Insight surface renders
12 Then that tile shows the governed blocked state rather than a number
13 And the remaining tiles render normally
14 And the blocked tile exposes a retrievable trace identifier
15
16 Scenario: KPI band never renders a placeholder as a real figure
17 Given a tool returns an envelope marked as a stub
18 When the surface renders
19 Then the tile is labelled as a placeholder and is visually distinct
20 And the value is not included in any export or narrative
21

```

- ❑ Values originate from typed tools only — SFR-001, SFR-017.
- ❑ Generation identifier is displayed, not inferred — SFR-003, SFR-033.
- ❑ Blocked state is fail-closed, never a zero or a dash — SFR-011, SNFR-001.
- ❑ Blocked and denied states are keyboard-reachable and announced — SNFR-015.
- ❑ Mock-up values in the design evidence are illustrative and must not be hardcoded — RAID I-05.

DS-021 — Governed aggregate question and narrative answer

As an Executive Viewer, **I want** to ask an aggregate question in plain language and receive a narrative answer bound to validated figures, **so that** I can interrogate performance without waiting for an analyst.

Source	MoSCoW	Status — Catalogue / RTM	Classification
SFR-018; FR-07, FR-01, FR-04; UC-02	Must	Designed-not implemented / Designed-not implemented	surface executive grounding blocked-by- dependency:DEP-05

```

1 Scenario: Aggregate question returns a grounded narrative
2   Given I am authenticated in the viewer role
3   When I submit an aggregate question within the approved semantic view
4   Then the response is produced only after grounding validation passes
5   And every numeric statement in the narrative resolves to a retained tool result
6   And the response carries the rules, model and configuration versions in force
7
8 Scenario: Ungrounded narrative is withheld in full
9   Given the narrative contains one numeric statement that cannot be traced
10  When grounding validation runs
11  Then the entire response is withheld
12  And a governed message explains that the answer could not be verified
13  And the blocked output is retained and retrievable by trace identifier
14
15 Scenario: Out-of-scope question is refused without speculation

```

```

16 Given I ask a question outside the approved semantic view
17 When the request is dispatched
18 Then no free-text query reaches the data layer
19 And the response states that the question is outside the governed scope
20 And the response contains no estimated, illustrative or example figure
21

```

- ❑ Whole-response withholding, not partial release — SNFR-001, SFR-011.
- ❑ No free-text SQL path from user or model — SFR-001.
- ❑ Version stamping present on the response envelope — SFR-003, SNFR-002.
- ❑ Response-time target is **proposed and unapproved** ($p95 \leq 15$ s, SNFR-009); it is not an acceptance criterion for this story and must not be tested as one.

DS-022 — Source and evidence affordance on every displayed figure

As an Executive Viewer, **I want** every displayed figure to expose where it came from, **so that** I can defend the number in a meeting without asking the delivery team.

Source	MoSCoW	Status — Catalogue / RTM	Classification
SFR-019, SFR-031; FR-07, FR-12; UC-03, UC-08	Must	Designed-not implemented / Designed-not implemented	surface lineage blocked-by- dependency:DEP- 05 blocked-by- dependency:DEP- 06

```

1 Scenario: Figure exposes its lineage
2   Given a KPI tile or narrative figure is displayed
3   When I open the source affordance for that figure
4   Then I see the typed tool invoked and its parameters
5   And I see the result hash, the data generation and the rules version
6   And I see the timestamp at which the result was produced
7
8 Scenario: Lineage resolves end to end for an audit request
9   Given an auditor asks for the provenance of a displayed figure
10  When the lineage is resolved
11  Then the chain from displayed figure to source extract row set is complete
12  And no link in the chain is reconstructed after the fact
13
14 Scenario: Lineage unavailable is stated, not hidden
15   Given the persistent audit service is unavailable
16   When I open the source affordance
17   Then the surface states that lineage cannot currently be resolved
18   And it does not display a partial chain as if it were complete
19

```

- ❑ Lineage is retrieved from retained records, never regenerated on demand — SFR-031, SNFR-005.

- Depends on a persistent audit service that does not yet exist — DEP-06, SNFR-005.
- Failure to resolve is a declared gap, not a silent omission — SNFR-005 failure treatment.

DS-023 — Aggregate-only scope enforced on the executive surface

As the Information Security and Privacy Owner, **I want** the executive surface to be incapable of returning record-level data, **so that** viewer access cannot become a member-level disclosure path.

Source	MoSCoW	Status — Catalogue / RTM	Classification
SFR-013, SFR-012; BR-02, FR-05; SNFR-004; UC-02, UC-03	Must	Designed-not implemented / Partly implemented	surface security privacy blocked-by-dependency:DEP-05

```
1 Scenario: Viewer session cannot retrieve record-level rows on any path
2   Given I hold the viewer role
3   When I request member or claim detail through the interface, the API or an export
4   Then zero record-level rows are returned on every path
5   And the denial is recorded with user, role, time and requested scope
6
7 Scenario: Prompt text does not widen scope
8   Given I hold the viewer role
9   When I instruct the agent that I am authorised to see member detail
10  Then the server-side capability check denies the request
11  And the denial does not depend on any instruction in the prompt
12
13 Scenario: Aggregation floor is applied before display
14   Given an aggregate result would resolve to a single member
15   When the result is prepared for a viewer session
16   Then the result is suppressed rather than displayed
17
```

- Enforcement is server-side; prompt text is not a security boundary — SFR-014, SNFR-003.
- Role-negative tests must be run **per path** — tool, route and export — not against the tool path alone — SNFR-004 measurement method.
- Backend tool-path enforcement is evidenced; interface and export paths cannot be tested until they exist — SNFR-004.
- The aggregation floor value does not exist and is **TBD — requires validation** by the Information Security and Privacy Owner before UAT entry. No figure is invented here.
- Any record-level disclosure to a viewer is a privacy incident, not a defect triage item — SNFR-004.

DS-024 — KPI filters and period selection

As an Executive Viewer, **I want** to filter the KPI view by period and governed dimension, **so that** I can look at the segment I am accountable for.

Source	MoSCoW	Status — Catalogue / RTM	Classification
SFR-038; FR-15; UC-03	Should	Designed-not implemented / Designed-not implemented	surface executive blocked-by- dependency:DEP-05

```
1 Scenario: Filter selections are re-executed through the typed tool
2   Given a KPI view is displayed
3   When I change the period or a governed dimension filter
4   Then the values are recomputed by re-invoking the typed tool with validated parameters
5   And no value is recomputed client-side from a previously returned result
6
7 Scenario: Filter combination outside the semantic view is rejected
8   Given I select a dimension combination not present in the approved semantic view
9   When the request is validated
10  Then the request is rejected before dispatch
11  And the surface explains which dimension is unavailable
12
13 Scenario: Period outside the accepted generation window is refused
14   Given I select a period not covered by the accepted data generation
15   When the request is validated
16   Then the request is refused
17   And the surface states the coverage window of the generation in force
18
```

- ☐ Parameter validation applies to filter-driven calls exactly as to typed questions — SFR-002.
- ☐ Window validation is enforced against the accepted generation — SFR-032.
- ☐ Period comparison and change decomposition are **out of scope** here: they belong to FR-20 / SFR-044, which is Could and deferred to a future generation and must not be implied by this story.

DS-025 — Insights library with severity, impact and drill-down

As an Executive Viewer, **I want** a library of governed insights ordered by severity and financial impact, **so that** I can decide where to direct attention.

Source	MoSCoW	Status — Catalogue / RTM	Classification
SFR-041; FR-17; UC-03	Should	Designed-not implemented /	surface executive

		Designed-not implemented	blocked-by- dependency:DEP- 05
--	--	-----------------------------	--------------------------------------

```
1 Scenario: Insight entries are governed and cited
2   Given the insights library is displayed
3   When I read any entry
4   Then the entry cites the tool result and data generation behind it
5   And the entry carries a severity and a financial impact produced by governed computation
6
7 Scenario: Drill-down preserves role scope
8   Given I hold the viewer role
9   When I drill into an insight
10  Then the drill-down remains aggregate-only
11  And no member or claim identifier is exposed
12
13 Scenario: An insight whose supporting figure is blocked is not published
14   Given the supporting figure for an insight fails grounding validation
15   When the library is assembled
16   Then the insight is withheld
17   And the withholding is retained and retrievable
18
```

- ☐ Severity and impact are computed deterministically, not narrated by the model — SNFR-002.
- ☐ Drill-down inherits the viewer scope — SFR-013.
- ☐ This story is a **governed library of computed insights that a user opens**. It is **not** a proactive cited findings feed: FR-22 / SFR-046 is Could, deferred to a future generation, and must not appear as delivered or committed through this story.
- ☐ Severity thresholds do not exist and are **TBD — requires validation** by the Product Owner. No figure is invented here.

Epic 5 — Analyst Workbench

Epic intent. Give the RCM analyst a working surface over the governed query, compliance and evidence capabilities, with the safety states — grounding blocked, access denied — treated as first-class designed states rather than error handling. Source: FR-08, FR-02, FR-12, FR-15; SFR-020, SFR-039, SFR-004, SFR-005, SFR-011, SFR-012, SFR-031; UC-02, UC-04, UC-05.

DS-026 — Governed query surface for the analyst

As an RCM Analyst, **I want** a working surface in which I can ask governed questions and keep the results of a session, **so that** I can carry out an investigation without losing my working context.

Source	MoSCoW	Status — Catalogue / RTM	Classification
--------	--------	-----------------------------	----------------

SFR-020, SFR-001, SFR-002; FR-08, FR- 01; UC-02, UC-04	Must	Designed-not implemented / Partly implemented	surface analyst blocked-by- dependency:DEP- 05
--	------	---	---

1	Scenario: Session results are retained and addressable
2	Given I am authenticated in the analyst role
3	When I run a sequence of governed questions
4	Then each result is retained in the session with its result hash and generation
5	And each retained result can be referenced by a later request in the same session
6	
7	Scenario: Analyst scope exceeds viewer scope only where the role permits
8	Given I am authenticated in the analyst role
9	When I request claim-level detail within my permitted scope
10	Then the detail is returned
11	And the access is recorded with user, role, time and scope
12	
13	Scenario: Session context does not survive a generation change
14	Given an accepted data generation is superseded during my session
15	When I reference a retained result from the prior generation
16	Then the surface states that the result belongs to a superseded generation
17	And it does not silently recompute the value against the new generation
18	

- ☐ Backend query and validation are implemented and evidenced; the surface is not — hence the split status.
- ☐ Retained results carry the stamped envelope — SFR-003.
- ☐ Cross-generation comparison is not authorised by this story and must not be inferred from session retention.

DS-027 — Compliance verdict and evidence review surface

As an RCM Analyst, **I want** to see the compliance verdict for a claim together with the rule trace that produced it, **so that** I can judge whether the finding is actionable.

Source	MoSCoW	Status — Catalogue / RTM	Classification
SFR-004, SFR-005, SFR-006, SFR-031; FR-02, FR-12; UC-05	Must	Designed-not implemented / Partly implemented	surface analyst compliance blocked-by- dependency:DEP- 05

1	Scenario: Verdict is displayed with its deterministic trace
2	Given a claim has a computed compliance verdict
3	When I open the claim in the review surface
4	Then the verdict, the rules version in force and the rule trace are displayed
5	And the trace lists each rule evaluated and its individual outcome

```

6
7 Scenario: The narrative cannot contradict the verdict
8   Given the language model produces an explanatory narrative for the verdict
9   When the narrative is prepared for display
10  Then the narrative is checked against the deterministic verdict
11  And a narrative that states a different outcome is rejected and not displayed
12
13 Scenario: Re-evaluation under a new rules version is presented as a new verdict
14   Given the rules version changes
15   When the claim is re-evaluated
16   Then the new verdict is recorded alongside the prior verdict
17   And neither verdict overwrites the other
18

```

- The agent may explain a verdict; it may never alter one — SFR-006.
- Every verdict is bound to the rules version in force — SFR-005.
- Repeat evaluation under identical inputs and versions must be byte-identical — SNFR-002.

DS-028 — Grounding-blocked and access-denied state presentation

As an RCM Analyst, **I want** the blocked and denied states to tell me plainly what happened and what to do next, **so that** I do not mistake a safety block for a system fault or for an empty result.

Source	MoSCoW	Status — Catalogue / RTM	Classification
SFR-011, SFR-012; SNFR-001, SNFR-015; UC-02, UC-05	Must	Designed-not implemented / Designed-not implemented	surface safety- state accessibility blocked-by- dependency:DEP- 05

```

1 Scenario: Grounding-blocked state is distinguishable from an empty result
2   Given a response is withheld by the grounding validator
3   When the state is presented
4   Then the surface states that the answer was withheld because it could not be verified
5   And the state is visually and semantically distinct from "no data found"
6   And a trace identifier is offered for follow-up
7
8 Scenario: Access-denied state does not leak the existence of data
9   Given I request data outside my role scope
10  When the denial is presented
11  Then the message states that my role does not permit the request
12  And it does not disclose whether matching records exist
13
14 Scenario: Safety states are accessible
15   Given a grounding-blocked or access-denied state is displayed
16   When the surface is operated with a keyboard alone
17   Then the state is reachable, focusable and announced to assistive technology
18

```

- Accessibility of the blocked and denied states is **explicitly in scope** — these are the states most often omitted from an accessibility pass and they carry the safety message — SNFR-015.
- Fail-closed behaviour must never be presented as a transient error inviting a retry — SNFR-001.
- WCAG 2.2 Level AA applies; the severity classification defining a "critical violation" is **TBD — requires validation** by the Product Owner before UAT entry — SNFR-015.

DS-029 — Governed export with scope and lineage stamp

As an RCM Analyst, **I want** to export a governed result set with its provenance attached, **so that** the figures remain defensible once they leave the system.

Source	MoSCoW	Status — Catalogue / RTM	Classification
SFR-039, SFR-003; FR-15, SEC-05; SNFR-004; UC-03, UC-04	Should	Designed-not implemented / Designed-not implemented	surface export security blocked-by- dependency:DEP-05

```

1 Scenario: Export carries provenance
2   Given a governed result set is displayed
3   When I export it in an approved format
4   Then the export carries the data generation, rules version and result hashes
5   And the export carries the role and scope under which it was produced
6
7 Scenario: Export respects role scope
8   Given I hold the viewer role
9   When I export from an aggregate surface
10  Then the export contains aggregates only
11  And no record-level row is present in the exported file
12
13 Scenario: Export of a blocked or stub value is refused
14   Given the result set contains a grounding-blocked value or a stub-marked value
15   When I request an export
16   Then the export is refused for that result set
17   And the refusal names the offending field
18

```

- Export is a distinct access path and must be role-tested separately — SNFR-004.
- Approved export formats do not yet exist and are owned by the Product Owner with the Information Security and Privacy Owner; the format list is **TBD — requires validation**.
- Abnormal export activity is one of the six monitored signal classes — SNFR-018; monitoring thresholds are TBD.

Epic 6 — Denial prioritisation and evidence

Epic intent. Identify which denied claims are worth pursuing, in what order, and by when — deterministically, from governed inputs, with the reasoning visible. Source: FR-03, FR-08, FR-16; SFR-007 to SFR-009, SFR-021, SFR-040; UC-04, UC-05.

📌 Epic 6 is the clearest case of the catalogue/RTM split on this page. The **selection, ranking and deadline logic is implemented and covered by automated tests** in the repository at HEAD `8026f57` through the `get_recoverable_denials` tool. The **queue the analyst would work from does not exist**. Both facts are recorded rather than averaged.

DS-030 — Recoverable-denial eligibility filtering

As an RCM Analyst, **I want** only genuinely recoverable denials to enter my queue, **so that** I do not spend effort on claims that cannot be recovered.

Source	MoSCoW	Status — Catalogue / RTM	Classification
SFR-007; FR-03; UC-04	Must	Implemented / Designed-not implemented	backend-evidenced denials

```
1 Scenario: Ineligible denials are excluded deterministically
2   Given a set of denied claims in the accepted data generation
3   When recoverable denials are requested
4   Then claims failing an eligibility condition are excluded
5   And the excluded reason is available per claim
6   And repeat execution with identical inputs returns an identical set
7
8 Scenario: Eligibility is computed, not narrated
9   Given the agent is asked which denials are recoverable
10  When the response is produced
11  Then eligibility comes from the typed tool result
12  And the agent does not add or remove a claim from the returned set
13
14 Scenario: Eligibility conditions are bound to a rules version
15   Given the eligibility ruleset changes
16   When the tool executes
17   Then the returned envelope records the ruleset version applied
18
```

- ❑ Backend behaviour is evidenced by the automated test suite (245 tests passing at HEAD `8026f57`).
- ❑ Determinism gate applies — SNFR-002.
- ❑ RTM status remains Designed-not implemented because no analyst-facing queue consumes this output — DEP-05.

DS-031 — Ranking by governed inputs

As an RCM Analyst, **I want** the recoverable denials ordered by governed, inspectable inputs, **so that** I work the highest-value recoveries first and can justify the order.

Source	MoSCoW	Status — Catalogue / RTM	Classification
SFR-008; FR-03; UC-04	Must	Implemented / Designed-not implemented	backend-evidenced denials evidence-gap

```
1 Scenario: Rank order is reproducible and explainable
2   Given a set of eligible recoverable denials
3   When the ranking is computed
4   Then each claim carries the input values that determined its position
5   And repeat execution with identical inputs and versions produces an identical order
6
7 Scenario: Ranking inputs are governed values, not model judgements
8   Given the ranking is produced
9   When the inputs are inspected
10  Then every input traces to a typed tool result or a configured rule
11  And no input originates from language-model narration
12
13 Scenario: A placeholder input cannot silently influence rank
14   Given a ranking input is supplied by a component marked as a stub
15   When the ranking is computed
16   Then the affected claims are marked as provisionally ranked
17   And the placeholder input is named in the result envelope
18
```

☐ Determinism and version binding apply — SNFR-002, SFR-005.

☐ **Evidence gap carried by this story:** `score_member` returns `STUB` – deterministic placeholder scores, not `P3 model output` at HEAD `8026f57`. Any ranking that consumes a member score consumes a placeholder. The third scenario exists precisely to keep that visible and must not be removed when the scoring model is integrated — it becomes the regression guard.

☐ Weighting of ranking inputs is not approved and is **TBD — requires validation** by the Product Owner with the Data Owner/Steward. No weighting is invented here.

DS-032 — Filing-deadline derivation and reconciliation

As an RCM Analyst, **I want** the appeal filing deadline derived and reconciled per claim, **so that** I do not lose a recoverable claim to a missed window.

Source	MoSCoW	Status — Catalogue / RTM	Classification
--------	--------	--------------------------	----------------

SFR-009; FR-03; UC-04	Must	Implemented / Designed-not implemented	backend-evidenced denials compliance
-----------------------	------	--	--------------------------------------

1	Scenario: Deadline is derived from governed source dates
2	Given a denied claim with a denial date and a payer rule
3	When the filing deadline is derived
4	Then the derived deadline states the source date and the rule applied
5	And the derivation is reproducible for identical inputs
6	
7	Scenario: Conflicting deadline sources are reconciled explicitly
8	Given two source values imply different deadlines for the same claim
9	When reconciliation runs
10	Then the conservative deadline is applied
11	And both candidate values and the reconciliation basis are retained
12	
13	Scenario: An underivable deadline is flagged, not estimated
14	Given a claim lacks a source date required for derivation
15	When the deadline is requested
16	Then the claim is flagged as having no derivable deadline
17	And no estimated or default deadline is substituted
18	

- ☐ No deadline is inferred, defaulted or rounded — governance constraint on invented values.
- ☐ Payer-specific filing windows are configuration, not code — SFR-032, SNFR-017.
- ☐ Reconciliation basis is retained for audit — SNFR-005.

DS-033 — Denial queue surface with drill-down to evidence

As an RCM Analyst, **I want** a working queue of prioritised denials that opens into the supporting evidence, **so that** I can move from list to decision without leaving the system.

Source	MoSCoW	Status — Catalogue / RTM	Classification
SFR-021, SFR-040; FR-08, FR-16; UC-04, UC-05	Should	Designed-not implemented / Partly implemented	surface analyst denials blocked-by-dependency:DEP-05

1	Scenario: Queue reflects the governed ranking without re-ordering it
2	Given a ranked set of recoverable denials
3	When the queue is displayed
4	Then the displayed order matches the governed rank order
5	And the surface does not apply its own ordering, weighting or tie-break
6	
7	Scenario: Drill-down assembles the evidence for a selected denial
8	Given I select a denial in the queue

```

9   When the detail opens
10  Then I see the compliance verdict, the rule trace, the ranking inputs and the filing
    deadline
11  And each element cites the tool result that produced it
12
13  Scenario: Queue does not present a stale generation as current
14  Given the accepted data generation has changed since the queue was loaded
15  When I act on a queue item
16  Then the surface states that the queue is from a superseded generation
17  And it requires a refresh before an action is recorded
18

```

- ☐ Presentation may not alter governed ordering — SFR-008, SFR-021.
- ☐ Drill-down evidence assembly depends on lineage resolution — SFR-031, DEP-06.
- ☐ This story ends at evidence review. **Appeal drafting, approval and submission are not in scope here** — drafting is Epic 7 under D-BRD-07, and external submission is excluded from the boundary by SFR-047 / FR-23 (Deferred) and may not be built in this baseline.

Traceability roll-up for this page

System requirement	Covered by
SFR-017, SFR-018, SFR-019	DS-020, DS-021, DS-022
SFR-012, SFR-013, SFR-014	DS-023 (also DS-001 to DS-004, Epic 1)
SFR-038, SFR-041	DS-024, DS-025
SFR-020	DS-026
SFR-004, SFR-005, SFR-006	DS-027 (also DS-016 to DS-018, Epic 3)
SFR-011	DS-028 (also DS-014, Epic 3)
SFR-039	DS-029
SFR-007, SFR-008, SFR-009	DS-030, DS-031, DS-032
SFR-021, SFR-040	DS-033
SFR-031	DS-022, DS-027, DS-033 (primary coverage in Epic 8)
SNFR-001, SNFR-004, SNFR-015	DS-021, DS-023, DS-028

 **Not covered on this page, by design.** SFR-022 (appeal-review surface), SFR-026 to SFR-030 (appeal drafting and approval) and SFR-023 to SFR-025 (audit console) are covered by Epics 7 and 8. SFR-042 (profile and access presentation) is covered in Epic 1 by DS-

006. SFR-043 to SFR-050 are Could or Won't and are held in Epic 10; none is committed to this baseline.