

Stories — Epics 7 to 8 (DS-034 to DS-044)

📌 Draft v0.1 / pre-baseline. Child page of [User Stories and Acceptance Criteria](#), which owns the story format, the Definition of Ready and the Definition of Done. Held separately for size and editability only. No approval, no UAT acceptance, no release authorisation is recorded by this page.

⚠️ No Jira issue has been created. Issue creation in project `P5RCM` remains gated behind explicit written authorisation under decision D-BRD-04. The Jira project shell exists and contains zero issues.

❌ Every story in Epic 7 is blocked by an undecided governance decision. Decision **D-BRD-07 — who is accountable for approving an appeal** remains **Pending**. No role has been assigned. These stories are therefore **not ready** under the Definition of Ready, they carry `blocked-by-decision:D-BRD-07`, and none of them may be scheduled, estimated as committed work, or treated as accepted scope until that decision is recorded under Change Control. They are specified now so that the decision is made against a concrete description of what it authorises — not so that work can start.

The system-wide prohibition restated, because Epic 7 is where it would be eroded. P5 **cannot approve** an appeal and **cannot send** one (SFR-027). Approval is a named-human act that P5 records. External submission to a payer or third-party administrator is **outside the system boundary** (SFR-047 / FR-23, Deferred) and no automated path to it exists or may be built in this baseline. Nothing on this page introduces autonomous approval or autonomous sending, and no story here may be reinterpreted as doing so.

Index — Epics 7 to 8

ID	Epic	Story	MoSCoW	Status — Catalogue / RTM
DS-034	7 — Appeal Drafting and Approval	Governed appeal draft generation	Must	Designed—not implemented / Designed—not implemented
DS-035	7	Evidence checklist	Must	Designed—not implemented /

		completeness before a draft is produced		Designed-not implemented
DS-036	7	Prohibited-language validation on the draft	Must	Designed-not implemented / Designed-not implemented
DS-037	7	Pending-review state; no autonomous approval or send	Must	Implemented / Designed-not implemented
DS-038	7	Appeal review surface	Must	Designed-not implemented / Designed-not implemented
DS-039	7	Named-human approve, reject or return decision recording	Must	Designed-not implemented / Designed-not implemented
DS-040	7	Duplicate approval prevention and immutable retrieval	Must	Designed-not implemented / Designed-not implemented
DS-041	8 — Audit, Lineage and Evidence	Audit event search and retrieval	Must	Designed-not implemented / Designed-not implemented
DS-042	8	Rules, model and configuration version history	Must	Designed-not implemented / Designed-not implemented

DS-043	8	Append-only audit enforcement	Must	Designed-not implemented / Designed-not implemented
DS-044	8	End-to-end evidence lineage resolution	Must	Designed-not implemented / Partly implemented

Epic 7 — Appeal drafting and approval

Epic intent. Produce a defensible appeal draft from governed evidence, hold it in a state that cannot progress without a named human, and record that human's decision immutably. Source: FR-10, FR-11, BR-04; SFR-022, SFR-026 to SFR-030; UC-06, UC-07.

📌 **Repository evidence at HEAD 8026f57**. The `draft_appeal` tool exists and is registered, but returns `"stub": true` with a body of `[STUB – template body pending]`. There is therefore **no appeal content generation in the codebase**. What is implemented and evidenced is the surrounding governance: the draft is produced in a pending-review state and the system provides no approve or send path. That split is why DS-037 alone carries a catalogue status of Implemented while the rest of the epic does not.

DS-034 — Governed appeal draft generation

As an RCM Analyst, **I want** an appeal draft assembled from the governed evidence for a denial, **so that** I start from a defensible document rather than a blank page.

Source	MoSCoW	Status — Catalogue / RTM	Classification
SFR-026; FR-10; UC-06	Must	Designed-not implemented / Designed-not implemented	<code>appeal blocked-by-decision:D-BRD-07 blocked-by-dependency:DEP-05 evidence-gap</code>

```

2   Given a denial with a compliance verdict and supporting tool results
3   When an appeal draft is requested
4   Then every factual claim in the draft cites the tool result that supports it
5   And the draft records the data generation and rules version in force
6   And the draft contains no figure that failed grounding validation
7
8   Scenario: Draft cannot be produced without sufficient evidence
9     Given the required evidence for the denial is incomplete
10    When an appeal draft is requested
11    Then the draft is not produced
12    And the response names the missing evidence items
13
14   Scenario: A stub-generated draft is unmistakably marked
15     Given the drafting component returns a stub response
16     When the draft is presented
17     Then the draft is labelled as a placeholder
18     And it cannot be submitted for approval
19

```

- **Evidence gap carried by this story:** `draft_appeal` currently returns `stub: true` and `[STUB – template body pending]` at HEAD `8026f57`. This story is unimplemented content generation, not a partially working feature, and must not be reported as Partly implemented.
- No claim in a draft may originate from model narration alone — SFR-026, SNFR-001.
- The third scenario is the regression guard: it must survive the replacement of the stub with real generation.
- Blocked: D-BRD-07 (approving role unassigned), DEP-05 (no surface).

DS-035 — Evidence checklist completeness before a draft is produced

As the Compliance and Regulatory Owner, **I want** a mandatory evidence checklist enforced before any draft exists, **so that** an incomplete appeal cannot reach a reviewer and consume their judgement.

Source	MoSCoW	Status — Catalogue / RTM	Classification
SFR-028; FR-10; UC-06	Must	Designed–not implemented / Designed–not implemented	<code>appeal</code> <code>compliance</code> <code>blocked-by-</code> <code>decision:D-BRD-</code> <code>07</code>

```

1   Scenario: Checklist is evaluated before generation
2     Given an appeal is requested for a denial
3     When the evidence checklist is evaluated
4     Then each required item is marked present or absent with its source
5     And generation proceeds only when every required item is present
6
7   Scenario: A missing item cannot be waived silently

```

```

8   Given a required evidence item is absent
9   When a user attempts to proceed
10  Then the attempt is refused
11  And any override requires a recorded decision naming the person and the reason
12
13  Scenario: Checklist composition is configuration, not code
14  Given the required evidence set changes
15  When the configuration is updated and versioned
16  Then the new checklist applies without a code change
17  And the checklist version is recorded on every evaluation
18

```

- ☐ The required evidence set does not yet exist and is **TBD — requires validation** by the Compliance and Regulatory Owner with the Product Owner before UAT entry. No checklist is invented here.
- ☐ Configuration-driven, consistent with SNFR-017 and SFR-032.
- ☐ An override is a recorded decision, never a silent bypass — SNFR-005.

DS-036 — Prohibited-language validation on the draft

As the Compliance and Regulatory Owner, **I want** drafts screened for prohibited language before review, **so that** the organisation does not send a document that creates legal or regulatory exposure.

Source	MoSCoW	Status — Catalogue / RTM	Classification
SFR-028; FR-10; UC-06	Must	Designed-not implemented / Designed-not implemented	appeal compliance blocked-by- decision:D-BRD-07

```

1  Scenario: Prohibited language blocks the draft from reaching review
2  Given a generated draft contains a prohibited construction
3  When validation runs
4  Then the draft is held and cannot enter the review queue
5  And the offending passage and rule are reported to the analyst
6
7  Scenario: Validation runs on the final draft text, not the template
8  Given a draft has been edited after generation
9  When it is submitted for review
10  Then validation re-runs against the edited text
11  And a previously passing draft is re-blocked if the edit introduced a violation
12
13  Scenario: Validation outcome is retained regardless of result
14  Given validation completes with either outcome
15  When the event is recorded
16  Then the ruleset version, outcome and any offending passage reference are retained
17

```

- Validation applies to the text that would actually be sent, including human edits — this is the failure mode most often missed.
- The prohibited-language ruleset does not exist and is **TBD — requires validation** by the Compliance and Regulatory Owner. No wording rules are invented here.
- Deterministic rule evaluation, version-bound — SNFR-002, SFR-005.

DS-037 — Pending-review state; no autonomous approval or send

As the Executive Sponsor, **I want** the system to be structurally incapable of approving or sending an appeal, **so that** accountability for a payer-facing communication always rests with a named person.

Source	MoSCoW	Status — Catalogue / RTM	Classification
SFR-027; FR-10, BR-04; UC-06, UC-07	Must	Implemented / Designed-not implemented	appeal governance- boundary backend- evidenced

```

1 Scenario: Every draft is created in pending review
2   Given an appeal draft is produced
3   When its initial state is inspected
4   Then the state is pending review
5   And no path exists by which the system sets it to approved
6
7 Scenario: No send capability is exposed to the agent
8   Given the registered tool set is inspected
9   When it is checked for an external submission capability
10  Then no tool exists that transmits an appeal to a payer or third party
11  And no configuration option enables one
12
13 Scenario: Instruction cannot escalate the draft state
14   Given a user or a prompt instructs the agent to approve or send the appeal
15   When the instruction is processed
16   Then the request is refused
17   And the refusal is recorded with the instruction that triggered it
18

```

- **Backend-evidenced.** The absence of an approve or send path is verified against the registered tool set at HEAD `8026f57`: the six registered tools are `query_claims`, `check_compliance`, `score_member`, `get_recoverable_denials`, `draft_appeal` and `render_chart`. None transmits externally.
- RTM status remains Designed-not implemented because no review workflow or surface consumes the pending state — DEP-05.
- This story is a **prohibition**. It is satisfied by the continued absence of a capability, and its

scenarios are permanent negative tests that must never be deleted as redundant.

□ External submission remains excluded by SFR-047 / FR-23 (Deferred) and is not in this baseline.

DS-038 — Appeal review surface

As an Appeal Approver, **I want** a review surface presenting the draft alongside its evidence and validation results, **so that** I can make an accountable decision rather than a rubber-stamp one.

Source	MoSCoW	Status — Catalogue / RTM	Classification
SFR-022; FR-08, FR-10; UC-07	Must	Designed-not implemented / Designed-not implemented	appeal surface blocked-by- decision:D-BRD-07 blocked-by- dependency:DEP-05

```
1 Scenario: Reviewer sees the draft with its evidence and validation state
2   Given a draft is pending review
3   When I open it in the review surface
4   Then I see the draft text, the cited evidence, the checklist result and the language
   validation result
5   And I see the data generation and rules version under which it was produced
6
7 Scenario: Reviewer identity and role are established before the decision controls appear
8   Given I open a draft pending review
9   When my role is evaluated
10  Then approve, reject and return controls are shown only if my role permits the decision
11  And a role without the permission sees the draft read-only
12
13 Scenario: A held draft cannot be approved from the surface
14   Given a draft is held by checklist or language validation
15   When I open it
16   Then the decision controls are unavailable
17   And the surface states which validation is holding it
18
```

□ **The role permitted to approve does not exist yet.** D-BRD-07 is Pending; the second scenario cannot be implemented or tested until a role is assigned. This story is not ready and must not be estimated as committed work.

□ Server-side capability enforcement applies to the decision controls — SFR-012, SNFR-003.

□ Accessibility of the held and read-only states is in scope — SNFR-015.

DS-039 — Named-human approve, reject or return decision recording

As an Auditor, **I want** every appeal decision attributed to a named person with a timestamp and a reason, **so that** the organisation can demonstrate who authorised what.

Source	MoSCoW	Status — Catalogue / RTM	Classification
SFR-029; FR-11; UC-07	Must	Designed-not implemented / Designed-not implemented	appeal audit blocked-by- decision:D-BRD-07 blocked-by-dependency:DEP-06

```

1 Scenario: Decision is recorded with full attribution
2   Given a permitted reviewer decides on a draft
3   When the decision is recorded
4   Then the event records the person, role, decision, timestamp and reason
5   And it records the exact draft version the decision applied to
6
7 Scenario: A returned draft re-enters drafting without losing its history
8   Given a reviewer returns a draft for rework
9   When the analyst revises it
10  Then the revision is a new draft version linked to the prior one
11  And the return decision remains attached to the version it was made against
12
13 Scenario: A decision cannot be recorded on behalf of another person
14   Given a user attempts to record a decision attributed to someone else
15   When the attempt is processed
16   Then it is refused
17   And the refusal is retained
18

```

- ☐ Approval is a human act the system records; the system never originates it — SFR-027.
- ☐ Requires a persistent audit service that does not exist — DEP-06, SNFR-005.
- ☐ Requires an authenticated identity source that does not exist — DEP-05, SNFR-003.
- ☐ The reviewer role itself is unassigned under D-BRD-07. Until it is, "permitted reviewer" has no referent and the story cannot be made ready.

DS-040 — Duplicate approval prevention and immutable retrieval

As an Auditor, I want an approval to be recordable exactly once and retrievable unchanged, **so that** the approval record can be relied on as evidence.

Source	MoSCoW	Status — Catalogue / RTM	Classification
SFR-030; FR-11; UC-07, UC-08	Must	Designed-not implemented / Designed-not implemented	appeal audit blocked-by- decision:D-BRD-07 blocked-by-


```

1 Scenario: A second approval on the same draft version is blocked
2   Given a draft version already carries a recorded approval
3   When a second approval is submitted for that same version
4   Then the second approval is blocked
5   And the blocked attempt is retained as an immutable event
6
7 Scenario: A recorded approval cannot be altered or deleted
8   Given an approval event exists
9   When an alteration or deletion is attempted through any path
10  Then the attempt fails
11  And the failed attempt is itself recorded
12
13 Scenario: Approval retrieval returns the original event
14   Given an approval was recorded at a point in time
15   When it is retrieved later
16   Then the returned event is byte-identical to the recorded event
17   And it resolves to the draft version and evidence set it applied to
18

```

- ☐ Append-only enforcement is shared with DS-043 and must be implemented once, not twice — SFR-025.
- ☐ Idempotency is on the draft *version*, not the appeal: a revised draft is a new version and requires its own decision.
- ☐ Retention period for approval events is **TBD — requires validation** by the Compliance and Regulatory Owner — SNFR-014, and depends on D-BRD-06, which remains **Proposed**.

Epic 8 — Audit, lineage and evidence retrieval

Epic intent. Make the system's behaviour reconstructable after the fact: what was asked, what was executed, under which versions, what was returned, who decided what, and where every displayed figure came from. Source: FR-09, FR-12, SEC-07, NFR-05; SFR-023 to SFR-025, SFR-031; UC-08.

 **No persistent application audit service exists at HEAD 8026f57** . Result envelopes are stamped in-process (SFR-003, verified), but there is no durable, searchable, append-only event store. Dependency **DEP-06** covers this and blocks the whole epic. Nothing in this epic may be marked Partly implemented on the strength of envelope stamping alone.

DS-041 — Audit event search and retrieval

As an Auditor, I want to search audit events by user, role, time, claim and event type, **so that** I can answer a question about what happened without asking the delivery team to query a log.

Source	MoSCoW	Status — Catalogue / RTM	Classification
--------	--------	-----------------------------	----------------

SFR-023; FR-09, SEC-07; SNFR-005; UC-08	Must	Designed-not implemented / Designed-not implemented	audit surface blocked-by- dependency:DEP- 06 blocked-by- dependency:DEP- 05
---	------	--	--

1	Scenario: Event carries the mandated fields
2	Given any auditable action occurs
3	When the event is written
4	Then it records user, role, time, prompt, tool calls and parameters
5	And it records result hashes and the rules, model and configuration versions
6	And it records the response and any approval event
7	
8	Scenario: Search returns a complete result set for the stated criteria
9	Given a set of events matching the search criteria
10	When the search executes
11	Then every matching event is returned
12	And the result states the time range and criteria that produced it
13	
14	Scenario: An audit-write failure is declared, not reconstructed
15	Given the audit store was unavailable for a period
16	When events for that period are searched
17	Then the gap is reported explicitly as a period with no records
18	And no event is back-filled or inferred for that period
19	

- ☐ Field completeness is 100 per cent of the mandated fields on every event — SNFR-005.
- ☐ Search response time and retention period are **TBD — requires validation** by the Compliance and Regulatory Owner with the Platform/Support Owner before UAT entry. No figure is invented here.
- ☐ Audit-write failure is a monitored signal class — SNFR-018.
- ☐ A gap must be declared; reconstruction after the fact would defeat the control.

DS-042 — Rules, model and configuration version history

As an Auditor, I want a retained history of the rules, model and configuration versions in force over time, **so that** I can reproduce why a past result was what it was.

Source	MoSCoW	Status — Catalogue / RTM	Classification
SFR-024; FR-09; SNFR-002; UC-08	Must	Designed-not implemented / Designed-not implemented	audit versioning blocked-by- dependency:DEP- 06

```

1 Scenario: Version change is recorded with effect dates
2   Given a rules, model or configuration version changes
3   When the change is applied
4   Then the history records the prior version, the new version and the effective time
5   And it records who applied the change
6
7 Scenario: A past result resolves to the versions in force at its time
8   Given a retained result from an earlier date
9   When I resolve its version context
10  Then I see the exact rules, model and configuration versions applied to it
11  And the versions are read from the recorded history, not the current state
12
13 Scenario: Version history cannot be rewritten
14   Given a version history entry exists
15   When an alteration is attempted
16   Then it fails and the attempt is recorded
17

```

- Determinism claims depend on this history being intact — SNFR-002.
- Model version routing interacts with residency; a routing change is a version change — SNFR-008.
- The delivery-sequencing deviation recorded as **I-10** indicates that phase sequencing is not currently gated by a recorded approval step; this story is part of closing that gap — SNFR-019.

DS-043 — Append-only audit enforcement

As the Compliance and Regulatory Owner, **I want** the audit store to be structurally append-only, **so that** the record cannot be tidied after an incident.

Source	MoSCoW	Status — Catalogue / RTM	Classification
SFR-025; FR-09, NFR-05, SEC-07; SNFR-005; UC-08	Must	Designed-not implemented / Designed-not implemented	audit security blocked-by-dependency:DEP-06

```

1 Scenario: Update and delete are refused on every path
2   Given an audit event exists
3   When an update or delete is attempted through the application, an API or a privileged path
4   Then the operation fails
5   And the failed attempt is recorded as a new event
6
7 Scenario: Correction is an appended event, never an edit
8   Given an event was recorded with an error
9   When a correction is required
10  Then a new correcting event is appended referencing the original
11  And the original event remains retrievable unchanged
12
13 Scenario: Retention destruction is distinguishable from tampering
14   Given an approved retention schedule exists
15   When data is destroyed under that schedule
16   Then the destruction is itself recorded with the schedule and authority applied

```

- Zero successful alterations or deletions is the threshold — SNFR-005.
- Negative testing of privileged paths is required, not only application paths.
- No approved retention schedule exists; the third scenario is **not testable** until SNFR-014 is validated by the Compliance and Regulatory Owner, and it depends on D-BRD-06, which remains **Proposed**. Absent an approved schedule, no data may be destroyed.

DS-044 — End-to-end evidence lineage resolution

As an Auditor, I want to resolve any displayed figure or decision back to the source rows that produced it, **so that** the organisation can defend an output to a regulator or a payer.

Source	MoSCoW	Status — Catalogue / RTM	Classification
SFR-031, SFR-003; FR-12; UC-08	Must	Designed-not implemented / Partly implemented	audit lineage blocked-by- dependency:DEP- 06

```

1 Scenario: Lineage chain resolves without a break
2   Given a displayed figure, an insight or an appeal claim
3   When lineage is resolved
4   Then the chain runs from the output through the tool result and its parameters
5   And on to the semantic view and the accepted data generation
6   And every link states the version in force at the time
7
8 Scenario: A broken chain is reported as broken
9   Given one link in the chain cannot be resolved
10  When lineage is requested
11  Then the response identifies which link is missing
12  And it does not present the remaining links as a complete chain
13
14 Scenario: Lineage is resolvable after the generation has been superseded
15   Given the data generation used has since been superseded
16   When lineage for a historical output is resolved
17   Then it resolves against the generation that was in force at the time
18   And it does not resolve against the current generation
19

```

- Envelope stamping (SFR-003) is implemented and is the foundation of this story; durable retrieval across generations is not — hence Partly implemented on the RTM side and Designed-not implemented on the catalogue side.
- This story is the shared dependency behind DS-022, DS-027 and DS-033. It should be sequenced before them.
- Retention of stamped result envelopes is unresolved under SNFR-014 — if envelopes are

destroyed on a retention schedule, lineage becomes unresolvable and that consequence must be decided deliberately, not discovered.

Traceability roll-up for this page

System requirement	Covered by
SFR-026	DS-034
SFR-028	DS-035, DS-036
SFR-027	DS-037
SFR-022	DS-038
SFR-029	DS-039
SFR-030	DS-040
SFR-023	DS-041
SFR-024	DS-042
SFR-025	DS-043 (shared enforcement with DS-040)
SFR-031, SFR-003	DS-044 (consumed by DS-022, DS-027, DS-033)
SNFR-005, SNFR-014	DS-041, DS-043, DS-044
SFR-047 / FR-23	Excluded by DS-037; specified as an exclusion in Epic 10

 **Governance state unchanged by this page.** D-BRD-06 remains **Proposed**. D-BRD-07 remains **Pending**. No autonomous approval or send capability is introduced, described as delivered, or committed to the baseline. FR-19 to FR-22 do not appear here as implemented or committed. FR-23 to FR-26 remain deferred.