

Cucumber Report

Apr 2, 2024, 2:56:48 PM

Start : Apr 02, 2:55:51.154 PM

End : Apr 02, 2:56:48.119 PM

Duration : 56.965 s

Features




Scenarios

Steps

PASSED - 5
FAILED - 7
SKIPPED - 0

PASSED - 97
FAILED - 24
SKIPPED - 0

PASSED - 683
FAILED - 24
SKIPPED - 10



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Validating user login</u>	1.362 s	3	2	1	0	9	8	1	0
<u>ProgramController Module Test with Invalid Data</u>	14.063 s	30	28	2	0	180	178	2	0
<u>ProgramController Module Test with Valid Data</u>	2.548 s	5	5	0	0	30	30	0	0
<u>Batch Module</u>	3.733 s	8	8	0	0	48	48	0	0
<u>Batch Module</u>	12.972 s	30	22	8	0	180	162	8	10
<u>Check Post request of user controller module.</u>	0.734 s	1	1	0	0	6	6	0	0
<u>Validating Get request for User API's</u>	8.460 s	15	10	5	0	90	85	5	0
<u>Validating Invalid data for User API's</u>	7.568 s	17	11	6	0	102	96	6	0
<u>Validating user role program batch map API's</u>	0.946 s	2	1	1	0	12	11	1	0
<u>ProgramController Module Test with Invalid Data</u>	1.773 s	4	4	0	0	24	24	0	0
<u>Validating Delete Request</u>	2.244 s	5	4	1	0	30	29	1	0
<u>Validating user logout</u>	0.438 s	1	1	0	0	6	6	0	0

#	Feature Name	Scenario Name
1	<u>Validating user login</u>	<u>Check if user able to login without token and valid credential</u>
2	<u>ProgramController Module Test with Invalid Data</u>	<u>Check if Admin able to create a program with missing additional field</u>
3		<u>Check if Admin able to update a program status</u>
4	<u>Batch Module</u>	<u>Check if admin able to create a Batch with valid endpoint and request body (existing value in Batch Name)</u>
5		<u>Check if admin able to create a Batch missing mandatory fields in request body</u>
6		<u>Check if admin able to create a batch with invalid data in request body</u>
7		<u>Check if admin able to create a batch with inactive program ID</u>
8		<u>Check if admin able to create a Batch with valid endpoint and request body without authorization.</u>
9		<u>Check if admin able to update a Batch with a valid batchID and deleted programID field</u>
10		<u>Check if admin able to retrieve a batch after the programID is deleted</u>


#	Feature Name	Scenario Name
11	<u>Batch Module</u>	<u>Check if admin able to retrieve a deleted batch using batch name</u>
12	<u>Validating Get request for User API's</u>	<u>Admin is able to assign update user role program batch</u>
13		<u>Admin is able to get admin by program batchId</u>
14		<u>Admin is able to update user roleId</u>
15		<u>Admin is able to get admin by programId</u>
16		<u>Admin is able to update user login status</u>
17	<u>Validating Invalid data for User API's</u>	<u>Unauthorized admin user create post request with valid request body</u>
18		<u>Admin is able to update user with invalid roleId</u>
19		<u>Admin is able to update user with existing roleId</u>
20		<u>Admin is able to update user with invalid adminroleprogrambatch</u>
21		<u>Admin is able to update user with existing adminroleprogrambatch</u>
22		<u>Admin is able to update user with invalid userloginstatus</u>
23	<u>Validating user role program batch map API's</u>	<u>Admin is able to get program/batches for valid adminId</u>

#	Feature Name	Scenario Name
24	<u>Validating Delete Request</u>	<u>Admin is able to delete program/batches for valid adminId</u>


TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@login-Invalid	1	1	0	0	1	0	1	0
@login	3	2	1	0	1	0	1	0
@login-NoAuth	1	0	1	0	1	0	1	0
@login-Valid	1	1	0	0	1	0	1	0
@CreateNewBatch	1	1	0	0	1	1	0	0
@GetBatchByBatchId	1	1	0	0	1	1	0	0
@GetBatchbyBatchName	1	1	0	0	1	1	0	0
@GetBatchByValidPgmId	1	1	0	0	1	1	0	0
@CreateBatchMandatoryField	1	1	0	0	1	1	0	0
@GetAllBatches	1	1	0	0	1	1	0	0
@GetAllBatchesSearchString	1	1	0	0	1	1	0	0
@UpdateBatchValid	1	1	0	0	1	1	0	0
@CreateBatchDuplicate	1	0	1	0	1	0	1	0
@CreateBatchMissingMandatory	1	0	1	0	1	0	1	0
@CreateBatchInvalidEndpoint	1	1	0	0	1	0	1	0
@CreateBatchInvalidData	1	0	1	0	1	0	1	0
@CreateBatchInactiveProgramId	1	0	1	0	1	0	1	0

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@CreateBatchNoAuth	1	0	1	0	1	0	1	0
@GetInvalidEndpoint	1	1	0	0	1	0	1	0
@GetAllBatchesNoAuth	1	1	0	0	1	0	1	0
@GetBatchNoAuth	1	1	0	0	1	0	1	0
@GetBatchInvalidBatchId	1	1	0	0	1	0	1	0
@GetBatchInvalidEndpoint	2	2	0	0	1	0	1	0
@GetBatchNameNoAuth	1	1	0	0	1	0	1	0
@GetBatchByInvalidBatchname	1	1	0	0	1	0	1	0
@GetBatchByPgmlIdNoAuth	1	1	0	0	1	0	1	0
@GetBatchByInvalidPgmlId	1	1	0	0	1	0	1	0
@GetBatchByPgmlIdInvalidEndpoint	1	1	0	0	1	0	1	0
@UpdateBatchNoAuth	1	1	0	0	1	0	1	0
@UpdateBatchInvalid	1	1	0	0	1	0	1	0
@UpdateMissingMandatory	1	1	0	0	1	0	1	0
@UpdateInvalidData	1	1	0	0	1	0	1	0
@UpdateInvalidEndpoint	1	1	0	0	1	0	1	0
@UpdateBatchwithDeletedProgramId	1	0	1	0	1	0	1	0


TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@DeleteBatchwithInvalidEndpoint	1	1	0	0	1	0	1	0
@DeleteBatchwithInvalidBatchId	1	1	0	0	1	0	1	0
@DeleteBatchWithNoAuth	1	1	0	0	1	0	1	0
@GetBatchbyProgramIdAfterDelete	1	0	1	0	1	0	1	0
@GetBatchAfterDeletById	1	1	0	0	1	0	1	0
@GetBatchAfterDeleteByName	1	0	1	0	1	0	1	0
@UpdatewithDeletedBatchId	1	1	0	0	1	0	1	0
@01UserModule-PostValid	1	1	0	0	1	1	0	0
@UserModule	1	1	0	0	1	1	0	0
@user	15	10	5	0	1	0	1	0
@updateuser	5	2	3	0	1	0	1	0
@02UserModule-PostInvalid	1	1	0	0	1	0	1	0
@03UserModule-PostNoAuth	1	0	1	0	1	0	1	0
@deleteuser	1	1	0	0	1	0	1	0
@DeleteBatchwithValidBatchId	1	1	0	0	1	0	1	0
@logout	1	1	0	0	1	1	0	0
@logout-withAuth	1	1	0	0	1	1	0	0



#	Feature Name	T	P	F	S	Duration
1	<u>Validating user login</u>	3	2	1	0	1.362 s
2	<u>ProgramController Module Test with Invalid Data</u>	30	28	2	0	14.063 s
3	<u>ProgramController Module Test with Valid Data</u>	5	5	0	0	2.548 s
4	<u>Batch Module</u>	8	8	0	0	3.733 s
5	<u>Batch Module</u>	30	22	8	0	12.972 s
6	<u>Check Post request of user controller module.</u>	1	1	0	0	0.734 s
7	<u>Validating Get request for User API's</u>	15	10	5	0	8.460 s
8	<u>Validating Invalid data for User API's</u>	17	11	6	0	7.568 s
9	<u>Validating user role program batch map API's</u>	2	1	1	0	0.946 s
10	<u>ProgramController Module Test with Invalid Data</u>	4	4	0	0	1.773 s




#	Feature Name	T	P	F	S	Duration
11	<u>Validating Delete Request</u>	5	4	1	0	2.244 s
12	<u>Validating user logout</u>	1	1	0	0	0.438 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Validating user login</u>	<u>Check if user able to login with token and invalid credential</u>	3	3	0	0	0.647 s
2		<u>Check if user able to login without token and valid credential</u>	3	2	1	0	0.421 s
3		<u>Check if user able to login with token and valid credential</u>	3	3	0	0	0.257 s
4	<u>ProgramController Module Test with Invalid Data</u>	<u>Check if Admin able to create a program with valid endpoint and request body with Authorization</u>	6	6	0	0	0.622 s
5		<u>Check if Admin able to create a program with valid endpoint and request body without Authorization</u>	6	6	0	0	0.457 s
6		<u>Check if Admin able to create a program with invalid endpoint</u>	6	6	0	0	0.552 s
7		<u>Check if Admin able to create a program with already existing program name</u>	6	6	0	0	0.461 s
8		<u>Check if Admin able to create a program with invalid method</u>	6	6	0	0	0.471 s


#	Feature Name	Scenario Name	T	P	F	S	Duration
9		<u>Check if Admin able to create a program with invalid request body</u>	6	6	0	0	0.425 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
10	<u>ProgramController Module Test with Invalid Data</u>	<u>Check if Admin able to create a program with missing values in the request body</u>	6	6	0	0	0.457 s
11		<u>Check if Admin able to create a program with missing additional field</u>	6	5	1	0	0.438 s
12		<u>Check if Admin able to retrieve all programs with invalid Endpoint</u>	6	6	0	0	0.441 s
13		<u>Check if Admin able to retrieve all programs with invalid Method</u>	6	6	0	0	0.444 s
14		<u>Check if Admin able to retrieve all programs without Authorization</u>	6	6	0	0	0.484 s
15		<u>Check if Admin able to retrieve a program with invalid program ID</u>	6	6	0	0	0.441 s
16		<u>Check if Admin able to retrieve a program with invalid baseURI</u>	6	6	0	0	0.655 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
17	<u>ProgramController Module Test with Invalid Data</u>	<u>Check if Admin able to retrieve a program without Authorization</u>	6	6	0	0	0.429 s
18		<u>Check if Admin able to retrieve a program with invalid Endpoint</u>	6	6	0	0	0.512 s
19		<u>Check if Admin able to retrieve all programs with invalid Endpoint</u>	6	6	0	0	0.437 s
20		<u>Check if Admin able to retrieve all programs with invalid Method</u>	6	6	0	0	0.433 s
21		<u>Check if Admin able to retrieve all programs without Authorization</u>	6	6	0	0	0.463 s
22		<u>Check if Admin able to update a program with invalid program Name and request body</u>	6	6	0	0	0.452 s
23		<u>Check if Admin able to update a program using valid program name - missing mandatory fields in request body</u>	6	6	0	0	0.454 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
24	<u>ProgramController Module Test with Invalid Data</u>	<u>Check if Admin able to update a program with invalid values in request body</u>	6	6	0	0	0.423 s
25		<u>Check if Admin able to update a program with invalid program Description</u>	6	6	0	0	0.448 s
26		<u>Check if Admin able to update a program status</u>	6	5	1	0	0.416 s
27		<u>Check if Admin able to update a program without Authorization</u>	6	6	0	0	0.410 s
28		<u>Check if Admin able to update a program with invalid programID endpoint and valid request body</u>	6	6	0	0	0.445 s
29		<u>Check if Admin able to update a program with invalid request body</u>	6	6	0	0	0.421 s
30		<u>Check if Admin able to update a program without request body</u>	6	6	0	0	0.446 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
31		<u>Check if Admin able to update a program with invalid baseURI</u>	6	6	0	0	0.423 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
32	<u>ProgramController Module Test with Invalid Data</u>	<u>Check if Admin able to update a program with invalid method</u>	6	6	0	0	0.434 s
33		<u>Check if Admin able to update a program without Authorization</u>	6	6	0	0	0.438 s
34	<u>ProgramController Module Test with Valid Data</u>	<u>Check if Admin able to retrieve all programs with valid Endpoint</u>	6	6	0	0	0.589 s
35		<u>Check if Admin able to retrieve a program with valid program ID</u>	6	6	0	0	0.445 s
36		<u>Check if Admin able to retrieve all programs with valid Endpoint</u>	6	6	0	0	0.579 s
37		<u>Check if Admin able to update a program with Valid program Name and request body</u>	6	6	0	0	0.428 s
38		<u>Check if Admin able to update a program with valid programID endpoint and valid request body</u>	6	6	0	0	0.485 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
39	Batch Module	<u>Check if admin able to create a Batch with valid endpoint and request body</u>	6	6	0	0	0.464 s
40		<u>Check if admin able to retrieve a batch with valid Batch ID</u>	6	6	0	0	0.429 s
41		<u>Check if admin able to retrieve a batch with valid BATCH NAME</u>	6	6	0	0	0.436 s
42		<u>Check if admin able to retrieve a batch with valid Program ID</u>	6	6	0	0	0.441 s
43		<u>Check if admin able to create a batch with missing additional fields</u>	6	6	0	0	0.454 s
44		<u>Check if admin able to retrieve all batches with valid LMS API</u>	6	6	0	0	0.560 s
45		<u>Check if admin able to retrieve all batches with search string</u>	6	6	0	0	0.456 s
46		<u>Check if admin able to update a Batch with valid batchID and mandatory fields in request body</u>	6	6	0	0	0.450 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
47		<u>Check if admin able to create a Batch with valid endpoint and request body (existing value in Batch Name)</u>	6	4	1	1	0.453 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
48	<u>Batch Module</u>	<u>Check if admin able to create a Batch missing mandatory fields in request body</u>	6	3	1	2	0.262 s
49		<u>Check if admin able to create a batch with invalid endpoint</u>	6	6	0	0	0.555 s
50		<u>Check if admin able to create a batch with invalid data in request body</u>	6	3	1	2	0.245 s
51		<u>Check if admin able to create a batch with inactive program ID</u>	6	3	1	2	0.268 s
52		<u>Check if admin able to create a Batch with valid endpoint and request body without authorization.</u>	6	3	1	2	0.273 s
53		<u>Check if admin able to retrieve all batches with invalid Endpoint</u>	6	6	0	0	0.463 s
54		<u>Check if admin able to retrieve all batches without Authorization</u>	6	6	0	0	0.401 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
55		<u>Check if admin able to retrieve a batch with batch ID without authorization</u>	6	6	0	0	0.450 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
56	Batch Module	<u>Check if admin able to retrieve a batch with invalid BATCH ID</u>	6	6	0	0	0.453 s
57		<u>Check if admin able to retrieve a batch with invalid endpoint</u>	6	6	0	0	0.446 s
58		<u>Check if admin able to retrieve a batch without authorization</u>	6	6	0	0	0.401 s
59		<u>Check if admin able to retrieve a batch with invalid BATCH NAME</u>	6	6	0	0	0.415 s
60		<u>Check if admin able to retrieve a batch with invalid endpoint</u>	6	6	0	0	0.554 s
61		<u>Check if admin able to retrieve a batch without authorization</u>	6	6	0	0	0.446 s
62		<u>Check if admin able to retrieve a batch with invalid Program Id</u>	6	6	0	0	0.418 s
63		<u>Check if admin able to retrieve a batch with invalid endpoint</u>	6	6	0	0	0.439 s
64		<u>Check if admin able to update a Batch with valid batchID and mandatory fields in request body without authorization</u>	6	6	0	0	0.443 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
65	<u>Batch Module</u>	<u>Check if admin able to update a Batch with invalid batchID and mandatory fields in request body</u>	6	6	0	0	0.434 s
66		<u>Check if admin able to update a Batch with valid batchID and missing mandatory fields request body</u>	6	6	0	0	0.444 s
67		<u>Check if admin able to update a batch with invalid data</u>	6	6	0	0	0.457 s
68		<u>Check if admin able to update a Batch with invalid endpoint</u>	6	6	0	0	0.481 s
69		<u>Check if admin able to update a Batch with a valid batchID and deleted programID field</u>	6	5	1	0	0.432 s
70		<u>Check if admin able to delete a Batch with invalid endpoint</u>	6	6	0	0	0.449 s
71		<u>Check if admin able to delete a Batch with invalid Batch ID</u>	6	6	0	0	0.445 s
72		<u>Check if admin able to delete a Batch without authorization</u>	6	6	0	0	0.451 s
73		<u>Check if admin able to retrieve a batch after the programID is deleted</u>	6	4	1	1	0.421 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
74		<u>Check if admin able to retriive a batch after deleting the batch</u>	6	6	0	0	0.440 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
75	<u>Batch Module</u>	<u>Check if admin able to retriave a deleted batch using batch name</u>	6	5	1	0	0.422 s
76		<u>Check if admin able to update a Batch with a deleted batchID in the endpoint</u>	6	6	0	0	0.456 s
77	<u>Check Post request of user controller module.</u>	<u>Authorized admin is able to create a new user with valid url and request body with mandatory fields.</u>	6	6	0	0	0.734 s
78	<u>Validating Get request for User API's</u>	<u>Admin is able to get count of active and in active admins</u>	6	6	0	0	0.432 s
79		<u>Admin is able to get all active users</u>	6	6	0	0	0.564 s
80		<u>Admin is able to assign update user role program batch</u>	6	5	1	0	0.456 s
81		<u>Admin is able to get admin by program batchId</u>	6	5	1	0	0.435 s
82		<u>Admin is able to update user roleId</u>	6	5	1	0	0.422 s
83		<u>Admin is able to get admin by programId</u>	6	5	1	0	0.438 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
84		<u>Admin is able to get admin by roleId</u>	6	6	0	0	0.557 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
85	<u>Validating Get request for User API's</u>	<u>Admin is able to get all users</u>	6	6	0	0	0.865 s
86		<u>Admin is able to get all roles</u>	6	6	0	0	0.768 s
87		<u>Admin is able to get user by userId</u>	6	6	0	0	0.804 s
88		<u>Admin is able to get all users with roles</u>	6	6	0	0	0.419 s
89		<u>Admin is able to get users by roleId V2</u>	6	6	0	0	0.863 s
90		<u>Admin is able to update user by userId</u>	6	6	0	0	0.454 s
91		<u>Admin is able to update user role status</u>	6	6	0	0	0.464 s
92		<u>Admin is able to update user login status</u>	6	5	1	0	0.437 s
93	<u>Validating Invalid data for User API's</u>	<u>Authorized admin is able to create a new user with valid url and request body with missing mandatory fields.</u>	6	6	0	0	0.436 s
94		<u>Unauthorized admin user create post request with valid request body</u>	6	5	1	0	0.287 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
95	<u>Validating Invalid data for User API's</u>	<u>Admin is able to get all users with invalid endpoint</u>	6	6	0	0	0.516 s
96		<u>Admin is able to get all admins with invalid endpoint</u>	6	6	0	0	0.443 s
97		<u>Admin is able to get all active users with invalid endpoint</u>	6	6	0	0	0.455 s
98		<u>Admin is able to get all active and inactive users with invalid endpoint</u>	6	6	0	0	0.552 s
99		<u>Admin is able to get user with invalid userId</u>	6	6	0	0	0.442 s
10-0		<u>Admin is able to get admin by invalid program batchId</u>	6	6	0	0	0.437 s
10-1		<u>Admin is able to get admin by invalid programId</u>	6	6	0	0	0.451 s
10-2		<u>Admin is able to get admin by invalid roleId</u>	6	6	0	0	0.409 s
10-3		<u>Admin is able to get admin with roles with invalid endpoint</u>	6	6	0	0	0.421 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
10-4		<u>Admin is able to get users by roleId V2 with invalid endpoint</u>	6	6	0	0	0.440 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
10-5	<u>Validating Invalid data for User API's</u>	<u>Admin is able to update user with invalid roleId</u>	6	5	1	0	0.423 s
10-6		<u>Admin is able to update user with existing roleId</u>	6	5	1	0	0.416 s
10-7		<u>Admin is able to update user with invalid adminroleprogrambatch</u>	6	5	1	0	0.438 s
10-8		<u>Admin is able to update user with existing adminroleprogrambatch</u>	6	5	1	0	0.459 s
10-9		<u>Admin is able to update user with invalid userloginstatus</u>	6	5	1	0	0.429 s
11-0	<u>Validating user role program batch map API's</u>	<u>Admin is able to get all admins with assigned program batches</u>	6	6	0	0	0.503 s
11-1		<u>Admin is able to get program/batches for valid adminId</u>	6	5	1	0	0.432 s
11-2	<u>ProgramController Module Test with Invalid Data</u>	<u>Check if Admin able to delete a program with valid LMS API, invalid programName</u>	6	6	0	0	0.444 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
11-3		<u>Check if Admin able to delete a program without Authorization</u>	6	6	0	0	0.441 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
11-4	<u>ProgramController Module Test with Invalid Data</u>	<u>Check if Admin able to delete a program with valid program ID</u>	6	6	0	0	0.436 s
11-5		<u>Check if Admin able to delete a program without Authorization</u>	6	6	0	0	0.433 s
11-6	<u>Validating Delete Request</u>	<u>Admin is able to delete user</u>	6	6	0	0	0.438 s
11-7		<u>Check if admin able to delete a Batch with valid Batch ID</u>	6	6	0	0	0.428 s
11-8		<u>Check if Admin able to delete a program with valid programName</u>	6	6	0	0	0.465 s
11-9		<u>Check if Admin able to delete a program with valid program ID</u>	6	6	0	0	0.438 s
12-0		<u>Admin is able to delete program/batches for valid adminId</u>	6	5	1	0	0.441 s
12-1	<u>Validating user logout</u>	<u>Check if user able to logout with token and valid credential</u>	6	6	0	0	0.438 s

Validating user login



FAILED	DURATION - 1.362 s	Scenarios		Steps	
/ 2:55:51.154 PM // 2:55:52.516 PM /		Total - 3		Total - 9	
		Pass - 2		Pass - 8	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

Check if user able to login with token and invalid credential

<div>PASSED</div> <div>DURATION - 0.647 s</div>	<div></div>	Steps	<div></div>
<div>/ 2:55:51.155 PM // 2:55:51.802 PM /</div>		Total - 3	
<div>Validating user login</div>		Pass - 3	
<div>@login-Invalid @login</div>		Fail - 0	
		Skip - 0	



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.006 s
2	When Admin calls Post Https method with invalid endpoint	PASSED	0.635 s
3	Then Admin receives 401 unauthorized	PASSED	0.001 s

Check if user able to login without token and valid credential

<div>FAILED</div> <div>DURATION - 0.421 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 2:55:51.830 PM // 2:55:52.251 PM /				
Validating user login				
@login-NoAuth @login				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with invalid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.417 s
3	Then Admin receives 400 Bad request	FAILED	0.003 s
junit.framework.AssertionFailedError: Statuscode is not Equal expected:<401> but was:<400> at junit.framework.Assert.fail(Assert.java:57) at junit.framework.Assert.failNotEquals(Assert.java:329) at junit.framework.Assert.assertEquals(Assert.java:78) at junit.framework.Assert.assertEquals(Assert.java:234) at com.api.stepdefinition.PC_login.admin_receives_bad_request(PC_login.java:121) at ?.Admin receives 400 Bad request(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/01_UC_Login.feature:14) * Not displayable characters are replaced by '?'.			

Check if user able to login with token and valid credential



PASSED	DURATION - 0.257 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:55:52.259 PM // 2:55:52.516 PM /				
Validating user login				
@login-Valid @login				

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.249 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s

ProgramController Module Test with Invalid Data



FAILED		DURATION - 14.063 s		Scenarios Total - 30 Pass - 28 Fail - 2 Skip - 0		Steps Total - 180 Pass - 178 Fail - 2 Skip - 0			
/ 2:55:52.537 PM // 2:56:06.600 PM /									

Check if Admin able to create a program with valid endpoint and request body with Authorization

<div>PASSED</div> <div>DURATION - 0.622 s</div>			<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 2:55:52.538 PM // 2:55:53.160 PM /				
ProgramController Module Test with Invalid Data				

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.265 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admins creates POST Request for the LMS with request body	PASSED	0.005 s
5	When Admins sends HTTPS Request and request Body with endpoint	PASSED	0.256 s
6	Then Admins receives 201 Created Status with response body	PASSED	0.087 s

Check if Admin able to create a program with valid endpoint and request body without Authorization

PASSED	DURATION - 0.457 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 2:55:53.167 PM // 2:55:53.624 PM /				
ProgramController Module Test with Invalid Data				

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.281 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admins creates POST Request for the LMS with request body	PASSED	0.002 s
5	When Admins send HTTPS Request and request Body with endpoint	PASSED	0.163 s
6	Then Admins receives 401 Unauthorized	PASSED	0.001 s

Check if Admin able to create a program with invalid endpoint

<div>PASSED</div>	<div>DURATION - 0.552 s</div>	<table border="1"><caption>Step Durations (Approximate)</caption><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>0.00</td></tr><tr><td>2</td><td>0.25</td></tr><tr><td>3</td><td>0.01</td></tr><tr><td>4</td><td>0.00</td></tr><tr><td>5</td><td>0.25</td></tr><tr><td>6</td><td>0.00</td></tr></tbody></table>	Step	Duration (s)	1	0.00	2	0.25	3	0.01	4	0.00	5	0.25	6	0.00	<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div>6</div>
Step	Duration (s)																	
1	0.00																	
2	0.25																	
3	0.01																	
4	0.00																	
5	0.25																	
6	0.00																	
<div>/ 2:55:53.631 PM // 2:55:54.183 PM /</div>																		
<div>ProgramController Module Test with Invalid Data</div>																		



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.259 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admins creates POST Request for the LMS with request body	PASSED	0.001 s
5	When Admins sends HTTPS Request and the request Body with endpoint	PASSED	0.281 s
6	Then Admins receives 404 not found Status with message and boolean success details	PASSED	0.000 s

Check if Admin able to create a program with already existing program name

PASSED	DURATION - 0.461 s	<table border="1"><caption>Step Durations (Approximate)</caption><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>0.00</td></tr><tr><td>2</td><td>0.25</td></tr><tr><td>3</td><td>0.01</td></tr><tr><td>4</td><td>0.00</td></tr><tr><td>5</td><td>0.18</td></tr><tr><td>6</td><td>0.00</td></tr></tbody></table>	Step	Duration (s)	1	0.00	2	0.25	3	0.01	4	0.00	5	0.18	6	0.00	Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	<div>6</div>
Step	Duration (s)																	
1	0.00																	
2	0.25																	
3	0.01																	
4	0.00																	
5	0.18																	
6	0.00																	
/ 2:55:54.198 PM // 2:55:54.659 PM /																		
ProgramController Module Test with Invalid Data																		



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.269 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Admins creates POST Request for LMS with request body	PASSED	0.002 s
5	When Admins sends HTTPS Request and request Body with endpoint	PASSED	0.180 s
6	Then Admins receives 400 Bad Request Status with message and boolean success details	PASSED	0.000 s

Check if Admin able to create a program with invalid method

<div>PASSED</div>	<div>DURATION - 0.471 s</div>	<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 2:55:54.666 PM // 2:55:55.137 PM /</div>				
<div>ProgramController Module Test with Invalid Data</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.285 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Admins creates POST Request for the LMS with request body	PASSED	0.002 s
5	When Admins sends HTTPS Request and request Body with endpoint.	PASSED	0.173 s
6	Then Admins receives 405 Method Not Allowed	PASSED	0.001 s

Check if Admin able to create a program with invalid request body

<div>PASSED</div>	<div>DURATION - 0.425 s</div>	<div></div>	<div><div>Steps</div><div>Total - 6</div><div>Pass - 6</div><div>Fail - 0</div><div>Skip - 0</div></div> <div></div>
<div>/ 2:55:55.147 PM // 2:55:55.572 PM /</div>			
<div>ProgramController Module Test with Invalid Data</div>			



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.258 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Admins creates POST Request for the LMS with invalid request body	PASSED	0.002 s
5	When Admins sends HTTPS Request and request Body with endpoint	PASSED	0.155 s
6	Then Admins receives 400 Bad Request Status	PASSED	0.000 s

Check if Admin able to create a program with missing values in the request body

<div>PASSED</div>	<div>DURATION - 0.457 s</div>		<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 2:55:55.577 PM // 2:55:56.034 PM /				
ProgramController Module Test with Invalid Data				

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.271 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Admins creates POST Request for the LMS with missing values in request body	PASSED	0.002 s
5	When Admins sends HTTPS Request and request Body with endpoint	PASSED	0.172 s
6	Then Admins receives 400 Bad Request Status	PASSED	0.001 s



Check if Admin able to create a program with missing additional field

<div>FAILED</div> <div>DURATION - 0.438 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 2:55:56.040 PM // 2:55:56.478 PM /</div>				
<div>ProgramController Module Test with Invalid Data</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.259 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Admins creates POST Request for the LMS with request body	PASSED	0.001 s
5	When Admins sends HTTPS Request and request Body with endpoint	PASSED	0.165 s
6	Then Admins receives 200 ok	FAILED	0.002 s


#	Step / Hook Details	Status	Duration
	<pre>org.opentest4j.AssertionFailedError: expected: <200> but was: <400> at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151) at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132) at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:177) at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:545) at com.api.stepdefinition.PC_PositiveStepDefinitions.admin_receives_ok(PC_PositiveStepDefinitions.java:331) at ?.Admins receives 200 ok(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/02_ProgramControllerNegative.feature:48) * Not displayable characters are replaced by '?'. </pre>		

Check if Admin able to retrieve all programs with invalid Endpoint

<div>PASSED</div>	<div>DURATION - 0.441 s</div>		<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 2:55:56.485 PM // 2:55:56.926 PM /</div>				
<div>ProgramController Module Test with Invalid Data</div>				


#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.259 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Admins creates GET Request for the LMS API	PASSED	0.001 s
5	When Admins sends HTTPS Request with invalid endpoint	PASSED	0.172 s
6	Then Admins receives 404 not found Status with error message	PASSED	0.000 s

Check if Admin able to retrieve all programs with invalid Method




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.265 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Admins creates GET Request for the LMS API	PASSED	0.001 s
5	When Admins sends HTTPS Request with invalid method	PASSED	0.167 s
6	Then Admins receives 405 Method will Not Allowed	PASSED	0.000 s

Check if Admin able to retrieve all programs without Authorization




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.268 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Admins creates GET Request for the LMS API	PASSED	0.001 s
5	When Admins sends HTTPS Request without Authorization	PASSED	0.205 s
6	Then Admins receives 401 Status with response body as Unauthorized	PASSED	0.001 s

Check if Admin able to retrieve a program with invalid program ID




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.250 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Admins creates GET Request for the LMS API	PASSED	0.001 s
5	When Admins sends HTTPS Request with invalid programID	PASSED	0.180 s
6	Then Admins receives 404 Not Found Status with message and boolean success details	PASSED	0.000 s

Check if Admin able to retrieve a program with invalid baseURI




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.263 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admins creates GET Request for the LMS API with invalid BaseURI	PASSED	0.001 s
5	When Admins sends HTTPS Request with endpoint	PASSED	0.382 s
6	Then Admins receives 404 Not Found Status with message and boolean success details	PASSED	0.000 s

Check if Admin able to retrieve a program without Authorization





#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.260 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Admins creates GET Request for the LMS API	PASSED	0.000 s
5	When Admins sends HTTPS Request to retrieve without Authorization	PASSED	0.162 s
6	Then Admins receives 401 Unauthorized	PASSED	0.000 s

Check if Admin able to retrieve a program with invalid Endpoint





#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.240 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Admins creates GET Request for the LMS API	PASSED	0.000 s
5	When Admins sends HTTPS Request with invalid Endpoint for program	PASSED	0.265 s
6	Then Admins receives 404 Not Found Status with message and boolean success details	PASSED	0.000 s

Check if Admin able to retrieve all programs with invalid Endpoint

<div>PASSED</div>	<div>DURATION - 0.437 s</div>	<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
/ 2:55:59.943 PM // 2:56:00.380 PM /				
ProgramController Module Test with Invalid Data				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.270 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Admins create the GET Request for LMS API	PASSED	0.001 s
5	When Admins sends the HTTPS Request with the invalid endpoint	PASSED	0.155 s
6	Then Admins receives 404 not found Status with error message	PASSED	0.000 s

Check if Admin able to retrieve all programs with invalid Method

<div>PASSED</div>	<div>DURATION - 0.433 s</div>	<div></div>	<div><div>Steps</div><div>Total - 6</div><div>Pass - 6</div><div>Fail - 0</div><div>Skip - 0</div></div>	<div></div>
<div>/ 2:56:00.386 PM // 2:56:00.819 PM /</div>				
<div>ProgramController Module Test with Invalid Data</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.262 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.009 s
4	Given Admins create the GET Request for LMS API	PASSED	0.001 s
5	When Admins sends the HTTPS Request with the invalid Method	PASSED	0.158 s
6	Then Admins receives 405 Method Not Allowed	PASSED	0.000 s

Check if Admin able to retrieve all programs without Authorization

PASSED		DURATION - 0.463 s			<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 2:56:00.832 PM // 2:56:01.295 PM /						
ProgramController Module Test with Invalid Data						


#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.271 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admins create the GET Request for LMS API	PASSED	0.001 s
5	When Admins sends the HTTPS Request without Authorization	PASSED	0.180 s
6	Then Admins receives 401 Status with response body as Unauthorized	PASSED	0.000 s

Check if Admin able to update a program with invalid program Name and request body

PASSED	DURATION - 0.452 s		<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 2:56:01.301 PM // 2:56:01.753 PM /				
ProgramController Module Test with Invalid Data				


#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.259 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admins creates PUT Request for the LMS API endpoint with valid request Body with mandatory and additional fields	PASSED	0.001 s
5	When Admins send HTTPS Request with invalid endpoint	PASSED	0.183 s
6	Then Admins receives 404 Not Found Status with message and boolean success details	PASSED	0.000 s

Check if Admin able to update a program using valid program name - missing mandatory fields in request body




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.264 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Admins creates PUT Request for the LMS API with missing mandatory fields	PASSED	0.001 s
5	When Admins sends HTTPS Request with valid endpoint	PASSED	0.182 s
6	Then Admins receives 400 Bad Request Status with message and boolean success details	PASSED	0.000 s

Check if Admin able to update a program with invalid values in request body




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.248 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Admins creates PUT Request for the LMS API endpoint and invalid program Name	PASSED	0.002 s
5	When Admins sends HTTPS Request and request Body with mandatory fields.	PASSED	0.164 s
6	Then Admins receives 400 Bad Request Status with message and boolean success details	PASSED	0.000 s

Check if Admin able to update a program with invalid program Description



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.265 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Admins creates PUT Request for the LMS API endpoint and invalid program Description	PASSED	0.001 s
5	When Admins sends HTTPS Request and request Body with mandatory fields.	PASSED	0.172 s
6	Then Admins receives 400 Bad Request Status with message and boolean success details	PASSED	0.001 s



Check if Admin able to update a program status



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.249 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admins creates PUT Request for the LMS API endpoint and Valid program Name and status	PASSED	0.002 s
5	When Admins sends HTTPS Request with the valid endpoint	PASSED	0.155 s
6	Then Admins receives 200 OK Status with updated value in response body.	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	<pre>org.opentest4j.AssertionFailedError: StatusCode is Null ==> expected: <200> but was: <500> at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151) at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132) at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:150) at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:563) at com.api.stepdefinition.PC_PositiveStepDefinitions.admin_receives_ok_status_with_updated_value_in_response_body(PC_PositiveStepDefinitions.java:167) at ?.Admins receives 200 OK Status with updated value in response body.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/02_ProgramControllerNegative.feature:128) * Not displayable characters are replaced by '?'. </pre>		

Check if Admin able to update a program without Authorization

<div>PASSED</div> <div>DURATION - 0.410 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 2:56:03.539 PM // 2:56:03.949 PM /</div>				
<div>ProgramController Module Test with Invalid Data</div>				


#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.235 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Admins creates PUT Request for the LMS API endpoint with valid request Body with the mandatory , additional fields.	PASSED	0.001 s
5	When Admins sends HTTPS Request with valid endpoint and without authorization	PASSED	0.167 s
6	Then Admins receives 401 Unauthorized	PASSED	0.000 s

Check if Admin able to update a program with invalid programID endpoint and valid request body





#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.264 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admins creates PUT Request for the LMS API endpoint with valid request Body with mandatory , additional fields.	PASSED	0.001 s
5	When Admins sends HTTPS Request with valid endpoint and invalid programid	PASSED	0.168 s
6	Then Admins receives 404 Not Found Status with message and boolean success details	PASSED	0.000 s

Check if Admin able to update a program with invalid request body





#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.253 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.004 s
4	Given Admins creates PUT Request for the LMS API with invalid request body	PASSED	0.001 s
5	When Admins sends HTTPS Request with invalid requestbody	PASSED	0.161 s
6	Then Admins receives 400 Bad Request Status with message and boolean success details	PASSED	0.001 s

Check if Admin able to update a program without request body

<div>PASSED</div>	<div>DURATION - 0.446 s</div>		<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 2:56:04.837 PM // 2:56:05.283 PM /</div>				
<div>ProgramController Module Test with Invalid Data</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.255 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.004 s
4	Given Admins creates PUT Request for the LMS API without request body	PASSED	0.001 s
5	When Admins sends HTTPS Request with valid endpoint	PASSED	0.184 s
6	Then Admins receives 400 Bad Request Status with message and boolean success details	PASSED	0.000 s

Check if Admin able to update a program with invalid baseURI

<div>PASSED</div> <div>DURATION - 0.423 s</div>	<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 2:56:05.290 PM // 2:56:05.713 PM /</div>			
<div>ProgramController Module Test with Invalid Data</div>			



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.248 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Admins creates PUT Request for the LMS API endpoint with invalid baseuri	PASSED	0.000 s
5	When Admins sends HTTPS the Request with valid endpoint	PASSED	0.168 s
6	Then Admins receives 404 Not Found the Status with message and boolean success details	PASSED	0.000 s

Check if Admin able to update a program with invalid method

<div>PASSED</div>	<div>DURATION - 0.434 s</div>	<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 2:56:05.723 PM // 2:56:06.157 PM /</div>				
<div>ProgramController Module Test with Invalid Data</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.251 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admins creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields	PASSED	0.001 s
5	When Admins sends HTTPS Request for PUP with invalid method	PASSED	0.171 s
6	Then Admins receives 405 Method Not Allowed	PASSED	0.000 s

Check if Admin able to update a program without Authorization



PASSED		DURATION - 0.438 s			<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 2:56:06.162 PM // 2:56:06.600 PM /						
ProgramController Module Test with Invalid Data						

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.250 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.004 s
4	Given Admins creates PUT Request for the LMS API endpoint with request Body	PASSED	0.001 s
5	When Admins sends HTTPS Request without the authorization	PASSED	0.182 s
6	Then Admins receives 401 Unauthorized	PASSED	0.001 s

ProgramController Module Test with Valid Data



PASSED	DURATION - 2.548 s	Scenarios Total - 5 Pass - 5 Fail - 0 Skip - 0		Steps Total - 30 Pass - 30 Fail - 0 Skip - 0	
/ 2:56:06.607 PM // 2:56:09.155 PM /					

Check if Admin able to retrieve all programs with valid Endpoint

PASSED	DURATION - 0.589 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 2:56:06.607 PM // 2:56:07.196 PM /				
ProgramController Module Test with Valid Data				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.274 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admins creates GET Request for the LMS API	PASSED	0.002 s
5	When Admins sends HTTPS Request with endpoint	PASSED	0.304 s
6	Then Admins receives 200 OK Status with response body.	PASSED	0.000 s

Check if Admin able to retrieve a program with valid program ID

PASSED	DURATION - 0.445 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 2:56:07.200 PM // 2:56:07.645 PM /				
ProgramController Module Test with Valid Data				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.256 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Admins create GET Request for LMS API	PASSED	0.001 s
5	When Admins send HTTPS Request with the endpoint	PASSED	0.173 s
6	Then Admins receives 200 OK Status with response body	PASSED	0.008 s

Check if Admin able to retrieve all programs with valid Endpoint

PASSED	DURATION - 0.579 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 2:56:07.652 PM // 2:56:08.231 PM /				
ProgramController Module Test with Valid Data				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.261 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admins create the GET Request for LMS API	PASSED	0.001 s
5	When Admins sends the HTTPS Request with endpoint	PASSED	0.309 s
6	Then Admins receive 200 OK Status with the response body	PASSED	0.000 s

Check if Admin able to update a program with Valid program Name and request body

PASSED	DURATION - 0.428 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 2:56:08.236 PM // 2:56:08.664 PM /				
ProgramController Module Test with Valid Data				

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.232 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.004 s
4	Given Admins creates PUT Request for the LMS API endpoint with the valid request Body with mandatory , additional fields.	PASSED	0.000 s
5	When Admins sends HTTPS Request with the valid endpoint	PASSED	0.179 s
6	Then Admins receives 200 OK Status with updated value in response body.	PASSED	0.009 s

Check if Admin able to update a program with valid programID endpoint and valid request body


PASSED	DURATION - 0.485 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 2:56:08.670 PM // 2:56:09.155 PM /				
ProgramController Module Test with Valid Data				

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.264 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admins creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields	PASSED	0.002 s
5	When Admins sends HTTPS Request with valid endpoint	PASSED	0.205 s
6	Then Admins receives 200 OK Status with updated value in response body	PASSED	0.006 s

Batch Module


PASSED	DURATION - 3.733 s	Scenarios	<div><div></div></div>	Steps	<div><div></div></div>
/ 2:56:09.164 PM // 2:56:12.897 PM /		Total - 8	8	Total - 48	48
		Pass - 8		Pass - 48	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Check if admin able to create a Batch with valid endpoint and request body





#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.260 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given User creates request for the LMS API endpoint "Create New Batch".	PASSED	0.002 s
5	When User sends HTTPS post request for batch and request body with mandatory and additional fields.	PASSED	0.182 s
6	Then User receives 201 created status for batch.	PASSED	0.014 s

Check if admin able to retrieve a batch with valid Batch ID





#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.248 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.003 s
4	Given Admin creates GET Request with valid Batch ID.	PASSED	0.000 s
5	When Admin sends HTTPS get Request with endpoint.	PASSED	0.172 s
6	Then Admin receives 200 OK Status with response body for batch.	PASSED	0.004 s

Check if admin able to retrieve a batch with valid BATCH NAME

<div>PASSED</div> <div>DURATION - 0.436 s</div>		<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 2:56:10.063 PM // 2:56:10.499 PM /</div>			
<div>Batch Module</div>			
<div>@GetBatchbyBatchName</div>			



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.255 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Admin creates GET Request with valid Batch Name.	PASSED	0.001 s
5	When Admin sends HTTPS Request with endpoint batchName.	PASSED	0.165 s
6	Then Admin receives 200 OK Status with the response body for batch.	PASSED	0.004 s

Check if admin able to retrieve a batch with valid Program ID

<div>PASSED</div>	<div>DURATION - 0.441 s</div>	<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
/ 2:56:10.501 PM // 2:56:10.942 PM /				
Batch Module				
@GetBatchByValidPgmlId				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.256 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admin creates GET Request with the program id.	PASSED	0.001 s
5	When Admin sends HTTPS Request with the endpoint for programId.	PASSED	0.173 s
6	Then Admin receives 200 OK Status with response body.	PASSED	0.002 s

Check if admin able to create a batch with missing additional fields

<div>PASSED</div>	<div>DURATION - 0.454 s</div>	<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 2:56:10.951 PM // 2:56:11.405 PM /</div>				
<div>Batch Module</div>				
<div>@CreateBatchMandatoryField</div>				


#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.244 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admin creates POST Request with missing additional fields Create New Batch Missing Field.	PASSED	0.001 s
5	When Admin sends HTTPS Request with endpoint.	PASSED	0.193 s
6	Then Admin receives 201 Created Status with response body.	PASSED	0.007 s

Check if admin able to retrieve all batches with valid LMS API

PASSED	DURATION - 0.560 s		<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 2:56:11.411 PM // 2:56:11.971 PM /				
Batch Module				
@GetAllBatches				


#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.255 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admin creates GET Request.	PASSED	0.001 s
5	When Admin sends "HTTPS Request" with endpoint.	PASSED	0.293 s
6	Then Admin receives 200 OK Status with response body.	PASSED	0.001 s

Check if admin able to retrieve all batches with search string





#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.264 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admin creates GET Request with search string.	PASSED	0.005 s
5	When Admin sends "HTTPS Request" with endpoint.	PASSED	0.178 s
6	Then Admin receives 200 Ok status with response body.	PASSED	0.001 s

Check if admin able to update a Batch with valid batchID and mandatory fields in request body





#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.245 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admin creates PUT Request with auth, valid BatchId and Update Valid Data.	PASSED	0.001 s
5	When Admin sends HTTPS Request with update endpoint.	PASSED	0.174 s
6	Then Admin receives 200 OK Status with updated value in response body.	PASSED	0.021 s

Batch Module


FAILED	DURATION - 12.972 s	Scenarios Total - 30 Pass - 22 Fail - 8 Skip - 0		Steps Total - 180 Pass - 162 Fail - 8 Skip - 10	
/ 2:56:12.910 PM // 2:56:25.882 PM /					

Check if admin able to create a Batch with valid endpoint and request body (existing value in Batch Name)

<div>FAILED</div> <div>DURATION - 0.453 s</div>			<div>Steps</div> <div>Total - 6</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 2:56:12.910 PM // 2:56:13.363 PM /				
Batch Module				
@CreateBatchDuplicate				


#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.267 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given User creates request for LMS API endpoint for batch "Create New Batch".	PASSED	0.004 s
5	When User sends HTTPS post request for batch and request body with mandatory and additional fields. java.lang.NullPointerException: Cannot invoke "java.lang.Integer.intValue()" because the return value of "io.restassured.response.Response.path(String, String[])" is null at com.api.stepdefinition.Batch_SD. user_sends_https_post_request_for_batch_and_request_body_with_mandatory_and_additional_fields(Batch_SD.java:63) at ?.User sends HTTPS post request for batch and request body with mandatory and additional fields.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/05_BatchController.feature:12) * Not displayable characters are replaced by '?'.	FAILED	0.174 s
6	Then Admin receives 400 Bad Request Status with message and boolean success details	SKIPPED	0.001 s

Check if admin able to create a Batch missing mandatory fields in request body




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.253 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given User creates request for LMS API endpoint for batch "Create Missing Mandatory"	FAILED	0.002 s
	Step undefined		
5	When User sends HTTPS post request for batch and request body with mandatory and additional fields.	SKIPPED	0.000 s
6	Then Admin receives 400 Bad Request Status with message and boolean success details	SKIPPED	0.000 s

Check if admin able to create a batch with invalid endpoint




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.262 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admin creates POST Request "Create New Batch"	PASSED	0.002 s
5	When Admin sends HTTPS Request with invalid endpoint	PASSED	0.280 s
6	Then Admin receives 404 not found Status	PASSED	0.002 s

Check if admin able to create a batch with invalid data in request body



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.238 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given User creates request for LMS API endpoint for batch "Invalid Data"	FAILED	0.000 s
	Step undefined		
5	When User sends HTTPS post request for batch and request body with mandatory and additional fields.	SKIPPED	0.000 s
6	Then Admin receives 400 Bad Request Status with message and boolean success details	SKIPPED	0.000 s



Check if admin able to create a batch with inactive program ID



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.259 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given User creates request for LMS API endpoint for batch "Inactive programID"	FAILED	0.000 s
	Step undefined		



#	Step / Hook Details	Status	Duration
5	When User sends HTTPS post request for batch and request body with mandatory and additional fields.	SKIPPED	0.001 s
6	Then Admin receives 400 Bad Request Status with message and boolean success details	SKIPPED	0.000 s

Check if admin able to create a Batch with valid endpoint and request body without authorization.

<div>FAILED</div> <div>DURATION - 0.273 s</div>			<div>Steps</div> <div>Total - 6</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 2:56:14.739 PM // 2:56:15.012 PM /				
Batch Module				
@CreateBatchNoAuth				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.266 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.004 s
4	Given User creates request for LMS API endpoint for batch "Create New Batch"	FAILED	0.000 s
	Step undefined		
5	When User sends HTTPS post request for batch and request body with mandatory and additional fields.	SKIPPED	0.000 s
6	Then Admin receives 401 Unauthorized	SKIPPED	0.000 s

Check if admin able to retrieve all batches with invalid Endpoint

<div>PASSED</div>	<div>DURATION - 0.463 s</div>	<div></div>	<div><div>Steps</div><div>Total - 6</div><div>Pass - 6</div><div>Fail - 0</div><div>Skip - 0</div></div>	<div></div>
<div>/ 2:56:15.016 PM // 2:56:15.479 PM /</div>				
<div>Batch Module</div>				
<div>@GetInvalidEndpoint</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.267 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admin creates GET Request.	PASSED	0.001 s
5	When Admin sends HTTPS Request with invalid endpoint	PASSED	0.184 s
6	Then Admin receives 404 status with error message Not Found .	PASSED	0.001 s

Check if admin able to retrieve all batches without Authorization

PASSED	DURATION - 0.401 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 2:56:15.489 PM // 2:56:15.890 PM /				
Batch Module				
@GetAllBatchesNoAuth				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.235 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.003 s
4	Given Admin creates GET Request with no auth	PASSED	0.001 s
5	When Admin sends "HTTPS Request" with endpoint.	PASSED	0.160 s
6	Then Admin receives 401 status with error message Unauthorized.	PASSED	0.001 s

Check if admin able to retrieve a batch with batch ID without authorization

PASSED	DURATION - 0.450 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 2:56:15.897 PM // 2:56:16.347 PM /				
Batch Module				
@GetBatchNoAuth				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.263 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admin creates GET Request with no auth	PASSED	0.001 s
5	When Admin sends "HTTPS" Request with endpoint	PASSED	0.176 s
6	Then Admin receives 401 status with error message Unauthorized.	PASSED	0.001 s

Check if admin able to retrieve a batch with invalid BATCH ID

PASSED	DURATION - 0.453 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 2:56:16.358 PM // 2:56:16.811 PM /				
Batch Module				
@GetBatchInvalidBatchId				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.273 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admin creates GET Request with invalid Batch ID	PASSED	0.001 s
5	When Admin sends HTTPS Request with endpoint "invalid"	PASSED	0.169 s
6	Then Admin receives 404 Not Found Status with message and boolean success details	PASSED	0.001 s

Check if admin able to retrieve a batch with invalid endpoint

PASSED	DURATION - 0.446 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 2:56:16.818 PM // 2:56:17.264 PM /				
Batch Module				
@GetBatchInvalidEndpoint				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.260 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.004 s
4	Given Admin creates GET Request with invalid Batch ID	PASSED	0.001 s
5	When Admin sends HTTPS Request with "invalid endpoint"	PASSED	0.175 s
6	Then Admin receives 404 not found Status	PASSED	0.002 s

Check if admin able to retrieve a batch without authorization

PASSED	DURATION - 0.401 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 2:56:17.274 PM // 2:56:17.675 PM /				
Batch Module				
@GetBatchNameNoAuth				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.232 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.003 s
4	Given Admin creates GET Request with no auth	PASSED	0.001 s
5	When Admin sends HTTPS Request with batchName endpoint	PASSED	0.163 s
6	Then Admin receives 401 status with error message Unauthorized.	PASSED	0.001 s

Check if admin able to retrieve a batch with invalid BATCH NAME

PASSED	DURATION - 0.415 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 2:56:17.685 PM // 2:56:18.100 PM /				
Batch Module				
@GetBatchByInvalidBatchname				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.251 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.004 s
4	Given Admin creates GET Request with invalid Batch Name	PASSED	0.001 s
5	When Admin sends HTTPS Request with endpoint invalid BatchName	PASSED	0.155 s
6	Then Admin receives 404 Not Found Status with message and boolean success details	PASSED	0.003 s

Check if admin able to retrieve a batch with invalid endpoint

PASSED	DURATION - 0.554 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 2:56:18.112 PM // 2:56:18.666 PM /				
Batch Module				
@GetBatchInvalidEndpoint				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.257 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.016 s
4	Given Admin creates GET Request with invalid Batch Name	PASSED	0.001 s
5	When Admin sends HTTPS Request with invalid endpoint batchName	PASSED	0.276 s
6	Then Admin receives 404 Not Found Status with message and boolean success details	PASSED	0.001 s

Check if admin able to retrieve a batch without authorization

PASSED	DURATION - 0.446 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 2:56:18.677 PM // 2:56:19.123 PM /				
Batch Module				
@GetBatchByPgmlIdNoAuth				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.275 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admin creates GET Request with no auth	PASSED	0.001 s
5	When Admin sends HTTPS Request with the endpoint for programId.	PASSED	0.161 s
6	Then Admin receives 401 status with error message Unauthorized.	PASSED	0.001 s

Check if admin able to retrieve a batch with invalid Program Id

PASSED	DURATION - 0.418 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 2:56:19.133 PM // 2:56:19.551 PM /				
Batch Module				
@GetBatchByInvalidPgmlId				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.246 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Admin creates GET Request with program id for batch.	PASSED	0.001 s
5	When Admin sends HTTPS Request with invalid programId endpoint	PASSED	0.158 s
6	Then Admin receives 404 Not Found Status with message and boolean success details	PASSED	0.001 s

Check if admin able to retrieve a batch with invalid endpoint

PASSED	DURATION - 0.439 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 2:56:19.559 PM // 2:56:19.998 PM /				
Batch Module				
@GetBatchByPgmIdInvalidEndpoint				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.261 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Admin creates GET Request with program id for batch.	PASSED	0.001 s
5	When Admin sends HTTPS Request with invalid endpoint for get batch	PASSED	0.169 s
6	Then Admin receives 404 Not Found Status with message and boolean success details	PASSED	0.001 s

Check if admin able to update a Batch with valid batchID and mandatory fields in request body without authorization

PASSED	DURATION - 0.443 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 2:56:20.008 PM // 2:56:20.451 PM /				
Batch Module				
@UpdateBatchNoAuth				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.260 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Admin creates PUT Request with valid BatchId and "Update Valid Data"	PASSED	0.002 s
5	When Admin sends HTTPS Request with update endpoint.	PASSED	0.170 s
6	Then Admin receives 401 status with error message Unauthorized.	PASSED	0.001 s

Check if admin able to update a Batch with invalid batchID and mandatory fields in request body

PASSED	DURATION - 0.434 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 2:56:20.461 PM // 2:56:20.895 PM /				
Batch Module				
@UpdateBatchInvalid				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.254 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admin creates PUT Request with auth, valid BatchId and Update Valid Data.	PASSED	0.001 s
5	When Admin sends HTTPS Request with endpoint invalid batch	PASSED	0.171 s
6	Then Admin receives 404 Not Found Status with message and boolean success details	PASSED	0.001 s

Check if admin able to update a Batch with valid batchID and missing mandatory fields request body

PASSED	DURATION - 0.444 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 2:56:20.906 PM // 2:56:21.350 PM /				
Batch Module				
@UpdateMissingMandatory				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.259 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.004 s
4	Given Admin creates PUT Request with auth,BatchId and "Missing mandatory Update"	PASSED	0.001 s
5	When Admin sends HTTPS Request with update endpoint.	PASSED	0.176 s
6	Then Admin receives 400 Bad Request Status with message and boolean success details	PASSED	0.001 s

Check if admin able to update a batch with invalid data

PASSED	DURATION - 0.457 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 2:56:21.359 PM // 2:56:21.816 PM /				
Batch Module				
@UpdateInvalidData				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.251 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Admin creates PUT Request with "Invalid Data"	PASSED	0.002 s
5	When Admin sends HTTPS Request with update endpoint.	PASSED	0.194 s
6	Then Admin receives 400 Bad Request Status with message and boolean success details	PASSED	0.001 s

Check if admin able to update a Batch with invalid endpoint

<div>PASSED</div> <div>DURATION - 0.481 s</div>	<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 2:56:21.826 PM // 2:56:22.307 PM /</div>			
<div>Batch Module</div>			
<div>@UpdateInvalidEndpoint</div>			



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.286 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Admin creates PUT Request with auth, valid BatchId and Update Valid Data.	PASSED	0.001 s
5	When Admin sends HTTPS put Request with invalid endpoint	PASSED	0.182 s
6	Then Admin receives 404 Not Found Status with message and boolean success details	PASSED	0.001 s

Check if admin able to update a Batch with a valid batchID and deleted programID field

<div>FAILED</div>	<div>DURATION - 0.432 s</div>	<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 2:56:22.312 PM // 2:56:22.744 PM /</div>				
<div>Batch Module</div>				
<div>@UpdateBatchwithDeletedProgramId</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.244 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admin creates PUT Request with Valid batch Id and Deleted programID.	PASSED	0.001 s
5	When Admin sends HTTPS Request with update endpoint and deleted programID.	PASSED	0.167 s
6	Then Admin receives 400 Bad Request Status with message and boolean success details	FAILED	0.011 s
	<pre> java.lang.AssertionError: 1 expectation failed. Expected status code <400> but was <405>. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor304.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at com.api.stepdefinition.Batch_SD.admin_receives_bad_request_status_with_message_and_boolean_success_details(Batch_SD.java:109) at ?.Admin receives 400 Bad Request Status with message and boolean success details(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/05_BatchController.feature:155) * Not displayable characters are replaced by '?'. </pre>		

Check if admin able to delete a Batch with invalid endpoint

<div>PASSED</div>	<div>DURATION - 0.449 s</div>		<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 2:56:22.750 PM // 2:56:23.199 PM /				
Batch Module				
@DeleteBatchwithInvalidEndpoint				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.263 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admin creates DELETE Request with valid BatchId.	PASSED	0.001 s
5	When Admin sends HTTPS Request with invalid delete batch endpoint	PASSED	0.176 s
6	Then Admin receives 404 Not Found Status with message and boolean success details	PASSED	0.001 s

Check if admin able to delete a Batch with invalid Batch ID

<div>PASSED</div>	<div>DURATION - 0.445 s</div>		<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 2:56:23.211 PM // 2:56:23.656 PM /				
Batch Module				
@DeleteBatchwithInvalidBatchId				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.265 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Admin creates DELETE Request with invalid BatchId	PASSED	0.001 s
5	When Admin sends HTTPS Request with endpoint invalid batchID	PASSED	0.171 s
6	Then Admin receives 404 Not Found Status with message and boolean success details	PASSED	0.001 s

Check if admin able to delete a Batch without authorization

<div>PASSED</div> <div>DURATION - 0.451 s</div>	<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 2:56:23.666 PM // 2:56:24.117 PM /</div>			
<div>Batch Module</div>			
<div>@DeleteBatchWithNoAuth</div>			

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.270 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admin creates DELETE Request with valid BatchId no auth	PASSED	0.000 s
5	When Admin sends HTTPS Request with endpoint for batch.	PASSED	0.170 s
6	Then Admin receives 401 status with error message Unauthorized.	PASSED	0.000 s



Check if admin able to retrieve a batch after the programID is deleted

<div>FAILED</div> <div>DURATION - 0.421 s</div>			<div>Steps</div> <div>Total - 6</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 2:56:24.120 PM // 2:56:24.541 PM /				
Batch Module				
@GetBatchbyProgramIdAfterDelete				

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.254 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.004 s
4	Given Admin creates GET Request with program id for batch.	PASSED	0.001 s
5	When Admin sends HTTPS Request with endpoint.	FAILED	0.158 s
	java.lang.NullPointerException: Cannot invoke "java.lang.Integer.intValue()" because the return value of "io.restassured.response.Response."		



#	Step / Hook Details	Status	Duration
	path(String, String[]) is null at com.api.stepdefinition.Batch_SD.admin_sends_https_request_with_endpoint(Batch_SD.java:161) at ?.Admin sends HTTPS Request with endpoint.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/05_BatchController.feature:179) * Not displayable characters are replaced by '?'. 6 Then Admin receives 404 Not Found Status with message and boolean success details		
6	Then Admin receives 404 Not Found Status with message and boolean success details	SKIPPED	0.000 s

Check if admin able to retrieve a batch after deleting the batch

PASSED	DURATION - 0.440 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 2:56:24.544 PM // 2:56:24.984 PM /				
Batch Module				
@GetBatchAfterDeletById				


#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.261 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admin creates GET Request with valid Batch ID.	PASSED	0.001 s
5	When Admin sends HTTPS get Request with endpoint.	PASSED	0.169 s
6	Then Admin receives 200 OK Status with batchStatus field "Inactive" in the response body.	PASSED	0.000 s

Check if admin able to retrieve a deleted batch using batch name

FAILED	DURATION - 0.422 s		Steps Total - 6 Pass - 5 Fail - 1 Skip - 0	
/ 2:56:24.992 PM // 2:56:25.414 PM /				
Batch Module				
@GetBatchAfterDeleteByName				


#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.246 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admin creates GET Request with invalid Batch Name	PASSED	0.001 s
5	When Admin sends HTTPS Request with endpoint invalid BatchName	PASSED	0.165 s
6	Then Admin receives 200 OK Status with batchStatus field "Inactive" in the response body. java.lang.AssertionError: 1 expectation failed. Expected status code <200> but was <404>. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor304.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at com.api.stepdefinition.Batch_SD.admin_receives_ok_status_with_batch_status_field_in_the_response_body(Batch_SD.java:553) at ?.Admin receives 200 OK Status with batchStatus field "Inactive" in the response body.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/05_BatchController.feature:192) * Not displayable characters are replaced by '?'.	FAILED	0.001 s

Check if admin able to update a Batch with a deleted batchID in the endpoint




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.257 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Admin creates PUT Request with auth, valid BatchId and Update Valid Data.	PASSED	0.001 s
5	When Admin sends HTTPS Request with endpoint and deleted batchID	PASSED	0.189 s
6	Then Admin receives 200 Ok status with message for update	PASSED	0.000 s

Check Post request of user controller module.





Authorized admin is able to create a new user with valid url and request body with mandatory fields.





#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.241 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.010 s
4	Given Authorized Admin creates POST request with valid request body.	PASSED	0.003 s
5	When Authorized admin send valid post api request	PASSED	0.471 s
6	Then Authorized admin receive 201 status with response body	PASSED	0.007 s

Validating Get request for User API's



FAILED	DURATION - 8.460 s	Scenarios		Steps	
/ 2:56:26.632 PM // 2:56:35.092 PM /		Total - 15		Total - 90	
		Pass - 10		Pass - 85	
		Fail - 5		Fail - 5	
		Skip - 0		Skip - 0	

Admin is able to get count of active and in active admins

<div>PASSED</div>	<div>DURATION - 0.432 s</div>		Steps	
/ 2:56:26.632 PM // 2:56:27.064 PM /			Total - 6	
Validating Get request for User API's			Pass - 6	
@user			Fail - 0	
			Skip - 0	



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.264 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.004 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getcountofactiveandinactive"	PASSED	0.160 s
6	Then Users receives 200 ok.	PASSED	0.001 s

Admin is able to get all active users

<div>PASSED</div>	<div>DURATION - 0.564 s</div>	<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 2:56:27.074 PM // 2:56:27.638 PM /</div>				
<div>Validating Get request for User API's</div>				
<div>@user</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.247 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Users creates Get user request	PASSED	0.000 s
5	When Users sends https request with "getallactiveusers"	PASSED	0.306 s
6	Then Users receives 200 ok.	PASSED	0.000 s



Admin is able to assign update user role program batch

FAILED	DURATION - 0.456 s		Steps Total - 6 Pass - 5 Fail - 1 Skip - 0	
/ 2:56:27.642 PM // 2:56:28.098 PM /				
Validating Get request for User API's				
@updateuser @user				

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.238 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.004 s
4	Given Users creates request with valid response body UserRoleProgramBatch.	PASSED	0.032 s
5	When Users sends https put request with assignupdateuserroleprogrambatch	PASSED	0.179 s
6	Then users receives the 200 ok.	FAILED	0.001 s
	org.opentest4j.AssertionFailedError: expected: <200> but was: <400>		

#	Step / Hook Details	Status	Duration
	<pre> at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151) at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132) at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:177) at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:545) at com.api.stepdefinition.UC_UpdateUser.admins_receives_ok(UC_UpdateUser.java:98) at ?.users receives the 200 ok.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/ resources/feature/06_UserController.feature:24) * Not displayable characters are replaced by '?'. </pre>		



Admin is able to get admin by program batchId

FAILED	DURATION - 0.435 s		Steps Total - 6 Pass - 5 Fail - 1 Skip - 0	
/ 2:56:28.106 PM // 2:56:28.541 PM /				
Validating Get request for User API's				
@user				

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.262 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with getadminbyprogrambatchId	PASSED	0.165 s
6	Then Users receives 200 ok. <pre> org.opentest4j.AssertionFailedError: expected: <200> but was: <404> at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151) at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132) at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:177) at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:545) at com.api.stepdefinition.UC_GetUsers.user_receives_ok(UC_GetUsers.java:53) at ?.Users receives 200 ok.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/ </pre>	FAILED	0.001 s



#	Step / Hook Details	Status	Duration
	resources/feature/06_UserController.feature:29) * Not displayable characters are replaced by '?'. 		

Admin is able to update user roleId

FAILED	DURATION - 0.422 s		<div>Steps</div> <div>Total - 6</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 2:56:28.544 PM // 2:56:28.966 PM /				
Validating Get request for User API's				
@updateuser @user				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.237 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.003 s
4	Given Users creates request with valid response body "UpdateUserRoleId"	PASSED	0.001 s
5	When Users sends https put request with updateuserroleId	PASSED	0.177 s
6	Then users receives the 200 ok. org.opentest4j.AssertionFailedError: expected: <200> but was: <400> at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151) at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132) at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:177) at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:545) at com.api.stepdefinition.UC_UpdateUser.admins_receives_ok(UC_UpdateUser.java:98) at ?.users receives the 200 ok.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/06_UserController.feature:34) * Not displayable characters are replaced by '?'. 	FAILED	0.001 s

Admin is able to get admin by programId

<div>FAILED</div>	<div>DURATION - 0.438 s</div>		<div>Steps</div> <div>Total - 6</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 2:56:28.976 PM // 2:56:29.414 PM /				
Validating Get request for User API's				
@user				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.257 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with getadminbyprogramId	PASSED	0.169 s
6	Then Users receives 200 ok. org.opentest4j.AssertionFailedError: expected: <200> but was: <404> at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151) at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132) at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:177) at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:545) at com.api.stepdefinition.UC_GetUsers.user_receives_ok(UK_GetUsers.java:53) at ?.Users receives 200 ok.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/06_UserController.feature:39) * Not displayable characters are replaced by '?'. 	FAILED	0.001 s

Admin is able to get admin by roleId

PASSED	DURATION - 0.557 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 2:56:29.418 PM // 2:56:29.975 PM /				
Validating Get request for User API's				
@user				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.251 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.004 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getadminbyroleId"	PASSED	0.300 s
6	Then Users receives 200 ok.	PASSED	0.000 s

Admin is able to get all users

PASSED	DURATION - 0.865 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 2:56:29.982 PM // 2:56:30.847 PM /				
Validating Get request for User API's				
@user				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.256 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getallusers"	PASSED	0.599 s
6	Then Users receives 200 ok.	PASSED	0.001 s

Admin is able to get all roles

PASSED	DURATION - 0.768 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 2:56:30.850 PM // 2:56:31.618 PM /				
Validating Get request for User API's				
@user				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.257 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getallroles"	PASSED	0.502 s
6	Then Users receives 200 ok.	PASSED	0.000 s

Admin is able to get user by userId

PASSED	DURATION - 0.804 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 2:56:31.623 PM // 2:56:32.427 PM /				
Validating Get request for User API's				
@user				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.253 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getuserbyuserId"	PASSED	0.542 s
6	Then Users receives 200 ok.	PASSED	0.000 s

Admin is able to get all users with roles

PASSED	DURATION - 0.419 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 2:56:32.434 PM // 2:56:32.853 PM /				
Validating Get request for User API's				
@user				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.237 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Users creates Get user request	PASSED	0.000 s
5	When Users sends https request with "getalluserswithroles"	PASSED	0.176 s
6	Then Users receives 200 ok.	PASSED	0.001 s

Admin is able to get users by roleId V2

PASSED	DURATION - 0.863 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 2:56:32.863 PM // 2:56:33.726 PM /				
Validating Get request for User API's				
@user				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.263 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.004 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getusersbyroleIdV2"	PASSED	0.593 s
6	Then Users receives 200 ok.	PASSED	0.000 s

Admin is able to update user by userId

PASSED	DURATION - 0.454 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 2:56:33.731 PM // 2:56:34.185 PM /				
Validating Get request for User API's				
@updateuser @user				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.266 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Users creates request with valid response body "UpdateUser"	PASSED	0.002 s
5	When Users sends https put request with updateuser	PASSED	0.178 s
6	Then users receives the 200 ok.	PASSED	0.000 s

Admin is able to update user role status

<div>PASSED</div>	<div>DURATION - 0.464 s</div>	<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 2:56:34.188 PM // 2:56:34.652 PM /</div>				
<div>Validating Get request for User API's</div>				
<div>@updateuser @user</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.265 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.010 s
4	Given Users creates request with valid response body "UpdateUserRoleStatus"	PASSED	0.001 s
5	When Users sends https put request with updateuserrolestatus	PASSED	0.187 s
6	Then users receives the 200 ok.	PASSED	0.000 s

Admin is able to update user login status



<div>FAILED</div> <div>DURATION - 0.437 s</div>			<div>Steps</div> <div>Total - 6</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 2:56:34.655 PM // 2:56:35.092 PM /				
Validating Get request for User API's				
@updateuser @user				

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.257 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Users creates request with valid response body "UpdateUserLoginStatus"	PASSED	0.001 s
5	When Users sends https put request with updateuserloginstatus	PASSED	0.171 s
6	Then users receives the 200 ok. org.opentest4j.AssertionFailedError: expected: <200> but was: <500> at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151) at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132) at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:177) at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:545) at com.api.stepdefinition.UC_UpdateUser.admins_receives_ok(UC_UpdateUser.java:98) at ?.users receives the 200 ok.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/06_UserController.feature:88) * Not displayable characters are replaced by '?'. 	FAILED	0.002 s

Validating Invalid data for User API's



FAILED	DURATION - 7.568 s	Scenarios Total - 17 Pass - 11 Fail - 6 Skip - 0		Steps Total - 102 Pass - 96 Fail - 6 Skip - 0	
/ 2:56:35.108 PM // 2:56:42.676 PM /					

Authorized admin is able to create a new user with valid url and request body with missing mandatory fields.

PASSED	DURATION - 0.436 s		Steps	
/ 2:56:35.108 PM // 2:56:35.544 PM /			Total - 6	
Validating Invalid data for User API's			Pass - 6	
@02UserModule-PostInvalid			Fail - 0	
			Skip - 0	


#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.255 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Authorized admin user create post request with invalid request body	PASSED	0.002 s
5	When Authorized admin user send valid post api request	PASSED	0.168 s
6	Then Authorized admin user receive 400 status with message	PASSED	0.002 s

Unauthorized admin user create post request with valid request body

FAILED	DURATION - 0.287 s		Steps Total - 6 Pass - 5 Fail - 1 Skip - 0	
/ 2:56:35.548 PM // 2:56:35.835 PM /				
Validating Invalid data for User API's				
@03UserModule-PostNoAuth				


#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.254 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.002 s
4	Given Unauthorized admin user create post request with valid request body	PASSED	0.001 s
5	When Unauthorized admin user send valid post api request	PASSED	0.030 s
6	Then Unauthorized admin user receive 401 status with message	FAILED	0.000 s
	<pre> java.lang.AssertionError: expected:<403> but was:<401> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at com.api.stepdefinition.UC_PostRequestStep.unauthorized_admin_user_receive_status_with_message(UC_PostRequestStep.java:100) at ?.Unauthorized admin user receive 401 status with message(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/07_InvalidUserController.feature:21) * Not displayable characters are replaced by '?'. </pre>		

Admin is able to get all users with invalid endpoint





#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.234 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.003 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "allusers"	PASSED	0.277 s
6	Then Users receives 404	PASSED	0.000 s

Admin is able to get all admins with invalid endpoint





#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.271 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "allroles"	PASSED	0.164 s
6	Then Users receives 404	PASSED	0.000 s

Admin is able to get all active users with invalid endpoint

<div>PASSED</div>	<div>DURATION - 0.455 s</div>		<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 2:56:36.821 PM // 2:56:37.276 PM /				
Validating Invalid data for User API's				


#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.270 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "allactiveusers"	PASSED	0.175 s
6	Then Users receives 404	PASSED	0.000 s

Admin is able to get all active and inactive users with invalid endpoint

<div>PASSED</div>	<div>DURATION - 0.552 s</div>	<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 2:56:37.284 PM // 2:56:37.836 PM /</div>				
<div>Validating Invalid data for User API's</div>				


#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.267 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "countofactiveandinactive"	PASSED	0.275 s
6	Then Users receives 404	PASSED	0.001 s

Admin is able to get user with invalid userId





#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.267 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "userbyuserId"	PASSED	0.164 s
6	Then Users receives 404	PASSED	0.000 s

Admin is able to get admin by invalid program batchId





#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.264 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "adminbyprogrambatchId"	PASSED	0.163 s
6	Then Users receives 404	PASSED	0.001 s

Admin is able to get admin by invalid programId

<div>PASSED</div>	<div>DURATION - 0.451 s</div>		<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 2:56:38.743 PM // 2:56:39.194 PM /				
Validating Invalid data for User API's				


#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.268 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "adminbyprogramId"	PASSED	0.174 s
6	Then Users receives 404	PASSED	0.000 s

Admin is able to get admin by invalid roleId

<div>PASSED</div>	<div>DURATION - 0.409 s</div>	<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
/ 2:56:39.198 PM // 2:56:39.607 PM /				
Validating Invalid data for User API's				


#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.236 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "adminbyroleId"	PASSED	0.167 s
6	Then Users receives 404	PASSED	0.000 s

Admin is able to get admin with roles with invalid endpoint




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.258 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "alluserswithroles"	PASSED	0.154 s
6	Then Users receives 404	PASSED	0.001 s


Admin is able to get users by roleId V2 with invalid endpoint



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.268 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.003 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "usersbyroleIdV2"	PASSED	0.166 s
6	Then Users receives 404	PASSED	0.001 s

Admin is able to update user with invalid roleId



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.245 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.002 s
4	Given Users creates request with valid response body "UserRoleId"	PASSED	0.001 s
5	When Users sends https put request with "userroleId"	PASSED	0.173 s
6	Then Users receives 404 java.lang.NullPointerException: Cannot invoke "io.restassured.response.Response.getStatusCode()" because "this.response" is null at com.api.stepdefinition.UC_GetUsers.admin_receives_with_unauthorized(UC_GetUsers.java:63) at ?.Users receives 404(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/07_InvalidUserController.feature:76) * Not displayable characters are replaced by '?'. 	FAILED	0.001 s

Admin is able to update user with existing roleId

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.246 s


#	Step / Hook Details	Status	Duration
3	Then Admin receives 200 created with auto generated token	PASSED	0.003 s
4	Given Users creates request with valid response body "UserRoleId"	PASSED	0.002 s
5	When Users sends https put request with "userroleId"	PASSED	0.164 s
6	Then Users receives 404 java.lang.NullPointerException: Cannot invoke "io.restassured.response.Response.getStatusCode()" because "this.response" is null at com.api.stepdefinition.UC_GetUsers.admin_receives_with_unauthorized(UC_GetUsers.java:63) at ?.Users receives 404(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/07_InvalidUserController.feature:81) * Not displayable characters are replaced by '?'. 	FAILED	0.000 s

Admin is able to update user with invalid adminroleprogrambatch

FAILED	DURATION - 0.438 s		Steps Total - 6 Pass - 5 Fail - 1 Skip - 0	
/ 2:56:41.334 PM // 2:56:41.772 PM /				
Validating Invalid data for User API's				


#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.253 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.003 s
4	Given Users creates request with valid response body "UserRoleProgramBatchInvalid"	PASSED	0.000 s
5	When Users sends https put request with "userroleprogrambatch"	PASSED	0.180 s
6	Then Users receives 404 java.lang.NullPointerException: Cannot invoke "io.restassured.response.Response.getStatusCode()" because "this.response" is null at com.api.stepdefinition.UC_GetUsers.admin_receives_with_unauthorized(UC_GetUsers.java:63) at ?.Users receives 404(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/07_InvalidUserController.feature:86) * Not displayable characters are replaced by '?'. 	FAILED	0.001 s

Admin is able to update user with existing adminroleprogrambatch



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.266 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Users creates request with valid response body "UserRoleProgramBatchInvalid"	PASSED	0.001 s
5	When Users sends https put request with "userroleprogrambatch"	PASSED	0.184 s
6	Then Users receives 404 java.lang.NullPointerException: Cannot invoke "io.restassured.response.Response.getStatusCode()" because "this.response" is null at com.api.stepdefinition.UC_GetUsers.admin_receives_with_unauthorized(UC_GetUsers.java:63) at ?.Users receives 404(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/07_InvalidUserController.feature:91) * Not displayable characters are replaced by '?'. 	FAILED	0.001 s



Admin is able to update user with invalid userloginstatus





#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.248 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.003 s

#	Step / Hook Details	Status	Duration
4	Given Users creates request with valid response body "UserLoginStatus"	PASSED	0.001 s
5	When Users sends https put request with "userloginstatus"	PASSED	0.175 s
6	Then Users receives 404 java.lang.NullPointerException: Cannot invoke "io.restassured.response.Response.getStatusCode()" because "this.response" is null at com.api.stepdefinition.UC_GetUsers.admin_receives_with_unauthorized(UC_GetUsers.java:63) at ?.Users receives 404(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/07_InvalidUserController.feature:96) * Not displayable characters are replaced by '?'. 	FAILED	0.000 s

Validating user role program batch map API's



FAILED	DURATION - 0.946 s	Scenarios Total - 2 Pass - 1 Fail - 1 Skip - 0		Steps Total - 12 Pass - 11 Fail - 1 Skip - 0	
/ 2:56:42.682 PM // 2:56:43.628 PM /					

Admin is able to get all admins with assigned program batches

PASSED	DURATION - 0.503 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 2:56:42.682 PM // 2:56:43.185 PM /				
Validating user role program batch map API's				

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.253 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.003 s
4	Given Users creates Get user request	PASSED	0.000 s
5	When Users sends https request with "getassignedprogrambatchifalluser"	PASSED	0.245 s
6	Then Users receives 200 ok.	PASSED	0.000 s

Admin is able to get program/batches for valid adminId



<div><div>FAILED</div><div>DURATION - 0.432 s</div></div>		<div></div>	<div><div>Steps</div><div>Total - 6</div><div>Pass - 5</div><div>Fail - 1</div><div>Skip - 0</div></div>	<div></div>
/ 2:56:43.196 PM // 2:56:43.628 PM /				
Validating user role program batch map API's				

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.244 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with getassignedprogrambatchbyuserId	PASSED	0.177 s
6	Then Users receives 200 ok. org.opentest4j.AssertionFailedError: expected: <200> but was: <404> at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151) at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132) at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:177) at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:545) at com.api.stepdefinition.UC_GetUsers.user_receives_ok(UC_GetUsers.java:53) at ?.Users receives 200 ok.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/07_UserRoleProgramBatchMap.feature:18) * Not displayable characters are replaced by '?'.	FAILED	0.001 s

ProgramController Module Test with Invalid Data



<div>PASSED</div>	<div>DURATION - 1.773 s</div>	<div>Scenarios</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div></div><div>4</div></div>	<div>Steps</div> <div>Total - 24</div> <div>Pass - 24</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div></div><div>24</div></div>
<div>/ 2:56:43.642 PM // 2:56:45.415 PM /</div>					

Check if Admin able to delete a program with valid LMS API,invalid programName

PASSED		DURATION - 0.444 s			Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 2:56:43.642 PM // 2:56:44.086 PM /						
ProgramController Module Test with Invalid Data						



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.264 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admins creates DELETE Request for the LMS API endpoint	PASSED	0.001 s
5	When Admins has sends HTTPS Request with endpoint and invalid programName	PASSED	0.171 s
6	Then Admins receives 404 Not Found Status with message and boolean success details	PASSED	0.000 s

Check if Admin able to delete a program without Authorization

PASSED	DURATION - 0.441 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 2:56:44.091 PM // 2:56:44.532 PM /				
ProgramController Module Test with Invalid Data				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.263 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admins creates DELETE Request for the LMS API endpoint and valid programName	PASSED	0.000 s
5	When Admins has sends HTTPS Request with endpoint and without Authorization	PASSED	0.169 s
6	Then Admins receives 401 Unauthorized	PASSED	0.001 s

Check if Admin able to delete a program with valid program ID

PASSED		DURATION - 0.436 s			<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 2:56:44.536 PM // 2:56:44.972 PM /						
ProgramController Module Test with Invalid Data						



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.250 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admins creates DELETE Request for the LMS API endpoint	PASSED	0.001 s
5	When Admins send HTTPS Request with endpoint and invalid program ID.	PASSED	0.178 s
6	Then Admins receives 404 Not Found Status with message and boolean success details	PASSED	0.001 s

Check if Admin able to delete a program without Authorization



<div>PASSED</div>	<div>DURATION - 0.433 s</div>	<div></div>	<div><div>Steps</div><div>Total - 6</div><div>Pass - 6</div><div>Fail - 0</div><div>Skip - 0</div></div>	<div></div>
<div>/ 2:56:44.982 PM // 2:56:45.415 PM /</div>				
<div>ProgramController Module Test with Invalid Data</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.272 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admins create DELETE Request for the LMS API endpoint	PASSED	0.001 s
5	When Admins send HTTPS Request with endpoint withOut Authorization	PASSED	0.151 s
6	Then Admins receives 401 Unauthorized	PASSED	0.000 s

Validating Delete Request



<div>FAILED</div> <div>DURATION - 2.244 s</div>		<div>Scenarios</div> <div>Total - 5</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 0</div>		<div></div>	<div>Steps</div> <div>Total - 30</div> <div>Pass - 29</div> <div>Fail - 1</div> <div>Skip - 0</div>		<div></div>
/ 2:56:45.424 PM // 2:56:47.668 PM /							

Admin is able to delete user

PASSED	DURATION - 0.438 s		Steps	
/ 2:56:45.424 PM // 2:56:45.862 PM /			Total - 6	
Validating Delete Request			Pass - 6	
@deleteuser			Fail - 0	
			Skip - 0	



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.253 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Users creates delete request	PASSED	0.000 s
5	When Users sends delete request with deleteuser	PASSED	0.175 s
6	Then Userss receives 200 ok.	PASSED	0.000 s

Check if admin able to delete a Batch with valid Batch ID

PASSED	DURATION - 0.428 s		Steps	
/ 2:56:45.865 PM // 2:56:46.293 PM /			Total - 6	
Validating Delete Request			Pass - 6	
@DeleteBatchwithValidBatchId			Fail - 0	
			Skip - 0	



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.260 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admin creates DELETE Request with valid BatchId.	PASSED	0.001 s
5	When Admin sends HTTPS Request with endpoint for batch.	PASSED	0.158 s
6	Then Admin receives 200 Ok status with message.	PASSED	0.001 s

Check if Admin able to delete a program with valid programName

PASSED	DURATION - 0.465 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 2:56:46.303 PM // 2:56:46.768 PM /				
Validating Delete Request				

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.284 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.004 s
4	Given Admins creates DELETE Request for the LMS API endpoint and valid programName	PASSED	0.000 s
5	When Admins has sends HTTPS Request with endpoint	PASSED	0.174 s
6	Then Admins receives 200 Ok status with message	PASSED	0.001 s

Check if Admin able to delete a program with valid program ID

PASSED	DURATION - 0.438 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 2:56:46.778 PM // 2:56:47.216 PM /				
Validating Delete Request				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.258 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admins creates DELETE Request for the LMS API endpoint and valid program ID	PASSED	0.001 s
5	When Admins send HTTPS Request with endpoint.	PASSED	0.171 s
6	Then Admins receive 200 Ok status with message	PASSED	0.000 s

Admin is able to delete program/batches for valid adminId



FAILED DURATION - 0.441 s / 2:56:47.227 PM // 2:56:47.668 PM / Validating Delete Request		Steps Total - 6 Pass - 5 Fail - 1 Skip - 0	
--	--	--	--

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.261 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.004 s
4	Given Users creates delete request	PASSED	0.001 s
5	When Users sends delete request with deleteassignedprogrambatchbyuserId	PASSED	0.171 s
6	Then Userss receives 200 ok. org.opentest4j.AssertionFailedError: expected: <200> but was: <404> at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151) at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132) at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:177) at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:545) at com.api.stepdefinition.UC_DeleteUser.userss_receives_ok(UC_DeleteUser.java:58) at ?.Userss receives 200 ok.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/Delete.feature:37) * Not displayable characters are replaced by '?'.	FAILED	0.001 s

Validating user logout

PASSED	DURATION - 0.438 s	Scenarios		Steps	
/ 2:56:47.681 PM // 2:56:48.119 PM /		Total - 1		Total - 6	
		Pass - 1		Pass - 6	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Check if user able to logout with token and valid credential

<div>PASSED</div>	<div>DURATION - 0.438 s</div>		<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 2:56:47.681 PM // 2:56:48.119 PM /</div>				
<div>Validating user logout</div>				
<div>@logout @logout-withAuth</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.262 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given user creates GET request with valid emailid and password	PASSED	0.001 s
5	When user calls GET Http request with valid endpoint	PASSED	0.167 s
6	Then user receives 200 status.	PASSED	0.000 s